

(参考文献)

- AAMA, ACEA, JAMA (1998): The World-Wide Fuel Charter
- Abe S, Takizawa H, Sugawara I, Kudoh S (2000): Diesel exhaust (DE)-induced cytokine expression in human bronchial epithelial cells: A study with a new cell exposure system to freshly generated DE *in vitro*. *Am. J. Respir. Cell Mol. Biol.* 22:296-303
- Abraham W.M., Kim CS *et al.* (1980): Effects of a brief low-level exposure to the particulate fraction of diesel exhaust on pulmonary function of conscious sheep. *Arch. Environ. Health* 35, 77-80
- Adachi S, Kawamura K, Takemoto K, Suzuki H, Hisamatsu Y (1999): Carcinogenicity of 3-nitrobenzanthrone, a potent mutagen in diesel exhaust? preliminary results in F344 rats after intratracheal administration- Proceeding of 7th International Inhalation Symposium, Hannover, Germany
- Adachi S, Kawamura K, Takemoto K, Suzuki H, Hisamatsu Y, Nagy E, Möller L (2001): Carcinogenicity of 3-nitrobenzanthrone, A strong direct mutagen identified in particulate matter from diesel exhaust. 8th International Inhalation Symposium, Hannover, Germany
- Adamson IYR, Bowden DH (1981): Dose response of the pulmonary macrophagic system to various particulates and its relationship to transepithelial passage of free particles. *Exp Lung Res* 2: 165-175
- Ahlman K, Koskela RS, Kuikka P, Koponen M, Annanmaki M (1991): Mortality among sulfide ore miners. *Am J Ind Med* 19:603-617
- 赤坂行男, 田中英治 (2000): 軽油の品質動向と製造技術, 日本エネルギー学会誌, Vol.79, No.2
- Akiba S, Hirayama T (1990): Cigarette smoking and cancer mortality risk in Japanese men and women -- results from reanalysis of the six-prefecture cohort study data. *Environ Health Perspect* 87: 19-26
- Akiba S (1994): Analysis of cancer risk related to longitudinal information on smoking habits. *Environment Health Perspect Suppl* 8:15-20
- Albert RE, Chen C (1986): U.S. EPA diesel studies on inhalation hazards. In: Ishinishi N, Koizumi A, McClellan R, and Stöber W eds. *Carcinogenic and mutagenic effects of diesel engine exhaust*, Elsevier Science Publishers B. V; Amsterdam, pp. 411-419
- Albert RE, Lewtas J, Nesnow S *et al.* (1983): Comparative potency method for cancer risk assessment: application to diesel particulate emissions. *Risk Anal* 3: 101-117
- Ames BN, McCann J, Yamasaki E (1975): Methods for detecting carcinogens and mutagens with the salmonella/mammalian-microsome mutagenicity test. *Mutat. Res.* 31:347-364
- Ames RG, Attfield MD, Hankinson JL, Hearl FJ, & Reger RB (1982) Acute respiratory effects of exposure to diesel emissions in coal miners. *Am Rev Respir Dis*, 125: 39-42
- Ames RG, Hall DS & Reger RB (1984) Chronic respiratory effects of exposure to diesel emissions in coalminers. *Arch Environ Health*, 39: 389-394
- Anjilvel S, Asgharian B (1995) A multiple-path model of particle deposition in the rat lung. *Fundam Appl Toxicol* 28:41-50
- Arey J, Zielinska B, Atkinson R *et al.* (1989): Nitroarene products from the gas-phase reactions of volatile polycyclic aromatic hydrocarbons with OH radical and N₂O₅, *Int. J. Chem. Kinet.*, 21: pp.775-799
- Arimoto T, Yoshikawa T, Takano H, Kohno M (1999): Generation of reactive oxygen species and 8-hydroxy-2'-deoxyguanosine formation from diesel exhaust particle components in L1210 cells., *Jpn J Pharmacol*, 80, 1: 49-54

- Aronson KJ, Siemiatycki J, Dewar R *et al.* (1996): Occupational risk factors for prostate cancer: results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol* 143(4): 363-373
- Atkinson R (1986): Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds under atmospheric conditions., *Chem. Rev.* 86: pp.69-201
- Atkinson R(1988): Atmospheric transformation of automotive emissions. In: *Air pollution, the automobile and public health.*, Watson AY, Bates RR, Kennedy D eds. Washington, DC: National Academy Press, pp.99-132
- Atkinson R, Arey J (1994): Atmospheric chemistry of gas-phase polycyclic aromatic hydrocarbons: formation of atmospheric mutagen., *Environ Health Perspect.* 102(Suppl. 4): pp.117-126
- Atkinson R, Arey J, Zielinska B *et al.* (1987): Kinetics and products of the gas-phase reactions of OH radicals and N₂O₅ with naphthalene and biphenyl., *Environ. Sci. Technol.* 21: pp.1014-1022
- Attfield MD, Trabant GD and Wheeler RW (1982): Exposure to diesel fumes and dust at six potash mines. *Ann Occup Hyg* 26: 817-831
- Attfield MD (1978): The effect of exposure to silica and diesel exhaust in underground metal and nonmetal miners. In: Kelley WD, ed. *Industrial hygiene for mining and tunneling: proceedings of an ACGIH topical symposium; November; Denver, CO.* Cincinnati, OH: The American Conference of Governmental Industrial Hygienists, Inc.; pp. 129-135
- Bagley ST, Gratz LD, Johnson JH *et al.* (1998): Effects of an oxidation catalytic converter and a biodiesel fuel on the chemical, mutagenic, and particle size characteristics of emissions from a diesel engine. *Environ. Sci. Technol.* 32: pp.1183-1191
- Bai Y, Suzuki AK, Sagai M (2001): The cytotoxic effects of diesel exhaust particles on human pulmonary artery endothelial cells *in vitro*: role of active oxygen species: *Free Radic Biol Med.* Mar 1;30(5):555-62
- Bailey MR, Fry FA, James AC (1982): The long-term clearance kinetics of insoluble particles from the human lung. *Ann Occup Hyg* 26:273-289
- Baines TM, Somers JH, Harvey CA (1979): Heavy-duty diesel particulate emission factors, *J. Air Pollut. Control Assoc.* 29(6): pp.616-621
- Ball JC & Young WC (1992): Evidence for a new class of mutagens in diesel particulate extracts. *Environ Sci Technol*, 26: 2181-2186
- Barfknecht TR, Andon BM, Thilly WG, & Hites RA (1981): Soot and mutation in bacteria and human cells. In: Cooke M & Dennis AJ eds, *Chemical analysis and biological fate: Polynuclear aromatic hydrocarbons.* Columbus, OH, Battelle Press, pp 2
- Barnhart MI, Chen S-T, Salley SO (1981): Ultrastructure and morphometry of the alveolar lung of guinea pigs chronically exposed to diesel engine exhaust: six month's exposure. *J. Appl. Toxicol.*, 1, 88-103.
- Barnhart MI, Salley SO, Chen S-T (1982): Morphometric ultrastructural analysis of alveolar lungs of guinea pigs chronically exposed by inhalation to diesel exhaust. In: Lewtas, J, ed. *Toxicological effects of emissions from diesel engines: proceedings of the Environmental Protection Agency diesel emission symposium; October, 1981; Raleigh, NC.* New York: Elsevier Biomedical; pp 183-200
- Battigelli MC (1965): Effects of diesel exhaust. *Arch Environ Health* 10: 165-167
- Battigelli MC, Mannella RJ, Hatch TF (1964): Environmental and clinical investigation of workmen exposed to diesel exhaust in railroad engine houses. *Ind Med Surg* 33:121-124
- Baumgard KJ, Johnson JH (1992): The effect of low sulfur fuel and a ceramic particle filter on diesel exhaust particle size distributions. *SAE Technical Paper Ser. No. 920566*
- Baumgard KJ, Johnson JH (1996): The effect of fuel and engine design on diesel exhaust particle size distributions.

- Bayram H, Devalia JL, Khair OA, Abdelaziz MM, Sapsford RJ, Sagai M, Davies RJ (1998): Comparison of ciliary activity and inflammatory mediator release from bronchial epithelial cells of nonatopic nonasthmatic subjects and atopic asthmatic patients and the effect of diesel exhaust particles *in vitro*. *J Allergy Clin Immunol* 1998; 102:771-782
- Bayram H, Devalia J L, Sapsford R J, Ohtoshi T, Miyabara Y, Sagai M and Davies RJ (1998): The effect of diesel exhaust particles on cell function and release of inflammatory mediators from human bronchial epithelial cells *in vitro*, *Am. J. Respir. Cell. Mol. Biol*, 18, pp. 441-448
- Bechtold WE, Henderson TR & Brooks AL (1986): Isolation, identification and bacterial mutagenicity of 2-nitro-9-fluorenone from diesel-exhaust particle extracts. *Mutat Res*, 173: 105-109
- Bellmann B, Muhle H, Creutzenberg O *et al.* (1991): Lung clearance and retention of toner, utilizing a tracer technique, during chronic inhalation exposure in rats. *Fundam Appl Toxicol* 17: 300-313
- Benhamou S, Benhamou E, & Flamant R (1988): Occupational risk factors of lung cancer in a French case-control study. *Br J Ind Med*, 45: 231-233.
- Bhatia R, Lopipero P, Smith A (1998): Diesel exhaust exposure and lung cancer. *Epidemiol* 9(1):84-91.
- Bhatnagar RS, Hussain MZ, Sorensen K.R. (1980): Biochemical alterations in lung connective tissue in rats and mice exposed to diesel emissions. In: Pepelko WE, Danner RM, Clarke NA eds. *Health effects of diesel engine emissions: proceedings of an international symposium, December 1979: Cincinnati, OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory: pp 557-570; EPA report no. EPA-600/9-80-057a*
- Bice DE, Mauderly JL, Jones RK, *et al.* (1985): Effects of inhaled diesel exhaust on immune responses after lung immunization. *Fundam. Appl. Toxicol.* 5, 1075-1086
- Bieler CA, Wiessler M, Erdinger L, Suzuki H, Enya T, Schmeiser HH (1999): DNA adduct formation from the mutagenic air pollutant 3-nitrobenzanthrone, *Mutat Res*, 439, 2: 307-311
- Blomberg A, Ainsbury C, Rudell B *et al.* (1998): Nasal cavity lining fluid ascorbic acid concentration increases in healthy human volunteers following short-term exposure to diesel exhaust. *Free Radical Res* 28:59-67
- Boffetta P, Stellman SD and Garfinkel L (1988): Diesel exhaust exposure and mortality among males in the American Cancer Society Prospective Study. *Am J Ind Med* 14: 403-415
- Boffetta P, Harris RE, & IVynder EL (1990): Case-control study on occupational exposure to diesel exhaust and lung cancer risk. *Am J Ind Med*, 17: 577-591
- Boffetta P, Dosemeci M, Gridley G, Bath H, Moradi T & Silverman D (2001): Occupational exposure to diesel engine emissions and risk of cancer in Swedish men and women, *Cancer Causes and Control* 12: 365-374
- Boland S, Baeza-Squiban A, Fournier T, Houcine O, Gendron MC, Ch'evrier M, Jouvenot G, Coste A, Aubier M and Marano F (1999): Diesel exhaust particles are taken up by human airway epithelial cells *in vitro* and alter cytokine production. *Am J Physiol* 1999; 276: L604-613
- Boland S, Bonvallot V, Fournier T, Baeza-Squiban A, Aubier M and Marano F (2000): Mechanisms of GM-CSF increase by diesel exhaust particles in human air epithelial cells. *Am J Physiol Lung Cel Mol Physiol* 2000;278:L25-32
- Bolton RE, Vincent JH, Jones AD *et al.* (1983): An overload hypothesis for pulmonary clearance of UICC amosite fibres inhaled by rats, *Br. J. Ind. Med.* 40:264-272
- Bömmel H, Li Weber M, Serfling E, Duschl A (2000): The environmental pollutant pyrene induces the production of IL-4., *J Allergy Clin Immunol.*, 105 (4): 796-802
- Bond JA, Mitchell CE, Li AP (1983): Metabolism and macromolecular covalent binding of benzo[a]pyrene in

- cultured Fischer-344 rat lung type II epithelial cells. *Biochem Pharmacol* 32:3771-3776
- Bond JA, Butler MM, Medinsky MA, Muggenburg BA, & McClellan RO (1984): Dog pulmonary macrophage metabolism of free and particle-associated [¹⁴C]benzo[a]pyrene. *J Toxicol Environ Health*, 14: 181-189
- Bond JA, Mauderly JL (1984): Metabolism and macromolecular covalent binding of [¹⁴C]-1-nitropyrene in isolated perfused and ventilated rat lungs. *Cancer Res* 44:3924-3929
- Bond JA, Sun JD, Mitchell CE, Dutcher JS, Wolff RK, McClellan RO (1986a): Deposition, metabolism and excretion of ¹⁴C-1-nitropyrene coated on diesel particles as influenced by exposure concentration. *Toxicol Appl Pharmacol* 85:102-117
- Bond JA, Sun JD, Mitchell CE, Dutcher JS, Wolff RK, & McClellan RO (1986b): Biological fate of inhaled organic compounds associated with particulate matter. In: Lee SD, Schneider D, Grant JD, & Verkerk p J, eds, *Aerosols*. Chelsea, MI, Lewis Publishers, pp 579-592
- Bond JA, Wolff RK, Harkema JR, Mauderly JL, Henderson RF, Griffith WC, & McClellan RO (1988): Distribution of DNA adducts in the respiratory tract of rats exposed to diesel exhaust. *Toxicol Appl Pharmacol*, 96: 336-346
- Bond JA, Harkema JR, Henderson RF, Mauderly JL, McClellan RO, Wolff RK (1989): Molecular dosimetry of inhaled diesel exhaust. In: Mohr U ed. *Assessment of inhalation hazardz*. New York: Springer-Verlag; pp. 315-324
- Bond JA, Johnson NF, Snipes MB *et al.* (1990): DNA adduct formation in rat alveolar type II cells: cells potentially at risk for inhaled diesel exhaust. *Environ Mol Mutagen* 16:64-69
- Bond JA, Harkema JR, Henderson RF, Mauderly JL, McClellan RO, & Wolff RK (1990b): The role of DNA adducts in diesel exhaust-induced pulmonary carcinogenesis. *Prog Clin Biol Res*, 340C: 259-269
- Bond JA, Mauderly JL and Wolff RK (1990b) Concentration- and time-dependent formation of DNA adducts in lungs of rats exposed to diesel exhaust. *Toxicology* 60: 127-135
- Borm PJA and Driscoll K (1996): Particles, inflammation and respiratory tract carcinogenesis. *Toxicol Lett* 88: 109-113
- Borm PJ, Knaapen AM, Schins RP, Godschalk RW, Schooten FJ (1997): Neutrophils amplify the formation of DNA adducts by benzo[a]pyrene in lung target cells. *Environ Health Perspect* 105 (Suppl 5): 1089-1093
- Brightwell J, Fouillet X, Cassano-Zoppi AL, Gatz R, Duchosal F(1986): Neoplastic and functional changes in rodents after chronic inhalation of engine exhaust emissions. *Developments in Toxicology & Environmental Science*, 13:471-85
- Brightwell J, Fouillet X, Cassano-Zoppi AL, Bernstein D, Crawley F, Duchosal F, Gatz R, Perczel S, Pfeifer H(1989): Tumors of the respiratory tract in rats and hamsters following chronic inhalation of engine exhaust emissions. *J Appl Toxicol* 9: 23-31
- Brooks DR, Geller AC, Chang J and Miller DR (1992) Occupation, smoking, and the risk of high grade invasive bladder cancer in Missouri. *Am J Ind Med* 21: 669-713
- Brooks AL, Wolff RK, Royer RE *et al.* (1981): Deposition and biological availability of diesel particles and their associated mutagenic chemicals. *Environ Int* 5:263-267
- Brunekreef B, Janssen NAH, van Vliet PHN, *et al.* (2000): Traffic related air pollution and its effect on respiratory health of children living near motorways, PM2000 January; Charleston, South Carolina USA., pp. 104-105
- Brunekreef B, Janssen NAH, de Hartog J *et al.* (1997): Air pollution from truck traffic and lung function in children living near motorways. *Epidemiology* 8(3): 298-303
- Bruske-Hohlfeld I, Mohner M, Pohlabeln H, Ahrens W, Bolm-Audorff U, Heienbrock L, Kreuzer M, Jahn I, Wichmann H, Jockel K (2000): Occupational Lung Cancer Risk for Men in Germany: Results from a Pooled

- Case-Control Study., *Am J Epidemiol.*,15
- Bryan GT, Brown RR, Price JM (1964): Mouse bladder carcinogenicity of certain tryptophan metabolites and other aromatic nitrogen compounds suspended in cholesterol.
- Buiatti E, Kriebel D, Geddes M *et al.* (1985): A case control study of lung cancer in Florence, Italy. I. Occupational risk factors. *J Epidemiol Commun Health* 39:244-250
- Bunger J, Krahl J, Baum K, Schröder O, Muller M, Westphal G, Ruhnau P, Schulz TG, Hallier E (2000a): Cytotoxic and mutagenic effects particle size and concentration analysis of diesel engine emissions using biodiesel and petrol diesel as fuel, *Arch Toxicol.* 74; 490-498
- Bunger J, Muller MM, Krahl J, Baum K, Weigel A, Hallier E, Schulz TG (2000b): Mutagenicity of diesel exhaust particles from two fossil and two plant oil fuels., *Mutagenesis.*, 15 (5): 391-397
- Burns PB, Swanson GM (1991): The occupational cancer incidence surveillance study (OCISS): risk of lung cancer by usual occupation and industry in the Detroit metropolitan area. *Am J Ind Med* 19:655-671
- Busby Jr. WF, Goldman ME, Newberne PM, Wogan GN (1984): Tumorigenicity of fluoranthene in a newborn mouse lung adenoma bioassay. *Carcinogenesis.*, 5 (10): 1311-1316
- Busby WF Jr., Garner RC, Chow FL, Martin CN, Stevens EK, Newberne PM, Wogan GN (1985): 6-Nitrochrysene is a potent tumorigen in newborn mice. *Carcinogenesis.* 6,801-803
- Busby WF Jr., Stevens EK, Martin CN, Chow FL, Garner RC (1989): Comparative lung tumorigenicity of parent and mononitro-polynuclear aromatic hydrocarbons in the BLU:Ha newborn mouse assay. *Toxicol Appl Pharmacol.* 99, 555-563
- California Environmental Protection Agency Air Resources Board(1996): Methodology for Estimating Emissions from On-Road Motor Vehicles.
- California Environmental Protection Agency (1996): Health risk assessment for diesel exhaust, public and scientific panel review draft; Office of Environmental Health Hazard Assessment California Environmental Protection Agency.
- California Environmental Protection Agency (1997): Public and Scientific Review Draft. Health Risk Assessment for Diesel Exhaust, Berkeley, CA: Office of Environmental Health Hazard Assessment, California Environmental Protection Agency.
- California Environmental Protection Agency (1997): Proposed identification of diesel exhaust as a toxic air contaminant Part A exposure assessment public comment and SRP version; California Environmental Protection Agency; May 1997
- California Environmental Protection Agency (1998a): Report to the Air Resources Board on the proposed identification of diesel exhaust as a toxic air contaminant, Appendix III, Part A: Exposure assessment
- California Environmental Protection Agency (1998b): Measuring concentrations of selected air pollutants inside California vehicles. Final Report
- California Environmental Protection Agency (1998c): For the "Proposed Identification of Diesel Exhaust as a Toxic Air Contaminant" Part B: Health risk assessment for Diesel Exhaust
- Calvert JG, Stockwell WR (1983): Acid generation in the troposphere by gas-phase chemistry., *Environ. Sci. Technol.* 17:428A-443A
- Campbell KI, George EL and Washington IS (1981): Enhanced susceptibility to infection in mice after exposure to diluted exhaust from light duty diesel engines. *Environment International* 5, 377-382, 1981
- Campbell RM, Lee ML (1984): Capillary column gas chromatographic determination of nitro polycyclic aromatic compounds in particulate extracts. *Anal. Chem.* 56: pp.1026-1030

- Carero ADP, Hoet PHM, Verschaeve L, Schoeters G, and Nemery B (2000): Genotoxic Effects of Carbon Black Particles, Diesel Exhaust Particles, and Urban Air Particulates and Their Extracts on a Human Alveolar Epithelial Cell Line (A549) and a Human Monocytic Cell Line (THP-1), *Environmental and Molecular Mutagenesis*, 37: 155-163
- Casillas AM, Hiura T, Li N and Nel AE (1999): Enhancement of allergic inflammation by diesel exhaust particles: permissive role of reactive oxygen species. *Ann Allergy Asthma Immunol* 1999; 83: 624-629
- Casto BC, Hatch GG, Huang SL, Lewtas J, Nesnow S, & Waters MD (1981): Mutagenic and carcinogenic potency of extracts of diesel and related environmental emissions: *In vitro* mutagenesis and oncogenic transformation. *Environ Int*, 5: 403-409
- Castranova V, Bowman L, Reasor MJ, Lewis TR, Tucher J, Miles PR (1985): The response of rat alveolar macrophages to chronic inhalation of coal dust and/or diesel exhaust. *Environ. Res.*, 36, 405-419
- Chan TL, Lee PS, and Hering WE (1981) Deposition and clearance of inhaled diesel exhaust particles in the respiratory tract of Fischer rats. *J. Appl. Toxicol*, 1: 77-82
- Chan TL, Lee PS and Hering WE (1984): Pulmonary retention of inhaled diesel particles after prolonged exposures to diesel exhaust. *Fundam Appl. Toxicol* 4: 624-631
- Chaudhari A, Farrer RG, Dutta S (1981): Effect of exposure to diesel exhaust on pulmonary prostaglandin dehydrogenase (PGDH) activity. *J. Appl. Toxicol*. 1, 127-131
- Chen KC, Vostal JJ (1981): Aryl hydrocarbon hydroxylase activity induced by injected diesel particulate extract vs inhalation of diluted diesel exhaust. *J Appl Toxicol* 1: 127-131
- Chen KC (1986): Induction of aryl hydrocarbon hydroxylase in rat tissue following intratracheal instillation of diesel particulate extract and benzo[a]pyrene. *J Appl Toxicol* 6:259-262
- Chen CW, Oberdörster G (1996): Selection of models for assessing dose-response relationships for particle-induced lung cancer. *Inhal Toxicol* 8(supp): 259-278
- Chescheir GM, Garrett NE, Shelburne JD, Huisingh JL, & Waters MD (1981): Mutagenic effects of environmental particulates in the CHO/HGPRT system In: Waters MD, Sandhu SS, Huisingh JL, Claxton L, & Nesnow S, eds.: *Application of short-term bioassays in the fractionation and analysis of complex environmental mixtures*, New York: Plenum Press; pp. 337- 350
- Chow JC, Watson JG, Richards LW *et al.* (1991): The 1989-1990 Phoenix PM10 study Volume II: Source apportionment, Final Report, DRI Document No. 8931.6F1, prepared for Arizona Department of Environmental Air Quality, Phoenix, AZ
- 中央環境審議会 (1998): 今後の自動車排出ガス低減対策のあり方について(第三次答申)
- Ciccone G, Forastiere F, Agabiti N, Biggeri A, Bisanti L, Chellini E, *et al.* (1998): Road traffic and adverse respiratory effects in children. *Occup Environ Med* 55:771-8
- Clark CR, Royer RE, Books AL, McClellan RO, Marshal WF, Naman TM, and Seizinger DE (1981): Mutagenicity of diesel exhaust particle extracts: Influence of car type. *Fundam. Appl. Toxicol*. 1, 260-265
- Clark CR, Truex TJ, Lee FSC, and Salmeen IT (1981): Influence of sampling filter type on the mutagenicity of diesel exhaust particulate extracts. *Atmos. Environ.* 15 397-402
- Clark CR, Dutcher JS, Brooks AL, McCellen RO, Marsall WF, and Naman TM (1982a): Mutagenicity of diesel exhaust particle extracts: Influence of driving cycle and environmental temperature. *Fundam. Appl. Toxicol*. 2, 153-15
- Clark CR, Henderson TR, Royer RE, Brooks AL, McClellan RO, Marchall WF, and Naman TM (1982b): Mutagenicity of diesel exhaust particle extracts: influence of fuel composition in two diesel engines, *Fundam*

- Appl Toxicol. 1982 Jan-Feb; 2(1): 38-43
- Claxton LD and Barnes HM (1981): The mutagenicity of diesel-exhaust particle extracts collected under smog-chamber conditions using the *Salmonella thyphimurium* test system. *Mutat. Res.* 88, 255-272
- Claxton LD (1981): Mutagenic and carcinogenic potency of diesel and related environmental emissions: Salmonella bioassay. *Environ Int* 5:3 89-391
- Coggon D, Pannett B and Acheson ED (1984): Use of job-exposure matrix in an occupational analysis of lung and bladder cancers on the basis of death certificates. *J Natl Cancer Inst* 72: 61-65.
- Cohen AJ and Higgins MWP (1995): Health effects of diesel exhaust: epidemiology. In: Diesel Exhaust. A Critical Analysis of Emissions, Exposure, and Health Effects. A Special Report of the Institute's Working Group. Cambridge, MA: Health Effects Institute.
- Cohen BS, Xiong JQ, Fang CP *et al.* (1998): Deposition of charged particles on lung airways. *Health Phys* 74:554-560.
- Cohen AJ and Higgins MWP (1995): Health effects of diesel exhaust: epidemiology. In: Diesel Exhaust: A Critical Analysis of Emissions, Exposure, and Health Effects. A Special Report of the Institute's Working Group. Cambridge, MA: Health Effect Institute (HEI), pp. 251-292
- Conzelman GM Jr., Moulten JE, Flanders LE III (1970): Tumors in the urinary bladder of a monkey: induction with 2-nitronaphthalene. *Gann* 61,79-80
- Cordier S, Clavel J, Limasset JC, Boccon-Gibod L, Le Moual N, Mandereau L & Hemon D (1993): Occupational risks of bladder cancer in France: A multicentre case-control study. *Int J Epidemiol*, 22: 403-411.
- Cox LA (1997): Does diesel exhaust cause human lung cancer?, *J Risk Anal* 17 (6): 807-829.
- Creasia DA, Poggenburg JK, Nettesheim P Jr. (1976): Elution of benzo[a]pyrene from carbon particles in the respiratory tract of mice. *J Toxicol Environ Health* 1:967-975
- Crebelli R, Fuselli S, Conti G, Conti L, & Carere A (1991): Mutagenicity spectra in bacterial strains of airborne and engine exhaust particulate extracts. *Mutat Res*, 261: 237-248
- Crebelli R, Conti L, Crochi B, Carere A, Bertoli C, Delgiacomo N (1995): The effect of fuel composition on the mutagenicity of diesel engine exhaust. *Mutat Res* 346: 167-172
- Creutzenberg O, Bellmann B, Heinrich U, Fuhst R, Koch W & MuNe H (1990): Clearance and retention of inhaled diesel exhaust particles, carbon black, and titanium dioxide in rats at lung overload conditions. *J Aerosol Sci*, 21: 455-458
- Crump KS (1999): Lung cancer mortality and diesel exhaust: reanalysis of a retrospective cohort study of U. S. railroad workers. *Inhal Toxicol* 11: 1-17
- Cuddihy RG, McClellan RO (1983): Evaluating lung cancer risks from exposures to diesel engine exhaust. *Risk Anal* 3:119-124
- Cuddihy RG, Griffith WC, & McClellan RO (1984): Health risks from light-duty diesel vehicles. Low risk of lung cancer from exposure to diesel exhaust is projected from laboratory and epidemiologic data. *Environ Sci Technol*, 18:14A-21A.
- Curren RD, Kouri RE, Kim CM, & Schechtman LM (1981): Mutagenic and carcinogenic potency of extracts from diesel related environmental emissions: Simultaneous morphological transformation and mutagenesis in BALB/c3T3 cells. *Environ Int*, 5: 41
- Damber LA & Larsson LG (1987): Occupation and male lung cancer: A case-control study in northern Sweden. *Br J Ind Med*, 44: 446-453.

- Dasenbrock C, Peters L, Creutzenberg O, Heinrich U (1996): The carcinogenic potency of carbon particles with and without PAH after repeated intratracheal administration in the rat. *Toxicol Lett* 88:15-21.
- Dawson SV, Alexeeff GV (2001): Multi-stage model estimates of lung cancer risk from exposure to diesel exhaust, Based on a U.S. railroad worker cohort., *Risk Anal.*, 21 (1): 1-18
- Depass LR, Chen KC, Peterson LG (1982): Dermal carcinogenesis bioassays of diesel particulates and dichloromethane extract of diesel particulates in C3H mice. *Developments in Toxicology & Environmental Science*. 10:321-7, 1982
- Diaz-Sanchez D, Dotson AR, Takenaka H *et al.* (1994): Diesel exhaust particles induce local IgE production *in vivo* and alter the pattern of IgE messenger RNA isoforms. *J Clin Invest* 94: 1417-1425.
- Diaz-Sanchez D, Tsien A, Casillas A *et al.* (1996): Enhanced nasal cytokine production in human beings after *in vivo* challenge with diesel exhaust particles. *J Allergy Clin Immunol* 98:114- 123.
- Diaz-Sanchez D, Tsien A, Fleming J *et al.* (1997): Combined diesel exhaust particulate and ragweed allergen challenge markedly enhances human *in vivo* nasal ragweed-specific IgE and skews cytokine production to a T helper cell 2-type pattern. *J Immunol* 158:2406-2413
- Diaz Sanchez D, Tsien A, Fleming J, Saxon A (1999): Effect of topical fluticasone propionate on the mucosal allergic response induced by ragweed allergen and diesel exhaust particle challenge., *Clin Immunol.*, 90 (3): 313-322
- Diaz Sanchez D, Jyrala M, Ng D, Nel A, Saxon A (2000a): *In vivo* nasal challenge with diesel exhaust particles enhances expression of the CC chemokines rantes, MIP-1alpha, and MCP-3 in humans. *Clin Immunol*, 97:140-146
- Diaz Sanchez D, Penichet Garcia M, Saxon A (2000b): Diesel exhaust Particles directly induce activated mast cells to degranulate and increase histamine levels and Symptom severity., *J Allergy Clin Immunol*, 106: 1140-1146
- Dietrich AM, Guenat DR, Tomer KB, Ball LM (1988): Identification and characterization of the major DNA adduct formed chemically and *in vitro* from the environmental genotoxin 3-nitrofluoranthene. *Carcinogenesis.*, 9,: 2113-2119.
- Dietzmann HE, Parness MA, Bradow RL (1980): Emissions from trucks by chassis version of 1983 transient procedure, SAE Technical Paper Ser. No. 801371
- Djuric Z, Fifer EK, Yamazoe Y, Beland FA (1988): DNA binding by 1-nitopyrene and 1, 6-dinitropyrene *in vitro* and *in vivo* :effects on nitroreductase induction. *Carcinogenesis.*, 9 (3): 357-364.
- Duhme H, Weiland KS, Keil U *et al.* (1996): The Association between Self -Reported Symptoms of Asthma and Allergic Rhinitis and Self-Reported Traffic Density on Street of Residence in Adolescents, *Epidemiology* 7, 578-582
- Dungworth DL, Mohr U, Heinrich U, Emst H & Kittel B (1994): Pathological effects of inhaled particles in rat lungs: Associations between inflammatory and neoplastic processes. In: Mohr U, Dungworth DL, Mauderly JL, & Oberdörster, eds, *Toxic and carcinogenic effects of solid particles in the respiratory tract.*, Washington DC, International Life Science Institute Press, pp 75-98
- Dziedzic D (1981): Differential counts of B and T lymphocytes in the lymph nodes, circulating blood and spleen after inhalation of high concentrations of diesel exhaust. *J. Appl. Toxicol.* 1, 111-115.
- Edling C & Axelson O (1984): Risk factors of coronary heart disease among personnel in a bus company. *Int Arch Occup Environ Health*, 54: 181-183.
- Edling C, Anjou C-G, Axelson O, & Kling H (1987): Mortality among personnel exposed to diesel exhaust. *Int Arch Occup Environ Health*, 59: 559-565

- Edwards J, Waters S and Griffiths RK (1994): Hospital admissions for asthma in preschool children: relationship to major roads in Birmingham, United Kingdom. *Arch Environ Health* 49: 223-227.
- EEA ETC/AEM (1997): Technical Report No.6, COPERT II Computer Programme to calculate Emissions from Road Transport, Methodology and Emission Factors.
- EEA ETC/AEM(2000): COPERT Computer programme to calculate emissions from road transport, Methodology and emission factors (Version 2.1), EEA ETC/AEM Technical report No 49, European Environment Agency
- El Batawi MA, Noweir MH (1966): Health problems resulting from prolonged exposure to air pollution in diesel bus garages. *Ind Health* 4: 1-10.
- El-Bayoumy K, Hecht SS, Hoffmann D (1982): Comparative tumor initiating activity on mouse skin of 6-nitrobenzo[a]pyrene, 6-nitrochrysene, 3-nitroperylene, 1-nitropyrene and their parent hydrocarbons. *Cancer Letters*. 16, 333-337
- El-Bayoumy K, Hecht SS, Sackl T, Stoner GD (1984): Tumorigenicity and metabolism of 1-nitropyrene in A/j mice. *Carcinogenesis*., 5 (11): 1449-1452.
- El-Bayoumy K, Rivenson A, Johnson B, DiBello J, Little P, Hecht SS (1988) Comparative tumorigenicity of 1-nitropyrene, 1-nitrosopyrene, and 1-aminopyrene administered by gavage to Sprague-Dawley rats. *Cancer Res* 48 :4256-4260.
- El-Bayoumy K, Desai D, Upadhyaya P, Amin S, Hecht SS. (1992): Comparative tumorigenicity of nitrochrysene isomers in newborn mice. *Carcinogenesis*. 13, 2271-2275
- El-Bayoumy K, Rivenson A, Upadhyaya P, Chae YH, Hecht SS (1993): Induction of mammary cancer by 6-nitrochrysene in female CD rats. *Cancer Res.*, 53: 3719-3722,
- Emmelin A, Nyström L, & Wall S (1993): Diesel exhaust exposure and smoking: A case-referent study of lung cancer among Swedish dock workers, *Epidemiology*, 4: 237-244
- English P, Neutra R, Scaif R, *et al.* (1999): Examining Associations between Childhood Asthma and Traffic Flow Using a Geographic Information System., *Environmental Health Perspectives.*, 107: 761-767.
- Environment Canada, Health Canada (2000): Canadian Environmental Protection Act, Priority Substances List, Assessment Report, Respirable Particulate Matter Less Than or Equal to 10 Microns.
- Enya T, Suzuki H, Watanabe T, *et al.* (1997): 3-Nitrobenzanthrone, a powerful bacterial mutagen and suspected human carcinogen found in diesel exhaust and airborne particulates. *Environ Sci Technol* 31: 2772-2776
- Enya T, Kawanishi M, Suzuki H, Matsui S, and Hisamatsu Y, (1998): An unusual DNA adduct derived from the powerfully mutagenic environmental contaminant 3-nitrobenzanthrone. *Chem. Res. Toxicol.*, 11, 1460-1467.
- Fahy O, Hammad H, Senechal S, Pestel J, Tonnel A-B, Wallaert B, Tscopoulos A (2000): Synergistic effect of diesel organic extracts and allergen Der p1 on the release of chemokines by peripheral blood mononuclear cells from allergic subjects. *Am. J. Respir. Cell Mol. Biol.* 23:247-254
- Federal Highway Administration (1997): Assessment of highway particulate impacts: phase I, tasks B and C. Field sampling and evaluation program
- Feilberg A, Kamens RM, Strommen MR *et al.* (1999): Modeling the formation, decay, and partitioning of semivolatile nitro-polycyclic aromatic hydrocarbons (nitronaphthalenes) in the atmosphere. *Atmos. Environ.* 33:1231-1243.
- Felicetti SA, Wolff RK, Muggenburg BA (1981): Comparison of tracheal mucous transport in rats, guinea pigs, rabbits, and dogs. *J Appl Physiol: Respir Environ Exercise Physiol* 51: 1612-1617.
- Ferin J (1982): Pulmonary alveolar pores and alveolar macrophage-mediated particle clearance. *Anat Rec* 203:265-

- Ferin J, Feldstein ML (1978): Pulmonary clearance and hilar lymph node content in rats after particle exposure. *Environ Res* 16:342-352.
- Feychting M, Svensson D, Ahlbom A (1998): Exposure to motor vehicle exhaust and childhood cancer, *Scand J Work Environ Health*, 24: 8-11.
- Flodin U, Fredriksson M, Persson B (1987): Multiple myeloma and engine exhausts, fresh wood, and creosote: a case-referent study. *Am J Ind Med* 12:519-529.
- Forsberg B, Stjernberg N, Wall S (1997): People can detect poor air quality well below guideline concentrations: a prevalence study of annoyance reactions and air pollution from traffic, *Occupational Environmental Medicine*, 54: 44-48
- Fredricson B, Moller L, Pousette A, Westerholm R. (1993): Human sperm motility is affected by plasticizers and diesel particle extracts. *Pharmacol. Toxicol.* 72, 128-133
- Frey JW, Corn M (1967): Diesel exhaust particulates. *Nature* 216: pp.615-616
- Froines JR, Hinds WC, Duffy RM, Lafuente EJ and Liu WV(1987): Exposure of Firefighters to Diesel Emissions in Fire Stations, *Am. Ind. Hyg. Assoc. J.* 48(3), 202-207
- Fromme H (1990): [The importance of diesel engine exhaust gases for ecological health protection and hygienic environmental protection.] *Off Gesundheitswesen*, 52: 625-629 (*in German*)
- Fujimaki H, Nohara O, Ichinose T, Watanabe N, Saito S (1994): IL-4 production in mediastinal lymph node cells in mice intratracheally instilled with diesel exhaust particulates and antigen. *Toxicology*, 92, 261-268
- Fujimaki H, Saneyoshi K, Nohara O, Shiraishi F, Imai T (1995): Intranasal Instillation of diesel exhaust particulates and antigen in mice modulated cytokine productions in cervical lymph node cells. *Int. Arch. Allergy Immunol.*, 108, 268-273
- Fujimaki H, Saneyoshi K, Shiraishi F, Imai T, Endo T (1997): Inhalation of diesel exhaust enhances antigen-specific IgE antibody production in mice. *Toxicology*, 116, 227-233
- 藤本佳夫, 塚崎之弘, 武井康典, 小川忠男, 中田雅彦 (1994): ディーゼル排出ガス低減に関する軽油性状の研究(第1報) 直噴ディーゼルエンジンの粒子状物質への影響, (社)自動車技術会, 学術講演会前刷集 946, pp.5-8
- Fujita EM, Lu Z, Sheetz L *et al.* (1997): Determination of mobile source emission source fraction using ambient field measurements. Final report, prepared under CRC Project No. E-5-1 for Coordinating Research Council, Atlanta, GA
- 藤原康博 (1990): ディーゼル微粒子生成過程の研究, 石油学会誌, 33(5), pp.255-266
- 福岡三郎, 飯田靖雄, 舟島正直ら (1981): 小型ディーゼル車からの汚染物質排出実態, 東京都公害研究所年報, 10-20
- Gallagher J, George M, Kohan M, Thompson C, Shank T, & Lewtas J (1993): Detection and comparison of DNA adducts after *in vitro* and *in vivo* diesel emission exposures. *Environ Health Perspectives*, 99: 225-228.
- Gallagher J, Heinrich U, George M *et al.* (1994): Formation of DNA adducts in rat lung following chronic inhalation of diesel emissions, carbon black and titanium dioxide particles. *Carcinogenesis* 15(7): 1291-1299.
- Gamble J, Jones W and Hudak J (1983a): An epidemiological study of salt miners in diesel and nondiesel mines. *Am J Ind Med* 4(3): 435-458
- Gamble JF & Jones WG (1983b): Respiratory effects of diesel exhaust in salt miners. *Am Rev Respir Dis*, 128: 389-394

- Gamble J, Jones W and Minshall S (1987a): Epidemiological-environmental study of diesel bus garage workers: acute effects of NO₂ and respirable particulate on the respiratory system. *Environ Res.* 42:201-214.
- Gamble J, Jones W and Minshall S (1987b): Epidemiological-environmental study of diesel bus garage workers: chronic effects of diesel exhaust on the respiratory system. *Environ Res.* 44: 6-17
- Garland FC, Gorham ED, Garland CF *et al.* (1988): Testicular cancer in US Navy personnel. *Am J Epidemiol* 127:411-414
- Garshick E, Schenker MB, Munoz A, Segal M, Smith TJ, Woskie SR, Hammond SK, & Speizer FE (1987): A case-control study of lung cancer and diesel exhaust exposure in railroad workers. *Am Rev Respir Dis*, 135: 1242-1248
- Garshick E, Schenker MB, Munoz A *et al.* (1988): A retrospective cohort study of lung cancer and diesel exhaust exposure in railroad workers. *Am Rev Respir Dis* 137: 820-825
- Gerde P, Medinsky A, & Bond JA (1991a) The retention of polycyclic aromatic hydrocarbons in the bronchial airways and in the alveolar region. A theoretical comparison. *Toxicol Appl Pharmacol*, 107: 239-252
- Gerde P, Medinsky MA, & Bond JA (1991b) Contemporary issues in toxicology. Particle-associated polycyclic aromatic hydrocarbons. A reappraisal of their possible role in pulmonary carcinogenesis, *Toxicol Appl Pharmacol*, 108: 1-13.
- Gerde P, Muggenburg BA, Sabourin PJ, Harkema JR, Hotchkiss JA, Hoover MD, & Henderson RF (1993a): Disposition of polycyclic aromatic hydrocarbons in the respiratory tract of the beagle dog. The conducting airways. *Toxicol Appl Pharmacol*, 121: 319-327
- Gerde P, Muggenburg BA, & Henderson RF (1993b) Disposition of polycyclic aromatic hydrocarbons in the respiratory tract of the beagle dog. Mechanisms of the dosimetry. *Toxicol Appl Pharmacol*, 121: 328-334
- Gerry TR, Lee SP, Hass FJ *et al.* (1979): Calculated deposition of inhaled particles in the airway generations of normal subjects. *1979.J Appl Physiol.*47:867-873
- Gertler AW, Wittorff DN, McLaren R, Belzer W, Dann T (1997): Characterization of Vehicle Emission in VanCouver BC During the 1993 Lower Fraser Valley Oxidant Study., *Atmos. Environ.*, 31(14) 2107-2112.
- Gibb FR, Morrow PE (1962): Alveolar clearance in dogs after inhalation of an iron 59 oxide aerosol. *J Appl Physiol* 17:429-432.
- Gibson TL (1982): Nitroderivatives of polynuclear aromatic hydrocarbons in airborne and source particulate matter. *Atmos. Environ.* 16:2037-2040
- Gibson TL (1983): Sources of direct-acting nitroarene mutagens in airborne particulate matter. *Mutat. Res.* 122:115-121
- Goldstein LS, Weyand EH, Safe S *et al.* (1998): Tumors and DNA adducts in mice exposed to benzo[a]pyrene and coal tars: implications for risk assessment. *Environ Health Perspect* 106(6): 1325-1330.
- Goto S, Sugita K *et al.* (1995): Estimation of the Deposition Ratio of Polycyclic Aromatic Hydrocarbons in Diesel Exhaust Particles to Respiratory Tract. *J.Japan Soc. Air. Pollut* 30(1) 53-58 (1995)
- Graboski MS, McCormick RL, Yanowitz J *et al.* (1998b): HD diesel testing for the Northern Front Range Air Quality Study. Colorado Institute for Fuels and Engine Research.
- Granum B, Gaarder PI, Groeng E, Leikvold R, Namork E, Løvik M (2001a): Fine particles of widely different composition have an adjuvant effect on the production of allergen-specific antibodies., *Toxicol Lett.*, 118 (3): 171-181
- Granum B, Gaarder PI, Løvik M (2001b): IgE adjuvant effect caused by particles - immediate and delayed effects. *Toxicology.*, 156 (2-3): 149-159

- Green FHY, Boyd RL, Danner-Rabovsky J (1983): Inhalation studies of diesel exhaust and coal dust in rats. *Scand. J. Work Environ. Health.*, 9, 181-188.
- Griffs LC, Wolff RK, Henderson RF *et al.* (1983) Clearance of diesel soot particles from rat lung after a subchronic diesel exhaust exposure. *Fundam Appl Toxicol* 3(2) : 99-103.
- Grimmer G, Brune H, Deutsch-Wenzel R, Dettborn G, Jacob J, Naujack KW, Mohr U, Ernst H (1987): Contribution of polycyclic aromatic hydrocarbons and nitro-derivatives to the carcinogenic impact of diesel engine exhaust condensate evaluated by implantation into the lungs of rats. *Cancer Letters.* 37(2):173-80
- Grimmer G, Brune H, Dettborn G, Jacob J, Misfeld J, Mohr U, Naujack K-W, Timm J, & Wenzel-Hartung R (1991): Relevance of polycyclic aromatic hydrocarbons as environmental carcinogens. *Fresenius J Anal Chem*, 339: 792-795.
- Gross KB (1981): Pulmonary function testing of animals chronically exposed to diluted diesel exhaust. *J. Appl. Toxicol.* 1, 116-123.
- Gu Z-W, Zhong B-Z, Keane MJ, Whong w-z, Wallace WE, & Ong T (1994): Induction of unscheduled DNA synthesis in V79 cells by diesel emission particles dispersed in simulated pulmonary surfactant. *Ann Occup Hyg*, 38(Suppl 1): 345-349.
- Guberan E, Usel M, Raymond L *et al.* (1992): Increased risk for lung cancer and for cancer of the gastrointestinal tract among Geneva professional drivers. *Br J Ind Med* 49:337-344.
- Gustafsson L, Wall S, Larsson L-G, & Skog B (1986): Mortality and cancer incidence among Swedish dock workers- A retrospective cohort study. *Scand J Work Environ Health*, 12: 22-26.
- Gustafsson P, Plato N, Lidstrom, EB, *et al.* (1990): Lung cancer and exposure to diesel exhaust among bus garage workers. *Scand J Work Environ Health* 16:348-354.
- Hahon N, Booth JA, Green F and Lewis TR(1985): Influenza virus infection in mice after exposure to coal dust and diesel engine emissions. *Environ Res* 37, 44-60, 1985
- Hall NEL, Wynder EL (1984): Diesel exhaust exposure and lung cancer: a case-control study. *Environ Res* 34:77-86.
- Hammond S, Smith T, Woskie S, Leaderer B, & Bettinger N (1988): Markers of exposure to diesel exhaust and cigarette smoke in railroad workers. *Am Ind Hyg Assoc. J.*, 49:516-522
- Hannukari I, Jarrinen E and Partanen T (1978): Work conditions and health of locomotive engineers II. Questionnaire study, mortality and disability, *Scand. J. Work Environ. Health.* 4 (Suppl. 3) : 15-28
- Hansen ES (1993) A follow-up study on the mortality of truck drivers. *Am J Ind Med* 23:811-821.
- Hansen J, Raaschou-Nielsen O, Olsen JH *et al.* (1998): Increased risk of lung cancer among different types of professional drivers in Denmark. *Occup Environ Med* 55:115-118.
- Hara KM, Hanaoka T, Yamano Y and Itani T (1997): Urinary 1-hydroxypyrene levels of garbage collectors with low-level exposure to polycyclic aromatic hydrocarbons, *Sci. Total Environ.*, 199, 159-164.
- Harris J (1983): Diesel emissions and lung cancer. *Risk Anal.* 3: 83-100.
- Hasegawa MM, Nishi Y, Tsuda H, Inui N, & Morimoto K (1988): Effects of diesel exhaust particles on chromosome aberration, sister chromatid exchange and morphological transformation in cultured mammalian cells. *Cancer Lett*, 42: 61-66
- Hashimoto S, Gon Y, Takeshita I, Matsumoto K, Jibiki I, Takizawa H, Kudoh S, Horie T (2000): Diesel exhaust particles activate p38 MAP kinase to produce interleukin 8 and RANTES by human bronchial epithelial cells and N-acetylcystein attenuates p38 MAP kinase activation. *Am J Respir Crit Care Med* 2000;161:280-285.
- Haugen A, Aune T, Deilhaug T (1986): Nitropyrene-induced DNA repair in Clara cells and alveolar type- cells

- isolated from rabbit lung. *Mutat Res.*, 175 (4): 259-262.
- Hattis D, Silver K (1994): Use of mechanistic data in occupational health risk assessment: the example of diesel particulates. In: Smith MC, Christiani DC, Kelsey KT, eds. *Chemical risk assessment and occupational health*, Westport.; Auburn House, pp. 167-178.
- Hayes RB, Thomas T, Silverman DT, Vineis P, Blot WJ, Mason TJ, Pickle LW, Correa P, Fontham ETH, Schoenberg JB (1989): Lung cancer in motor exhaust-related occupations. *Am J Ind Med* 16:685-695.
- Health Effects Institute (HEI) (1999): Diesel emissions and lung cancer: epidemiology and quantitative risk assessment. A Special Report of the Institute's Diesel Epidemiology Expert Panel. Cambridge, MA
- Heinrich U, Peters L, Funcke W, Pott F, Mohr U, Stöber W (1982): Investigation of toxic and carcinogenic effects of diesel exhaust in long-term inhalation exposure of rodents. *Developments in Toxicology & Environmental Science*. 10:225-42
- Heinrich U, Pott F, Mohr U, Stöber W (1985): Experimental methods for the detection of the carcinogenicity, and/or cocarcinogenicity of inhaled polycyclic aromatic hydrocarbon containing emissions. *Carcinogenesis (London)* 8:131-146.
- Heinrich U, Muhle H, Takenaka S, Ernst H, Fuhst R, Mohr U, Pott F, Stöber W (1986a): Chronic effects on the respiratory tract of hamsters, mice and rats after long-term inhalation of high concentrations of filtered and unfiltered diesel engine emissions. *J. Appl. Toxicol.*, 6, 383-395.
- Heinrich U, Pott F, Rittinghausen S (1986b): Comparison of chronic inhalation effects in rodents after long-term exposure to either coal oven flue gas mixed with pyrolyzed pitch or diesel engine exhaust. *Developments in Toxicology & Environmental Science*. 13:441-57
- Heinrich U, Mohr U, Fuhst R, Brockmeyer C (1989): Investigation of a potential cotumorogenic effect of the dioxides of nitrogen and sulfur, and of diesel-engine exhaust on the respiratory tract of Syrian golden hamsters. Research Report No. 26. Cambridge, MA: Health Effects Institute; pp.27
- Heinrich U, Pott F, & Roller M (1991): Polycyclic aromatic hydrocarbons-Animal results and epidemiological findings relevant to risk assessment, In: *Carcinogenic substances in the environment: Origin, measurement, risk, minimization*. Meeting of the Commission for Clean Air of the Society of German Engineers (VDI) and the German Standards Institute (DIN), Mannheim, 23-25 April. Düsseldorf, Society of German Engineers Press, pp 71-92 (*in German*)
- Heinrich U, Fuhst R, & Mohr U (1992): Experimental inhalation studies with laboratory animals on the question of the tumour-inducing effect of diesel engine exhausts and two test dusts. In: [Effects of diesel engine exhausts on health.] Munich, GSF Research Centre for Environment and Health Inc, pp 21-30 (*in German*)
- Heinrich U, Fuhst R, Dasenbrock C *et al.* (1992): Long term inhalation exposure of rats and mice to diesel exhaust, carbon black and titanium dioxide. Monterey, CA In: *The Ninth Health Effects Institute Annual Conference Program*. Cambridge
- Heinrich U, Dungworth DL, Pott F *et al.* (1994): The carcinogenic effects of carbon black particles and tar-pitch condensation aerosol after inhalation exposure of rats. *Ann Occup Hyg* 48 (suppl. 4):351-356.
- Heinrich U, Fuhst R, Rittinghausen S, Creutzenberg O, Bellmann B, Koch and Levsen WK (1995): Chronic inhalation exposure of Wistar rats and two different strains of mice to diesel engine exhaust, carbon black and titanium dioxide. *Inhal. Toxicol.*, 7, 533-556.
- Heinrich U, Fuhst R, Rittinghausen S, *et al.* (1995): Chronic inhalation exposure of Wistar rats and two different strains of mice to diesel engine exhaust, carbon black, and titanium dioxide. *Inhal Toxicol* 7:533-556.
- Helmig D, Arey J, Atkinson R, Harger WP, McElroy PA (1992): Products of the OH radical-initiated gas-phase reaction of fluorene in the presence of NO_x. *Atmos. Environ.* 26A: 1735-1745

- Hemminki K, Soderling J, Ericson P, Norbeck HE, Segerback D (1994): DNA adducts among personnel servicing and loading diesel vehicles. *Carcinogenesis*. 15(4):767-9
- Henderson RF, Picrell JA, Jones RK, *et al.* (1998): Response of rodents to inhaled diluted diesel exhaust: biochemical and cytological changes in bronchoalveolar lavage fluid and in lung tissue. *Fundam. Appl. Toxicol.* 11, 546-567.
- Heppleston AG, Young AE (1973): Uptake of inert particulate matter by alveolar cells: an ultrastructural study. *J Pathol* 111:159-164.
- Hext PM (1994): Current perspectives on particulate induced pulmonary tumours. *Hum Exp Toxicol* 13(10): 700-715.
- Heyder J, Gebhart J, Rudolf G, Schiller CF, & Stahlhofen W (1986): Deposition of particles in the human respiratory tract in the size range 0.005-15µm. *J Aerosol Sci*, 17: 811-825.
- 樋口一恵, 石川隆俊, 児玉顕一ら(1992): ラット気管およびヒト気管支上皮細胞 DNA 合成に及ぼすディーゼル排出粒子の影響について. *大気汚染学会誌*, 27 (1): 30-44.
- Hirose M, Lee MS, Wang CY, King CM (1984): Induction of rat mammary gland tumors by 1-nitropyrene, a recently recognized environmental mutagen. *Cancer Res.*, 44 (3): 1158-1162.
- Hiruma K, Terada N, Hanazawa T, Nomoto M, Maesako K, Konno A, and Kobayashi T (1999): Effects of diesel exhaust on guinea pig nasal mucosa. *Ann Otol Rhinol Laryngol*, 108, 582-588.
- Hitosugi M (1968): Epidemiological study of lung cancer with special reference to the effect of air pollution and smoking habit *公衆衛生院研究報告* 17,237-256
- Hiura TS, Kaszubowski MP, Li N and Nel AE (1999): Chemicals in diesel exhaust particles generate reactive oxygen radicals and induce apoptosis in macrophages. *J Immunol* 1999;163:5582-5591.
- Hiura TS, Li N, Kaplan R, Horwitz M, Seagrave JC, Nel AE (2000): The role of a mitochondrial pathway in the induction of apoptosis by chemicals extracted from diesel exhaust particles. *J Immunol*. Sep 1;165(5): 2703-11
- Hoar SK, Hoover R (1985): Truck driving and bladder cancer mortality in rural New England. *J Natl Cancer Inst* 74:771-774.
- Hodgson JT and Jones RD (1985): A mortality study of carbon black workers employed at five United Kingdom factories between 1947 and 1980. *Arch Environ Health* 40(5): 261-268.
- Hofmann W, Koblinger L, Martonen TB (1989): Structural differences between human and rat lungs: implications for Monte Carlo modeling of aerosol deposition. *Health Physics* 57(suppl 1):41-46.
- Holt PF (1981): Transport of inhaled dust to extrapulmonary sites. *J Pathol* 133:123-129.
- Horikawa K, Sera N, Otofujii T, Murakami K, Tokiwa H, Iwagawa M, Izumi K, Otsuka H (1991): Pulmonary carcinogenicity of 3,9- and 3,7-dinitrofluoranthene, 3-nitrofluoranthene and benzo[a]pyrene in F344 rats. *Carcinogenesis* 12,1003-1007
- Horvath H, Kreiner I, Norek C, Preining O and Georgi B (1988): Diesel Emissions in Vienna, *Atmos. Environ.*, 22(7), 1255-1269.
- Hou S-M, Lambert B and Hemminki K (1995): Relationship between hprt mutant frequency, aromatic DNA adducts and genotypes for GSTM1 and NAT2 in bus maintenance workers. *Carcinogenesis* 16: 1913-1917.
- Houk VS, Zweidinger RB, Claxton LD (1987): Mutagenicity of teflon-coated glass fiber filters : a potential problem and solutions. *Environ Sci Technol.* 21,: 917-920.
- Howard P, Robert H, Frederick EE and Beland FA (1983): Formation of DNA adducts *in vitro* and in *Salmonella typhimurium* upon metabolic reduction of the environmental mutagen 1- nitropyrene. *Cancer Research* 43, 2052-

2058.

- Howard AJ, Mitchell CE, Dutcher JS, Henderson TR, McClellan RO (1986) Binding of nitropyrenes and benzo[a]pyrene to mouse lung deoxyribonucleic acid after pretreatment with inducing agents. *Biochem Pharmacol* 35:2129-2134.
- Howe GR, Burch JD, Miller AB *et al.* (1980): Tobacco use, occupation, coffee, various nutrients, and bladder cancer. *J Natl Cancer Inst* 64: 701-713.
- Howe GR, Fraser D, Lindsay J *et al.* (1983): Cancer mortality (1965-77) in relation to diesel fume and coal exposure in a cohort of retired railway workers. *J Natl Cancer Inst* 70: 1015-1019.
- Hsieh TH, Yu CP(1998): Two-phase pulmonary clearance of insoluble particles in mammalian species. *Inhalation Toxicol.* 10:121-130
- Hutzinger O, Essers U, Hagenmaier H (1992): Untersuchungen zur emission halogenerer dibenzodioxine und dibenzofurane aus verbrennungsmotoren beim betrieb mit handels üblichen betriebsstoffen, Universities of Bayreuth ,Stuttgart and Tübingen, Germany,GSF-Forschungszentrum,Munich,Germany,ISSN 0937-9932
- Hyde DM, Plopper CG, Weir AJ (1985): Peribronchiolar fibrosis in lungs of cats chronically exposed to diesel exhaust. *Lab. Invest.*, 52, 195-206.
- Ichinose T, Takano H, Miyabara Y, Sagai M (1997): Murine strain differences of mice on allergic airway inflammation and immunoglobulin production by combination of antigen and diesel exhaust particles. *Toxicology* 122, 183-192.
- Ichinose T, Takano H, Miyabara Y, Sagai M (1997): Long-term exposure to diesel exhaust enhances the eosinophilic inflammation and epithelial damage in the airway induced by antigen. *Toxicol. Sci.* 44, 70-79.
- Ichinose T, Yajima Y, Nagashima M *et al.* (1997): Lung carcinogenesis and formation of 8-hydroxyguanosine in mice by diesel exhaust particles. *Carcinogenesis* 18: 185-192.
- Ichinose T, Yamanushi T, Seto H *et al.* (1997): Oxygen radicals in lung carcinogenesis accompanying phagocytosis of diesel exhaust particles. *Int J Oncol* 11:571-575.
- Iizawa T, Momiki S, Bauer B, Caamana J, Metcalf R, Lechner J, Harris CC, Klein-Szanto AJP (1993): Invasive tumors derived from xenotransplanted, immortalized human cells after in vivo exposure to chemical carcinogens. *Carcinogenesis*, 14: 1789-1749.
- Imaida K, Hirose M, Lee MS, Wang CY, King CM (1985): Comparative carcinogenicities of 1-, 2-, and 4-nitropyrenes (NP) and structurally related compounds for female CD rats following intraperitoneal injection (Abstract No.366) *Proc Am Assoc Cancer Res*, 26, 93
- Imaida K, Hirose M, Tay L, Lee M-S, Wang Y, & King CM (1991): Comparative carcinogenicities of 1-, 2-, and 4-nitropyrene and structurally related compounds in the female CD rat. *Cancer Res*, 51: 2902-2907.
- Imaida K, Lee MS, Wang CY, King CM (1991): Carcinogenicity of dinitropyrenes in the weanling female CD rat. *Carcinogenesis*. 12, 1187-1191, 1991.
- Imaida K, Lee MS, Land SJ, Wang CY, King CM (1995): Carcinogenicity of nitropyrenes in the newborn female rat. *Carcinogenesis*. 16, 3027-3030
- Ingalls MN (1989): On-Road Vehicle Emission Factors from Measurements in a Los Angeles Area Tunnel, 89-137.3, 82nd Annual Meeting and Exhibition of AWMA (Proceedings), Anaheim, California, June 25-30.
- International Agency for Research on Cancer (IARC) (1996): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, vol 65 : Printing Processes and Printing Inks, Carbon Black and Some Nitro Compounds. Lyon, France: World Health Organization, IARC
- International Agency for Research on Cancer (IARC) (1987): IARC Monographs on the Evaluation of Carcinogenic

- Risks to Humans, vol.42: Silica and Some Silicates. Lyons, France: IARC.
- International Agency for Research on Cancer(IARC) (1989): Diesel and gasoline engine exhaust and some nitroarenes. IARC monographs on the evaluation of carcinogenic risks to humans, vol. 46, Lyon, France: IARC; pp. 189-373.
- Iscovich J, Castelletto R, Esteve J *et al.* (1987): Tobacco smoking, occupational exposure and bladder cancer in Argentina. *Int J Cancer* 40:734-740.
- Ishinishi N, McClellan RO, Albert RE, Bates R, Hashimoto M, Iwai K, Koizumi A, Kondo J, Rosenkrantz HS, Saito T *et al.* (1986a): Round table discussion: Toxicological effects of emissions from diesel engines--health effects and future problems of diesel exhaust. *Developments in Toxicology & Environmental Science*. 13:505-25
- Ishinishi N, Kuwabara N, Nagase S, Suzuki T, Ishiwata S, Kohno T (1986b): Long-term inhalation studies on effects of exhaust from heavy and light duty diesel engines on F344 rats. In: Ishinishi N, Koizumi A, McClellan RO, & Stöber W, eds, *Carcinogenic and mutagenic effects of diesel engine exhaust*. Amsterdam, Elsevier, pp 329-348
- Ishinishi N, Inamasu T, Hisanaga A, *et al.* (1988b): Intratracheal instillation study of diesel particulate extracts in hamsters. In: *Diesel exhaust and health risk*. Ibaraki, Japan: Research Committee for Health Effects Research Programme, pp. 209-216
- Ishinishi N, Kuwabara N, Takaki Y, *et al.* (1988): Long-term inhalation experiments on diesel exhaust. In: *Diesel exhaust and health risks: results of the HERP studies*. Tsukuba, Ibaraki, Japan: Research Committee for Health Effects Research Programme, pp 11-84
- Iwagawa M, Maeda T, Izumi K, Otsuka H, Nishifuji K, Ohnishi Y, Aoki S (1989): Comparative dose-response study on the pulmonary carcinogenicity of 1,6-dinitropyrene and benzo[a]pyrene in F344 rats. *Carcinogenesis*. 10,1285-1290
- Iwai K, Udagawa T, Yamagishi M, Yamada H (1986): Long-term inhalation studies of diesel exhaust on F344 SPF rats. Incidence of lung cancer and lymphoma, *Developments in Toxicology & Environmental Science* 13:349-60
- 岩井和郎, 宇田川忠, 塚越謙吉 (1991): 気管支粒子注入実験 (pilot study). 昭和 59 年度環境庁委託業務結果報告書 - ディーゼル排出ガス影響調査 - : 22-24
- 岩井和郎, 河端美則, 宇田川忠ら (1992): ディーゼル排出粒子成分の人肺癌リスク試験. .疫学データからの計算と動物実験および人肺沈着粒子量からの計算値との比較. 大気汚染学会誌, 27 (6): 296-303
- 岩井和郎, 河端美則, 宇田川忠ら (1992): ディーゼル排出粒子成分の人肺癌リスク試験. I.動物実験からの計算値. 大気汚染学会誌, 27 (6): 289-295
- Iwai K, Higuchi K, Udagawa T, Ohtomo K, Kawabata Y (1997): Lung tumor induced by long-term inhalation or intratracheal instillation of diesel exhaust particles. *Experimental & Toxicologic Pathology*. 49(5): 393-401, 1997
- 岩井和郎 (1998): 低硫黄軽油使用時のディーゼル排出ガスの慢性健康影響調査 結核予防会結核研究所
- Iwai K, Adachi S, Takahashi M, Moller L, Udagawa T, Mizuno S, Sugawara I (2000): Early oxidative DNA damages and late development of lung cancer in diesel exhaust-exposed rats. *Environmental Research*
- Iyer V, Harris RE, Wynder EL (1990): Diesel exhaust exposure and bladder cancer risk. *Eur J Epidemiol* 6:49-54.
- 泉川碩雄, 吉岡秀俊, 秋山薫, 福岡三郎, 横田久司, 飯田靖雄, 舟島正直, 竹永裕二, 坂西丕昌, 梅原秀夫 (1995): ディーゼル車からの多環芳香族炭化水素類の排出量調査, 東京都環境科学研究所年報 1995, 27, pp.27 ~ 34
- Jacobsen M, Smith TA, Hurley JF *et al.* (1988): *Respiratory Infections in Coal Miners Exposed to Nitrogen Oxides*. Cambridge, MA: Health Effects Institute. Research Report Number 18.
- Jensen OM, Wahrendorf J, Knudsen JB, & Sorensen BL (1987): The Copenhagen case-referent study on bladder cancer. Risks among drivers, painters and certain other occupations. *Scand J Work Environ Health*, 13: 129-134.

- Johnson JH, Bagley ST, Gratz LD *et al.* (1994): A review of diesel particulate control technology and emissions effects-1992 Horning Memorial Award Lecture. SAE Technical Paper Ser.. No. 940233.
- Jørgensen H, Svensson A (1970): Studies on pulmonary function and respiratory tract symptoms of workers in an iron ore mine where diesel trucks are used underground. *J Occup Med* 12:348-354.
- Jöckel KH, Ahrens W, Jahn, I *et al.* (1998): Occupational risk factors for lung cancer-a case-control study in West Germany. *Int. J Epidemiol.* 27:549-560
- Kahn G, Orris P, Weeks J (1988): Acute overexposure to diesel exhaust: report of 13 cases. *Am J Ind Med* 13:405-406.
- 神奈川県公害防止推進協議会浮遊粒子状物質対策検討部会(1995): 平成6年度環境濃度解析・排出量算定調査事業報告書
- Kaplan I (1959): Relationship of noxious gases to carcinoma of the lung in railroad workers. *J Am Med Assoc* 171:2039-2043.
- Kaplan HL, Mackenzie WF, Springer KJ, Schreck RM, Vostal JJ (1982): A subchronic study of the effects of exposure of three species of rodents to diesel exhaust. In: J. Lewtas, ed., *Toxicological effects of emissions from diesel engines*. Amsterdam, Elsevier, pp 161-182
- Kaplan HL, Springer KJ, MacKenzie WF (1983): Studies of potential health effects of long-term exposure to diesel exhaust emissions. Final Report No. 01-0750-103 (SWRI) and No. 1239 (SFRE), San Antonio, TX: Southwest Research Institute. 59 pp.
- Karagianes MT, Palmer RF, Busch RH (1981): Effects of inhaled diesel emissions and coal dust in rats. *Am. Ind. Hyg. Assoc. J.*, 42, 382-391
- Kato A, Nagira A, Kagawa J (2000): Morphological changes in rat lung after long-term exposure to diesel emissions. *Inhalation Toxicol.*, 12, 469-490
- Kawabata Y, Iwai K, Udagawa T, Tukagoshi K, & Higuchi K (1986) Effects of diesel soot on unscheduled DNA synthesis of tracheal epithelium and lung tumor formation. In: Ishinishi N, Koizumi A, McClellan R, and Stöber W eds. *Carcinogenic and mutagenic effects of diesel engine exhaust*, Elsevier Science Publishers BV; Amsterdam, Elsevier, pp 213-222
- 河端美則(1988): 肺内での粒子沈着と関連する病変 . *気管支学*, 10 (5): 502-506.
- 河端美則, 宇田川忠, 樋口一恵ら(1988): ディーゼル排ガス粒子の気管内注入による肺障害と発癌 . *大気汚染学会誌*, 23 (1): 32-40.
- 河端美則, 岩井和郎, 宇田川忠ら(1993): ディーゼル排出ガス中の粒子成分の肺注入による肺障害性と肺発癌, 注入粒子量・反応関係について . *大気汚染学会誌*, 28 (1): 11-19.
- Kawabata Y, Udagawa T, Higuchi K *et al.* (1994): Early one year exposure to diesel engine exhaust causes lung tumors. Toxic and carcinogenic effects of solid particles on the respiratory tract., In: Mohr U, Dungworth DL, Mauderly JL *et al.*, eds. *Toxic and carcinogenic effects of solid particles in the respiratory tract.*, Washington, DC: International Life Sciences Institute Press, pp. 429-431
- Kawamura K, Ng LL and Kaplan IR (1985): Determination of organic acids (C1-Cl0) in the atmosphere, motor exhausts and engine oil, *Environ. Sci. Technol.* 19(11): pp.1092-1096
- Kawanishi M, Enya T, Suzuki H, Takebe H, Matsui S, Yagi T (1998): Mutagenic specificity of a derivative of 3-nitrobenzanthrone in the supS shuttle vector plasmides, *Chemical Research in Toxicology*, 11(12): 1468-1473
- Kawanishi M, Enya T, Suzuki H, Takebe H, Matsui S, Yagi T (2000): Postlabelling analysis of DNA adducts formed in human hepatoma cells treated with 3-nitrobenzanthrone, *Mutat Res.*, 470 (2): 133-139
- 環境庁(1995a): 未規制自動車からの排出実態調査検討会, 未規制自動車からの排出実態調査報告書

- 環境庁(1995b): 平成 6 年度微小粒子濃度等通年実測調査報告書
- 環境庁(1998a): 大気汚染物質排出量総合調査報告書
- 環境庁(1998b): 自動車排出ガス原単位および総量に関する調査 - 排出ガス規制対象自動車の通常走行時における車種別 NO_x 等排出量(国内年間排出総量, 1 台あたり年間排出量, 1 台 1 km 走行あたり排出量) 調査結果 - 報告書
- 環境庁(1999a): 平成 10 年度ディーゼル排気粒子低減対策総合調査報告書
- 環境庁(1999b): 浮遊粒子状物質総合対策に係る調査及び検討結果報告書
- 環境省(2001): ダイオキシン類の排出量の目録(排出インベントリー), 平成 13 年 12 月
- Keane MJ, Xing S-G, Harrison JC, Ong T, & Wallace WE (1991): Genotoxicity of diesel-exhaust particles dispersed in simulated pulmonary surfactant. *Mutat Res*, 260: 233-238
- Khalili NR, Scheff PA, Holsen TM (1995): PAH Source Fingerprints for Coke Ovens, Diesel and Gasoline Engines, Highway Tunnels, and Wood Combustion Emissions., *Atmos. Environ.*, 29(4), pp.533-542.
- Kilburn KH (2000): Effects of diesel exhaust on neurobehavioral and pulmonary functions., *Arch Environ Health.*, 55 (1): 11-17
- King LC, Kohan MJS Austin AC, *et al.* (1981): Evaluation of the release of mutagens from diesel particles in the presence of physiological fluids. *Environ Mutagen* 3:109-121.
- King LC, Jackson M, Ball LM, Lewtas J (1983): Binding of 1-nitro[¹⁴C]pyrene to DNA and protein in cultured lung macrophages and respiratory tissues. *Cancer Lett* 19:241-246.
- King CM (1988): Metabolism and biological effects of nitropyrene and related compounds.
- Kinouchi T, Kataoka K, Miyanishi K, Akimoto S and Ohnishi Y,(1993): Biological activities of the intestinal microflora in mice treated with antibiotics or untreated and the effects of the microflora on absorption and metabolic activation of orally administered glutathione conjugates of K-region epoxides of 1-nitropyrene. *Carcinogenesis*, 14(5), 869-874
- Kittelson DB (1998): Engines and nanoparticles: a review. *J Aerosol Sci* 29: pp.575-588.
- 小林伸治, 中島徹, 堀政彦 (1991): 軽油の硫黄分が排気性能に及ぼす影響, 自動車技術会論文集, Vol.22, No.1, pp.54-59
- Kobayashi T and Ito T (1995): Diesel exhaust particulates induce nasal mucosal hyperresponsiveness to inhaled histamine aerosol. *Fundam. Appl. Toxicol.*, 27, 195-202.
- Kobayashi T, Ikeue T, Ito T, Ikeda A, Murakami M, Kato A, Maejima K, Suzuki T (1997): Short-term exposure to diesel exhaust induces nasal mucosal hyperresponsiveness to histamine in guinea pigs. *Fundamental and Applied Toxicology*, 38, 166-172.
- Kobayashi T, Ikeue T, Ikeda A (1998): Four-week exposure to diesel exhaust induces nasal mucosal hyperresponsiveness to histamine in guinea pigs. *Toxicol. Sci.*, 45, 106-112.
- 小林伸治 (1999): 軽油性状による排気対策, (社)自動車技術会, JSAE シンポジウム, pp.20-25
- Kobayashi T (2000): Exposure to Diesel Exhaust Aggravates Nasal Allergic Reaction in Guinea Pigs. *Am.J. Respir. Crit. Care Med.* 2000 Aug; 162(2 Pt 1):352-6.
- 国立環境研究所 (2001): 都市域における VOC の動態解明と大気質に及ぼす影響評価に関する研究, 国立環境研究所特別研究報告, SR-42-2001
- Kotin P, Falk HL, & Thomas M (1955): Aromatic hydrocarbons. . Presence in the particulate phase of diesel-engine exhausts and the carcinogenicity of exhaust extracts. *Arch Ind Health*, 11: 113-120.
- Krämer U, Koch T, Ranft U, *et al.* (2000): Traffic-Related Air Pollution Is Associated with Atopy in Children Living

in Urban Areas, *Epidemiology* ,11, 1: 64-70

- Kunitake E, Shimamura K, Katayama H, Takemoto K, Yamamoto A, Hisanaga A, Ohyama S, Ishinishi N (1986): Studies concerning carcinogenesis of diesel particulate extracts following intratracheal instillation, subcutaneous injection, or skin application. *Developments in Toxicology & Environmental Science*. 13:235-52, 1986
- Langer AM, Nolan RP (1994): Factors controlling the biological potential of inorganic dusts: surface area, chemistry and character. In: Mohr U, Dungworth DL, Mauderly JL, & Oberdörster G, eds, *Toxic and carcinogenic effects of solid particles in the respiratory tract*. Washington DC, International Life Sciences Institute Press.
- Larkin EK, Smith TJ, Stayner L, Rosner B, Speizer FE, Garshick E (2000): Diesel exhaust exposure and lung cancer: adjustment for the effect of smoking in a retrospective cohort study. *Am J Ind Med*, 38:399-409.
- Laurie RD, Lewkowski JP, Cooper GP *et al.* (1978): Effects of diesel exhaust on behavior of the rat. Presented at: 71st annual meeting of the Air Pollution Control Association; June; Houston, TX. Pittsburgh, PA: Air Pollution Control Association.
- Laurie RD, Boyes WK (1980): Neurophysiological alterations due to diesel exhaust exposure during the neonatal life of the rat. In: Pepelko WE, Danner RM, Clarke NA eds. *Health effects of diesel engine emissions: proceedings of an international symposium*, v. 2; December 1979
- Laurie RD, Boyes WK, Wessendarp T (1980): Behavioral alterations due to diesel exhaust exposure. In: Pepelko WE, Danner RM, Clarke NA eds. *Health effects of diesel engine emissions: proceedings of an international symposium*, v. 2; December 1979
- Laurie RD, Boyes WK (1981): Neurophysiological alterations due to diesel exhaust exposure during the neonatal life of the rat. *Environ Int* 5:363-368.
- Lechner JF, Mauderly JL (1994): Sequence of events in lung carcinogenesis: initiation and promotion, protooncogenes and tumor suppressor genes and particulates. In: Mohr U, Dungworth DL, Mauderly JL *et al.*, eds. *Toxic and carcinogenic effects of solid particles in the respiratory tract*, Washington, DC: International Life Sciences Institute Press, pp. 235-251. 8
- Lee IP, Suzuki K, Lee SD, *et al.* (1980): Aryl hydrocarbon hydroxylase induction in rat lung, liver, and male reproductive organs following inhalation exposure to diesel emission. *Toxicol. Appl. Pharmacol* 52, 181-184.
- Lee PS, Chan TL, & Hering WE (1983): Long-term clearance of inhaled diesel exhaust particles in rodents. *J Toxicol Environ Health*, 12: 801-813
- Lee KP, Henry NW III, Trochimowicz HJ *et al.* (1986): Pulmonary response to impaired lung clearance in rats following excessive TiO₂ dust deposition. *Environ Res* 41: 144- 167.
- Lee PS, Gorski RA, Hering WE, & Chan TL (1987): Lung clearance of inhaled particles after exposure to carbon black generated from a resuspension system. *Environ Res*, 43: 364-373.
- Lehnert BE, Morrow PE (1985): Association of iron oxide with alveolar macrophages during alveolar clearance. *Exp Lung Res* 9:1-16.
- Lehnert BE, Valdez YE, Bomalaski SH (1988): Analyses of particles in the lung free cell, tracheobronchial lymph nodal, and pleural space compartments following their deposition in the lung as related to lung clearance mechanisms. In: Dodgson J, McCallum RI, Bailey MR *et al.*, eds. *Inhaled particles VI: proceedings of an international symposium and workshop on lung dosimetry*; September 1985; Cambridge, United Kingdom. *Ann Occup Hyg* 32 (suppl. 1):125-140.
- Lehnert BE (1989): Rates of disappearance of alveolar macrophages during lung clearance as a function of phagocytized particulate burden [abstract], *Am Rev Respir Dis* 139(suppl.): AI61
- Lehnert BE, Cline A, London JE (1989a): Kinetics of appearance of polymorphonuclear leukocytes and their particle burdens during the alveolar clearance of a high lung burden of particles. *Toxicologist* 9:77.

- Lehnert BE, Ortiz JB, London JE *et al.* (1989b): Migratory behavior of alveolar macrophages during clearance of light to heavy lung burdens of particles. 1989 Annual Meeting of the American Thoracic Society, Cincinnati, OH, May 14-17.
- Lerchen ML, Wiggins CL, Samet JM (1987): Lung cancer and occupation in New Mexico. *J Natl Cancer Inst* 79:639-645.
- Lercher P, Schmitzberger R, Kofler W (1995): Perceived traffic air pollution, associated behavior and health in an alpine area, *The Science of the Total Environment* 169, 71-74
- Leung H-W, Henderson RF, Bond JA, Mauderly JL, McClellan RO (1988): Studies on the ability of rat lung and liver microsomes to facilitate transfer and metabolism of benzo[a]pyrene from diesel particles. *Toxicology* 51 : 1-9.
- Leupker RV and Smith ML (1978): Mortality in unionized truck drivers, *J. Occup. Med.*, 20,677-682
- Lewis TR, Green FHY, Moorman WJ, Burg JEAR, Lynch DW (1986): A chronic inhalation toxicity study of diesel engine emissions and coal dust, alone and combined. *Dev. Toxicol. Environ. Sci.*, 13, 361-380.
- Lewtas J (1983): Evaluation of the mutagenicity and carcinogenicity of motor vehicle emissions in short-term bioassays. *Environ Health Perspectives*, 47: 141-152.
- Li AP & Royer RE (1982): Diesel-exhaust-particle extract enhancement of chemical- induced mutagenesis in cultured Chinese hamster ovary cells: Possible interaction of diesel exhaust with environmental carcinogens. *Mutat Res*, 103: 349-355
- Li AP, Royer RE, Brooks AL, and McClellan RO (1982): Cytotoxicity of diesel exhaust particle extract - A comparison among five diesel passenger cars different manufactures. *Toxicol.* 24, 1-8
- Li AP, Brooks AL, Clark CR, Shimizu RW, Hanson RL, and Dutcher JS (1983): Mutagenicity testing of complex environmental mixtures with Chinese hamster ovary cells. *Environ. Sci. Res.* 27, 183-196.
- Li N, Venkatesan MI, Miguel A, Kaplan R, Gujuluva C, Alam J, Nel A (2000): Induction of heme oxygenase-1 expression in macrophages by diesel exhaust particle chemicals and quinones via the antioxidant-responsive element. : *J Immunol.* Sep 15;165(6) :3393-401
- Lim HB, Ichinose T, Miyabara Y, Takano H, Kumagai Y, Shimojyo N, Devaria JL, & Sagai M. (1998) Involvement of superoxide and nitric oxide on airway inflammation and hyper responsiveness induced by diesel exhaust particles in mice. *Free Radical Biol. Med.* 25, 635-644.
- Linnell RH, Scott WE (1962) Diesel exhaust composition and odor studies. *J Air Pollut Control Assoc* 12:510-515, 545.
- Lippmann M, Schlesinger RB (1984): Interspecies comparisons of particle deposition and mucociliary clearance in tracheobronchial airways. *J Toxicol Environ Health* 13:441-469.
- Lipsett M, Campleman S (1999): Occupational exposure to diesel exhaust and lung cancer: a meta-analysis. *Am J Public Health* 80(7): 1009-1017
- Livingstone EA, Shaddick G, Grundy C, Elliott P (1996) Do People Living Near Inner City Main Roads Have More Asthma Needing Treatment? Case-control Study, *BMJ.*, 312: 676-677.
- Lofroth G (1981): Comparison of the mutagenic activity in carbon particulate matter and in diesel and gasoline engine exhaust. In: Waters MD, Sandhu *et al.* eds. Short-term bioassays in the analysis of complex environmental mixtures II
- Lofroth G (1981): *Salmonella* / microsome mutagenicity assays of exhaust from diesel and gasoline powered motors vehicles. *Environ. Int.*5, 255-261.
- Løvik M, Høgseth A-K, Gaarder P I, Hagemann R, Eide I (1997): Diesel exhaust particles and carbon black have adjuvant activity on the local lymph node response and systemic IgE production to ovalbumin. *Toxicology*

- 1997;121:165-178.
- Luepker RV and Smith ML (1978): Mortality in unionized truck drivers, J., *Occup. Med.*, 20,677-682
- Madden MC, Richards JH, Dailey LA, Hatch GE, Ghio AJ (2000): Effect of ozone on diesel exhaust particle toxicity in rat lung., *Toxicol Appl Pharmacol.*, 168 (2): 140-148
- Maeda T, Izumi K, Otsuka H, Manabe Y, Kinouchi T, Ohnishi Y. (1986): Induction of squamous cell carcinoma in the rat lung by 1,6-dinitropyrene. *J Natl Cancer Inst*, 76, 693-701
- Maejima K, Tamura K, Taniguchi Y, Nagase S, Tanaka H (1997): Comparison of the effects of various fine particles on IgE antibody production in mice inhaling Japanese cedar pollen allergens. *J. Toxicol. Environ. Health*, 52, 231-248
- Manabe Y, Kinouchi T, Ohnishi Y (1985): Identification and quantitation of highly mutagenic nitroacetoxyarenes and nitrohydroxypyrenes in diesel-exhaust particles. *Mutat Res* 158:3-18 (as cited in IARC, 1989).
- Marklund S, Andersson R, Tysklind M, Rappe C, Egeback KE, Bjorkman E & Grigoriadis V (1990): Emissions of PCDDs and PCDFs in gasoline and diesel fueled cars. *Chemosphere*, 20: pp.553-561.
- Mauderly JL, Benson JM, Bice DE *et al.* (1981): Observations on rodents exposed for 19 weeks to diluted diesel exhaust. In: *Inhalation Toxicology Research Institute annual report 1980-1981*. Albuquerque, NM: Lovelace Biomedical and Environmental Research Institute; pp. 305-311; report no. LMF-91
- Mauderly JL, Jones RK, McClellan RO, Henderson RF, & Griffith WC (1986): Carcinogenicity of diesel exhaust inhaled chronically by rats. In: Ishinishi N, Koizumi A, McClellan RO, & Stöber W, eds, *Carcinogenic and mutagenic effects of diesel engine exhaust*. Amsterdam, Elsevier, pp 329-348
- Mauderly JL, Jones RK, Griffith WC, Henderson RF, McClellan RO (1987a): Diesel exhaust is a pulmonary carcinogen in rats exposed chronically by inhalation. *Fundam Appl Toxicol* 9:208-221
- Mauderly JL, Bice DE, Carpenter RL (1987b): Effects of inhaled nitrogen dioxide and diesel exhaust on developing lung. Cambridge, MA: Health Effects Institute; research report no. 8
- Mauderly JL, Gillett NA, Henderson RF *et al.* (1988): Relationships of lung structural and functional changes to accumulation of diesel exhaust particles. In: Dodgson J, McCallum RI, Bailey MR *et al.*, eds. *Inhaled particles VI*: Mauderly JL, Griffith WC, Henderson RF, *et al* (1990): Evidence from animal studies for the carcinogenicity of inhaled diesel exhaust. *Environ Sci Res.* 40,: 1-13
- Mauderly JL (1992): Diesel exhaust, In: Lippmann M, ed., *Environmental toxicants. Human exposures and their health effects*. New York, Van Nostrand Reinhold, pp 119-162
- Mauderly JL, Snipes MB, Barr EB *et al.* (1994): Pulmonary Toxicity of Inhaled Diesel Exhaust and Carbon Black in Chronically Exposed Rats. Part I. Neoplastic and non neoplastic lung lesions. Cambridge, MA: Health Effects Institute. Research Report No. 68
- Mauderly JL (1994): Contribution of inhalation bioassays to the assessment of human health risks from solid airborne particles. In: Mohr U, Dungworth DL, Mauderly JL, & Oberdörster G, eds, *Toxic and carcinogenic effects of solid particles in the respiratory tract*. Washington DC, International Life Sciences Institute Press
- Mauderly JL (1995): Current assessment of the carcinogenic hazard of diesel exhaust. *Toxicol Environ Chem* 49: 167-180
- Mauderly JL, Banas DA, Griffith WC (1996): Diesel exhaust is not a pulmonary carcinogen in CD-1 mice exposed under conditions carcinogenic to F344 rats. *Fundam. Appl. Toxicol.*, 30, 233-242
- McCarthy CI, Slodowske WJ, Sienicki EJ *et al* (1992): Diesel fuel property effects on exhaust emissions from a heavy duty diesel engine that meets 1994 emissions requirements. SAE Technical Paper Ser. No. 922267

- McClellan RO (1996) Lung cancer in rats From prolonged exposure to high concentrations of carbonaceous hazard and human lung cancer risk. *Inhal Toxicol* 8(Supple): 193-226
- McLemor T, Martin RR, Wray NP, Cantrell ET, Busbee DL (1981): Reassessment of the relationship between aryl hydrocarbon hydroxylase and lung cancer. *Cancer* 48:1438-1443
- Medinsky MA, Shelton H, Bond JA, McClellan RO (1985): Biliary excretion and enterohepatic circulation of 1-nitropyrene metabolites in Fischer-344 rats. *Biochem Pharmacol* 34:2325-2330.
- Meek MD (1998): Ah Receptor and Estrogen Receptor-Dependent Modulation of Gene Expression by Extracts of Diesel Exhaust Particles. *Environmental research, section A* 79, 114-121.
- Messier F, Lu C, Andrews P, McCarty BE, Quilliam MA, and McCalla DR (1981): Metabolism of 1-nitropyrene and formation of DNA adducts in *Salmonella typhimurium*. *Carcinogenesis*, 2(10), 1007-1011
- Mentech MS, Lewis DM, Olenchock SA, *et al.* (1984): Effects of coal dust and diesel exhaust of immune competence in rats. *J. toxicol. Environ. Health* 13, 31-41
- Metz N (1989): Diesel particulate emission in Germany (West). *Exp. Pathol.*, 37: pp.15-22
- Miller E, Fletcher TL, Margreth A, Miller JA (1962): The carcinogenicities of derivatives of fluorene and biphenyl : fluoro derivatives as probes for active sites in 2-acetylaminofluorene. *Cancer Res.*, 22: 1002-1014
- Miller JA, Sandin RB, Miller FC, Rusch HP (1955): The carcinogenicity of compounds related to 2-acetylaminofluorene. II. Variations in the bridges and the 2-substituent. *Cancer Res.*, 15: 188-199
- Minami M, Endo T, Hamaue N, Hirafuji M, Mori Y, Hayashi H, Sagai M and Suzuki A (1999): Electrocardiographic changes induced by diesel exhaust particles (DEP) in guinea pigs. *Res. Comm. Mol. Pathol. Pharmacol.* 105, 67-76.
- 箕輪眞澄, 三宅浩次, 久道茂ら (1988): 漁業地域における肺がんの患者対照研究, *日本公衆衛生誌*, 35, 11: 614-619
- Misiorowski RL, Strom KA, Vostal JJ, Chvapil M (1980): Lung biochemistry of rats chronically exposed to diesel particulates. In: *Pepeko WE, Danner RM, Clarke NA, eds, Health effects of diesel engine emissions, Vol. 1 (EPA-600/9-80-057a)*. Cincinnati, OH, US Environmental Protection Agency, pp 465-480
- Mitchell An, Evans EL, Jotz MM, Riccio ES, Mortelmans KE, & Simmon VF (1981): Mutagenic and carcinogenic potency of extracts of diesel and related environmental emissions: *in vitro* mutagenesis and DNA damage. *Environ Int.*5: 393-401
- Mitchell CE (1982): Distribution and retention of benzo[a]pyrene in rats after inhalation. *Toxicol Lett* 11:35-42
- Mitchell CE (1988): Formation of DNA adducts in mouse tissues after intratracheal instillation of 1-nitropyrene. *Carcinogenesis.*, 9 (5); 857-860
- Mitchell K, Steere DE, Taylor JA *et al.* (1994) Impact of diesel fuel aromatics on particulate, PAH, and nitro-PAH emissions. SAE Technical Paper Ser. No. 942053
- Miyabara Y, Yanagisawa R, Shimojyo N, Takano H, Lim HB, Ichinose T & Sagai M. (1998a) Murine strain difference in airway inflammation caused by diesel exhaust particle. *Europ. Respir. J.* 11, 291-298
- Miyabara Y, Ichinose T, Takano H & Sagai M (1998b): Diesel exhaust inhalation enhances airway hyperresponsiveness in mice. *Int. Arch. Allergy Immunol.* 116, 124-131
- Miyabara Y, Takano H, Ichinose T, Lim HB & Sagai M (1998c): Diesel exhaust enhances allergic airway inflammation and hyperresponsiveness in mice. *Am.J. Respir. Crit. Care Med.* 157, 1138-1144
- Miyabara Y, Ichinose T, Takano H, Lim HB & Sagai M (1998d): Effects of diesel exhaust on allergic airway inflammation in mice. *J. Clin. Allergy Immunol.* 102, 805-812

- Miyabara Y, Hashimoto S, Sagai M and Morita M (1999): PCDDs and PCDFs in Vehicle Exhaust Particles in Japan, *Chemosphere*, Vol.39, No.1, pp.143-150
- Mizuno S, Akiba S, Hirayama T (1989): Lung cancer risk comparison among male smokers between the "Six-prefecture cohort" in Japan and the British physicians' cohort. *Jpn J Cancer Res* 80:1165-70
- 茂木浩伸, 細谷満, 下田正敏, 上光勲 (1993): ディーゼルエンジン用酸化触媒のパティキュレート低減に関する研究, (社)自動車技術会, 学術講演会前刷集 936, pp.77-80
- 茂木浩伸, 伴野靖幸, 細谷満, 下田正敏 (1996): ディーゼル自動車用酸化触媒の研究と展望, 自動車技術, 50(9), pp.72-77
- Mohr U, Takenaka S, Dungworth DL (1986): Morphologic effects of inhaled diesel engine exhaust on lungs of rats: comparison with effects of coal oven flue gas mixed with pyrolyzed pitch. In: Ishinishi N, Koizumi A, McClellan R, and Stöber W eds. *Carcinogenic and mutagenic effects of diesel engine exhaust*, Elsevier Science Publishers BV; Amsterdam, Elsevier, pp 459-470
- Mohr U & Riebe-Imre M (1992): Tests on the *in vitro* transformation of epithelial cells of the respiratory tract by automotive exhaust gases. In: [Effects of diesel engine exhausts on health.] Munich, GSF Research Centre for Environment and Health Inc., pp 31-38 (*in German*)
- Moon RC, Rao KV, Detrisac CJ (1990): Respiratory carcinogenesis of nitroaromatics. *Res Rep Health Eff Inst.*, (32): 1-29
- 森永正隆, 吉田晴久, 滝澤治夫, 山田重久, 岩宮保雄 (1995): 軽油組成がディーゼルエミッションに及ぼす影響, (社)自動車技術会, 学術講演会前刷集 952, pp.191-194
- Morris HP, Dubnik CS, Johnson JM (1950): Studies of the carcinogenic action in the rat of 2-nitro-, 2-amino-, 2-acetylamino- and 2-diacetylaminofluorene after ingestion and after painting, *J Natl Cancer Inst.*, 10: 1201-1213.
- Morrow PE and Yu CP (1993): Models of aerosol behavior in airways and alveoli. In: Moren F, Dolovich MB, Newhouse MT *et al* eds, *Aerosols in medicine: principles, diagnosis and therapy*, 2nd rev ed Amsterdam, Elsevier, pp.157-193, 1993
- Morse MA, Carlson GP (1985): Distribution and macromolecular binding of benzo[a]pyrene in Sencar and BALB/c mice following topical and oral administration. *J Toxicol Environ Health* 16:263-276
- Murahashi T, Kizu R, Kakimoto H, Toriba A, Hayakawa K (1999): 2-Nitrofluoranthene, 1-,2- and 4-nitropyrene and 6-nitrochrysene in diesel-engine exhaust and airborne particulates, *J. Health Sci.* 45:244-250
- Muranaka M, Suzuki S, Koizumi K, Takafuji S, Miyamoto T, Ikemori R, Tokiwa H (1986): Adjuvant activity of diesel-exhaust particulates for the production of IgE antibody in mice. *J. Allergy Clin. Immunol.*, 77, 616-623
- Muscat JE, Wynder EL (1995): Diesel engine exhaust and lung cancer: an unproven association. *Environ Health Perspect* 103:812-818
- Nagai A, Kakuta Y, Ozawa Y, Uno H, Yasui S, Konno K, Kato A, Kagawa J (1996): Alveolar destruction in guinea pigs chronically exposed to diesel engine exhaust., *Am. J. Respir. Crit. Care Med.*, 153:724-730
- Nagashima M, Kasai H, Yokota J, Nagamachi Y, Ichinose T, Sagai M (1995): Formation of an oxidative DNA damage, 8-hydroxydeoxyguanosine, in mouse lung DNA after intratracheal instillation of diesel exhaust particles and effects of high dietary fat and beta-carotene on this process. *Carcinogenesis*. 16(6):1441-5, 1995
- 中明賢二, 伊藤昭好, 木村菊二 (1988): 特殊環境下における大気汚染物質, 第 29 回大気汚染学会講演要旨集, pp.277
- Nakagawa R, Kitamori S, Horikawa K, *et al.* (1983): Identification of dinitropyrenes in diesel-exhaust particles: their probable presence as the major mutagens. *Mutat Res* 124:201-211
- Nakai S, Maeda K, Nitta H (1999): Respiratory Health Associated with Exposure to Automobile Exhaust.

- Results of a Cross-Sectional Study in 1987, and Repeated Pulmonary Function Tests from 1987 to 1990., Archives of Environmental Health., 54, 1: 26-33
- 中島徹, 佐々木左宇介, 河合昭宏, 小林伸治, 坂本和彦 (1998): 軽油性状のディーゼルエンジン排出物質への影響(1) - 硫黄分, 芳香族分が粒子状物質と半揮発性物質の性状に及ぼす影響 - , 大気環境学会誌, 33(4), pp.250-262
- Nakatsuka H, Watanabe T, Ikeda M *et al.* (1991): Comparison of the health effects between indoor and outdoor air pollution in Northeastern Japan. Environ Int 17: 51-59
- National Cancer Institute(NCI) (1978): Bioassay of 1-nitronaphthalene for possible carcinogenicity (NCI-CG-TR-64)(DHEW Publication No. NIH78-1314), Bethesda, MD, US Department of Health, Education and Welfare
- Nel AE, Sanchez DD, Ng D, Hiura T, Saxon A (1999): Enhancement of allergic inflammation by the interaction between diesel exhaust particles and the immune system. J. Allergy Clin. Immunol., 104, 1183-1188
- Nesnow S and Lewtas J (1981): Mutagenic and carcinogenic potency of extracts of diesel and related environmental emissions. Summary and discussion of the result. Environ. International 5, 425-429
- Nesnow S, Triplett LL and Slaga TJ (1982): Mouse skin carcinogenesis; application to the analysis of complex mixture. Environ. Sci. Res. 27: 367-390
- Nesnow S, Evans C, Stead A, Creason J, Slaga TJ, Triplett LL (1982): Skin carcinogenesis studies of emission extracts. In: Lewtas, J, ed. Toxicological effects of emissions from diesel engines. Amsterdam: Elsevier; pp. 295-320
- Nesnow S, Triplett LL, & Slaga TJ (1983): Mouse skin tumor initiation-promotion and complete carcinogenesis bioassays: Mechanisms and biological activities of emission samples. Environ Health Perspectives, 47: 255-268
- Nesnow S, Triplett LL, and Slaga TJ (1984): Tumor initiating activities of 1-nitropyrene and its nitrated products in Sencar mice. Cancer Lett 23:1-8
- Netterstrom B (1988): Cancer incidence among urban bus drivers in Denmark. Int Arch Occup Environ Health, 61: 217-221
- Nielsen PS, Autrup H (1994): Diesel exhaust-related DNA adducts in garage workers. Clin Chem 40: 1456- 1458.
- Nielsen T, Ramdahl T (1986): Discussion on determination of 2-nitrofluoranthene and 2-nitropyrene in ambient particulate matter: evidence for atmospheric reactions. Atmos Environ 20:1 pp.507
- Nielsen PS, Andreassen A, Farmer PB *et al.* (1996): Biomonitoring of diesel exhaust-exposed workers. DNA and hemoglobin adducts and urinary 1-hydroxypyrene as markers of exposure. Toxicol Lett 86:27-37
- Nightingale JA, Maggs R, Cullinan P, Donnelly LE, Rogers DF, Kinnersley R, Fan Chung K, Barnes PJ, Ashmore M, Newman Taylor A (2000): Airway inflammation after controlled exposure to diesel exhaust particulates., Am J Respir Crit Care Med., 162:161-166
- 新村恵一, 浅海靖男, 山田達男 (1990): ディーゼルパーティキュレートの測定法と排出特性について, 自動車技術, 44(4), pp.86-91
- Nikula KJ Snipes MB Barr EB Griffith WC Henderson RF & Mauderly JL (1994): Influence of particle-associated Organic compounds on the carcinogenicity of diesel exhaust. In: Mohr U, Dungworth DL, Mauderly JL, & Oberdörster G, eds, Toxic and carcinogenic effects of solid particles in the respiratory tract. Washington DC, International Life Sciences Institute Press, pp 565-568
- Nikula KJ, Snipes MB, Barr EB (1995): Comparative pulmonary toxicities and carcinogenicities of chronically inhaled diesel exhaust and carbon black in F344 rats. Fundam. Appl. Toxicol., 25, 80-94
- Nikula KJ, Avila KJ, Griffith WC, Mauderly JL. (1997): Lung tissue responses and sites of particle retention differ between rats and Cynomolgus monkeys exposed chronically to diesel exhaust and coal dust Fundam Appl

- Nikula KJ, Avila KJ, Griffith WC *et al.* (1997): Sites of particle retention and lung tissue responses to chronically inhaled diesel exhaust and coal dust in rats and cynomolgus monkeys. In: Driscoll KE, Oberdörster G eds. Proceedings of the sixth international meeting on the toxicology of natural and man-made fibrous and non-fibrous particles; September 1996; Lake Placid, NY. Environ Health Perspect Suppl 105(5):1231-1234.
- Nitta H, Sato T, Nakai S, *et al.* (1993): Respiratory Health Associated with Exposure to Automobile Exhaust. . Results of a Cross-Sectional Study in 1979, 1982, and 1983., Archives of Environmental Health., 48: 53-58
- Nordenhall C, Pourazar J, Blomberg A, Levin JO, Sandstrom T, Adelroth E (2000): Airway inflammation following exposure to diesel exhaust: a study of time kinetics using induced sputum., Eur Respir J., 15 (6): 1046-1051
- Notani PN, Priyabala S, Kasturi J and Balakrishnan V (1993) Occupation and cancers of the lung and bladder: a case-control study in Bombay. Int J Epidemiol 22(2): 185-191
- NRC(National Research Council) (1998): Research priorities for airborne particulate matter I: immediate priorities and a long-range research portfolio. Northern Front Range Air Quality Study, Colorado., Volume I. Washington, DC: National Academy Press
- Oberdörster G & Yu CP (1990): The carcinogenic potential of inhaled diesel exhaust: A particle effect? J Aerosol Sci, 21: 397-401
- Odagiri Y, Adachi S, Katayama H, Matsushita H, Takemoto K (1986): Carcinogenic effects of a mixture of nitropyrenes in F344 rats following its repeated oral administrations. Developments in Toxicology & Environmental Science, 13:291-307
- OECD(1997): OECD Environmental Data Compendium 1997
- OECD(1999): OECD Environmental Data Compendium 1999
- Oehme M, Larssen S, & Brevik EM (1991): Emission factors of PCDD and PCDF for road vehicles obtained by tunnel experiment. Chemosphere, 23: pp.1699-1708
- Ohata K, Yamashita N, Tajima M, Miyasaka T, Nakano J, Nakajima M, Ishii A, Horiuchi T, Mano K, Miyamoto T (1999): Diesel exhaust particulate induces airway hyperresponsiveness in a murine model: essential role of GM-CSF, J Allergy Clin Immunol. 1999 Nov;104(5):1024-30
- Ohgaki H, Matsukura N, Morino K, *et al* (1982): Carcinogenicity in rats of the mutagenic compounds 1-nitropyrene and 3-nitrofluoranthene. cancer Letters., 15 (1): 1-7
- Ohgaki H, Negishi C, Wakabayashi K, *et al* (1984): Induction of sarcomas in rats by subcutaneous injection of dinitropyrenes. Carcinogenesis., 5 (5): 583-585
- Ohgaki H, Hasegawa H, Kata T, Negishi C, Sato S, & Sugimura T (1985) Absence of carcinogenicity of 1-nitropyrene, correction of previous results, and new demonstration of carcinogenicity of 1,6-dinitropyrene in rats. Cancer Lett, 25: 239-245
- Ohnishi Y., Okazaki H., Wakisaka K., Kinouchi T., Kikuchi T., and Furuya K. (1982): Mutagenicity of particulates in small engine exhaust. Mutat. Res. 103, 251-256
- 太田正雄, 渡辺善徳(1982): ディーゼルエンジン車から排出される有害物質の排出濃度および排出係数, 横浜市公害研究所報, No.7, pp.39-43
- Ohtoshi T, Takizawa H, Okazaki H, Kawasaki S, Takeuchi N, Ohta K, Ito K(1998): Diesel exhaust particles stimulate human airway epithelial cells to produce cytokine relevant to airway inflammation in vitro. J Allergy Clin Immunol 1998: 101: 778-785
- Ohyama K, Taguchi K, Suzuki T (1998): Adjuvant activity of diesel exhaust particles in production of specific antibodies to fungi allergen in mice, Ann. Rep. Tokyo Metr. Res. Lab. P.H., 49, 232-236

- Ohyama K, Ito T, Kanisawa M(1999): The roles of diesel exhaust particle extracts and the promotive effects of NO₂ and/or SO₂ exposure on rat lung tumorigenesis, *Cancer Lett*, 139, 2: 189-197
- Oosterlee A, Drijver M, Lebert E, Brunekreef B (1996): Chronic respiratory symptoms in children and adults living along streets with high traffic density : *Occupational and Environmental Medicine* 53,241-247
- Opris CN, Gratz LD, Bagley ST *et al.* (1993): The effects of fuel sulfur concentration on regulated and unregulated HD diesel emissions. SAE Technical Paper Ser. No. 930730
- Orthofer JG, Moore W, Kraemer D (1981): Carcinogenicity of diesel exhaust as tested in strain A mice. *Environ Int* 5:461-471
- Otofujii T, Horikawa K, Maeda T, Sano N, Izumi K, Otsuka H, Tokiwa H (1986): Tumorigenicity test of 1,3-and 1,8-dinitropyrene in BALB/c mice. *J Natl Cancer Inst.*, 79(1): 185-8
- Otofujii T, Horikawa K, Maeda T, *et al.* (1987): Tumorigenicity test of 1,3-and 1,8-dinitropyrene in BALB/c mice. *J Natl Cancer Inst.*, 79 (1): 185-188
- Paputa-Peck MC, Marano RS, Schuetzle D, Riley CV *et al.* (1983): Determination of Nitrated Polynuclear Aromatic Hydrocarbons in Particulate Extracts by Capillary Column Gas Chromatography with Nitrogen Selective Detection. *Anal. Chem.* 55: pp.1946-1954
- Parent M-E, Siemiatycki J and Renaud G (1996): Case-control study exposure to carbon black in the occupational setting and risk of lung cancer. *Am J Ind Med* 30: 285-292
- Parkes WR (1994): Aerosols: their deposition and clearance. In: *Occupational Lung Disorders*(3rd edition), pp 38, Butterworth-Heinemann Ltd., Oxford, 1994
- Partanen T, Heikkila P, Hernberg S, Kauppinen T, Moneta G & Ojarvi A (1991): Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health*, 17: 231-239
- Pattle RE, Stretch H, Burgess F (1957): The toxicity of fumes from a diesel engine under four different running conditions. *Br. J. Ind. Med.*, 14, 47-55
- Pearson RL, Wachtel H, Ebi KLI (2000): Distance-weighted traffic density in proximity to a home is a risk factor for leukemia and other childhood cancers. *J Air Waste Manag Assoc*, 50: 175-80
- Pederson TC (1981): DNA-binding studies with diesel exhaust particle extract. *Environ Int.*, 5: 299-305.
- Penney DG, Baylerian MS, Fanning KE (1981): A study of heart and blood of rodents inhaling diesel engine exhaust particulates. *Environ. Res.*, 26, 453-462
- Pepelko WE, Mattox JK, Yang YY, *et al.* (1980a): Pulmonary function and pathology in cats exposed 28 days to diesel exhaust. *J Environ Pathol Toxicol* 4:449-458
- Pepelko WE, Mattox J, Moorman WJ, *et al.* (1980b): Pulmonary function evaluation of cats after one year of exposure to diesel exhaust. In: Pepelko WE, Danner RM, Clarke NA eds. *Health effects of diesel engine emissions: proceedings of an international symposium, December 1979: Cincinnati, OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory; pp. 757-765; EPA report no. EPA/600/9-80-057b. Available from: NTIS, Springfield, VA; PB81-173817.*
- Pepelko WE, Mattox J, Moorman WJ, Clark JC (1981): Pulmonary function evaluation of cats after one year of exposure to diesel exhaust. *Environ. Int.*, 5, 373-376
- Pepelko WE (1982a) Effects of 28 days exposure to diesel engine emissions in rats. *Environ. Res.*, 27, 16-23
- Pepelko WE (1982b) EPA studies on the toxicological effects of inhaled diesel engine emissions. In: Lewtas, J, ed. *Toxicological effects of emissions from diesel engines: proceedings of the Environmental Protection Agency diesel emission symposium; October, 1981; Raleigh, NC. New York: Elsevier Biomedical; pp 121-142*

- Pepelko WE, Peirano WB (1983): Health effects of exposure to diesel engine emissions: a summary of animal studies conducted by the U.S. Environmental Protection Agency's Health Effects Research Laboratories at Cincinnati, Ohio. *J Am Coll. Toxicol.*, 2, 253-306
- Pepelko WE (1987): Feasibility of dose adjustment based on differences in long-term clearance rates of inhaled particulate matter in humans and laboratory animals. *Regul Toxicol Pharmacol* 7:236-252
- Pepelko WE & Chen C (1993): Quantitative assessment of cancer risk from exposure to diesel engine emissions. *Regul Toxicol Pharmacol*, 17: 52-65
- Pereira WE, Sabharwal PS, Gordon L *et al.* (1981) The effect of diesel exhaust on sperm-shape abnormalities in mice. *Environ. Int.* 5, 459-460
- Pereira MA (1982): Genotoxicity of diesel exhaust emissions in laboratory animals. In: Lewtas J, ed., *Toxicological effects of emissions from diesel engines*. Amsterdam, Elsevier, pp 265-276
- Pereira MA, McMillan L, Kaur P, Gulati DK, Sabharwal PS (1982): Effect of diesel exhaust emissions, particulates, and extract on sister chromatid exchange in transplacentally exposed fetal hamster liver. *Environ. Mutag.*, 4, 215-220
- Perera, F(1981): Carcinogenicity of air borne fine particulate benzo(a)pyrene: An appraisal of the evidence and the need for control. *Environ. Health Perspect.*, 42: 163-185
- Pflugler DH, Minder CE (1994): A mortality study of lung cancer among Swiss professional drivers: accounting for the smoking related fraction by a multivariate approach. *Soz Prav* 39:372-378
- Pierson WR, Brachaczek WW (1976): Particulate matter associated with vehicles on the road. *SAE Trans* 85:209-227
- Pierson WR, Gertler AW, Robinson NF *et al.* (1996): Real-world automotive emissions-summary of studies in the Fort McHenry and Tuscarora mountain tunnels. *Atmos Environ* 30: pp.2233-2256
- Pitts JN Jr., Van Cauwenberghe KA, Grosjean D *et al.* (1978): Atmospheric reactions of polycyclic aromatic hydrocarbons: facile formation of mutagenic nitro derivatives. *Science* 202: pp.515-519
- Pitts JN Jr., Lokensgard DM, Harger W, Fisher TS, Mejia V, Schuler JJ, Scorziell GM & Katzenstein YA (1982): Mutagens in diesel exhaust particulate. Identification and direct activities of 6-nitrobenzo[a]pyrene, 9-nitroanthracene, 1-nitropyrene and 5h-phenanthro[4,5-bcd]pyran-5-one, *Mutat Res.* 1982 Mar;103(3-6):241-9
- Pitts JN Jr., Sweetman JA, Zielinska B *et al.* (1985a): Determination of 2-nitrofluoranthene and 2-nitropyrene in ambient particulate matter: evidence for atmospheric reaction. *Atmos. Environ.* 19: pp.1601-1608
- Pitts JN Jr., Sweetman JA, Zielinska B *et al.* (1985c): Formation of nitroarenes from the reaction of polycyclic aromatic hydrocarbons with dinitrogen pentoxide. *Environ. Sci. Technol.* 19: pp.1115-1121
- Pitts JN Jr., Zielinska B, Sweetman JA *et al.* (1985b): Reaction of adsorbed pyrene and perylene with gaseous N₂O₅ under simulated atmospheric conditions. *Atmos. Environ.* 19: pp.911-915
- Pitts JN Jr., Paur HR, Zielinska B *et al.* (1986): Factors influencing the reactivity of polycyclic aromatic hydrocarbons adsorbed on filters and ambient POM with ozone. *Chemosphere* 15: pp.675-685
- Plopper CG, Hyde DM, Weir AJ (1983): Centriacinar alterations in lungs of cats chronically exposed to diesel exhaust. *Lab. Invest.*, 49, 391-399
- Pott F, Stöber W (1983): Carcinogenicity of airborne combustion products observed in subcutaneous tissue and lungs of laboratory rodents. *Environ Health Perspect* 47: 293-303
- Pott F, Heinrich U (1988): New findings on the carcinogenicity of diesel engine exhaust, *Z Gesamte Hyg* 12: 52-65
- Pott F & Roller M (1994): Relevance of non-physiologic exposure routes for carcinogenicity studies of solid particles. In: Mohr U, Dungworth DL, Mauderly JL, & Oberdörster G, eds, *Toxic and carcinogenic effects of*

- solid particles in the respiratory tract., Washington DC, International Life Sciences Institute Press, pp 109-125
- Purdham JT, Holness DL, Pilger CW (1987): Environmental and medical assessment of stevedores employed in ferry operations. *Appl Ind Hyg* 2: 133-139
- Quinto I, De Marinis E (1984): Sperm abnormalities in mice exposed to diesel particulate. *Mutat Res* 130, 242.
- Raabe OG (1982): Deposition and clearance of inhaled aerosols. In: Witschi, H, ed. *Mechanisms in respiratory toxicology*. Boca Raton, FL: CRC Press; pp. 27-76
- Raffle P (1957): The health of the worker. *Br J Ind Med* 14: 73-80
- Randerath K, Putman KL, Mauderly JL *et al.* (1995): Pulmonary Toxicity of Inhaled Diesel Exhaust and Carbon Black in Chronically Exposed Rats, Part II. DNA Damage. Cambridge, MA: Health Effects Institute, p 68
- Rasmussen RE (1990): Effect of fuel properties on mutagenic activity in extracts of heavy-duty diesel exhaust particulate. *J Air Waste Manage Assoc*, 40: 1391- 1396
- Reger R, Hancock J, Hankinson J *et al.* (1982): Coal miners exposed to diesel exhaust emissions. *Ann Occup Hyg* 26: 799-815
- Research Committee for HERP studies. (1988): Diesel exhaust and health risks: results of the HERP studies. Tsukuba, Ibaraki, Japan: Japan Automobile Research Institute
- Risch HA, Burch JD, Miller AB, Hill GB, Steele R, & Howe GR(1988) Occupational factors and the incidence of cancer of the bladder in Canada. *Br J Ind Med*, 45:361-367.
- Robertson JM and Inman KJ (1996): Mortality in carbon black workers in the United States. *J Occup Environ Med* 38(6) : 569-570
- Rogge WF, Hildemann LM, Mazurek MA *et al.* (1993): Sources of fine organic aerosol. 2. Noncatalyst and catalyst-equipped automobiles and HD diesel trucks, *Environ Sci Technol* 27:636-651
- Rosenkranz HS (1982): Direct-acting mutagens in diesel exhausts: magnitude of the problem. *Mutat Res.*, 101: 1-10.
- Rudell B, Sandstrom T, Stjernberg N *et al.* (1990): Controlled diesel exhaust exposure in an exposure chamber: pulmonary effects investigated with bronchoalveolar lavage. *J Aerosol Sci* 21(suppl. 1):s411-s414
- Rudell, B, Sandstrom, T, Hammarstrom U, *et al.* (1994): Evaluation of an exposure setup for studying effects of diesel exhaust in humans. *Int Arch Occup Environ Health* 66:77-83
- Rudell B, Ledin MC, Hammarstrom U, *et al.* (1996): Effects on symptoms and lung function in humans experimentally exposed to diesel exhaust. *Occup Environ Med* 53:658-662
- Rushton L, Alderson MR, Nagarajah CR (1983): Epidemiological survey of maintenance workers in London Transport Executive bus garages at Chiswick Works. *Br J Ind Med* 40:340-345
- Sagai M, Saito H, Ichinose T, Kodama M, Mori Y (1993): Biological effects of diesel exhaust particles. 1. *In vitro* production of superoxide and *in vivo* toxicity in mouse, *Free Radicals Biol. Med.*, 14, 37-47
- Sagai M, Furuyama A, & Ichinose T (1996): Biological effects of diesel exhaust particles (DEP). III. Pathogenesis of asthma-like symptoms in mice, *Free Radical Biol. Med.* 21, 199-209.
- 埼玉県(1997): 浮遊粒子状物質対策調査報告書
- Sakaguchi, Ohgushi, Suzuki, Kita, Ohsumi, Suzuki, Kawamura (1999): Development of high durability diesel particulate filter by using SiC fiber, SAE technical paper series (1999)-01-0463
- Salmeen I, Durisin AM, Prater TJ, *et al.* (1982): Contribution of 1-nitropyrene to direct-acting Ames assay mutagenicities of diesel particulate extracts. *Mutat Res* 104: 17-23
- Salmeen IT, Pero AM, Zator R, Schuetzle D, & Riley TL (1984): Ames assay chromatograms and the identification

- of mutagens in diesel particle extracts. *Environ Sci Technol*, 18: 375-382
- Salvi S, Blomberg A, Rudell B *et al.* (1999): Acute inflammatory responses in the airways and peripheral blood after short-term exposure to diesel exhaust in healthy human volunteers. *Am J Respir Crit Care Med* 159:702-709
- Salvi SS, Nordenhall C, Blomberg A, Rudell B, Pourazar J, Kelly FJ, Wilson S, Sandstrom T, Holgate ST, Frew AJ (2000): Acute exposure to diesel exhaust increases IL-8 and GRO-alpha production in healthy human airways., *Am J Respir Crit Care Med*, 161:550-557
- Samson PJ (1988): Atmospheric transport and dispersion of air pollutants associated with vehicular emissions. In: Air pollution, the automobile and public health. Watson, AY; Bates, RR; Kennedy, D, eds. Washington, DC: National Academy Press, pp.77-97
- Sanchez DD, Garcia MP, Wang M, Jyrala M, Saxon A (1999): Nasal challenge with diesel exhaust particles can induce sensitization to a neoallergen in the human mucosa. *J. Allergy Clin. Immunol.*, 104, 1183-1188
- 佐々木裕子, 遠藤立一, 川井利雄, 大山謙一, 仲真晶子, 毛受優, 古井戸良雄, 飯田靖雄, 舟島正直, 鈴木正次, 福岡三郎, 井村伸正 (1983): 環境汚染物質の変異原性に関する研究 - ディーゼル車排出ガスの検討 - , 東京都公害研究所年報, 290-292
- Sato S, Ohgaki H, Takayama S, Tahira T, Ishizaka Y, Nagao M, Sugimura T (1986): Carcinogenicity of dinitropyrene in rats and hamsters. *Dev Toxicol Environ Sci.*, 13: 271-277
- Sato H, Sone H, Sagai M, Suzuki KT, Aoki Y (2000): Increase in mutation frequency in lung of Big Blue rat by exposure to diesel exhaust., *Carcinogenesis.*, 21 (4): 653-661
- Savitz AD, Feingold L (1989): Association of childhood cancer with residential traffic density, *Scand J Work Environ Health*, 15: 360-363
- Schauer JJ, Rogge WF, Hildemann LM *et al.* (1996): Source apportionment of airborne particulate matter using organic compounds as tracers, *Atmos. Environ.*, 30, pp.3838-3855
- Schauer JJ, Kleeman MJ, Cass GR *et al.* (1999): Measurement of Emissions from Air Pollution Sources 2, C1 through C₃₀ Organic Compounds from Medium Duty Diesel Trucks, *Environ. Sci. Technol.* 33:1578-1587
- Schenker MB, Kado NY, Hammond SK, Samuels SJ, Woskie SR, & Smith TJ (1992): Urinary mutagenic activity in workers exposed to diesel exhaust. *Environ Res*, 57: 133-148
- Schenker MB, Smith T, Munoz A, Woskie S, & Speizer FE (1984): Diesel exposure and mortality among railway workers: Results of a pilot study. *Br J Ind Med*, 41: 320-327
- Schiff LJ, Elliott SF, Moore SJ *et al.* (1983): Unscheduled DNA synthesis in hamster tracheal epithelium exposed in vitro to chemical carcinogens and environmental pollutants. *Environ Sci Res.*, 27,: 277-284
- Schiffmann D & Henschler D (1992): Studies of diesel engine exhaust fractions on the genotoxic and cell-transforming properties with the model of Syrian hamster embryo fibroblasts and with lung cells. In: Effects of diesel engine exhausts on health., Munich, GSF Research Centre for Environment and Health Inc. pp 39-42 (*in German*)
- Schreck RM, Soderholm SC, Chan TL (1981): Experimental conditions in GMR chronic inhalation studies of diesel exhaust. *J. Appl. Toxicol.*, 1, 67-76
- Schuetzle D & Perez JM (1983): Factors influencing the emissions of nitrated- polynuclear aromatic hydrocarbons (nitro-PAH) from diesel engines. *J. Air Pollut. Control Assoc.*, 33: pp.751-755
- Schuetzle D, Jensen TE, & Ball JC (1985): Polar polynuclear aromatic hydrocarbon derivatives in extracts of particulates: Biological characterization and techniques for chemical analysis. *Environ. Int.*, 11: pp.169-181
- Schum M, Yeh HC (1980): Theoretical evaluation of aerosol deposition in anatomical models of mammalian lung airways. *Bull Math Biol* 42: 1-15

- Seinfeld JH, Pandis SN (1998): Atmospheric chemistry and physics: from air pollution to climate change, New York: John Wiley & Sons, Inc.
- (財)石油産業活性化センター (1999): 欧州エキスパートとのワークショップ報告書(平成 11 年度技術開発基盤等整備事業), PEC-1999JC-10
- (財)石油産業活性化センター JCAP 推進室 (2000): ディーゼル車(1) ディーゼル車における既存車と既燃料が排出ガスに与える影響の研究, JCAP(Japan Clean Air Program)報告書 1-3-1
- 仙北屋茂夫, 高菅卓三, 加賀見正行, 銅屋公一, 久塚謙一 (2001): 自動車排出ガス中ダイオキシン類の濃度測定方法に関する基礎的研究, 環境化学, 11(3), 467-476
- Seto H, Ohkubo T, Kanoh T, Koike M, Nakamura K, Kawahara Y (1993): Determination of polycyclic aromatic hydrocarbons in the lung. Arch Environ Contam Toxicol., 24: 498-503
- Seto H, Ohkubo T, Koike H, Saito M, Sasano H (1994): Significant formation of 8-hydroxydeoxyguanosine through interaction of diesel particulate matter with deoxyguanosine. Bulletin of Environmental Contamination & Toxicology. 53(6): 789-95
- Shefner AM, Collins BR, Dooley L, Fiks A, Graf JL, Preache MM (1982): Respiratory carcinogenicity of diesel fuel emissions. Interim results. Developments in Toxicology & Environmental Science, 10:329-50, 1982
- Shima M, Nitta Y, Adachi M, (1994): Association of Outdoor and Indoor Nitrogen Dioxide with pulmonary Function in Schoolchildren., Journal of Epidemiology , 4, 3: 137-146
- Shima M, Adachi M (1996) Serum Immunoglobulin E and Hyaluronate Levels in Children Living Along Major Roads., Archives of Environmental Health., 51: 425-430
- 清水弘之, 青木国雄, 黒石哲生 (1977): 肺がんの疫学的研究 自動車排気ガスとの関連性について , 肺がん, 17, 2: 103-112
- Siemiatycki J, Gerin M, Stewart P, Nadon L, Dewar R, & Richardson L (1988): Associations between several sites of cancer and ten types of exhaust and combustion products. Scand J Environ Health, 14: 79-90
- Sien A, Diaz-Sanchez D, Ma J, Saxon A (1997): The organic component of diesel exhaust particles and phenanthrene, a major polyaromatic hydrocarbon constituent, enhances IgE production by IgE-secreting EBV-transformed human B cells *in vitro*, Toxicol. Appl. Pharmacol., 1997; 142: 256-263
- Stenicki EJ & Mago RS (1992): Re-evaluation of diesel engine particulate emission inventories. In: Toxic air pollutants from mobile sources. Pittsburgh, PA, Air and Waste Management Association, pp.151-164
- Silverman DT, Hoover RN, Mason TJ and Swanson GM (1986): Motor exhaust-related occupations and bladder cancer. Cancer Res 46(4 Pt 2): 2113-2116
- Silverman DT, Levin LI, Hoover RN, Hartge P (1989) Occupational risk of bladder cancer in United States:1.White men, J. Natl. Cancer Inst. 81:1472-1480
- Slaga TJ, Triplett LL(1981): Mutagenic and carcinogenic potency of extracts of diesel and related environmental emissions: Two-stage carcinogenesis in skin tumor sensitive mice (SENCAR). Environ. International 5.: 417-423
- Smith RA, Stayner L (1990): An exploratory assessment of the risk of lung cancer associated with exposure to diesel exhaust based on a study with rats. Final report. Division of Standards Development and Technology Transfer; Cincinnati
- Snipes MB, Olson TR, Yeh HC (1988): Deposition and retention patterns for 3-, 9-, and 15- μ m latex microspheres inhaled by rats and guinea pigs. Exp Lung Res 14:37-50
- 祖父尼俊雄, 林真, 松岡厚子ら (1986): ディーゼルエンジン排出物の細胞遺伝学的影響について. 衛生試験所報告, (104): 97-103

- Springer KJ (1979): Characterization of sulfates, odor, smoke, POM and particulates from light and heavy duty engines-part IX. Southwest Research Institute. U.S.EPA/460/3-79-007
- Stahlhofen W, Koebrich R, Rudolf G *et al.* (1990): Short-term and long-term clearance of particles from the upper human respiratory tract as function of particle size. *J Aerosol Sci* 21(suppl. 1):S407-S410
- Stayner S, Dankovic D, Smith R and Steenland K (1998): Predicted lung cancer risk among miners exposed to diesel exhaust particles. *Am J Ind Med* 34: 207-219
- Steenland K (1986): Lung cancer and diesel exhaust: S Review. *Am J Ind Med* 10: 177-189
- Steenland K, Burnett C, Osorio AM (1987): A case-control study of bladder cancer using city directories as a source of occupational data. *Am J Epidemiol* 126:247-257
- Steenland NK, Silverman DT and Hornung RW (1990): Case-Control Study of Lung Cancer and Truck Driving in the Teamsters Union, *Am. J. Public Health* 80, pp.670-674
- Steenland K, Silverman D, & Zaebs D (1992): Exposure to diesel exhaust in the trucking industry and possible relationships with lung cancer. *Am J Ind Med*, 21: 887-890
- Steenland K, Deddens J, Stayner L (1998): Diesel exhaust and lung cancer in the trucking industry: exposure-response analyses and risk assessment. *Amer J Ind Med* 34:220-228
- Steenberg PA, Zonnenberg JAJ, Dormans JAMA, Joon PNT, van Bree L, Scheepers PTJ, Van Loveren H (1998): Diesel exhaust particles induced release of interleukin 6 and 8 by (primed) human bronchial epithelial cells (BEAS 2B) *in vitro*. *Exp Lung Res* 1998; 24:85-100
- Steenberg PA, Nierkens S, Fischer PH, van Loveren H, Opperhuizen A, Vos JG, *et al.* (2001): Traffic-related air pollution affects peak expiratory flow, exhaled nitric oxide, and inflammatory nasal markers. *Arch Environ Health* 56: 167-74
- Steineck G, Plato N, Gerhardsson M *et al.* (1990): Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer* 45:1012-1017
- Stenback F, Rowland J, Sellakumar A (1976): Carcinogenicity of benzo[a]pyrene and dusts in the hamster lung (instilled intratracheally with titanium oxide, aluminum oxide, carbon and ferric oxide). *Oncology* 33:29-34
- Stern FB, Curtis RA, & Lemen RA (1981): Exposure of motor vehicle examiners to carbon monoxide: A historical prospective mortality study. *Arch Environ Health*, 36: 59-66
- Stöber W (1986): Experimental induction of tumors in hamsters, mice and rats after long-term inhalation of filtered and unfiltered diesel engine exhaust, *Developments in Toxicology & Environmental Science*. 13:421-39
- Stöber W, Abel UR (1996): Lung cancer due to diesel soot particles in ambient air? A critical appraisal of epidemiological studies addressing this question. *Int Arch Occup Environ Health* 68 (Suppl): S3-S61
- Strom KA (1984): Response of pulmonary cellular defenses to the inhalation of high concentrations of diesel exhaust, *J. Toxic. Environ. Health*, 13: 919-944
- Strom KA, Chan TL, & Johnson JT (1988): Pulmonary retention of inhaled submicron particles in rats: Diesel exhaust exposures and lung retention model. *Ann Occup Hyg*, 32: 645-657
- Strom KA, Chan TL, Johnson JT (1988): Inhaled particles VI. Dodgson J, McCallum RI, Bailey MR, *et al.*, eds. London: Pergamon Press, pp. 645-658
- Studnicka M, Hackl E, Pischinger J, *et al.* (1997): Traffic-related NO₂ and the prevalence of asthma and respiratory symptoms in seven year olds, *European Respiratory Journal*, 10: 2275-2278
- Sun JD, Wolff RK, and Kanapilly GM (1982): Deposition, retention, and biological fate of inhaled benzo(a)pyrene adsorbed onto ultrafine particles and as a pure aerosol, *Toxicol. Appl. Pharmacol.*, 1982 Sep 15; 65(2): 231-244

- Sun JD, Wolff RK and Aberman HM (1983): Inhalation of 1-nitropyrene associated with ultrafine insoluble particles or as a pure aerosole, A comparison of deposition and biological fate, *Toxicol. Appl. Pharmacol.* 69, 189-198
- 鈴木忠男,中島徹,前島一仁,加藤温中,高木由紀,桑原紀之,久永明,石西伸 (1990): ディーゼル排気の長期吸入実験 - F344 ラットを用いた発癌実験における量 - 反応関係に関する評価 - 大気汚染学会誌,25(3)192-205
- Suzuki T, Kanoh T, Kanbayashi M, Todome Y, Ohkuni H (1993): The adjuvant activity of pyrene in diesel exhaust on IgE antibody production in mice. *Jpn. J. Allergol.*, 42, 963-968
- Swanson GM, Lin C-S, & Burns PB (1993): Diversity in the association between occupation and lung cancer among black and white men, *Cancer Epidemiol Biomarkers Prev*, 2: 313-320
- Takafuji S, Suzuki S, Koizumi K, Tadokoro K, Miyamoto T, Ikemori R, Muranaka M (1987): Diesel-exhaust particulates inoculated by the intranasal route have an adjuvant activity for IgE production in mice. *J. Allergy Clin. Immunol.*, 79, 639-645
- Takaki Y, Kitamura S, Kuwabara P, & Fukuda Y (1989): Long-term inhalation studies of exhaust from the diesel engine in F-344 rats: The quantitative relationship between pulmonary hyperplasia and anthracosis. *Exp Pathol*, 37:56-61
- Takano H, Yoshikawa T, Ichinose T, Miyabara Y, Imaoka K, Sagai M (1997): Diesel exhaust particles enhance antigen-induced airway inflammation and hyperresponsiveness via Th2 cytokine expression in mice. *Am. J. Respir. Crit. Care Med.* 156, 36-42
- Takano H, Ichinose T, Miyabara Y, Yoshikawa T, Sagai M (1998a): Diesel exhaust particles enhance airway responsiveness following allergen exposure in mice, *Immunopharmacol Immunotoxicol.* 20, 329-336
- Takano H, Ichinose T, Miyabara Y, Shibuya T, Lim HB, Yoshikawa T & Sagai M (1998b): Inhalation of diesel exhaust enhance allergen-induced eosinophil recruitment and airway hyperresponsiveness in mice, *Toxicol. Appl. Pharmacol.* 150, 328-337
- Takano H, Lim HB, Miyabara Y, Ichinose T, Yoshikawa T, Sagai M (1999): Manipulation of the L-arginine-nitric oxide pathway in airway inflammation induced by diesel exhaust particles in mice. *Toxicology* 139, 19-26
- Takayama S, Ishikawa T, Nakajima H, Sato (1985): Lung carcinoma induction in Syrian golden hamsters by intratracheal insillation of 1,6-dinitropyrene. *Jpn J Cancer Res.*, 76 (6): 457-461
- Takemoto K, Yoshimura H, Katayama H (1986): Effects of chronic inhalation exposure to diesel exhaust on the development of lung tumors in di-isopropyl-nitrapyrene-treated F344 rats and newborn C57BI and ICR mice. In: Ishinishi N, Koizumi A, McClellan R, Stöber W eds. *Carcinogenic and mutagenic effects of diesel engine exhaust*, Elsevier Science Publishers BV; Amsterdam, pp 311-327
- Takemoto K, Katayama H, Kuwabara T *et al.* (1988): Carcinogenicity by subcutaneous administration of diesel particulate extracts in mice. In: *Diesel exhaust and health risks*. Ibaraki, Japan: Research Committee for HERP Studies; pp. 227-234
- Takemura N, Hashida C, Terasawa M (1974): Carcinogenic action of 5-nitroacenaphthene. *Br J Cancer.*, 30 (5): 481-483
- Takenaka H, Zhang K, Diaz-Sanchez D, Tsien A, Saxon A (1995): Enhanced human IgE production results from exposure to the aromatic hydrocarbons from diesel exhaust: Direct effects on B-cell IgE production. *J Allergy Clin Immunol* 1995;95:103-115
- Takizawa H, Ohtoshi T, Kawasaki S, Kohyama T, Desaki M, Kasama T, Kobayashi K, Nakahara K, Yamamoto K, Matsushima K, Kudoh S (1999): Diesel exhaust particles induce NF- κ B activation in human bronchial epithelial cells in vitro: Importance in cytokine transcription. *J Immunol* 1999; 162:4705-4711

- Takizawa H, Abe S, Ohtoshi T, Kawasaki S, Takami K, Desaki M, Sugawara I, Hashimoto S, Azuma A, Nakahara K, Kudoh S (2000): Diesel exhaust particles up-regulate expression of intercellular adhesion molecule-1(ICAM-1) in human bronchial epithelial cells. *Clin Exp. Immunol* 2000;120:356-362
- Tamura K, Ando M, Sagai M and Matsumoto Y (1996): Estimation of Levels of Personal Exposure to Suspended Particulate Matter and Nitrogen Dioxide in Tokyo, *Environmental Sciences*, 4(1), pp.37-51
- 田辺潔, 松下秀鶴, 郭錦堂, 今宮俊一郎 (1986): 高速液体クロマトグラフィーによる大気浮遊粉じん中の発がん性ニトロアレーンの分析, *大気環境学会誌* 21 (6):535-544
- Tanaka S, Takizawa H, Shimizu T *et al.* (1998): Effect of fuel compositions on PAH in particulate matter from DI diesel engines, SAE Technical Paper Ser. No. 982648. 29
- 田中良明, 仁田善雄, 島正之ら (1996): 主要幹線道路沿道部における大気汚染が学童の呼吸器症状に及ぼす影響, *大気汚染学会誌*, 31, 4: 166-174
- Taneda S, Hayashi H, Sakata M, Yoshino S, Suzuki A, Sagai M, Mori Y (2000): Anti-estrogenic activity of diesel exhaust particles. *Biol Pharm Bull.*, 23 (12): 1477-1480
- Terada N, Hamano N, Maesako K-I, Hiruma K, Hohki G, Suzuki K, Ishikawa K, Konno A (1999): Diesel exhaust particulates upregulate histamine receptor mRNA and increase histamine-induced IL-8 and GM-CSF production in nasal epithelial cells and endothelial cells. *Clin Exp Allergy* 29:52-59
- Thyssen J, Althoff J, Kimmerle G, Mohr U. (1981): Inhalation studies with benzo[a]pyrene in Syrian golden hamsters. *J Natl Cancer Inst* 66(3):575-7
- Tokiwa H, Otofujii T, Horikawa K, Kitamori S, Otsuka H, Manabe Y, Kinouchi T, Ohnishi Y (1984): 1,6-Dinitropyrene: mutagenicity in Salmonella and carcinogenicity in BALB/c mice. *J Natl Cancer Inst*, 73, 1359-1363
- Tokiwa H, Otofujii T, Nakagawa R, Horikawa K, Maeda T, Sano N, Izumi K, Otsuka H (1986): Dinitro derivatives of pyrene and fluoranthene in diesel emission particulates and their tumorigenicity in mice and rats. *Dev Toxicol Environ Sci.*, 13: 253-270
- Tokiwa H, Otofujii T, Horikawa K, Sera N, Nakagawa R, Maeda T, Sano N, Izumi K, Otsuka H (1987): Induction of subcutaneous tumors in rats by 3,7- and 3,9-dinitrofluoranthene. *Carcinogenesis*. 8, 1919-1922
- 常盤寛 (1992): 芳香族炭化水素ニトロ誘導体の変異原性, 発癌性とその危険度. *大気汚染学会誌*, 27: 73-84
- Tokiwa H, Sera N, Nakashima A, Nakashima K, Nakanishi Y, Shigematu N (1994): Mutagenic and carcinogenic significance and the possible induction of lung cancer by nitro aromatic hydrocarbons in particulate pollutants. *Environ Health Perspect*, 102 Suppl 4, 107-110
- 東京都 (1996): 東京都浮遊粒子状物質削減計画
- 東京都: 平成 6 年度都内自動車走行量及び窒素酸化物排出量の算出結果について, ホームページ掲載資料
- 東京都 (2000): DPF(ディーゼル微粒子除去装置)の実証試験結果, 平成 12 年 7 月 17 日(プレス資料)
- 東京都 (2001): 東京都粒子状物質減少装置指定要綱発表資料, 平成 13 年 6 月 21 日
- Tollerud JD, Weiss TS, Elting E (1983): The health effects of automobile exhaust 6. Relationship of respiratory symptoms and pulmonary function in tunnel and turnpike workers, *Archives of Environmental Health.*, 38, 6: 334-341
- Tsien A, Diaz-Sanchez D, Ma J, Saxon A (1997): The organic component of diesel exhaust particles and phenanthrene, a major polyaromatic hydrocarbon constituent, enhances IgE production by IgE-secreting EBV-transformed human B cells *in vitro*. *Toxicol Appl Pharmacol* 1997;142:256-263

- Tsugane S, Watanabe S, Sugimura H, Arimito H, Shimosato Y, Suemasu K (1987): Smoking, occupation and family history in lung cancer patients under fifty years of age, *Jpn J Clin Oncol*, 17:309-317
- Tsurudome Y, Hirano T, Yamato H, Tanaka I, Sagai M, Hirano H, Nagata N, Itoh H, Kasai H(1999): Changes in levels of 8-hydroxyguanine in DNA, its repair and OGG1 mRNA in rat lungs after intratracheal administration of diesel exhaust particles, *Carcinogenesis* 20(8):1573-6
- Tucker JD, Xu J, Stewart J, Baci PC, & Ong T (1986): Detection of sister chromatid exchanges induced by volatile genotoxicants. *Teratog Carcinog Mutag*, 6: 15-21
- Tyrer HW, Cantrell ET, Horres R, Lee IP, Peirano WB, Danner RM (1981): Benzo[a]pyrene metabolism in mice exposed to diesel exhaust: I. Uptake and distribution. *Environ Int* 5:307-311
- UK(1999): Department of the Environment, Transport and the Regions, the Welsh Office, the Scottish Office and the Department of the Environment (Northern Ireland), Source Apportionment of Airborne Particulate Matter in the United Kingdom, ISBN 0-7058-1771-7
- Ulvestad B, Bakke B, Melbostad E, Fuglerud P, Kongerud J, Lund MB. (2000): Increased risk of obstructive pulmonary disease in tunnel workers. *Thorax* ,55:277-282
- 運輸省運輸政策局情報管理部 (1995): 自動車輸送統計年報第 32 巻第 13 号平成 6 年度分
- U.S. Department of Energy, Engine Manufacturers Association, Manufacturers of Emission Controls Association (2000): Diesel Emission Control Sulfur Effects (DECSE) Program, Phase I Interim Data Report No. 4: Diesel Fuel Sulfur Effects on Particulate Matter Emissions
- U.S. Environmental Protection Agency (1986): Guidelines for carcinogenic risk assessment. *Federal Register* 51(185):33992-43003
- US Environmental Protection Agency (1986b): The risk assessment guidelines of 1986 (EPA /600/8-87/045). Washington DC, Office of Health and Environmental Assessment
- U.S. Environmental Protection Agency (1992): Procedures for Emission Inventory Preparation. Volume IV: Mobile Sources, EPA420-R-92-009
- U.S. Environmental Protection Agency (1993): Provisional guidance for quantitative risk assessment of polycyclic aromatic hydrocarbons, Office of Health and Environmental Assessment; EPA report no. EPA/600/R-93/089
- U.S. Environmental Protection Agency (1994): Office of Mobile Sources, User's Guide to MOBILE5, EPA-AA-TEB-94-01
- U.S. Environmental Protection Agency (1995): Draft User's Guide to PART5: A Program for Calculating Particle Emissions Form Motor Vehicles
- U.S. Environmental Protection Agency (1996): Proposed guidelines for carcinogen risk assessment. EPA/600/p-92/003C
- U.S. Environmental Protection Agency (1996): Proposed guidelines for carcinogen risk assessment. *Federal Register* 61(79): 17960-18011.
- U.S. Environmental Protection Agency (1998a): Office of Mobile Sources, Compilation of Air Pollutant Emission Factors (AP-42), Volume II (Mobile Sources), Appendix H~K
- U.S. Environmental Protection Agency (1998b): National Air Pollutant Emission Trends Procedures Document for 1900-1996
- U.S. Environmental Protection Agency (1999a): Analysis of the Impacts of Control Programs on Motor Vehicle Toxics Emissions and Exposure in Urban Areas and Nationwide: Volume I, EPA420-R-99-029
- U.S. Environmental Protection Agency (1999b): Estimation of motor vehicle toxic emissions and exposure in

- selected urban areas. Draft report , Report No. EPA/420/D-99-002
- U.S. Environmental Protection Agency (2000): National Air Pollutant Emission Trends: 1900-1998, EPA454/R-00-002
- Ulfvarson U, Alexandersson R, Aringer L *et al.* (1987): Effects of exposure to vehicle exhaust on health. *Scand J Work Environ Health* 13:505-512
- Ulfvarson U & Alexandersson R(1990): Reduction in adverse effect on pulmonary function after exposure to filtered diesel exhaust. *Am J Ind Med*, 17: 341-347
- Umweltbundesamt (1998): Traffic Emissions (Trends)
- Ushio H, Nohara K and Fujimaki H(1999): Effect of environmental pollutants on the production of pro-inflammatory cytokines by normal human dermal keratinocytes. *Toxicol Lett* 1999; 105:17-24
- Valberg PA, Crouch EA (1999): Meta-analysis of rat lung tumors from lifetime inhalation of diesel exhaust, *Environ Health Perspect*, 107, 9: 693-699
- Vallyathan V, Virmani R, Rochlani S, Green FHY, Lewis TR (1986): Effect of diesel emissions and coal dust inhalation on heart and pulmonary arteries of rats. *J. Toxicol. Environ. Health*, 19, 33-41
- van Bekkum YM, van den Broek PH, Scheepers PT *et al.*(1999): Biological fate of [¹⁴C]-1-nitropyrene in rats following intragastric administration, *Chem Biol Interact*, 117, 1: 15-33
- van Vliet P, Knape M, de Hartog J *et al.* (1997): Motor vehicle exhaust and respiratory symptoms in children living near freeways. *Environ Res* 74: 122-132
- van Zijverden M, van der Pijl A, Bol M, van Pinxteren FA, de Haar C, Penninks AH, van Loveren H, Pieters R (2000a): Diesel exhaust carbon black and silica particles display distinct Th1/Th2 modulating activity., *Toxicol Appl Pharmacol.*, 168
- van Zijverden M, Granum B (2000b): Adjuvant activity of particulate pollutants in different mouse models., *Toxicology.*, 152 (1-3): 69-77
- Vinegar, A, Carson AI, Pepelko WE (1980): Pulmonary function changes in Chinese hamsters exposed six months to diesel exhaust. In: Pepelko WE, Danner RM, Clarke NA eds. *Health effects of diesel engine emissions: proceedings of an international symposium*, v. 2; December, 1979; Cincinnati, OH.: U.S. Environmental Protection Agency, Health Effects Research Laboratory; pp. 749-756; EPA report no. EPA-600/9-80-057b. Available from: NTIS, Springfield, VA; PB81-173817.
- Vinegar A, Carsoih A, Pepelko WE *et al.* (1981a): Effect of six months of exposure to two levels of diesel exhaust on pulmonary function of Chinese hamsters. *Fed Proc* 40:593
- Vinegar A, Carson A, Pepelko WE (1981b): Pulmonary function changes in Chinese hamsters exposed six months to diesel exhaust. *Environ Int* 5:369-371
- Vineis P and Magnani C (1985): Occupation and bladder cancer in males: a case-control study. *Int J Cancer* 35(5): 599-606
- Vostal JJ, Chan TL, Garg BD *et al.* (1981): Lymphatic transport of inhaled diesel particles in the lungs of rats and guinea pigs exposed to diluted diesel exhaust. *Environ Int* 5:339-347
- Vostal JJ, Schreck RM, Lee PS *et al.* (1982a): Deposition and clearance of diesel particles from the lung. In: Lewtas, J, ed. *Toxicological effects of emissions from diesel engines: proceedings of the 1981 EPA diesel emissions symposium*; October 1981
- Vostal JJ, White HJ, Strom KA *et al.* (1982b): Response of the pulmonary defense system to diesel particulate exposure. In: Lewtas, J., ed. *Toxicological effects of emissions from diesel engines: proceedings of the Environmental Protection Agency diesel emissions symposium*; October 1981; Raleigh, NC. New York, NY:

- Elsevier Biomedical; pp. 201-221. (Developments in toxicology and environmental science: v. 10).
- Vostal J (1986): Factors limiting the evidence for chemical carcinogenicity of diesel emissions in long-term inhalation experiments. In: Ishinishi N, Koizumi A, McClellan R, Stöber W eds. Carcinogenic and mutagenic effects of diesel engine exhaust, Elsevier Science Publishers BV; Amsterdam, pp 381-396
- Wade JF III, Newman LS (1993): Diesel asthma: reactive airways disease following overexposure to locomotive exhaust. *J Occup Med* 35:149-154
- Waldron G, Pottle B, Dod J (1995): Asthma and the motorways - one District's experience, *Journal of Public Health Medicine*, 17: 85-89
- Wall(1984): SAE Paper 841364
- Wallace MA, Salley SO, Barnhart MI (1987a): Analysis of the effects of inhaled diesel exhaust on the alveolar intravascular and interstitial cellular components of rodent lungs. *Scanning Microsc.*, 1, 1387-1395
- Wallace WE, Keane MJ, Hill CA, Xu J, & Ong T (1987b): Mutagenicity of diesel exhaust particles and oil shale particles dispersed in lecithin surfactant. *J Toxicol Environ Health*, 21: 163-171
- Wallace WE, Keane MJ, Xing S, & Ong T (1990): Mutagenicity of diesel exhaust soot dispersed in phospholipid surfactants, In: Seemayer NH & Hadnagyw, eds, *Environmental hygiene E*. Berlin, Springer, pp 7-10
- Waller RE, Hampton L and Lawther PJ(1985): A further study of air pollution in diesel bus garages, *British J. Ind. Med.*, 42, pp.824-830
- Waller RE (1981): Trends in lung cancer in London in relation to exposure to diesel fumes. *Environ Int* 5:479-483.
- Warheit DB, Overby LH, George G *et al.* (1988): Pulmonary macrophages are attracted to inhaled particles through complement activation, *Exp. Lung. Res.*, 14: 1-66
- Warner-Selph MA, Dietzmann HE (1984): Characterization of HD motor vehicle emissions under transient driving conditions. Southwest Research Institute. U.S.EPA/600/3-84-104
- Watanabe N, Oonuki Y (1999): Inhalation of diesel engine exhaust affects spermatogenesis in growing male rats. *Environ. Health Perspect* 107, 539-544
- Watanabe N, Kurita M (2001): The masculinization of the fetus during pregnancy due to inhalation of diesel exhaust. *Environ Health Perspect.*, 109 (2): 111-119
- Watson AY, Valberg PA (1996): Particle-induced lung tumors in rats: evidence for species specificity in mechanisms. *Inhal Toxicol* 8(Suppl):227-257
- Watt FW Jr. (1995): Assessment of occupational exposure to diesel emissions. In: Diesel exhaust: a critical analysis of emissions, exposure and health effects. Cambridge, MA: Health Effect Institute, pp.107-123
- Watt KC, Morin DM, Kurth MJ, Mercer RS, Plopper CG, Buckpitt AR (1999): Glutathione conjugation of electrophilic metabolites of 1-nitronaphthalene in rat tracheobronchial airways and liver: identification by mass spectrometry and proton nuclear magnetic resonance spectroscopy, *Chem Res Toxicol*. 1999 Sep; 12(9): 831-9
- Waxweiler RJ, Wagoner JK, Archer VE (1973): Mortality of potash workers. *J Occup Med* 15:486-489
- Wegman DH and Peters JM (1978): Oat cell lung cancer in selected occupations. A case-control study. *J. Occup. Med.* 20,793-796
- Weiland SK, Mundt KA, Ruckmann A and Keil U (1994): Self-reported wheezing and allergic rhinitis in children and traffic density on street of residence. *Ann Epidemiol* 4: 243-247
- Weinstein IB, Troll W (1977): National Cancer Institute workshop on tumor promotion and cofactors in carcinogenesis. *Cancer Res* 37:3461-3463
- White HJ, Vostal JJ, Kaplan HL, *et al.* (1983): A long-term inhalation study evaluates the pulmonary effects of diesel

- emissions. *J APPI Toxicol* 1:332
- Wiester MJ, Iltis R, Moore W (1980): Altered function and histology in guinea pigs after inhalation of diesel exhaust. *Environ. Res.*, 22, 285-297
- Willems MI, de Raat WK, Wesstra JA, Bakker GL, Dubois G, & van Dokkum W (1989): Urinary and faecal mutagenicity in car mechanics exposed to diesel exhaust and in unexposed office workers. *Mutat Res*, 222: 375-391
- Williams RR, Stegens NL, Goldsmith JR (1977): Associations of cancer site and type with occupation and industry from the Third National Cancer Survey interview. *J Natl Cancer Inst* 59: 1147-1185
- Williams PL, Randerath K, Mauderly JL(1992): Statistical analysis of correlated measurements of DNA adduct formation in lungs of F344 rats exposed to diesel exhaust or carbon black. 9th Health Effects Institute Annual Conference, Monterey, CA
- Winer AM, Busby WF Jr. (1995): Atmospheric transport and transformation of diesel emissions. In: Diesel exhaust: a critical analysis of emissions, exposure, and health effects. Cambridge, MA: Health Effects Institute, pp.84-105
- Wislocki PG, Bagan ES, Lu AY, Dooley KL, Fu PP, Han-Hsu H, Beland FA, Kadlubar FF (1986): Tumorigenicity of nitrated derivatives of pyrene, benz[a]anthracene, chrysene and benzo[a]pyrene in the newborn mouse assay. *Carcinogenesis*. 7, 1317-1322
- Wjst M, Reitmeir P, Dold S *et al.* (1993): Road traffic and adverse effects on respiratory health in children. *Br Med J* 307(6904): 596-600
- Wolff RK, Kanapilly GM and DeNee P.B (1981): Deposition of 0.1µm chain aggregate aerosols in beagle. *J. Aerosol Sci.* 12, 119-129
- Wolff RK, Griffis LC, Hobbs CH, McClellan RO (1982): Deposition and retention of 0.1µm ⁶⁷Ga₂O₃ aggregate aerosols in rats following whole body exposures. *Fundam APPI Toxicol* 2:195-200
- Wolff RK, Kanapilly GM, Gray RH, McClellan RO (1984): Deposition and retention of inhaled aggregate ⁶⁷Ga₂O₃ particles in beagle dogs, Fischer-344 rats, and CD-1 mice. *Am. Ind. Hyg. Assoc. J.* 45: 377-81
- Wolff RK, Henderson RF, Snipes MB, *et al.* (1986): Lung retention of diesel soot and associated organic compounds. In: Ishinishi N, Koizumi A, McClellan R, and Stöber W eds. *Carcinogenic and mutagenic effects of diesel engine exhaust*, Elsevier Science Publishers BV; Amsterdam
- Wolff RK, Henderson RFS, Snipes MB *et al.* (1987): Alterations in particle accumulation and clearance in lungs of rats chronically exposed to diesel exhaust. *Fundam Appl Toxicol* 9: 154- 166.
- Wolff RK, Bond JA, Sun JD, Henderson RF, Harkema JR, Griffith WC, Mauderly IL, & McClellan RO (1989): Effects of adsorption of benzo[a]pyrene onto carbon black particles on levels of DNA adducts in lungs of rats exposed by inhalation. *Toxicol Appl Pharmacol* 97(2): 289-99
- Wolff RX, Sun LD, Barr EB, Rothenberg SJ, Yeh HC (1989): Lung retention and binding of [¹⁴C]-1-nitropyrene when inhaled by Fisher 344 rats as a pure aerosol or adsorbed to carbon black particles. *J Toxicol Environ Sci.*, 26: 309-325
- Wolff RK, Bond JA, Henderson RF, Harkema JR, & Mauderly JL (1990): Pulmonary inflammation and DNA adducts in rats inhaling diesel exhaust or carbon black. *Inhal Toxicol*, 2: 241-254
- Wong O, Morgan RW, Kheifets L *et al.* (1985): Mortality among members of a heavy construction equipment operators union with potential exposure to diesel exhaust emissions. *Br J Ind Med* 42:435-448
- Wong O, Mitchell LE, Wolff RK, Mauderly JL, & Jeffrey AM (1986): Identification of DNA damage as a result of exposure of rats to diesel engine exhaust. *Carcinogenesis*, 7: 1595-1597
- World Health Organization (WHO) (1996): Diesel fuel and exhaust emissions. *Environmental Health Criteria* 32

- The Health Effects of Diesel Exhaust 171. International Programme on Chemical Safety, Geneva: WHO
- World Health Organization (WHO) (2000): Guidelines for air quality, Geneva, WHO
- Woskie SR, Smith TJ, Hammond SK, Schenker MB, Garshick E and Speizer FE (1988a): Estimation of the Diesel Exhaust Exposures of Railroad Workers:1. Current Exposures, *Am. J. Ind. Med.*, 13, pp.381-394
- Woskie SR, Smith TJ, Hammond SK, *et al.* (1988b): Estimation of the diesel exhaust exposures of railroad workers: II. National and historical exposures, *Am J Ind Med* 13:395-404
- Wyler C, Braun Fahrlander C, Kunzli N, Schindler C, Ackermann Liebrich U, Perruchoud AP, *et al.* (2000): Exposure to motor vehicle traffic and allergic sensitization. *Epidemiology* 11:450-6
- Wynder LE and Stellman SD (1977): Comparative epidemiology of tobacco-related cancers. *Cancer Res* 37:4608-4622
- Wynder LE, Dieck G, Hall NE (1985): A case control study of diesel exhaust exposure and bladder cancer. *Environ Res* 34:475-489
- Wynder EL, Taioli E, Fujita Y (1992): Ecologic study of lung cancer risk factors in the U.S. and Japan, with special reference to smoking and diet. *Jpn J Cancer Res*; 83: 418-23
- Xu XB, Nachtman JP, Jin ZL, *et al* (1982): Isolation and identification of mutagenic nitro-PAH in diesel-exhaust particulates. *Anal Chim Acta.*, 136: 163-174
- Yamamoto A, Inamasu T, Hisanaga A, Kitamori S, Ishinishi N (1987): Comparative study of the carcinogenicity of 1-nitropyrene and benzo(a)pyrene to the lung of Syrian golden hamsters induced by intermittent intratracheal instillation. *大気汚染学会*, 22, 29-35
- Yamashita N, Sekine K, Miyasaka T, Kawashima R, Nakajima Y, Nakano J, Yamamoto T, Horiuchi T, Hirai K, Ohta K (2001): Platelet-derived growth factor is involved in the augmentation of airway responsiveness through remodeling of airways in diesel exhaust particulate-treated mice, *J Allergy Clin Immunol.* 2001 Jan; 107(1):135-42
- Yamazaki H, Hatanaka N, Kizu R, Hayakawa K, Shimada N, Guengerich FP, Nakajima M, Yokoi T (2000): Bioactivation of diesel exhaust particle extracts and their major nitrated polycyclic aromatic hydrocarbon components, 1-nitropyrene and dinitropyrenes, by human cytochromes P450 1A1, 1A2, and 1B1., *Mutat Res.* 2000 Dec 20; 472(1-2): 129-38
- Ynag HM, Ma JYC, Castranova V and Ma JYC (1997): Effect of diesel exhaust particles on the release of interleukin-1 and tumor necrosis factor-alpha from rat alveolar macrophages, *Exp. Lung Res.*, 1997; 23: 269-284
- Yang HM, Barger MW, Castranova V, Ma JKH, Yang JJ and Ma JYC (1999): Effects of diesel exhaust particles (DEP), carbon black, and silica on macrophage responses to lipopolysaccharide: evidence of DEP suppression of macrophage activity. *J Toxicol Environ Health* 1999;58:261-278
- Yanowitz J, Graboski MS, Ryan LBA, Alleman TL, McCormick RL (1999): Chassis Dynamometer Study of Emissions from 21 In-Use Heavy-Duty Diesel Vehicles. *Environ. Sci. Technol.* 33: pp.209-216
- Yeh HC, Schum GM (1980): Models of human lung airways and their application to inhaled particle deposition. *Bull Math Biol* 42:461-480
- 横田久司ら(1994): 大型ディーゼル車汚染物質排出実態について(1) 排出ガス, 東京都環境科学研究所年報 1993, 25, pp.154-157
- 横田久司, 泉川碩雄, 舟島正直, 田原茂樹, 佐野藤治, 佐々木裕子, 吉岡秀俊, 東野和雄(2002): 自動車からの PCDDs / PCDFs 排出, 大気環境学会誌, 37(1)
- Yoshida S, Sagai M, Oshio S, Umeda T, Suganuma M, Ihara T, Sugawara I, Takeda K. (1999): Exposure to diesel exhaust affects the male reproductive system of mice., *Int J Androl.* 1999 Oct;22(5):307-15.

- 吉田謙一, 岩淵美香, 井上康明, 張山嘉道, 佐藤静雄(1996): 川崎市における粒径別粒子状物質の成分組成, 川崎市公害研究所年報第 22 号, 11-18
- Yoshino S, Ohsawa M, Sagai M(1998): Diesel exhaust particles block induction of oral tolerance in mice. *J Pharm Exp Therap* 1998, 287:679-683
- Yoshino S, Sagai M (1999a): Enhancement of collagen-induced arthritis in mice by diesel exhaust particles, *J Pharmacol. Exp. Ther.*, Vol.290, No.2 page.524-529
- Yoshino S, Sagai M (1999b): Induction of systemic Th1 and Th2 immune responses by oral administration of soluble antigen and diesel exhaust particles, *Cell Immunol.*, 192 (1): 72-78
- Yu CP (1978): Exact analysis of aerosol deposition during steady breathing. *Powder Technology* 21: 55-62
- Yu CP, Diu CK, Soong TT (1981): Statistical analysis of aerosol deposition in nose and mouth. *Am Ind Hyg Assoc J* 42:726-733
- Yu CP, Xu GB (1987): Predicted deposition of diesel particles in young humans. *J Aerosol Sci* 18:419-429
- Yu CP, Yoon KJ (1988): Determination of lung doses of diesel exhaust particulates. Presented at 5th annual conference of Health Effects Institute; Colorado Springs, co.
- Yu CP, Chen YK, Morrow PE (1989): An analysis of alveolar macrophage mobility kinetics at dust overloading of the lungs. *Fundam Appl Toxicol* 13:452-459
- Yu CP, Yoon KJ. (1990): Retention modeling of diesel exhaust particles in rats and humans. Amherst, NY: State University of New York at Buffalo (Health Effects Institute research report no. 40), 33p
- Yu CP, Yoon KJ, Chen, (1991): Retention modeling of diesel exhaust particles in rats and humans. *Res Rep Health Eff Inst* 40: 1-24
- Zaebst DD, Clapp DE, Blade LM, Marlow DA, Steenland K, Homung RW, Scheutzle D, & Butler J (1991): Quantitative determination of trucking industry workers' exposures to diesel exhaust particles. *Am Ind Hyg Assoc. J.*, 52: 529-541
- Zamora PO, Gregory RE, Brooks AL (1983): *In vitro* evaluation of the tumor-promoting potential of diesel-exhaust-particle extracts. *J Toxicol Environ Health* 1 1: 188-197
- Zielinska B, Arey J, Atkinson R *et al.* (1989): Formation of methylnitronaphthalenes from the gas-phase reactions of 1- and 2-methylnaphthalene with OH radicals and N₂O₅ and their occurrence in ambient air. *Environ. Sci. Technol.* 23:723-729
- Zielinska B, Arey J, Atkinson R *et al.* (1988): Nitration of acephenanthrylene under simulated atmospheric conditions and in solution and the presence of nitroacephenanthrylene(s) in ambient air,. *Environ. Sci. Technol.* 22:1044-1048
- Zielinska B, Uberna E, Fujita EM *et al.* (1998): Northern Front Range Air Quality Study: The Analysis of Ambient Fine Particulate Organic Matter., Presented at: 91st annual meeting of the Air & Waste Management Association; June; San Diego, CA. Pittsburgh, PA: Air & Waste Management Association; paper no. 98-RA89.03