

表6-1-1. 府県別・地区別ベースライン調査結果(宮城県)

		男性				女性			
		都市 (仙台市青葉区・宮城野区)		対照 (涌谷町・田尻町)		都市 (仙台市青葉区・宮城野区)		対照 (涌谷町・田尻町)	
対象者数		7,391	6,601			9,383	7,970		
死亡数		1,133	1,249			857	1,077		
観察人年(合計)		54,584	59,023			73,857	72,920		
観察人年平均値(標準偏差)		7.4 (3.5)	8.9 (2.4)			7.9 (3.2)	9.1 (2.2)		
年齢階級		数	(%)	数	(%)	数	(%)	数	(%)
	40-44	1137	(15.4)	903	(13.7)	1318	(14.0)	938	(11.8)
	45-49	1161	(15.7)	1020	(15.5)	1447	(15.4)	1161	(14.6)
	50-54	1194	(16.2)	1213	(18.4)	1508	(16.1)	1354	(17.0)
	55-59	1057	(14.3)	1082	(16.4)	1379	(14.7)	1268	(15.9)
	60-64	859	(11.6)	784	(11.9)	1234	(13.2)	1009	(12.7)
	65-69	765	(10.4)	607	(9.2)	937	(10.0)	758	(9.5)
	70-74	586	(7.9)	490	(7.4)	740	(7.9)	717	(9.0)
	75-79	371	(5.0)	333	(5.0)	453	(4.8)	391	(4.9)
	80+	261	(3.5)	169	(2.6)	367	(3.9)	374	(4.7)
年齢	平均値(標準偏差)	57.0 (11.5)	56.7 (10.9)			57.3 (11.4)	58.1 (11.5)		
喫煙状況									
	非喫煙者	1241	(16.8)	1129	(17.1)	5919	(63.1)	4415	(55.4)
	過去喫煙者	1617	(21.9)	832	(12.5)	280	(3.0)	94	(1.2)
	現在喫煙者	3083	(41.7)	2579	(39.1)	822	(8.8)	290	(3.6)
	欠損値	1460	(19.6)	2061	(31.2)	2362	(25.2)	3171	(39.8)
喫煙年数(現在喫煙、過去喫煙別、合計別)									
現在喫煙者	-9	30	(1.0)	55	(2.1)	99	(12.0)	39	(13.4)
	10-19	98	(3.2)	124	(4.8)	165	(20.1)	65	(22.4)
	20-29	1036	(33.6)	813	(31.5)	276	(33.6)	71	(24.5)
	30-39	1044	(33.9)	902	(35.0)	157	(19.1)	49	(16.9)
	40+	803	(26.0)	633	(24.5)	103	(12.5)	50	(17.2)
	欠損値	72	(2.3)	52	(2.0)	22	(2.7)	16	(5.5)
過去喫煙者	-9	84	(5.2)	40	(4.8)	54	(19.3)	12	(12.8)
	10-19	311	(19.2)	146	(17.5)	68	(24.3)	20	(21.3)
	20-29	456	(28.2)	233	(28.0)	76	(27.1)	15	(16.0)
	30-39	362	(22.4)	217	(26.1)	39	(13.9)	17	(18.1)
	40+	295	(18.2)	117	(14.1)	25	(8.9)	12	(12.8)
	欠損値	109	(6.7)	79	(9.5)	18	(6.4)	18	(19.1)
現在・過去喫煙者計	-9	114	(2.4)	95	(2.8)	153	(13.9)	51	(13.3)
	10-19	409	(8.7)	270	(7.9)	233	(21.1)	85	(22.1)
	20-29	1492	(31.7)	1046	(30.7)	352	(31.9)	86	(22.4)
	30-39	1406	(29.9)	1119	(32.8)	196	(17.8)	66	(17.2)
	40+	1098	(23.4)	750	(22.0)	128	(11.6)	62	(16.1)
	欠損値	181	(3.9)	131	(3.8)	40	(3.6)	34	(8.9)
喫煙本数(現在喫煙、過去喫煙、合計別)									
現在喫煙者	-19	1003	(32.5)	843	(32.7)	532	(64.7)	217	(74.8)
	20-29	1246	(40.4)	1206	(46.8)	217	(26.4)	58	(20.0)
	30-39	438	(14.2)	332	(12.9)	45	(5.5)	4	(1.4)
	40+	373	(12.1)	178	(6.9)	21	(2.6)	1	(0.3)
	欠損値	23	(0.7)	20	(0.8)	7	(0.9)	10	(3.4)
過去喫煙者	-19	547	(33.8)	278	(33.4)	192	(68.6)	71	(75.5)
	20-29	551	(34.1)	331	(39.8)	53	(18.9)	10	(10.6)
	30-39	206	(12.7)	74	(8.9)	14	(5.0)	3	(3.2)
	40+	241	(14.9)	110	(13.2)	8	(2.9)	2	(2.1)
	欠損値	72	(4.5)	39	(4.7)	13	(4.6)	8	(8.5)
現在・過去喫煙者計	-19	1550	(33.0)	1121	(32.9)	724	(65.7)	288	(75.0)
	20-29	1797	(38.2)	1537	(45.1)	270	(24.5)	68	(17.7)
	30-39	644	(13.7)	406	(11.9)	59	(5.4)	7	(1.8)
	40+	614	(13.1)	288	(8.4)	29	(2.6)	3	(0.8)
	欠損値	95	(2.0)	59	(1.7)	20	(1.8)	18	(4.7)
Packyears(現在喫煙、過去喫煙、合計別)									
現在喫煙者	<20	549	(17.8)	498	(19.3)	476	(57.9)	193	(66.6)
	20-<40	1417	(46.0)	1305	(50.6)	264	(32.1)	64	(22.1)
	40-<60	723	(23.5)	553	(21.4)	48	(5.6)	14	(4.8)
	60+	314	(10.2)	164	(6.4)	12	(1.5)	3	(1.0)
	欠損値	80	(2.6)	59	(2.3)	24	(2.9)	16	(5.5)
過去喫煙者	<20	554	(34.3)	274	(32.9)	188	(70.7)	80	(83.8)
	20-<40	501	(31.0)	295	(35.5)	45	(16.1)	10	(10.6)
	40-<60	275	(17.0)	110	(13.2)	11	(3.9)	3	(3.2)
	60+	168	(10.4)	67	(8.1)	6	(2.1)	2	(2.1)
	欠損値	119	(7.4)	86	(10.3)	20	(7.1)	19	(20.2)
現在・過去喫煙者計	<20	1103	(23.5)	772	(22.6)	674	(61.2)	253	(65.9)
	20-<40	1918	(40.8)	1600	(46.9)	309	(28.0)	74	(19.3)
	40-<60	998	(21.2)	663	(19.4)	57	(5.2)	17	(4.4)
	60+	482	(10.3)	231	(6.8)	18	(1.6)	5	(1.3)
	欠損値	199	(4.2)	145	(4.3)	44	(4.0)	35	(9.1)
子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)									
非喫煙者	なし	345	(27.8)	383	(33.9)	1388	(23.4)	1137	(25.8)
	あり	769	(62.0)	642	(56.9)	3900	(65.9)	2733	(61.9)
	欠損値	127	(10.2)	104	(9.2)	631	(10.7)	545	(12.3)
過去喫煙者	なし	333	(20.6)	214	(25.7)	43	(15.4)	13	(13.8)
	あり	1139	(70.4)	538	(64.7)	208	(74.3)	67	(71.3)
	欠損値	145	(9.0)	80	(9.6)	29	(10.4)	14	(14.9)
現在喫煙者	なし	592	(19.2)	558	(21.6)	130	(15.8)	47	(16.2)
	あり	2220	(72.0)	1762	(68.3)	583	(70.9)	212	(73.1)
	欠損値	271	(8.8)	259	(10.0)	109	(13.3)	31	(10.7)
合計	なし	1270	(21.4)	1155	(25.4)	1561	(22.2)	1197	(24.9)
	あり	4128	(69.5)	2942	(64.8)	4691	(66.8)	3012	(62.8)
	欠損値	543	(9.1)	443	(9.8)	769	(11.0)	590	(12.3)

		男性				女性					
		都市 (仙台市青葉区・宮城野区)		対照 (浜谷町・田尻町)		都市 (仙台市青葉区・宮城野区)		対照 (浜谷町・田尻町)			
配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)					
非喫煙者	なし あり 欠損値	1190 51 -	(95.9) (4.1)	1109 19 1	(98.2) (1.7) (0.1)	3654 2261 4	(61.7) (38.2) (0.1)	2540 1868 7	(57.5) (42.3) (0.2)		
過去喫煙者	なし あり 欠損値	1538 77 2	(95.1) (4.8) (0.1)	807 25 -	(97.0) (3.0)	195 84 1	(69.6) (30.0) (0.4)	64 30 -	(68.1) (31.9)		
現在喫煙者	なし あり 欠損値	2721 356 6	(88.3) (11.5) (0.2)	2471 107 1	(95.8) (4.1) (0.0)	472 350 -	(57.4) (42.6)	179 111 -	(61.7) (38.3)		
合計	なし あり 欠損値	5449 484 8	(91.7) (8.1) (0.1)	4387 151 2	(96.6) (3.3) (0.0)	4321 2695 5	(61.5) (38.4) (0.1)	2783 2009 7	(58.0) (41.9) (0.1)		
家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)					
非喫煙者	なし あり	964 277	(77.7) (22.3)	586 543	(51.9) (48.1)	2632 3287	(44.5) (55.5)	1191 3224	(27.0) (73.0)		
過去喫煙者	なし あり	1198 419	(74.1) (25.9)	482 370	(55.5) (44.5)	119 161	(42.5) (57.5)	26 68	(27.7) (72.3)		
現在喫煙者	なし あり	1969 1114	(63.9) (36.1)	1209 1376	(46.9) (53.1)	268 554	(32.6) (67.4)	82 208	(28.3) (71.7)		
合計	なし あり	4131 1810	(69.5) (30.5)	2257 2283	(49.7) (50.3)	4117 5266	(43.9) (56.1)	2391 5579	(30.0) (70.0)		
危険職種	なし あり	4473 2918	(60.5) (39.5)	1615 4986	(24.5) (75.5)	7590 1793	(80.9) (19.1)	3709 4261	(46.5) (53.5)		
緑黄色野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	73 244 1263 1879 3598 344	(1.0) (3.3) (17.0) (25.4) (48.7) (4.7)	116 390 1074 1505 2834 772	(1.8) (4.5) (16.3) (22.8) (42.9) (11.7)	65 139 899 2191 5174 915	(0.7) (1.5) (9.6) (23.4) (55.1) (9.8)	103 236 1008 1698 3683 1242	(1.3) (3.0) (12.6) (21.3) (46.2) (15.6)		
緑黄色野菜毎日摂取 (再掲)	なし あり 欠損値	3449 3598 344	(46.7) (48.7) (4.7)	2995 2834 772	(45.4) (42.9) (11.7)	3294 5174 915	(35.1) (55.1) (9.8)	3045 3683 1242	(38.2) (46.2) (15.6)		
その他の野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	52 127 813 1850 4251 298	(0.7) (1.7) (11.0) (25.0) (57.5) (4.0)	90 131 468 1082 4166 624	(1.4) (2.0) (7.5) (16.5) (63.1) (9.5)	62 88 581 1790 5955 907	(0.7) (0.9) (6.2) (19.1) (63.5) (9.7)	98 105 367 1053 5232 1115	(1.2) (1.3) (4.6) (13.2) (65.6) (14.0)		
その他の野菜毎日摂取 (再掲)	なし あり 欠損値	2842 4251 298	(38.5) (57.5) (4.0)	1811 4166 624	(27.4) (63.1) (9.5)	2521 5955 907	(26.9) (63.5) (9.7)	1623 5232 1115	(20.4) (65.6) (14.0)		
果物摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	166 439 1289 1502 3614 381	(2.2) (5.9) (17.4) (20.3) (48.8) (5.2)	145 289 878 1304 3131 874	(2.2) (4.1) (13.3) (19.8) (47.4) (13.2)	99 173 655 1324 6213 919	(1.1) (1.8) (7.0) (14.1) (66.2) (9.8)	109 151 488 1029 4936 1257	(1.4) (1.9) (6.1) (12.9) (61.9) (15.8)		
果物毎日摂取 (再掲)	なし あり 欠損値	3396 3614 381	(45.9) (48.8) (5.2)	2586 3131 874	(39.3) (47.4) (13.2)	2251 6213 919	(24.0) (66.2) (8.8)	1777 4936 1257	(22.3) (61.9) (15.8)		
緑茶摂取	飲まない ときどき 1日に1-2回 1日に3-4回 1日5杯上 欠損値	354 708 1280 1495 2729 827	(4.8) (9.6) (17.3) (20.2) (36.9) (11.2)	312 932 948 1154 2214 1041	(4.7) (14.1) (14.4) (17.5) (33.5) (15.8)	338 1067 1297 1887 3552 1242	(3.6) (11.4) (13.4) (20.1) (37.9) (13.2)	315 937 1121 1395 2726 1476	(4.0) (11.8) (14.1) (17.5) (34.2) (18.5)		
緑茶毎日5杯以上摂取 (再掲)	なし あり 欠損値	3835 2729 827	(51.9) (36.9) (11.2)	3346 2214 1041	(50.7) (33.5) (15.8)	4589 3552 1242	(48.9) (37.9) (13.2)	3768 2726 1476	(47.3) (34.2) (18.5)		
BMI階級	<18.5 18.5-25 25-30 30+	394 5199 1417 126	(5.3) (70.3) (19.2) (1.7)	210 4475 1366 110	(3.2) (67.8) (20.7) (1.7)	642 6174 1865 255	(6.8) (65.8) (19.9) (2.7)	329 4503 2167 322	(4.1) (56.5) (27.2) (4.0)		
BMI	30+ 欠損値 平均値(標準偏差)	255 255 23.0 (3.5)	(3.5) (3.5)	440 440 23.2 (2.9)	(6.7) (6.7)	447 447 22.9 (3.6)	(4.8) (4.8)	649 649 23.9 (3.5)	(8.1)		
飲酒状況	1=ほとんど毎日 2=ときどき 3=あまりのときだけ 4=以前はよく飲んだが最近では飲まない 5=以前から飲まない 欠損値	3143 894 1150 557 997 659	(42.5) (12.1) (15.6) (7.5) (13.5) (8.8)	2454 847 816 538 831 1115	(37.2) (12.8) (12.4) (8.2) (12.6) (16.9)	飲酒状況 飲酒状況 飲酒状況 飲酒状況 飲酒状況 飲酒状況	1=ほとんど毎日 2=ときどき 3=あまりのときだけ 4=以前はよく飲んだが最近では飲まない 5=以前から飲まない 欠損値	424 623 1545 293 4336 2162	(4.5) (6.6) (16.5) (3.1) (46.2) (23.0)	150 324 894 151 3473 2978	(1.9) (4.1) (11.2) (1.9) (43.6) (37.4)
毎日飲酒 (再掲)	毎日飲む(1) 飲まない(2,3,5) やめた(4) 欠損値	3143 3041 557 650	(42.5) (41.1) (7.5) (8.8)	2454 2484 538 1115	(37.2) (37.8) (8.2) (16.9)	毎日飲酒 (再掲) やめた(4) 欠損値	424 6504 293 2162	(4.5) (69.3) (3.1) (23.0)	150 4691 151 2978	(1.9) (58.9) (1.9) (37.4)	
現在飲酒 (再掲)	飲む(1,2,3) 飲まない(5) やめた(4) 欠損値	5187 997 557 650	(70.2) (13.5) (7.5) (8.8)	4117 831 538 1115	(62.4) (12.6) (8.2) (16.9)	現在飲酒 (再掲) やめた(4) 欠損値	2592 4336 293 2162	(27.6) (46.2) (3.1) (23.0)	1368 3473 151 2978	(17.2) (43.6) (1.9) (37.4)	
健康保険	国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 欠損値	2976 1981 1124 1014 168 128	(40.3) (26.8) (15.2) (13.7) (2.3) (1.7)	4598 809 286 496 127 195	(69.5) (13.8) (4.3) (7.5) (1.9) (3.0)	健康保険 国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 欠損値	4198 2364 1143 1194 245 239	(44.7) (25.2) (12.2) (12.7) (2.6) (2.5)	5315 1237 460 531 177 310	(66.7) (15.5) (5.0) (6.7) (2.2) (3.9)	

		男性				女性			
		都市 (仙台市青葉区・宮城野区)		対照 (涌谷町・田尻町)		都市 (仙台市青葉区・宮城野区)		対照 (涌谷町・田尻町)	
居住年数20年以上 (明治・大正元号のみ含む)	なし	1812	(24.5)	464	(7.0)	2269	(24.2)	761	(9.5)
	あり	4765	(64.5)	5490	(83.2)	5998	(63.9)	6162	(77.3)
	欠損値	814	(11.0)	647	(9.8)	1116	(11.9)	1047	(13.1)
煙突なしのストーブ	なし	2646	(35.8)	1812	(27.5)	3255	(34.7)	2265	(28.4)
	あり	4745	(64.2)	4789	(72.5)	6128	(65.3)	5705	(71.6)
高血圧既往	なし	5501	(74.4)	4653	(70.5)	7222	(77.0)	5639	(70.8)
	あり	1890	(25.6)	1948	(29.5)	2161	(23.0)	2331	(29.2)
心臓病既往	なし	6747	(91.3)	6056	(91.7)	8554	(91.2)	7154	(89.8)
	あり	644	(8.7)	545	(8.3)	829	(8.8)	816	(10.2)
脳血管疾患既往	なし	7291	(98.6)	6508	(98.6)	9309	(98.2)	7903	(99.2)
	あり	100	(1.4)	93	(1.4)	74	(0.8)	67	(0.8)
糖尿病既往	なし	6723	(91.0)	6203	(94.0)	8970	(95.6)	7662	(96.1)
	あり	668	(9.0)	398	(6.0)	413	(4.4)	308	(3.9)
肝臓病既往	なし	6919	(93.6)	6197	(93.9)	9066	(95.6)	7709	(96.7)
	あり	472	(6.4)	404	(6.1)	317	(3.4)	261	(3.3)
胃十二指腸潰瘍既往	なし	6386	(86.4)	5661	(85.8)	8838	(94.2)	7428	(93.2)
	あり	1005	(13.6)	940	(14.2)	545	(5.8)	542	(6.8)
胆石既往	なし	7170	(97.0)	6484	(98.2)	9001	(95.9)	7741	(97.1)
	あり	221	(3.0)	117	(1.8)	382	(4.1)	229	(2.9)
虫垂炎既往	なし	6916	(93.6)	6275	(95.1)	8704	(92.8)	7493	(94.0)
	あり	475	(6.4)	326	(4.9)	679	(7.2)	477	(6.0)
結核肋膜炎既往	なし	6825	(92.3)	6367	(96.8)	8921	(95.1)	7843	(98.4)
	あり	566	(7.7)	214	(3.2)	462	(4.9)	127	(1.6)
肺炎既往	なし	7215	(97.6)	6491	(98.3)	9152	(97.5)	7864	(98.7)
	あり	176	(2.4)	110	(1.7)	231	(2.5)	106	(1.3)
喘息既往	なし	7183	(97.2)	6336	(96.0)	9179	(97.8)	7777	(97.6)
	あり	208	(2.8)	265	(4.0)	204	(2.2)	193	(2.4)
慢性気管支炎既往	なし	7193	(97.3)	6490	(98.3)	9180	(97.8)	7842	(98.4)
	あり	198	(2.7)	111	(1.7)	203	(2.2)	128	(1.6)
肺炎腫瘍既往	なし	7355	(99.5)	6675	(99.6)	9370	(99.9)	7963	(99.9)
	あり	36	(0.5)	26	(0.4)	13	(0.1)	7	(0.1)
じん肺既往	なし	7377	(99.8)	6576	(99.6)	9377	(99.9)	7949	(99.7)
	あり	14	(0.2)	25	(0.4)	6	(0.1)	21	(0.3)
痛風既往	なし	7174	(97.1)	6531	(98.9)	9307	(99.2)	7920	(99.4)
	あり	217	(2.9)	70	(1.1)	76	(0.8)	50	(0.6)

表6-1-2. 府県別・地区別ベースライン調査結果(認知票)

	男性				女性			
	都市 (名古屋市干渉区)		対照 (犬山市)		都市 (名古屋市干渉区)		対照 (犬山市)	
対象者数	10,044	5,694	対象者数	11,476	6,307			
死亡数	1,308	849	死亡数	1,016	715			
観察人年(合計)	77,262	50,147	観察人年(合計)	93,696	58,372			
観察人年平均値(標準偏差)	7.7 (3.3)	8.8 (2.6)	観察人年平均値(標準偏差)	8.2 (3.0)	8.9 (2.5)			
	数	(%)	数	(%)	数	(%)	数	(%)
年齢階級	40-44	1841 (18.3)	1097 (19.3)	年齢階級	40-44	1911 (16.7)	1072 (17.0)	
	45-49	1821 (18.1)	989 (17.4)		45-49	1944 (16.0)	1050 (16.6)	
	50-54	1760 (17.5)	963 (16.9)		50-54	1785 (15.6)	897 (14.2)	
	55-59	1358 (13.5)	823 (14.5)		55-59	1621 (14.1)	869 (13.8)	
	60-64	1035 (10.3)	561 (9.9)		60-64	1361 (11.9)	711 (11.3)	
	65-69	818 (8.1)	476 (8.4)		65-69	1020 (8.9)	638 (10.1)	
	70-74	675 (6.7)	377 (6.6)		70-74	843 (7.3)	459 (7.3)	
	75-79	442 (4.4)	250 (4.4)		75-79	579 (5.0)	346 (5.5)	
	80+	294 (2.9)	158 (2.8)		80+	406 (3.5)	265 (4.2)	
年齢	平均値(標準偏差)	55.5 (11.1)	55.5 (11.2)	年齢	平均値(標準偏差)	56.6 (11.5)	56.9 (11.8)	
喫煙状況	非喫煙者	1586 (15.8)	845 (14.6)	喫煙状況	非喫煙者	8736 (76.2)	4112 (65.2)	
	過去喫煙者	3008 (29.9)	1478 (26.0)		過去喫煙者	526 (4.6)	190 (3.0)	
	現在喫煙者	5263 (52.6)	3218 (56.5)		現在喫煙者	1421 (12.4)	591 (9.4)	
	欠損値	167 (1.7)	153 (2.7)		欠損値	787 (6.9)	1414 (22.4)	
喫煙年数(現在喫煙、過去喫煙別、合計別)			喫煙年数(現在喫煙、過去喫煙別、合計別)					
現在喫煙者	-9	24 (0.5)	10 (0.3)	現在喫煙者	-9	134 (9.4)	60 (10.2)	
	10-19	109 (2.1)	61 (1.0)		10-19	304 (21.4)	130 (22.0)	
	20-29	1894 (37.7)	1135 (35.3)		20-29	526 (37.0)	168 (28.4)	
	30-39	1716 (32.5)	1048 (32.6)		30-39	277 (19.5)	109 (18.4)	
	40+	1381 (26.3)	909 (28.2)		40+	155 (10.9)	104 (17.6)	
	欠損値	49 (0.9)	55 (1.7)		欠損値	25 (1.8)	20 (3.4)	
過去喫煙者	-9	264 (8.8)	132 (8.9)	過去喫煙者	-9	118 (22.4)	26 (13.7)	
	10-19	627 (26.8)	306 (20.7)		10-19	162 (30.8)	45 (23.7)	
	20-29	918 (30.5)	427 (28.9)		20-29	122 (23.2)	37 (19.5)	
	30-39	672 (22.3)	327 (22.1)		30-39	66 (12.5)	20 (10.5)	
	40+	450 (15.0)	227 (15.4)		40+	37 (7.0)	32 (16.8)	
	欠損値	77 (2.6)	59 (4.0)		欠損値	21 (4.0)	30 (15.8)	
現在・過去喫煙者計	-9	288 (3.5)	142 (3.0)	現在・過去喫煙者計	-9	252 (12.9)	86 (11.0)	
	10-19	738 (8.9)	367 (7.8)		10-19	466 (23.9)	175 (22.4)	
	20-29	2912 (35.1)	1562 (33.3)		20-29	648 (33.3)	205 (26.2)	
	30-39	2388 (28.8)	1375 (29.3)		30-39	343 (17.6)	129 (16.5)	
	40+	1841 (22.2)	1136 (24.2)		40+	192 (9.9)	136 (17.4)	
	欠損値	126 (1.5)	114 (2.4)		欠損値	46 (2.4)	50 (6.4)	
喫煙本数(現在喫煙、過去喫煙、合計別)			喫煙本数(現在喫煙、過去喫煙、合計別)					
現在喫煙者	-19	1488 (28.2)	1024 (31.8)	現在喫煙者	-19	881 (62.0)	389 (65.8)	
	20-29	2013 (38.1)	1354 (42.1)		20-29	412 (28.0)	157 (26.6)	
	30-39	898 (17.0)	416 (12.9)		30-39	65 (4.6)	24 (4.1)	
	40+	884 (16.7)	424 (13.2)		40+	63 (4.4)	21 (3.6)	
過去喫煙者	-19	994 (33.0)	533 (36.1)	過去喫煙者	-19	373 (70.9)	132 (69.5)	
	20-29	1066 (36.4)	530 (35.9)		20-29	99 (18.8)	38 (20.0)	
	30-39	380 (12.6)	182 (12.3)		30-39	30 (1.9)	3 (1.6)	
	40+	568 (18.8)	233 (15.8)		40+	44 (8.4)	17 (8.9)	
現在・過去喫煙者計	-19	2482 (29.9)	1557 (32.2)	現在・過去喫煙者計	-19	1254 (64.4)	521 (68.7)	
	20-29	3079 (37.1)	1884 (40.1)		20-29	511 (26.2)	195 (25.0)	
	30-39	1276 (15.4)	598 (12.7)		30-39	76 (3.9)	27 (3.5)	
	40+	1452 (17.5)	657 (14.0)		40+	107 (5.5)	38 (4.9)	
Packyears(現在喫煙、過去喫煙、合計別)			Packyears(現在喫煙、過去喫煙、合計別)					
現在喫煙者	<20	792 (15.0)	513 (15.9)	現在喫煙者	<20	856 (60.2)	362 (61.3)	
	20-40	2376 (45.0)	1320 (47.2)		20-40	424 (29.8)	159 (26.9)	
	40-60	1364 (25.8)	839 (26.1)		40-60	90 (6.3)	39 (6.6)	
	60+	702 (13.3)	291 (9.0)		60+	26 (1.8)	11 (1.9)	
	欠損値	49 (0.9)	55 (1.7)		欠損値	25 (1.8)	20 (3.4)	
過去喫煙者	<20	1135 (37.7)	563 (37.4)	過去喫煙者	<20	386 (73.4)	114 (60.0)	
	20-40	954 (31.7)	524 (35.5)		20-40	88 (16.7)	31 (16.3)	
	40-60	473 (15.7)	207 (14.0)		40-60	16 (3.0)	11 (5.8)	
	60+	369 (12.3)	135 (9.1)		60+	15 (2.9)	4 (2.1)	
	欠損値	77 (2.6)	59 (4.0)		欠損値	21 (4.0)	30 (15.8)	
現在・過去喫煙者計	<20	1927 (23.2)	1066 (22.7)	現在・過去喫煙者計	<20	1242 (63.8)	476 (60.9)	
	20-40	3330 (40.2)	2044 (43.5)		20-40	512 (26.3)	180 (24.3)	
	40-60	1837 (22.2)	1046 (22.3)		40-60	106 (5.4)	50 (6.4)	
	60+	1071 (12.8)	426 (9.1)		60+	41 (2.1)	15 (1.9)	
	欠損値	126 (1.5)	114 (2.4)		欠損値	46 (2.4)	50 (6.4)	
子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)					
非喫煙者	なし	471 (29.7)	260 (30.8)	非喫煙者	なし	2075 (23.8)	1023 (24.9)	
	あり	946 (59.6)	481 (56.9)		あり	5779 (66.2)	2527 (61.5)	
	欠損値	169 (10.7)	104 (12.3)		欠損値	882 (10.1)	562 (13.7)	
過去喫煙者	なし	654 (21.7)	336 (22.7)	過去喫煙者	なし	88 (16.3)	32 (16.8)	
	あり	2082 (69.2)	966 (65.4)		あり	381 (72.4)	124 (65.3)	
	欠損値	272 (9.0)	176 (11.0)		欠損値	59 (11.2)	34 (17.9)	
現在喫煙者	なし	939 (17.8)	600 (18.6)	現在喫煙者	なし	177 (12.5)	80 (13.5)	
	あり	3833 (72.6)	2226 (69.2)		あり	1079 (75.9)	426 (72.4)	
	欠損値	511 (9.7)	392 (12.2)		欠損値	165 (11.6)	83 (14.0)	
合計	なし	2064 (20.9)	1196 (21.6)	合計	なし	2338 (21.9)	1135 (23.2)	
	あり	6861 (69.5)	3673 (66.3)		あり	7239 (67.8)	3078 (62.9)	
	欠損値	952 (9.6)	672 (12.1)		欠損値	1106 (10.4)	679 (13.9)	

男性					女性						
		都市 (名古屋市中核区)		対照 (大山市)				都市 (名古屋市中核区)		対照 (大山市)	
配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)					配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						
非喫煙者	なし	1540	(97.1)	823	(97.4)	非喫煙者	なし	5682	(65.0)	2474	(60.2)
	あり	46	(2.9)	22	(2.6)		あり	3054	(35.0)	1638	(39.8)
過去喫煙者					過去喫煙者						
	なし	2863	(95.2)	1426	(98.5)		なし	371	(70.5)	140	(73.7)
	あり	145	(4.8)	52	(3.5)		あり	155	(29.5)	50	(26.3)
現在喫煙者					現在喫煙者						
	なし	4601	(87.1)	2945	(91.5)		なし	792	(55.7)	323	(54.7)
	あり	682	(12.9)	272	(8.5)		あり	629	(44.3)	268	(45.3)
合計					合計						
	なし	9004	(91.2)	5195	(93.8)		なし	6845	(64.1)	2937	(60.0)
	あり	873	(8.8)	346	(6.2)		あり	3838	(35.9)	1956	(40.0)
家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)					家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						
非喫煙者	なし	1314	(82.8)	612	(72.4)	非喫煙者	なし	4406	(50.4)	1648	(40.1)
	あり	272	(17.2)	233	(27.6)		あり	4330	(49.6)	2464	(59.9)
過去喫煙者					過去喫煙者						
	なし	2401	(79.8)	1055	(71.4)		なし	286	(54.4)	95	(50.0)
	あり	607	(20.2)	423	(28.6)		あり	240	(45.6)	95	(50.0)
現在喫煙者					現在喫煙者						
	なし	3712	(70.3)	1981	(61.6)		なし	534	(37.6)	185	(31.2)
	あり	1571	(28.7)	1237	(38.4)		あり	887	(62.4)	405	(68.7)
合計					合計						
	なし	7427	(75.2)	3648	(65.8)		なし	5226	(48.9)	1928	(39.4)
	あり	2450	(24.8)	1893	(34.2)		あり	5457	(51.1)	2955	(60.6)
危険職種					危険職種						
	なし	6116	(60.9)	2424	(42.5)		なし	9295	(81.0)	4113	(65.2)
	あり	3928	(39.1)	3270	(57.4)		あり	2175	(19.0)	2184	(34.8)
緑黄色野菜摂取					緑黄色野菜摂取						
	食べない	54	(0.6)	45	(0.8)		食べない	30	(0.3)	25	(0.4)
	月に1-2回	505	(5.0)	405	(7.1)		月に1-2回	267	(2.3)	230	(3.6)
	週に1-2回	2194	(21.8)	1387	(24.4)		週に1-2回	1711	(14.9)	1113	(17.6)
	週に3-4回	2897	(28.8)	1500	(26.3)		週に3-4回	3294	(28.7)	1601	(25.4)
	ほとんど毎日	4125	(41.1)	1922	(33.8)		ほとんど毎日	5838	(50.9)	2653	(42.1)
	欠損値	259	(2.6)	434	(7.6)		欠損値	330	(2.8)	685	(10.9)
緑黄色野菜毎日摂取(再掲)					緑黄色野菜毎日摂取(再掲)						
	なし	5660	(56.4)	3338	(58.6)		なし	5302	(46.2)	2969	(47.1)
	あり	4125	(41.1)	1922	(33.8)		あり	5838	(50.8)	2653	(42.1)
	欠損値	259	(2.6)	434	(7.6)		欠損値	330	(2.8)	685	(10.9)
その他の野菜摂取					その他の野菜摂取						
	食べない	21	(0.2)	19	(0.3)		食べない	20	(0.2)	18	(0.3)
	月に1-2回	179	(1.8)	105	(1.8)		月に1-2回	99	(0.8)	69	(1.1)
	週に1-2回	1327	(13.2)	688	(12.1)		週に1-2回	957	(8.3)	432	(6.8)
	週に3-4回	2715	(27.0)	1469	(25.8)		週に3-4回	2748	(24.0)	1299	(20.6)
	ほとんど毎日	5585	(55.6)	3075	(54.0)		ほとんど毎日	7341	(64.0)	3859	(61.2)
	欠損値	217	(2.2)	338	(5.9)		欠損値	305	(2.7)	630	(10.0)
その他の野菜毎日摂取(再掲)					その他の野菜毎日摂取(再掲)						
	なし	4242	(42.2)	2281	(40.1)		なし	3824	(33.3)	1818	(28.8)
	あり	5585	(55.6)	3075	(54.0)		あり	7341	(64.0)	3859	(61.2)
	欠損値	217	(2.2)	338	(5.9)		欠損値	305	(2.7)	630	(10.0)
果物摂取					果物摂取						
	食べない	200	(2.0)	97	(1.7)		食べない	94	(0.8)	53	(0.8)
	月に1-2回	807	(8.0)	548	(9.6)		月に1-2回	339	(3.0)	304	(4.8)
	週に1-2回	2147	(21.4)	1640	(28.8)		週に1-2回	1400	(12.2)	1166	(18.5)
	週に3-4回	2305	(22.9)	1421	(25.0)		週に3-4回	2530	(22.1)	1672	(26.9)
	ほとんど毎日	4236	(42.2)	1462	(25.5)		ほとんど毎日	6692	(58.3)	2341	(37.1)
	欠損値	349	(3.5)	536	(9.4)		欠損値	415	(3.6)	771	(12.2)
果物毎日摂取(再掲)					果物毎日摂取(再掲)						
	なし	5459	(54.4)	3706	(65.1)		なし	4363	(38.0)	3195	(50.7)
	あり	4236	(42.2)	1452	(25.5)		あり	6692	(58.3)	2341	(37.1)
	欠損値	349	(3.5)	536	(9.4)		欠損値	415	(3.6)	771	(12.2)
緑茶摂取					緑茶摂取						
	飲まない	264	(2.6)	271	(4.8)		飲まない	221	(1.9)	247	(3.9)
	ときどき	792	(7.9)	370	(6.5)		ときどき	848	(7.3)	410	(6.5)
	1日に1-2回	2217	(22.1)	823	(14.5)		1日に1-2回	1857	(16.2)	703	(11.1)
	1日に3-4回	3111	(31.0)	1608	(28.2)		1日に3-4回	3814	(33.3)	1769	(28.0)
	1日5杯以上	2901	(28.9)	1696	(29.8)		1日5杯以上	4020	(35.0)	2097	(33.2)
	欠損値	759	(7.6)	826	(16.3)		欠損値	715	(6.2)	1081	(17.1)
緑茶毎日5杯以上摂取(再掲)					緑茶毎日5杯以上摂取(再掲)						
	なし	6384	(63.6)	3072	(54.0)		なし	6735	(58.7)	3129	(49.6)
	あり	2901	(28.9)	1696	(29.8)		あり	4020	(35.0)	2097	(33.2)
	欠損値	759	(7.6)	826	(16.3)		欠損値	715	(6.2)	1081	(17.1)
BMI階級					BMI階級						
	<18.5	813	(8.1)	453	(8.0)		<18.5	1311	(11.4)	634	(10.1)
	18.5-25	7213	(72.8)	4344	(76.3)		18.5-25	6158	(71.1)	4404	(69.8)
	25-30	1515	(15.1)	702	(12.3)		25-30	1349	(11.8)	884	(14.0)
	30+	81	(0.8)	50	(0.9)		30+	117	(1.0)	84	(1.3)
	欠損値	322	(3.2)	145	(2.5)		欠損値	535	(4.7)	301	(4.8)
BMI					BMI						
	平均値(標準偏差)	22.4(2.9)		22.1(2.8)			平均値(標準偏差)	21.8(3.0)		22.2(3.1)	
飲酒状況					飲酒状況						
	1=ほとんど毎日	4970	(49.5)	2659	(46.7)		1=ほとんど毎日	859	(7.5)	335	(5.3)
	2=ときどき	1773	(17.7)	899	(15.8)		2=ときどき	2070	(18.0)	849	(13.5)
	3=葉まりのときだけ	1061	(10.6)	632	(11.1)		3=葉まりのときだけ	1498	(13.1)	680	(10.9)
	4=以前はよく飲んだが最近						4=以前はよく飲んだが最近				
	近は飲まない	683	(6.8)	348	(6.1)		近は飲まない	252	(2.2)	97	(1.5)
	5=以前から飲まない	1353	(13.5)	854	(15.0)		5=以前から飲まない	5454	(47.6)	2652	(42.0)
	欠損値	204	(2.0)	302	(5.3)		欠損値	1337	(11.7)	1684	(26.7)
毎日飲酒(再掲)					毎日飲酒(再掲)						
	毎日飲む(1)	4970	(49.5)	2659	(46.7)		毎日飲む(1)	859	(7.5)	335	(5.3)
	飲まない(2,3,5)	4187	(41.7)	2385	(41.9)		飲まない(2,3,5)	9022	(78.7)	4191	(66.4)
	やめた(4)	683	(6.8)	348	(6.1)		やめた(4)	252	(2.2)	97	(1.5)
	欠損値	204	(2.0)	302	(5.3)		欠損値	1337	(11.7)	1684	(26.7)
現在飲酒(再掲)					現在飲酒(再掲)						
	飲む(1,2,3)	7804	(77.7)	4190	(73.6)		飲む(1,2,3)	4427	(38.6)	1874	(29.7)
	飲まない(5)	1353	(13.5)	854	(15.0)		飲まない(5)	5454	(47.6)	2652	(42.0)
	やめた(4)	683	(6.8)	348	(6.1)		やめた(4)	252	(2.2)	97	(1.5)
	欠損値	204	(2.0)	302	(5.3)		欠損値	1337	(11.7)	1684	(26.7)
健康保険					健康保険						
	国民健康保険	3505	(34.9)	2204	(38.7)		国民健康保険	4629	(40.4)	2494	(39.5)
	健康保険(政府管掌)	2044	(20.4)	1129	(19.8)		健康保険(政府管掌)	2228	(19.4)	1284	(20.4)
	健康保険(組合等)	3254	(32.4)	1650	(29.0)		健康保険(組合等)	3106	(27.1)	1582	(25.1)
	共済組合	934	(9.3)	426	(7.5)		共済組合	982	(8.6)	480	(7.6)
	その他	76	(0.8)	48	(0.8)		その他	127	(1.1)	63	(1.0)
	欠損値	231	(2.3)	237	(4.2)		欠損値	398	(3.5)	404	(6.4)

		男性		女性	
		都市 (名古屋市千種区)	対照 (犬山市)	都市 (名古屋市千種区)	対照 (犬山市)
居住年数20年以上 (明治・大正元号のみ含む)	なし	5408	1696	5820	1789
	あり	4553	3902	5529	4394
	欠損値	83	96	121	124
煙突なしのストーブ	なし	4135	1775	4648	2060
	あり	5909	3919	6822	4247
	欠損値				
高血圧既往	なし	5739	3177	6867	3553
	あり	2068	1049	2392	1403
	欠損値	2237	1466	2211	1351
心臓病既往	なし	6286	3407	7345	3788
	あり	851	421	1042	590
	欠損値	2907	1866	3083	1929
脳血管疾患既往	なし	6611	3523	7808	3986
	あり	138	95	82	49
	欠損値	3295	2076	3580	2272
糖尿病既往	なし	6287	3414	7696	3938
	あり	788	377	381	234
	欠損値	2969	1903	3393	2155
肝臓病既往	なし	6113	3378	7529	3903
	あり	924	391	567	232
	欠損値	3007	1925	3354	2172
腎臓病既往	なし	6378	3462	7427	3877
	あり	471	202	672	267
	欠損値	3195	2030	3371	2163
胃十二指腸潰瘍既往	なし	5731	3193	7435	3889
	あり	1657	783	738	262
	欠損値	2656	1718	3297	2156
胆石既往	なし	6415	3460	7541	3922
	あり	479	199	584	224
	欠損値	3150	2035	3345	2161
結核助膜炎既往	なし	5916	3320	7260	3863
	あり	1279	490	998	303
	欠損値	2849	1884	3212	2141
肺炎既往	なし	6298	3438	7481	3803
	あり	501	224	501	162
	欠損値	3245	2032	3488	2242
喘息既往	なし	6486	3494	7652	3938
	あり	270	151	321	161
	欠損値	3288	2049	3497	2208
慢性気管支炎既往	なし	6406	3447	7513	3908
	あり	399	203	487	189
	欠損値	3239	2044	3470	2210
肺気腫既往	なし	6631	3555	7814	4008
	あり	58	20	44	8
	欠損値	3355	2119	3612	2291
じん肺既往	なし	6650	3551	7827	4008
	あり	11	22	10	5
	欠損値	3383	2121	3633	2294

表6-1-3. 府県別・地区別ベースライン調査結果(大阪府)

	男性				女性			
	都市 (大阪市東成区)		対郷 (船場町・河内町・熊取町)		都市 (大阪市東成区)		対郷 (船場町・河内町・熊取町)	
対象者数	7,857	8,987	対象者数	9,399	9,827	対象者数	8,227	
死亡数	1,681	1,323	死亡数	1,293	1,048	死亡数	1,048	
観察人年(合計)	63,460	79,264	観察人年(合計)	80,836	86,969	観察人年(合計)	86,969	
観察人年平均値(標準偏差)	8.3 (2.9)	8.8 (2.6)	観察人年平均値(標準偏差)	8.6 (2.7)	9.0 (2.4)	観察人年平均値(標準偏差)	9.0 (2.4)	
年齢階級	数 (%)	数 (%)	年齢階級	数 (%)	数 (%)	年齢階級	数 (%)	
40-44	986 (12.8)	2,118 (23.6)	40-44	1,261 (13.4)	2,020 (21.0)	40-44	1,261 (13.4)	
45-49	1,158 (15.1)	1,583 (17.6)	45-49	1,376 (14.7)	1,540 (16.0)	45-49	1,376 (14.7)	
50-54	1,259 (16.4)	1,460 (16.6)	50-54	1,400 (14.9)	1,389 (14.4)	50-54	1,400 (14.9)	
55-59	1,172 (15.3)	1,301 (14.5)	55-59	1,371 (14.6)	1,300 (13.5)	55-59	1,371 (14.6)	
60-64	922 (12.0)	852 (9.5)	60-64	1,243 (13.2)	1,043 (10.8)	60-64	1,243 (13.2)	
65-69	757 (9.9)	637 (7.1)	65-69	1,021 (10.9)	812 (8.4)	65-69	1,021 (10.9)	
70-74	710 (9.3)	564 (6.3)	70-74	806 (8.6)	682 (7.1)	70-74	806 (8.6)	
75-79	433 (5.7)	317 (3.5)	75-79	494 (5.3)	453 (4.7)	75-79	494 (5.3)	
80+	260 (3.4)	215 (2.4)	80+	416 (4.4)	384 (4.0)	80+	416 (4.4)	
年齢	平均値(標準偏差)	57.7 (11.3)	54.3 (11.1)	年齢	平均値(標準偏差)	58.1 (11.6)	55.9 (11.9)	
喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 欠損値	1161 (15.2) 1941 (25.3) 4404 (57.5) 151 (2.0)	1443 (16.1) 1922 (21.4) 5369 (58.7) 253 (2.8)	喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 欠損値	6960 (74.1) 428 (4.6) 1283 (13.7) 719 (7.7)	7110 (73.9) 228 (2.4) 781 (8.1) 1504 (15.6)	
喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 時どき吸う 欠損値	1161 (15.2) 1941 (25.3) 4404 (57.5) 49 (0.5) 151 (2.0)	1443 (16.1) 1922 (21.4) 5320 (58.2) 49 (0.5) 253 (2.8)	喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 時どき吸う 欠損値	6960 (74.1) 428 (4.6) 1283 (13.7) 719 (7.7) 719 (7.7)	7110 (73.9) 228 (2.4) 765 (7.8) 26 (0.3) 1504 (15.6)	
喫煙年数(現在喫煙、過去喫煙、合計別)	現在喫煙者	12 (0.3) 64 (1.5) 1196 (27.2) 1498 (34.0) 1574 (35.7) 60 (1.4)	29 (0.5) 150 (2.8) 1942 (36.2) 1608 (28.9) 1957 (25.3) 285 (5.3)	喫煙年数(現在喫煙、過去喫煙、合計別)	現在喫煙者	94 (7.3) 232 (18.1) 364 (28.4) 307 (23.9) 251 (19.6) 35 (2.7)	80 (10.2) 169 (21.6) 204 (26.1) 139 (17.8) 120 (15.4) 69 (8.8)	
過去喫煙者	-9 10-19 20-29 30-39 40+	120 (6.2) 340 (17.5) 568 (29.3) 462 (23.8) 370 (19.1)	181 (9.4) 414 (21.5) 525 (27.3) 333 (17.3) 243 (12.6)	過去喫煙者	-9 10-19 20-29 30-39 40+	66 (15.4) 123 (28.7) 95 (22.2) 65 (15.2) 39 (9.1)	38 (16.7) 55 (24.1) 47 (20.6) 34 (14.9) 18 (7.9)	
現在・過去喫煙者計	-9 10-19 20-29 30-39 40+	132 (2.1) 404 (6.4) 1764 (27.8) 1960 (30.9) 1944 (30.8)	210 (2.9) 584 (7.7) 2467 (33.8) 1859 (26.6) 1800 (21.9)	現在・過去喫煙者計	-9 10-19 20-29 30-39 40+	160 (9.4) 355 (20.7) 459 (26.8) 372 (21.7) 290 (16.9)	118 (11.7) 224 (22.2) 261 (24.9) 173 (17.1) 158 (13.7)	
欠損値	81 (4.2)	226 (11.8)	40 (9.3)	75 (4.4)	105 (10.4)			
喫煙本数(現在喫煙、過去喫煙、合計別)	現在喫煙者	1414 (32.1) 1798 (40.5) 648 (14.7) 532 (12.1) 27 (0.6)	1564 (28.9) 2236 (41.6) 790 (14.7) 715 (13.3) 74 (1.4)	喫煙本数(現在喫煙、過去喫煙、合計別)	現在喫煙者	836 (65.2) 328 (25.6) 56 (4.4) 36 (2.8) 27 (2.1)	559 (71.6) 167 (21.4) 18 (2.3) 6 (0.8) 31 (4.0)	
過去喫煙者	-19 20-29 30-39 40+	686 (35.3) 616 (31.7) 209 (10.8) 340 (17.5)	570 (29.7) 618 (32.2) 228 (11.9) 290 (15.1)	過去喫煙者	-19 20-29 30-39 40+	295 (68.8) 78 (18.2) 9 (2.1) 14 (3.3)	161 (70.6) 31 (13.6) 5 (2.2) 6 (2.6)	
現在・過去喫煙者計	-19 20-29 30-39 40+	2100 (33.1) 2399 (37.8) 857 (13.5) 872 (13.7)	2124 (29.1) 2854 (39.1) 1018 (14.0) 1005 (13.6)	現在・過去喫煙者計	-19 20-29 30-39 40+	1131 (66.1) 406 (23.7) 65 (3.8) 50 (2.9)	720 (71.4) 198 (19.6) 23 (2.3) 12 (1.2)	
欠損値	117 (1.8)	290 (4.0)	59 (3.4)	56 (11.0)				
Packyears(現在喫煙、過去喫煙、合計別)	現在喫煙者	<20 20-40 40-60 60+	622 (14.1) 1950 (44.3) 1204 (27.3) 583 (12.8)	678 (14.3) 2489 (46.0) 1284 (23.9) 540 (10.1)	Packyears(現在喫煙、過去喫煙、合計別)	現在喫煙者	714 (55.7) 399 (31.1) 97 (7.6) 32 (2.5)	483 (61.8) 181 (23.2) 37 (4.7) 5 (0.6)
過去喫煙者	<20 20-40 40-60 60+	660 (34.0) 605 (31.2) 304 (15.7) 255 (13.1)	679 (35.3) 546 (28.4) 271 (14.1) 182 (8.4)	過去喫煙者	<20 20-40 40-60 60+	295 (68.8) 57 (13.3) 17 (4.0) 6 (1.4)	150 (65.8) 27 (11.8) 4 (1.8) 6 (2.6)	
現在・過去喫煙者計	<20 20-40 40-60 60+	1282 (20.2) 2555 (40.3) 1508 (23.8) 818 (12.9)	1447 (19.8) 3015 (41.4) 1555 (21.3) 702 (9.6)	現在・過去喫煙者計	<20 20-40 40-60 60+	1009 (59.0) 456 (26.7) 114 (6.7) 38 (2.2)	633 (62.7) 208 (20.6) 41 (4.1) 11 (1.1)	
欠損値	182 (2.9)	572 (7.8)	94 (5.5)	116 (11.5)				
子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)	非喫煙者	なし あり 欠損値	220 (18.9) 792 (68.2) 149 (12.8)	274 (19.0) 974 (67.5) 195 (13.5)	子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)	非喫煙者	なし あり 欠損値	1204 (17.3) 6006 (71.9) 751 (10.8)
過去喫煙者	なし あり 欠損値	302 (15.6) 1443 (74.3) 196 (10.1)	329 (17.1) 1400 (72.8) 193 (10.0)	過去喫煙者	なし あり 欠損値	47 (11.0) 328 (75.6) 53 (12.4)	31 (13.6) 162 (71.1) 35 (15.4)	
現在喫煙者	なし あり 欠損値	574 (13.0) 3386 (76.9) 444 (10.1)	674 (12.6) 4019 (74.9) 576 (12.6)	現在喫煙者	なし あり 欠損値	159 (12.4) 983 (76.6) 141 (11.0)	79 (10.0) 599 (75.4) 114 (14.6)	
合計	なし あり 欠損値	1096 (14.6) 5621 (74.9) 789 (10.5)	1277 (14.6) 6383 (73.2) 1064 (12.2)	合計	なし あり 欠損値	1410 (16.3) 6316 (72.8) 845 (10.9)	1261 (15.5) 5759 (70.8) 1089 (13.5)	

男性				女性			
		都市 (大阪市東成区)	河原 (熊野町・河内町・柏取町)			都市 (大阪市東成区)	河原 (熊野町・河内町・柏取町)
配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり 欠損値	1102 59 (94.9) (5.1)	625 28 790 (43.3) (1.9) (54.7)	非喫煙者	なし あり 欠損値	4092 2860 8 (58.8) (41.1) (0.1)	2038 3140 1932 (28.7) (44.2) (27.2)
過去喫煙者	なし あり 欠損値	1808 133 (93.1) (6.9)	632 66 1224 (32.9) (3.4) (63.7)	過去喫煙者	なし あり 欠損値	305 123 (71.3) (28.7)	84 65 79 (36.8) (28.5) (34.6)
現在喫煙者	なし あり 欠損値	3829 567 8 (86.9) (12.9) (0.2)	2478 407 2484 (46.2) (7.6) (46.3)	現在喫煙者	なし あり 欠損値	721 562 (56.2) (43.8)	268 382 131 (34.3) (48.9) (16.8)
合計	なし あり 欠損値	6739 759 8 (89.8) (10.1) (0.1)	3735 501 4488 (42.8) (5.7) (51.5)	合計	なし あり 欠損値	5118 3545 8 (59.0) (40.9) (0.1)	2390 3587 2142 (29.4) (44.2) (26.4)
家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり	855 306 (73.6) (26.4)	1053 390 (73.0) (27.0)	非喫煙者	なし あり	2749 4211 (39.5) (60.5)	2446 4664 (34.4) (65.6)
過去喫煙者	なし あり	1334 607 (68.7) (31.3)	1342 580 (69.8) (30.2)	過去喫煙者	なし あり	177 251 (41.4) (58.6)	87 141 (38.2) (61.8)
現在喫煙者	なし あり	2609 1795 (59.2) (40.8)	3216 2153 (59.9) (40.1)	現在喫煙者	なし あり	411 872 (32.0) (68.0)	185 596 (23.7) (78.3)
合計	なし あり	4798 2708 (63.9) (36.1)	5611 3123 (64.2) (35.8)	合計	なし あり	3337 5334 (38.5) (61.5)	2718 5401 (33.5) (66.5)
危険器械	なし あり	3790 3957 (48.3) (51.7)	4552 4435 (50.7) (49.3)	危険器械	なし あり	6953 2437 (74.0) (26.0)	6472 3151 (67.3) (32.7)
緑黄色野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	81 612 2207 2187 2120 450 (1.1) (8.0) (28.8) (28.6) (27.7) (5.9)	68 793 2198 2634 2897 397 (0.6) (8.8) (24.5) (29.3) (32.2) (4.4)	緑黄色野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	48 384 2056 3046 3381 475 (0.5) (4.1) (21.9) (32.4) (36.0) (5.1)	36 614 1768 3079 3701 432 (0.4) (8.4) (18.3) (32.0) (38.5) (4.5)
緑黄色野菜毎日摂取 (再掲)	なし あり 欠損値	5087 2120 450 (66.4) (27.7) (5.9)	5693 2897 397 (63.3) (32.2) (4.4)	緑黄色野菜毎日摂取 (再掲)	なし あり 欠損値	5534 3381 475 (58.9) (36.0) (5.1)	5490 3701 432 (57.1) (38.5) (4.5)
その他の野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	46 351 1768 2375 2703 414 (0.6) (4.6) (23.1) (31.0) (35.3) (5.4)	32 337 1533 2748 3984 353 (0.4) (3.7) (17.1) (30.6) (44.3) (3.9)	その他の野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	38 195 1673 3026 4042 416 (0.4) (2.1) (17.8) (32.2) (43.0) (4.4)	28 288 1207 2387 4831 382 (0.3) (3.0) (12.5) (30.0) (50.2) (4.0)
その他の野菜毎日摂取 (再掲)	なし あり 欠損値	4540 2703 414 (59.3) (35.3) (5.4)	4650 3984 353 (51.7) (44.3) (3.9)	その他の野菜毎日摂取 (再掲)	なし あり 欠損値	4932 4042 416 (52.5) (43.0) (4.4)	4410 4831 382 (45.8) (50.2) (4.0)
果物摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	264 858 1799 1646 2574 514 (3.4) (11.2) (23.5) (21.5) (33.8) (6.7)	195 1048 1872 2113 3278 484 (2.2) (11.6) (20.8) (23.9) (36.5) (5.4)	果物摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	110 381 1442 1966 5036 455 (1.2) (4.1) (15.4) (20.9) (53.6) (4.8)	80 556 1137 2116 5291 443 (0.6) (5.0) (11.8) (22.0) (55.0) (4.6)
果物毎日摂取 (再掲)	なし あり 欠損値	4569 2574 514 (59.7) (33.6) (6.7)	5225 3278 484 (58.1) (36.5) (5.4)	果物毎日摂取 (再掲)	なし あり 欠損値	3899 5036 455 (41.5) (53.6) (4.8)	3889 5291 443 (40.4) (55.0) (4.6)
緑茶摂取	飲まない ときどき 1日に1-2回 1日に3-4回 1日5杯上 欠損値	999 630 1038 1548 1656 1786 (13.0) (8.2) (13.6) (20.2) (21.6) (23.3)	976 780 1418 2182 2059 1572 (10.9) (8.7) (15.8) (24.3) (22.0) (17.5)	緑茶摂取	飲まない ときどき 1日に1-2回 1日に3-4回 1日5杯上 欠損値	960 840 1154 2201 2437 1798 (10.2) (8.9) (12.3) (23.4) (26.0) (19.1)	802 899 1374 2470 2413 1565 (9.4) (9.3) (14.3) (25.7) (25.1) (16.3)
緑茶毎日5杯以上摂取 (再掲)	なし あり 欠損値	4215 1656 1786 (55.0) (21.6) (23.3)	5356 2059 1572 (59.6) (22.9) (17.5)	緑茶毎日5杯以上摂取 (再掲)	なし あり 欠損値	5155 2437 1798 (54.9) (26.0) (19.1)	5645 2413 1565 (59.7) (25.1) (16.3)
BMI階級	<18.5 18.5-25 25-30 30+	645 5404 1169 82 (8.4) (70.8) (15.3) (1.1)	544 6825 1359 84 (8.1) (73.7) (15.1) (0.7)	BMI階級	<18.5 18.5-25 25-30 30+	857 6214 1840 167 (9.1) (66.2) (17.5) (1.8)	849 6600 1459 184 (8.8) (68.6) (15.2) (1.9)
BMI	平均値(標準偏差)	22.3(3.0)	22.4(2.8)	BMI	平均値(標準偏差)	22.5(3.2)	22.4(3.2)
飲酒状況	1=ほとんど毎日 2=時々 3=業まりのときだけ 4=以前はよく飲んだが最近 は飲まない 5=以前から飲まない 欠損値	3776 1123 651 354 1549 204 (49.3) (14.7) (8.5) (4.6) (20.2) (2.7)	4748 1184 847 305 1528 375 (52.8) (13.2) (9.4) (3.4) (17.0) (4.2)	飲酒状況	1=ほとんど毎日 2=時々 3=業まりのときだけ 4=以前はよく飲んだが最近 は飲まない 5=以前から飲まない 欠損値	711 1631 1234 181 4993 640 (7.6) (17.4) (13.1) (1.9) (53.2) (6.8)	458 1174 965 120 5186 1739 (4.8) (12.2) (9.9) (1.2) (53.9) (18.0)
毎日飲酒 (再掲)	毎日飲む(1) 飲まない(2,3,5) やめた(4) 欠損値	3776 3323 354 204 (49.3) (43.4) (4.8) (2.7)	4748 3559 305 375 (52.8) (39.6) (3.4) (4.2)	毎日飲酒 (再掲)	毎日飲む(1) 飲まない(2,3,5) やめた(4) 欠損値	711 7858 181 640 (7.6) (83.7) (1.9) (6.8)	458 7315 120 1739 (4.8) (76.0) (1.2) (18.0)
現在飲酒 (再掲)	飲む(1,2,3) 飲まない(5) やめた(4) 欠損値	5550 1549 354 204 (72.5) (20.2) (4.8) (2.7)	6779 1528 305 375 (76.4) (17.0) (3.4) (4.2)	現在飲酒 (再掲)	飲む(1,2,3) 飲まない(5) やめた(4) 欠損値	3576 4993 181 640 (38.1) (53.2) (1.9) (6.8)	2587 5186 120 1739 (26.9) (53.9) (1.2) (18.0)
健康保険	国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 健康保険 欠損値	3922 1706 1048 141 91 749 (51.2) (22.3) (13.7) (1.8) (1.2) (9.8)	3681 886 66 4129 254 (40.7) (8.9) (0.7) (45.8) (2.8)	健康保険	国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 健康保険 欠損値	4628 2006 1272 191 146 1147 (49.3) (21.4) (13.5) (2.0) (1.8) (12.2)	3975 872 133 4227 416 (41.3) (9.1) (1.4) (43.9) (4.3)



	男性			女性							
	都市 (大阪市東成区)	対価 (能勢町・河内町・熊取町)		都市 (大阪市東成区)	対価 (能勢町・河内町・熊取町)						
居住年数20年以上 (明治・大正元年のみ含む)	なし	1076	(14.1)	4027	(44.8)	居住年数20年以上	なし	1511	(16.1)	4121	(42.8)
	あり	6364	(83.1)	4582	(51.0)	(明治・大正元年のみ含む)	あり	7581	(80.7)	5001	(52.0)
	欠損値	217	(2.8)	378	(4.2)		欠損値	298	(3.2)	501	(5.2)
煙突なしのストーブ	なし	3048	(38.6)	2878	(32.0)	煙突なしのストーブ	なし	3710	(39.5)	3112	(32.3)
	あり	4609	(60.2)	6109	(68.0)	あり	5660	(60.5)	6511	(67.7)	
高血圧既往	なし	6163	(80.5)	6772	(75.4)	高血圧既往	なし	7349	(78.3)	6824	(70.9)
	あり	1494	(19.5)	1536	(17.1)	あり	2041	(21.7)	1993	(20.7)	
	欠損値			679	(7.6)	欠損値			806	(8.4)	
心臓病既往	なし	7016	(91.6)	7661	(85.2)	心臓病既往	なし	8383	(89.3)	7866	(81.7)
	あり	641	(8.4)	962	(6.3)	あり	1007	(10.7)	830	(8.6)	
	欠損値			764	(8.5)	欠損値			927	(9.6)	
脳血管疾患既往	なし	7563	(98.8)	8114	(90.3)	脳血管疾患既往	なし	9345	(99.5)	8594	(89.3)
	あり	94	(1.2)	97	(1.1)	あり	45	(0.5)	57	(0.6)	
	欠損値			776	(8.6)	欠損値			972	(10.1)	
糖尿病既往	なし	7040	(91.9)	7609	(84.7)	糖尿病既往	なし	8975	(95.6)	8342	(86.7)
	あり	617	(8.1)	611	(6.8)	あり	415	(4.4)	324	(3.4)	
	欠損値			767	(8.5)	欠損値			957	(9.9)	
肝臓病既往	なし	6806	(88.5)	7437	(82.8)	肝臓病既往	なし	8866	(94.4)	8263	(85.8)
	あり	851	(11.1)	790	(8.8)	あり	524	(5.6)	412	(4.3)	
	欠損値			760	(8.5)	欠損値			948	(9.8)	
腎臓病既往	なし			7619	(84.8)	腎臓病既往	なし			8206	(85.2)
	あり			591	(6.6)	あり			458	(4.8)	
	欠損値	7657	(100.0)	777	(8.6)	欠損値	9390	(100.0)	959	(10.0)	
胃十二指腸潰瘍既往	なし	6707	(87.6)	5762	(64.1)	胃十二指腸潰瘍既往	なし	8825	(95.0)	6399	(66.5)
	あり	950	(12.4)	1009	(11.2)	あり	465	(5.0)	684	(7.1)	
	欠損値			2216	(24.7)	欠損値			2540	(26.4)	
胆石既往	なし			6532	(72.7)	胆石既往	なし			6892	(71.6)
	あり			239	(2.7)	あり			191	(2.0)	
	欠損値	7657	(100.0)	2216	(24.7)	欠損値	9390	(100.0)	2540	(26.4)	
結核助燃炎既往	なし	7314	(95.5)	7728	(86.0)	結核助燃炎既往	なし	9141	(97.3)	8305	(86.3)
	あり	343	(4.5)	517	(5.8)	あり	249	(2.7)	380	(3.9)	
	欠損値			742	(8.3)	欠損値			938	(9.7)	
肺炎既往	なし	7591	(99.1)	7902	(87.8)	肺炎既往	なし	9323	(99.3)	8431	(87.6)
	あり	86	(0.9)	313	(3.5)	あり	67	(0.7)	237	(2.5)	
	欠損値			772	(8.6)	欠損値			955	(9.9)	
喘息既往	なし	7429	(97.0)	7976	(88.8)	喘息既往	なし	9148	(97.4)	8443	(87.7)
	あり	228	(3.0)	232	(2.6)	あり	242	(2.6)	220	(2.3)	
	欠損値			779	(8.7)	欠損値			960	(10.0)	
慢性気管支炎既往	なし	7360	(96.1)	7921	(88.1)	慢性気管支炎既往	なし	9095	(96.9)	8408	(87.4)
	あり	297	(3.9)	294	(3.3)	あり	295	(3.1)	263	(2.7)	
	欠損値			772	(8.6)	欠損値			952	(9.9)	
肺気腫既往	なし	7610	(99.4)	8160	(90.8)	肺気腫既往	なし	9378	(99.8)	8625	(89.6)
	あり	47	(0.6)	30	(0.3)	あり	12	(0.1)	24	(0.2)	
	欠損値			797	(8.9)	欠損値			974	(10.1)	
じん肺既往	なし	7630	(99.6)	8087	(90.0)	じん肺既往	なし	9372	(99.8)	8526	(88.6)
	あり	27	(0.4)	114	(1.3)	あり	18	(0.2)	126	(1.3)	
	欠損値			786	(8.7)	欠損値			971	(10.1)	
貧血既往	なし	7255	(94.7)			貧血既往	なし	7868	(83.8)		
	あり	402	(5.3)			あり	1522	(16.2)			
	欠損値			8967	(100.0)	欠損値			9623	(100.0)	
アレルギー-鼻炎既往	なし			1341	(14.9)	アレルギー-鼻炎既往	なし			1484	(15.4)
	あり			96	(1.1)	あり			81	(0.8)	
	欠損値	7657	(100.0)	7550	(84.0)	欠損値	9390	(100.0)	8058	(83.7)	
帯状疱疹既往	なし			1150	(12.8)	帯状疱疹既往	なし			1278	(13.3)
	あり			294	(3.3)	あり			329	(3.4)	
	欠損値	7657	(100.0)	7543	(83.9)	欠損値	9390	(100.0)	8016	(83.3)	
湿疹-皮膚炎既往	なし			1207	(13.4)	湿疹-皮膚炎既往	なし			1319	(13.7)
	あり			234	(2.6)	あり			269	(2.8)	
	欠損値	7657	(100.0)	7546	(84.0)	欠損値	9390	(100.0)	8035	(83.5)	

表6-2-1. 地区別・死因別死亡者数(宮城; 10年追跡)

	ICD-9	都市 (仙台市青葉区・宮城野区)			対照 (涌谷町・田尻町)		
		男性	女性	男女計	男性	女性	男女計
		コホート対象者数	7,391	9,383	16,774	6,601	7,970
転出者数	2,188	2,642	4,830	164	287	451	
死亡者数	1,133	857	1,990	1,249	1,077	2,326	
死因	ICD-9						
感染症	001-139	10	7	17	13	12	25
全がん	140-208	393	226	619	390	251	641
胃がん	151	87	34	121	99	49	148
結腸がん	153	36	11	47	16	22	38
直腸・肛門がん	154	11	11	22	24	13	37
肝がん	155	37	11	48	36	22	58
膵がん	157	22	23	45	26	22	48
肺がん	162	76	26	102	74	21	95
乳がん	174	-	27	27	-	15	15
子宮がん	179-182	-	13	13	-	12	12
肺がん以外	140-208(162以外)	317	200	517	316	230	546
内分泌疾患等	240-279	23	17	40	5	8	13
糖尿病	250	15	13	28	5	7	12
血液系疾患	280-289	4	4	8	3	1	4
精神障害	290-319	4	2	6	2	6	8
神経系疾患	320-389	6	8	14	8	6	14
循環器疾患(リウマチ性含む)	390-459	402	360	762	545	547	1,092
循環器疾患	401-440	379	353	732	532	539	1,071
高血圧性疾患	401-405	9	17	26	8	9	17
心疾患	410-429	216	176	392	265	224	489
虚血性心疾患	410-414	103	54	157	98	84	182
その他の心疾患	420-429	110	120	230	161	140	301
脳血管疾患	430-438	152	159	311	258	302	560
くも膜下出血	430	9	16	25	15	24	39
脳内出血	431	43	41	84	55	58	113
脳梗塞	433-434	90	74	164	144	161	305
動脈硬化および大動脈瘤	440-441	19	6	25	5	6	11
大動脈瘤	441	17	5	22	4	2	6
呼吸器疾患	460-519	149	87	236	118	67	185
肺炎およびインフルエンザ	480-487	102	59	161	62	48	110
慢性閉塞性肺疾患	490-496	21	15	36	30	9	39
非悪性呼吸器疾患	485-496	123	74	197	90	53	143
消化器系疾患	520-579	39	28	67	42	38	80
損傷・中毒	800-999	44	37	81	72	40	112

表6-2-2. 地区別・死因別死亡者数(愛知: 10年追跡)

	ICD-9	都市 (名古屋市千種区)			対照 (犬山市)		
		男性	女性	男女計	男性	女性	男女計
コホート対象者数		10,044	11,470	21,514	5,694	6,307	12,001
転出者数		2,895	3,026	5,921	484	573	1,057
死亡者数		1,306	1,016	2,322	849	715	1,564
死因	ICD-9						
感染症	001-139	22	17	39	6	4	10
全がん	140-208	476	293	769	263	186	449
胃がん	151	95	61	156	55	41	96
結腸がん	153	35	32	67	17	16	33
直腸・肛門がん	154	15	17	32	8	9	17
肝がん	155	67	22	89	26	4	30
膵がん	157	22	21	43	19	16	35
肺がん	162	122	39	161	63	12	75
乳がん	174	-	20	20	-	10	10
子宮がん	179-182	-	12	12	-	16	16
肺がん以外	140-208(162以外)	354	254	608	200	174	374
内分泌疾患等	240-279	11	8	19	9	10	19
糖尿病	250	11	6	17	8	9	17
血液系疾患	280-289	6	4	10	5	6	11
精神障害	290-319	3	5	8	-	2	2
神経系疾患	320-389	14	11	25	4	5	9
循環器疾患(リウマチ性含む)	390-459	437	431	868	334	299	633
循環器疾患	401-440	423	420	843	328	294	622
高血圧性疾患	401-405	9	18	27	3	8	11
心疾患	410-429	253	239	492	191	157	348
虚血性心疾患	410-414	90	58	148	48	43	91
その他の心疾患	420-429	163	179	342	142	114	256
脳血管疾患	430-438	156	160	316	133	129	262
くも膜下出血	430	11	23	34	5	19	24
脳内出血	431	32	27	59	15	12	27
脳梗塞	433-434	83	72	155	69	61	130
動脈硬化および大動脈瘤	440-441	14	11	25	4	4	8
大動脈瘤	441	9	8	17	3	4	7
呼吸器疾患	460-519	170	78	248	86	54	140
肺炎およびインフルエンザ	480-487	124	54	178	63	40	103
慢性閉塞性肺疾患	490-496	17	7	24	15	11	26
非悪性呼吸器疾患	485-496	139	60	199	77	51	128
消化器系疾患	520-579	57	43	100	35	22	57
損傷・中毒	800-999	28	27	55	30	22	52

表6-2-3. 地区別・死因別死亡者数(大阪; 10年追跡)

	ICD-9	都市 (大阪市東成区)			対照 (能勢町・熊取町・河南町)		
		男性	女性	男女計	男性	女性	男女計
		コホート対象者数	7,657	9,390	17,047	8,987	9,623
転出者数	909	1,254	2,163	718	747	1,465	
死亡者数		1,661	1,293	2,954	1,323	1,048	2,371
死因	ICD-9						
感染症	001-139	22	16	38	13	9	22
全がん	140-208	648	326	974	440	236	676
胃がん	151	142	72	214	103	52	155
結腸がん	153	41	27	68	25	21	46
直腸・肛門がん	154	24	13	37	13	10	23
肝がん	155	134	35	169	68	20	88
膵がん	157	31	15	46	37	23	60
肺がん	162	145	55	200	90	24	114
乳がん	174	-	15	15	-	10	10
子宮がん	179-182	-	11	11	-	15	15
肺がん以外	140-208(162以外)	503	271	774	350	212	562
内分泌疾患等	240-279	26	27	53	13	20	33
糖尿病	250	24	24	48	12	18	30
血液系疾患	280-289	7	8	15	6	4	10
精神障害	290-319	2	4	6	3	4	7
神経系疾患	320-389	12	6	18	7	5	12
循環器疾患(リウマチ性含む)	390-459	493	497	990	429	459	888
循環器疾患	401-440	476	482	958	417	448	865
高血圧性疾患	401-405	20	22	42	6	12	18
心疾患	410-429	249	254	503	237	251	488
虚血性心疾患	410-414	134	103	237	69	58	127
その他の心疾患	420-429	111	149	260	166	191	357
脳血管疾患	430-438	203	200	403	167	182	349
くも膜下出血	430	16	24	40	11	26	37
脳内出血	431	48	42	90	35	26	61
脳梗塞	433-434	103	87	190	87	73	160
動脈硬化および大動脈瘤	440-441	16	11	27	14	6	20
大動脈瘤	441	12	5	17	7	3	10
呼吸器疾患	460-519	196	142	338	174	94	268
肺炎およびインフルエンザ	480-487	124	91	215	111	69	180
慢性閉塞性肺疾患	490-496	45	28	73	44	16	60
非悪性呼吸器疾患	485-496	169	118	287	151	84	235
消化器系疾患	520-579	90	85	175	58	51	109
損傷・中毒	800-999	68	37	105	79	49	128

表6-3. 府県別多変量調整相対リスク(Cox比例ハザードモデル)

死因	性別	変数	宮城県			愛知県			大阪府		
			ハザード比	[95%信頼区間]	*	ハザード比	[95%信頼区間]	*	ハザード比	[95%信頼区間]	*
全死因	男性	地区(都市/対照)	0.80	[0.71: 0.90]	*	0.98	[0.88: 1.08]		1.10	[1.01: 1.21]	*
		年齢(+1歳)	1.11	[1.10: 1.12]	*	1.11	[1.11: 1.12]	*	1.10	[1.10: 1.11]	*
		現在喫煙(非喫煙=1)	1.70	[1.46: 1.97]	*	1.48	[1.28: 1.71]	*	1.43	[1.26: 1.62]	*
		過去喫煙(非喫煙=1)	1.57	[1.34: 1.84]	*	1.20	[1.03: 1.40]	*	1.13	[0.98: 1.30]	*
		危険職種(有/無)	1.09	[0.97: 1.23]		0.97	[0.88: 1.07]		1.11	[1.01: 1.21]	*
		野菜毎日摂取(有/無)	0.87	[0.77: 0.99]	*	1.00	[0.90: 1.11]		0.95	[0.87: 1.04]	*
		果物毎日摂取(有/無)	1.02	[0.91: 1.15]		0.97	[0.87: 1.08]		0.98	[0.90: 1.07]	
		BMI18.5未満(18.5以上25.0未満=1)	1.44	[1.19: 1.74]	*	1.40	[1.23: 1.59]	*	1.40	[1.24: 1.59]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.92	[0.79: 1.06]		0.94	[0.80: 1.10]		1.19	[1.05: 1.35]	*
		毎日飲酒(有/無)	0.88	[0.78: 0.98]	*	0.83	[0.75: 0.92]	*	0.82	[0.75: 0.90]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.05	[0.92: 1.20]		0.93	[0.84: 1.04]		0.88	[0.81: 0.97]	*	
	共済(国民健康保険=1)	0.95	[0.77: 1.18]		0.99	[0.79: 1.24]		0.74	[0.58: 0.94]	*	
	その他の保険(国民健康保険=1)	1.29	[0.93: 1.79]		1.16	[0.76: 1.75]		1.02	[0.71: 1.47]		
	女性	地区(都市/対照)	0.72	[0.63: 0.82]	*	0.87	[0.76: 0.99]	*	1.02	[0.92: 1.14]	*
		年齢(+1歳)	1.13	[1.12: 1.14]	*	1.12	[1.11: 1.13]	*	1.13	[1.12: 1.13]	*
		現在喫煙(非喫煙=1)	1.13	[0.90: 1.41]		1.32	[1.10: 1.59]	*	1.52	[1.32: 1.76]	*
		過去喫煙(非喫煙=1)	1.71	[1.32: 2.22]	*	1.35	[1.08: 1.71]	*	1.19	[0.96: 1.48]	*
		危険職種(有/無)	1.07	[0.85: 1.34]		1.04	[0.88: 1.23]		0.88	[0.77: 1.01]	
		野菜毎日摂取(有/無)	0.81	[0.70: 0.94]	*	0.92	[0.81: 1.05]		0.88	[0.79: 0.98]	*
		果物毎日摂取(有/無)	0.85	[0.74: 0.98]	*	0.88	[0.77: 1.00]	*	0.92	[0.83: 1.03]	*
BMI18.5未満(18.5以上25.0未満=1)		1.59	[1.31: 1.92]	*	1.30	[1.12: 1.52]	*	1.33	[1.16: 1.52]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.14	[0.98: 1.32]		1.15	[0.97: 1.37]		1.02	[0.89: 1.17]		
毎日飲酒(有/無)		0.55	[0.36: 0.83]	*	0.69	[0.52: 0.92]	*	1.04	[0.84: 1.30]	*	
政府管掌・組合などの保険(国民健康保険=1)	1.02	[0.88: 1.20]		1.02	[0.90: 1.16]		0.96	[0.86: 1.08]			
共済(国民健康保険=1)	0.60	[0.62: 1.02]		1.04	[0.82: 1.31]		0.88	[0.69: 1.12]	*		
その他の保険(国民健康保険=1)	1.17	[0.81: 1.67]		1.07	[0.67: 1.72]		1.06	[0.77: 1.45]			
全がん	男性	地区(都市/対照)	0.97	[0.79: 1.19]		1.18	[0.99: 1.41]		1.39	[1.20: 1.61]	*
		年齢(+1歳)	1.09	[1.08: 1.10]	*	1.08	[1.07: 1.09]	*	1.08	[1.07: 1.08]	*
		現在喫煙(非喫煙=1)	2.34	[1.74: 3.14]	*	1.88	[1.44: 2.45]	*	1.84	[1.46: 2.32]	*
		過去喫煙(非喫煙=1)	2.13	[1.57: 2.91]	*	1.25	[0.94: 1.65]	*	1.38	[1.07: 1.78]	*
		危険職種(有/無)	1.06	[0.86: 1.29]		1.02	[0.86: 1.20]		1.17	[1.02: 1.35]	*
		野菜毎日摂取(有/無)	0.87	[0.70: 1.08]		1.04	[0.87: 1.23]		0.87	[0.76: 1.01]	
		果物毎日摂取(有/無)	1.10	[0.89: 1.34]		1.00	[0.84: 1.19]		1.11	[0.96: 1.28]	
		BMI18.5未満(18.5以上25.0未満=1)	1.37	[0.98: 1.94]		1.19	[0.94: 1.50]		1.11	[0.88: 1.40]	
		BMI25.0以上(18.5以上25.0未満=1)	0.85	[0.66: 1.11]		0.67	[0.50: 0.89]	*	1.15	[0.95: 1.40]	*
		毎日飲酒(有/無)	0.96	[0.78: 1.16]		0.97	[0.82: 1.15]		1.07	[0.93: 1.23]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.22	[0.98: 1.53]		0.95	[0.79: 1.13]		0.93	[0.80: 1.08]		
	共済(国民健康保険=1)	1.19	[0.85: 1.66]		0.92	[0.65: 1.32]		0.64	[0.42: 0.97]	*	
	その他の保険(国民健康保険=1)	1.37	[0.76: 2.46]		1.35	[0.67: 2.72]		1.41	[0.83: 2.40]	*	
	女性	地区(都市/対照)	0.77	[0.59: 1.00]		0.89	[0.70: 1.14]		1.03	[0.83: 1.28]	*
		年齢(+1歳)	1.08	[1.07: 1.09]	*	1.07	[1.06: 1.08]	*	1.06	[1.05: 1.07]	*
		現在喫煙(非喫煙=1)	1.58	[1.05: 2.39]	*	1.46	[1.04: 2.03]	*	1.66	[1.25: 2.21]	*
		過去喫煙(非喫煙=1)	1.06	[0.52: 2.15]		1.42	[0.91: 2.23]	*	1.10	[0.66: 1.83]	*
		危険職種(有/無)	1.13	[0.75: 1.68]		0.83	[0.60: 1.14]		0.73	[0.55: 0.97]	*
		野菜毎日摂取(有/無)	1.00	[0.72: 1.37]		0.84	[0.66: 1.07]		0.85	[0.69: 1.06]	
		果物毎日摂取(有/無)	1.31	[0.95: 1.82]		1.05	[0.83: 1.34]		1.07	[0.86: 1.34]	
BMI18.5未満(18.5以上25.0未満=1)		1.20	[0.75: 1.91]		1.33	[0.99: 1.79]		1.30	[0.95: 1.76]		
BMI25.0以上(18.5以上25.0未満=1)		1.13	[0.85: 1.50]		1.03	[0.74: 1.43]		1.12	[0.86: 1.47]		
毎日飲酒(有/無)		0.58	[0.26: 1.32]		0.86	[0.54: 1.36]		1.31	[0.89: 1.93]	*	
政府管掌・組合などの保険(国民健康保険=1)	0.91	[0.66: 1.24]		0.93	[0.73: 1.17]		0.90	[0.72: 1.12]			
共済(国民健康保険=1)	0.82	[0.51: 1.32]		0.80	[0.50: 1.28]		0.50	[0.27: 0.92]	*		
その他の保険(国民健康保険=1)	1.07	[0.50: 2.29]		0.46	[0.11: 1.87]		0.79	[0.35: 1.78]	*		
肺がん	男性	地区(都市/対照)	0.98	[0.61: 1.57]		1.46	[1.02: 2.10]	*	1.43	[1.04: 1.96]	*
		年齢(+1歳)	1.08	[1.06: 1.11]	*	1.10	[1.08: 1.12]	*	1.10	[1.08: 1.12]	*
		現在喫煙(非喫煙=1)	8.96	[3.20: 25.08]	*	6.61	[3.05: 14.33]	*	4.76	[2.32: 9.78]	*
		過去喫煙(非喫煙=1)	5.88	[2.03: 17.04]	*	2.61	[1.16: 5.89]	*	2.54	[1.18: 5.49]	*
		危険職種(有/無)	0.77	[0.47: 1.25]		0.98	[0.71: 1.36]		1.20	[0.88: 1.64]	*
		野菜毎日摂取(有/無)	1.20	[0.70: 2.06]		1.00	[0.72: 1.41]		0.98	[0.71: 1.35]	*
		果物毎日摂取(有/無)	1.78	[1.08: 2.95]	*	1.17	[0.83: 1.65]		0.85	[0.62: 1.18]	*
		BMI18.5未満(18.5以上25.0未満=1)	2.13	[1.07: 4.25]	*	1.18	[0.77: 1.82]		1.14	[0.71: 1.82]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.96	[0.52: 1.76]		0.39	[0.18: 0.84]	*	0.91	[0.56: 1.49]	*
		毎日飲酒(有/無)	0.79	[0.50: 1.25]		0.80	[0.58: 1.12]		0.97	[0.71: 1.32]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.15	[0.68: 1.94]		0.67	[0.47: 0.97]	*	0.81	[0.58: 1.13]	*	
	共済(国民健康保険=1)	0.54	[0.19: 1.52]		0.59	[0.25: 1.37]		0.57	[0.21: 1.57]	*	
	その他の保険(国民健康保険=1)	3.52	[1.38: 8.99]	*	1.17	[0.29: 4.76]		0.44	[0.06: 3.15]	*	
	女性	地区(都市/対照)	1.32	[0.57: 3.02]		1.88	[0.77: 4.58]		1.10	[0.61: 1.99]	*
		年齢(+1歳)	1.07	[1.03: 1.11]	*	1.07	[1.04: 1.11]	*	1.10	[1.07: 1.13]	*
		現在喫煙(非喫煙=1)	5.44	[2.33: 12.70]	*	4.37	[2.02: 9.46]	*	3.67	[1.90: 7.10]	*
		過去喫煙(非喫煙=1)	1.55	[0.20: 11.73]		2.48	[0.74: 8.33]	*	1.68	[0.51: 5.59]	*
		危険職種(有/無)	1.58	[0.59: 4.26]		0.28	[0.07: 1.19]		1.07	[0.52: 2.17]	*
		野菜毎日摂取(有/無)	0.67	[0.28: 1.58]		0.84	[0.41: 1.70]		0.96	[0.52: 1.75]	*
		果物毎日摂取(有/無)	2.63	[0.88: 7.91]	*	1.28	[0.62: 2.62]		1.10	[0.60: 2.04]	*
BMI18.5未満(18.5以上25.0未満=1)		1.26	[0.36: 4.41]		1.61	[0.72: 3.57]		1.30	[0.61: 2.76]	*	
BMI25.0以上(18.5以上25.0未満=1)		0.80	[0.32: 2.02]		0.65	[0.19: 2.16]		0.68	[0.28: 1.63]	*	
毎日飲酒(有/無)		0.59	[0.08: 4.46]		-			0.56	[0.13: 2.35]	*	
政府管掌・組合などの保険(国民健康保険=1)	1.09	[0.47: 2.54]		1.25	[0.63: 2.50]		0.62	[0.33: 1.20]	*		
共済(国民健康保険=1)	-			0.40	[0.05: 3.00]		0.31	[0.04: 2.29]	*		
その他の保険(国民健康保険=1)	2.09	[0.46: 9.41]		2.30	[0.30: 17.43]		0.64	[0.09: 4.73]	*		

死因	性別	変数	宮城県		愛知県		大阪府		
			ハザード比 [95%信頼区間]	*	ハザード比 [95%信頼区間]	*	ハザード比 [95%信頼区間]	*	
肺がん以外のがん	男性	地区(都市/対照)	0.97 [0.78; 1.22]		1.11 [0.91; 1.36]		1.38 [1.18; 1.62]	*	
		年齢(+1歳)	1.09 [1.08; 1.10]	*	1.08 [1.07; 1.09]	*	1.07 [1.06; 1.08]	*	
		現在喫煙(非喫煙=1)	1.88 [1.39; 2.57]	*	1.39 [1.05; 1.85]	*	1.54 [1.21; 1.98]	*	
		過去喫煙(非喫煙=1)	1.86 [1.34; 2.58]	*	1.10 [0.81; 1.48]		1.26 [0.96; 1.66]		
		危険職種(有/無)	1.14 [0.91; 1.42]		1.03 [0.85; 1.24]		1.16 [0.99; 1.36]		
		野菜毎日摂取(有/無)	0.81 [0.65; 1.03]		1.05 [0.86; 1.28]		0.85 [0.72; 1.00]		
		果物毎日摂取(有/無)	0.99 [0.79; 1.24]		0.95 [0.78; 1.16]		1.19 [1.01; 1.40]	*	
		BMI18.5未満(18.5以上25.0未満=1)	1.23 [0.82; 1.82]		1.18 [0.89; 1.58]		1.10 [0.85; 1.43]		
		BMI25.0以上(18.5以上25.0未満=1)	0.83 [0.62; 1.11]		0.75 [0.55; 1.03]		1.21 [0.98; 1.49]		
		毎日飲酒(有/無)	1.00 [0.80; 1.25]		1.04 [0.86; 1.25]		1.10 [0.94; 1.29]		
		政府管掌・組合などの保険(国民健康保険=1)	1.24 [0.97; 1.59]		1.06 [0.86; 1.30]		0.96 [0.81; 1.13]		
		共済(国民健康保険=1)	1.36 [0.95; 1.94]		1.05 [0.71; 1.57]		0.85 [0.41; 1.04]		
		その他の保険(国民健康保険=1)	0.95 [0.45; 2.04]		1.43 [0.63; 3.22]		1.70 [0.98; 2.96]		
		地区(都市/対照)	0.72 [0.54; 0.95]	*	0.82 [0.64; 1.07]		1.02 [0.81; 1.29]		
		年齢(+1歳)	1.08 [1.07; 1.09]	*	1.07 [1.06; 1.08]	*	1.06 [1.05; 1.07]	*	
	現在喫煙(非喫煙=1)	1.17 [0.72; 1.93]		1.20 [0.83; 1.75]		1.43 [1.03; 1.97]	*		
	過去喫煙(非喫煙=1)	1.02 [0.48; 2.17]		1.32 [0.82; 2.15]		1.02 [0.58; 1.79]			
	危険職種(有/無)	1.06 [0.68; 1.64]		0.90 [0.65; 1.25]		0.69 [0.51; 0.93]	*		
	野菜毎日摂取(有/無)	1.06 [0.75; 1.49]		0.84 [0.65; 1.09]		0.84 [0.68; 1.06]			
	果物毎日摂取(有/無)	1.21 [0.86; 1.70]		1.03 [0.80; 1.33]		1.07 [0.84; 1.36]			
	BMI18.5未満(18.5以上25.0未満=1)	1.19 [0.72; 1.96]		1.29 [0.93; 1.78]		1.29 [0.92; 1.81]			
	BMI25.0以上(18.5以上25.0未満=1)	1.18 [0.87; 1.59]		1.08 [0.76; 1.52]		1.20 [0.90; 1.59]			
	毎日飲酒(有/無)	0.58 [0.24; 1.43]		1.02 [0.64; 1.62]		1.46 [0.97; 2.18]			
	政府管掌・組合などの保険(国民健康保険=1)	0.88 [0.63; 1.24]		0.89 [0.69; 1.15]		0.94 [0.74; 1.20]			
	共済(国民健康保険=1)	0.93 [0.57; 1.51]		0.85 [0.52; 1.37]		0.53 [0.28; 1.00]			
	その他の保険(国民健康保険=1)	0.90 [0.37; 2.21]		0.26 [0.04; 1.85]		0.81 [0.33; 1.97]			
	循環器疾患	男性	地区(都市/対照)	0.65 [0.54; 0.79]	*	0.79 [0.66; 0.94]	*	0.98 [0.83; 1.16]	
			年齢(+1歳)	1.13 [1.11; 1.14]	*	1.13 [1.12; 1.14]	*	1.13 [1.12; 1.14]	*
			現在喫煙(非喫煙=1)	1.56 [1.22; 1.98]	*	1.63 [1.27; 2.10]	*	1.36 [1.08; 1.71]	*
			過去喫煙(非喫煙=1)	1.49 [1.16; 1.91]	*	1.40 [1.08; 1.81]	*	1.04 [0.80; 1.34]	
			危険職種(有/無)	1.12 [0.92; 1.36]		0.90 [0.76; 1.07]		0.98 [0.83; 1.16]	
			野菜毎日摂取(有/無)	0.94 [0.77; 1.15]		1.00 [0.84; 1.19]		0.88 [0.75; 1.05]	
			果物毎日摂取(有/無)	0.94 [0.78; 1.14]		0.97 [0.81; 1.16]		0.89 [0.75; 1.06]	
BMI18.5未満(18.5以上25.0未満=1)			1.15 [0.83; 1.59]		1.27 [1.02; 1.59]	*	1.37 [1.09; 1.71]	*	
BMI25.0以上(18.5以上25.0未満=1)			1.01 [0.79; 1.27]		1.25 [0.98; 1.61]		1.23 [0.96; 1.56]		
毎日飲酒(有/無)			0.82 [0.67; 0.99]	*	0.67 [0.56; 0.80]	*	0.72 [0.61; 0.86]	*	
政府管掌・組合などの保険(国民健康保険=1)			0.86 [0.68; 1.08]		0.94 [0.78; 1.13]		0.82 [0.68; 0.98]	*	
共済(国民健康保険=1)			0.68 [0.45; 1.02]		1.31 [0.91; 1.87]		0.60 [0.38; 0.98]	*	
その他の保険(国民健康保険=1)			1.24 [0.74; 2.10]		1.10 [0.54; 2.22]		0.65 [0.29; 1.45]		
地区(都市/対照)			0.61 [0.50; 0.74]	*	0.97 [0.79; 1.19]	*	0.87 [0.73; 1.03]		
年齢(+1歳)			1.15 [1.14; 1.16]	*	1.15 [1.14; 1.17]	*	1.16 [1.15; 1.17]	*	
現在喫煙(非喫煙=1)		1.19 [0.85; 1.67]		1.69 [1.28; 2.22]	*	1.96 [1.58; 2.42]	*		
過去喫煙(非喫煙=1)		2.12 [1.49; 3.00]	*	1.46 [1.03; 2.07]	*	1.25 [0.88; 1.76]			
危険職種(有/無)		1.03 [0.73; 1.47]		0.99 [0.75; 1.30]		0.89 [0.72; 1.11]			
野菜毎日摂取(有/無)		0.78 [0.63; 0.96]	*	1.07 [0.87; 1.31]		0.91 [0.77; 1.08]			
果物毎日摂取(有/無)		0.69 [0.56; 0.85]	*	0.85 [0.70; 1.04]		0.87 [0.73; 1.04]			
BMI18.5未満(18.5以上25.0未満=1)		1.43 [1.08; 1.91]	*	1.21 [0.96; 1.53]		1.23 [0.99; 1.51]			
BMI25.0以上(18.5以上25.0未満=1)		1.24 [1.00; 1.54]		1.45 [1.12; 1.86]	*	1.04 [0.83; 1.30]			
毎日飲酒(有/無)		0.68 [0.39; 1.19]		0.58 [0.36; 0.95]	*	1.16 [0.83; 1.61]			
政府管掌・組合などの保険(国民健康保険=1)		0.98 [0.77; 1.25]		0.99 [0.81; 1.20]		1.02 [0.86; 1.22]			
共済(国民健康保険=1)		0.75 [0.51; 1.11]		1.09 [0.76; 1.55]		1.11 [0.79; 1.57]			
その他の保険(国民健康保険=1)		0.76 [0.40; 1.44]		0.64 [0.26; 1.56]		1.20 [0.75; 1.91]			
心疾患		男性	地区(都市/対照)	0.75 [0.58; 0.97]	*	0.86 [0.68; 1.08]		0.81 [0.65; 1.02]	
			年齢(+1歳)	1.12 [1.11; 1.14]	*	1.12 [1.11; 1.14]	*	1.12 [1.11; 1.13]	*
			現在喫煙(非喫煙=1)	2.11 [1.47; 3.03]	*	1.85 [1.32; 2.60]	*	1.64 [1.17; 2.31]	*
			過去喫煙(非喫煙=1)	2.11 [1.46; 3.07]	*	1.49 [1.05; 2.12]	*	1.31 [0.90; 1.90]	
			危険職種(有/無)	1.11 [0.85; 1.45]		0.91 [0.73; 1.14]		1.05 [0.83; 1.33]	
			野菜毎日摂取(有/無)	1.01 [0.76; 1.34]		1.02 [0.81; 1.28]		0.88 [0.69; 1.11]	
			果物毎日摂取(有/無)	0.95 [0.73; 1.23]		1.05 [0.83; 1.33]		0.81 [0.64; 1.02]	
	BMI18.5未満(18.5以上25.0未満=1)		1.30 [0.85; 1.99]		1.35 [1.01; 1.80]	*	1.43 [1.05; 1.95]	*	
	BMI25.0以上(18.5以上25.0未満=1)		0.97 [0.69; 1.35]		1.08 [0.76; 1.52]		1.34 [0.97; 1.85]		
	毎日飲酒(有/無)		0.78 [0.60; 1.02]		0.56 [0.44; 0.71]	*	0.66 [0.52; 0.84]	*	
	政府管掌・組合などの保険(国民健康保険=1)		0.72 [0.52; 1.01]		0.99 [0.78; 1.27]		0.73 [0.57; 0.94]	*	
	共済(国民健康保険=1)		0.69 [0.39; 1.19]		1.37 [0.87; 2.17]		0.58 [0.31; 1.11]		
	その他の保険(国民健康保険=1)		1.24 [0.61; 2.55]		0.25 [0.03; 1.76]		0.19 [0.03; 1.36]		
	地区(都市/対照)		0.66 [0.49; 0.89]	*	1.08 [0.81; 1.43]		0.76 [0.60; 0.96]	*	
	年齢(+1歳)		1.15 [1.13; 1.16]	*	1.16 [1.14; 1.17]	*	1.15 [1.14; 1.17]	*	
	現在喫煙(非喫煙=1)	1.10 [0.66; 1.83]		1.94 [1.36; 2.77]	*	1.95 [1.46; 2.61]	*		
	過去喫煙(非喫煙=1)	2.13 [1.27; 3.57]	*	1.63 [1.03; 2.57]	*	1.41 [0.90; 2.22]			
	危険職種(有/無)	1.13 [0.68; 1.88]		0.94 [0.64; 1.39]		1.04 [0.78; 1.38]			
	野菜毎日摂取(有/無)	0.74 [0.54; 1.02]		1.18 [0.89; 1.57]		0.83 [0.66; 1.05]			
	果物毎日摂取(有/無)	0.69 [0.51; 0.93]	*	0.75 [0.57; 0.98]	*	0.77 [0.61; 0.97]	*		
	BMI18.5未満(18.5以上25.0未満=1)	2.01 [1.36; 2.96]	*	1.52 [1.13; 2.05]	*	1.41 [1.06; 1.86]	*		
	BMI25.0以上(18.5以上25.0未満=1)	1.31 [0.94; 1.81]		1.25 [0.86; 1.81]		1.17 [0.87; 1.57]			
	毎日飲酒(有/無)	0.35 [0.11; 1.10]		0.73 [0.41; 1.32]		1.04 [0.65; 1.67]			
	政府管掌・組合などの保険(国民健康保険=1)	1.14 [0.81; 1.60]		0.90 [0.69; 1.18]		1.18 [0.93; 1.49]			
	共済(国民健康保険=1)	0.91 [0.53; 1.56]		0.80 [0.47; 1.36]		1.19 [0.75; 1.90]			
	その他の保険(国民健康保険=1)	0.89 [0.36; 2.19]		0.67 [0.21; 2.12]		1.36 [0.73; 2.51]			

死因	性別	変数	宮城県			愛知県			大阪府			
			ハザード比	[95%信頼区間]		ハザード比	[95%信頼区間]		ハザード比	[95%信頼区間]		
虚血性心疾患	男性	地区(都市/対照)	0.92	[0.62:1.35]		0.96	[0.64:1.44]		1.50	[1.04:2.14]	*	
		年齢(+1歳)	1.12	[1.09:1.14]	*	1.10	[1.08:1.12]	*	1.11	[1.09:1.13]	*	
		現在喫煙(非喫煙=1)	2.12	[1.22:3.71]	*	3.05	[1.49:6.22]	*	2.09	[1.18:3.71]	*	
		過去喫煙(非喫煙=1)	2.58	[1.48:4.49]	*	2.65	[1.29:5.45]	*	1.60	[0.86:2.97]		
		危険職種(有/無)	1.32	[0.89:1.95]		0.77	[0.53:1.14]		0.91	[0.64:1.29]		
		野菜毎日摂取(有/無)	1.13	[0.73:1.74]		0.99	[0.67:1.47]		0.66	[0.46:0.96]	*	
		果物毎日摂取(有/無)	1.01	[0.68:1.51]		1.34	[0.90:1.99]		1.02	[0.71:1.45]		
		BMI18.5未満(18.5以上25.0未満=1)	1.37	[0.74:2.55]		1.02	[0.58:1.80]		1.24	[0.76:2.05]		
		BMI25.0以上(18.5以上25.0未満=1)	1.01	[0.62:1.65]		1.20	[0.70:2.07]		1.39	[0.86:2.25]		
		毎日飲酒(有/無)	0.67	[0.45:1.02]		0.52	[0.34:0.78]	*	0.69	[0.48:0.99]	*	
		政府管掌・組合などの保険(国民健康保険=1)	0.70	[0.43:1.14]		0.95	[0.63:1.42]		0.67	[0.45:0.99]	*	
		共済(国民健康保険=1)	0.65	[0.28:1.51]		0.42	[0.13:1.39]		0.48	[0.15:1.52]		
		その他の保険(国民健康保険=1)	1.61	[0.64:4.03]		0.80	[0.11:5.81]		0.50	[0.07:3.61]		
		地区(都市/対照)	0.55	[0.34:0.90]	*	1.06	[0.60:1.85]		1.42	[0.94:2.14]	*	
		年齢(+1歳)	1.13	[1.11:1.16]	*	1.13	[1.10:1.16]	*	1.14	[1.12:1.16]	*	
	現在喫煙(非喫煙=1)	1.70	[0.83:3.49]		2.27	[1.17:4.41]	*	3.17	[2.02:4.98]	*		
	過去喫煙(非喫煙=1)	2.67	[1.21:5.90]	*	1.62	[0.64:4.12]		2.39	[1.25:4.56]	*		
	危険職種(有/無)	1.15	[0.52:2.54]		1.02	[0.49:2.12]		1.05	[0.65:1.69]			
	野菜毎日摂取(有/無)	0.77	[0.46:1.30]		1.07	[0.62:1.85]		0.61	[0.40:0.92]	*		
	果物毎日摂取(有/無)	0.74	[0.45:1.22]		0.62	[0.36:1.08]		0.93	[0.62:1.40]			
	BMI18.5未満(18.5以上25.0未満=1)	1.71	[0.87:3.37]		2.08	[1.16:3.75]	*	1.38	[0.84:2.27]			
	BMI25.0以上(18.5以上25.0未満=1)	1.30	[0.77:2.19]		1.38	[0.68:2.92]		1.51	[0.94:2.43]			
	毎日飲酒(有/無)	0.29	[0.04:2.12]		0.69	[0.21:2.23]		1.46	[0.73:2.94]			
	政府管掌・組合などの保険(国民健康保険=1)	1.25	[0.73:2.14]		0.81	[0.47:1.39]		0.81	[0.53:1.25]			
	共済(国民健康保険=1)	0.51	[0.16:1.64]		0.77	[0.27:2.20]		1.24	[0.56:2.76]			
	その他の保険(国民健康保険=1)	0.90	[0.22:3.73]		-	-		0.89	[0.28:2.85]			
	虚血性心疾患以外の心疾患	男性	地区(都市/対照)	0.64	[0.45:0.91]	*	0.83	[0.62:1.10]		0.50	[0.37:0.69]	*
			年齢(+1歳)	1.13	[1.11:1.15]	*	1.14	[1.12:1.15]	*	1.13	[1.11:1.15]	*
			現在喫煙(非喫煙=1)	2.10	[1.31:3.36]	*	1.55	[1.05:2.29]	*	1.40	[0.91:2.14]	*
			過去喫煙(非喫煙=1)	1.77	[1.07:2.93]	*	1.18	[0.79:1.78]		1.14	[0.71:1.83]	
危険職種(有/無)			0.95	[0.66:1.38]		1.01	[0.77:1.33]		1.17	[0.85:1.59]		
野菜毎日摂取(有/無)			0.92	[0.63:1.34]		1.02	[0.77:1.36]		1.07	[0.79:1.45]		
果物毎日摂取(有/無)			0.90	[0.63:1.28]		0.94	[0.70:1.25]		0.66	[0.48:0.90]	*	
BMI18.5未満(18.5以上25.0未満=1)			1.25	[0.70:2.25]		1.47	[1.04:2.06]	*	1.54	[1.03:2.29]	*	
BMI25.0以上(18.5以上25.0未満=1)			0.93	[0.59:1.47]		1.00	[0.63:1.56]		1.25	[0.81:1.95]		
毎日飲酒(有/無)			0.58	[0.62:1.25]		0.58	[0.43:0.79]	*	0.65	[0.47:0.88]	*	
政府管掌・組合などの保険(国民健康保険=1)			0.75	[0.48:1.17]		1.00	[0.74:1.35]		0.79	[0.57:1.10]		
共済(国民健康保険=1)			0.72	[0.35:1.50]		2.05	[1.24:3.38]	*	0.65	[0.30:1.42]		
その他の保険(国民健康保険=1)			0.90	[0.28:2.87]		-	-		-	-		
地区(都市/対照)			0.70	[0.48:1.02]		1.08	[0.78:1.50]		0.55	[0.41:0.73]	*	
年齢(+1歳)			1.16	[1.14:1.18]	*	1.17	[1.15:1.18]	*	1.16	[1.14:1.18]	*	
現在喫煙(非喫煙=1)		0.83	[0.40:1.72]		1.76	[1.14:2.71]	*	1.45	[0.98:2.15]	*		
過去喫煙(非喫煙=1)		1.89	[0.96:3.76]		1.64	[0.97:2.76]		1.00	[0.53:1.91]			
危険職種(有/無)		1.16	[0.60:2.23]		0.93	[0.59:1.45]		1.04	[0.74:1.48]			
野菜毎日摂取(有/無)		0.70	[0.47:1.05]		1.24	[0.90:1.73]		0.94	[0.71:1.26]			
果物毎日摂取(有/無)		0.68	[0.46:0.99]	*	0.80	[0.58:1.09]		0.72	[0.54:0.96]	*		
BMI18.5未満(18.5以上25.0未満=1)		2.20	[1.36:3.55]	*	1.34	[0.95:1.91]		1.42	[1.01:1.99]	*		
BMI25.0以上(18.5以上25.0未満=1)		1.29	[0.85:1.97]		1.22	[0.79:1.86]		1.01	[0.69:1.48]			
毎日飲酒(有/無)		0.19	[0.03:1.39]		0.75	[0.38:1.49]		0.84	[0.44:1.59]			
政府管掌・組合などの保険(国民健康保険=1)		1.06	[0.67:1.66]		0.82	[0.67:1.25]		1.39	[1.04:1.86]	*		
共済(国民健康保険=1)		1.16	[0.62:2.14]		0.81	[0.43:1.51]		1.20	[0.68:2.12]			
その他の保険(国民健康保険=1)		0.90	[0.28:2.86]		0.91	[0.29:2.90]		1.72	[0.83:3.57]			
脳血管疾患		男性	地区(都市/対照)	0.55	[0.42:0.73]	*	0.66	[0.50:0.87]	*	1.15	[0.89:1.49]	*
			年齢(+1歳)	1.13	[1.11:1.14]	*	1.14	[1.13:1.16]	*	1.13	[1.12:1.15]	*
			現在喫煙(非喫煙=1)	1.19	[0.85:1.66]		1.42	[0.96:2.11]		1.11	[0.80:1.54]	
			過去喫煙(非喫煙=1)	1.07	[0.74:1.54]		1.27	[0.85:1.90]		0.82	[0.56:1.19]	
	危険職種(有/無)		1.18	[0.89:1.57]		0.95	[0.72:1.25]		0.91	[0.70:1.18]		
	野菜毎日摂取(有/無)		0.94	[0.69:1.28]		0.96	[0.73:1.27]		0.88	[0.68:1.13]		
	果物毎日摂取(有/無)		0.90	[0.67:1.19]		0.90	[0.67:1.20]		1.02	[0.79:1.31]		
	BMI18.5未満(18.5以上25.0未満=1)		0.99	[0.59:1.66]		1.10	[0.76:1.59]		1.38	[0.89:1.94]		
	BMI25.0以上(18.5以上25.0未満=1)		0.97	[0.68:1.38]		1.44	[0.89:2.11]		1.23	[0.85:1.77]		
	毎日飲酒(有/無)		0.90	[0.67:1.20]		0.85	[0.64:1.13]		0.80	[0.62:1.04]		
	政府管掌・組合などの保険(国民健康保険=1)		0.97	[0.69:1.35]		0.89	[0.65:1.20]		0.95	[0.72:1.24]		
	共済(国民健康保険=1)		0.62	[0.33:1.19]		1.31	[0.73:2.36]		0.59	[0.27:1.26]		
	その他の保険(国民健康保険=1)		1.28	[0.60:2.77]		2.38	[1.10:5.12]	*	1.09	[0.40:2.94]		
	地区(都市/対照)		0.55	[0.41:0.72]	*	0.80	[0.59:1.10]		0.98	[0.75:1.27]		
	年齢(+1歳)		1.16	[1.14:1.17]	*	1.15	[1.13:1.16]	*	1.15	[1.14:1.17]	*	
	現在喫煙(非喫煙=1)	1.33	[0.85:2.08]		1.54	[0.99:2.42]		1.89	[1.35:2.65]	*		
	過去喫煙(非喫煙=1)	1.77	[1.04:3.01]	*	1.35	[0.77:2.39]		1.20	[0.69:2.08]			
	危険職種(有/無)	0.87	[0.52:1.49]		1.06	[0.71:1.60]		0.68	[0.47:0.99]	*		
	野菜毎日摂取(有/無)	0.77	[0.57:1.04]		1.02	[0.74:1.41]		1.02	[0.79:1.33]			
	果物毎日摂取(有/無)	0.71	[0.53:0.95]	*	1.06	[0.77:1.44]		1.01	[0.77:1.32]			
	BMI18.5未満(18.5以上25.0未満=1)	1.01	[0.65:1.58]		0.83	[0.55:1.25]		1.04	[0.74:1.46]			
	BMI25.0以上(18.5以上25.0未満=1)	1.15	[0.85:1.56]		1.75	[1.22:2.50]	*	0.91	[0.64:1.30]			
	毎日飲酒(有/無)	1.00	[0.52:1.91]		0.42	[0.17:1.03]		1.07	[0.62:1.84]			
	政府管掌・組合などの保険(国民健康保険=1)	0.89	[0.63:1.25]		1.18	[0.87:1.61]		0.85	[0.64:1.12]			
	共済(国民健康保険=1)	0.62	[0.34:1.12]		1.37	[0.80:2.34]		1.07	[0.64:1.82]			
	その他の保険(国民健康保険=1)	0.72	[0.30:1.77]		0.70	[0.17:2.87]		1.17	[0.57:2.39]			

死因	性別	変数	富城県		愛知県		大阪府	
			ハザード比	[95%信頼区間]	ハザード比	[95%信頼区間]	ハザード比	[95%信頼区間]
くも膜下出血	男性	地区(都市/対照)	0.85	[0.28: 2.61]	1.21	[0.37: 3.99]	2.16	[0.87: 5.37]
		年齢(+1歳)	1.01	[0.95: 1.06]	1.08	[1.03: 1.14]	1.05	[1.01: 1.09]
		現在喫煙(非喫煙=1)	5.27	[0.67: 41.56]	0.76	[0.19: 3.10]	1.56	[0.45: 5.42]
		過去喫煙(非喫煙=1)	0.98	[0.06: 15.81]	0.61	[0.14: 2.78]	0.42	[0.07: 2.52]
		危険職種(有/無)	0.72	[0.23: 2.19]	1.68	[0.57: 4.96]	1.23	[0.52: 2.91]
		野菜毎日摂取(有/無)	0.48	[0.16: 1.45]	0.52	[0.17: 1.58]	0.81	[0.23: 1.59]
		果物毎日摂取(有/無)	1.29	[0.42: 3.94]	2.07	[0.65: 6.56]	0.68	[0.26: 1.79]
		BMI18.5未満(18.5以上25.0未満=1)	-	-	0.58	[0.07: 4.56]	0.88	[0.20: 3.85]
		BMI25.0以上(18.5以上25.0未満=1)	2.05	[0.68: 6.18]	0.49	[0.06: 3.78]	0.27	[0.04: 2.01]
		毎日飲酒(有/無)	1.29	[0.44: 3.80]	2.66	[0.86: 8.21]	0.62	[0.26: 1.48]
	政府管掌・組合などの保険(国民健康保険=1)	0.95	[0.29: 3.15]	0.42	[0.10: 1.65]	1.11	[0.45: 2.73]	
	共済(国民健康保険=1)	0.45	[0.05: 3.73]	3.11	[0.72: 13.34]	2.33	[0.48: 11.37]	
	その他の保険(国民健康保険=1)	-	-	-	-	-	-	
	地区(都市/対照)	0.29	[0.09: 0.94]	* 0.52	[0.24: 1.15]	0.61	[0.30: 1.25]	
	年齢(+1歳)	1.10	[1.05: 1.15]	* 1.10	[1.06: 1.14]	* 1.08	[1.05: 1.11]	
	現在喫煙(非喫煙=1)	3.40	[0.91: 12.70]	* 1.54	[0.45: 5.26]	1.37	[0.47: 3.98]	
	過去喫煙(非喫煙=1)	-	-	2.28	[0.67: 7.76]	1.65	[0.39: 7.07]	
	危険職種(有/無)	1.43	[0.31: 6.51]	0.36	[0.08: 1.54]	0.40	[0.12: 1.32]	
	野菜毎日摂取(有/無)	1.76	[0.39: 8.03]	1.11	[0.45: 2.70]	1.22	[0.60: 2.50]	
	果物毎日摂取(有/無)	1.38	[0.38: 5.05]	2.51	[1.01: 6.23]	* 1.00	[0.48: 2.06]	
BMI18.5未満(18.5以上25.0未満=1)	-	-	1.08	[0.35: 3.34]	0.60	[0.18: 1.99]		
BMI25.0以上(18.5以上25.0未満=1)	1.15	[0.39: 3.40]	3.25	[1.40: 7.54]	* 0.41	[0.13: 1.37]		
毎日飲酒(有/無)	1.24	[0.15: 10.03]	1.09	[0.25: 4.70]	0.51	[0.07: 3.77]		
政府管掌・組合などの保険(国民健康保険=1)	1.30	[0.39: 4.30]	0.89	[0.39: 2.00]	0.71	[0.33: 1.52]		
共済(国民健康保険=1)	0.90	[0.11: 7.14]	1.00	[0.23: 4.45]	1.14	[0.33: 3.94]		
その他の保険(国民健康保険=1)	-	-	2.80	[0.36: 21.53]	-	-		
脳内出血	男性	地区(都市/対照)	1.00	[0.55: 1.80]	1.15	[0.55: 2.41]	1.19	[0.70: 2.04]
		年齢(+1歳)	1.07	[1.04: 1.10]	* 1.10	[1.06: 1.13]	* 1.06	[1.03: 1.09]
		現在喫煙(非喫煙=1)	0.94	[0.48: 1.86]	1.33	[0.48: 3.70]	0.88	[0.43: 1.82]
		過去喫煙(非喫煙=1)	0.60	[0.26: 1.39]	1.12	[0.39: 3.26]	0.93	[0.42: 2.07]
		危険職種(有/無)	1.32	[0.74: 2.36]	0.83	[0.41: 1.67]	1.22	[0.72: 2.08]
		野菜毎日摂取(有/無)	1.22	[0.63: 2.37]	1.24	[0.60: 2.54]	1.13	[0.66: 1.94]
		果物毎日摂取(有/無)	1.08	[0.59: 1.97]	0.71	[0.34: 1.48]	1.64	[0.95: 2.83]
		BMI18.5未満(18.5以上25.0未満=1)	0.68	[0.16: 2.85]	2.04	[0.84: 4.99]	1.92	[0.95: 3.88]
		BMI25.0以上(18.5以上25.0未満=1)	0.64	[0.29: 1.44]	2.56	[1.11: 5.87]	* 0.48	[0.17: 1.34]
		毎日飲酒(有/無)	1.38	[0.78: 2.44]	1.10	[0.55: 2.21]	1.08	[0.63: 1.84]
	政府管掌・組合などの保険(国民健康保険=1)	1.10	[0.57: 2.13]	0.87	[0.42: 1.83]	0.73	[0.41: 1.29]	
	共済(国民健康保険=1)	0.21	[0.03: 1.55]	0.44	[0.06: 3.42]	-	-	
	その他の保険(国民健康保険=1)	4.30	[1.62: 11.41]	* -	-	-	-	
	地区(都市/対照)	0.69	[0.38: 1.25]	1.15	[0.46: 2.85]	1.51	[0.82: 2.81]	
	年齢(+1歳)	1.10	[1.07: 1.13]	* 1.11	[1.07: 1.15]	* 1.11	[1.08: 1.14]	
	現在喫煙(非喫煙=1)	0.63	[0.19: 2.08]	1.89	[0.62: 5.78]	2.19	[1.03: 4.68]	
	過去喫煙(非喫煙=1)	3.38	[1.41: 8.07]	* 2.36	[0.68: 8.16]	1.51	[0.46: 4.98]	
	危険職種(有/無)	0.62	[0.19: 2.01]	1.43	[0.51: 3.99]	0.77	[0.34: 1.75]	
	野菜毎日摂取(有/無)	0.42	[0.23: 0.76]	* 0.75	[0.32: 1.73]	1.48	[0.79: 2.76]	
	果物毎日摂取(有/無)	0.59	[0.32: 1.07]	0.94	[0.40: 2.19]	1.48	[0.76: 2.87]	
BMI18.5未満(18.5以上25.0未満=1)	2.18	[0.97: 4.93]	1.84	[0.70: 4.84]	0.67	[0.26: 1.73]		
BMI25.0以上(18.5以上25.0未満=1)	1.32	[0.70: 2.50]	1.94	[0.68: 5.54]	0.76	[0.34: 1.73]		
毎日飲酒(有/無)	1.12	[0.27: 4.70]	0.61	[0.08: 4.62]	1.55	[0.55: 4.42]		
政府管掌・組合などの保険(国民健康保険=1)	1.14	[0.60: 2.17]	0.99	[0.41: 2.40]	0.92	[0.49: 1.75]		
共済(国民健康保険=1)	-	-	1.75	[0.49: 6.33]	1.72	[0.58: 5.07]		
その他の保険(国民健康保険=1)	0.79	[0.11: 5.83]	2.50	[0.32: 19.57]	0.92	[0.12: 6.87]		
脳梗塞	男性	地区(都市/対照)	0.52	[0.36: 0.75]	* 0.67	[0.45: 0.99]	* 1.21	[0.84: 1.74]
		年齢(+1歳)	1.16	[1.14: 1.19]	* 1.16	[1.14: 1.18]	* 1.18	[1.16: 1.20]
		現在喫煙(非喫煙=1)	1.34	[0.86: 2.10]	1.28	[0.76: 2.19]	1.14	[0.72: 1.81]
		過去喫煙(非喫煙=1)	1.41	[0.89: 2.24]	1.16	[0.68: 1.99]	0.87	[0.52: 1.45]
		危険職種(有/無)	1.32	[0.91: 1.92]	1.10	[0.75: 1.61]	0.81	[0.55: 1.19]
		野菜毎日摂取(有/無)	0.91	[0.61: 1.36]	1.10	[0.74: 1.64]	0.75	[0.52: 1.08]
		果物毎日摂取(有/無)	0.88	[0.61: 1.28]	0.92	[0.61: 1.39]	0.94	[0.65: 1.35]
		BMI18.5未満(18.5以上25.0未満=1)	1.01	[0.54: 1.90]	1.25	[0.76: 2.06]	1.36	[0.85: 2.17]
		BMI25.0以上(18.5以上25.0未満=1)	0.94	[0.59: 1.51]	1.69	[1.00: 2.85]	* 1.70	[1.03: 2.82]
		毎日飲酒(有/無)	0.66	[0.44: 0.99]	* 0.71	[0.47: 1.08]	0.82	[0.57: 1.20]
	政府管掌・組合などの保険(国民健康保険=1)	0.96	[0.62: 1.49]	0.79	[0.51: 1.23]	0.83	[0.55: 1.23]	
	共済(国民健康保険=1)	0.89	[0.41: 1.94]	1.32	[0.56: 3.10]	0.49	[0.15: 1.55]	
	その他の保険(国民健康保険=1)	0.60	[0.15: 2.47]	1.67	[0.52: 5.36]	1.51	[0.47: 4.82]	
	地区(都市/対照)	0.55	[0.37: 0.80]	* 0.80	[0.50: 1.27]	0.96	[0.65: 1.44]	
	年齢(+1歳)	1.18	[1.15: 1.20]	* 1.17	[1.15: 1.20]	* 1.18	[1.15: 1.20]	
	現在喫煙(非喫煙=1)	1.44	[0.79: 2.60]	1.13	[0.53: 2.38]	2.04	[1.24: 3.37]	
	過去喫煙(非喫煙=1)	1.30	[0.57: 2.98]	1.10	[0.44: 2.74]	0.99	[0.40: 2.46]	
	危険職種(有/無)	0.81	[0.37: 1.75]	1.23	[0.68: 2.26]	0.77	[0.44: 1.35]	
	野菜毎日摂取(有/無)	1.10	[0.71: 1.71]	1.26	[0.77: 2.07]	0.86	[0.57: 1.30]	
	果物毎日摂取(有/無)	0.72	[0.49: 1.07]	0.87	[0.54: 1.39]	0.91	[0.60: 1.37]	
BMI18.5未満(18.5以上25.0未満=1)	0.83	[0.44: 1.58]	0.88	[0.49: 1.60]	1.19	[0.72: 1.97]		
BMI25.0以上(18.5以上25.0未満=1)	1.28	[0.86: 1.92]	1.80	[1.05: 3.09]	* 1.23	[0.73: 2.06]		
毎日飲酒(有/無)	1.19	[0.55: 2.59]	0.43	[0.11: 1.78]	1.38	[0.63: 3.00]		
政府管掌・組合などの保険(国民健康保険=1)	0.78	[0.48: 1.27]	1.13	[0.72: 1.80]	0.63	[0.40: 1.01]		
共済(国民健康保険=1)	0.96	[0.49: 1.86]	1.11	[0.47: 2.65]	1.08	[0.49: 2.40]		
その他の保険(国民健康保険=1)	0.76	[0.24: 2.41]	-	-	2.21	[1.00: 4.86]		



死因	性別	変数	宮城県		愛知県		大阪府	
			ハザード比 [95%信頼区間]	*	ハザード比 [95%信頼区間]	*	ハザード比 [95%信頼区間]	*
呼吸器疾患	男性	地区(都市/対照)	0.90 [0.64: 1.26]		1.39 [0.99: 1.94]		0.90 [0.70: 1.16]	
		年齢(+1歳)	1.16 [1.14: 1.18]	*	1.16 [1.14: 1.18]	*	1.15 [1.14: 1.17]	*
		現在喫煙(非喫煙=1)	1.70 [1.09: 2.66]	*	1.19 [0.77: 1.85]		1.25 [0.88: 1.77]	
		過去喫煙(非喫煙=1)	2.01 [1.30: 3.11]	*	1.63 [1.07: 2.47]	*	1.25 [0.87: 1.82]	
		危険職種(有/無)	0.63 [0.42: 0.94]	*	0.89 [0.66: 1.20]		1.22 [0.94: 1.58]	
		野菜毎日摂取(有/無)	0.77 [0.54: 1.11]		0.96 [0.71: 1.30]		1.11 [0.86: 1.43]	
		果物毎日摂取(有/無)	1.23 [0.86: 1.75]		0.80 [0.58: 1.09]		0.95 [0.73: 1.22]	
		BMI18.5未満(18.5以上25.0未満=1)	2.02 [1.29: 3.16]	*	1.96 [1.39: 2.76]	*	2.44 [1.83: 3.25]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.96 [0.60: 1.52]		0.88 [0.52: 1.48]		1.24 [0.83: 1.85]	
		毎日飲酒(有/無)	0.77 [0.53: 1.10]		0.70 [0.51: 0.97]	*	0.57 [0.43: 0.75]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.21 [0.83: 1.76]		1.06 [0.77: 1.45]		0.92 [0.70: 1.21]		
	共済(国民健康保険=1)	0.54 [0.22: 1.33]		0.69 [0.28: 1.71]		0.79 [0.41: 1.51]		
	その他の保険(国民健康保険=1)	1.01 [0.32: 3.23]		0.35 [0.05: 2.50]		1.06 [0.43: 2.62]		
	女性	地区(都市/対照)	1.36 [0.86: 2.16]		0.83 [0.51: 1.33]		1.36 [0.96: 1.94]	
	年齢(+1歳)	1.16 [1.14: 1.19]	*	1.14 [1.12: 1.17]	*	1.17 [1.15: 1.19]	*	
	現在喫煙(非喫煙=1)	1.15 [0.54: 2.42]		0.74 [0.32: 1.72]		1.15 [0.69: 1.92]		
	過去喫煙(非喫煙=1)	0.87 [0.27: 2.76]		0.64 [0.20: 2.03]		1.97 [1.16: 3.36]	*	
	危険職種(有/無)	1.15 [0.52: 2.52]		1.78 [1.02: 3.10]	*	1.19 [0.79: 1.80]		
	野菜毎日摂取(有/無)	1.00 [0.59: 1.69]		0.90 [0.55: 1.46]		0.86 [0.61: 1.21]		
	果物毎日摂取(有/無)	0.91 [0.55: 1.50]		0.73 [0.45: 1.18]		0.73 [0.51: 1.03]		
BMI18.5未満(18.5以上25.0未満=1)	1.77 [0.98: 3.19]		1.49 [0.86: 2.58]		2.33 [1.61: 3.36]	*		
BMI25.0以上(18.5以上25.0未満=1)	1.16 [0.69: 1.93]		1.13 [0.59: 2.15]		0.81 [0.48: 1.37]			
毎日飲酒(有/無)	0.26 [0.04: 1.90]		0.22 [0.03: 1.60]		0.88 [0.41: 1.90]			
政府管掌・組合などの保険(国民健康保険=1)	1.26 [0.77: 2.09]		1.34 [0.84: 2.14]		0.68 [0.47: 0.99]	*		
共済(国民健康保険=1)	1.04 [0.49: 2.21]		0.88 [0.31: 2.48]		0.68 [0.29: 1.59]			
その他の保険(国民健康保険=1)	1.19 [0.37: 3.85]		0.90 [0.12: 6.60]		0.20 [0.03: 1.47]			
非悪性呼吸器疾患	男性	地区(都市/対照)	0.93 [0.63: 1.36]		1.37 [0.96: 1.96]		0.88 [0.66: 1.16]	
		年齢(+1歳)	1.18 [1.15: 1.20]	*	1.16 [1.14: 1.18]	*	1.17 [1.15: 1.19]	*
		現在喫煙(非喫煙=1)	1.71 [1.04: 2.81]	*	1.09 [0.68: 1.74]		1.22 [0.84: 1.77]	
		過去喫煙(非喫煙=1)	1.86 [1.14: 3.02]	*	1.59 [1.02: 2.47]	*	1.27 [0.85: 1.88]	
		危険職種(有/無)	0.62 [0.39: 0.98]	*	0.95 [0.69: 1.32]		1.23 [0.92: 1.63]	
		野菜毎日摂取(有/無)	0.72 [0.48: 1.09]		0.88 [0.63: 1.22]		1.05 [0.80: 1.39]	
		果物毎日摂取(有/無)	1.23 [0.82: 1.83]		0.73 [0.52: 1.03]		0.88 [0.67: 1.17]	
		BMI18.5未満(18.5以上25.0未満=1)	1.99 [1.22: 3.25]	*	2.00 [1.39: 2.88]	*	2.40 [1.76: 3.27]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.91 [0.53: 1.56]		0.70 [0.38: 1.31]		1.16 [0.74: 1.83]	
		毎日飲酒(有/無)	0.75 [0.50: 1.14]		0.64 [0.44: 0.91]	*	0.60 [0.45: 0.81]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.16 [0.76: 1.78]		1.00 [0.71: 1.42]		0.85 [0.63: 1.15]		
	共済(国民健康保険=1)	0.57 [0.21: 1.57]		0.85 [0.34: 2.13]		0.71 [0.35: 1.47]		
	その他の保険(国民健康保険=1)	0.83 [0.20: 3.41]		0.38 [0.05: 2.71]		1.16 [0.47: 2.86]		
	女性	地区(都市/対照)	1.42 [0.85: 2.37]		0.66 [0.39: 1.10]		1.26 [0.87: 1.84]	
	年齢(+1歳)	1.18 [1.15: 1.22]	*	1.15 [1.12: 1.18]	*	1.18 [1.16: 1.21]	*	
	現在喫煙(非喫煙=1)	1.08 [0.46: 2.55]		0.42 [0.13: 1.37]		1.06 [0.60: 1.88]		
	過去喫煙(非喫煙=1)	0.68 [0.17: 2.80]		0.47 [0.11: 1.94]		1.84 [1.02: 3.32]	*	
	危険職種(有/無)	1.58 [0.71: 3.52]		1.82 [0.99: 3.34]		1.22 [0.78: 1.91]		
	野菜毎日摂取(有/無)	0.92 [0.51: 1.64]		0.78 [0.46: 1.31]		0.91 [0.63: 1.32]		
	果物毎日摂取(有/無)	0.97 [0.55: 1.69]		0.85 [0.50: 1.44]		0.77 [0.53: 1.12]		
BMI18.5未満(18.5以上25.0未満=1)	1.69 [0.88: 3.26]		1.44 [0.80: 2.60]		2.21 [1.49: 3.28]	*		
BMI25.0以上(18.5以上25.0未満=1)	1.29 [0.74: 2.28]		0.99 [0.48: 2.05]		0.70 [0.39: 1.26]			
毎日飲酒(有/無)	-		0.29 [0.04: 2.08]		0.74 [0.30: 1.82]			
政府管掌・組合などの保険(国民健康保険=1)	1.15 [0.65: 2.03]		1.27 [0.76: 2.13]		0.67 [0.45: 0.99]	*		
共済(国民健康保険=1)	0.93 [0.39: 2.22]		1.06 [0.37: 3.02]		0.63 [0.25: 1.59]			
その他の保険(国民健康保険=1)	1.34 [0.41: 4.39]		1.07 [0.15: 7.91]		0.23 [0.03: 1.68]			
循環器および呼吸器疾患	男性	地区(都市/対照)	0.70 [0.60: 0.83]	*	0.90 [0.77: 1.05]		0.96 [0.83: 1.10]	
		年齢(+1歳)	1.13 [1.12: 1.14]	*	1.14 [1.13: 1.15]	*	1.13 [1.13: 1.14]	*
		現在喫煙(非喫煙=1)	1.58 [1.28: 1.95]	*	1.51 [1.21: 1.88]	*	1.32 [1.09: 1.60]	*
		過去喫煙(非喫煙=1)	1.60 [1.29: 1.99]	*	1.45 [1.16: 1.80]	*	1.10 [0.89: 1.36]	
		危険職種(有/無)	0.99 [0.84: 1.18]		0.90 [0.78: 1.05]		1.04 [0.90: 1.20]	
		野菜毎日摂取(有/無)	0.90 [0.75: 1.08]		0.99 [0.85: 1.15]		0.95 [0.82: 1.09]	
		果物毎日摂取(有/無)	1.00 [0.85: 1.18]		0.92 [0.79: 1.08]		0.91 [0.79: 1.05]	
		BMI18.5未満(18.5以上25.0未満=1)	1.37 [1.06: 1.78]	*	1.43 [1.19: 1.72]	*	1.67 [1.40: 1.99]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.99 [0.80: 1.23]		1.16 [0.93: 1.46]		1.23 [1.00: 1.51]	
		毎日飲酒(有/無)	0.81 [0.68: 0.96]	*	0.68 [0.58: 0.79]	*	0.68 [0.59: 0.78]	*
	政府管掌・組合などの保険(国民健康保険=1)	0.93 [0.77: 1.13]		0.97 [0.82: 1.14]		0.85 [0.73: 0.99]	*	
	共済(国民健康保険=1)	0.65 [0.44: 0.94]	*	1.17 [0.84: 1.64]		0.66 [0.45: 0.97]	*	
	その他の保険(国民健康保険=1)	1.19 [0.74: 1.82]		0.90 [0.46: 1.74]		0.79 [0.44: 1.45]		
	女性	地区(都市/対照)	0.69 [0.58: 0.83]	*	0.95 [0.78: 1.14]		0.94 [0.81: 1.10]	
	年齢(+1歳)	1.15 [1.14: 1.17]	*	1.15 [1.14: 1.16]	*	1.16 [1.15: 1.17]	*	
	現在喫煙(非喫煙=1)	1.18 [0.87: 1.61]		1.51 [1.16: 1.97]	*	1.78 [1.47: 2.17]	*	
	過去喫煙(非喫煙=1)	1.89 [1.36: 2.65]	*	1.33 [0.95: 1.85]		1.41 [1.05: 1.88]	*	
	危険職種(有/無)	1.05 [0.76: 1.46]		1.09 [0.85: 1.40]		0.95 [0.78: 1.15]		
	野菜毎日摂取(有/無)	0.81 [0.68: 0.98]	*	1.04 [0.86: 1.26]		0.90 [0.77: 1.05]		
	果物毎日摂取(有/無)	0.72 [0.60: 0.87]	*	0.83 [0.69: 1.00]	*	0.84 [0.72: 0.98]	*	
BMI18.5未満(18.5以上25.0未満=1)	1.49 [1.16: 1.93]	*	1.25 [1.01: 1.55]	*	1.42 [1.18: 1.70]	*		
BMI25.0以上(18.5以上25.0未満=1)	1.23 [1.00: 1.50]	*	1.40 [1.10: 1.77]	*	1.00 [0.81: 1.22]			
毎日飲酒(有/無)	0.61 [0.36: 1.04]		0.53 [0.33: 0.86]	*	1.10 [0.81: 1.50]			
政府管掌・組合などの保険(国民健康保険=1)	1.03 [0.83: 1.27]		1.03 [0.86: 1.24]		0.94 [0.81: 1.11]			
共済(国民健康保険=1)	0.80 [0.57: 1.13]		1.06 [0.75: 1.48]		1.02 [0.74: 1.40]			
その他の保険(国民健康保険=1)	0.83 [0.48: 1.46]		0.67 [0.30: 1.52]		0.96 [0.61: 1.51]			

\* 5%水準で有意  
- 死亡数が少ないため算出不可