



図 D-2 NIRO フーリエ解析図

症例1 プラセボ


前5分




5~10分後



0~5分後




中止後




症例 1 8ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例 1 40ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例2 プラセボ


前5分




5~10分後



0~5分後




中止後




症例 2 8ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例 2 40ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例3 プラセボ


前5分




5~10分後



0~5分後




中止後






症例 3 8ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例 3 40ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例4 プラセボ


前5分




5~10分後



0~5分後




中止後




症例 4 8ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例 4 40ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例5 プラセボ


前5分




5~10分後



0~5分後




中止後




症例 5 8ppb


前 5 分




5~10 分後



0~5 分後




中止後




症例 5 40ppb


前 5 分



5~10 分後



0~5 分後



中止後

