

# 各測定所における大気浮遊じん、大気降下物の核種分析調査結果 (環境放射能水準調査)

単位:mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	北海道札幌市	H30/4/4	H30/6/26	12959.1	ND	ND	2.4 ± 0.061
		H30/7/9	H30/9/27	12959.1	ND	ND	1.6 ± 0.056
		H30/10/4	H30/12/21	12959.1	ND	ND	2.7 ± 0.072
		H31/1/8	H31/3/28	12959.1	ND	ND	2.6 ± 0.070
	青森県青森市	H30/4/10	H30/6/7	10800.0	ND	ND	3.5 ± 0.040
		H30/7/10	H30/9/6	10800.0	ND	ND	2.4 ± 0.030
		H30/10/9	H30/12/6	10800.0	ND	ND	4.9 ± 0.040
		H31/1/8	H31/3/7	10800.0	ND	ND	4.1 ± 0.040
	岩手県盛岡市	H30/4/3	H30/6/27	10366.8	ND	ND	4.8 ± 0.15
		H30/7/5	H30/9/27	10366.8	ND	ND	2.3 ± 0.11
		H30/10/2	H30/12/18	10366.8	ND	ND	5.7 ± 0.15
		H31/1/7	H31/3/26	10366.8	ND	ND	4.4 ± 0.14
	宮城県仙台市	H30/4/2	H30/6/21	39815.9	ND	0.0064 ± 0.00090	
		H30/7/9	H30/9/28	29977.7	ND	0.0048 ± 0.0012	
		H30/10/5	H30/12/21	35657.8	ND	0.0053 ± 0.0011	
		H31/1/22	H31/3/22	38062.2	ND	0.0044 ± 0.00092	
	秋田県秋田市	H30/4/5	H30/6/19	10800	ND	ND	4.3 ± 0.077
		H30/7/9	H30/9/21	10800	ND	ND	3.6 ± 0.068
		H30/10/3	H30/12/21	10800	ND	ND	4.7 ± 0.079
		H31/1/7	H31/3/27	10800	ND	ND	6.5 ± 0.093
	山形県山形市	H30/4/2	H30/6/20	12960	ND	ND	3.4 ± 0.074
		H30/7/2	H30/9/19	12960	ND	ND	2.2 ± 0.063
		H30/10/1	H30/12/19	12960	ND	ND	3.3 ± 0.073
		H31/1/9	H31/3/14	12960	ND	ND	3.1 ± 0.069
	福島県大熊町	H30/4/6	H30/6/4	10529.4	0.019 ± 0.0012	0.19 ± 0.0035	2.4 ± 0.034
		H30/7/2	H30/9/6	10477.1	0.018 ± 0.0018	0.20 ± 0.0036	2.1 ± 0.035
		H30/10/1	H30/12/6	10465.7	0.025 ± 0.0023	0.24 ± 0.0046	3.9 ± 0.050
		H31/1/4	H31/3/4	10536.6	0.059 ± 0.0028	0.69 ± 0.0069	5.0 ± 0.055

単位:mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	福島県福島市	H30/4/6	H30/6/4	10547.5	ND	0.022 ± 0.0017	2.7 ± 0.039
		H30/7/2	H30/9/6	10494.3	ND	0.035 ± 0.0021	2.3 ± 0.043
		H30/10/1	H30/12/6	10487.1	ND	0.056 ± 0.0023	4.2 ± 0.049
		H31/1/4	H31/3/4	10480.3	ND	0.039 ± 0.0022	5.4 ± 0.062
	茨城県ひたちなか市	H30/4/2	H30/6/11	10281.3	ND	0.0091 ± 0.0020	7.5 ± 0.060
		H30/7/3	H30/9/10	10281.3	ND	0.0086 ± 0.0020	3.5 ± 0.040
		H30/10/2	H30/12/10	10281.3	ND	0.0067 ± 0.0020	5.3 ± 0.050
		H31/1/4	H31/3/8	10281.3	ND	0.0064 ± 0.0020	5.8 ± 0.060
	栃木県宇都宮市	H30/4/1	H30/6/19	15480	ND	ND	
		H30/7/2	H30/9/13	15480	ND	ND	
		H30/10/1	H30/12/18	15480	ND	ND	
		H31/1/8	H31/3/19	15480	ND	ND	
	群馬県前橋市	H30/4/2	H30/6/14	11519.2	ND	ND	3.9 ± 0.078
		H30/7/2	H30/9/11	11519.2	ND	ND	2.0 ± 0.055
		H30/10/3	H30/12/28	11519.2	ND	ND	2.2 ± 0.068
		H31/1/7	H31/3/7	11519.2	ND	ND	3.0 ± 0.061
	埼玉県加須市	H30/4/1	H30/6/25	12959.1	ND	ND	3.1 ± 0.055
		H30/7/7	H30/9/24	12959.1	ND	ND	1.4 ± 0.040
		H30/10/3	H30/12/20	12658.8	ND	ND	2.1 ± 0.046
		H31/1/5	H31/3/18	12959	ND	ND	2.8 ± 0.053
	千葉県市原市	H30/4/3	H30/6/19	10484	ND	ND	4.9 ± 0.087
		H30/7/5	H30/9/20	10300.4	ND	ND	2.4 ± 0.064
		H30/10/3	H30/12/19	10322.2	ND	ND	2.9 ± 0.068
		H31/1/8	H31/3/19	10446.4	ND	ND	3.9 ± 0.082
	東京都新宿区	H30/4/4	H30/6/27	12959.1	ND	0.010 ± 0.0021	2.9 ± 0.056
		H30/7/23	H30/9/22	12959.1	ND	ND	2.5 ± 0.052
		H30/10/3	H30/12/20	12959.1	ND	ND	2.8 ± 0.057
		H31/1/8	H31/3/25	12959.1	ND	ND	2.8 ± 0.053

単位:mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	神奈川県茅ヶ崎市	H30/4/2	H30/6/19	12094.8	ND	ND	3.9 ± 0.063
		H30/7/2	H30/9/19	12095	ND	ND	1.6 ± 0.044
		H30/10/1	H30/12/18	12094.7	ND	ND	3.6 ± 0.059
		H31/1/7	H31/3/19	12095	ND	ND	3.8 ± 0.065
	新潟県新潟市	H30/4/9	H30/6/6	10306	ND	ND	3.5 ± 0.048
		H30/7/2	H30/9/6	11145	ND	ND	2.3 ± 0.038
		H30/10/2	H30/12/13	11073	ND	ND	3.2 ± 0.043
		H31/1/7	H31/3/6	11182	ND	ND	4.6 ± 0.051
	富山県射水市	H30/4/10	H30/6/22	18001.2	ND	ND	
		H30/7/3	H30/9/13	18001	ND	ND	
		H30/10/16	H30/12/19	18000	ND	ND	
		H31/1/8	H31/3/19	18000	ND	ND	
	石川県金沢市	H30/4/5	H30/6/26	10544.1	ND	ND	2.3 ± 0.059
		H30/7/5	H30/9/27	10450.2	ND	ND	3.3 ± 0.093
		H30/10/4	H30/12/27	10460.3	ND	ND	2.6 ± 0.076
		H31/1/8	H31/3/26	10423.7	ND	ND	2.6 ± 0.069
	福井県福井市	H30/4/4	H30/6/29	12959.1	ND	ND	3.0 ± 0.048
		H30/7/11	H30/9/27	12959.1	ND	ND	2.0 ± 0.039
		H30/10/2	H30/12/18	12959.1	ND	ND	3.2 ± 0.051
		H31/1/7	H31/3/21	12959.1	ND	ND	3.7 ± 0.050
	山梨県甲府市	H30/4/3	H30/6/22	10367.1	ND	ND	4.8 ± 0.094
		H30/7/9	H30/9/19	10367.1	ND	ND	2.1 ± 0.11
		H30/10/2	H30/12/19	10367.1	ND	ND	4.5 ± 0.070
		H31/1/7	H31/3/26	10367.1	ND	ND	4.6 ± 0.064
	長野県長野市	H30/4/2	H30/6/4	11159.4	ND	ND	5.0 ± 0.069
		H30/7/9	H30/9/20	11159.4	ND	ND	2.8 ± 0.053
		H30/10/14	H30/12/12	11159.4	ND	ND	3.1 ± 0.055
		H31/1/7	H31/3/9	11159.4	ND	ND	3.7 ± 0.059

単位 : mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	岐阜県各務原市	H30/4/2	H30/6/22	12964.1	ND	ND	3.9 ± 0.062
		H30/7/2	H30/9/21	12960.5	ND	ND	1.2 ± 0.048
		H30/10/1	H30/12/21	12962.6	ND	ND	4.5 ± 0.078
		H31/1/7	H31/3/20	12961	ND	ND	5.1 ± 0.075
	静岡県牧之原市	H30/4/2	H30/6/13	10004	ND	ND	5.9 ± 0.049
		H30/7/2	H30/9/13	10004	ND	ND	3.8 ± 0.041
		H30/10/1	H30/12/13	10005	ND	ND	3.8 ± 0.040
		H31/1/4	H31/3/13	10004	ND	ND	4.7 ± 0.044
	愛知県名古屋市	H30/4/9	H30/6/22	10366.8	ND	ND	4.1 ± 0.055
		H30/7/23	H30/9/26	10366.8	ND	ND	1.9 ± 0.039
		H30/10/2	H30/12/20	10366.8	ND	ND	2.8 ± 0.047
		H31/1/7	H31/3/13	10366.8	ND	ND	4.8 ± 0.061
	三重県四日市市	H30/4/2	H30/6/22	12959	ND	ND	
		H30/7/9	H30/9/28	12959	ND	ND	
		H30/10/2	H30/12/21	12959	ND	ND	
		H31/1/7	H31/3/19	12959	ND	ND	
	滋賀県大津市	H30/4/11	H30/6/20	10014.2	ND	ND	6.1 ± 0.10
		H30/7/4	H30/9/26	10005	ND	ND	4.4 ± 0.10
		H30/10/3	H30/12/23	10005	ND	ND	6.8 ± 0.14
		H31/1/11	H31/3/27	10016.8	ND	ND	8.1 ± 0.12
	京都府京都市	H30/4/9	H30/6/15	10439.1	ND	ND	3.5 ± 0.077
		H30/7/18	H30/9/20	10400	ND	ND	3.1 ± 0.075
		H30/10/15	H30/12/12	10432.9	ND	ND	3.2 ± 0.071
		H31/1/9	H31/3/6	10463.8	ND	ND	4.9 ± 0.074
	大阪府大阪市	H30/4/3	H30/6/22	11663	ND	ND	3.6 ± 0.060
		H30/7/3	H30/9/19	11663	ND	ND	1.6 ± 0.044
		H30/10/2	H30/12/19	11663	ND	ND	3.4 ± 0.064
		H31/1/7	H31/3/19	11663	ND	ND	3.7 ± 0.064

単位:mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	兵庫県神戸市	H30/4/3	H30/6/19	10367	ND	ND	2.7 ± 0.053
		H30/7/2	H30/9/19	10367	ND	ND	2.6 ± 0.058
		H30/10/9	H30/12/18	10367	ND	ND	4.2 ± 0.075
		H31/1/7	H31/3/19	10367	ND	ND	4.5 ± 0.067
	兵庫県豊岡市	H30/4/18	H30/6/21	10367	ND	ND	2.4 ± 0.058
		H30/7/18	H30/9/19	10364	ND	ND	2.2 ± 0.057
		H30/10/2	H30/12/18	10367	ND	ND	2.5 ± 0.072
		H31/1/8	H31/3/19	10364	ND	ND	4.2 ± 0.064
	奈良県桜井市	H30/4/23	H30/6/22	10589	ND	ND	
		H30/7/2	H30/9/27	10546	ND	ND	
		H30/10/1	H30/12/18	10445	ND	ND	
		H31/1/7	H31/3/19	10513	ND	ND	
	和歌山県和歌山市	H30/4/5	H30/6/19	11727.2	ND	ND	
		H30/7/9	H30/9/27	8372.4	ND	ND	
		H30/10/17	H30/12/18	11354.8	ND	ND	
		H31/1/15	H31/3/12	11361.3	ND	ND	
	鳥取県湯梨浜町	H30/4/9	H30/6/27	19008	ND	ND	
		H30/7/2	H30/9/20	19008	ND	ND	
		H30/10/3	H30/12/20	19008	ND	ND	
		H31/1/8	H31/3/15	19008	ND	ND	
	島根県松江市	H30/3/30	H30/7/2	67687	ND	ND	5.8 ± 0.030
		H30/7/2	H30/10/2	66276	ND	ND	3.7 ± 0.020
		H30/10/2	H30/12/28	62597	ND	ND	6.6 ± 0.030
		H30/12/28	H31/4/1	67699	ND	ND	7.2 ± 0.030
	岡山県岡山市	H30/4/2	H30/6/13	11360	ND	ND	
		H30/7/2	H30/9/14	11330	ND	ND	
		H30/10/1	H30/12/18	11317	ND	ND	
		H31/1/7	H31/3/19	11402	ND	ND	

単位:mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	広島県広島市	H30/4/4	H30/6/22	10201			2.8 ± 0.071
		H30/7/12	H30/9/20	10201			2.1 ± 0.058
		H30/10/9	H30/12/26	10201			3.8 ± 0.076
		H31/1/8	H31/3/15	10201			4.3 ± 0.078
	山口県山口市	H30/4/3	H30/6/27	21924.2	ND	ND	3.2 ± 0.053
		H30/7/3	H30/9/26	21868	ND	ND	2.5 ± 0.050
		H30/10/2	H30/12/26	21792.7	ND	ND	2.5 ± 0.031
		H31/1/8	H31/3/27	21770.5	ND	ND	5.9 ± 0.071
	徳島県徳島市	H30/4/10	H30/6/26	10264.3	ND	ND	
		H30/7/10	H30/9/27	10203.9	ND	ND	
		H30/10/2	H30/12/19	10252.2	ND	ND	
		H31/1/10	H31/3/28	10274.6	ND	ND	
	香川県高松市	H30/4/9	H30/6/19	10088.1	ND	ND	3.4 ± 0.057
		H30/7/9	H30/9/19	10024.4	ND	ND	1.5 ± 0.040
		H30/10/3	H30/12/19	10107.8	ND	ND	3.4 ± 0.056
		H31/1/8	H31/3/19	10182.3	ND	ND	4.8 ± 0.11
	愛媛県八幡浜市	H30/4/3	H30/6/26	11192.1	ND	ND	3.0 ± 0.071
		H30/7/10	H30/9/26	11101.4	ND	ND	1.7 ± 0.058
		H30/10/1	H30/12/19	11114.1	ND	ND	3.4 ± 0.095
		H31/1/10	H31/3/26	11180.9	ND	ND	4.5 ± 0.083
	高知県高知市	H30/4/5	H30/6/27	11661.5	ND	ND	
		H30/7/13	H30/9/26	13042.3	ND	ND	
		H30/10/4	H30/12/21	13124.6	ND	ND	
		H31/1/9	H31/3/26	13188.6	ND	ND	
	福岡県太宰府市	H30/4/11	H30/6/14	10000	ND	ND	3.7 ± 0.040
		H30/7/17	H30/9/6	10000	ND	ND	3.5 ± 0.043
		H30/10/22	H30/12/20	10000	ND	ND	5.3 ± 0.051
		H31/1/8	H31/3/14	10000	ND	ND	5.0 ± 0.051

単位:mBq/m<sup>3</sup>

試料名	試料採取地点	試料採取開始日	試料採取終了日	積算流量(m <sup>3</sup> )	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気浮遊じん	佐賀県佐賀市	H30/4/2	H30/6/25	10125	ND	ND	5.4 ± 0.11
		H30/7/10	H30/9/13	10125	ND	ND	1.8 ± 0.037
		H30/10/19	H30/12/13	10125	ND	ND	1.3 ± 0.068
		H31/1/11	H31/3/21	10125	ND	ND	1.6 ± 0.034
	長崎県大村市	H30/4/4	H30/6/26	10079.3	ND	ND	2.8 ± 0.060
		H30/7/4	H30/9/26	10079.3	ND	ND	2.8 ± 0.39
		H30/10/2	H30/12/21	11519.2	ND	ND	1.4 ± 0.020
		H31/1/8	H31/3/12	12959.1	ND	ND	10 ± 0.12
	熊本県宇土市	H30/4/9	H30/6/15	13713	ND	ND	3.0 ± 0.038
		H30/7/10	H30/9/13	13313	ND	ND	2.3 ± 0.034
		H30/10/15	H30/12/14	12511	ND	ND	6.2 ± 0.056
		H31/1/7	H31/3/8	14892	ND	ND	7.0 ± 0.054
	大分県大分市	H30/4/2	H30/6/19	10540.3	ND	ND	4.8 ± 0.072
		H30/7/4	H30/9/20	10399.8	ND	ND	2.2 ± 0.055
		H30/10/10	H30/12/13	10459.2	ND	ND	5.2 ± 0.075
		H31/1/7	H31/3/15	10533.3	ND	ND	7.2 ± 0.086
	宮崎県宮崎市	H30/4/19	H30/6/26	12959	ND	ND	3.6 ± 0.11
		H30/7/12	H30/9/26	12959	ND	ND	3.3 ± 0.080
		H30/10/1	H30/12/18	12959	ND	ND	5.6 ± 0.079
		H31/1/8	H31/3/12	12959	ND	ND	5.6 ± 0.080
	鹿児島県鹿児島市 薩摩川内市	H30/4/6	H30/6/8	12960	ND	ND	3.0 ± 0.042
		H30/7/10	H30/9/6	12960	ND	ND	2.5 ± 0.039
		H30/10/15	H30/12/7	12960	ND	ND	4.9 ± 0.051
		H31/1/7	H31/3/4	12960	ND	ND	5.2 ± 0.053
	沖縄県うるま市	H30/4/2	H30/6/6	10484.2	ND	ND	4.3 ± 0.053
		H30/7/6	H30/9/20	10129.7	ND	ND	1.7 ± 0.059
		H30/10/19	H30/12/6	10458.5	ND	ND	5.7 ± 0.062
		H31/1/7	H31/3/6	10345	ND	ND	5.3 ± 0.062

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	北海道札幌市	H30/4/2	H30/5/1	ND	ND	97 ± 0.84
		H30/5/1	H30/6/1	ND	ND	170 ± 1.1
		H30/6/1	H30/7/2	ND	ND	220 ± 1.1
		H30/7/2	H30/8/1	ND	ND	85 ± 0.77
		H30/8/1	H30/9/3	ND	ND	240 ± 1.3
		H30/9/3	H30/10/1	ND	ND	49 ± 0.56
		H30/10/1	H30/11/1	ND	ND	300 ± 1.3
		H30/11/1	H30/12/3	ND	ND	250 ± 1.2
		H30/12/3	H31/1/4	ND	ND	190 ± 1.1
		H31/1/4	H31/2/1	ND	ND	280 ± 1.3
		H31/2/1	H31/3/1	ND	ND	130 ± 0.87
		H31/3/1	H31/4/1	ND	ND	140 ± 0.93
	青森県青森市	H30/4/2	H30/5/1	ND	ND	170 ± 1.0
		H30/5/1	H30/6/1	ND	ND	220 ± 1.1
		H30/6/1	H30/7/2	ND	ND	81 ± 0.68
		H30/7/2	H30/8/1	ND	ND	180 ± 0.90
		H30/8/1	H30/9/3	ND	ND	140 ± 0.93
		H30/9/3	H30/10/1	ND	ND	160 ± 0.98
		H30/10/1	H30/11/1	ND	ND	260 ± 1.2
		H30/11/1	H30/12/3	ND	ND	370 ± 1.4
		H30/12/3	H31/1/4	ND	ND	550 ± 1.8
		H31/1/4	H31/2/1	ND	ND	460 ± 1.6
		H31/2/1	H31/3/1	ND	ND	270 ± 1.2
		H31/3/1	H31/4/1	ND	ND	240 ± 1.1
	岩手県盛岡市	H30/4/2	H30/5/1	ND	0.098 ± 0.021	200 ± 1.3
		H30/5/1	H30/6/1	ND	0.16 ± 0.022	300 ± 1.7
		H30/6/1	H30/7/2	ND	0.081 ± 0.016	120 ± 0.95
		H30/7/2	H30/8/1	ND	0.068 ± 0.020	110 ± 1.0
		H30/8/1	H30/9/3	ND	ND	180 ± 1.3
		H30/9/3	H30/10/1	ND	0.087 ± 0.020	250 ± 1.6
		H30/10/1	H30/11/1	ND	0.059 ± 0.019	120 ± 1.0
		H30/11/1	H30/12/3	ND	0.073 ± 0.019	81 ± 0.84
		H30/12/3	H31/1/4	ND	0.12 ± 0.021	96 ± 0.86
H31/1/4		H31/2/1	ND	0.16 ± 0.022	79 ± 0.83	
H31/2/1		H31/3/1	ND	0.21 ± 0.025	81 ± 0.82	
H31/3/1		H31/4/1	ND	0.19 ± 0.022	170 ± 1.2	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	宮城県仙台市	H30/4/3	H30/5/1	0.071 ± 0.018	0.63 ± 0.027	
		H30/5/1	H30/6/1	0.073 ± 0.019	0.47 ± 0.024	
		H30/6/1	H30/7/2	ND	0.26 ± 0.021	
		H30/7/2	H30/8/1	ND	0.15 ± 0.018	
		H30/8/1	H30/8/30	ND	0.18 ± 0.019	
		H30/8/30	H30/10/1	ND	0.40 ± 0.023	
		H30/10/1	H30/10/31	ND	0.17 ± 0.018	
		H30/10/31	H30/12/3	ND	0.36 ± 0.022	
		H30/12/3	H31/1/4	ND	0.43 ± 0.024	
		H31/1/4	H31/1/30	0.20 ± 0.021	2.0 ± 0.044	
		H31/1/30	H31/3/1	0.074 ± 0.020	0.92 ± 0.031	
		H31/3/1	H31/4/1	0.075 ± 0.018	0.90 ± 0.032	
	秋田県秋田市	H30/4/2	H30/5/1	ND	ND	180 ± 1.2
		H30/5/1	H30/6/1	ND	ND	410 ± 1.8
		H30/6/1	H30/7/2	ND	ND	140 ± 0.97
		H30/7/2	H30/8/1	ND	ND	120 ± 0.89
		H30/8/1	H30/9/3	ND	ND	170 ± 1.1
		H30/9/3	H30/10/1	ND	ND	260 ± 1.4
		H30/10/1	H30/11/1	ND	ND	290 ± 1.4
		H30/11/1	H30/12/3	ND	ND	230 ± 1.3
		H30/12/3	H31/1/4	ND	ND	490 ± 1.9
		H31/1/4	H31/2/1	ND	ND	370 ± 1.6
		H31/2/1	H31/3/1	ND	0.056 ± 0.016	220 ± 1.2
	H31/3/1	H31/4/1	ND	ND	200 ± 1.2	
	山形県山形市	H30/4/2	H30/5/1	ND	0.51 ± 0.030	89 ± 0.87
		H30/5/1	H30/6/1	ND	0.44 ± 0.028	170 ± 1.1
		H30/6/1	H30/7/2	0.059 ± 0.019	0.43 ± 0.027	56 ± 0.67
		H30/7/2	H30/8/1	ND	0.35 ± 0.028	57 ± 0.66
		H30/8/1	H30/9/3	ND	0.29 ± 0.025	250 ± 1.4
		H30/9/3	H30/10/1	ND	0.30 ± 0.026	180 ± 1.1
		H30/10/1	H30/11/1	ND	0.24 ± 0.022	67 ± 0.74
		H30/11/1	H30/12/3	ND	0.11 ± 0.020	72 ± 0.75
		H30/12/3	H31/1/4	ND	0.11 ± 0.019	240 ± 1.4
H31/1/4		H31/2/1	ND	0.072 ± 0.019	180 ± 1.1	
H31/2/1	H31/3/1	ND	0.21 ± 0.023	86 ± 0.79		
H31/3/1	H31/4/1	ND	0.67 ± 0.033	180 ± 1.2		

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	福島県大熊町	H30/4/2	H30/5/1	26 ± 0.099	230 ± 0.39	
		H30/5/1	H30/6/1	9.2 ± 0.060	84 ± 0.24	
		H30/6/1	H30/7/2	5.4 ± 0.076	51 ± 0.18	
		H30/7/2	H30/8/1	3.5 ± 0.062	35 ± 0.15	
		H30/8/1	H30/9/3	10 ± 0.10	100 ± 0.26	
		H30/9/3	H30/10/1	9.3 ± 0.098	93 ± 0.25	
		H30/10/1	H30/11/1	10 ± 0.10	110 ± 0.26	
		H30/11/1	H30/12/3	6.8 ± 0.089	73 ± 0.24	
		H30/12/3	H31/1/4	51 ± 0.23	570 ± 0.61	
		H31/1/4	H31/2/1	91 ± 0.30	1000 ± 0.82	
		H31/2/1	H31/3/1	69 ± 0.27	810 ± 0.76	
		H31/3/1	H31/4/1	25 ± 0.17	310 ± 0.47	
	福島県福島市	H30/4/2	H30/5/1	2.9 ± 0.037	27 ± 0.15	
		H30/5/1	H30/6/1	1.2 ± 0.026	11 ± 0.095	
		H30/6/1	H30/7/2	0.88 ± 0.035	8.8 ± 0.084	
		H30/7/2	H30/8/1	0.73 ± 0.032	7.2 ± 0.074	
		H30/8/1	H30/9/3	0.72 ± 0.034	7.0 ± 0.077	
		H30/9/3	H30/10/1	0.45 ± 0.027	5.0 ± 0.062	
		H30/10/1	H30/11/1	0.34 ± 0.025	4.0 ± 0.057	
		H30/11/1	H30/12/3	0.96 ± 0.036	9.6 ± 0.084	
		H30/12/3	H31/1/4	1.6 ± 0.047	18 ± 0.12	
		H31/1/4	H31/2/1	4.5 ± 0.075	52 ± 0.21	
		H31/2/1	H31/3/1	6.9 ± 0.089	82 ± 0.25	
		H31/3/1	H31/4/1	1.2 ± 0.041	14 ± 0.10	
	茨城県ひたちなか市	H30/4/2	H30/5/1	0.78 ± 0.040	6.7 ± 0.080	160 ± 1.0
		H30/5/1	H30/6/1	0.15 ± 0.030	1.3 ± 0.040	230 ± 1.0
		H30/6/1	H30/7/2	ND	0.87 ± 0.030	150 ± 0.90
		H30/7/2	H30/8/1	0.19 ± 0.030	2.0 ± 0.040	68 ± 0.70
		H30/8/1	H30/9/3	0.19 ± 0.030	1.8 ± 0.040	130 ± 0.90
		H30/9/3	H30/10/1	0.13 ± 0.030	1.6 ± 0.040	450 ± 2.0
		H30/10/1	H30/11/1	ND	0.57 ± 0.030	150 ± 1.0
		H30/11/1	H30/12/3	ND	0.57 ± 0.030	95 ± 0.70
		H30/12/3	H31/1/4	ND	0.35 ± 0.030	110 ± 0.80
H31/1/4		H31/2/1	0.41 ± 0.040	4.5 ± 0.070	27 ± 0.50	
H31/2/1		H31/3/1	ND	0.98 ± 0.030	110 ± 0.80	
H31/3/1		H31/4/1	0.16 ± 0.030	1.2 ± 0.040	170 ± 1.0	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	栃木県宇都宮市	H30/4/2	H30/5/1	0.093 ± 0.024	0.69 ± 0.034	
		H30/5/1	H30/6/1	ND	0.40 ± 0.031	
		H30/6/1	H30/7/2	ND	0.23 ± 0.023	
		H30/7/2	H30/8/1	ND	0.27 ± 0.028	
		H30/8/1	H30/9/3	ND	0.47 ± 0.030	
		H30/9/3	H30/10/1	ND	0.19 ± 0.025	
		H30/10/1	H30/11/1	ND	0.082 ± 0.024	
		H30/11/1	H30/12/3	ND	0.11 ± 0.020	
		H30/12/3	H31/1/4	0.061 ± 0.020	0.72 ± 0.030	
		H31/1/4	H31/2/1	0.073 ± 0.022	1.0 ± 0.037	
		H31/2/1	H31/3/1	ND	0.43 ± 0.030	
		H31/3/1	H31/4/1	0.26 ± 0.027	3.2 ± 0.062	
	群馬県前橋市	H30/4/2	H30/5/1	0.14 ± 0.031	1.5 ± 0.046	77 ± 0.82
		H30/5/1	H30/6/1	0.26 ± 0.041	3.3 ± 0.068	120 ± 1.1
		H30/6/1	H30/7/2	ND	0.30 ± 0.024	150 ± 1.1
		H30/7/2	H30/8/1	ND	0.14 ± 0.019	82 ± 0.73
		H30/8/1	H30/9/3	ND	0.43 ± 0.026	140 ± 1.0
		H30/9/3	H30/10/1	ND	0.36 ± 0.025	130 ± 0.96
		H30/10/1	H30/11/1	ND	0.26 ± 0.021	48 ± 0.56
		H30/11/1	H30/12/3	ND	0.13 ± 0.019	29 ± 0.45
		H30/12/3	H31/1/4	ND	0.36 ± 0.025	14 ± 0.34
		H31/1/4	H31/2/1	ND	0.88 ± 0.033	7.3 ± 0.26
		H31/2/1	H31/3/1	0.093 ± 0.028	1.2 ± 0.039	12 ± 0.34
		H31/3/1	H31/4/1	0.14 ± 0.032	1.9 ± 0.050	68 ± 0.78
	埼玉県吉見町	H30/4/2	H30/5/1	ND	0.47 ± 0.036	85 ± 1.1
		H30/5/1	H30/6/1	ND	0.24 ± 0.028	110 ± 1.2
		H30/6/1	H30/7/2	ND	0.13 ± 0.024	140 ± 1.3
		H30/7/2	H30/8/1	ND	0.12 ± 0.024	66 ± 0.94
		H30/8/1	H30/9/3	ND	0.13 ± 0.023	150 ± 1.4
		H30/9/3	H30/10/1	ND	0.098 ± 0.022	250 ± 1.8
		H30/10/1	H30/11/1	ND	0.071 ± 0.018	100 ± 1.1
		H30/11/1	H30/12/3	ND	0.066 ± 0.019	66 ± 0.87
		H30/12/3	H31/1/4	ND	0.13 ± 0.023	25 ± 0.58
H31/1/4		H31/2/1	ND	0.28 ± 0.029	11 ± 0.42	
H31/2/1		H31/3/1	ND	0.33 ± 0.032	35 ± 0.69	
H31/3/1		H31/4/1	ND	0.28 ± 0.029	110 ± 1.1	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	千葉県市原市	H30/4/2	H30/5/1	0.095 ± 0.019	0.86 ± 0.028	130 ± 0.86
		H30/5/1	H30/6/1	ND	0.49 ± 0.023	170 ± 0.94
		H30/6/1	H30/7/2	0.036 ± 0.0088	0.38 ± 0.011	160 ± 0.46
		H30/7/2	H30/8/1	0.041 ± 0.011	0.52 ± 0.014	47 ± 0.32
		H30/8/1	H30/9/3	0.071 ± 0.019	0.48 ± 0.024	35 ± 0.45
		H30/9/3	H30/10/1	ND	0.33 ± 0.022	360 ± 1.4
		H30/10/1	H30/11/1	ND	0.14 ± 0.019	150 ± 0.87
		H30/11/1	H30/12/3	ND	0.099 ± 0.016	100 ± 0.71
		H30/12/3	H31/1/4	ND	0.28 ± 0.018	68 ± 0.59
		H31/1/4	H31/2/1	0.080 ± 0.019	0.93 ± 0.028	37 ± 0.48
		H31/2/1	H31/3/1	ND	0.23 ± 0.018	130 ± 0.87
		H31/3/1	H31/4/1	ND	0.35 ± 0.020	210 ± 1.0
	東京都新宿区	H30/4/2	H30/5/1	0.21 ± 0.021	2.1 ± 0.044	140 ± 0.93
		H30/5/1	H30/6/1	0.079 ± 0.016	0.81 ± 0.028	150 ± 0.87
		H30/6/1	H30/7/2	0.055 ± 0.012	0.57 ± 0.024	120 ± 0.79
		H30/7/2	H30/8/1	0.068 ± 0.018	0.89 ± 0.029	86 ± 0.70
		H30/8/1	H30/9/3	0.19 ± 0.018	2.1 ± 0.043	88 ± 0.70
		H30/9/3	H30/10/1	0.12 ± 0.016	0.98 ± 0.030	360 ± 1.5
		H30/10/1	H30/11/1	ND	0.17 ± 0.015	110 ± 0.74
		H30/11/1	H30/12/3	ND	0.19 ± 0.016	110 ± 0.75
		H30/12/3	H31/1/4	0.075 ± 0.015	0.81 ± 0.027	42 ± 0.47
		H31/1/4	H31/2/1	0.21 ± 0.019	2.3 ± 0.045	29 ± 0.41
		H31/2/1	H31/3/1	0.11 ± 0.015	1.0 ± 0.032	63 ± 0.60
		H31/3/1	H31/4/1	0.088 ± 0.014	1.2 ± 0.033	170 ± 0.95
	神奈川県茅ヶ崎市	H30/4/2	H30/5/1	0.034 ± 0.0098	0.35 ± 0.018	130 ± 0.81
		H30/5/1	H30/6/1	ND	0.22 ± 0.017	100 ± 0.71
		H30/6/1	H30/7/2	ND	0.14 ± 0.012	140 ± 0.82
		H30/7/2	H30/8/1	ND	0.19 ± 0.014	81 ± 0.62
		H30/8/1	H30/9/3	ND	0.25 ± 0.017	73 ± 0.58
		H30/9/3	H30/10/1	ND	0.25 ± 0.015	250 ± 1.2
		H30/10/1	H30/11/1	ND	0.10 ± 0.012	64 ± 0.57
		H30/11/1	H30/12/3	ND	0.085 ± 0.011	130 ± 0.75
		H30/12/3	H31/1/4	ND	0.10 ± 0.011	59 ± 0.53
H31/1/4		H31/2/1	0.044 ± 0.014	0.38 ± 0.018	24 ± 0.34	
H31/2/1		H31/3/1	ND	0.19 ± 0.016	65 ± 0.57	
H31/3/1		H31/4/1	ND	0.32 ± 0.019	190 ± 0.93	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	新潟県新潟市	H30/4/2	H30/5/1	ND	0.070 ± 0.014	170 ± 0.96
		H30/5/1	H30/6/1	ND	0.052 ± 0.012	200 ± 0.99
		H30/6/1	H30/7/2	ND	ND	47 ± 0.50
		H30/7/2	H30/8/1	ND	ND	52 ± 0.52
		H30/8/1	H30/9/3	ND	ND	120 ± 0.80
		H30/9/3	H30/10/1	ND	ND	220 ± 1.1
		H30/10/1	H30/11/1	ND	ND	330 ± 1.3
		H30/11/1	H30/12/3	ND	ND	330 ± 1.3
		H30/12/3	H31/1/4	ND	0.067 ± 0.012	340 ± 1.3
		H31/1/4	H31/2/1	ND	ND	460 ± 1.8
		H31/2/1	H31/3/1	ND	ND	110 ± 0.74
		H31/3/1	H31/4/1	ND	0.038 ± 0.013	220 ± 1.1
	富山県射水市	H30/4/2	H30/5/1	ND	0.064 ± 0.012	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	0.054 ± 0.014	
		H30/12/3	H31/1/4	ND	ND	
		H31/1/4	H31/2/1	ND	ND	
		H31/2/1	H31/3/1	ND	ND	
		H31/3/1	H31/4/1	ND	ND	
	石川県金沢市	H30/3/29	H30/4/27	ND	0.076 ± 0.012	350 ± 1.4
		H30/4/27	H30/5/31	ND	ND	270 ± 1.2
		H30/5/31	H30/6/29	ND	ND	120 ± 0.77
		H30/6/29	H30/7/31	ND	ND	94 ± 0.67
		H30/7/31	H30/8/31	ND	ND	130 ± 0.81
		H30/8/31	H30/9/28	ND	ND	410 ± 1.4
		H30/9/28	H30/10/31	ND	ND	460 ± 1.5
		H30/10/31	H30/11/30	ND	ND	350 ± 1.3
		H30/11/30	H30/12/26	ND	ND	820 ± 2.2
H30/12/26		H31/1/30	ND	ND	1500 ± 2.8	
H31/1/30		H31/2/28	ND	ND	450 ± 1.5	
H31/2/28		H31/3/29	ND	ND	410 ± 1.5	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	福井県福井市	H30/4/2	H30/5/1	ND	0.14 ± 0.020	260 ± 1.4
		H30/5/1	H30/6/1	ND	ND	220 ± 1.3
		H30/6/1	H30/7/2	ND	ND	68 ± 0.73
		H30/7/2	H30/8/1	ND	ND	68 ± 0.71
		H30/8/1	H30/9/3	ND	ND	43 ± 0.53
		H30/9/3	H30/10/1	ND	ND	280 ± 1.4
		H30/10/1	H30/11/1	ND	ND	260 ± 1.3
		H30/11/1	H30/12/3	ND	ND	280 ± 1.4
		H30/12/3	H31/1/4	ND	ND	690 ± 2.2
		H31/1/4	H31/2/1	ND	ND	670 ± 2.1
		H31/2/1	H31/3/1	ND	ND	210 ± 1.2
		H31/3/1	H31/4/1	ND	ND	400 ± 1.6
	山梨県甲府市	H30/4/2	H30/5/1	ND	ND	34 ± 0.32
		H30/5/1	H30/6/1	ND	ND	64 ± 0.27
		H30/6/1	H30/7/2	ND	ND	84 ± 0.63
		H30/7/2	H30/8/1	ND	ND	54 ± 0.42
		H30/8/1	H30/9/3	ND	ND	170 ± 0.53
		H30/9/3	H30/10/1	ND	ND	230 ± 0.77
		H30/10/1	H30/11/1	ND	ND	57 ± 0.42
		H30/11/1	H30/12/3	ND	ND	48 ± 0.36
		H30/12/3	H31/1/4	ND	ND	30 ± 0.29
		H31/1/4	H31/2/1	ND	ND	26 ± 0.36
		H31/2/1	H31/3/1	ND	ND	49 ± 0.42
		H31/3/1	H31/4/1	ND	ND	66 ± 0.48
	長野県長野市	H30/4/2	H30/5/1	ND	0.066 ± 0.016	37 ± 0.46
		H30/5/1	H30/6/1	ND	0.048 ± 0.015	79 ± 0.68
		H30/6/1	H30/7/2	ND	ND	33 ± 0.42
		H30/7/2	H30/8/1	ND	ND	67 ± 0.60
		H30/8/1	H30/9/3	ND	ND	37 ± 0.45
		H30/9/3	H30/10/1	ND	ND	130 ± 0.84
		H30/10/1	H30/11/1	ND	0.069 ± 0.014	48 ± 0.51
		H30/11/1	H30/12/3	ND	ND	24 ± 0.36
		H30/12/3	H31/1/4	ND	0.039 ± 0.013	73 ± 0.63
H31/1/4		H31/2/1	ND	ND	85 ± 0.68	
H31/2/1		H31/3/1	ND	0.059 ± 0.014	34 ± 0.43	
H31/3/1		H31/4/1	ND	0.063 ± 0.015	120 ± 0.80	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	岐阜県各務原市	H30/4/2	H30/5/1	ND	ND	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	ND	
		H30/12/3	H31/1/4	ND	ND	
		H31/1/4	H31/2/1	ND	ND	
		H31/2/1	H31/3/1	ND	ND	
	H31/3/1	H31/4/1	ND	ND		
	静岡県静岡市 牧之原市	H30/4/2	H30/5/1	ND	ND	490 ± 1.7
		H30/5/1	H30/6/1	ND	ND	290 ± 1.2
		H30/6/1	H30/7/2	ND	ND	140 ± 0.88
		H30/7/2	H30/8/1	ND	ND	180 ± 1.1
		H30/8/1	H30/9/3	ND	ND	94 ± 0.66
		H30/9/3	H30/10/1	ND	ND	220 ± 1.3
		H30/10/1	H30/11/1	ND	0.042 ± 0.011	140 ± 0.82
		H30/11/1	H30/12/3	ND	ND	52 ± 0.48
		H30/12/3	H31/1/4	ND	ND	72 ± 0.59
		H31/1/4	H31/2/1	ND	ND	19 ± 0.30
		H31/2/1	H31/3/1	ND	ND	160 ± 0.90
	H31/3/1	H31/4/1	ND	ND	110 ± 0.74	
	愛知県名古屋市	H30/4/2	H30/5/1	ND	ND	120 ± 0.81
		H30/5/1	H30/6/1	ND	ND	190 ± 1.0
		H30/6/1	H30/7/2	ND	ND	94 ± 0.71
		H30/7/2	H30/8/1	ND	ND	75 ± 0.63
		H30/8/1	H30/9/3	ND	ND	38 ± 0.46
		H30/9/3	H30/10/1	ND	ND	130 ± 0.85
		H30/10/1	H30/11/1	ND	ND	18 ± 0.31
		H30/11/1	H30/12/3	ND	ND	59 ± 0.53
		H30/12/3	H31/1/4	ND	ND	49 ± 0.50
H31/1/4		H31/2/1	ND	ND	7.0 ± 0.21	
H31/2/1		H31/3/1	ND	ND	62 ± 0.55	
H31/3/1	H31/4/1	ND	ND	140 ± 0.86		

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	三重県四日市市	H30/4/2	H30/5/1	ND	ND	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	ND	
		H30/12/3	H31/1/4	ND	ND	
		H31/1/4	H31/2/1	ND	ND	
		H31/2/1	H31/3/1	ND	ND	
		H31/3/1	H31/4/1	ND	ND	
	滋賀県大津市	H30/4/2	H30/5/1	ND	ND	330 ± 1.8
		H30/5/1	H30/6/1	ND	ND	240 ± 1.5
		H30/6/1	H30/7/2	ND	ND	170 ± 1.2
		H30/7/2	H30/8/1	ND	ND	94 ± 0.94
		H30/8/1	H30/9/3	ND	ND	44 ± 0.67
		H30/9/3	H30/10/1	ND	ND	220 ± 1.4
		H30/10/1	H30/11/1	ND	ND	45 ± 0.66
		H30/11/1	H30/12/3	ND	ND	75 ± 0.79
		H30/12/3	H31/1/4	ND	ND	150 ± 1.1
		H31/1/4	H31/2/1	ND	ND	37 ± 0.58
		H31/2/1	H31/3/1	ND	ND	110 ± 0.97
		H31/3/1	H31/4/1	ND	ND	210 ± 1.4
	京都府京都市	H30/4/2	H30/5/1	ND	ND	160 ± 1.0
		H30/5/1	H30/6/1	ND	ND	140 ± 1.0
		H30/6/1	H30/7/2	ND	ND	130 ± 0.96
		H30/7/2	H30/8/1	ND	ND	120 ± 0.92
		H30/8/1	H30/8/31	ND	ND	22 ± 0.42
		H30/8/31	H30/10/1	ND	ND	160 ± 1.0
		H30/10/1	H30/11/1	ND	ND	49 ± 0.57
		H30/11/1	H30/11/30	ND	ND	50 ± 0.57
		H30/11/30	H31/1/4	ND	ND	80 ± 0.70
H31/1/4		H31/2/1	ND	ND	55 ± 0.59	
H31/2/1		H31/3/1	ND	ND	78 ± 0.60	
H31/3/1		H31/4/1	ND	ND	120 ± 0.78	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	大阪府大阪市	H30/3/29	H30/4/27	ND	ND	110 ± 0.76
		H30/4/27	H30/6/1	ND	ND	170 ± 0.90
		H30/6/1	H30/7/2	ND	ND	130 ± 0.83
		H30/7/2	H30/7/31	ND	ND	88 ± 0.67
		H30/7/31	H30/8/31	ND	ND	9.3 ± 0.22
		H30/8/31	H30/9/28	ND	ND	130 ± 0.82
		H30/9/28	H30/11/2	ND	ND	38 ± 0.44
		H30/11/5	H30/11/30	ND	ND	33 ± 0.41
		H30/11/30	H31/1/4	ND	ND	97 ± 0.71
		H31/1/4	H31/2/1	ND	ND	54 ± 0.52
		H31/2/1	H31/3/1	ND	ND	58 ± 0.55
		H31/3/1	H31/3/29	ND	ND	93 ± 0.68
	兵庫県加古川市	H30/4/3	H30/5/1	ND	ND	85 ± 0.68
		H30/5/1	H30/6/1	ND	ND	150 ± 0.87
		H30/6/1	H30/7/2	ND	ND	97 ± 0.67
		H30/7/2	H30/8/1	ND	ND	69 ± 0.65
		H30/8/1	H30/9/3	ND	ND	27 ± 0.38
		H30/9/3	H30/10/1	ND	ND	97 ± 0.67
		H30/10/1	H30/11/1	ND	ND	64 ± 0.54
		H30/11/1	H30/12/3	ND	ND	16 ± 0.28
		H30/12/3	H31/1/4	ND	ND	77 ± 0.60
		H31/1/4	H31/2/1	ND	ND	25 ± 0.35
		H31/2/1	H31/3/1	ND	ND	51 ± 0.51
		H31/3/1	H31/4/1	ND	ND	160 ± 0.85
	奈良県桜井市	H30/4/2	H30/5/1	ND	ND	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	ND	
		H30/12/3	H31/1/4	ND	ND	
H31/1/4		H31/2/1	ND	ND		
H31/2/1	H31/3/1	ND	ND			
H31/3/1	H31/4/1	ND	ND			

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	和歌山県和歌山市	H30/4/2	H30/5/1	ND	ND	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	ND	
		H30/12/3	H31/1/4	ND	ND	
		H31/1/4	H31/2/1	ND	ND	
		H31/2/1	H31/3/1	ND	ND	
		H31/3/1	H31/4/1	ND	ND	
	鳥取県湯梨浜町	H30/4/2	H30/5/1	ND	ND	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	ND	
		H30/12/3	H31/1/7	ND	ND	
		H31/1/7	H31/2/1	ND	ND	
		H31/2/1	H31/3/1	ND	ND	
		H31/3/1	H31/4/1	ND	ND	
	島根県松江市	H30/3/31	H30/5/1	ND	0.065 ± 0.011	160 ± 0.93
		H30/5/1	H30/5/31	ND	ND	170 ± 0.94
		H30/5/31	H30/7/2	ND	ND	180 ± 0.99
		H30/7/2	H30/7/31	ND	ND	76 ± 0.64
		H30/7/31	H30/8/31	ND	ND	15 ± 0.27
		H30/8/31	H30/10/2	ND	ND	270 ± 1.2
		H30/10/2	H30/11/1	ND	ND	210 ± 1.1
		H30/11/1	H30/12/3	ND	ND	220 ± 1.0
		H30/12/3	H30/12/28	ND	ND	510 ± 1.6
H30/12/28		H31/1/31	ND	ND	350 ± 1.3	
H31/1/31		H31/2/27	ND	ND	290 ± 1.2	
H31/2/27		H31/4/1	ND	ND	360 ± 1.3	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	岡山県岡山市	H30/4/2	H30/5/1	ND	ND	52 ± 0.48
		H30/5/1	H30/6/1	ND	ND	130 ± 0.84
		H30/6/1	H30/7/2	ND	ND	120 ± 0.73
		H30/7/2	H30/8/1	ND	ND	87 ± 0.68
		H30/8/1	H30/9/3	ND	ND	23 ± 0.32
		H30/9/3	H30/10/1	ND	ND	170 ± 1.0
		H30/10/1	H30/11/1	ND	ND	71 ± 0.56
		H30/11/1	H30/12/3	ND	ND	51 ± 0.47
		H30/12/3	H31/1/4	ND	ND	54 ± 0.53
		H31/1/4	H31/2/1	ND	ND	34 ± 0.44
		H31/2/1	H31/3/1	ND	ND	80 ± 0.58
		H31/3/1	H31/4/1	ND	ND	160 ± 0.89
	広島県広島市	H30/4/2	H30/5/1	ND	ND	140 ± 0.95
		H30/5/1	H30/6/1	ND	ND	150 ± 0.98
		H30/6/1	H30/7/2	ND	ND	110 ± 0.87
		H30/7/2	H30/8/1	ND	ND	78 ± 0.71
		H30/8/1	H30/9/3	ND	ND	24 ± 0.40
		H30/9/3	H30/10/1	ND	ND	160 ± 1.1
		H30/10/1	H30/11/1	ND	ND	78 ± 0.79
		H30/11/1	H30/12/3	ND	ND	100 ± 0.79
		H30/12/3	H31/1/4	ND	ND	83 ± 0.70
		H31/1/4	H31/2/1	ND	ND	45 ± 0.53
		H31/2/1	H31/3/1	ND	ND	74 ± 0.55
		H31/3/1	H31/4/1	ND	ND	160 ± 0.98
	山口県山口市	H30/4/1	H30/5/1	ND	ND	200 ± 1.1
		H30/5/1	H30/6/1	ND	ND	22 ± 1.2
		H30/6/1	H30/7/1	ND	ND	210 ± 1.2
		H30/7/1	H30/8/1	ND	ND	75 ± 0.72
		H30/8/1	H30/9/1	ND	ND	29 ± 0.46
		H30/9/1	H30/10/1	ND	ND	190 ± 1.1
		H30/10/1	H30/11/1	ND	ND	68 ± 0.66
		H30/11/1	H30/12/1	ND	ND	64 ± 0.63
		H30/12/1	H31/1/4	ND	ND	140 ± 0.75
H31/1/4		H31/2/1	ND	ND	170 ± 1.1	
H31/2/1	H31/3/1	ND	ND	140 ± 0.95		
H31/3/1	H31/4/1	ND	ND	250 ± 1.3		

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	徳島県徳島市	H30/4/2	H30/5/1	ND	ND	
		H30/5/1	H30/6/1	ND	ND	
		H30/6/1	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/9/3	ND	ND	
		H30/9/3	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/12/3	ND	ND	
		H30/12/3	H31/1/4	ND	ND	
		H31/1/4	H31/2/1	ND	ND	
		H31/2/1	H31/3/1	ND	ND	
		H31/3/1	H31/4/1	ND	ND	
	香川県高松市	H30/4/2	H30/5/1	ND	ND	44 ± 0.53
		H30/5/1	H30/6/1	ND	ND	120 ± 0.82
		H30/6/1	H30/7/2	ND	ND	130 ± 0.87
		H30/7/2	H30/8/1	ND	ND	82 ± 0.69
		H30/8/1	H30/9/3	ND	ND	27 ± 0.41
		H30/9/3	H30/10/1	ND	ND	180 ± 1.1
		H30/10/1	H30/11/1	ND	ND	73 ± 0.62
		H30/11/1	H30/12/3	ND	ND	39 ± 0.46
		H30/12/3	H31/1/4	ND	ND	41 ± 0.48
		H31/1/4	H31/2/1	ND	ND	51 ± 0.53
		H31/2/1	H31/3/1	ND	ND	71 ± 1.0
		H31/3/1	H31/4/1	ND	ND	150 ± 1.4
	愛媛県松山市	H30/3/30	H30/5/1	ND	ND	
		H30/5/1	H30/5/31	ND	ND	
		H30/5/31	H30/7/2	ND	ND	
		H30/7/2	H30/8/1	ND	ND	
		H30/8/1	H30/8/31	ND	ND	
		H30/8/31	H30/10/1	ND	ND	
		H30/10/1	H30/11/1	ND	ND	
		H30/11/1	H30/11/30	ND	ND	
		H30/11/30	H31/1/4	ND	ND	
H31/1/4		H31/2/1	ND	ND		
H31/2/1	H31/3/1	ND	ND			
H31/3/1	H31/4/2	ND	ND			

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	高知県高知市	H30/4/2	H30/5/1	ND	ND	480 ± 1.6
		H30/5/1	H30/6/1	ND	ND	270 ± 1.3
		H30/6/1	H30/7/2	ND	ND	220 ± 0.99
		H30/7/2	H30/8/1	ND	ND	250 ± 1.3
		H30/8/1	H30/8/31	ND	ND	72 ± 0.59
		H30/8/31	H30/10/1	ND	ND	240 ± 1.1
		H30/10/1	H30/11/1	ND	ND	110 ± 0.67
		H30/11/1	H30/11/30	ND	ND	64 ± 0.57
		H30/11/30	H31/1/4	ND	ND	130 ± 0.81
		H31/1/4	H31/2/1	ND	ND	28 ± 0.38
		H31/2/1	H31/3/1	ND	ND	170 ± 0.94
		H31/3/1	H31/4/1	ND	ND	230 ± 1.1
	福岡県太宰府市	H30/4/2	H30/5/1	ND	ND	110 ± 0.75
		H30/5/1	H30/6/1	ND	ND	140 ± 0.79
		H30/6/1	H30/7/2	ND	ND	160 ± 0.92
		H30/7/2	H30/8/1	ND	ND	89 ± 0.70
		H30/8/1	H30/9/3	ND	ND	74 ± 0.60
		H30/9/3	H30/10/1	ND	ND	140 ± 0.85
		H30/10/1	H30/11/1	ND	ND	65 ± 0.56
		H30/11/1	H30/12/3	ND	ND	82 ± 0.62
		H30/12/3	H31/1/4	ND	ND	110 ± 0.71
		H31/1/4	H31/2/1	ND	ND	110 ± 0.73
		H31/2/1	H31/3/1	ND	ND	99 ± 0.68
		H31/3/1	H31/4/1	ND	ND	240 ± 1.1
	佐賀県佐賀市	H30/4/2	H30/5/1	ND	ND	240 ± 1.0
		H30/5/1	H30/6/1	ND	ND	230 ± 1.0
		H30/6/1	H30/7/2	ND	ND	190 ± 0.92
		H30/7/2	H30/8/1	ND	ND	62 ± 0.53
		H30/8/1	H30/9/3	ND	ND	95 ± 0.64
		H30/9/3	H30/10/1	ND	ND	110 ± 0.69
		H30/10/1	H30/11/1	ND	ND	97 ± 0.68
		H30/11/1	H30/12/3	ND	ND	140 ± 0.78
		H30/12/3	H31/1/4	ND	ND	95 ± 0.66
H31/1/4		H31/2/1	ND	ND	71 ± 0.58	
H31/2/1		H31/3/1	ND	ND	170 ± 0.86	
H31/3/1		H31/4/1	ND	ND	200 ± 0.93	

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	長崎県大村市	H30/4/2	H30/5/1	ND	ND	170 ± 1.1
		H30/5/1	H30/6/1	ND	ND	270 ± 1.4
		H30/6/1	H30/7/1	ND	ND	210 ± 1.2
		H30/7/1	H30/8/1	ND	ND	55 ± 0.70
		H30/8/1	H30/9/3	ND	ND	110 ± 0.90
		H30/9/3	H30/10/1	ND	ND	91 ± 0.80
		H30/10/1	H30/11/1	ND	ND	73 ± 0.70
		H30/11/1	H30/12/3	ND	ND	120 ± 0.90
		H30/12/3	H31/1/4	ND	ND	88 ± 0.80
		H31/1/4	H31/2/1	ND	ND	58 ± 0.70
		H31/2/1	H31/3/1	ND	ND	220 ± 1.2
	H31/3/1	H31/4/1	ND	ND	180 ± 1.1	
	熊本県宇土市	H30/4/2	H30/5/1	ND	ND	88 ± 0.66
		H30/5/1	H30/6/1	ND	ND	260 ± 1.1
		H30/6/1	H30/7/2	ND	ND	150 ± 0.85
		H30/7/2	H30/8/1	ND	ND	92 ± 0.68
		H30/8/1	H30/9/3	ND	ND	55 ± 0.51
		H30/9/3	H30/10/1	ND	ND	110 ± 0.72
		H30/10/1	H30/11/1	ND	ND	48 ± 0.50
		H30/11/1	H30/12/3	ND	ND	110 ± 0.70
		H30/12/3	H31/1/4	ND	ND	130 ± 0.75
		H31/1/4	H31/2/1	ND	ND	58 ± 0.51
		H31/2/1	H31/3/1	ND	ND	160 ± 0.90
	H31/3/1	H31/4/1	ND	ND	180 ± 0.91	
	大分県大分市	H30/4/2	H30/5/1	ND	ND	69 ± 0.62
		H30/5/1	H30/6/1	ND	ND	190 ± 1.1
		H30/6/1	H30/7/2	ND	ND	260 ± 1.2
		H30/7/2	H30/8/1	ND	ND	170 ± 0.94
		H30/8/1	H30/9/3	ND	ND	52 ± 0.54
		H30/9/3	H30/10/1	ND	ND	220 ± 1.2
H30/10/1		H30/11/1	ND	ND	95 ± 0.70	
H30/11/1		H30/12/3	ND	ND	170 ± 0.90	
H30/12/3		H31/1/4	ND	ND	110 ± 0.80	
H31/1/4		H31/2/1	ND	ND	89 ± 0.70	
H31/2/1	H31/3/1	ND	ND	180 ± 0.90		

単位:MBq/km<sup>2</sup>・月

試料名	試料採取地点	試料採取開始日	試料採取終了日	<sup>134</sup> Cs	<sup>137</sup> Cs	<sup>7</sup> Be(参考)
大気降下物	宮崎県宮崎市	H30/4/2	H30/5/1	ND	ND	66 ± 0.67
		H30/5/1	H30/6/1	ND	ND	270 ± 1.4
		H30/6/1	H30/7/2	ND	ND	270 ± 1.3
		H30/7/2	H30/8/1	ND	ND	270 ± 1.3
		H30/8/1	H30/9/3	ND	ND	ND
		H30/9/3	H30/10/1	ND	ND	330 ± 1.4
		H30/10/1	H30/11/1	ND	ND	120 ± 0.82
		H30/11/1	H30/12/3	ND	ND	150 ± 0.90
		H30/12/3	H31/1/4	ND	ND	170 ± 0.96
		H31/1/4	H31/2/1	ND	ND	43 ± 0.52
		H31/2/1	H31/3/1	ND	ND	250 ± 1.0
		H31/3/1	H31/4/1	ND	ND	360 ± 1.0
	鹿児島県鹿児島市 薩摩川内市	H30/3/30	H30/4/27	ND	ND	96 ± 1.2
		H30/4/27	H30/5/31	ND	ND	220 ± 2.4
		H30/5/31	H30/6/29	ND	ND	170 ± 1.6
		H30/6/29	H30/7/31	ND	ND	150 ± 2.0
		H30/7/31	H30/8/31	ND	ND	36 ± 1.0
		H30/8/31	H30/9/28	ND	ND	90 ± 1.0
		H30/9/28	H30/10/31	ND	ND	74 ± 0.63
		H30/10/31	H30/11/30	ND	ND	120 ± 0.78
		H30/11/30	H30/12/28	ND	ND	160 ± 1.0
		H30/12/28	H31/1/31	ND	ND	100 ± 0.71
		H31/1/31	H31/2/28	ND	ND	280 ± 1.2
	H31/2/28	H31/3/29	ND	ND	190 ± 1.0	
	沖縄県うるま市	H30/4/2	H30/5/1	ND	ND	120 ± 0.84
		H30/5/1	H30/6/1	ND	ND	38 ± 0.44
		H30/6/1	H30/7/2	ND	ND	64 ± 0.62
		H30/7/2	H30/8/1	ND	ND	54 ± 0.53
		H30/8/1	H30/9/3	ND	ND	41 ± 0.46
		H30/9/3	H30/10/1	ND	ND	40 ± 0.61
		H30/10/1	H30/11/1	ND	ND	58 ± 0.62
		H30/11/1	H30/12/3	ND	ND	68 ± 0.56
		H30/12/3	H31/1/4	ND	ND	120 ± 0.81
H31/1/4		H31/2/1	ND	ND	63 ± 0.57	
H31/2/1	H31/3/1	ND	ND	120 ± 0.78		
H31/3/1	H31/4/1	ND	ND	110 ± 0.76		