

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	17
Number of Animals:		12	12	12	12	12	17
Home cage observations	(Criteria)						
Tremor	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Breathing	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Hand-held observations							
Reactivity on removal from the cage	1	0	0	0	0	0	0
	2	12	12	12	12	12	17
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex:	Male				Female							
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH				
Test Substance:		0	10	60	0	10	60	0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12	12	12	12	12	12	12
Number of Animals:		0	0	0	0	0	0	0	0	0	0	0	0
Hand-held observations	(Criteria)	1	2	3	4	N	P	N	P	N	P	N	P
Reactivity to handling		0	12	0	0	12	0	12	0	12	0	12	0
Aggression		0	12	0	0	12	0	12	0	12	0	12	0
Trauma		12	0	12	0	12	0	12	0	12	0	12	0
Color of skin		12	0	0	0	12	0	12	0	12	0	12	0
Soiled fur		12	0	0	0	12	0	12	0	12	0	12	0
Exophthalmos		12	0	12	0	12	0	12	0	12	0	12	0
Palpebral closure		12	0	0	0	12	0	12	0	12	0	12	0
Color of conjunctiva		12	0	0	0	12	0	12	0	12	0	12	0
Secretion		12	0	0	0	12	0	12	0	12	0	12	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		12	12	12	17	12	17
Hand-held observations	(Criteria)						
Lacrimation	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Salivation	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Piloerection	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Pupil size	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Open field observations							
Rearing	Mean	3.8	5.8	7.6	8.9	12.3	8.0
	S.D.	4.1	3.0	4.8	3.6	5.0	5.6
Arousal	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	12	12	12	17	12	17
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Urination	N	8	11	10	14	10	16
	P	4	1	2	3	2	3

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex:	Male						Female					
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	
Test Substance:		0	10	60	300	0	10	60	300	0	10	60	300
Dose (mg/kg):		12	12	12	12	17	12	12	12	17	12	12	17
Number of Animals:													
Open field observations	(Criteria)												
Defecation	N	6	5	9	9	17	12	12	12	17	12	12	17
	P	6	7	3	3	0	0	0	0	0	0	0	0
Posture, body position	N	12	12	12	12	17	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	17	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	12	17	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0	0	0	0	0
Gait	N	12	12	12	12	17	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0
Tremor	N	12	12	12	12	17	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week -1)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	10	60
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	17
Open field observations	(Criteria)				
Clonic convulsion	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
Tonic convulsion	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Stereotypy	N	12	12	12	17
	P	0	0	0	0
Bizarre behaviour	N	12	12	12	17
	P	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex:	Male						Female						
		CCH		CCH		CCH		CCH		CCH		CCH		
		0	10	60	12	12	12	12	12	12	12	12	12	17
Test Substance:		0	10	60	12	12	12	12	12	12	12	12	12	17
Dose (mg/kg):		0	10	60	12	12	12	12	12	12	12	12	12	17
Number of Animals:		12	12	12	12	12	12	12	12	12	12	12	12	17
(Criteria)														
Home cage observations	N	12	12	12	12	12	12	12	12	12	12	12	12	17
Tremor	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0
Hand-held observations		0	0	0	0	0	0	0	0	0	0	0	0	0
Reactivity on removal from the cage	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	12	12	12	12	12	12	12	12	12	12	12	12	17
	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex:	Male				Female			
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60	300	300
Dose (mg/kg):		12	12	12	12	12	12	12	17
Number of Animals:		0	0	0	0	0	0	0	0
Hand-held observations	(Criteria)	1	2	3	4	N	P	N	P
Reactivity to handling		0	12	0	0	12	12	12	17
		12	12	0	0	0	0	0	0
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0
Aggression		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
Trauma		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
Color of skin		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0
Soiled fur		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
Exophthalmos		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
Palpebral closure		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0
Color of conjunctiva		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0
Secretion		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	10	0	60	300
Dose (mg/kg):		12	12	12	12	12	17
Number of Animals:		12	12	12	12	12	17
Hand-held observations	(Criteria)						
Lacrimation	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Salivation	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Piloerection	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Pupil size	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Open field observations							
Rearing	Mean	3.8	4.6	3.9	5.2	11.6	6.8
	S.D.	3.4	3.7	3.9	3.8	4.7	4.7
Arousal	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	12	12	12	17	12	17
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Urination	N	8	7	8	15	12	17
	P	4	5	4	2	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		7	7	5	7	5	7
Open field observations	(Criteria)						
Defecation	N	7	7	5	7	5	7
	P	5	5	7	3	5	7
Posture, body position	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Breathing	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Gait	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0
	7	0	0	0	0	0	0
Tremor	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 1)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		12	12	12	17	12	17
Open field observations	(Criteria)						
Clonic convulsion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Stereotypy	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	17	12	17
	P	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:	(Criteria)	12	12	12	17	12	17
Home cage observations							
Tremor	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Breathing	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Hand-held observations							
Reactivity on removal from the cage	1	0	0	0	0	0	0
	2	12	12	12	17	12	17
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:	Male				Female						
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH			
Test Substance:		0	10	60	0	10	60	300	0	10	60	300
Dose (mg/kg):		12	12	12	12	12	12	12	17	12	12	17
Number of Animals:												
Hand-held observations	(Criteria)											
Reactivity to handling	1	0	0	0	0	0	0	0	0	0	0	0
	2	12	12	12	12	12	12	12	17	12	12	17
	3	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0
Aggression	N	12	12	12	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0	0	0	0
Trauma	N	12	12	12	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0	0	0	0
Color of skin	N	12	12	12	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0
Soiled fur	N	12	12	12	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0	0	0	0
Exophthalmos	N	12	12	12	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0	0	0	0
Palpebral closure	1	12	12	12	12	12	12	12	17	12	12	17
	2	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0
Secretion	N	12	12	12	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		12	12	12	17	12	17
Hand-held observations	(Criteria)						
Lacrimation	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Salivation	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Piloerection	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Pupil size	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Open field observations							
Rearing	Mean	2.1	2.4	1.1	4.8	6.4	7.4
	S.D.	3.2	3.5	1.9	3.5	6.5	4.3
Arousal	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	12	12	12	17	12	17
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Urination	N	10	9	12	17	12	17
	P	2	3	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	10	60
Dose (mg/kg):		12	12	12	12
Number of Animals:		5	6	5	7
Open field observations	(Criteria)	7	6	7	5
Defecation	N	12	12	12	12
	P	0	0	0	0
Posture, body position	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Breathing	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Co-ordination movement	N	12	12	12	12
	P	0	0	0	0
Gait	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
	6	0	0	0	0
	7	0	0	0	0
Tremor	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 2)

Items	Sex:		Male		Female	
	CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:	0	10	60	300	10	60
Dose (mg/kg):	12	12	12	12	12	12
Number of Animals:	12	12	12	12	12	12
Open field observations						
(Criteria)						
N	12	12	12	12	12	12
Clonic convulsion	0	0	0	0	0	0
1	0	0	0	0	0	0
2	0	0	0	0	0	0
Tonic convulsion	12	12	12	12	12	12
N	12	12	12	12	12	12
1	0	0	0	0	0	0
2	0	0	0	0	0	0
3	0	0	0	0	0	0
4	0	0	0	0	0	0
5	0	0	0	0	0	0
Stereotypy	12	12	12	12	12	12
N	12	12	12	12	12	12
P	0	0	0	0	0	0
Bizarre behaviour	12	12	12	12	12	12
N	12	12	12	12	12	12
P	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		12	12	12	12	12	12
Home cage observations	(Criteria)						
Tremor	N	12	12	12	12	12	12
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	12	12
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	12	12
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Breathing	N	12	12	12	12	12	12
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Hand-held observations							
Reactivity on removal from the cage	1	0	0	0	0	0	0
	2	12	12	12	12	12	12
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		12	12	12	17	12	17
Hand-held observations	(Criteria)						
Reactivity to handling	1	0	0	0	0	0	0
	2	12	12	12	17	12	17
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
Aggression	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Trauma	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Color of skin	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Soiled fur	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Exophthalmos	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Palpebral closure	1	12	12	12	17	12	17
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Secretion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	10	60
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	17
Hand-held observations	(Criteria)				
Lacrimation	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
Salivation	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
Piloerection	N	12	12	12	17
	P	0	0	0	0
Pupil size	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
Open field observations					
Rearing	Mean	1.3	1.0	3.2	2.4
	S.D.	2.1	2.1	3.3	2.1
Arousal	1	0	0	0	0
	2	0	0	0	0
	3	12	12	17	17
	4	0	0	0	0
	5	0	0	0	0
Urination	N	12	12	14	15
	P	0	0	3	2

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		11	12	9	12	12	17
Open field observations	(Criteria)						
Defecation	N	1	1	3	4	0	0
	P	12	12	12	12	12	17
Posture, body position	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Breathing	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Co-ordination movement	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Gait	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0
	7	0	0	0	0	0	0
Tremor	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 3)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	0	10
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	12
Open field observations	(Criteria)				
Clonic convulsion	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
Tonic convulsion	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Stereotypy	N	12	12	12	12
	P	0	0	0	0
Bizarre behaviour	N	12	12	12	12
	P	0	0	0	0
		300	300	300	300
		17	17	17	17

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex:	Male					Female						
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH		
Test Substance:		0	10	-60	300	0	10	60	300	0	10	60	300
Dose (mg/kg):		12	12	12	12	12	12	12	12	12	12	12	12
Number of Animals:		12	12	12	12	12	12	12	12	12	12	12	12
Home cage observations	(Criteria)												
Tremor	N	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0
Hand-held observations													
Reactivity on removal	1	0	0	0	0	0	0	0	0	0	0	0	0
from the cage	2	12	12	12	12	12	12	12	12	12	12	12	17
	3	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex:	Male				Female			
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60	300	0
Dose (mg/kg):		12	12	12	17	12	12	12	17
Number of Animals:		0	0	0	0	0	0	0	0
Hand-held observations	(Criteria)	1	2	3	4	N	P	N	P
Reactivity to handling		0	12	0	0	12	12	12	17
Aggression		0	0	0	0	0	0	0	0
Trauma		12	12	12	12	12	12	12	17
Color of skin		0	0	0	0	0	0	0	0
Soiled fur,		12	12	12	12	12	12	12	17
Exophthalmos		0	0	0	0	0	0	0	0
Palpebral closure		12	12	12	12	12	12	12	17
Color of conjunctiva		0	0	0	0	0	0	0	0
Secretion		12	12	12	12	12	12	12	17
		0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex:		Male		Female	
	CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:	0	10	60	300	0	300
Dose (mg/kg):	12	12	12	12	12	17
Number of Animals:						
Hand-held observations	(Criteria)					
Lacrimation	N	12	12	12	17	17
	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Salivation	N	12	12	12	17	17
	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Piloerection	N	12	12	12	17	17
	P	0	0	0	0	0
Pupil size	N	12	12	12	17	17
	1	0	0	0	0	0
	2	0	0	0	0	0
Open field observations						
Rearing	Mean	3.6	3.0	3.0	2.5	6.5
	S.D.	3.4	3.2	5.1	2.6	6.5
Arousal	1	0	0	0	0	0
	2	0	0	0	0	0
	3	12	12	12	17	17
	4	0	0	0	0	0
	5	0	0	0	0	0
Urination	N	11	11	11	16	16
	P	1	1	1	1	1

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	0	10
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	12
Open field observations	(Criteria)				
Defecation	N	7	10	12	12
	P	5	2	0	0
Posture, body position	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Breathing	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Co-ordination movement	N	12	12	12	12
	P	0	0	0	0
Gait	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
	6	0	0	0	0
	7	0	0	0	0
Tremor	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 4)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	10	60
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	17
Open field observations	(Criteria)				
Clonic convulsion	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
Tonic convulsion	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Stereotypy	N	12	12	12	17
	P	0	0	0	0
Bizarre behaviour	N	12	12	12	17
	P	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male						Female												
		Test Substance:		CCH		CCH		CCH		CCH		CCH								
		Dose (mg/kg):	Number of Animals:	0	10	12	300	0	10	12	17	0	10	12	17					
Home cage observations	(Criteria)																			
Tremor	N	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	17	17	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Clonic convulsion	N	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	17	17	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	17	17	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Breathing	N	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	17	17	17
	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hand-held observations																				
Reactivity on removal from the cage	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	17	17	17
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	300
Dose (mg/kg):		12	12	12	12	12	17
Number of Animals:							
Hand-held observations	(Criteria)						
Reactivity to handling	1	0	0	0	0	0	0
	2	12	12	12	12	12	17
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
Aggression	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Trauma	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Color of skin	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Soiled fur	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Exophthalmos	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Palpebral closure	1	12	12	12	12	12	17
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
Color of conjunctiva	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Secretion	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male				Female			
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	300	0	10	60	300
Dose (mg/kg):		12	12	12	12	17	12	12	17
Number of Animals:	(Criteria)								
Hand-held observations									
Lacrimation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	12	17	12	12	17
	P	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	12	17	12	12	17
	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
Open field observations									
Rearing	Mean	3.4	3.4	2.8	5.6	5.3	5.8	7.0	4.7
	S. D.	4.1	3.1	4.8	2.5	4.4	4.6	3.0	3.4
Arousal	1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0
	3	12	12	12	12	17	12	12	17
	4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0
Urination	N	12	11	11	12	15	12	10	13
	P	0	1	1	0	2	0	2	4

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	0	10
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	12
Open field observations	(Criteria)				
Defecation	N	9	12	12	12
	P	3	0	1	0
Posture, body position	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Breathing	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Co-ordination movement	N	12	12	12	12
	P	0	0	0	0
Gait	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
	6	0	0	0	0
	7	0	0	0	0
Tremor	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 5)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	0	10	60	300
Dose (mg/kg):		12	12	12	12	12	17
Number of Animals:		12	12	12	12	12	17
Open field observations	(Criteria)						
Clonic convulsion	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	12	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Stereotypy	N	12	12	12	12	12	17
	P	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	12	12	17
	P	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 6)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:					
Dose (mg/kg):		0	10	10	60
Number of Animals:		12	12	12	12
		12	12	12	12
		0	60	0	300
		12	12	17	17
Home cage observations	(Criteria)				
Tremor	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
Clonic convulsion	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
Tonic convulsion	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Breathing	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Hand-held observations					
Reactivity on removal from the cage	1	0	0	0	0
	2	12	12	12	12
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
	6	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 6)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	10	60
Dose (mg/kg):		12	12	12	12
Number of Animals:		0	0	0	0
Hand-held observations	(Criteria)	12	12	12	12
Reactivity to handling	1	0	0	0	0
	2	12	12	12	12
	3	0	0	0	0
	4	0	0	0	0
Aggression	N	12	12	12	12
	P	0	0	0	0
Trauma	N	12	12	12	12
	P	0	0	0	0
Color of skin	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
Soiled fur	N	12	12	12	12
	P	0	0	0	0
Exophthalmos	N	12	12	12	12
	P	0	0	0	0
Palpebral closure	1	12	12	12	12
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
Color of conjunctiva	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0
Secretion	N	12	12	12	12
	1	0	0	0	0
	2	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 6)										
Items	Sex:	Test Substance:	Dose (mg/kg):	Number of Animals:	Male			Female		
					CCH	CCH	CCH	CCH	CCH	CCH
Hand-held observations										
Lacrimation	N	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0
Salivation	N	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0
Piloerection	N	12	12	12	12	12	12	12	12	17
	P	0	0	0	0	0	0	0	0	0
Pupil size	N	12	12	12	12	12	12	12	12	17
	1	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0
Open field observations										
Rearing	Mean	5.8	5.1	3.0	3.7	6.9	7.8	8.0	6.5	
	S.D.	4.5	3.7	2.4	4.0	3.3	3.9	3.9	4.3	
Arousal	1	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0
	3	12	12	12	12	17	12	12	17	17
	4	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0
Urination	N	11	11	11	12	15	11	12	15	
	P	1	1	1	0	2	1	0	2	

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 6)

Items	Sex:	Male		Female	
		CCH	CCH	CCH	CCH
Test Substance:		0	10	0	10
Dose (mg/kg):		12	12	12	12
Number of Animals:		12	12	12	12
Open field observations	(Criteria)				
Defecation	N	10	11	11	17
	P	2	1	1	0
Posture, body position	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Breathing	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
Co-ordination movement	N	12	12	12	17
	P	0	0	0	0
Gait	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0
	3	0	0	0	0
	4	0	0	0	0
	5	0	0	0	0
	6	0	0	0	0
	7	0	0	0	0
Tremor	N	12	12	12	17
	1	0	0	0	0
	2	0	0	0	0

See Annex 12.7 for details of criteria.

Table 7 Detailed Clinical Observations - Summary (Week 6)

Items	Sex:	Male			Female		
		CCH	CCH	CCH	CCH	CCH	CCH
Test Substance:		0	10	60	0	10	60
Dose (mg/kg):		12	12	12	12	12	12
Number of Animals:		12	12	12	17	12	17
Open field observations	(Criteria)						
Clonic convulsion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Tonic convulsion	N	12	12	12	17	12	17
	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
Stereotypy	N	12	12	12	17	12	17
	P	0	0	0	0	0	0
Bizarre behaviour	N	12	12	12	17	12	17
	P	0	0	0	0	0	0

See Annex 12.7 for details of criteria.

Table 8 Functional Tests - Summary (Week 6)

Items	Sex:	Male					Female									
		CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH	CCH					
Test Substance:		0	10	60	300	0	10	60	300	0	10	60	300			
Dose (mg/kg):		5	5	5	5	5	5	5	5	5	5	5	5			
Number of Animals:		0	0	0	0	0	0	0	0	0	0	0	0			
Sensory reactivity to stimuli	(Criteria)	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Approach response		0	5	0	0	0	0	4	1	0	0	0	5	0	0	0
		5	0	0	0	0	0	1	0	0	0	0	0	5	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Touch response		0	4	3	0	0	0	4	1	0	0	0	4	0	0	0
		4	1	2	0	0	0	1	4	0	0	0	5	5	0	0
		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Auditory response		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tail pinch response		0	5	4	0	0	0	5	0	0	0	0	5	0	0	0
		5	0	1	0	0	0	4	0	0	0	0	0	5	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Aerial righting reaction		5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Grip strength		1541.6	1278.8	1394.0	1244.6	1112.6	1080.4	1065.8	929.4	1065.8	1080.4	1065.8	929.4			
Forelimb grip strength	Mean (g)	136.4	83.8	241.3	195.8	198.9	199.1	106.2	178.9	198.9	199.1	106.2	178.9			
	S.D.	841.8	837.0	829.4	823.0	618.4	585.6	639.6	605.6	585.6	585.6	639.6	605.6			
Hindlimb grip strength	Mean (g)	25.7	65.0	53.8	92.3	84.3	33.3	124.7	92.4	84.3	33.3	124.7	92.4			
	S.D.	: *, P<0.05 ; **, P<0.01														

Significantly different from control
See Annex 12.7 for details of criteria.

Table 9 Motor Activity - Summary (Week 6)

Test Substance Dose (mg/kg)	Time: Unit:	Male										Total Count/1 hr
		0-10 min Count/10 min	10-20 min Count/10 min	20-30 min Count/10 min	30-40min Count/10 min	40-50min Count/10 min	50-60min Count/10 min					
CCH 0	Mean	2557.0	1507.2	680.4	493.6	383.4	414.6	6036.2				
	S.D.	575.4	927.3	559.3	948.5	762.9	811.4	4122.1				
	n	5	5	5	5	5	5	5	5	5	5	5
CCH 10	Mean	2142.0	1073.4	218.6	100.8	23.2	6.6	3564.6				
	S.D.	249.0	664.7	348.5	96.3	43.2	6.2	1054.5				
	n	5	5	5	5	5	5	5	5	5	5	5
CCH 60	Mean	2213.2	756.0	182.2	33.0	72.0	37.2	3293.6				
	S.D.	477	386.0	177.2	32.1	68.6	27.9	819.9				
	n	5	5	5	5	5	5	5	5	5	5	5
CCH 300	Mean	1987.2	608.6	112.0	26.8	92.2	30.6	2857.4				
	S.D.	449.8	532.1	91.9	28.2	101.5	29.3	955.7				
	n	5	5	5	5	5	5	5	5	5	5	5

Significantly different from control : *, P<0.05 ; **, P<0.01

Table 10 Motor Activity - Summary (Week 6)

Test Substance Dose (mg/kg)	Time: Unit:	Female										Total Count/1 hr
		0-10 min Count/10 min	10-20 min Count/10 min	20-30 min Count/10 min	30-40min Count/10 min	40-50min Count/10 min	50-60min Count/10 min					
CCH 0	Mean	756.6	186.0	56.0	45.4	10.8	15.4	1070.2				
	S. D.	721.2	374.9	35.4	28.5	11.5	15.8	1118.8				
	n	5	5	5	5	5	5	5				5
CCH 10	Mean	1538.6	924.0	819.4	348.0	830.8	475.4	4936.2				
	S. D.	502.4	623.6	1084.5	519.3	1118.3	430.9	3627.0				
	n	5	5	5	5	5	5	5				5
CCH 60	Mean	1127.6	452.0	65.4	259.4	312.2	464.4	2681.0				
	S. D.	482.4	600.7	42.6	444.4	499.8	781.3	1831.3				
	n	5	5	5	5	5	5	5				5
CCH 300	Mean	1459.2	562.8	243.4	380.4	9.6	26.8	2682.2				
	S. D.	512.3	756.7	406.3	745.7	13.3	36.4	1972.4				
	n	5	5	5	5	5	5	5				5

Significantly different from control : * , P<0.05 ; ** , P<0.01

Table 11 Body Weight - Summary

Test Substance Dose (mg/kg)	Day	Male									
		1	8	15	22	29	36	42	43	50	56
CGH 0	Mean	352.1	385.3	414.5	438.3	463.3	487.2	501.6	497.2	510.2	529.0
	S.D.	16.9	22.0	23.3	23.3	27.9	30.2	30.7	21.3	17.6	21.6
	n	12	12	12	12	12	12	12	5	5	5
CGH 10	Mean	348.3	383.3	415.4	445.3	471.8	495.3	513.3			
	S.D.	16.3	17.5	21.2	25.9	29.2	32.7	36.5			
	n	12	12	12	12	12	12	12			
CGH 60	Mean	350.7	380.3	410.4	435.7	462.9	488.3	504.6			
	S.D.	18.0	25.2	31.4	32.0	37.3	42.8	46.2			
	n	12	12	12	12	12	12	12			
CGH 300	Mean	349.8	373.0	399.1	417.8	440.1	459.4	473.3	482.8	506.4	535.4
	S.D.	13.9	20.9	25.7	27.2	29.7	30.6	32.2	38.9	39.7	47.5
	n	12	12	12	12	12	12	12	5	5	5

Significantly different from control : *, P<0.05; **, P<0.01.

Female

Table 12 Body Weight - Summary

Test Substance Dose (ug/kg)	Day 1			Day 8			Day 15		
	Mean	S.D.	n	Mean	S.D.	n	Mean	S.D.	n
CCH 0	215.0	8.8	17	230.2	9.6	17	245.7	14.6	17
	212.3	6.0	12	227.9	12.7	12	245.7	18.5	12
	212.5	10.3	12	228.4	9.5	12	241.2	14.9	12
CCH 10	211.9	8.9	17	225.5	9.9	17	234.7	11.3	17
	212.3	6.0	12	227.9	12.7	12	245.7	18.5	12
	212.5	10.3	12	228.4	9.5	12	241.2	14.9	12
CCH 60	211.9	8.9	17	225.5	9.9	17	234.7	11.3	17
	212.3	6.0	12	227.9	12.7	12	245.7	18.5	12
	212.5	10.3	12	228.4	9.5	12	241.2	14.9	12
CCH 300	211.9	8.9	17	225.5	9.9	17	234.7	11.3	17
	212.3	6.0	12	227.9	12.7	12	245.7	18.5	12
	212.5	10.3	12	228.4	9.5	12	241.2	14.9	12

Significantly different from control : *, P<0.05; **, P<0.01.

Table 13

Study No. B041794

Body Weight (FO Gestation) - Summary

Test Substance Dose (mg/kg)	/Day				Unit : g
	0	7	14	20	
CCH 0	Mean	253.8	295.6	332.8	414.8
	S.D.	17.3	19.9	23.7	31.1
	n	12	12	12	12
CCH 10	Mean	257.5	296.9	331.2	405.9
	S.D.	23.7	22.6	22.6	29.2
	n	12	12	12	12
CCH 60	Mean	251.9	294.8	334.6	417.0
	S.D.	21.9	17.7	16.8	25.2
	n	12	12	12	12
CCH 300	Mean	243.1	278.4	313.2	389.8
	S.D.	18.3	17.6	22.0	27.7
	n	12	12	12	12

Significantly different from control : *P<0.05; **P<0.01.

Table 14

Body Weight (F0 Lactation) - Summary

Unit : g

Test Substance Dose (mg/kg)	/Day		0	4
	Mean S.D. n	Mean S.D. n		
CCH 0	315.1	334.7	12	12
	27.1	23.0		
CCH 10	316.5	324.9	11	11
	19.3	23.8		
CCH 60	319.4	330.4	12	11
	20.3	16.4		
CCH 300	299.4	313.0	12	12
	20.1	22.8		

Significantly different from control : *, P<0.05; **, P<0.01.

Female #

Table 15 Body Weight - Summary

Test Substance Dose (mg/kg)	Day	Body Weight (g)					Female #	
		22	29	36	42	43		50
CCH 0	Mean	263.4	259.0	279.8	295.4	294.8	303.4	308.8
	S.D.	18.6	19.7	16.6	20.0	18.8	20.2	18.5
	n	5	5	5	5	5	5	5
CCH 300	Mean	246.6	254.0	255.0	275.8	275.8	291.8	306.2
	S.D.	9.3	8.1	6.0	7.0	6.9	9.6	11.1
	n	5	5	5	5	5	5	5

Significantly different from control : *P<0.05; **P<0.01.

#:Satellite animal

Table 16 Accumulative Body Weight Gain - Summary

Test Substance Dose(mg/kg)	Day	Male									
		1	8	15	22	29	36	42	48	50	56
CCH 0	Mean	0.0	33.2	62.4	86.3	111.3	135.1	149.5	151.4	164.4	183.2
	S.D.	0.0	10.0	11.1	10.7	13.8	17.0	17.6	15.1	10.7	11.0
	n	12	12	12	12	12	12	12	5	5	5
CCH 10	Mean	0.0	35.0	67.1	97.0	123.4	147.9	165.0			
	S.D.	0.0	6.6	11.5	16.1	19.1	22.4	26.3			
	n	12	12	12	12	12	12	12			
CCH 60	Mean	0.0	29.7	59.8	85.0	112.3	137.7	153.9			
	S.D.	0.0	9.2	16.3	18.4	24.5	28.7	31.5			
	n	12	12	12	12	12	12	12			
CCH 300	Mean	0.0	23.2*	49.3	67.3*	90.3*	109.6*	123.5*	130.0	153.6	182.6
	S.D.	0.0	10.2	15.8	17.3	20.8	21.3	22.0	19.7	19.7	27.9
	n	12	12	12	12	12	12	12	5	5	5

Significantly different from control : *, P<0.05; **, P<0.01.

Female

Table 17 Accumulative Body Weight Gain - Summary

Test Substance Dose (mg/kg)	Day	1			8			15		
		Mean	S.D.	n	Mean	S.D.	n	Mean	S.D.	n
CCH 0	Mean	0.0			15.2			30.7		
	S.D.	0.0			6.5			10.8		
	n	17			17			17		
CCH 10	Mean	0.0			15.7			33.4		
	S.D.	0.0			8.4			14.0		
	n	12			12			12		
CCH 60	Mean	0.0			15.9			28.7		
	S.D.	0.0			4.7			9.0		
	n	12			12			12		
CCH 300	Mean	0.0			13.6			22.8*		
	S.D.	0.0			6.8			6.2		
	n	17			17			17		

Significantly different from control : *, P<0.05; **, P<0.01.