

raccoon dog

Survey point's No.	Specimen collection site	Gender (M:Male F:Female)	Age (Age A:Adult Y:Young Jv:Juvenile)	Specimen	Lipid (%)	NO. SPEED'98 No.			object substance-1	object substance-2	data	unit
1	Hokkaido	M	A	Fat	70	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	5	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	6	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<4	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	44	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66		Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	5	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	9	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	6	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	41	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66		Styrene dimers and trimers	1e,3e,5a-Triphenylcyclohexane	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66		Styrene dimers and trimers	1e-phenyl-4e-(1-phenylethyl) tetralin	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66		Styrene dimers and trimers	1e-phenyl-4e-(1-phenylethyl) tetralin	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66		Styrene dimers and trimers	1e-phenyl-4e-(1-phenylethyl) tetralin	<4	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66		Styrene dimers and trimers	1e-phenyl-4e-(1-phenylethyl) tetralin	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66		Styrene dimers and trimers	1e-phenyl-4e-(1-phenylethyl) tetralin	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66		Styrene dimers and trimers	1e-phenyl-4e-(1-phenylethyl) tetralin	<4	ug/kg-wet

5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<4	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<20	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	6	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	20	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	7	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	18	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	58	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	17	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	242	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	Styrene trimers*	#REF!	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet

3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<20	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<20	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<20	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<4	ug/kg-wet

1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	4	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<8	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<70	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<20	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<20	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<20	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<20	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<4	ug/kg-wet
1	Hokkaido	M	A	Fat	70	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
2	Tokyo	M	A	Fat	73	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
3	Tokyo	M	A	Fat	79	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
4	Tokyo	F	A	Fat	84	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
5	Tokyo	F	A	Fat	65	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	28	66	Styrene dimers and trimers	Styrene dimers*	#REF!	ug/kg-wet
1	Hokkaido	M	A	Fat	70	27	-	-	Styrene monomer	48	ug/kg-wet
2	Tokyo	M	A	Fat	73	27	-	-	Styrene monomer	41	ug/kg-wet
3	Tokyo	M	A	Fat	79	27	-	-	Styrene monomer	20	ug/kg-wet
4	Tokyo	F	A	Fat	84	27	-	-	Styrene monomer	26	ug/kg-wet
5	Tokyo	F	A	Fat	65	27	-	-	Styrene monomer	22	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	27	-	-	Styrene monomer	42	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	27	-	-	Styrene monomer	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	27	-	-	Styrene monomer	18	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	27	-	-	Styrene monomer	39	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	27	-	-	Styrene monomer	240	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	27	-	-	Styrene monomer	12	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	27	-	-	Styrene monomer	11	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	27	-	-	Styrene monomer	<10	ug/kg-wet

14	Hyogo Pref.	F	Y	Fat, liver	89	27	-	-	Styrene monomer	<10	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	27	-	-	Styrene monomer	18	ug/kg-wet
1	Hokkaido	M	A	Fat	70	26	45	-	Di-2-ethylhexyl adipate	57,230	ug/kg-wet
2	Tokyo	M	A	Fat	73	26	45	-	Di-2-ethylhexyl adipate	<40	ug/kg-wet
3	Tokyo	M	A	Fat	79	26	45	-	Di-2-ethylhexyl adipate	<40	ug/kg-wet
4	Tokyo	F	A	Fat	84	26	45	-	Di-2-ethylhexyl adipate	<40	ug/kg-wet
5	Tokyo	F	A	Fat	65	26	45	-	Di-2-ethylhexyl adipate	3,170	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	26	45	-	Di-2-ethylhexyl adipate	<40	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	26	45	-	Di-2-ethylhexyl adipate	<40	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	26	45	-	Di-2-ethylhexyl adipate	410	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	26	45	-	Di-2-ethylhexyl adipate	<80	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	26	45	-	Di-2-ethylhexyl adipate	<640	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	26	45	-	Di-2-ethylhexyl adipate	<160	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	26	45	-	Di-2-ethylhexyl adipate	<180	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	26	45	-	Di-2-ethylhexyl adipate	<180	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	26	45	-	Di-2-ethylhexyl adipate	<200	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	26	45	-	Di-2-ethylhexyl adipate	4,960	ug/kg-wet
1	Hokkaido	M	A	Fat	70	25	42	-	Diethyl phthalate	<40	ug/kg-wet
2	Tokyo	M	A	Fat	73	25	42	-	Diethyl phthalate	<40	ug/kg-wet
3	Tokyo	M	A	Fat	79	25	42	-	Diethyl phthalate	<40	ug/kg-wet
4	Tokyo	F	A	Fat	84	25	42	-	Diethyl phthalate	<40	ug/kg-wet
5	Tokyo	F	A	Fat	65	25	42	-	Diethyl phthalate	<40	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	25	42	-	Diethyl phthalate	<40	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	25	42	-	Diethyl phthalate	<40	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	25	42	-	Diethyl phthalate	<40	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	25	42	-	Diethyl phthalate	<80	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	25	42	-	Diethyl phthalate	<640	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	25	42	-	Diethyl phthalate	<160	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	25	42	-	Diethyl phthalate	<180	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	25	42	-	Diethyl phthalate	<180	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	25	42	-	Diethyl phthalate	<200	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	25	42	-	Diethyl phthalate	<40	ug/kg-wet
1	Hokkaido	M	A	Fat	70	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
2	Tokyo	M	A	Fat	73	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
3	Tokyo	M	A	Fat	79	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
4	Tokyo	F	A	Fat	84	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
5	Tokyo	F	A	Fat	65	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	24	40	-	Di-n-butyl-phthalate	<200	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	24	40	-	Di-n-butyl-phthalate	<1,600	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	24	40	-	Di-n-butyl-phthalate	<400	ug/kg-wet

12	Hyogo Pref.	M	Y	Fat, liver	81	24	40	-	Di-n-butyl-phthalate	<450	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	24	40	-	Di-n-butyl-phthalate	<450	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	24	40	-	Di-n-butyl-phthalate	<500	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	24	40	-	Di-n-butyl-phthalate	<100	ug/kg-wet
1	Hokkaido	M	A	Fat	70	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
2	Tokyo	M	A	Fat	73	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
3	Tokyo	M	A	Fat	79	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
4	Tokyo	F	A	Fat	84	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
5	Tokyo	F	A	Fat	65	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	23	39	-	Butyl benzyl phthalate	<80	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	23	39	-	Butyl benzyl phthalate	<640	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	23	39	-	Butyl benzyl phthalate	<160	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	23	39	-	Butyl benzyl phthalate	<180	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	23	39	-	Butyl benzyl phthalate	<180	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	23	39	-	Butyl benzyl phthalate	<200	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	23	39	-	Butyl benzyl phthalate	<40	ug/kg-wet
1	Hokkaido	M	A	Fat	70	22	38	-	Di-(2-ethylhexyl) phthalate	363,000	ug/kg-wet
2	Tokyo	M	A	Fat	73	22	38	-	Di-(2-ethylhexyl) phthalate	<100	ug/kg-wet
3	Tokyo	M	A	Fat	79	22	38	-	Di-(2-ethylhexyl) phthalate	150	ug/kg-wet
4	Tokyo	F	A	Fat	84	22	38	-	Di-(2-ethylhexyl) phthalate	380	ug/kg-wet
5	Tokyo	F	A	Fat	65	22	38	-	Di-(2-ethylhexyl) phthalate	66,100	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	22	38	-	Di-(2-ethylhexyl) phthalate	5,050	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	22	38	-	Di-(2-ethylhexyl) phthalate	<200	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	22	38	-	Di-(2-ethylhexyl) phthalate	6,400	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	22	38	-	Di-(2-ethylhexyl) phthalate	800	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	22	38	-	Di-(2-ethylhexyl) phthalate	7,490	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	22	38	-	Di-(2-ethylhexyl) phthalate	<400	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	22	38	-	Di-(2-ethylhexyl) phthalate	24,900	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	22	38	-	Di-(2-ethylhexyl) phthalate	<450	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	22	38	-	Di-(2-ethylhexyl) phthalate	<500	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	22	38	-	Di-(2-ethylhexyl) phthalate	71,700	ug/kg-wet
1	Hokkaido	M	A	Fat	70	21	37	-	Bisphenol A	<20	ug/kg-wet
2	Tokyo	M	A	Fat	73	21	37	-	Bisphenol A	<20	ug/kg-wet
3	Tokyo	M	A	Fat	79	21	37	-	Bisphenol A	<20	ug/kg-wet
4	Tokyo	F	A	Fat	84	21	37	-	Bisphenol A	<20	ug/kg-wet
5	Tokyo	F	A	Fat	65	21	37	-	Bisphenol A	<20	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	21	37	-	Bisphenol A	<20	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	21	37	-	Bisphenol A	<20	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	21	37	-	Bisphenol A	<20	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	21	37	-	Bisphenol A	<40	ug/kg-wet

10	Gifu Pref.	F	A	Fat, liver	44	21	37	-	Bisphenol A	<320	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	21	37	-	Bisphenol A	<80	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	21	37	-	Bisphenol A	<100	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	21	37	-	Bisphenol A	<100	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	21	37	-	Bisphenol A	<100	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	21	37	-	Bisphenol A	<20	ug/kg-wet
1	Hokkaido	M	A	Fat	70	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
2	Tokyo	M	A	Fat	73	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
3	Tokyo	M	A	Fat	79	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
4	Tokyo	F	A	Fat	84	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
5	Tokyo	F	A	Fat	65	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	20	36	Alkyl pheneol	4 - n-Octyl phenol	<2.5	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	20	36	Alkyl pheneol	4 - n-Octyl phenol	<7	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	20	36	Alkyl pheneol	4 - n-Octyl phenol	<2	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	20	36	Alkyl pheneol	4 - n-Octyl phenol	<2.5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	20	36	Alkyl pheneol	4 - n-Octyl phenol	<2.5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	20	36	Alkyl pheneol	4 - n-Octyl phenol	<1.5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	20	36	Alkyl pheneol	4 - t-Octyl phenol	37	ug/kg-wet
2	Tokyo	M	A	Fat	73	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
3	Tokyo	M	A	Fat	79	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
4	Tokyo	F	A	Fat	84	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
5	Tokyo	F	A	Fat	65	20	36	Alkyl pheneol	4 - t-Octyl phenol	2.4	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	20	36	Alkyl pheneol	4 - t-Octyl phenol	3.4	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	20	36	Alkyl pheneol	4 - t-Octyl phenol	1.5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	20	36	Alkyl pheneol	4 - t-Octyl phenol	1.8	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	20	36	Alkyl pheneol	4 - t-Octyl phenol	3.2	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	20	36	Alkyl pheneol	4 - t-Octyl phenol	<1.5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	20	36	Alkyl pheneol	Nonyl phenol	255	ug/kg-wet
2	Tokyo	M	A	Fat	73	20	36	Alkyl pheneol	Nonyl phenol	37	ug/kg-wet
3	Tokyo	M	A	Fat	79	20	36	Alkyl pheneol	Nonyl phenol	53	ug/kg-wet
4	Tokyo	F	A	Fat	84	20	36	Alkyl pheneol	Nonyl phenol	94	ug/kg-wet
5	Tokyo	F	A	Fat	65	20	36	Alkyl pheneol	Nonyl phenol	62	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	20	36	Alkyl pheneol	Nonyl phenol	212	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	20	36	Alkyl pheneol	Nonyl phenol	<15	ug/kg-wet

8	Gifu Pref.	M	Y	liver	86	20	36	Alkyl pheneol	Nonyl phenol	104	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	20	36	Alkyl pheneol	Nonyl phenol	204	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	20	36	Alkyl pheneol	Nonyl phenol	2,000	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	20	36	Alkyl pheneol	Nonyl phenol	392	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	20	36	Alkyl pheneol	Nonyl phenol	41	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	20	36	Alkyl pheneol	Nonyl phenol	28	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	20	36	Alkyl pheneol	Nonyl phenol	57	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	20	36	Alkyl pheneol	Nonyl phenol	57	ug/kg-wet
1	Hokkaido	M	A	Fat	70	19	35	-	Trifluralin	<2	ug/kg-wet
2	Tokyo	M	A	Fat	73	19	35	-	Trifluralin	<2	ug/kg-wet
3	Tokyo	M	A	Fat	79	19	35	-	Trifluralin	<2	ug/kg-wet
4	Tokyo	F	A	Fat	84	19	35	-	Trifluralin	<2	ug/kg-wet
5	Tokyo	F	A	Fat	65	19	35	-	Trifluralin	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	19	35	-	Trifluralin	<2	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	19	35	-	Trifluralin	<5	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	19	35	-	Trifluralin	<2	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	19	35	-	Trifluralin	<2	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	19	35	-	Trifluralin	<50	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	19	35	-	Trifluralin	<2	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	19	35	-	Trifluralin	<2.5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	19	35	-	Trifluralin	<2.5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	19	35	-	Trifluralin	<2.5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	19	35	-	Trifluralin	<2	ug/kg-wet
1	Hokkaido	M	A	Fat	70	18	11	-	CAT (Simazine)	<2	ug/kg-wet
2	Tokyo	M	A	Fat	73	18	11	-	CAT (Simazine)	<2	ug/kg-wet
3	Tokyo	M	A	Fat	79	18	11	-	CAT (Simazine)	<2	ug/kg-wet
4	Tokyo	F	A	Fat	84	18	11	-	CAT (Simazine)	<2	ug/kg-wet
5	Tokyo	F	A	Fat	65	18	11	-	CAT (Simazine)	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	18	11	-	CAT (Simazine)	<2	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	18	11	-	CAT (Simazine)	<5	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	18	11	-	CAT (Simazine)	<2	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	18	11	-	CAT (Simazine)	<2	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	18	11	-	CAT (Simazine)	<50	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	18	11	-	CAT (Simazine)	<2	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	18	11	-	CAT (Simazine)	<2.5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	18	11	-	CAT (Simazine)	<2.5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	18	11	-	CAT (Simazine)	<2.5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	18	11	-	CAT (Simazine)	<2	ug/kg-wet
1	Hokkaido	M	A	Fat	70	17	9	-	Atrazine	<2	ug/kg-wet
2	Tokyo	M	A	Fat	73	17	9	-	Atrazine	<2	ug/kg-wet
3	Tokyo	M	A	Fat	79	17	9	-	Atrazine	<2	ug/kg-wet
4	Tokyo	F	A	Fat	84	17	9	-	Atrazine	<2	ug/kg-wet
5	Tokyo	F	A	Fat	65	17	9	-	Atrazine	<5	ug/kg-wet

6	Gifu Pref.	M	A	Fat	80	17	9	-	Atrazine	<2	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	17	9	-	Atrazine	<5	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	17	9	-	Atrazine	<2	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	17	9	-	Atrazine	<2	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	17	9	-	Atrazine	<50	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	17	9	-	Atrazine	<2	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	17	9	-	Atrazine	<2.5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	17	9	-	Atrazine	<2.5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	17	9	-	Atrazine	<2.5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	17	9	-	Atrazine	<2	ug/kg-wet
1	Hokkaido	M	A	Fat	70	16	-	-	Monobutyltin	<500	ug/kg-wet
2	Tokyo	M	A	Fat	73	16	-	-	Monobutyltin	<500	ug/kg-wet
3	Tokyo	M	A	Fat	79	16	-	-	Monobutyltin	<500	ug/kg-wet
4	Tokyo	F	A	Fat	84	16	-	-	Monobutyltin	<500	ug/kg-wet
5	Tokyo	F	A	Fat	65	16	-	-	Monobutyltin	<500	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	16	-	-	Monobutyltin	<500	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	16	-	-	Monobutyltin	<500	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	16	-	-	Monobutyltin	<2,000	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	16	-	-	Monobutyltin	<2,000	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	16	-	-	Monobutyltin	<2,000	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	16	-	-	Monobutyltin	<2,000	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	16	-	-	Monobutyltin	<2,000	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	16	-	-	Monobutyltin	<2,000	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	16	-	-	Monobutyltin	<500	ug/kg-wet
1	Hokkaido	M	A	Fat	70	15	-	-	Dibutyltin	<50	ug/kg-wet
2	Tokyo	M	A	Fat	73	15	-	-	Dibutyltin	<50	ug/kg-wet
3	Tokyo	M	A	Fat	79	15	-	-	Dibutyltin	<50	ug/kg-wet
4	Tokyo	F	A	Fat	84	15	-	-	Dibutyltin	<50	ug/kg-wet
5	Tokyo	F	A	Fat	65	15	-	-	Dibutyltin	<50	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	15	-	-	Dibutyltin	<50	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	15	-	-	Dibutyltin	<50	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	15	-	-	Dibutyltin	<1,000	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	15	-	-	Dibutyltin	<1,000	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	15	-	-	Dibutyltin	<1,000	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	15	-	-	Dibutyltin	<1,000	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	15	-	-	Dibutyltin	<1,000	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	15	-	-	Dibutyltin	<1,000	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	15	-	-	Dibutyltin	<50	ug/kg-wet
1	Hokkaido	M	A	Fat	70	14	34	-	Triphenyltin	<50	ug/kg-wet
2	Tokyo	M	A	Fat	73	14	34	-	Triphenyltin	<50	ug/kg-wet
3	Tokyo	M	A	Fat	79	14	34	-	Triphenyltin	<50	ug/kg-wet

4	Tokyo	F	A	Fat	84	14	34	-	Triphenyltin	<50	ug/kg-wet
5	Tokyo	F	A	Fat	65	14	34	-	Triphenyltin	<50	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	14	34	-	Triphenyltin	<50	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	14	34	-	Triphenyltin	<200	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	14	34	-	Triphenyltin	<50	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	14	34	-	Triphenyltin	<200	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	14	34	-	Triphenyltin	<200	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	14	34	-	Triphenyltin	<200	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	14	34	-	Triphenyltin	<200	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	14	34	-	Triphenyltin	<200	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	14	34	-	Triphenyltin	<200	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	14	34	-	Triphenyltin	<50	ug/kg-wet
1	Hokkaido	M	A	Fat	70	13	33	-	Tributyltin	<50	ug/kg-wet
2	Tokyo	M	A	Fat	73	13	33	-	Tributyltin	<50	ug/kg-wet
3	Tokyo	M	A	Fat	79	13	33	-	Tributyltin	<50	ug/kg-wet
4	Tokyo	F	A	Fat	84	13	33	-	Tributyltin	<50	ug/kg-wet
5	Tokyo	F	A	Fat	65	13	33	-	Tributyltin	<50	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	13	33	-	Tributyltin	<50	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	13	33	-	Tributyltin	<200	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	13	33	-	Tributyltin	<50	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	13	33	-	Tributyltin	<200	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	13	33	-	Tributyltin	<200	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	13	33	-	Tributyltin	<200	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	13	33	-	Tributyltin	<200	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	13	33	-	Tributyltin	<200	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	13	33	-	Tributyltin	<200	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	13	33	-	Tributyltin	<50	ug/kg-wet
1	Hokkaido	M	A	Fat	70	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	12	43	-	Benzo(a)pyrene	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	11	26	-	Heotachlor epoxide	17	ug/kg-wet

2	Tokyo	M	A	Fat	73	11	26	-	Heotachlor epoxide	23	ug/kg-wet
3	Tokyo	M	A	Fat	79	11	26	-	Heotachlor epoxide	10	ug/kg-wet
4	Tokyo	F	A	Fat	84	11	26	-	Heotachlor epoxide	19	ug/kg-wet
5	Tokyo	F	A	Fat	65	11	26	-	Heotachlor epoxide	23	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	11	26	-	Heotachlor epoxide	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	11	26	-	Heotachlor epoxide	6	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	11	26	-	Heotachlor epoxide	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	11	26	-	Heotachlor epoxide	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	11	26	-	Heotachlor epoxide	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	11	26	-	Heotachlor epoxide	17	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	11	26	-	Heotachlor epoxide	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	11	26	-	Heotachlor epoxide	7	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	11	26	-	Heotachlor epoxide	12	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	11	26	-	Heotachlor epoxide	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	10	25	-	Heptachlor	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	10	25	-	Heptachlor	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	10	25	-	Heptachlor	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	10	25	-	Heptachlor	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	10	25	-	Heptachlor	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	10	25	-	Heptachlor	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	10	25	-	Heptachlor	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	10	25	-	Heptachlor	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	10	25	-	Heptachlor	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	10	25	-	Heptachlor	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	10	25	-	Heptachlor	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	10	25	-	Heptachlor	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	10	25	-	Heptachlor	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	10	25	-	Heptachlor	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	10	25	-	Heptachlor	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	9	23	-	Dieldrin	14	ug/kg-wet
2	Tokyo	M	A	Fat	73	9	23	-	Dieldrin	17	ug/kg-wet
3	Tokyo	M	A	Fat	79	9	23	-	Dieldrin	12	ug/kg-wet
4	Tokyo	F	A	Fat	84	9	23	-	Dieldrin	16	ug/kg-wet
5	Tokyo	F	A	Fat	65	9	23	-	Dieldrin	29	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	9	23	-	Dieldrin	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	9	23	-	Dieldrin	15	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	9	23	-	Dieldrin	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	9	23	-	Dieldrin	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	9	23	-	Dieldrin	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	9	23	-	Dieldrin	6	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	9	23	-	Dieldrin	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	9	23	-	Dieldrin	9	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	9	23	-	Dieldrin	<5	ug/kg-wet

15	Kochi Pref.	F	Y	Fat	88	9	23	-	Dieldrin	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	8	19	DDE andDDD	p,p'-DDD	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	8	19	DDE andDDD	p,p'-DDD	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	8	19	DDE andDDD	p,p'-DDD	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	8	19	DDE andDDD	o,p'-DDD	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	8	19	DDE andDDD	o,p'-DDD	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	8	19	DDE andDDD	o,p'-DDD	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	8	19	DDE andDDD	p,p'-DDE	60	ug/kg-wet
2	Tokyo	M	A	Fat	73	8	19	DDE andDDD	p,p'-DDE	8	ug/kg-wet
3	Tokyo	M	A	Fat	79	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	8	19	DDE andDDD	p,p'-DDE	24	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	8	19	DDE andDDD	p,p'-DDE	5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	8	19	DDE andDDD	p,p'-DDE	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	8	19	DDE andDDD	p,p'-DDE	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	8	19	DDE andDDD	p,p'-DDE	12	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet

13	Hyogo Pref.	F	A	Fat, liver	85	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	8	19	DDE andDDD	p,p'-DDE	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	8	19	DDE andDDD	p,p'-DDE	8	ug/kg-wet
1	Hokkaido	M	A	Fat	70	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	8	19	DDE andDDD	o,p'-DDE	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	8	19	DDE andDDD	o,p'-DDE	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	8	19	DDE andDDD	o,p'-DDE	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	7	18	DDT	p,p'-DDT	7	ug/kg-wet
2	Tokyo	M	A	Fat	73	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	7	18	DDT	p,p'-DDT	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	7	18	DDT	p,p'-DDT	26	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	7	18	DDT	o,p'-DDT	<8	ug/kg-wet

11	Kyoto Pref.	F	A	Fat, liver	-	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	6	16	-	cis-Nonachlor	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	6	16	-	cis-Nonachlor	5	ug/kg-wet
3	Tokyo	M	A	Fat	79	6	16	-	cis-Nonachlor	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	6	16	-	cis-Nonachlor	6	ug/kg-wet
5	Tokyo	F	A	Fat	65	6	16	-	cis-Nonachlor	19	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	6	16	-	cis-Nonachlor	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	6	16	-	cis-Nonachlor	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	6	16	-	cis-Nonachlor	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	6	16	-	cis-Nonachlor	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	6	16	-	cis-Nonachlor	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	6	16	-	cis-Nonachlor	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	6	16	-	cis-Nonachlor	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	6	16	-	cis-Nonachlor	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	6	16	-	cis-Nonachlor	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	6	16	-	cis-Nonachlor	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	6	16	-	trans-Nonachlor	20	ug/kg-wet
2	Tokyo	M	A	Fat	73	6	16	-	trans-Nonachlor	87	ug/kg-wet
3	Tokyo	M	A	Fat	79	6	16	-	trans-Nonachlor	59	ug/kg-wet
4	Tokyo	F	A	Fat	84	6	16	-	trans-Nonachlor	101	ug/kg-wet
5	Tokyo	F	A	Fat	65	6	16	-	trans-Nonachlor	241	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	6	16	-	trans-Nonachlor	11	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	6	16	-	trans-Nonachlor	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	6	16	-	trans-Nonachlor	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	6	16	-	trans-Nonachlor	16	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	6	16	-	trans-Nonachlor	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	6	16	-	trans-Nonachlor	69	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	6	16	-	trans-Nonachlor	8	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	6	16	-	trans-Nonachlor	76	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	6	16	-	trans-Nonachlor	73	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	6	16	-	trans-Nonachlor	9	ug/kg-wet
1	Hokkaido	M	A	Fat	70	5	15	-	Oxychlordane	31	ug/kg-wet
2	Tokyo	M	A	Fat	73	5	15	-	Oxychlordane	97	ug/kg-wet
3	Tokyo	M	A	Fat	79	5	15	-	Oxychlordane	70	ug/kg-wet
4	Tokyo	F	A	Fat	84	5	15	-	Oxychlordane	160	ug/kg-wet
5	Tokyo	F	A	Fat	65	5	15	-	Oxychlordane	196	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	5	15	-	Oxychlordane	22	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	5	15	-	Oxychlordane	68	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	5	15	-	Oxychlordane	12	ug/kg-wet

9	Gifu Pref.	M	Jv	Fat, liver	75	5	15	-	Oxychlordane	23	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	5	15	-	Oxychlordane	13	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	5	15	-	Oxychlordane	42	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	5	15	-	Oxychlordane	19	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	5	15	-	Oxychlordane	108	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	5	15	-	Oxychlordane	115	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	5	15	-	Oxychlordane	13	ug/kg-wet
1	Hokkaido	M	A	Fat	70	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	4	14	Chlordane	trans-Chlordane	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	4	14	Chlordane	cis-Chlordane	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	3	12	Hexachlorocyclohexane	HCH total*	54	ug/kg-wet
2	Tokyo	M	A	Fat	73	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
3	Tokyo	M	A	Fat	79	3	12	Hexachlorocyclohexane	HCH total*	8	ug/kg-wet
4	Tokyo	F	A	Fat	84	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
5	Tokyo	F	A	Fat	65	3	12	Hexachlorocyclohexane	HCH total*	18	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet

7	Gifu Pref.	M	A	liver	5.1	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	3	12	Hexachlorocyclohexane	HCH total*	8	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	3	12	Hexachlorocyclohexane	HCH total*	37	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
1	Hokkaido	M	A	Fat	70	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	3	12	Hexachlorocyclohexane	-HCH	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	3	12	Hexachlorocyclohexane	-HCH	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	3	12	Hexachlorocyclohexane	-HCH	54	ug/kg-wet
2	Tokyo	M	A	Fat	73	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	3	12	Hexachlorocyclohexane	-HCH	8	ug/kg-wet
4	Tokyo	F	A	Fat	84	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet

5	Tokyo	F	A	Fat	65	3	12	Hexachlorocyclohexane	-HCH	18	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	3	12	Hexachlorocyclohexane	-HCH	8	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	3	12	Hexachlorocyclohexane	-HCH	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	3	12	Hexachlorocyclohexane	-HCH	37	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	3	12	Hexachlorocyclohexane	-HCH	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	2	4	-	Hexachlorobenzene (HCB)	24	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	2	4	-	Hexachlorobenzene (HCB)	<8	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	138	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	47	ug/kg-wet

3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	46	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	577	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	6	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	399	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	123	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	37	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	35	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<5	ug/kg-wet

1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	8	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Octachloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	31	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	12	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	60	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	85	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	19	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Heptachloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	68	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	31	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	28	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	223	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	6	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	218	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	58	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	26	ug/kg-wet

14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	22	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Hexachloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	39	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	16	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	6	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	178	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	77	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	46	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	6	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	8	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	90	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	11	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	26	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet

12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Dichlorobiphenyl	<5	ug/kg-wet
1	Hokkaido	M	A	Fat	70	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
2	Tokyo	M	A	Fat	73	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
3	Tokyo	M	A	Fat	79	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
4	Tokyo	F	A	Fat	84	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
5	Tokyo	F	A	Fat	65	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
6	Gifu Pref.	M	A	Fat	80	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
7	Gifu Pref.	M	A	liver	5.1	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<4	ug/kg-wet
8	Gifu Pref.	M	Y	liver	86	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
9	Gifu Pref.	M	Jv	Fat, liver	75	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
10	Gifu Pref.	F	A	Fat, liver	44	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<25	ug/kg-wet
11	Kyoto Pref.	F	A	Fat, liver	-	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
12	Hyogo Pref.	M	Y	Fat, liver	81	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
13	Hyogo Pref.	F	A	Fat, liver	85	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
14	Hyogo Pref.	F	Y	Fat, liver	89	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet
15	Kochi Pref.	F	Y	Fat	88	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<5	ug/kg-wet