

Wood mice database

Survey point's No.	Specimen collection site	Gender (M:Male, F:Female)	Age (A:Adult, Jv:Juvenile)	Specimen	Lipid (%)	No.	SPEED'98 No.	object substance-1	object substance-2	data	unit
1	Saitama Pref.	M	A	Whole body	5.0	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<8	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<20	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<8	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<8	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<8	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<20	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<8	μ g/kg-wet

30	Nagasaki Pref.	F	A	Whole body	2.7	28	66	Styrene dimers and trimers	1a-phenyl-4a-(1-phenylethyl) tetralin	<20	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<8	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	28	66	Styrene dimers and trimers	2,4,6-Triphenyl-1-hexane	<20	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	28	66	Styrene dimers and trimers	Styrene trimers*	0	μ g/kg-wet

4	Saitama Pref.	M&F	A	Whole body	2.2	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	28	66	Styrene dimers and trimers	Styrene dimers*	0	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	27	-	-	Styrene monomer	<4	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	27	-	-	Styrene monomer	<4	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	27	-	-	Styrene monomer	<8	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	27	-	-	Styrene monomer	<8	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	27	-	-	Styrene monomer	<8	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	27	-	-	Styrene monomer	<8	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	27	-	-	Styrene monomer	<8	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	27	-	-	Styrene monomer	22	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	27	-	-	Styrene monomer	19	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	27	-	-	Styrene monomer	30	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	27	-	-	Styrene monomer	10	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	27	-	-	Styrene monomer	15	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	27	-	-	Styrene monomer	<8	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	27	-	-	Styrene monomer	32	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	27	-	-	Styrene monomer	11	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	27	-	-	Styrene monomer	56	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	27	-	-	Styrene monomer	<4	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	27	-	-	Styrene monomer	<4	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	27	-	-	Styrene monomer	<8	μ g/kg-wet

20	Nagasaki Pref.	M	A	Whole body	1.9	27	-	-	Styrene monomer	<8	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	27	-	-	Styrene monomer	<4	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	27	-	-	Styrene monomer	<4	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	27	-	-	Styrene monomer	<4	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	27	-	-	Styrene monomer	<4	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	27	-	-	Styrene monomer	<4	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	27	-	-	Styrene monomer	<4	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	27	-	-	Styrene monomer	<8	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	27	-	-	Styrene monomer	<4	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	27	-	-	Styrene monomer	<4	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	27	-	-	Styrene monomer	<10	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	26	45	-	Di-2-ethylhexyl adipate	<160	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	26	45	-	Di-2-ethylhexyl adipate	<80	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	26	45	-	Di-2-ethylhexyl adipate	<200	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	25	42	-	Diethyl phthalate	<160	μ g/kg-wet

6	Saitama Pref.	F	A	Whole body	4.8	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	25	42	-	Diethyl phthalate	<160	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	25	42	-	Diethyl phthalate	<80	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	25	42	-	Diethyl phthalate	<200	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet

22	Nagasaki Pref.	M	A	Whole body	1.6	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	24	40	-	Di-n-butyl- phthalate	<400	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	24	40	-	Di-n-butyl- phthalate	<200	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	24	40	-	Di-n-butyl- phthalate	<500	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	23	39	-	Butyl benzyl phthalate	<160	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	23	39	-	Butyl benzyl phthalate	<80	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	23	39	-	Butyl benzyl phthalate	<200	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet

8	Fukui Pref.	M	A	Whole body	2.8	22	38	-	Di-(2-ethylhexyl) phthalate	310	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	22	38	-	Di-(2-ethylhexyl) phthalate	390	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	22	38	-	Di-(2-ethylhexyl) phthalate	<400	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	22	38	-	Di-(2-ethylhexyl) phthalate	<200	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	22	38	-	Di-(2-ethylhexyl) phthalate	<500	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	21	37	-	Bisphenol A	<40	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	21	37	-	Bisphenol A	<40	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	21	37	-	Bisphenol A	<80	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	21	37	-	Bisphenol A	<80	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	21	37	-	Bisphenol A	<80	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	21	37	-	Bisphenol A	<80	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	21	37	-	Bisphenol A	<80	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	21	37	-	Bisphenol A	<40	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	21	37	-	Bisphenol A	<80	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	21	37	-	Bisphenol A	<80	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	21	37	-	Bisphenol A	<40	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	21	37	-	Bisphenol A	<80	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	21	37	-	Bisphenol A	<80	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	21	37	-	Bisphenol A	42	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	21	37	-	Bisphenol A	<40	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	21	37	-	Bisphenol A	<80	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	21	37	-	Bisphenol A	<40	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	21	37	-	Bisphenol A	<40	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	21	37	-	Bisphenol A	<80	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	21	37	-	Bisphenol A	<80	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	21	37	-	Bisphenol A	<40	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	21	37	-	Bisphenol A	<40	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	21	37	-	Bisphenol A	<40	μ g/kg-wet

24	Nagasaki Pref.	F	A	Whole body	2.2	21	37	-	Bisphenol A	<40	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	21	37	-	Bisphenol A	<40	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	21	37	-	Bisphenol A	<40	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	21	37	-	Bisphenol A	<80	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	21	37	-	Bisphenol A	<40	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	21	37	-	Bisphenol A	<40	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	21	37	-	Bisphenol A	<100	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	20	36	Alkyl phenol	4 - n-Octyl phenol	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.5	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.5	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	20	36	Alkyl phenol	4 - t-Octyl phenol	2.8	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	20	36	Alkyl phenol	4 - t-Octyl phenol	2.9	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	20	36	Alkyl phenol	4 - t-Octyl phenol	1.7	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	20	36	Alkyl phenol	4 - t-Octyl phenol	2.0	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	20	36	Alkyl phenol	4 - t-Octyl phenol	4.1	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	20	36	Alkyl phenol	4 - t-Octyl phenol	2.4	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	20	36	Alkyl phenol	4 - t-Octyl phenol	3.1	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	20	36	Alkyl phenol	4 - t-Octyl phenol	2.1	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	20	36	Alkyl phenol	4 - t-Octyl phenol	3.0	μ g/kg-wet

10	Fukui Pref.	M	A	Whole body	5.1	20	36	Alkyl phenol	4 - t-Octyl phenol	2.9	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	20	36	Alkyl phenol	4 - t-Octyl phenol	2.5	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	20	36	Alkyl phenol	4 - t-Octyl phenol	7.2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	20	36	Alkyl phenol	4 - t-Octyl phenol	1.8	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	20	36	Alkyl phenol	4 - t-Octyl phenol	2.4	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	20	36	Alkyl phenol	4 - t-Octyl phenol	4.2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	20	36	Alkyl phenol	4 - t-Octyl phenol	6.0	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	20	36	Alkyl phenol	4 - t-Octyl phenol	2.5	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	20	36	Alkyl phenol	4 - t-Octyl phenol	2.2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	20	36	Alkyl phenol	4 - t-Octyl phenol	1.6	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	20	36	Alkyl phenol	4 - t-Octyl phenol	1.5	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	20	36	Alkyl phenol	4 - t-Octyl phenol	1.8	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.5	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	20	36	Alkyl phenol	Nonyl phenol	42	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	20	36	Alkyl phenol	Nonyl phenol	45	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	20	36	Alkyl phenol	Nonyl phenol	61	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	20	36	Alkyl phenol	Nonyl phenol	65	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	20	36	Alkyl phenol	Nonyl phenol	70	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	20	36	Alkyl phenol	Nonyl phenol	49	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	20	36	Alkyl phenol	Nonyl phenol	99	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	20	36	Alkyl phenol	Nonyl phenol	52	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	20	36	Alkyl phenol	Nonyl phenol	99	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	20	36	Alkyl phenol	Nonyl phenol	78	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	20	36	Alkyl phenol	Nonyl phenol	32	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	20	36	Alkyl phenol	Nonyl phenol	150	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	20	36	Alkyl phenol	Nonyl phenol	70	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	20	36	Alkyl phenol	Nonyl phenol	71	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	20	36	Alkyl phenol	Nonyl phenol	35	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	20	36	Alkyl phenol	Nonyl phenol	94	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	20	36	Alkyl phenol	Nonyl phenol	16	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	20	36	Alkyl phenol	Nonyl phenol	131	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	20	36	Alkyl phenol	Nonyl phenol	15	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	20	36	Alkyl phenol	Nonyl phenol	20	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	20	36	Alkyl phenol	Nonyl phenol	190	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet

26	Nagasaki Pref.	F	A	Whole body	2.0	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	20	36	Alkyl phenol	Nonyl phenol	<15	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	20	36	Alkyl phenol	Nonyl phenol	16	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	19	35	-	Trifluralin	<1	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	19	35	-	Trifluralin	<1	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	19	35	-	Trifluralin	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	19	35	-	Trifluralin	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	19	35	-	Trifluralin	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	19	35	-	Trifluralin	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	19	35	-	Trifluralin	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	19	35	-	Trifluralin	<1	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	19	35	-	Trifluralin	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	19	35	-	Trifluralin	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	19	35	-	Trifluralin	<1	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	19	35	-	Trifluralin	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	19	35	-	Trifluralin	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	19	35	-	Trifluralin	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	19	35	-	Trifluralin	<1	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	19	35	-	Trifluralin	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	19	35	-	Trifluralin	<1	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	19	35	-	Trifluralin	<1	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	19	35	-	Trifluralin	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	19	35	-	Trifluralin	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	19	35	-	Trifluralin	<1	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	19	35	-	Trifluralin	<1	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	19	35	-	Trifluralin	<1	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	19	35	-	Trifluralin	<1	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	19	35	-	Trifluralin	<1	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	19	35	-	Trifluralin	<1	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	19	35	-	Trifluralin	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	19	35	-	Trifluralin	<1	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	19	35	-	Trifluralin	<1	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	19	35	-	Trifluralin	<2.5	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	18	11	-	CAT (Simazine)	<1	μ g/kg-wet

12	Fukui Pref.	M&F	A	Whole body	3.7	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	18	11	-	CAT (Simazine)	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	18	11	-	CAT (Simazine)	<1	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	18	11	-	CAT (Simazine)	<2.5	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	17	9	-	Atrazine	<1	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	17	9	-	Atrazine	<1	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	17	9	-	Atrazine	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	17	9	-	Atrazine	<1	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	17	9	-	Atrazine	<1	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	17	9	-	Atrazine	<1	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	17	9	-	Atrazine	<1	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	17	9	-	Atrazine	<1	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	17	9	-	Atrazine	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	17	9	-	Atrazine	<1	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	17	9	-	Atrazine	<1	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	17	9	-	Atrazine	<1	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	17	9	-	Atrazine	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	17	9	-	Atrazine	<1	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	17	9	-	Atrazine	<1	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	17	9	-	Atrazine	<2.5	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	17	9	-	Atrazine	<1	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	17	9	-	Atrazine	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	17	9	-	Atrazine	<1	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	17	9	-	Atrazine	<1	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	17	9	-	Atrazine	<1	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	17	9	-	Atrazine	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	17	9	-	Atrazine	<1	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	17	9	-	Atrazine	<1	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	17	9	-	Atrazine	<1	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	17	9	-	Atrazine	<1	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	17	9	-	Atrazine	<1	μ g/kg-wet

28	Nagasaki Pref.	F	A	Whole body	1.9	17	9	-	Atrazine	<2.5	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	17	9	-	Atrazine	<1	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	17	9	-	Atrazine	<2	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	16	-	-	Monobutyltin	<2,000	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	15	-	-	Dibutyltin	<1,000	μ g/kg-wet

14	Fukui Pref.	F	A	Whole body	3.6	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	15	-	-	Dibutyltin	<1,000	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	14	34	-	Triphenyltin	<200	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	14	34	-	Triphenyltin	<200	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	14	34	-	Triphenyltin	<200	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	14	34	-	Triphenyltin	<200	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	14	34	-	Triphenyltin	<200	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	14	34	-	Triphenyltin	<200	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	14	34	-	Triphenyltin	<200	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	14	34	-	Triphenyltin	<200	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	14	34	-	Triphenyltin	<200	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	14	34	-	Triphenyltin	<200	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	14	34	-	Triphenyltin	<200	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	14	34	-	Triphenyltin	<200	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	14	34	-	Triphenyltin	<200	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	14	34	-	Triphenyltin	<200	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	14	34	-	Triphenyltin	<200	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	14	34	-	Triphenyltin	<200	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	14	34	-	Triphenyltin	<200	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	14	34	-	Triphenyltin	<200	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	14	34	-	Triphenyltin	<200	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	14	34	-	Triphenyltin	<200	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	14	34	-	Triphenyltin	<200	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	14	34	-	Triphenyltin	<200	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	14	34	-	Triphenyltin	<200	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	14	34	-	Triphenyltin	<200	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	14	34	-	Triphenyltin	<200	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	14	34	-	Triphenyltin	<200	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	14	34	-	Triphenyltin	<200	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	14	34	-	Triphenyltin	<200	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	14	34	-	Triphenyltin	<200	μ g/kg-wet

30	Nagasaki Pref.	F	A	Whole body	2.7	14	34	-	Triphenyltin	<200	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	13	33	-	Tributyltin	<200	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	13	33	-	Tributyltin	<200	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	13	33	-	Tributyltin	<200	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	13	33	-	Tributyltin	<200	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	13	33	-	Tributyltin	<200	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	13	33	-	Tributyltin	<200	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	13	33	-	Tributyltin	<200	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	13	33	-	Tributyltin	<200	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	13	33	-	Tributyltin	<200	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	13	33	-	Tributyltin	<200	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	13	33	-	Tributyltin	<200	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	13	33	-	Tributyltin	<200	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	13	33	-	Tributyltin	<200	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	13	33	-	Tributyltin	<200	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	13	33	-	Tributyltin	<200	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	13	33	-	Tributyltin	<200	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	13	33	-	Tributyltin	<200	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	13	33	-	Tributyltin	<200	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	13	33	-	Tributyltin	<200	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	13	33	-	Tributyltin	<200	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	13	33	-	Tributyltin	<200	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	13	33	-	Tributyltin	<200	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	13	33	-	Tributyltin	<200	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	13	33	-	Tributyltin	<200	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	13	33	-	Tributyltin	<200	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	13	33	-	Tributyltin	<200	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	13	33	-	Tributyltin	<200	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	13	33	-	Tributyltin	<200	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	13	33	-	Tributyltin	<200	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	13	33	-	Tributyltin	<200	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet

16	Fukui Pref.	F	A	Whole body	3.7	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	12	43	-	Benzo(a)pyrene	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	12	43	-	Benzo(a)pyrene	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	11	26	Heptachlor epoxide		<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	11	26	Heptachlor epoxide		<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	11	26	Heptachlor epoxide		<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	11	26	Heptachlor epoxide		<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	11	26	Heptachlor epoxide		<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	11	26	Heptachlor epoxide		<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	11	26	Heptachlor epoxide		<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	11	26	Heptachlor epoxide		<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	11	26	Heptachlor epoxide		<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	11	26	Heptachlor epoxide		<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	11	26	Heptachlor epoxide		<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	11	26	Heptachlor epoxide		<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	11	26	Heptachlor epoxide		<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	11	26	Heptachlor epoxide		<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	11	26	Heptachlor epoxide		<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	11	26	Heptachlor epoxide		<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	11	26	Heptachlor epoxide		<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	11	26	Heptachlor epoxide		<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	11	26	Heptachlor epoxide		<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	11	26	Heptachlor epoxide		<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	11	26	Heptachlor epoxide		<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	11	26	Heptachlor epoxide		<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	11	26	Heptachlor epoxide		<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	11	26	Heptachlor epoxide		<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	11	26	Heptachlor epoxide		<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	11	26	Heptachlor epoxide		<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	11	26	Heptachlor epoxide		<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	11	26	Heptachlor epoxide		<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	11	26	Heptachlor epoxide		<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	11	26	Heptachlor epoxide		<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	10	25	-	Heptachlor	<2	μ g/kg-wet

2	Saitama Pref.	M	A	Whole body	5.5	10	25	-	Heptachlor	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	10	25	-	Heptachlor	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	10	25	-	Heptachlor	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	10	25	-	Heptachlor	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	10	25	-	Heptachlor	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	10	25	-	Heptachlor	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	10	25	-	Heptachlor	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	10	25	-	Heptachlor	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	10	25	-	Heptachlor	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	10	25	-	Heptachlor	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	10	25	-	Heptachlor	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	10	25	-	Heptachlor	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	10	25	-	Heptachlor	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	10	25	-	Heptachlor	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	10	25	-	Heptachlor	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	10	25	-	Heptachlor	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	10	25	-	Heptachlor	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	10	25	-	Heptachlor	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	10	25	-	Heptachlor	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	10	25	-	Heptachlor	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	10	25	-	Heptachlor	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	10	25	-	Heptachlor	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	10	25	-	Heptachlor	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	10	25	-	Heptachlor	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	10	25	-	Heptachlor	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	10	25	-	Heptachlor	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	10	25	-	Heptachlor	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	10	25	-	Heptachlor	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	10	25	-	Heptachlor	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	9	23	-	Dieldrin	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	9	23	-	Dieldrin	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	9	23	-	Dieldrin	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	9	23	-	Dieldrin	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	9	23	-	Dieldrin	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	9	23	-	Dieldrin	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	9	23	-	Dieldrin	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	9	23	-	Dieldrin	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	9	23	-	Dieldrin	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	9	23	-	Dieldrin	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	9	23	-	Dieldrin	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	9	23	-	Dieldrin	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	9	23	-	Dieldrin	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	9	23	-	Dieldrin	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	9	23	-	Dieldrin	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	9	23	-	Dieldrin	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	9	23	-	Dieldrin	<2	μ g/kg-wet

18	Nagasaki Pref.	M	A	Whole body	3.2	9	23	-	Dieldrin	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	9	23	-	Dieldrin	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	9	23	-	Dieldrin	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	9	23	-	Dieldrin	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	9	23	-	Dieldrin	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	9	23	-	Dieldrin	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	9	23	-	Dieldrin	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	9	23	-	Dieldrin	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	9	23	-	Dieldrin	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	9	23	-	Dieldrin	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	9	23	-	Dieldrin	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	9	23	-	Dieldrin	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	9	23	-	Dieldrin	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	8	19	DDE and DDD	p,p'-DDD	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	8	19	DDE and DDD	p,p'-DDD	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet

4	Saitama Pref.	M&F	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	8	19	DDE and DDD	o,p'-DDD	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	8	19	DDE and DDD	o,p'-DDD	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	8	19	DDE and DDD	p,p'-DDE	2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet

20	Nagasaki Pref.	M	A	Whole body	1.9	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	8	19	DDE and DDD	p,p'-DDE	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	8	19	DDE and DDD	p,p'-DDE	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	8	19	DDE and DDD	o,p'-DDE	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	8	19	DDE and DDD	o,p'-DDE	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet

6	Saitama Pref.	F	A	Whole body	4.8	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	7	18	DDT	p,p'-DDT	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	7	18	DDT	p,p'-DDT	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet

22	Nagasaki Pref.	M	A	Whole body	1.6	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	7	18	DDT	o,p'-DDT	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	7	18	DDT	o,p'-DDT	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	-	-	-	cis-Nonachlor	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	-	-	-	cis-Nonachlor	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	6	16	-	trans-Nonachlor	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	6	16	-	trans-Nonachlor	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	6	16	-	trans-Nonachlor	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	6	16	-	trans-Nonachlor	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	6	16	-	trans-Nonachlor	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	6	16	-	trans-Nonachlor	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	6	16	-	trans-Nonachlor	<2	μ g/kg-wet

8	Fukui Pref.	M	A	Whole body	2.8	6	16	-	trans-Nonachlor	<2	μg/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	6	16	-	trans-Nonachlor	<2	μg/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	6	16	-	trans-Nonachlor	<2	μg/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	6	16	-	trans-Nonachlor	<2	μg/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	6	16	-	trans-Nonachlor	<2	μg/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	6	16	-	trans-Nonachlor	<2	μg/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	6	16	-	trans-Nonachlor	<2	μg/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	6	16	-	trans-Nonachlor	<2	μg/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	6	16	-	trans-Nonachlor	<2	μg/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	6	16	-	trans-Nonachlor	<2	μg/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	6	16	-	trans-Nonachlor	<2	μg/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	6	16	-	trans-Nonachlor	<2	μg/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	6	16	-	trans-Nonachlor	<2	μg/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	6	16	-	trans-Nonachlor	<2	μg/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	6	16	-	trans-Nonachlor	<2	μg/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	6	16	-	trans-Nonachlor	<2	μg/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	6	16	-	trans-Nonachlor	<2	μg/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	6	16	-	trans-Nonachlor	<2	μg/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	6	16	-	trans-Nonachlor	<2	μg/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	6	16	-	trans-Nonachlor	<2	μg/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	6	16	-	trans-Nonachlor	<2	μg/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	6	16	-	trans-Nonachlor	<2	μg/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	6	16	-	trans-Nonachlor	<4	μg/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	5	15	-	Oxychlordane	<2	μg/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	5	15	-	Oxychlordane	<2	μg/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	5	15	-	Oxychlordane	<2	μg/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	5	15	-	Oxychlordane	<2	μg/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	5	15	-	Oxychlordane	<2	μg/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	5	15	-	Oxychlordane	<2	μg/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	5	15	-	Oxychlordane	<2	μg/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	5	15	-	Oxychlordane	<2	μg/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	5	15	-	Oxychlordane	<2	μg/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	5	15	-	Oxychlordane	<2	μg/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	5	15	-	Oxychlordane	<2	μg/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	5	15	-	Oxychlordane	<2	μg/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	5	15	-	Oxychlordane	<2	μg/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	5	15	-	Oxychlordane	<2	μg/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	5	15	-	Oxychlordane	<2	μg/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	5	15	-	Oxychlordane	<2	μg/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	5	15	-	Oxychlordane	<2	μg/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	5	15	-	Oxychlordane	<2	μg/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	5	15	-	Oxychlordane	<2	μg/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	5	15	-	Oxychlordane	<2	μg/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	5	15	-	Oxychlordane	<2	μg/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	5	15	-	Oxychlordane	<2	μg/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	5	15	-	Oxychlordane	<2	μg/kg-wet

24	Nagasaki Pref.	F	A	Whole body	2.2	5	15	-	Oxychlordane	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	5	15	-	Oxychlordane	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	5	15	-	Oxychlordane	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	5	15	-	Oxychlordane	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	5	15	-	Oxychlordane	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	5	15	-	Oxychlordane	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	5	15	-	Oxychlordane	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	4	14	Chlordane	trans-Chlordane	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	4	14	Chlordane	trans-Chlordane	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet

10	Fukui Pref.	M	A	Whole body	5.1	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	4	14	Chlordane	cis-Chlordane	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	4	14	Chlordane	cis-Chlordane	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	3	12	Hexachlorocyclohexane	HCH total*	0	μ g/kg-wet

28	Nagasaki Pref.	F	A	Whole body	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	3	12	Hexachlorocyclohexane	-HCH	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	3	12	Hexachlorocyclohexane	-HCH	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	3	12	Hexachlorocyclohexane	-HCH	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	2	4	Hexachlorobenzene (HCB)		<2	μ g/kg-wet

14	Fukui Pref.	F	A	Whole body	3.6	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	2	4	Hexachlorobenzene (HCB)	<2	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	2	4	Hexachlorobenzene (HCB)	<4	μ g/kg-wet
1	Saitama Pref.	M	A	Whole body	5.0	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
2	Saitama Pref.	M	A	Whole body	5.5	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
3	Saitama Pref.	M	A&Jv	Whole body	4.1	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
4	Saitama Pref.	M&F	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
5	Saitama Pref.	M&F	A&Jv	Whole body	2.5	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
6	Saitama Pref.	F	A	Whole body	4.8	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	1	2	Polychlorinated biphenyls (P CBs) PCB total*	0	μ g/kg-wet

6	Saitama Pref.	F	A	Whole body	4.8	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
7	Saitama Pref.	F	A	Whole body	2.5	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
8	Fukui Pref.	M	A	Whole body	2.8	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2	μ g/kg-wet
9	Fukui Pref.	M	A	Whole body	3.8	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
10	Fukui Pref.	M	A	Whole body	5.1	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
11	Fukui Pref.	M	A	Whole body	7.7	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2	μ g/kg-wet
12	Fukui Pref.	M&F	A	Whole body	3.7	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
13	Fukui Pref.	F	A	Whole body	2.6	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
14	Fukui Pref.	F	A	Whole body	3.6	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
15	Fukui Pref.	F	A	Whole body	4.4	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2	μ g/kg-wet
16	Fukui Pref.	F	A	Whole body	3.7	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<4	μ g/kg-wet
17	Nagasaki Pref.	M	A	Whole body	4.0	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
18	Nagasaki Pref.	M	A	Whole body	3.2	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
19	Nagasaki Pref.	M	A	Whole body	3.1	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<5	μ g/kg-wet
20	Nagasaki Pref.	M	A	Whole body	1.9	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<5	μ g/kg-wet
21	Nagasaki Pref.	M	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
22	Nagasaki Pref.	M	A	Whole body	1.6	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
23	Nagasaki Pref.	M	A	Whole body	2.4	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
24	Nagasaki Pref.	F	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
25	Nagasaki Pref.	F	A	Whole body	2.9	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
26	Nagasaki Pref.	F	A	Whole body	2.0	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
27	Nagasaki Pref.	F	A	Whole body	2.2	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<5	μ g/kg-wet
28	Nagasaki Pref.	F	A	Whole body	1.9	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
29	Nagasaki Pref.	F	A	Whole body	2.8	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<2.5	μ g/kg-wet
30	Nagasaki Pref.	F	A	Whole body	2.7	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<5	μ g/kg-wet