

# Appendix 2

## **Vegetation maps and Species lists of the nominated property**

2-1: Vegetation maps

2-2: Species lists

2-2-1. Vascular plants

2-2-2. Terrestrial mammals

2-2-3. Birds

2-2-4. Terrestrial reptiles

2-2-5. Amphibians

2-2-6. Inland water fishes

2-2-7. Insects

2-2-8. Inland water decapod crustaceans











## 2-1 Vegetation maps

### Legend




#### I Forest Vegetation

##### I.1 Natural forest


###### I.1.1 Evergreen broadleaved forest

-  01 *Lasiantho-Castanopsietum sieboldii* association
-  02 *Arisaemato heterocephali-Castanopsietum sieboldii* association
-  03 *Illicio anisati-Castanopsietum sieboldii* association
-  04 *Ainsliaeo okinawaensis-Pasanietum* association
-  05 *Adinandro yaeyamensis-Castanopsietum sieboldii* association
-  06 *Quercetum miyagii* association
-  07 *Myrsine seguinii -Symplocos confusa* community
-  08 *Garcinia subelliptica-Castanopsis sieboldii* community

###### I.1.2 Evergreen broadleaved forest on the coral limestone

-  09 *Fico microcarpae-Pongamietum pinnatae* association
-  10 *Quercus glauca* var. *amamiana* community
-  11 *Psychotrio manilensis-Diospyrion maritimae* alliance


###### I.1.3 *Livistona chinensis* var. *subglobosa* forest

-  12 *Livistona chinensis* var. *subglobosa* community


###### I.1.4 Scrub on the wind-exposed site

-  13 *Planchonello-Litsetum japonicae* association


###### I.1.5 Forest behind the coastal dune

-  14 *Hernandietum sonorae* association






###### I.1.6 Moist forest

-  15 *Barringtonietum racemosae/Heritieretum littoralis* association

###### I.1.7 Mangrove vegetation





-  16 Mangrove

###### I.1.8 Coastal scrub


-  17 *Messerschmidio-Scaevoletum taccadae* association
-  18 *Hibiscus tiliaceus* association
-  19 *Cycas revoluta* community
-  20 *Nypa fruticans* community
-  21 *Pandanion tectorii* alliance

## I.2 Secondary forest



### I.2.1 Secondary evergreen broadleaved forest

-  22 *Adinandro yaeyamensis*-*Castanopsietum sieboldii* association (Secondary forest)
-  23 *Tarenno*-*Castanopsietum sieboldii* association
-  24 *Psychotria rubra*-*Schima wallichii* community
-  25 *Psychotria manillensis*-*Cinnamomum japonicum* community


### I.2.2 Secondary evergreen coniferous forest

-  26 *Pinus luchuensis* community


### I.2.3 Secondary deciduous broadleaved forest

-  27 *Villebruno pedunculatae*-*Tremion orientalis* alliance (secondary forest)
-  28 *Cyathea lepifera* community








### I.2.4 Bamboo forest

-  29 *Pleioblastus linearis* community

### I.2.5 Alien secondary forest

-  30 *Leucaena leucocephala* community




## I.3 Planted forest

-  31 *Cryptomeria japonica*/*Chamaecyparis obtusa*/*Chamaecyparis pisifera* planted forest
-  32 *Calophyllum inophyllum* planted forest
-  33 *Alnus japonica* planted forest
-  34 *Acacia confusa* planted forest
-  35 *Casuarina* planted forest
-  36 *Bambusa glaucescens*/*Phyllostachys aurea* planted forest
-  37 Other planted forest




## II. Grassland Vegetation

### II.1 Natural grassland


#### II.1.1 Coastal cliff grassland

-  38 *Miscanthus sinensis* var. *condensatus* community
-  39 *Peucedanion japonici* alliance
-  40 Coastal cliff vegetation




#### II.1.2 Coastal dune grassland

-  41 *Ipomoea pes-caprae* community
-  42 *Ixerido*-*Thuareion involutae* alliance
-  43 Sand dune vegetation


#### II.1.3 Streamside vegetation


-  44 Streamside vegetation


#### II.1.4 Low moor community

-  45 *Phragmites karka* community
-  46 *Cladium chinense* community
-  47 Phragmitetea class


### II.1.5 Herbaceous community on the coral limestone

 48 *Crossostephium chinense* community

 49 *Zoysia pacifica* community


 50 Vegetation on raised coral reef


### II.1.6 Salt marsh vegetation


 51 Salt marsh vegetation

## II.2 Secondary grassland


### II.2.1 Secondary grassland

 52 *Imperata cylindrica*-*Miscanthus sinensis* community


 53 *Lygodio*-*Miscanthion sinensis* alliance

 54 *Arundo donax* community


### II.2.2 Herb or shrub community after clear cutting

 55 Herb or shrub community after clear cutting


### II.2.3 Liana community


 56 *Pueraria lobata* community

### II.2.4 Weed community in open area


 57 Weed community in open area


### II.2.5 Field weed community

 58 Field weed community

 59 Abandoned field weed community

### II.2.6 Weed community in paddy field


 60 Weed community in paddy field


 61 Weed community in abandoned paddy field


## II.3 Artificial grassland

 62 Artificial grassland

## III. Other land use classification etc.

 63 Orchard


 64 Tea plantation

 65 Park, cemetery, etc. with forest


 66 Residential area

 67 Urban area

 68 Factory zone


 69 Natural bareland

 70 Developed/reclaimed land

 71 Open water



2-1-1 (1). Vegetation map of Amami-Oshima Island (northern part)








2-1-1 (2). Vegetation map of Amami-Oshima Island (southern part)






2-1-2. Vegetation map of Tokunoshima Island






2-1-3. Vegetation map of northern part of Okinawa Island





2-1-4. Vegetation map of Iriomote Island







## **2-2 Species Lists**

2-2-1 Vascular plants

2-2-2 Terrestrial mammals

2-2-3 Birds

2-2-4 Terrestrial reptiles

2-2-5 Amphibians

2-2-6 Inland water fishes

2-2-7 Insects

2-2-8 Inland water decapod crustaceans



**2-2-1. Vascular plants of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island\*\*1  
(including subspecies, varieties, and hybrids)**

\*1: As for the National Endangered Species, species that require special attention in handling distribution information are excluded from this list.

\*2: As for Red List categories of IUCN, details are given on the last page.

\*3: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*4: SNM: Special National Monument, NM: Natural Monument

\*5: E: Endemic

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>PTERIDOPHYTA</b>											
<b>PSILOTALES</b>											
<b>PSILOTACEAE</b>		NT			●	●	●	●	●		
<i>Psilotum nudum</i>											
<b>LYCOPODIALES</b>											
<b>LYCOPODIACEAE</b>											
<i>Lycopodium cernuum</i>					●	●	●	●	●		
<i>Lycopodium clavatum</i>					●	●	●	●	●		
<i>Lycopodium cryptomerinum</i>		VU			●	●	●	●	●		
<i>Lycopodium hamiltonii</i>					●	●	●	●	●		
<i>Lycopodium laxum</i>		CR			●	●	●	●	●		
<i>Lycopodium phlegmaria</i>		EN			●	●	●	●	●		
<i>Lycopodium serratum</i>					●	●	●	●	●		
<i>Lycopodium serratum</i> var. <i>longipetiolatum</i>					●	●	●	●	●		
<i>Lycopodium sieboldii</i> var. <i>christensenianum</i>		CR			●	●	●	●	●		
<i>Lycopodium sieboldii</i> var. <i>sieboldii</i>		EN			●	●	●	●	●		
<b>SELAGINELLALES</b>											
<b>SELAGINELLACEAE</b>											

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukus <sup>5</sup>	Nominated Property	Ryukyu Islands				Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyu Is.	
<i>Selaginella biformis</i>		NT			●		●			
<i>Selaginella doederleinii</i>					●		●			
<i>Selaginella involvens</i>					●		●			
<i>Selaginella leptophylla</i>		VU			●					
<i>Selaginella limbata</i>		VU		E	●					
<i>Selaginella lutchuensis</i>					●		●			
<i>Selaginella moellendorffii</i>		VU			●					
<i>Selaginella remotifolia</i>					●		●			
<i>Selaginella tamariscina</i>					●		●			
<b>EQUISETALES</b>										
<b>EQUISETACEAE</b>										
<i>Equisetum ramosissimum</i>					●					
<b>OPHIOGLOSSALES</b>										
<b>OPHIOGLOSSACEAE</b>										
<i>Botrychium formosanum</i>		NT			●		●			
<i>Botrychium ternatum</i>					●					
<i>Helminthostachys zeylanica</i>		EN			●					
<i>Ophioglossum pendulum</i>		EN			●		●			
<i>Ophioglossum petiolatum</i>					●					
<i>Ophioglossum thermale</i>					●		●			
<b>MARATTIALES</b>										
<b>MARATTIACEAE</b>										
<i>Angiopteris lygodifolia</i>					●		●			
<i>Angiopteris palmiformis</i>					●		●			
<b>FILICALES</b>										
<b>OSMUNDACEAE</b>										
<i>Osmunda banksiifolia</i>					●		●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Osmunda japonica</i>					●	●					
<b>PLAGIOGYRIACEAE</b>											
<i>Plagiogyria adnata</i>					●			●	●		
<i>Plagiogyria adnata</i> var. <i>yakushimensis</i>					●						
<i>Plagiogyria adnata</i> x <i>Plagiogyria</i>					●						
<i>Plagiogyria euphlebia</i>					●						
<i>Plagiogyria japonica</i>					●						
<i>Plagiogyria japonica</i> var. <i>pseudo-japonica</i>					●						
<i>Plagiogyria pseudojaponica</i> x <i>Plagiogyria</i>					●						
<i>Plagiogyria</i> x <i>neointermedia</i>					●						
<i>Plagiogyria yakumonticola</i>					●						
<b>GLEICHENIACEAE</b>											
<i>Dicranopteris linearis</i>					●			●	●		
<i>Gleichenia japonica</i>					●			●	●		
<b>SCHIZAEACEAE</b>											
<i>Lygodium japonicum</i>					●			●			
<i>Lygodium japonicum</i> var. <i>microstachyum</i>					●			●			
<i>Lygodium microphyllum</i>	LC				●				●		
<i>Schizaea dichotoma</i>		EN			●			●			
<b>HYMENOPHYLLACEAE</b>											
<i>Cephalomanes apiifolium</i>		CR			●				●		MOEJ-RL: <i>Callistopteris apiifolia</i>
<i>Cephalomanes atrovirens</i>		CR			●				●		
<i>Cephalomanes javanicum</i> var. <i>asplenioides</i>					●			●			
<i>Cephalomanes obscurum</i>					●			●			
<i>Cephalomanes obscurum</i> var. <i>siamense</i>					●			●			
<i>Cephalomanes thysanostoma</i>					●				●		
<i>Crepidomanes auriculatum</i>					●			●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Crepidomanes bipunctatum</i>					●					●	
<i>Crepidomanes birmanicum</i>					●	●		●		●	
<i>Crepidomanes humile</i>					●					●	
<i>Crepidomanes kurzii</i>					●					●	
<i>Crepidomanes latealatum</i>		NT			●	●		●			MOEJ-RL: <i>Crepidomanes makinoi</i>
<i>Crepidomanes latemarginale</i>		NT			●					●	
<i>Crepidomanes riukiense</i>					●					●	
<i>Crepidomanes maximum</i>	LC	EN			●			●		●	
<i>Crepidomanes minutum</i>		EN			●	●		●		●	MOEJ-RL: <i>Vandenboschia maxima</i> MOEJ-RL: <i>Crepidomanes bonincola</i>
<i>Crepidomanes radicans</i> var. <i>naseanum</i>					●					●	
<i>Crepidomanes subclathratum</i>				E	●	?				●	?: Unverified information
<i>Hymenophyllum badium</i>					●						
<i>Hymenophyllum barbatum</i>					●	●		●			
<i>Hymenophyllum polyanthos</i>					●	●		●			
<i>Hymenophyllum riukiense</i>					●	●		●			
<i>Trichomanes motleyi</i>		VU			●					●	MOEJ-RL: <i>Didymoglossum motleyi</i>
<i>Trichomanes tahitense</i>					●			●		●	
<b>CYATHEACEAE</b>											
<i>Cyathea hancockii</i>					●						
<i>Cyathea lepifera</i>					●			●			
<i>Cyathea metteniana</i>					●			●		●	
<i>Cyathea podophylla</i>					●			●		●	
<i>Cyathea spinulosa</i>					●			●		●	
<i>Sphaeropteris lepifera</i>					●			●		●	
<b>DICKSONIACEAE</b>											
<i>Cibotium barometz</i>					●					●	
<b>DENNSTAEDTIACEAE</b>											

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Histiopteris incisa</i>					●	●		●	●		
<i>Hypolepis alpina</i>					●			●			
<i>Hypolepis punctata</i>					●			●			
<i>Microlepia hookeriana</i>		NT			●			●			
<i>Microlepia marginata</i>					●			●			
<i>Microlepia obtusiloba</i>		VU			●	●		●	●		MOEJ-RL: <i>Microlepia obtusiloba</i> var. <i>obtusiloba</i>
<i>Microlepia speluncae</i>		VU			●			●	●		
<i>Microlepia strigosa</i>					●			●	●		
<i>Microlepia substrigosa</i>		NT			●			●	●		
<i>Microlepia x bipinnata</i>					●			●			
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>					●			●	●		
<b>LINDSAEACEAE</b>											
<i>Lindsaea cambodgensis</i>		VU			●			●			?: Unverified information
<i>Lindsaea chienii</i>					●			●	●		
<i>Lindsaea chienii</i> var. <i>recedens</i>					●			●	●		
<i>Lindsaea ensifolia</i>		CR			●			●	●		
<i>Lindsaea heterophylla</i>		NT			●			●	●		
<i>Lindsaea javanensis</i>					●			●			
<i>Lindsaea lucida</i>					●			●	●		
<i>Lindsaea merrillii</i>					●			●	●		
<i>Lindsaea odorata</i> var. <i>japonica</i>					●			●	●		
<i>Lindsaea orbiculata</i>		NT			●			●	●		MOEJ-RL: <i>Lindsaea orbiculata</i> var. <i>orbiculata</i>
<i>Lindsaea orbiculata</i> var. <i>comimixta</i>					●			●	●		
<i>Lindsaea simulans</i>		EN			●			●	●		
<i>Odontosoria yaeyamensis</i>		CR		E	●			●	●		
<i>Sphenomenis biflora</i>					●			●	●		
<i>Sphenomenis chinensis</i>					●			●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Sphenomeris gracilis</i>				E	●					●	
<i>Sphenomeris intermedia</i>				E	●					●	
<i>Sphenomeris minutula</i>		CR		E	●	●					MOEJ-RL: <i>Odontosoria minutula</i>
<i>Tapeinidium pinnatum</i>					●		●			●	
<b>DAVALLIACEAE</b>											
<i>Davallia mariesii</i>					●					●	
<i>Pachypleuria repens</i>		VU			●					●	MOEJ-RL: <i>Humata repens</i>
<i>Pachypleuria trifoliata</i>					●					●	
<b>OLEANDRACEAE</b>											
<i>Arthropteris palisotii</i>		CR			●						
<i>Nephrolepis auriculata</i>					●					●	
<i>Nephrolepis auriculata</i> x <i>N. biserrata</i>					●					●	
<i>Nephrolepis biserrata</i>					●					●	
<i>Nephrolepis biserrata</i> x <i>N. hirsutula</i>					●					●	
<i>Nephrolepis hirsutula</i>					●					●	
<b>PARKERIACEAE</b>											
<i>Adiantum capillus-veneris</i>	LC				●	●				●	
<i>Adiantum diaphanum</i>		NT			●						
<i>Adiantum flabellulatum</i>					●					●	
<i>Coniogramme gracilis</i>		CR		E	●						
<b>VITTARIACEAE</b>											
<i>Antrophyum formosanum</i>		CR			●					●	
<i>Vittaria ensiformis</i>		VU			●					●	MOEJ-RL: <i>Haplopteris ensiformis</i>
<i>Vittaria flexuosa</i>					●						
<i>Vittaria zosterifolia</i>					●					●	
<b>PTERIDACEAE</b>											
<i>Acrostichum aureum</i>	LC	EN			●					●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Ceratopteris thalictroides</i>	LC				●	●	●	●	●		
<i>Onychium japonicum</i>					●	●	●	●	●		
<i>Pteris cadleri</i>		VU			●	●	●	●	●		
<i>Pteris dispar</i>					●	●	●	●	●		
<i>Pteris ensiformis</i>					●	●	●	●	●		
<i>Pteris fauriei</i>					●	●	●	●	●		
<i>Pteris formosana</i>		CR			●	●	●	●	●		
<i>Pteris grevilleana</i>		CR			●	●	●	●	●		
<i>Pteris multifida</i>					●	●	●	●	●		
<i>Pteris nipponica</i>					●	●	●	●	●		
<i>Pteris oshimensis</i>					●	●	●	●	●		
<i>Pteris ryukyuensis</i>					●	●	●	●	●		
<i>Pteris ryukyuensis</i> x <i>Pteris satsumana</i>					●	●	●	●	●		
<i>Pteris semipinnata</i>					●	●	●	●	●		
<i>Pteris vittata</i>	LC				●	●	●	●	●		
<i>Pteris wallichiana</i>					●	●	●	●	●		
<i>Pteris</i> x <i>namegatae</i>					●	●	●	●	●		
<b>ASPLENIACEAE</b>											
<i>Asplenium antiquum</i>		VU			●	●	●	●	●		
<i>Asplenium apogamum</i>		NT			●	●	●	●	●		MOEJ-RL: <i>Hymenasplenium apogamum</i>
<i>Asplenium australasicum</i>					●	●	●	●	●		
<i>Asplenium cataractarum</i>					●	●	●	●	●		
<i>Asplenium cheilosorum</i>					●	●	●	●	●		
<i>Asplenium excisum</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Hymenasplenium excisum</i>
<i>Asplenium filipes</i>					●	●	●	●	●		
<i>Asplenium hondoense</i>					●	●	●	●	●		
<i>Asplenium incisum</i>					●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Asplenium laserpititiform</i>					●					●	
<i>Asplenium nidus</i>		NT			●	●	●	●			
<i>Asplenium normale</i>					●	●	●	●			
<i>Asplenium oligophlebium</i>					●	●					
<i>Asplenium pekinense</i>					●	●	●				
<i>Asplenium ritoense</i>					●	●	●		●		
<i>Asplenium shikokianum</i>					●	●	●				
<i>Asplenium wilfordii</i>					●	●	●				
<i>Asplenium wrightii</i>					●	●	●		●		
<b>BLECHNACEAE</b>											
<i>Blechnum orientale</i>					●	●	●	●	●		
<i>Woodwardia harlandii</i>		VU			●	●	●	●	●		
<i>Woodwardia orientalis</i> var. <i>formosana</i>					●	●	●	●	●		
<b>LOMARIOPSIDACEAE</b>											
<i>Bolbitis appendiculata</i>	LC				●	●	●	●	●		
<i>Bolbitis heteroclita</i>					●	●	●	●	●		
<i>Bolbitis subcordata</i>					●	●	●	●	●		
<i>Bolbitis x laxireticulata</i>					●	●	●	●	●		
<i>Elaphoglossum yoshinagae</i>		VU			●	●	●	●			
<i>Lomaropsis leptocarpa</i>		CR			●	●	●	●	●		MOEJ-RL: <i>Lomaropsis spectabilis</i>
<b>DRYOPTERIDACEAE</b>											
<i>Arachniodes amabilis</i> var. <i>fimbriata</i>					●	●	●	●	●		
<i>Arachniodes amabilis</i> var. <i>yakusimensis</i>					●	●	●	●	●		
<i>Arachniodes aristata</i>					●	●	●	●			
<i>Arachniodes dimorphophylla</i>				E	●	●	●	●	●		
<i>Arachniodes sporadosora</i>					●	●	●	●	●		
<i>Arachniodes x clivorum</i>					●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Ctenitis eatoni</i>					●	●			●		
<i>Ctenitis eatoni</i> var. <i>iriomotensis</i>		VU		E	●				●		MOEJ-RL: <i>Ctenitis iriomotensis</i>
<i>Ctenitis subglandulosa</i>					●	●		●	●		
<i>Cyrtomium falcatum</i>					●	●		●	●		
<i>Dryopteris formosana</i>		NT			●	●					
<i>Dryopteris hasseltii</i>	EN				●			●			
<i>Dryopteris indusiata</i>					●			●			
<i>Dryopteris koidzumiana</i>					●	●		●	●		
<i>Dryopteris labordei</i>					●			●			
<i>Dryopteris labordei</i> var. <i>purpurascens</i>		CR			●			●			
<i>Dryopteris sordidipes</i>					●	●		●	●		
<i>Dryopteris sparsa</i>					●	●		●	●		
<i>Dryopteris sparsa</i> var. <i>ryukyuensis</i>					●	●		●	●		
<i>Dryopteris varia</i>					●	●		●	●		
<i>Dryopteris varia</i> var. <i>hikonensis</i>					●			●			
<i>Dryopters hayatae</i>					●			●			
<i>Dryopteris melanocarpa</i>					●			●			
<i>Hemigramma decurrens</i>					●			●			
<i>Polystichum formosanum</i>					●			●	●		
<i>Polystichum hancockii</i>					●			●	●		
<i>Polystichum hancockii</i> var. <i>yaeyamense</i>				E	●				●		
<i>Polystichum lepidocaulon</i>					●						
<i>Polystichum obae</i>				E	●						
<i>Tectaria decurrens</i>		CR			●			●	●		
<i>Tectaria devexa</i>					●			●	●		
<i>Tectaria phaeocaulis</i>					●			●	●		
<i>Tectaria simonsii</i>					●			●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Tectaria subtriphylla</i>					●					●	
<b>THELYPTERIDACEAE</b>											
<i>Pronephrium liukuense</i>					●			●		●	
<i>Pronephrium</i> x <i>pseudo-liukuense</i>					●			●		●	
<i>Stegnogramma griffithii</i> var. <i>wilfordii</i>					●			●		●	
<i>Stegnogramma gymnocarpa</i> ssp. <i>amabilis</i>		NT			●		●	●		●	
<i>Stegnogramma pozoi</i>					●			●		●	
<i>Thelypteris acuminata</i>					●		●	●		●	
<i>Thelypteris acuminata</i> var. <i>kuliangensis</i>					●		●	●		●	
<i>Thelypteris acuminata</i> x <i>T. parasitica</i>					●			●		●	
<i>Thelypteris angulariloba</i>					●			●		●	
<i>Thelypteris angustiflora</i>					●			●		●	
<i>Thelypteris angustiflora</i>					●			●		●	
<i>Thelypteris castanea</i>		VU			●		●	●		●	
<i>Thelypteris castanea</i>					●			●		●	
<i>Thelypteris cystopteroides</i>					●		●	●		●	
<i>Thelypteris decursive-pinnata</i>					●		●	●		●	
<i>Thelypteris decursive-pinnata</i>					●		●	●		●	
<i>Thelypteris dentata</i>					●		●	●		●	
<i>Thelypteris esquirolii</i> var. <i>esquirolii</i>					●		●	●		●	
<i>Thelypteris glanduligera</i>					●		●	●		●	
<i>Thelypteris interrupta</i>					●		●	●		●	
<i>Thelypteris laxa</i>					●		●	●		●	
<i>Thelypteris laxa</i>					●		●	●		●	
<i>Thelypteris liukuensis</i> x <i>T. triphylla</i>					●					●	
<i>Thelypteris parasitica</i>					●		●	●		●	
<i>Thelypteris simplex</i>					●		●	●		●	
<i>Thelypteris subaurita</i>					●		●	●		●	
<i>Thelypteris subpubescens</i>					●		●	●		●	
<i>Thelypteris taiwanensis</i>					●		●	●		●	
<i>Thelypteris torresiana</i> var. <i>calvata</i>					●		●	●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Thelypteris triphylla</i>					●	●	●	●	●	●	
<i>Thelypteris triphylla</i> var. <i>parishii</i>					●		●	●	●	●	
<i>Thelypteris truncata</i>					●		●	●	●	●	
<i>Thelypteris uraiensis</i>		EN			●						
<i>Thelypteris x insularis</i>					●	●	●				
<b>ATHYRIACEAE</b>											
<i>Acystopteris japonica</i>					●		●	●		●	
<i>Deparia petersenii</i>					●		●	●		●	
<i>Diplazium amamianum</i>				E	●						
<i>Diplazium chinense</i>					●	●					
<i>Diplazium crassiusculum</i>		NT			●					●	
<i>Diplazium dilatatum</i>					●	●				●	
<i>Diplazium dilatatum</i> var. <i>heterolepis</i>					●	●				●	
<i>Diplazium dilatatum</i> var. <i>uraiense</i>					●						
<i>Diplazium doederleinii</i>					●	●				●	
<i>Diplazium donianum</i>					●	●				●	
<i>Diplazium donianum</i> var. <i>aphanoneuron</i>					●	●				●	
<i>Diplazium hachijoense</i>					●	●				●	
<i>Diplazium incomptum</i>					●	●				●	
<i>Diplazium lobatum</i>					●	●				●	
<i>Diplazium mettenianum</i> var. <i>fauriei</i>					●	●				●	
<i>Diplazium mettenianum</i>					●	●				●	
<i>Diplazium petri</i>					●	●				●	
<i>Diplazium pullingeri</i>		NT			●	●				●	
<i>Diplazium subsinuatum</i>					●	●				●	
<i>Diplazium taiwanense</i>		VU			●	●				●	
<i>Diplazium tomitaroanum</i>					●	●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Diplazium virescens</i>					●	●		●	●		
<i>Diplazium virescens</i> var. <i>conterminum</i>					●	●		●	●		
<i>Diplazium virescens</i> var. <i>okinawaensis</i>		NT			●	●		●			
<i>Diplazium wichurae</i>					●		●				
<i>Diplazium x hutohanum</i>				E	●	●					
<i>Diplazium x kinsakubalense</i>				E	●						
<i>Diplazium yakumontanum</i>					●						
<i>Diplazium yaoshanense</i>					●						
<i>Hypodematum fordii</i>		CR			●						
<i>Lunathyrium petersenii</i> var. <i>itoana</i>					●	●					
<b>DIPTERIDACEAE</b>					●						
<i>Dipteris conjugata</i>									●		
<b>CHEIROPLEURACEAE</b>					●						
<i>Cheiropleuria bicuspis</i>					●	●			●		
<b>POLYPODIACEAE</b>					●						
<i>Colysis elliptica</i>					●						
<i>Colysis hermonitidea</i>		VU			●				●		
<i>Colysis pothifolia</i>					●		●		●		
<i>Colysis shintenensis</i>					●		●		●		
<i>Colysis wrightii</i>					●		●		●		
<i>Colysis x megalolepis</i>					●						
<i>Crypsinus hastatus</i>					●			●	●		
<i>Crypsinus hastatus</i> var. <i>longisquamatus</i>					●				●		
<i>Crypsinus yakushimensis</i>					●				●		
<i>Lemmaphyllum microphyllum</i>					●						
<i>Lemmaphyllum microphyllum</i> var. <i>obovatum</i>					●				●		
<i>Lepisorus onoei</i>					●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Lepisorus thunbergianus</i>					●	●	●	●	●		
<i>Lepisorus uchiyamae</i>					●	●			●		
<i>Loxogramme salicifolia</i>					●	●	●				
<i>Microsorium buergerianum</i>					●	●	●		●		
<i>Microsorium dilatatum</i>					●	●	●		●		
<i>Microsorium pteropus</i>					●				●		
<i>Microsorium rubidum</i>		EN			●				●		MOEJ-RL: <i>Phymatosorus nigrescens</i>
<i>Microsorium scolopendria</i>					●				●		
<i>Polypodium amamianum</i>		CR		E	●	●					MOEJ-RL: <i>Goniophlebium amamianum</i>
<i>Polypodium formosanum</i>					●				●		
<i>Pseudodrynaria coronans</i>		CR			●				●		MOEJ-RL: <i>Aglaomorpha coronans</i>
<i>Pyrosia linearifolia</i> var. <i>heterolepis</i>		CR			●						
<i>Pyrosia lingua</i>					●	●	●	●	●		
<b>GRAMMIDACEAE</b>											
<i>Grammitis dorsipila</i>		EN			●	●	●	●			
<i>Prosaptia kanashiroi</i>				E	●				●		
<b>MARSILEALES</b>											
<b>MARSILEACEAE</b>											
<i>Marsilea crenata</i>	LC	EN			●	●	●	●	●		
<i>Marsilea quadrifolia</i>	LC	VU			●	●	●	●	●		
<b>SALVINALES</b>											
<b>AZOLLACEAE</b>											
<i>Azolla imbricata</i>		EN			●				●		
<b>GYMNOSPERMAE</b>											
<b>CYCADALES</b>											
<b>CYCADACEAE</b>											
<i>Cycas revoluta</i>	LC				●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>CONIFERALES</b>											
<b>PINACEAE</b>											
<i>Pinus luchuensis</i>	LC			E	●	●	●	●	●	●	
<b>CUPRESSACEAE</b>											
<i>Juniperus taxifolia</i> var. <i>luchuensis</i>					●	●	●	●			
<b>PODOCARPACEAE</b>											
<i>Podocarpus macrophyllus</i>	LC				●	●	●	●	●	●	
<i>Podocarpus nagi</i>	NT				●	●	●	●	●	●	
<b>ANGIOSPERMAE</b>											
<b>MAGNOLIALES</b>											
<b>MAGNOLIACEAE</b>											
<i>Michelia compressa</i>					●			●	●	●	
<i>Michelia compressa</i> var. <i>cumingii</i>					●				●	●	
<b>ANNONACEAE</b>											
<i>Polyalthia liukiuensis</i>		CR			●				●	●	
<b>ILLICIAEAE</b>											
<i>Illicium anisatum</i> var. <i>tashirol</i>					●				●	●	
<i>Kadsura japonica</i>					●				●	●	
<b>TROCHODENDRACEAE</b>											
<i>Trochodendron aralioides</i>					●				●	●	
<b>LAURACEAE</b>											
<i>Beilschmiedia erythrophloia</i>		NT			●				●	●	
<i>Cassytha filiformis</i>					●				●	●	
<i>Cinnamomum camphora</i>					●				●	●	
<i>Cinnamomum daphnoides</i>		NT			●				●	●	
<i>Cinnamomum doederleinii</i>					●				●	●	
<i>Cinnamomum doederleinii</i> var.					●				●	●	
					●				●	●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Cinnamomum japonicum</i>	LR/nt				●	●	●	●	●	●	
<i>Cinnamomum sieboldii</i>		NT		E	●	●	●	●			
<i>Cinnamomum x takushii</i>					●						
<i>Lindera communis</i> var. <i>okinawensis</i>		VU			●	●	●	●	●	●	
<i>Litsea acuminata</i>					●	●	●	●			
<i>Litsea citriodora</i>					●	●	●	●			
<i>Litsea coreana</i>					●	●	●	●			
<i>Litsea japonica</i>					●	●	●	●			
<i>Machilus japonica</i>					●	●	●	●			
<i>Machilus thunbergii</i>					●	●	●	●			
<i>Neolitsea aciculata</i>					●	●	●	●			
<i>Neolitsea sericea</i>					●	●	●	●			
<i>Neolitsea sericea</i> var. <i>aurata</i>					●	●	●	●			
<b>HERNANDIACEAE</b>					●			●			
<i>Hernandia nymphaeifolia</i>											
<b>CHLORANTHACEAE</b>											
<i>Sarcandra glabra</i>		NT			●	●	●	●	●	●	
<i>Sarcandra glabra</i> f. <i>flava</i>					●			●			
<b>PIPERALES</b>											
<b>SAURURACEAE</b>											
<i>Saururus chinensis</i>					●			●		●	
<i>Peperomia japonica</i>					●			●		●	
<i>Peperomia japonica</i> f. <i>okinawensis</i>		EN			●			●		●	
<i>Piper kadzura</i>					●			●		●	
<b>ARISTOLOCHIALES</b>											
<b>ARISTOLOCHIACEAE</b>											
<i>Aristolochia debilis</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Aristolochia liukuensis</i>					●	●			●		
<i>Asarum celsum</i>	EN	EN		E	●						
<i>Asarum fudsinoi</i>	VU	VU		E	●						
<i>Asarum fudsinoi</i> var. <i>gigantea</i>	VU	(VU)*		E	●						*MOEJ-RL: <i>Asarum fudsinoi</i>
<i>Asarum fudsinoi</i> var. <i>yamma</i>	VU	(VU)*		E	●						*MOEJ-RL: <i>Asarum fudsinoi</i>
<i>Asarum gelasinum</i>				E	●				●		
<i>Asarum gusk</i>	CR	CR		E	●						
<i>Asarum hatsushimae</i>	EN	EN		E	●						
<i>Asarum lutchuense</i>	EN	EN		E	●						
<i>Asarum monodoriflorum</i>	CR	CR		E	●				●		
<i>Asarum nazeanum</i>	EN	EN		E	●						
<i>Asarum pellucidum</i>	CR	CR		E	●						
<i>Asarum simile</i>	VU	VU		E	●						
<i>Asarum tabatarum</i>	CR	CR		E	●						
<i>Asarum trinacriforme</i>	EN	EN		E	●						
<i>Asarum yaeyamense</i>		EN		E	●				●		
<i>Asarum leucosepalum</i>				E	●						
<b>RAFFLESIALES</b>											
<b>RAFFLESIACEAE</b>											
<i>Mitrasomon yamamotoi</i>					●				●		
<b>RANUNCULALES</b>											
<b>CERATOPHYLLACEAE</b>											
<i>Ceratophyllum demersum</i>	LC				●				●		
<b>RANUNCULACEAE</b>											
<i>Clematis chinensis</i>					●				●		
<i>Clematis grata</i> var. <i>ryukyuensis</i>				E	●				●		
<i>Clematis leschenaultiana</i>					●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Clematis meyeniana</i>					●	●	●	●	●	●	
<i>Clematis pierotii</i>					●						
<i>Clematis tashiroi</i>					●	●	●	●	●	●	
<i>Clematis terniflora</i> var. <i>robusta</i>					●	●	●	●	●	●	
<i>Ranunculus extorris</i> var. <i>lutchuensis</i>		CR		E	●	●	●	●	●	●	MOEJ-RL: <i>Ranunculus ternatus</i> var. <i>lutchuensis</i>
<i>Ranunculus sceleratus</i>					●	●	●	●	●	●	
<i>Ranunculus sieboldii</i>					●	●	●	●	●	●	
<i>Ranunculus silerifolius</i>					●	●	●	●	●	●	
<i>Thalictrum minus</i> var. <i>hypoleucum</i>					●						
<b>LARDIZABALACEAE</b>					●	●	●	●	●	●	
<i>Stauntonia hexaphylla</i>											
<b>MENISPERMACEAE</b>					●	●	●	●	●	●	
<i>Cocculus laurifolius</i>					●	●	●	●	●	●	
<i>Cocculus sarmentosus</i>		CR			●	●	●	●	●	●	MOEJ-RL: <i>Cocculus orbiculatus</i>
<i>Cocculus trilobus</i>					●	●	●	●	●	●	
<i>Paracyclea insularis</i>					●	●	●	●	●	●	
<i>Sinomenium acutum</i>					●	●	●	●	●	●	
<i>Stephania japonica</i>					●	●	●	●	●	●	
<i>Stephania japonica</i> var. <i>australis</i>					●	●	●	●	●	●	
<i>Stephania longa</i>					●	●	●	●	●	●	
<b>GUTTIFERALES</b>											
<b>ACTINIDIACEAE</b>					●	●	●	●	●	●	
<i>Actinidia rufa</i>					●	●	●	●	●	●	
<i>Saurauia roxburghii</i>					●	●	●	●	●	●	
<b>THEACEAE</b>					●	●	●	●	●	●	
<i>Adinandra nyukyuensis</i>				E	●	●	●	●	●	●	
<i>Adinandra yaeyamensis</i>				E	●	●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Camellia japonica</i>	LC				●	●	●	●	●	●	
<i>Camellia japonica</i> f. <i>leucanytha</i>					●	●					
<i>Camellia japonica</i> var. <i>macrocarpa</i>					●						
<i>Camellia lutchuensis</i>	LC			E	●	●	●	●	●	●	
<i>Camellia sasanqua</i>	LC				●	●	●	●	●	●	
<i>Cleyera japonica</i>					●	●	●	●	●	●	
<i>Cleyera japonica</i> var. <i>morii</i>					●	●	●	●	●	●	
<i>Eurya emarginata</i>					●	●	●	●	●	●	
<i>Eurya emarginata</i> var. <i>minutissima</i>		VU		E	●	●	●	●	●	●	MOEJ-RL: <i>Eurya minutissima</i>
<i>Eurya emarginata</i> var. <i>nyukyuensis</i>					●				●	●	
<i>Eurya japonica</i>					●	●	●	●	●	●	
<i>Eurya japonica</i> f. <i>australis</i>					●	●	●	●	●	●	
<i>Eurya osimensis</i>				E	●	●	●	●	●	●	
<i>Eurya osimensis</i> var. <i>kanehirae</i>				E	●	●	●	●	●	●	
<i>Eurya sakishimensis</i>				E	●	●	●	●	●	●	
<i>Eurya yaeyamensis</i>				E	●	●	●	●	●	●	
<i>Eurya zigzag</i>		CR		E	●	●	●	●	●	●	
<i>Schima wallichii</i>					●	●	●	●	●	●	
<i>Schima wallichii</i> ssp. <i>liukuensis</i>					●	●	●	●	●	●	
<i>Ternstroemia gymnanthera</i>					●	●	●	●	●	●	
<i>Tutcheria virgata</i>				E	●	●	●	●	●	●	
<b>GUTTIFERAE</b>					●	●	●	●	●	●	
<i>Calophyllum inophyllum</i>	LR/lc				●	A	●	●	●	●	
<i>Hypericum erectum</i>					●	●	●	●	●	●	
<i>Hypericum sampsonii</i>		EN			●	●	●	●	●	●	
<i>Sarothra japonica</i>					●	●	●	●	●	●	
<i>Sarothra laxa</i>					●	●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>ELATINACEAE</b>											
<i>Elatine triandra</i>	LC				●	●				●	
<b>MALVALES</b>											
<b>ELAEOCARPACEAE</b>											
<i>Elaeocarpus japonicus</i>					●		●			●	
<i>Elaeocarpus multiflorus</i>		EN			●					●	
<i>Elaeocarpus sylvestris</i> var. <i>ellipticus</i>					●		●			●	
<b>TILIACEAE</b>											
<i>Triumfetta procumbens</i>					●					●	
<i>Triumfetta rhomboidea</i>					●		●			●	
<i>Triumfetta japonica</i>					●						
<b>MALVACEAE</b>											
<i>Abutilon asiaticum</i>					●			●		●	
<i>Hibiscus hamabo</i>					●						
<i>Hibiscus makinoi</i>					●		●			●	
<i>Hibiscus tiliaceus</i>					●		●			●	
<i>Sida rhombifolia</i> ssp. <i>insularis</i>					●		●			●	
<i>Thespesia populnea</i>					●		●			●	
<i>Urena lobata</i> var. <i>tomentosa</i>					●		●			●	
<b>STERCULIACEAE</b>											
<i>Firmiana simplex</i>					●			●		●	
<i>Heritiera littoralis</i>	LC				●			●		●	
<i>Kleinhovia hospita</i>		DD			●					●	
<i>Melochia corchorifolia</i>					●		●				
<b>PAPAVERALES</b>											
<b>PAPAVERACEAE</b>											
<i>Corydalis heterocarpa</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Corydalis heterocarpa</i> var. <i>brachystyla</i>					●	●	●	●	●	●	
<i>Corydalis heterocarpa</i> var. <i>japonica</i>					●	●					
<i>Corydalis heterocarpa</i> var. <i>koidzumiana</i>					●	●	●				
<i>Corydalis incisa</i>					●		●	●			
<i>Corydalis tashiroi</i>					●	●	●	●	●		
<b>CAPPARIDACEAE</b>											
<i>Crataeva religiosa</i>					●	●	●	●	●		
<b>CRUCIFERAE</b>											
<i>Capsella bursa-pastoris</i>					●	●	●	●	●		
<i>Cardamine flexuosa</i>					●	●	●	●	●		
<i>Coronopus integrifolius</i>					●	●	●	●	●		
<i>Rorippa dubia</i>					●	●	●	●	●		
<i>Rorippa indica</i>					●	●	●	●	●		
<i>Rorippa islandica</i>	LC				●						
<b>VIOLALES</b>											
<b>FLACOURTIACEAE</b>											
<i>Idesia polycarpa</i>					●	●	●	●	●		
<i>Scolopia oldhamii</i>					●				●		
<i>Xylosma congestum</i>					●						
<b>VIOLACEAE</b>											
<i>Viola amamiana</i>	CR	CR		E	●	●	●	●	●		
<i>Viola betonicifolia</i> var. <i>oblongo-sagittata</i>					●	●	●	●	●		
<i>Viola diffusa</i>					●	●	●	●	●		
<i>Viola grypoceras</i>					●	●	●	●	●		
<i>Viola grypoceras</i> f. <i>albiflora</i>					●	●	●	●	●		
<i>Viola grypoceras</i> var. <i>exilis</i>					●	●	●	●	●		
<i>Viola iwagawai</i>				E	●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Viola mandshurica</i> var. <i>triangularis</i>					●	●					
<i>Viola pseudo</i>					●	●			●		
<i>Viola</i> sp.		CR		E	●		●				
<i>Viola tashiroi</i>				E	●				●		
<i>Viola tashiroi</i> f. <i>takushii</i>					●				●		
<b>STACHYURACEAE</b>					●						
<i>Stachyurus praecox</i> var. <i>lancifolia</i>					●		●				
<b>BEGONIACEAE</b>					●						
<i>Begonia fenicis</i>		VU			●				●		
<i>Begonia fimosana</i>		NT			●				●		
<b>CUCURBITALES</b>											
<b>CUCURBITACEAE</b>											
<i>Diplocyclos palmatus</i>					●				●		
<i>Gynostemma pentaphyllum</i>					●				●		
<i>Melothria liukuensis</i>					●				●		
<i>Melothria maderaspatana</i>					●				●		
<i>Trichosanthes boninensis</i>					●				●		
<i>Trichosanthes bracteata</i>		EN			●				●		
<i>Trichosanthes kirilowii</i> var. <i>japonica</i>					●				●		
<i>Trichosanthes miyagii</i>				E	●				●		
<i>Trichosanthes rostrata</i>					●				●		
<b>CARYOPHYLLALES</b>											
<b>NYCTAGINACEAE</b>											
<i>Pisonia aculeata</i>					●				●		
<i>Pisonia umbellifera</i>					●				●		
<b>MOLLUGINACEAE</b>											
<i>Mollugo pentaphylla</i>					●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>AIZOACEAE</b>					●	●	●	●	●	●	
<i>Tetragonia tetragonoides</i>					●						
<b>PORTULACACEAE</b>		VU		E	●	●	●	●	●	●	
<i>Portulaca okinawensis</i>					●						
<i>Portulaca oleracea</i>					●	A	A		●		
<b>CARYOPHYLLACEAE</b>					●				●		
<i>Arenaria serpyllifolia</i>					●	A			●		
<i>Cerastium holosteoides</i> var. <i>hallaisanense</i>					●	●	●				
<i>Dianthus kiusianus</i>					●	●	●				
<i>Sagina japonica</i>					●	●	●		●		
<i>Sagina maxima</i>					●	●	●				
<i>Silene firma</i> f. <i>pubescens</i>					●				●		
<i>Stellaria alsine</i> var. <i>undulata</i>					●	A	A		●		
<i>Stellaria aquatica</i>					●	A	A		●		
<i>Stellaria media</i> var. <i>procera</i>					●				●		
<b>CHENOPODIACEAE</b>					●				●		
<i>Atriplex maximowicziana</i>					●				●		
<i>Chenopodium virgatum</i>					●				●		
<i>Salsola komarovii</i>					●				●		
<i>Suaeda maritima</i>					●	A			●		
<b>AMARANTHACEAE</b>					●				●		
<i>Achyranthes aspera</i> var. <i>rubrofusca</i>					●				●		
<i>Achyranthes aspera</i>					●				●		
<i>Achyranthes bidentata</i>					●				●		
<i>Achyranthes bidentata</i> var. <i>hachijoensis</i>					●				●		
<i>Achyranthes bidentata</i> var. <i>tomentosa</i>					●				●		
<i>Deeringia polysperma</i>		CR			●				●		



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Ryukyus				Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus Iriomote Is.	
<i>Phloxerhus wrightii</i>					●	●	●	●	●	
<b>POLYGONALES</b>										
<b>POLYGONACEAE</b>										
<i>Antenoron filiforme</i>					●		●			
<i>Persicaria barbatum</i>					●		●		●	
<i>Persicaria chinensis</i>					●		●		●	
<i>Persicaria conspicua</i>					●		●		●	
<i>Persicaria conspicua</i> var. <i>lutchuense</i>				E	●					
<i>Persicaria dichotoma</i>	LC				●		●		●	
<i>Persicaria glabra</i>					●		●		●	
<i>Persicaria hastato-auriculata</i>					●		●		●	
<i>Persicaria hydropper</i>	LC				●		●		●	
<i>Persicaria japonica</i>					●		●		●	
<i>Persicaria longiseta</i>					●		●		●	
<i>Persicaria longiseta</i> f. <i>albiflorum</i>					●		●		●	
<i>Persicaria perfoliata</i>					●		●		●	
<i>Persicaria pubescens</i>	LC				●		●		●	
<i>Persicaria scabra</i>					●		●		●	
<i>Persicaria senticosa</i>					●		●		●	
<i>Persicaria tenellum</i> var. <i>kawagoeana</i>					●		●		●	
<i>Persicaria thunbergii</i>					●		●		●	
<i>Polygonum aviculare</i> var. <i>vegetum</i>					●		●		●	
<i>Polygonum hydropper</i> var. <i>filiforme</i>					●		●		●	
<i>Polygonum plebeium</i>	LC				●		●		●	
<i>Polygonum pubescens</i>	LC				●		●		●	
<i>Polygonum sterile</i>					●		●		●	
<i>Reynoutria japonica</i>					●		●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Reynoutria japonica</i> var. <i>amamiensis</i>				E	●	●					
<i>Rumex acetosa</i>					●						
<i>Rumex japonicus</i>					●	●	●	●	●		
<i>Rumex nipponicus</i>		VU			●		●	●			MOEJ-RL: <i>Rumex dentatus</i> subsp. <i>nipponicus</i>
<b>HAMAMELIDALES</b>											
<b>CRASSULACEAE</b>											
<i>Kalanchoe integra</i>		EW			●						MOEJ-RL: <i>Kalanchoe spatulata</i>
<i>Sedum bulbiferum</i>					●						
<i>Sedum formosanum</i>		NT			●	●	●	●	●		
<i>Sedum oyzifolium</i>					●						
<i>Sedum rosulatabulbosum</i>					●						
<i>Sedum uniflorum</i>					●	●	●	●	●		
<b>SAXIFRAGACEAE</b>											
<i>Cardiandra amamiokisimensis</i>	EN	EN		E	●						
<i>Cardiandra moellendorffii</i>		VU		E	●				●		
<i>Deutzia naseana</i>				E	●	●	●	●			
<i>Deutzia naseana</i> var. <i>macrantha</i>				E	●	●	●	●			
<i>Hydrangea chinensis</i>					●				●		
<i>Hydrangea kawagoeana</i>					●						
<i>Hydrangea liukuensis</i>		VU		E	●	●	●	●	●		
<i>Itea oldhamii</i>					●				●		
<i>Penthorum chinense</i>		NT			●						
<i>Pileostegia viburnoides</i>					●	●	●	●	●		
<b>PITTIOSPORACEAE</b>											
<i>Pittosporum tobira</i>					●	●	●	●	●		
<b>HAMAMELIDACEAE</b>											
<i>Distylium racemosum</i>					●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>SARRACENIALES</b>											
<b>DROSERACEAE</b>											
<i>Drosera peltata</i> var. <i>nipponica</i>		NT			●					●	
<i>Drosera spathulata</i>					●					●	
<b>ROSALES</b>											
<b>ROSACEAE</b>											
<i>Agrimonia pilosa</i> var. <i>japonica</i>					●					●	
<i>Duchesnea chrysantha</i>					●					●	
<i>Osteomeles anthyllifolia</i>		VU			●					●	MOEJ-RL: <i>Osteomeles anthyllifolia</i> var. <i>subrotunda</i>
<i>Photinia serrulata</i>		CR			●					●	MOEJ-RL: <i>Photinia serratifolia</i>
<i>Photinia wrightiana</i>		NT			●					●	
<i>Prunus zippeliana</i>					●					●	
<i>Rhaphiolepis indica</i> var. <i>liukuensis</i>				E	●					●	
<i>Rhaphiolepis indica</i> var. <i>umbellata</i>					●					●	
<i>Rosa bracteata</i>					●					●	
<i>Rosa wichuraiana</i>					●					●	
<i>Rosa wichuraiana</i> var. <i>glandulifera</i>					●					●	
<i>Rubus amamianus</i>				E	●					●	
<i>Rubus amamianus</i> var. <i>minor</i>		CR		E	●					●	
<i>Rubus amamianus</i> x <i>R. sieboldii</i>					●					●	
<i>Rubus croceacanthus</i> var. <i>maximowiczii</i>					●					●	
<i>Rubus grayanus</i>					●					●	
<i>Rubus nesiotis</i>					●					●	
<i>Rubus parvifolius</i>					●					●	
<i>Rubus parvifolius</i> var. <i>concolor</i>					●					●	
<i>Rubus rosaefolius</i> var. <i>formosanus</i>					●					●	
<i>Rubus sieboldii</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Rubus utchinensis</i>					●						
<i>Rubus x tawadanus</i>					●	●		●			
<b>LEGUMINOSAE</b>											
<i>Aeschynomene indica</i>	LC				●	●		●	●		
<i>Albizia julibrissin</i> var. <i>glabriflora</i>					●	●					
<i>Albizia kalkora</i>		EN			●	●					
<i>Albizia retusa</i>		EN			●	●					
<i>Alysicarpus vaginalis</i>					●	●		●	●		
<i>Atylosia scarabaeoides</i>					●	●		●	●		
<i>Bauhinia japonica</i>					●	●		●	●		
<i>Caesalpinia bonduc</i>					●	●		●	●		
<i>Caesalpinia crista</i>					●	●		●	●		
<i>Caesalpinia decapetala</i> var. <i>japonica</i>					●	●		●	●		
<i>Caesalpinia globulorum</i>					●	●		●	●		
<i>Canavalia cathartica</i>					●	●		●	●		
<i>Canavalia lineata</i>					●	●		●	●		
<i>Canavalia lineata</i> f. <i>albiflora</i>					●	●		●	●		
<i>Canavalia rosea</i>					●	●		●	●		
<i>Cassia mimosoides</i>		EN			●	●		●	●		
<i>Cassia mimosoides</i> ssp. <i>nomame</i>					●	●		●	●		
<i>Christia obcordata</i>					●	●		●	●		
<i>Crotalaria calycina</i>					●	●		●	●		
<i>Crotalaria linifolia</i>		CR			●	●		●	●		
<i>Crotalaria sessiliflora</i>		CR			●	●		●	●		MOEJ-RL: <i>Crotalaria montana</i> var. <i>angustifolia</i>
<i>Dalbergia candanensis</i>					●	●		●	●		
<i>Derris trifoliata</i>					●	●		●	●		
<i>Desmodium caudatum</i>					●	●		●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Desmodium gangeticum</i>					●					●	
<i>Desmodium heterocarpon</i>					●			●		●	
<i>Desmodium laxum</i>					●			●		●	
<i>Desmodium laxum</i>					●			●		●	
<i>Desmodium podocarpum</i>					●			●		●	
<i>Desmodium triflorum</i>					●			●		●	
<i>Desmodium umbellatum</i>					●			●		●	
<i>Dunbaria villosa</i>					●			●		●	
<i>Entada phaseoloides</i>		CR			●			●		●	MOEJ-RL: Entada torikinensis
<i>Euchresta formosana</i>		CR			●			●		●	
<i>Flemingia prostrata</i>					●					●	
<i>Galactia tashiroi</i>					●			●		●	
<i>Galactia tashiroi</i> f. <i>yaeyamensis</i>					●					●	
<i>Indigofera trifoliata</i>					●			●		●	
<i>Indigofera zollingeriana</i>					●					●	
<i>Intsia bijuga</i>	VU				●					●	
<i>Kummerowia striata</i>		CR			●			●		●	
<i>Lathyrus japonicus</i>					●			●		●	
<i>Lespedeza juncea</i> var. <i>serpens</i>					●			●		●	
<i>Lespedeza juncea</i> var. <i>subsessilis</i>	LC				●			●		●	
<i>Lespedeza pilosa</i>					●			●		●	
<i>Lotus australis</i>					●			●		●	
<i>Lotus corniculatus</i> var. <i>japonicus</i>					●			●		●	
<i>Maackia tashiroi</i>					●			●		●	
<i>Milletia japonica</i>					●			●		●	
<i>Mucuna macrocarpa</i>					●			●		●	
<i>Mucuna membranacea</i>					●			●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Ormocarpum cochinchinense</i>					●	●				●	
<i>Pithecellobium bigeminum</i>					●			●		●	
<i>Pongamia pinnata</i>	LC				●			●		●	
<i>Pueraria lobata</i>					●						
<i>Pueraria montana</i>					●			●		●	
<i>Pycnospora lutescens</i>					●					●	
<i>Rhynchosia minima</i>	LC				●			●		●	
<i>Rhynchosia volubilis</i>					●			●		●	
<i>Smithia ciliata</i>		DD			●			●		●	
<i>Sophora tomentosa</i>		EN			●			●		●	
<i>Thermopsis chinensis</i>					●					●	
<i>Utraria crinita</i>					●					●	
<i>Utraria lagopodioides</i>		EN			●					●	
<i>Vicia angustifolia</i> var. <i>segetalis</i>					●	A		●		●	
<i>Vicia hirsuta</i>					●	A		●		●	
<i>Vicia tetrasperma</i>					●	A		●		●	
<i>Vigna luteola</i>					●					●	
<i>Vigna marina</i>					●			●		●	
<i>Vigna reflexo-pilosa</i>					●			●		●	
<i>Vigna riukiensis</i>					●					●	
<i>Wisteria floribunda</i>					●					●	
<b>GERANIALES</b>											
<b>OXALIDACEAE</b>											
<i>Oxalis amamiana</i>		CR		E	●						MOEJ-RL: <i>Oxalis exilis</i>
<i>Oxalis corniculata</i>					●					●	
<b>GERANIACEAE</b>											
<i>Geranium nepalense</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>RUTALES</b>											
<b>RUTACEAE</b>											
<i>Citrus depressa</i>					●	●	●	●	●	●	
<i>Citrus tachibana</i>		NT			●				●		
<i>Euodia ailanthifolia</i>					●						
<i>Euodia glauca</i>					●	●	●	●	●		
<i>Glycosmis pentaphylla</i>					●						
<i>Melicope triphylla</i>					●						
<i>Murraya paniculata</i>					●	●	●	●	●		
<i>Skimmia japonica</i> var. <i>lutchuensis</i>				E	●	●					
<i>Toddalia asiatica</i>					●				●		
<i>Zanthoxylum ailanthoides</i>					●	●	●	●	●		
<i>Zanthoxylum amamiense</i>				E	●	●					
<i>Zanthoxylum armatum</i> var. <i>subtrifoliolatum</i>					●						
<i>Zanthoxylum beecheyanum</i>					●				●		
<i>Zanthoxylum nitidum</i>					●				●		
<i>Zanthoxylum scandens</i>					●				●		
<i>Zanthoxylum schinifolium</i> var. <i>okinawensis</i>		NT			●						
<b>SIMARUBACEAE</b>					●						
<i>Picrasma quassioides</i>					●	●	●	●	●		
<b>MELIACEAE</b>					●						
<i>Melia azedarach</i> var. <i>subtripinnata</i>					●	●	●	●	●		
<b>MALPIGHIACEAE</b>					●						
<i>Tristellateia australasicae</i>		NT			●				●		
<b>POLYGALACEAE</b>					●						
<i>Polygala chinensis</i>		CR			●	●	●	●	●		MOEJ-RL: <i>Polygala polifolia</i>
<i>Polygala japonica</i>					●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>SAPINDALES</b>											
<b>ANACARDIACEAE</b>											
<i>Rhus javanica</i>		CR			●				●		MOEJ-RL: <i>Rhus javanica</i> var. <i>javanica</i>
<i>Rhus javanica</i> var. <i>roxburgii</i>					●						
<i>Rhus succedanea</i>					●				●		
<b>ACERACEAE</b>											
<i>Acer amamianum</i>		CR		E	●						MOEJ-RL: <i>Acer amamiense</i>
<i>Acer insulare</i>				E	●						
<i>Acer oblongum</i> var. <i>itoanum</i>		VU		E	●			●			MOEJ-RL: <i>Acer oblongum</i> subsp. <i>itoanum</i>
<b>SAPINDACEAE</b>											
<i>Allophylus timorensis</i>					●				●		
<i>Dodonaea viscosa</i>					●			●	●		
<i>Sapindus mukorossi</i>					●			●	●		
<b>SABIACEAE</b>											
<i>Meliosma oldamii</i> var. <i>rhoifolia</i>				E	●			●	●		
<i>Meliosma rigida</i>					●			●	●		
<i>Meliosma squamulata</i>					●			●	●		
<b>CELASTRALES</b>											
<b>AQUIFOLIACEAE</b>											
<i>Ilex dimorphophylla</i>		CR		E	●			●			
<i>Ilex goshiensis</i>					●			●	●		
<i>Ilex integra</i>					●			●	●		
<i>Ilex integra</i> var. <i>brachypoda</i>					●			●	●		
<i>Ilex integra</i> var. <i>undulata</i>				E	●			●	●		
<i>Ilex ilikiuensis</i>	EN				●			●	●		
<i>Ilex macrocarpa</i>		CR			●			●	●		
<i>Ilex maximowicziana</i>					●			●	●		



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Ilex maximowicziana</i> var. <i>kanehirae</i>					●	●	●	●	●		
<i>Ilex rotunda</i>					●	●	●	●	●		
<i>Ilex warburgii</i>				E	●	●	●	●	●		
<b>CELASTRACEAE</b>											
<i>Celastrus kusanoi</i>					●	●	●	●	●		
<i>Celastrus kusanoi</i> var. <i>glaber</i>					●	●	●	●	●		
<i>Celastrus punctatus</i>					●	●	●	●	●		
<i>Euonymus chibae</i>		EN			●	●	●	●	●		
<i>Euonymus fortunei</i> var. <i>austroliukuensis</i>		VU		E	●	●	●	●	●		
<i>Euonymus fungosus</i>				E	●	●	●	●	●		
<i>Euonymus japonicus</i>					●	●	●	●	●		
<i>Euonymus lutchuensis</i>					●	●	●	●	●		
<i>Euonymus tanakae</i>					●	●	●	●	●		
<i>Euonymus tashiroi</i>					●	●	●	●	●		
<i>Euonymus trichocarpus</i>					●	●	●	●	●		
<i>Maytenus diversifolia</i>					●	●	●	●	●		
<i>Microtropis japonica</i>		NT			●	●	●	●	●		
<i>Microtropis japonica</i> var. <i>sakaguchiana</i>					●	●	●	●	●		
<b>STAPHYLEACEAE</b>											
<i>Euscaphis japonica</i>					●	●	●	●	●		
<i>Turpinia ternata</i>					●	●	●	●	●		
<b>ICACINACEAE</b>											
<i>Nothapodytes amamianus</i>		CR		E	●	●	●	●	●		
<i>Nothapodytes foetida</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Nothapodytes himimonianus</i>
<b>RHAMNALES</b>											
<b>RHAMNACEAE</b>											
<i>Berchemia lineata</i>					●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Berchemia racemosa</i> f. <i>stenosperma</i>				E	●	●	●	●	●	●	
<i>Colubrina asiatica</i>		EN			●				●	●	
<i>Paliurus ramosissimus</i>		VU			●				●	●	
<i>Rhamnella franguloides</i> var. <i>inaequilatera</i>		VU		E	●	●	●	●	●	●	
<i>Rhamnus liukuensis</i>					●	●	●	●	●	●	
<i>Sageretia theezans</i>					●	●	●	●	●	●	
<b>VITACEAE</b>											
<i>Ampelopsis brevipedunculata</i>					●				●	●	
<i>Ampelopsis brevipedunculata</i> var. <i>glabrifolia</i>					●	●	●	●	●	●	
<i>Cayratia japonica</i>					●	●	●	●	●	●	
<i>Cayratia tenuifolia</i>					●						
<i>Cayratia yoshimurai</i>					●	●	●	●	●	●	
<i>Parthenocissus heterophylla</i>					●	●	●	●	●	●	
<i>Tetragium liukuense</i>					●	●	●	●	●	●	
<i>Vitis ficifolia</i>					●	●	●	●	●	●	
<i>Vitis flexuosa</i>					●	●	●	●	●	●	
<b>OLEALES</b>											
<b>OLEACEAE</b>											
<i>Fraxinus floribunda</i>					●	●	●	●	●	●	
<i>Fraxinus griffithii</i>					●				●	●	
<i>Jasminum sinense</i>		VU		E	●	●	●	●	●	●	
<i>Ligustrum japonicum</i>					●	●	●	●	●	●	
<i>Ligustrum japonicum</i> var. <i>pubescens</i>					●	●	●	●	●	●	
<i>Ligustrum japonicum</i> var. <i>spathulatum</i>					●	●	●	●	●	●	
<i>Ligustrum liukuense</i>					●	●	●	●	●	●	
<i>Osmanthus heterophyllus</i> var. <i>iriomotensis</i>				E	●	●	●	●	●	●	
<i>Osmanthus insularis</i>					●	●	●	●	●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEU -RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Osmanthus marginatus</i>					●	●			●		
<i>Osmanthus okinawensis</i>		EN		E	●	●	●	●	●		MOEJ-RL: <i>Osmanthus insularis</i> var. <i>okinawensis</i>
<b>UMBELLIFLORAE</b>											
<b>CORNACEAE</b>											
<i>Aucuba japonica</i> var. <i>ovoides</i>					●	●					
<i>Benthamidia japonica</i>					●						
<i>Cornus yaeyamensis</i>		CR			●						
<i>Helwingia japonica</i> var. <i>liukuensis</i>		NT		E	●	●			●		MOEJ-RL: <i>Cornus kousa</i> var. <i>chinensis</i> MOEJ-RL: <i>Helwingia japonica</i> subsp. <i>liukuensis</i>
<b>ALANGIACEAE</b>											
<i>Alangium premmifolium</i>					●	●			●		
<b>UMBELLIFERAE</b>											
<i>Angelica japonica</i>					●	●			●		
<i>Angelica japonica</i> var. <i>hirsutiflora</i>					●				●		
<i>Centella asiatica</i>	LC				●	●			●		
<i>Cryptotaenia japonica</i>					●	●			●		
<i>Glehnia littoralis</i>					●	●			●		
<i>Hydrocotyle dichondroides</i>					●	●			●		
<i>Hydrocotyle javanica</i>	LC				●						
<i>Hydrocotyle maritima</i>					●						
<i>Hydrocotyle sibthorpioides</i>	LC				●	●			●		
<i>Hydrocotyle sibthorpioides</i> var. <i>tuberifera</i>					●				●		
<i>Oenanthe chinensis</i>					●						
<i>Oenanthe javanica</i>	LC				●	●			●		
<i>Peucedanum japonicum</i>					●						
<i>Peucedanum japonicum</i> var. <i>australis</i>					●	●			●		
<i>Sanicula chinensis</i>					●						
<i>Sanicula lamelligera</i>					●	●			●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Torilis japonica</i>					●	●	●	●	●		
<i>Torilis scabra</i>					●	●					
<b>ARALIACEAE</b>											
<i>Aralia elata</i>					●		●				
<i>Dendropanax trifidus</i>					●		●		●		
<i>Fatsia japonica</i> var. <i>liukiuensis</i>				E	●	●	●	●			
<i>Hedera rhombea</i>					●	●	●	●			
<i>Kalopanax septemlobus</i> var. <i>lutchuensis</i>					●	●	●	●	●		
<i>Schefflera octophylla</i>					●	●	●	●	●		
<b>ELAEAGNACEAE</b>											
<i>Elaeagnus glabra</i>					●	●	●	●	●		
<i>Elaeagnus liukiuensis</i>				E	●	●	●	●	●		
<i>Elaeagnus macrophylla</i>					●	●	●	●	●		
<i>Elaeagnus umbellata</i>					●	x	●				
<b>THYMELAEACEAE</b>											
<i>Daphne kiusiana</i>					●	●	●	●			
<i>Diplomorpha phymatoglossa</i>		CR		E	●	●	●	●			
<i>Wikstroemia retusa</i>					●				●		
<b>LYTHRACEAE</b>											
<i>Ammannia multiflora</i>	LC				●	●	●	●			
<i>Lagerstroemia subcostata</i>		NT			●	●	●	●			MOEJ-RL: <i>Lagerstroemia subcostata</i> var. <i>subcostata</i>
<i>Pemphis acidula</i>	LC				●	●	●	●	●		
<i>Rotala indica</i> var. <i>uliginosa</i>	LC				●	●	●	●	●		
<i>Rotala littorea</i>	LC	VU			●	●	●	●			MOEJ-RL: <i>Rotala rosea</i>
<i>Rotala pusilla</i>	LC	VU			●	●	●	●	●		MOEJ-RL: <i>Rotala mexicana</i>
<b>MYRTACEAE</b>											
<i>Syzygium buxifolium</i>					●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>SONNERATIACEAE</b>											
<i>Sonneratia alba</i>	LC	NT			●				●		
<b>LECYTHIDACEAE</b>											
<i>Barringtonia asiatica</i>	LR/lc	CR			●				●		
<i>Barringtonia racemosa</i>					●		●		●		
<b>MELASTOMATACEAE</b>											
<i>Blastus cochinchinensis</i>		VU			●						
<i>Bredia hirsuta</i>					●		●		●		
<i>Bredia okinawensis</i>		VU		E	●		●				
<i>Bredia yaeyamensis</i>				E	●						
<i>Melastoma candidum</i>					●		●		●		
<i>Osbeckia chinensis</i>		VU			●		●		●		
<b>RHIZOPHORACEAE</b>											
<i>Bruguiera gymnorhiza</i>	LC				●		●		●		
<i>Kandelia obovata</i>	LC				●		●		●		
<i>Rhizophora stylosa</i>	LC				●		●		●		
<b>COMBRETACEAE</b>											
<i>Lumnitzera racemosa</i>	LC	CR			●				●		
<i>Terminalia catappa</i>					●				●		
<i>Terminalia niteris</i>	VU	CR			●				●		
<b>ONAGRACEAE</b>											
<i>Ludwigia adscendens</i>		VU			●			●			
<i>Ludwigia epilobioides</i>					●			●			
<i>Ludwigia greatrexii</i>		NT			●			●			MOEJ-RL: <i>Ludwigia epilobioides</i> subsp. <i>greatrexii</i>
<i>Ludwigia octovalvis</i> var. <i>sessiliflora</i>	LC				●			●	●		
<i>Ludwigia ovalis</i>					●			●			
<b>URTICALES</b>											

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEU -RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note	
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.			
<b>ULMACEAE</b>												
<i>Aphananthe aspera</i>					●							
<i>Celtis boninensis</i>					●	●	●	●	●			
<i>Trema cannabina</i>					●	●	●	●	●			
<i>Trema orientalis</i>					●	●	●	●	●			
<b>MORACEAE</b>												
<i>Broussonetia kazinoki</i>					●	●						
<i>Broussonetia papyrifera</i>					●	A	●	●	●			
<i>Fatoua villosa</i>					●	●						
<i>Ficus ampelas</i>					●	●	●	●	●			
<i>Ficus caulocarpa</i>					●	●						
<i>Ficus erecta</i>					●	●	●	●	●			
<i>Ficus erecta</i> var. <i>beeheyana</i>					●	●	●	●	●			
<i>Ficus irisana</i>					●	●	●	●	●			
<i>Ficus microcarpa</i>					●	●	●	●	●			
<i>Ficus nipponica</i>					●	●	●	●	●			
<i>Ficus pumila</i>					●	●	●	●	●			
<i>Ficus septica</i>					●	●	●	●	●			
<i>Ficus superba</i> var. <i>japonica</i>					●	●	●	●	●			
<i>Ficus thunbergii</i>					●	●	●	●	●			
<i>Ficus variegata</i> var. <i>sycomoroides</i>					●	●			●			
<i>Ficus virgata</i>					●	●	●	●	●			
<i>Humulus japonicus</i>					●	●						
<i>Maclura cochinchinensis</i> var. <i>gerontogea</i>					●	●	●	●	●			
<i>Morus australis</i>					●	●	●	●	●			
<b>URTICACEAE</b>												
<i>Boehmeria amamiana</i>				E	●	●	●	●	●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Boehmeria densiflora</i>					●						
<i>Boehmeria formosana</i>		VU			●	●	●	●	●		
<i>Boehmeria gigantea</i>					●	●					
<i>Boehmeria hirtella</i>					●	●					
<i>Boehmeria holosericea</i>					●	●					
<i>Boehmeria nivea</i> var. <i>nippononivea</i>					●	●	●	●	●		
<i>Boehmeria nivea</i> var. <i>nippononivea</i> f.					●	●	●	●	●		
<i>Boehmeria nivea</i> var. <i>nippononivea</i> f. <i>viridula</i>					●	●	●	●	●		
<i>Boehmeria yaeyamensis</i>		NT		E	●				●		
<i>Debregeasia edulis</i>					●	●			●		
<i>Elatostema oshimense</i>		CR		E	●						
<i>Elatostema platyphyllum</i>		EN			●				●		
<i>Elatostema suzukii</i>		NT		E	●				●		
<i>Gonostegia hirta</i>					●	●	●	●	●		
<i>Nanocnide lobata</i>					●	●	●	●	●		
<i>Oreocnide pedunculata</i>					●	●	●	●	●		
<i>Pellionia minima</i>					●	●					
<i>Pellionia radicans</i>					●	●			●		
<i>Pellionia scabra</i>					●	●			●		
<i>Pellionia x keitacoensis</i>					●				●		
<i>Pilea aquarum</i> ssp. <i>brevicornuta</i>					●				●		
<i>Pilea brevicornuta</i>					●	●			●		
<i>Pilea peploides</i>					●	●			●		
<i>Pilea petiolaris</i>					●				●		
<i>Pipturus arborescens</i>					●				●		
<i>Pouzolzia zeylanica</i>					●				●		

**MYRICALES**

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>MYRICACEAE</b> <i>Myrica rubra</i>					●	●	●	●	●	●	
<b>FAGALES</b>											
<b>FAGACEAE</b> <i>Castanopsis sieboldii</i>					●				●		
<i>Castanopsis sieboldii</i> var. <i>lutchuensis</i>				E	●						
<i>Lithocarpus edulis</i>					●	●	●				
<i>Quercus glauca</i> var. <i>amamiana</i>				E	●	●	●				
<i>Quercus miyagii</i>				E	●	●	●		●		
<i>Quercus phillyraeoides</i>					●						
<i>Quercus salicina</i>					●						
<i>Quercus x miyagisalicina</i>					●	●					
<b>BETULACEAE</b>											
<i>Alnus firma</i>	DD				●						
<i>Alnus japonica</i>	LC				●			●			
<b>PROTEALES</b>											
<b>PROTEACEAE</b> <i>Helicia cochinchinensis</i>					●					●	
<b>SANTALES</b>											
<b>OLACACEAE</b> <i>Schoepfia jasminodora</i>					●					●	
<b>SANTALACEAE</b> <i>Thesium chinense</i>					●					●	
<b>LORANTHACEAE</b> <i>Korthalsella opuntia</i>					●					●	
<i>Scurrula yadoriki</i>					●						●
<i>Taxillus nigrans</i>		NT			●					●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>BALANOPHORALES</b>											
<b>BALANOPHORACEAE</b>											
<i>Balanophora fungosa</i>					●				●		
<i>Balanophora tobiaracola</i>					●				●		
<i>Balanophora yuwanaensis</i>				E	●	●	●		●		
<b>EUPHORBIALES</b>											
<b>DAPHNIPHYLLACEAE</b>											
<i>Daphniphyllum macropodum</i>					●						
<i>Daphniphyllum teijsmannii</i>					●				●		
<i>Daphniphyllum teijsmannii</i> var.					●	●	●				
<b>EUPHORBIACEAE</b>											
<i>Acalypha australis</i>					●				●		
<i>Alchornea ilikiuensis</i>				E	●				●		
<i>Antidesma japonicum</i>					●				●		
<i>Antidesma pentandrum</i>					●				●		
<i>Bischofia javanica</i>					●				●		
<i>Breynia officinalis</i>					●				●		
<i>Bridelia glauca</i> f. <i>balansae</i>					●				●		
<i>Croton cascarilloides</i>					●				●		
<i>Discoledium ulmifolium</i>		CR			●				●		
<i>Drypetes matsumurae</i>					●				●		
<i>Euphorbia charnissonis</i>					●				●		
<i>Euphorbia helioscopia</i>					●	A			●		
<i>Euphorbia jolkinii</i>					●				●		
<i>Euphorbia sieboldiana</i> var. <i>amamiensis</i>		CR		E	●				●	MOEU-RL - <i>Euphorbia</i> sp.	
<i>Excoecaria agallocha</i>					●				●		
<i>Glochidion acuminatum</i>	LC				●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Glochidion lanceolatum</i>					●	●		●	●		
<i>Glochidion obovatum</i>					●		●	●			
<i>Glochidion rubrum</i>					●			●	●		
<i>Glochidion zeylanicum</i>					●	●	●	●	●		
<i>Glochidion zeylanicum</i> var. <i>tomentosum</i>					●	●	●	●	●		
<i>Macaranga tanarius</i>					●			●	●		
<i>Mallotus japonicus</i>					●			●	●		
<i>Mallotus paniculatus</i>					●			●	●		
<i>Mallotus philippensis</i>					●			●	●		
<i>Margaritara indica</i>		CR			●			●	●		
<i>Melanolepis multiglandulosa</i>					●			●	●		
<i>Mercurialis leucarpa</i>					●			●			
<i>Phyllanthus urinaria</i>					●			●	●		
<i>Sapium japonicum</i>					●			●	●		
<i>Sapium japonicum</i> var. <i>ryukyuense</i>					●			●	●		
<i>Securinega suffruticosa</i> var. <i>amamiensis</i>					●			●	●		
<b>BUXACEAE</b>					●			●			
<i>Buxus liukuensis</i>		VU			●			●			
<i>Buxus microphylla</i> ssp. <i>sinica</i>		CR			●			●			MOEU-RL: <i>Buxus sinica</i> var. <i>sinica</i>
<b>HALORAGACEAE</b>					●			●			
<i>Haloragis chinensis</i>		EN			●			●			
<i>Haloragis micrantha</i>					●			●	●		
<i>Myriophyllum spicatum</i>	LC				●			●	●		
<b>CALLITRICHACEAE</b>					●			●			
<i>Callitriche japonica</i>					●			●			
<i>Callitriche palustris</i>					●			●	●		
<b>PRIMULALES</b>											

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Ryukyus				Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus Iriomote Is.	
<b>MYRSINACEAE</b>										
<i>Ardisia chinensis</i>		VU			●	●			●	
<i>Ardisia crenata</i>					●	●	●			
<i>Ardisia montana</i>		EN			●	●				MOEU-RL: <i>Ardisia walkeri</i>
<i>Ardisia pusilla</i>					●	●	●			
<i>Ardisia quinquegona</i>					●	●	●			
<i>Ardisia sieboldii</i>					●	●	●			
<i>Maesa tenera</i>					●	●	●			
<i>Myrsine seguinii</i>					●	●	●			
<i>Androsace umbellata</i>					●	●	●			
<i>Lysimachia decurrens</i>		NT			●	●				
<i>Lysimachia japonica</i>					●	●	●			
<i>Lysimachia liukuensis</i>		CR		E	●	●				
<i>Lysimachia mauritiana</i>					●	●	●			
<i>Lysimachia sikokiana</i>					●	●	●			
<i>Stimpsonia chamaedryoides</i>		EN			●	●	●			
<b>PLUMBAGINALES</b>										
<b>PLUMBAGINACEAE</b>										
<i>Limonium sinense</i>		CR			●				●	
<i>Limonium wrightii</i>		VU			●	●			●	MOEU-RL: <i>Limonium wrightii</i> var. <i>wrightii</i>
<i>Limonium wrightii</i> var. <i>luteum</i>					●	●	●			
<b>ERICALES</b>										
<b>DIAPENSIACEAE</b>										
<i>Shortia rotundifolia</i>					●				●	
<i>Shortia rotundifolia</i> f. <i>amamiana</i>		CR		E	●					MOEU-RL: <i>Shortia rotundifolia</i> var. <i>amamiana</i>
<b>PYROLACEAE</b>										
<i>Monotropa hypopithys</i>					●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Monotropastrum humile</i>					●	●	●	●	●	●	
<b>ERICACEAE</b>					●						
<i>Pteris amamiana</i>				E	●						
<i>Pteris japonica</i> var. <i>koidzumii</i>		CR		E	●		●	●			MOEJ-RL: <i>Pteris koidzumiana</i>
<i>Rhododendron amamiense</i>		CR		E	●						MOEJ-RL: <i>Rhododendron latouchense</i> var. <i>amamiense</i>
<i>Rhododendron amanoi</i>				E	●				●		
<i>Rhododendron latouchense</i>					●				●		
<i>Rhododendron scabrum</i>		VU		E	●		●				
<i>Rhododendron scabrum</i> var. <i>angustifolium</i>				E	●						
<i>Rhododendron simsii</i>					●		●		●		
<i>Rhododendron tashiroi</i>					●		●				
<i>Rhododendron tashiroi</i> f. <i>leucanthum</i>					●		●				
<i>Rhododendron tashiroi</i> var. <i>lasiophyllum</i>					●		●				
<i>Vaccinium bracteatum</i>					●				●		
<i>Vaccinium wrightii</i>					●				●		
<b>EBENALES</b>											
<b>SAPOTACEAE</b>					●					●	
<i>Pouteria obovata</i>											
<b>EBENACEAE</b>					●					●	
<i>Diospyros egbert-walkeri</i>		NT			●					●	
<i>Diospyros japonica</i>					●					●	
<i>Diospyros maritima</i>					●					●	
<i>Diospyros morrisiana</i>					●					●	
<i>Diospyros oldhamii</i>					●					●	
<b>STYRACACEAE</b>											
<i>Styrax japonicus</i>					●					●	
<b>SYMPLOCACEAE</b>											

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Symplocos anomala</i>				E	●			●			
<i>Symplocos caudata</i>				E	●	?	●	●	●		?: Unverified information
<i>Symplocos cochinchinensis</i>					●	●	●	●	●		
<i>Symplocos confusa</i>		VU			●	●	●	●	●		MOEJ-RL: <i>Symplocos sonoharuae</i>
<i>Symplocos glauca</i>					●	●	●	●	●		
<i>Symplocos konishii</i>		EN			●	●	●	●	●		
<i>Symplocos lucida</i>					●	●	●	●	●		
<i>Symplocos microcalyx</i>				E	●	●	●	●	●		
<i>Symplocos nakaharuae</i>				E	●	●	●	●	●		
<i>Symplocos prunifolia</i>				E	●	●	●	●	●		
<i>Symplocos stellaris</i>					●	●	●	●	●		
<i>Symplocos sumuntia</i>					●				●		
<b>GENTIANALES</b>											
<b>GENTIANACEAE</b>											
<i>Centaurium japonicum</i>					●			●	●		
<i>Gentiana scabra</i> var. <i>smsmisns</i>				E	●			●	●		
<i>Gentiana squarrosa</i> var. <i>liukuensis</i>		VU			●	●	●	●	●		MOEJ-RL: <i>Gentiana satsunanensis</i>
<i>Swertia japonica</i> var. <i>amaliensis</i>				E	●						
<i>Swertia makinoana</i>		VU		E	●				●		
<i>Swertia tashiroi</i>					●			●			
<b>APOCYNACEAE</b>											
<i>Anodendron affine</i>					●			●	●		
<i>Cerbera manghas</i>					●			●	●		
<i>Ecdysanthera utilis</i>		CR			●			●	●		MOEJ-RL: <i>Urceola micrantha</i>
<i>Neisosperma oppositifolia</i>		CR		E	●			●	●		MOEJ-RL: <i>Ochrosia iwesakiana</i>
<i>Parsonsia laevigata</i>					●			●	●		
<i>Trachelospermum asiaticum</i> var. <i>liukuense</i>					●			●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Trachospermum gracilipes</i> var. <i>liukuense</i>					●	●					
<i>Trachospermum jasminoides</i> var.					●			●			
<b>ASCLEPIADACEAE</b>											
<i>Cynanchum auriculatum</i> var. <i>amamianum</i>		CR		E	●	●					MOEJ-RL: <i>Cynanchum boudieri</i>
<i>Cynanchum japonicum</i>					●	●					
<i>Cynanchum liukuense</i>				E	●				●		
<i>Cynanchum matsumurae</i>		EN		E	●						MOEJ-RL: <i>Vincetoxicum matsumurae</i>
<i>Cynanchum paniculatum</i>		NT			●	●					MOEJ-RL: <i>Vincetoxicum pycnostelma</i>
<i>Hoya carnos</i>					●	●			●		
<i>Marsdenia formosana</i>		DD			●				●		
<i>Marsdenia tinctoria</i> var. <i>tomentosa</i>					●	●			●		
<i>Marsdenia tomentosa</i>					●	●			●		
<i>Stephanotis lutchuensis</i>					●	●			●		
<i>Stephanotis lutchuensis</i> var. <i>japonica</i>					●	●			●		
<i>Tylophora japonica</i>					●	●			●		
<i>Tylophora tanakae</i>					●	●			●		
<b>RUBIALES</b>											
<b>CAPRIFOLIACEAE</b>											
<i>Abelia chinensis</i> var. <i>ionandra</i>		CR			●					●	
<i>Lonicera affinis</i>					●					●	
<i>Lonicera japonica</i> var. <i>miyagusukiana</i>		CR		E	●					●	
<i>Sambucus chinensis</i>					●					●	
<i>Sambucus formosana</i>					●					●	
<i>Sambucus racemosa</i> ssp. <i>sieboldiana</i>					●					●	
<i>Viburnum japonicum</i>					●					●	
<i>Viburnum odoratissimum</i> var. <i>awabuki</i>					●					●	
<i>Viburnum suspensum</i>				E	●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus			South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.	
<i>Viburnum tashiroi</i>		VU		E	●	●				
<b>RUBIACEAE</b>										
<i>Argostemma solaniflorum</i>					●				●	
<i>Coptosapelta diffusa</i>				E	●	●	●	●	●	
<i>Damnacanthus biflorus</i>					●	●	●			
<i>Damnacanthus indicus</i>					●	●	●	●		
<i>Damnacanthus indicus</i> ssp. <i>major</i>					●					
<i>Damnacanthus indicus</i> var. <i>intermedius</i>					●	●	●			
<i>Damnacanthus indicus</i> var. <i>microphyllus</i>					●	●	●			
<i>Damnacanthus indicus</i> var. <i>okinawensis</i>					●		●			
<i>Damnacanthus indicus</i> var. <i>parvispinus</i>					●	●				
<i>Galium gracilens</i>					●	●	●	●		
<i>Galium gracilens</i> var. <i>lutchuense</i>					●	●				
<i>Galium spurium</i> var. <i>echinospermon</i>					●	●	●	●		
<i>Gardenia jasminoides</i> f. <i>grandiflora</i>					●	●	●	●		
<i>Gardneria liukuensis</i>		CR		E	●					
<i>Guettarda speciosa</i>					●				●	
<i>Hedyotis coreana</i> var. <i>parvifolia</i>					●				●	
<i>Hedyotis diffusa</i>					●		●	●	●	
<i>Hedyotis diffusa</i> var. <i>longipes</i>					●			●	●	
<i>Hedyotis paniculata</i>					●			●	●	
<i>Hedyotis strigulosa</i> var. <i>parvifolia</i>					●	●	●	●	●	
<i>Hedyotis tenelliflora</i>					●	●	●	●	●	
<i>Hedyotis tenelliflora</i> var. <i>longipes</i>					●				●	
<i>Hedyotis verticillata</i>		VU			●				●	
<i>Lasianthus bunzanensis</i>		NT			●				●	MOEU-RL: <i>Lasianthus hispidulus</i>
<i>Lasianthus curtisii</i>					●	●			●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Lasianthus cyanocarpus</i>					●	●	●	●	●	●	
<i>Lasianthus fordii</i>					●	●	●	●	●	●	
<i>Lasianthus fordii</i> var. <i>pubescens</i>					●	●	●	●	●	●	
<i>Lasianthus japonicus</i>					●	●	●	●	●	●	
<i>Lasianthus japonicus</i> var. <i>satsumensis</i>					●	●	●	●	●	●	
<i>Lasianthus obliquenervis</i>					●	●	●	●	●	●	
<i>Lasianthus wallichii</i>					●	●	●	●	●	●	
<i>Mitrasacme pygmaea</i>					●	●	●	●	●	●	
<i>Morinda citrifolia</i>		VU			●	●	●	●	●	●	
<i>Morinda umbellata</i>					●	●	●	●	●	●	
<i>Mussaenda parviflora</i>					●	●	●	●	●	●	
<i>Mussaenda parviflora</i> var. <i>yaeyamensis</i>					●	●	●	●	●	●	
<i>Neanotis hirsuta</i>					●	●	●	●	●	●	
<i>Nertera yamashitae</i>		CR		E	●	●	●	●	●	●	MOEJ-RL: <i>Ophiorrhiza yamashitae</i>
<i>Ophiorrhiza japonica</i>					●	●	●	●	●	●	
<i>Ophiorrhiza japonica</i> var. <i>amamiana</i>				E	●	●	●	●	●	●	
<i>Ophiorrhiza japonica</i> var. <i>cantonensis</i>					●	●	●	●	●	●	
<i>Ophiorrhiza japonica</i> var. <i>tashiroi</i>					●	●	●	●	●	●	
<i>Ophiorrhiza kuroiwai</i>					●	●	●	●	●	●	
<i>Ophiorrhiza pumila</i>					●	●	●	●	●	●	
<i>Paederia scandens</i>					●	●	●	●	●	●	
<i>Paederia scandens</i> var. <i>maritima</i>					●	●	●	●	●	●	
<i>Psychotria manillensis</i>					●	●	●	●	●	●	
<i>Psychotria rubra</i>					●	●	●	●	●	●	
<i>Psychotria serpens</i>					●	●	●	●	●	●	
<i>Randia canthioides</i>					●	●	●	●	●	●	
<i>Sinoadina racemosa</i>					●	●	●	●	●	●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Tarenna gracilipes</i>					●	●	●	●	●	●	
<i>ThysanospERMum diffusum</i>					●	●	●	●	●	●	
<i>Tricalysia dubia</i>					●	●	●	●	●	●	
<i>Wendlandia formosana</i>					●	●	●	●	●	●	
<b>SOLANALES</b>											
<b>CONVOLVULACEAE</b>											
<i>Calystegia hederacea</i>					A	A	A				
<i>Calystegia soldanella</i>					●	●	●	●	●	●	
<i>Dichondra repens</i>					●	●	●	●	●	●	
<i>Erycibe henryi</i>					●	●	●	●	●	●	
<i>Evolvulus alsinoides</i>		EN			●	●	●	●	●	●	MOEJ-RL: <i>Evolvulus alsinoides</i> var. <i>rotundifolius</i>
<i>Evolvulus alsinoides</i> var. <i>decumbens</i>					●	●	●	●	●	●	
<i>Ipomoea gracilis</i>					●	●	●	●	●	●	
<i>Ipomoea indica</i>					●	●	●	●	●	●	
<i>Ipomoea pes-caprae</i>					●	●	●	●	●	●	
<i>Ipomoea stolonifera</i>					●	●	●	●	●	●	
<i>Stictocardia tiliifolia</i>	LC				●	●	●	●	●	●	
<b>MENYANTHACEAE</b>											
<i>Nymphoides coreana</i>		VU			●	●	●	●	●	●	
<b>BORAGINACEAE</b>											
<i>Argusia argentea</i>	LR/lc				●	●	●	●	●	●	
<i>Bothriospermum tenellum</i>					●	●	●	●	●	●	
<i>Carmona retusa</i>					●	●	●	●	●	●	
<i>Cordia cumingiana</i>		CR			●	●	●	●	●	●	MOEJ-RL: <i>Cordia aspera</i> subsp. <i>kanehirae</i>
<i>Cordia dichotoma</i>		CR			●	●	●	●	●	●	
<i>Cynoglossum lanceolatum</i> var. <i>formosanum</i>		CR			●	●	●	●	●	●	
<i>Ehretia dichotoma</i>		CR			●	●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Ehretia dicksonii</i>					●	●	●	●	●	●	
<i>Ehretia obovata</i>					●	●	●	●	●	●	
<i>Trigonotis peduncularis</i>					●						
<b>SOLANACEAE</b>											
<i>Lycianthes biflorum</i> var. <i>glabrum</i>		EN			●					●	
<i>Solanum biflorum</i>					●					●	
<i>Solanum erianthum</i>					●					●	
<i>Solanum lyratum</i>					●					●	
<i>Solanum maximowiczii</i>					●						
<i>Tubocapsicum anomalum</i>					●					●	
<i>Tubocapsicum anomalum</i> var. <i>obtusum</i>					●					●	
<b>BUDDLEJACEAE</b>											
<i>Buddleja curviflora</i>					●						
<b>SCROPHULARIACEAE</b>											
<i>Centranthera cochinchinensis</i>		VU			●					●	
<i>Deinostema adenocaulum</i>		VU			●						
<i>Dopatrium junceum</i>	LC				●					●	
<i>Gratiola fluviatilis</i>		EN			●						
<i>Limnophila aromatica</i>	LC				●					●	
<i>Limnophila fragrans</i>		EN			●					●	
<i>Limnophila rugosa</i>	LC				●					●	
<i>Limnophila sessiliflora</i>	LC				●					●	
<i>Lindernia anagallis</i>	LC				●					●	
<i>Lindernia angustifolia</i>	LC				●					●	
<i>Lindernia antipoda</i>	LC				●					●	
<i>Lindernia ciliata</i>	LC				●					●	
<i>Lindernia crustacea</i>	LC				●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Lindernia procumbens</i>	LC				●	●	●		●		
<i>Lindernia ruellioides</i>	LC				●	●	●	●	●		
<i>Lindernia setulosa</i>					●	●					
<i>Lindernia tenuifolia</i>	LC	DD			●				●		
<i>Mazus goodenifolius</i>		EN			●						
<i>Mazus pumilus</i>					●	●			●		
<i>Microcarpaea minima</i>	LC	VU			●	●			●		
<i>Pseudolysimachion sieboldianum</i>		VU			●	●				MOEJ-RL: <i>Veronica sieboldiana</i>	
<i>Siphonostegia chinensis</i>					●				●		
<i>Torenia concolor</i> var. <i>formosana</i>		EN			●						
<i>Torenia glabra</i>					●						
<i>Veronica didyma</i> var. <i>ilicina</i>		VU			●	●			●	MOEJ-RL: <i>Veronica polita</i> subsp. <i>ilicina</i>	
<i>Veronica javanica</i>		VU			●	●			●		
<i>Veronica peregrina</i>					●	●					
<i>Veronica undulata</i>		NT			●	●			●		
<i>Veronicastrum iukuense</i>		CR		E	●	●					
<b>ACANTHACEAE</b>											
<i>Codonacanthus pauciflorus</i>					●	●			●		
<i>Dicliptera chinensis</i>					●	●			●		
<i>Hygrophila salicifolia</i>	LC				●	●			●		
<i>Justicia procumbens</i>					●				●		
<i>Justicia procumbens</i> var. <i>hayatae</i>					●				●		
<i>Justicia procumbens</i> var. <i>riukuensis</i>					●				●		
<i>Lepidagathis formosensis</i>					●				●		
<i>Lepidagathis inaequalis</i>					●				●		
<i>Staurogyne concinnula</i>					●				●		
<i>Strobilanthes glandulifer</i>					●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Strobilanthes tashiroi</i>				E	●	●		●			
<b>GESNERIACEAE</b>											
<i>Conandron ramondioides</i>					●				●		
<i>Cyrtandra yaeyamae</i>					●				●		
<i>Hemiboea bicornuta</i>					●				●		
<i>Rhynchosyris discolor</i>					●	●			●		
<i>Rhynchosyris discolor</i> var. <i>austrorhynchosensis</i>					●	●			●		
<i>Titanotrichum oldhamii</i>		CR			●				●	MOEJ-RL: <i>Titanotrichum oldhamii</i>	
<b>OROBANCHACEAE</b>											
<i>Aeginetia indica</i>					●				●		
<i>Aeginetia sinensis</i>					●						
<i>Lathraea japonica</i>					●						
<i>Orobanche coerulescens</i>		VU			●						
<b>LENTIBULARIACEAE</b>											
<i>Utricularia aurea</i>	LC	VU			●						
<i>Utricularia australis</i>	LC				●				●		
<i>Utricularia bifida</i>	LC				●				●		
<i>Utricularia exoleta</i>		VU			●	●			●		
<i>Utricularia tenuicaulis</i>		NT			●					MOEJ-RL: <i>Utricularia australis</i>	
<b>MYOPORACEAE</b>											
<i>Myoporum bontiodes</i>		VU			●				●		
<b>PLANTAGINACEAE</b>											
<i>Plantago asiatica</i>					●				●		
<i>Plantago asiatica</i> var. <i>yakushimensis</i>					●						
<b>VERBENACEAE</b>											
<i>Avicennia marina</i>	LC	VU			●				●		
<i>Callicarpa japonica</i> var. <i>luxurians</i>					●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Callicarpa oshimensis</i>				E	●	●			●		
<i>Callicarpa oshimensis</i> var. <i>iriomotensis</i>				E	●				●		
<i>Callicarpa oshimensis</i> var. <i>okinawensis</i>		VU		E	●		●				
<i>Clerodendron trichotomum</i>					●		●				
<i>Clerodendrum inerme</i>					●		●		●		
<i>Clerodendrum trichotomum</i> var. <i>esculentum</i>					●		●		●		
<i>Clerodendrum trichotomum</i> var. <i>fargesii</i>					●		●		●		
<i>Lippia nodiflora</i>	LC				●		●		●		
<i>Premna corymbosa</i> var. <i>obtusifolia</i>					●		●		●		
<i>Premna microphylla</i>					●		●		●		
<i>Premna nauseosa</i>					●		●		●		
<i>Verbena officinalis</i>					●		●		●		
<i>Vitex quinata</i>		CR			●		●		●		
<i>Vitex rotundifolia</i>					●		●		●		
<i>Vitex rotundifolia</i> var. <i>subtrisecta</i>					●		●		●		
<i>Vitex trifolia</i>					●		●		●		
<i>Vitex trifolia</i> var. <i>bicolor</i>		CR			●		●		●		MOEJ-RL: <i>Vitex bicolor</i>
<b>LABIATAE</b>											
<i>Ajuga decumbens</i>					●						
<i>Ajuga dictyocarpa</i>					●						
<i>Ajuga pygmaea</i>					●		●		●		
<i>Ajuga taiwanensis</i>					●				●		
<i>Anisomeles indica</i>					●		●		●		
<i>Clinopodium chinense</i>					●		●		●		
<i>Clinopodium gracile</i>					●		●		●		
<i>Eusteralis stellata</i>		NT			●		●		●		MOEJ-RL: <i>Pogostemon stellatus</i>
<i>Lamium amplexicaule</i>					●		●		●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Lamium chinense</i> var. <i>tuberiferum</i>		VU			●	●				MOEJ-RL: <i>Lamium tuberiferum</i>	
<i>Leonurus japonicus</i>					●	●			●		
<i>Leucas mollissima</i> var. <i>chinensis</i>					●	●	●		●		
<i>Leucas mollissima</i> var. <i>riukuensis</i>					●		●				
<i>Mosla dianthera</i>					●	●	●		●		
<i>Mosla punctulata</i>					●				●		
<i>Salvia japonica</i>					●						
<i>Salvia plebeia</i>		NT			●				●		
<i>Salvia pygmaea</i>				E	●				●		
<i>Salvia pygmaea</i> var. <i>simplicior</i>		EN		E	●		●		●		
<i>Scutellaria guillelmii</i>		VU			●	●	●				
<i>Scutellaria indica</i> var. <i>panvifolia</i>					●						
<i>Scutellaria kikai-insularis</i>		EN		E	●	●					
<i>Scutellaria kikai-insularis</i> f. <i>albiflora</i>				E	●						
<i>Scutellaria rubropunctata</i>				E	●	●	●				
<i>Teucrium japonicum</i>					●						
<i>Teucrium viscidum</i>					●				●		
<i>Teucrium viscidum</i> var. <i>miquelianum</i>					●	●	●				
<b>CAMPANULALES</b>											
<b>CAMPANULACEAE</b>											
<i>Adenophora triphylla</i>					●		●				
<i>Adenophora triphylla</i> var. <i>insularis</i>		EN			●					MOEJ-RL: <i>Adenophora tashiroi</i>	
<i>Campanumoea lancifolia</i>					●	●	●		●		
<i>Lobelia chinensis</i>					●	●	●		●		
<i>Lobelia tochooensis</i>		EN		E	●						
<i>Platycodon grandiflorus</i>		VU			●					MOEJ-RL: <i>Platycodon grandiflorus</i>	
<i>Wahlenbergia marginata</i>					●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>GOODENIACEAE</b>					●	●				●	
<i>Scaevola sericea</i>											
<b>ASTERALES</b>											
<b>COMPOSITAE</b>					●						
x <i>Crepidiastrixeris denticulato-lanceolata</i>											
<i>Adenostemma lavenia</i>					●	●				●	
<i>Adenostemma lavenia</i> var. <i>parviflorum</i>					●					●	
<i>Ainsliaea macroclinidioides</i>					●						
<i>Ainsliaea macroclinidioides</i> var. <i>oblonga</i>		VU			●					●	MOEJ-RL: <i>Ainsliaea oblonga</i> var. <i>oblonga</i>
<i>Ainsliaea macroclinidioides</i> var.					●					●	
<i>Ainsliaea oblonga</i> var. <i>latifolia</i>		CR		E	●						
<i>Artemisia campestris</i>					●	●					
<i>Artemisia capillaris</i>					●	●				●	
<i>Artemisia indica</i>					●					●	
<i>Artemisia japonica</i>					●					●	
<i>Artemisia princeps</i>					●					●	
<i>Aster asa-grayi</i>		EN		E	●						MOEJ-RL: <i>Aster asagrayi</i> var. <i>asagrayi</i>
<i>Aster miyagii</i>		VU		E	●					●	
<i>Aster taiwanensis</i> var. <i>lucens</i>				E	●						
<i>Bidens tripartita</i>					●						
<i>Blumea conspicua</i>					●					●	
<i>Blumea hieracifolia</i>					●					●	
<i>Blumea lacera</i>					●					●	
<i>Blumea laciniata</i>					●					●	
<i>Blumea lanceolaria</i>					●					●	
<i>Blumea oblongifolia</i>					●					●	
<i>Blumea riparia</i> var. <i>megacephala</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Blumea x oblongifolia</i>					●					●	
<i>Carpesium abrotanoides</i>					●					●	
<i>Carpesium cernuum</i>					●					●	
<i>Carpesium divaricatum</i>					●					●	
<i>Carpesium glossophyllum</i>					●					●	
<i>Centipeda minima</i>	LC				●					●	
<i>Cirsium brevicaulis</i>				E	●					●	
<i>Cirsium brevicaulis</i> f. <i>albescens</i>				E	●					●	
<i>Cirsium brevicaulis</i> var. <i>irumtense</i>				E	●					●	
<i>Cirsium brevicaulis</i> var. <i>oshimense</i>				E	●					●	
<i>Cirsium spinosum</i>					●						
<i>Conyza aegyptiaca</i>		CR			●					●	
<i>Conyza japonica</i>		VU			●					●	
<i>Conyza leucantha</i>		EN			●					●	
<i>Crepidiastrum lanceolatum</i>					●					●	
<i>Crepidiastrum lanceolatum</i> f. <i>pinnatifidum</i>					●					●	
<i>Crossostephium chinense</i>		VU			●					●	
<i>Dendranthema crassum</i>		VU		E	●					●	MOEU-RL: <i>Chrysanthemum crassum</i>
<i>Dichrocephala integrifolia</i>					●					●	
<i>Eclipta prostrata</i>					●					●	
<i>Emilia sonchifolia</i>	DD				●					●	
<i>Eupatorium cannabinum</i> ssp. <i>asiaticum</i>					●					●	
<i>Eupatorium lindleyanum</i>					●					●	
<i>Eupatorium luchuense</i>					●					●	
<i>Eupatorium luchuense</i> var. <i>kiirunense</i>					●					●	
<i>Eupatorium variabile</i>					●					●	
<i>Eupatorium x tawadae</i>					●					●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Fartugium japonicum</i>					●	●	●	●	●		
<i>Fartugium japonicum</i> var. <i>luchuense</i>		NT		E	●	●	●	●	●		
<i>Gnaphalium affine</i>					●	●	●	●	●		
<i>Gnaphalium japonicum</i>					●	●	●	●	●		
<i>Hemistepia lyrata</i>					●	●	●	●	●		
<i>Heteropappus hispidus</i> ssp. <i>insularis</i>					●	●	●	●	●		
<i>Inula britannica</i>					●	●	●	●	●		
<i>Ixeris debilis</i>					●	●	●	●	●		
<i>Ixeris debilis</i> f. <i>sinuata</i>					●	●	●	●	●		
<i>Ixeris debilis</i> var. <i>liuchuensis</i>				E	●	●	●	●	●		
<i>Ixeris dentata</i> var. <i>gracilior</i>					●	●	●	●	●		
<i>Ixeris laevigata</i>		VU			●	●	●	●	●		MOEU-RL: <i>Ixeridium laevigatum</i>
<i>Ixeris polycephala</i>					●	●	●	●	●		
<i>Ixeris repens</i>					●	●	●	●	●		
<i>Ixeris stolonifera</i>					●	●	●	●	●		
<i>Ixeris x nakazoniei</i>					●	●	●	●	●		
<i>Kalimeris indica</i>					●	●	●	●	●		
<i>Kalimeris yomena</i>					●	●	●	●	●		
<i>Lactuca formosana</i>					●	●	●	●	●		
<i>Lactuca indica</i> f. <i>indivisa</i>					●	●	●	●	●		
<i>Lactuca indica</i> var. <i>indica</i>					●	●	●	●	●		
<i>Lagenophora lanata</i>		CR			●	●	●	●	●		
<i>Lapsana apogonoides</i>					●	●	●	●	●		
<i>Rhynchospermum verticillatum</i>					●	●	●	●	●		
<i>Sigesbeckia orientalis</i>					●	●	●	●	●		
<i>Sigesbeckia glabrescens</i>					●	●	●	●	●		
<i>Solenogyne mikadoi</i>		VU		E	●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus	
<i>Solidago virgaurea</i> ssp. <i>leiocarpa</i>					●				●	
<i>Solidago virgaurea</i> var. <i>insularis</i>					●		●			
<i>Solidago yokusaiana</i>					●		●			
<i>Taraxacum japonicum</i>					A					
<i>Vernonia cinerea</i>					●		●		●	
<i>Wedelia biflora</i>					●		●		●	
<i>Wedelia biflora</i> var. <i>ryukyuensis</i>					●		●		●	
<i>Wedelia chinensis</i>	LC				●		●		●	
<i>Wedelia prostrata</i>					●		●		●	
<i>Wedelia robusta</i>					●		●		●	
<i>Xanthium strumarium</i>		VU			●		●		●	
<i>Youngia japonica</i>					●		●		●	
<b>ALISMATALES</b>										
<b>ALISMATACEAE</b>										
<i>Alisma canaliculatum</i>					●		●		●	
<i>Caldesia pamausiifolia</i>	LC	VU			●		●		●	
<i>Sagittaria pygmaea</i>	LC				●		●		●	
<i>Sagittaria trifolia</i>	LC				●		●		●	
<b>HYDROCHARITALES</b>										
<b>HYDROCHARITACEAE</b>										
<i>Blyxa aubertii</i>	LC	VU			●		●		●	
<i>Blyxa echinosperma</i>		VU			●		●		●	
<i>Blyxa japonica</i>	LC				●		●		●	
<i>Cymodocea rotundata</i>	LC	NT			●		●		●	
<i>Cymodocea serrulata</i>	LC	NT			●		●		●	
<i>Enhalus acoroides</i>	LC	VU			●		●		●	
<i>Halodule pinifolia</i>	LC	NT			●		●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Halodule uninervis</i>	LC	NT			●	●			●		
<i>Halophila decipiens</i>	LC	VU									
<i>Halophila ovalis</i>	DD	NT			●				●		
<i>Hydrilla verticillata</i>	LC				●	●					
<i>Hydrocharis dubia</i>	LC	NT			●						
<i>Ottelia alismoides</i>	LC				●				●		
<i>Ottelia japonica</i>		VU			●	●					MOEJ-RL: <i>Ottelia alismoides</i>
<i>Syringodium isoetifolium</i>	LC	NT			●				●		
<i>Thalassia hemprichii</i>	LC	NT			●	●			●		
<b>HELOBIAE</b>											
<b>NAJADACEAE</b>											
<i>Najas graminea</i>	LC				●				●		
<i>Najas japonica</i>		NT			●				●		MOEJ-RL: <i>Najas gracillima</i>
<i>Najas marina</i>	LC				●						
<i>Najas minor</i>	LC	VU			●	●			●		
<b>POTAMOGETONACEAE</b>											
<i>Potamogeton bertholdii</i>	LC	NT			●				●		
<i>Potamogeton crispus</i>	LC				●				●		
<i>Potamogeton distinctus</i>	LC				●				●		
<i>Potamogeton malianus</i>					●				●		
<i>Potamogeton octandrus</i>					●						
<i>Potamogeton octandrus</i> var. <i>miduhikimo</i>	LC				●				●		
<i>Potamogeton oxyphyllus</i>					●						
<i>Potamogeton pectinatus</i>		NT			●						
<i>Ruppia maritima</i> var. <i>japonica</i>		NT			●						MOEJ-RL: <i>Ruppia maritima</i>
<i>Zannichellia palustris</i>	LC	VU			●				●		MOEJ-RL: <i>Zannichellia palustris</i> var. <i>indica</i>
<b>ZOSTERACEAE</b>											

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Ryukyus				Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus Iriomote Is.	
<i>Zostera japonica</i>	LC				●	●			●	
<b>PRINCIPES</b>										
<b>PALMAE</b>										
<i>Arenga engleri</i>					●	●	●	●		
<i>Arenga tremula</i>					●					
<i>Livistona chinensis</i> var. <i>subglobosa</i>					●	●	●	●		
<i>Nypa fruticans</i>	LC	CR			●					
<i>Satakentia liukuensis</i>	DD	NT		E	●					
<b>PANDANALES</b>										
<b>PANDANACEAE</b>										
<i>Freycinetia formosana</i>					●					
<i>Freycinetia williamsii</i>		EN			●					
<i>Pandanus odoratissimus</i>					●	●	●	●		
<i>Pandanus odoratissimus</i> f. <i>ferreus</i>					●					
<i>Pandanus odoratissimus</i> f. <i>laevis</i>					●					
<b>SPATHIFLORAE</b>										
<b>ARACEAE</b>										
<i>Acorus calamus</i>	LC				●					
<i>Acorus gramineus</i>	LC				●	●				
<i>Alocasia cucullata</i>					●					
<i>Alocasia gageana</i>					●					
<i>Alocasia odora</i>	LC				●	●	●	●		
<i>Amorphophalus hirtus</i> var. <i>kiusianus</i>					●	●				MOEJ-RL: <i>Amorphophallus kiusianus</i>
<i>Arisaema heterocephalum</i>	EN			E	●	●				MOEJ-RL: <i>Arisaema heterocephalum</i> subsp. <i>heterocephalum</i>
<i>Arisaema heterocephalum</i> var. <i>majus</i>	EN	CR		E	●	●				MOEJ-RL: <i>Arisaema heterocephalum</i> subsp. <i>majus</i>
<i>Arisaema kawashimae</i>	CR	CR		E	●	●				
<i>Arisaema ringens</i>					●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Pinellia ternata</i>					●	●		●	●		
<i>Pinellia tripartita</i>					●		●	●			
<i>Rhaphidophora pinnata</i>					●		●	●	●		
<i>Typhonium divaricatum</i>					●	●		●	●		
<b>LEMNACEAE</b>											
<i>Lemna aequinoctialis</i>	LC				●				●		
<i>Lemna perpusilla</i>	LC				●		●				
<i>Spirodela polyrrhiza</i>	LC				●	●		●	●		
<b>TYPHALES</b>											
<b>TYPHACEAE</b>											
<i>Typha angustifolia</i>	LC				●		●		●		
<i>Typha orientalis</i>	LC				●						
<b>TRIURIDALES</b>											
<b>TRIURIDACEAE</b>											
<i>Sciaphila japonica</i>		VU			●		●	●	●	MOEJ-RL: <i>Sciaphila nana</i>	
<i>Sciaphila takakumensis</i>		EN			●		●	●		MOEJ-RL: <i>Sciaphila tenella</i>	
<i>Sciaphila tosaensis</i>		VU			●		●	●		MOEJ-RL: <i>Sciaphila secundiflora</i>	
<b>LILIFLORAE</b>											
<b>LILJACEAE</b>											
<i>Alettris spicata</i>					●			●	●		
<i>Allium grayi</i>					●		●	●	●		
<i>Allium pseudojaponicum</i>					●						
<i>Asparagus cochinchinensis</i>					●		●	●	●		
<i>Dianella ensifolia</i>					●		●	●	●		
<i>Disporum sessile</i> var. <i>micrantha</i>					●		●	●			
<i>Helionopsis kawanoi</i>		VU		E	●		●	●	●	MOEJ-RL: <i>Helonias kawanoi</i>	
<i>Helionopsis leucantha</i>		VU		E	●		●	●	●	MOEJ-RL: <i>Helonias leucantha</i>	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Hemerocallis fulva</i> var. <i>longituba</i>					●	●	●	●	●		
<i>Heterosmilax japonica</i>					●	●	●	●	●		
<i>Lilium alexandrae</i>		CR		E	●	●	●	●	●		
<i>Lilium leichtlinii</i> var. <i>maximowiczii</i>					●	●	●	●	●		
<i>Lilium longiflorum</i>					●	●	●	●	●		
<i>Liriope minor</i>					●	●	●	●	●		
<i>Liriope platyphylla</i>					●	●	●	●	●		
<i>Ophiopogon jaburan</i>					●	●	●	●	●		
<i>Polygonatum falcatum</i>					●	●	●	●	●		
<i>Polygonatum tenuiflorum</i>				E	●	●	●	●	●		
<i>Protolirion sakuraii</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Petrosavia sakuraii</i>
<i>Rohdea japonica</i> var. <i>latifolia</i>		CR		E	●	●	●	●	●		
<i>Scilla scilloides</i>				E	●	●	●	●	●		
<i>Smilax biflora</i> var. <i>amamiensis</i>					●	●	●	●	●		
<i>Smilax bracteata</i>					●	●	●	●	●		
<i>Smilax bracteata</i> var. <i>verruculosa</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Smilax bracteata</i> subsp. <i>verruculosa</i>
<i>Smilax china</i> var. <i>kuru</i>					●	●	●	●	●		
<i>Smilax nervomarginata</i>					●	●	●	●	●		
<i>Smilax sebeana</i>					●	●	●	●	●		
<i>Tricyrtis formosana</i> var. <i>stolonifera</i>		CR			●	●	●	●	●		MOEJ-RL: <i>Tricyrtis formosana</i>
<b>AMARYLLIDACEAE</b>											
<i>Crinum asiaticum</i> var. <i>japonicum</i>					●	●	●	●	●		
<i>Lycoris traubii</i>				E	●	●	●	●	●		
<b>HYPOXIDACEAE</b>											
<i>Curculigo orchitoides</i>					●	●	●	●	●		
<i>Hypoxis aurea</i>					●	●	●	●	●		
<b>STEMONACEAE</b>											

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Croomia japonica</i>					●	●					
<b>DIOSCOREACEAE</b>											
<i>Dioscorea cirrhosa</i>					●				●		
<i>Dioscorea pentaphylla</i>					●		●				
<i>Dioscorea pseudojaponica</i>					●	●					
<i>Dioscorea quinqueloba</i>					●	●					
<i>Dioscorea tabatae</i>		CR		E	●	●					
<i>Dioscorea zentaroana</i>		CR		E	●	●					
<b>PONTERIACEAE</b>											
<i>Monochoria vaginalis</i>	LC				●	A	●	●	●		
<i>Phylidrum lanuginosum</i>					●	●	●	●	●		
<b>IRIDALES</b>											
<b>IRIDACEAE</b>											
<i>Belamcanda chinensis</i>					●	●	●				
<b>BURMANNIACEAE</b>											
<i>Burmannia champiorii</i>					●		●				
<i>Burmannia cryptopetala</i>					●		●	●	●		
<i>Burmannia itoana</i>					●		●	●	●		
<i>Burmannia liukuensis</i>		VU			●		●				
<i>Oxygyne shinzatoi</i>	CR	CR		E	●		●				
<b>MICROSPERMÆ</b>											
<b>ORCHIDACEAE</b>											
<i>Acanthephippium sylhetense</i>		CR			●		●		●		
<i>Acanthephippium sylhetense</i> var. <i>pictum</i>		CR			●		●	●	●		MOEJ-RL: <i>Acanthephippium pictum</i>
<i>Amitostigma lepidum</i>		VU			●		●	●			
<i>Aphyllorchis montana</i>		EN			●		●	●	●		
<i>Arundina graminifolia</i>		EN			●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Bletilla striata</i> var. <i>kotoensis</i>					●					●	
<i>Bulbophyllum affine</i>		CR			●					●	
<i>Bulbophyllum drymoglossum</i>		NT			●					●	
<i>Bulbophyllum macraei</i>		EN			●					●	MOEJ-RL: <i>Bulbophyllum macraei</i> var. <i>macraei</i>
<i>Calanthe alismifolia</i>		VU			●						
<i>Calanthe amamiana</i>		CR		E	●						
<i>Calanthe densiflora</i>		CR			●					●	
<i>Calanthe discolor</i> f. <i>kanashitoui</i>					●						
<i>Calanthe discolor</i> var. <i>divaricatipetala</i>				E	●						
<i>Calanthe lyroglossa</i>		VU			●					●	
<i>Calanthe masuca</i>		VU			●						
<i>Calanthe tokunoshimensis</i>		EN		E	●						
<i>Calanthe triplicata</i>		VU			●					●	
<i>Cephalantheropsis gracilis</i>		NT			●					●	
<i>Cheirostylis liukuensis</i>		VU			●						
<i>Cheirostylis takeoi</i>		CR			●						
<i>Corymborkis veratrifolia</i>		VU			●					●	
<i>Cymbidium ensifolium</i>		CR			●						
<i>Cymbidium javanicum</i> var. <i>aspidistrifolium</i>		EN			●						MOEJ-RL: <i>Cymbidium lancifolium</i>
<i>Cymbidium kanran</i>		EN			●						
<i>Cymbidium lancifolium</i>		VU			●					●	
<i>Cymbidium macrorhizon</i>		VU			●						
<i>Cymbidium sinense</i>		CR			●						
<i>Dendrobium tosaense</i>					●						
<i>Diademopsis minor</i>		EN			●						
<i>Diademopsis pallens</i>		NT			●						
<i>Diploprora championii</i>		CR			●					●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Disperis philippinensis</i>		CR			●					●	MOEJ-RL: <i>Disperis neilgherrensis</i>
<i>Epipactis thunbergii</i>		NT			●					●	
<i>Epipogium roseum</i>		EN			●					●	
<i>Eria corneri</i>		EN			●					●	
<i>Eria ovata</i>					●					●	
<i>Eria ovata</i> var. <i>retroflexa</i>		VU			●					●	
<i>Eria reptans</i>					●					●	MOEJ-RL: <i>Eria japonica</i>
<i>Eulophia graminea</i>					●					●	
<i>Eulophia taiwanensis</i>	EN	CR			●					●	
<i>Eulophia zollingeri</i>		EN			●					●	
<i>Galeola altissima</i>	LC	CR			●					●	MOEJ-RL: <i>Erythrorchis altissima</i>
<i>Gastrochilus japonicus</i>		VU			●					●	
<i>Gastrodia javanica</i>		VU			●					●	
<i>Gastrodia nipponica</i>		VU			●					●	
<i>Gastrodia shimizuana</i>		CR			●					●	
<i>Geodorum densiflorum</i>		EN			●					●	
<i>Goodyera foliosa</i> var. <i>commelinoides</i>					●					●	
<i>Goodyera foliosa</i> var. <i>laevis</i>					●					●	
<i>Goodyera grandis</i>		VU			●					●	
<i>Goodyera hachijoensis</i>					●					●	
<i>Goodyera hachijoensis</i> var. <i>matsumurana</i>					●					●	
<i>Goodyera longibracteata</i>					●					●	
<i>Goodyera procera</i>					●					●	
<i>Goodyera schlechtendalliana</i>					●					●	
<i>Goodyera sonoharae</i>		EN			●					●	
<i>Goodyera viridiflora</i> var. <i>ogatae</i>		VU			●					●	MOEJ-RL: <i>Goodyera viridiflora</i>
<i>Habenaria dentata</i>		EN			●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Habenaria lacertifera</i>					●	●	●	●	●		
<i>Habenaria pantlingiana</i>					●	●	●	●	●		
<i>Habenaria polytricha</i>					●	●	●	●	●		
<i>Habenaria robustior</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Peristylus flagellifer</i>
<i>Hemimium lanceum</i> var. <i>longicirure</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Hemimium lanceum</i>
<i>Hetaeria cristata</i>		VU			●	●	●	●	●		MOEJ-RL: <i>Hetaeria yakusimensis</i>
<i>Lecanorchis flavicans</i>		CR		E	●	●	●	●	●		MOEJ-RL: <i>Lecanorchis flavicans</i> var. <i>flavicans</i>
<i>Lecanorchis japonica</i> var. <i>tubiformis</i>		CR		E	●	●	●	●	●		
<i>Lecanorchis kiusiana</i>		NT			●	●	●	●	●		
<i>Lecanorchis nigricans</i>					●	●	●	●	●		
<i>Lecanorchis trachycaula</i>		CR			●	●	●	●	●		
<i>Lecanorchis triloba</i>		NT			●	●	●	●	●		
<i>Liparis bituberculata</i> var. <i>formosana</i>					●	●	●	●	●		
<i>Liparis bootanensis</i>		VU			●	●	●	●	●		
<i>Liparis nervosa</i>					●	●	●	●	●		
<i>Liparis paradoxa</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Liparis odorata</i>
<i>Listera japonica</i>					●	●	●	●	●		
<i>Luisia teres</i>		NT			●	●	●	●	●		
<i>Malaxis bancanoides</i>					●	●	●	●	●		
<i>Malaxis kandae</i>		EN			●	●	●	●	●		MOEJ-RL: <i>Crepidium kandae</i>
<i>Malaxis latifolia</i>		CR			●	●	●	●	●		MOEJ-RL: <i>Dienia ophrydis</i>
<i>Malaxis macgregorii</i>					●	●	●	●	●		
<i>Malaxis purpurea</i>		CR			●	●	●	●	●		MOEJ-RL: <i>Crepidium purpureum</i>
<i>Microtis unifolia</i>					●	●	●	●	●		
<i>Neofinetia falcata</i>		VU			●	●	●	●	●		
<i>Nervilia aragoana</i>		VU			●	●	●	●	●		
<i>Nervilia nipponica</i>		EN			●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Oberonia anthropophora</i> var. <i>arisanensis</i>		EN			●	●			●		
<i>Oberonia japonica</i>					●						
<i>Oberonia makinoi</i>		CR			●		?		●	?: Unverified information	
<i>Phaius flavus</i>		VU			●						
<i>Phaius tankervilleae</i>		VU			●				●		
<i>Platanthera amamiana</i>		VU			●				●	MOEJ-RL: <i>Platanthera mandarinorum</i> subsp. <i>hachijoensis</i> var. <i>amamiana</i>	
<i>Platanthera brevicarata</i>					●						
<i>Platanthera brevicarata</i> ssp. <i>yakumontana</i>		EN			●						
<i>Platanthera japonica</i>					●						
<i>Pristiglotis rubicentra</i>		CR		E	●						
<i>Sedirea japonica</i>		EN			●						
<i>Spathoglottis plicata</i>		VU			●				●		
<i>Spiranthes sinensis</i>	LC				●				●		
<i>Spiranthes sinensis</i> var. <i>australis</i>					●				●		
<i>Stereosandra javanica</i>		VU			●				●		
<i>Taeniophyllum aphyllum</i>					●						
<i>Tainia laxiflora</i>		VU			●				●		
<i>Thrixspermum pricei</i>		CR			●					MOEJ-RL: <i>Thrixspermum saruwatarii</i>	
<i>Trichoglottis lutchuensis</i>		EN			●						
<i>Tropidia calcarata</i>		EN			●				●	MOEJ-RL: <i>Tropidia angulosa</i>	
<i>Tropidia nipponica</i>		EN			●				●	MOEJ-RL: <i>Tropidia nipponica</i> var. <i>nipponica</i>	
<i>Vexillabium yakushimense</i> x <i>Luisaendes liukuensis</i>		NT			●				●	MOEJ-RL: <i>Kuhlhasseltia yakushimensis</i>	
<i>Zeuxine agyokuana</i>		NT			●				●		
<i>Zeuxine gracilis</i> var. <i>sakagutii</i>		VU			●						
<i>Zeuxine gracilis</i> var. <i>tenuifolia</i>		NT			●						
<i>Zeuxine strateumatica</i>	LC				●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>SCITAMINEAE</b>											
<b>ZINGIBERACEAE</b>											
<i>Alpinia fiabellata</i>					●					●	
<i>Alpinia formosana</i>					●					●	
<i>Alpinia intermedia</i>					●					●	
<i>Alpinia japonica</i>					●		●				
<i>Alpinia zerumbet</i>					●		A				
<b>COMMELINALES</b>											
<b>COMMELINACEAE</b>											
<i>Commelina auriculata</i>					●					●	
<i>Commelina benghalensis</i>	LC				●					●	
<i>Commelina communis</i>					●					●	
<i>Commelina communis</i> var. <i>ludens</i>					●						
<i>Commelina diffusa</i>	LC				●					●	
<i>Commelina paludosa</i>					●						
<i>Forrestia chinensis</i>					●					●	
<i>Murdannia angustifolia</i>					●						
<i>Murdannia keisak</i>					●					●	
<i>Murdannia loriformis</i>					●					●	
<i>Pollia japonica</i> var. <i>minor</i>					●					●	
<i>Pollia secundiflora</i>		VU									
<b>ERIOCAULALES</b>											
<b>ERIOCAULACEAE</b>											
<i>Eriocaulon amanoanum</i>		CR			●						
<i>Eriocaulon buergerianum</i>					●						
<i>Eriocaulon cinereum</i>					●					●	
<i>Eriocaulon decemflorum</i>					●						

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Eriocaulon miqelianum</i> var. <i>lutchuense</i>		EN			●	●		●			
<i>Eriocaulon nigrum</i> var. <i>suishaense</i>		CR			●	●		●			MOEJ-RL: <i>Eriocaulon truncatum</i>
<i>Eriocaulon parvum</i>		VU			●						
<i>Eriocaulon sexangulare</i>					●			●			
<b>JUNCALES</b>											
<b>JUNCACEAE</b>											
<i>Juncus effusus</i> var. <i>decipiens</i>	LC				●			●			
<i>Juncus effusus</i> var. <i>decipiens</i> f. <i>filiformis</i>		CR			●			●			MOEJ-RL: <i>Juncus decipiens</i> f. <i>filiformis</i>
<i>Juncus krameri</i>					●			●			
<i>Juncus ieschenaultii</i>					●						
<i>Juncus monticola</i>					●			●			
<i>Juncus wallichianus</i>	LC				●			●			
<b>CYPERALES</b>											
<b>CYPERACEAE</b>											
<i>Bulbostylis barbata</i>					●			●			
<i>Bulbostylis densa</i>	LC				●			●			
<i>Carex alliformis</i>					●			●			
<i>Carex arisanensis</i>					●			●			
<i>Carex breviculmis</i>		CR			●			●			
<i>Carex breviculmis</i> f. <i>aphanandra</i>					●			●			
<i>Carex breviculmis</i> f. <i>ficulmis</i>					●			●			
<i>Carex breviculmis</i> var. <i>discoidea</i>					●			●			
<i>Carex breviculmis</i> var. <i>fibrillosa</i>					●			●			
<i>Carex breviscapa</i>					●			●			
<i>Carex brunnea</i>					●			●			
<i>Carex</i> cf.					●			●			
<i>Carex collifera</i>	CR	CR			●			●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Carex dolichostachya</i>					●			●	●		
<i>Carex doniana</i>					●			●	●		
<i>Carex ischnostachya</i>					●						
<i>Carex kimurae</i>				E	●	●					
<i>Carex kobomugi</i>					●	●					
<i>Carex maculata</i>	LC				●	●		●	●		
<i>Carex maculata</i> var. <i>tetsuoi</i>				E	●	●		●	●		
<i>Carex nemostachys</i>					●	●		●	●		
<i>Carex phacota</i>	LC				●	●		●	●		
<i>Carex pumila</i>					●	●		●	●		
<i>Carex rhynchaenaenium</i>					●	●		●	●		
<i>Carex sacrosancta</i> var. <i>tamakii</i>		CR			●	●		●	●		
<i>Carex sakonis</i>		NT		E	●	●		●	●		MOEU-RL: <i>Carex tamakii</i>
<i>Carex scabrifolia</i>		NT			●	●		●	●		
<i>Carex sociata</i>					●	●		●	●		
<i>Carex tenuior</i>				E	●	●		●	●		
<i>Carex tristachya</i> var. <i>pocilliformis</i>					●	●		●	●		
<i>Carex wahuensis</i> var. <i>robusta</i>					●	●		●	●		
<i>Gladium chinense</i>					●	●		●	●		
<i>Cyperus brevifolius</i>					●	●		●	●		
<i>Cyperus brevifolius</i> var. <i>leirolepis</i>					●	●		●	●		
<i>Cyperus compressus</i>	LC				●	●		●	●		
<i>Cyperus cyperinus</i>					●	●		●	●		
<i>Cyperus cyperoides</i>	LC				●	●		●	●		
<i>Cyperus difformis</i>	LC				●	●		●	●		
<i>Cyperus digitatus</i>	LC	CR			●	●		●	●		
<i>Cyperus distans</i>	LC	CR			●	●		●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Cyperus flavidus</i>					●	●	●	●	●	●	
<i>Cyperus haspan</i>					●	●	●	●	●	●	
<i>Cyperus imbricatus</i>	LC				●	●	●	●	●	●	
<i>Cyperus iria</i>	LC				●	●	●	●	●	●	
<i>Cyperus javanicus</i>					●	●	●	●	●	●	
<i>Cyperus kyllingia</i>					●	●	●	●	●	●	
<i>Cyperus nutans</i> var. <i>subprolixus</i>		CR			●	●	●	●	●	●	
<i>Cyperus odoratus</i>					●	●	●	●	●	●	
<i>Cyperus pilosus</i>	LC				●	●	●	●	●	●	
<i>Cyperus polystachyos</i>	LC				●	●	●	●	●	●	
<i>Cyperus rotundus</i>	LC				●	●	●	●	●	●	
<i>Cyperus sanguinolentus</i>					●	●	●	●	●	●	
<i>Cyperus serotinus</i>					●	●	●	●	●	●	
<i>Cyperus sesquiflorus</i> var. <i>subtriceps</i>					●	●	●	●	●	●	
<i>Cyperus tenuispica</i>	LC				●	●	●	●	●	●	
<i>Diplacrum caricinum</i>	LC				●	●	●	●	●	●	
<i>Eleocharis acicularis</i>	LC	VU			●	●	●	●	●	●	
<i>Eleocharis acutangula</i>		EN			●	●	●	●	●	●	
<i>Eleocharis attenuata</i>					●	●	●	●	●	●	
<i>Eleocharis congesta</i>	LC				●	●	●	●	●	●	
<i>Eleocharis congesta</i> ssp. <i>japonica</i>					●	●	●	●	●	●	
<i>Eleocharis geniculata</i>	LC				●	●	●	●	●	●	
<i>Eleocharis kuroguwai</i>					●	●	●	●	●	●	
<i>Eleocharis ochrostachys</i>					●	●	●	●	●	●	
<i>Eleocharis tetraquetra</i>	LC				●	●	●	●	●	●	
<i>Eleocharis wichurae</i>					●	●	●	●	●	●	
<i>Eleocharis wichurae</i> var. <i>liukuensis</i>				E	●	●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Fimbristylis dichotoma</i> f. <i>diphylla</i>					●		●	●			
<i>Fimbristylis autumnalis</i>					●		●				
<i>Fimbristylis complanata</i>	LC				●		●		●		
<i>Fimbristylis complanata</i> f. <i>exaltata</i>					●		●		●		
<i>Fimbristylis cymosa</i>	LC				●		●		●		
<i>Fimbristylis dichotoma</i>	LC				●		●		●		
<i>Fimbristylis dichotoma</i> var. <i>floribunda</i>					●		●		●		
<i>Fimbristylis dichotoma</i> var. <i>floribunda</i> f.					●		●		●		
<i>Fimbristylis dichotoma</i> var. <i>itikushiensis</i>					●		●		●		
<i>Fimbristylis diphyloides</i>					●		●		●		
<i>Fimbristylis ferruginea</i> var. <i>sieboldii</i>					●		●		●		
<i>Fimbristylis fimbristylifoloides</i>		CR			●		●		●		
<i>Fimbristylis miliacea</i>	LC				●		●		●		
<i>Fimbristylis miliacea</i> var. <i>koidzumiana</i>					●		●		●		
<i>Fimbristylis nutans</i>	LC	CR			●		●		●		
<i>Fimbristylis ovata</i>	LC	NT			●		●		●		
<i>Fimbristylis pacifica</i>					●		●		●		
<i>Fimbristylis sericea</i>					●		●		●		
<i>Fimbristylis sieboldii</i> var. <i>anpinensis</i>					●		●		●		
<i>Fimbristylis subbispicata</i>					●		●		●		
<i>Fimbristylis umbellaris</i>		EN			●		●		●		
<i>Fuirena ciliaris</i>	LC				●		●		●		
<i>Fuirena umbellata</i>	LC				●		●		●		
<i>Gahnia tristis</i>					●		●		●		
<i>Lepironia articulata</i>					●		●		●		
<i>Lipocarpha chinensis</i>					●		●		●		
<i>Machaerina rubiginosa</i>	LC				●		●		●		



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Rhynchospora brownii</i>					●						
<i>Rhynchospora corymbosa</i>	LC				●			●			
<i>Rhynchospora rubra</i>					●			●			
<i>Schoenus apogon</i>					●						
<i>Schoenus falcatus</i>					●						
<i>Scirpus juncooides</i>					●						
<i>Scirpus juncooides</i> var. <i>hotarui</i>					●						
<i>Scirpus maritimus</i>					●						
<i>Scirpus mucronatus</i>		VU			●						MOEU-RL: <i>Schoenoplectus mucronatus</i> var. <i>mucronatus</i>
<i>Scirpus mucronatus</i> var. <i>robusta</i>					●						
<i>Scirpus planiculmis</i>					●						
<i>Scirpus tabernaemontani</i>					●						
<i>Scirpus ternatanus</i>					●						
<i>Scirpus triquetter</i>	LC				●						
<i>Scirpus validus</i>				E	●						
<i>Scirpus x trapezoides</i>					●						
<i>Scleria biflora</i>	LC	EN			●						
<i>Scleria levis</i>					●						
<i>Scleria rugosa</i>					●						
<i>Scleria terrestris</i>	LC				●						
<b>RESTIONALES</b>											
<b>FLAGELLARIACEAE</b>											
<i>Flagellaria indica</i>					●						
<b>GRAMINALES</b>											
<b>GRAMINEAE</b>											
<i>Agropyron ciliare</i> var. <i>minus</i>					●						
<i>Agropyron ciliare</i> var. <i>pilosum</i>					●						

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Agropyron tsukushiense</i> var. <i>transiens</i>					●	●		●			
<i>Agrostis clavata</i>					●						
<i>Alopecurus aequalia</i> var. <i>amurensis</i>	LC				●	●		●			
<i>Alopecurus japonicus</i>					●						
<i>Andropogon brevifolium</i>	LC				●	●		●			
<i>Apluda mutica</i>					●						
<i>Aristida takeoi</i>		EN		E	●	●		●			
<i>Arthraxon hispidus</i>					●	●		●			
<i>Arundo donax</i>	LC				●	●		●			
<i>Arundo formosana</i>					●						
<i>Bothriochloa glabra</i>					●						
<i>Bothriochloa intermedia</i> var. <i>punctata</i>					●						
<i>Bothriochloa parvifolia</i>					●	●		●			
<i>Bothriochloa parvifolia</i> var. <i>spicigera</i>					●						
<i>Brachiaria distachya</i>					●	●		●			
<i>Brachiaria paspaloides</i>					●						
<i>Brachiaria villosa</i>		EN			●						
<i>Capillipedium kwashotense</i>					●						
<i>Chikusichloa brachyanthera</i>		VU		E	●						
<i>Chrysopogon aciculatus</i>					●						
<i>Cymbopogon tortilis</i> var. <i>goeringii</i>					●	●		●			
<i>Cynodon dactylon</i>					●	●		●			
<i>Cyrtococcum accrescens</i>					●						
<i>Cyrtococcum patens</i>					●						
<i>Digitaria ciliaris</i>					●						
<i>Digitaria hennyi</i>					●	●		●			
<i>Digitaria heterantha</i>					●	●		●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Digitaria leptalea</i>					●			●	●		
<i>Digitaria leptalea</i> var. <i>reticulmīs</i>					●				●		
<i>Digitaria radicata</i>					●			●	●		
<i>Digitaria violascens</i>					●			●	●		
<i>Dimeria ormithopoda</i> var. <i>tenera</i>	LC				●			●	●		
<i>Eccoilopus cotulifer</i>					●			●	●		
<i>Eccoilopus cotulifer</i> var. <i>densiflorus</i>				E	●			●	●		
<i>Echinochloa colona</i>	LC				●			●	●		
<i>Echinochloa crus-galli</i>					●			●	●		
<i>Echinochloa crus-galli</i> var. <i>oryzicola</i>					●			●	●		
<i>Echinochloa crus-galli</i> var. <i>pratensis</i>					●				●		
<i>Echinochloa glabrescens</i>					●				●		
<i>Echinochloa oryzoides</i>					●				●		
<i>Echinochloa phyllopogon</i>					●				●		
<i>Eleusine indica</i>	LC				●			●	●		
<i>Eragrostis bulbifera</i>					●			●	●		
<i>Eragrostis ferruginea</i>					●			●	●		
<i>Eragrostis japonica</i>	LC				●			●	●		
<i>Eragrostis multicaulis</i>					●			●	●		
<i>Eriochloa procer a</i>	LC				●			●	●		
<i>Eriochloa villosa</i>					●			●	●		
<i>Eulalia quadrinervis</i>		NT			●				●		
<i>Garnotia acutigluma</i>		VU			●				●		
<i>Glyceria acutiflora</i>					●				●		
<i>Hackelochloa granularis</i>					●			●	●		
<i>Hemarthria compressa</i>					●				●		
<i>Ichnanthus vicinus</i>	LC				●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Imperata cylindrica</i>					●	●	●	●	●	●	
<i>Isachne dispar</i>					●	●			●	●	
<i>Isachne globosa</i>	LC				●	●	●		●	●	
<i>Isachne globosa</i> var. <i>brevispicula</i>		DD			●				●	●	
<i>Isachne lutchuensis</i>		CR		E	●		●		●	●	
<i>Isachne myosotis</i>		CR			●		●				
<i>Isachne repens</i>					●		●		●	●	
<i>Ischaemum aristatum</i>					●		●		●	●	
<i>Ischaemum aureum</i>				E	●		●		●	●	
<i>Ischaemum muticum</i>	LC				●		●		●	●	
<i>Ischaemum rugosum</i> var. <i>segetum</i>					●				●	●	
<i>Leersia hexandra</i>		NT			●		●		●	●	
<i>Leersia japonica</i>					●						
<i>Leptochloa chinensis</i>					●		●				
<i>Leptochloa panicea</i>	LC				●		●		●	●	
<i>Lepturus repens</i>					●		●		●	●	
<i>Lophatherum gracile</i>					●		●		●	●	
<i>Microstegium ciliatum</i>					●		●		●	●	
<i>Microstegium somai</i>					●		●				
<i>Microstegium vimineum</i>					●		●				
<i>Miscanthus floridulus</i>					●		●				
<i>Miscanthus sinensis</i>					●		●		●	●	
<i>Miscanthus sinensis</i> var. <i>condensatus</i>					●		●		●	●	
<i>Miscanthus sinensis</i> var. <i>gracillimus</i>					●		●		●	●	
<i>Opismenus compositus</i>					●		●		●	●	
<i>Opismenus compositus</i> var. <i>intermedius</i>					●		●		●	●	
<i>Opismenus compositus</i> var. <i>owatarii</i>					●		●		●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Opismenus compositus</i> var. <i>patens</i>					●	●	●	●	●		
<i>Opismenus undulatifolius</i>					●	●	●	●	●		
<i>Opismenus undulatifolius</i> var. <i>imbecillis</i>					●	●	●	●	●		
<i>Opismenus undulatifolius</i> var. <i>japonicus</i>					●	●	●	●	●		
<i>Opismenus undulatifolius</i> var. <i>microphyllus</i>					●	●	●	●	●		
<i>Oryzopsis obtusa</i>		CR			●	●	●	●	●		MOEJ-RL: <i>Piptatherum kuoi</i>
<i>Panicum bisulcatum</i>					●	●	●	●	●		
<i>Panicum repens</i>	LC				●	●	●	●	●		
<i>Paspalum scrobiculatum</i>	LC				●	●	●	●	●		
<i>Paspalum thunbergii</i>					●	●	●	●	●		
<i>Paspalum vaginatum</i>	LC				●	●	●	●	●		
<i>Pennisetum alopecuroides</i>					●	●	●	●	●		
<i>Pennisetum alopecuroides</i> f. <i>viridescens</i>					●	●	●	●	●		
<i>Pennisetum sordidum</i>					●	●	●	●	●		
<i>Phacelurus latifolius</i>					●	●	●	●	●		
<i>Phragmites communis</i>	LC				●	●	●	●	●		
<i>Phragmites japonica</i>					●	●	●	●	●		
<i>Phragmites karka</i>	LC				●	●	●	●	●		
<i>Pleiblastus linearis</i>					●	●	●	●	●		
<i>Poa acroleuca</i>					●	●	●	●	●		
<i>Poa annua</i>	LC				●	●	●	●	●		
<i>Pogonatherum crinitum</i>					●	●	●	●	●		
<i>Polypogon fugax</i>					●	●	●	●	●		
<i>Polypogon monspeliensis</i>	LC				●	●	●	●	●		
<i>Saccharum kanashiroi</i>					●	●	●	●	●		
<i>Saccharum spontaneum</i>					●	●	●	●	●		
<i>Sacciolepis indica</i>	LC				●	●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<i>Sacciolepis indica</i> var. <i>oryzifera</i>					●	●	●	●	●		
<i>Setaria faberi</i>					●						
<i>Setaria glauca</i>					●	●	●	●	●		
<i>Setaria pallide</i>					●	●	●	●	●		
<i>Setaria palmifolia</i>					●	●	●	●	●		
<i>Setaria viridis</i>					●				●		
<i>Setaria viridis</i> f. <i>misera</i>					●				●		
<i>Setaria viridis</i> var. <i>pachystachys</i>					●	●	●	●	●		
<i>Setaria viridis</i> var. <i>pachystachys</i> f.					●				●		
<i>Setaria</i> x <i>pyncocoma</i>					●				●		
<i>Spinifex littoreus</i>					●	●	●	●	●		
<i>Sporobolus diander</i>					●	●	●	●	●		
<i>Sporobolus fertilis</i>					●	●	●	●	●		
<i>Sporobolus fertilis</i> var. <i>pallidiorus</i>				E	●	●	●	●	●		
<i>Sporobolus hancei</i>		CR			●	●	●	●	●		
<i>Sporobolus virginicus</i>					●	●	●	●	●		
<i>Thaumastochloa cochinchinensis</i>		CR			●	●	●	●	●		
<i>Thuarea involuta</i>					●	●	●	●	●		
<i>Trisetum bifidum</i>	LC				●	●	●	●	●		
<i>Zoysia macrostachya</i>					●	●	●	●	●		
<i>Zoysia matrella</i>					●	●	●	●	●		
<i>Zoysia pacifica</i>					●	●	●	●	●		
<i>Zoysia sinica</i>					●	●	●	●	●		
<i>Zoysia sinica</i> var. <i>nipponica</i>					●	●	●	●	●		

This plant list was created by integrating the vascular plant list of Kagoshima University (March 2012) with that of the Environmental Preservation Division, Okinawa Prefecture Department of Environmental and Community Affairs, Okinawa Environmental Analysis Center Co., Ltd. and PREC Institute (March 2014). However, the following modifications have been made:

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus			South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.	

• Those species found to be distributed in the Amami Island Group according to Kagoshima University (March 2012) but for which there is no island-specific distribution data are assumed to be distributed on all islands contained in the Amami Island Group.

• The 27 species mentioned in Nature Protection Department, Kagoshima Prefecture Environment and Forestry Affairs Division (2016), Nature Conservation Division, Okinawa Prefecture Department of Cultural and Environmental Affairs (2006) and Wildlife Division, Ministry of the Environment Nature Conservation Bureau (2015) but which are not in the integrated list have been added after their distribution was confirmed in reference to Ebihara et al. (2012), Hatsushima and Amano (1994), Nature Protection Department, Kagoshima Prefecture Environment and Forestry Affairs Division (2016), Nature Conservation Division, Okinawa Prefecture Department of Cultural and Environmental Affairs (2006) and Environmental Protection Department, Kagoshima Prefecture Environmental and Citizens Affairs Department (2003).

• Species sequences and orders are based on Yamagishi (1997).

• The distinction as the native species is based on Shimabukuro (1997), Hotta (2013), Hatsushima and Amano (1994), Ito et al. (2016), Ebihara et al. (2016), Naturalized Plant Handbook (2007), Yonekura and Kajita (2003-), Environmental Protection Department, Kagoshima Prefecture Environmental and Citizens Affairs Department (2003), Hatsushima (1991), Ohashi et al. (2016) and Uyemura et al. (2010).

#### Bibliography

- Ebihara, A., Fraser-Jenkins, C. R., Parris, B. S., Zhang, X. C., Yang, X. C., Yang, Y. H., Chiou, W. L., ... & Praptosuwiryo, T. N. (2012). Rare and threatened pteridophytes of Asia 1. An enumeration of narrowly distributed taxa. *Bulletin of the National Museum of Nature and Science, Series B*, 38(3), 93.
- Ebihara, A., Ito, M., Nagamasu, H., Fujii, S., Katsuyama, T., Yonekura, T., Yonekura, A., & Yahara, T. (2016). Fern GreenList ver. 1.0. Retrieved from <http://www.rdplants.org/gl/>
- Forestry Agency Kyushu Regional Forest Office, Guidance and Outreach Department, Iriomote Forest Ecosystem Conservation Center (2013). *From A Forest of Iriomote: Iriomote Forest Ecosystem Conservation Center Newsletter*, 36.
- Hatsushima, S. (1991). *Plants of the Northern Hemisphere*. Tokyo, Asahi Printing. (in Japanese)
- Hatsushima, S., & Amano, T. (1994). *Flora of the Ryukyus, South of Amami Island*. Okinawa, Biological Society of Okinawa. (in Japanese)
- Hotta, M. (2013). Flora of the Amami Islands. *Kagoshima University Museum Newsletter*, 6.
- Ito, M., Nagamasu, H., Fujii, S., Katsuyama, T., Yonekura, T., Yonekura, A., & Yahara, T. (2016). GreenList ver. 1.01. Retrieved from <http://www.rdplants.org/gl/>
- Kagoshima Prefecture Environmental and Citizens Affairs Department, Environmental Protection Department (2003). *Endangered Wild Animals and Plants of Kagoshima Prefecture: Plants - Kagoshima Red Data Book*. Kagoshima Environmental Research and Service. (in Japanese)
- Kagoshima Prefecture Environment and Forestry Affairs Division, Nature Protection Department (2016). *Revised Edition, Endangered Wild Animals and Plants of Kagoshima Prefecture: Plants - Kagoshima Red Data Book 2016*. Kagoshima Environmental Research and Service. (in Japanese)
- Kagoshima University (2012). *FY2011 Report on Deliberations Aimed at a Management Structure Based on Scientific Knowledge in Pursuit of the Inscription of the Ryukyu Arc on the World Natural Heritage List*. (in Japanese)
- Murata, J., & Yonekura, K. (2012). *An Enumeration of the Vascular Plants of Japan*. Tokyo, Hokuryukan. (in Japanese)
- Ohashi, H., Kadota, Y., Murata, J., Yonekura, K., & Kihara, H. (2015). *Wild Flowers of Japan 1*. Tokyo, Heibonsha. (in Japanese)
- Okinawa Prefecture Department of Cultural and Environmental Affairs, Nature Conservation Division (2006). *Revised Edition: Endangered Wild Living Organisms of Okinawa Prefecture (Fungi; Plants) - Red Data Okinawa*. Okinawa Prefecture Department of Cultural and Environmental Affairs, Nature Conservation Division. (in Japanese)

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEU-RL (2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Nominated Property	Middle Ryukyus			South Ryukyus	Note
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.	

Okinawa prefecture Environmental and Citizens Affairs Department, Consortium of the Environmental Protection Department (2014). *Report on the Work of Inventory Development in Pursuit of the Inscription of Amami and Ryukyu on the World Natural Heritage List*. Okinawa Prefecture Environmental and Citizens Affairs Department, Consortium of the Environmental Protection Department, Okinawa Environmental Analysis Center Co., Ltd. and PREC Institute. (in Japanese)

Shimabukuro, K. (1997). *Check List of Vascular Flora of the Ryukyu Islands*. Fukuoka, Kyushu University Press. (in Japanese)

Tachikake, M., & Nakamura, S. (2007). *Naturalized Plant Handbook*. Hiroshima, Hiba Society of Natural History. (in Japanese)

Uemura, S., Katsuyama, T., Shimizu, N., Mizuta, M., Morita, H., Hirota, S., & Ikehara, N. (2010). *Picture Book of Naturalized Plants of Japan Vol. 2*. Tokyo, National Rural Education Association. (in Japanese)

Yamagishi, T. (Ed.) (1997). *Basics of Plant Phylogenetics*. Tokyo, Hokuryukan. (in Japanese)

Yonekura, K., & Kajita, T. (2003). *BG Plants: Japanese Name and Scientific Nomenclature Index (YList)*. Retrieved from <http://ylist.info> (in Japanese)



## 2-2-2. Terrestrial mammals of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island

\*1: As for Red List categories of IUCN, details are given on the last page.

\*2: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*3: SNM: Special Natural Monument, NM: Natural Monument

\*4: E: Endemic species, e: Endemic subspecies

●: shows the distribution of species, ○: shows the distribution of subspecies

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.		
<b>INSECTIVORA</b>											
<b>SCORICIDAE</b>											
<i>Crocidura watasei</i>	LC	NT		E	●	●	●	●			
<i>Crocidura orii</i>	EN	EN		E	●	●	●				
<i>Suncus murinus</i>	LC				●	●	●	●	●		
<b>CHIROPTERA</b>											
<b>PTEROPODIDAE</b>											
<i>Pteropus dasymallus</i>	NT				●				●		
<i>Pteropus dasymallus inopinatus</i>				e	○				○		
<i>Pteropus dasymallus yayeyamae</i>				e	○				○		
<b>RHINOLOPHIDAE</b>											
<i>Rhinolophus cornutus</i>	LC	EN		e	●	○	○	○			IUCN-RL: Synonyms of <i>Rhinolophus pusillus</i>
<i>Rhinolophus cornutus orii</i>	LC*	EN		E	●						IUCN-RL: Synonyms of <i>Rhinolophus pusillus</i>
<i>Rhinolophus pumilus</i>	LC*	EN		e	○						
<i>Rhinolophus perditus</i>	LC*	VU		E	●				●		IUCN-RL: Synonyms of <i>Rhinolophus pusillus</i>
<i>Rhinolophus perditus imaizumii</i>		(VU)*		e	○				○		*Assessed at the species level in the MOEJ-RL
<b>HIPPOSIDERIDAE</b>											
<i>Hipposideros turpis</i>	NT			E	●					●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEU - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus Iriomote Is.	
<b>VESPERTILIONIDAE</b>										
<i>Pipistrellus abramus</i>	LC				●	●	●	●	●	
<i>Myotis macrodactylus</i>	LC				●	●				
<i>Myotis yanbarensis</i>	CR	CR		E	●	●	●	●	●	
<i>Miniopterus fuscus</i>	EN	EN		E	●	●	●	●	●	
<i>Murina ryukyuana</i>	EN	EN		E	●	●	●	●	●	
<b>MOLOSSIDAE</b>										
<i>Tadarida latouchiei</i>	DD	DD			●	●				
<b>CARNIVORA</b>										
<b>FELIDAE</b>										
<i>Prionailurus bengalensis</i>	LC				●				●	
<i>Prionailurus bengalensis iriomotensis</i>	CR	CR	SNM	e	○				○	
<b>ARTIODACTYLA</b>										
<b>SUIDAE</b>										
<i>Sus scrofa</i>	LC				●	●	●	●	●	
<i>Sus scrofa riukiuanus</i>		LP*		e	○	○	○	○	○	*LP on Tokunoshima Island
<b>RODENTIA</b>										
<b>MURIDAE</b>										
<i>Apodemus agrarius</i>	LC	CR								
<i>Tokudaia osimensis</i>	EN	EN	NM*	E	●					
<i>Tokudaia tokunoshimensis</i>	EN	EN	NM*	E	●	●				*Designated by common name "Spiny rat" which includes three species of genus <i>Tokudaia</i> .
<i>Tokudaia muenninki</i>	CR	CR	NM*	E	●			●		
<i>Diplothrix legata</i>	EN	EN	NM	E	●	●	●	●	●	
<i>Mus caroli</i>	LC				●			●		Possibility of introduced is also suggested (Suzuk, 2016)
<b>LAGOMORPHA</b>										
<b>LEPORIDAE</b>										
<i>Pentalagus furnessi</i>	EN	EN	NM	E	●			●		

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEU-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.	

### Bibliography

Abe, H., Ishii, N., Kaneko, Y., Maeda, K., Miura, S., Ito, T., Yoneda, M., & Japan Wildlife Research Center. (2008). *Mammals of Japan*. 2nd rev. ed. Kanagawa, Tokai University Press. (in Japanese)

Bat Study and Conservation Group of Japan, Sano, A., & Fukui, D. (Eds.). (2011). *A field guide to the bats of Japan. rev. version*, Tokyo, Bun-ichi Sogo Shuppan. (in Japanese)

Funakoshi, K., Osawa, Y., & Osawa, K. (2006). Distribution of the Ryukyu flying-fox (*Pteropus dasymallus inopinatus*) on islands adjacent to Okinawa Island, with special reference to their ecology on Yoron Island. *Honyurui Kagaku (Mammalian Science)*, 46(1), 29-34. (in Japanese)

Funakoshi, K., Osawa, Y., & Osawa, K. (2012). First record of the Orii's flying-fox, *Pteropus dasymallus inopinatus* on Okinoerabu-jima Island in Kagoshima Prefecture, Japan, with special reference to their inhabitation. *Honyurui Kagaku (Mammalian Science)*, 46(1), 29-34. (in Japanese)

Ohdachi, S. D., Ishibashi, Y., Iwasa, M. A., Fukui D. & Saitoh, T. (2015) . The Wild Mammals of Japan. 2nd edition. Shoukadoh, Kyoto.

Suzuki, H. (2016). History of house mouse (*Mus musculus*) – the origin and immigration into the Japanese islands. In Motokawa, M. (Ed.), *Japanese Mouse – Diversity and Evolution(pp.)*. Tokyo, University of Tokyo Press. (in Japanese)

### 2-2-3. Birds of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island

\*1: As for Red List categories of IUCN, details are given on the last page.

\*2: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*3: SNM: Special Natural Monument, NM: Natural Monument

\*4: Rb: Resident breeder, Sv: Summer visitor, Wv: Winter visitor, Pm: Passage migrant, Vb: Vagrant bird

\*5: E: Endemic species, e: Endemic subspecies

●: shows the distribution of species, ○: shows the distribution of subspecies

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus				Notes	
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	South Ryukyus		
<b>ANSERIFORMES</b>												
<b>ANATIDAE</b>												
<i>Dendrocygna javanica</i>	LC			Vb		●						
<i>Anser cygnoides</i>	VU	DD		Vb		●		●				
<i>Anser fabalis</i>	LC			Vb		●						
<i>Anser fabalis middendorffii</i>		NT	NM*	Vb		○						*Designated by common name "Bean Goose" which includes subsp. <i>middendorffii</i> and <i>serrirostris</i>
<i>Anser fabalis serrirostris</i>		VU	NM*	Vb		○						
<i>Anser anser</i>	LC			Vb		●						
<i>Anser anser rubirostris</i>				Vb		○						
<i>Anser albifrons</i>	LC			Vb		●						
<i>Anser albifrons albifrons</i>		NT	NM*	Vb		○						*Designated by common name "Greater White-fronted Goose" which corresponds to subsp.
<i>Anser erythropus</i>	VU	EN		Vb		●						
<i>Branta bernicla</i>	LC			Vb		●						
<i>Branta bernicla orientalis</i>		VU	NM*	Vb		○						*Designated by common name "Brant Goose" which corresponds to subsp. <i>orientalis</i> .
<i>Cygnus columbianus</i>	LC			Vb		●						
<i>Cygnus columbianus jankowskyi</i>				Vb		○						
<i>Cygnus cygnus</i>	LC			Vb		●						
<i>Tadorna tadoma</i>	LC	VU		Vb		●						
<i>Tadorna ferruginea</i>	LC	DD		Vb		●						

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Aix galericulata</i>	LC	DD		Wv		●	●	●	●		
<i>Anas strepera</i>	LC			Wv		●	●	●	●	IUCN-RL: <i>Mareca strepera</i>	
<i>Anas strepera strepera</i>				Wv			○	○	○		
<i>Anas falcata</i>	NT			Vb					●	IUCN-RL: <i>Mareca falcata</i>	
<i>Anas penelope</i>	LC			Wv		●	●	●	●	IUCN-RL: <i>Mareca penelope</i>	
<i>Anas platyrhynchos</i>	LC			Wv		●	●	●	●		
<i>Anas platyrhynchos platyrhynchos</i>				Wv		○	○	○	○		
<i>Anas zonorhyncha</i>	LC			Rb		●	●	●	●		
<i>Anas clypeata</i>	LC			Wv		●	●	●	●	IUCN-RL: <i>Spatula clypeata</i>	
<i>Anas acuta</i>	LC			Wv		●	●	●	●		
<i>Anas querquedula</i>	LC			PmWv		●	●	●	●	IUCN-RL: <i>Spatula querquedula</i>	
<i>Anas formosa</i>	LC	VU		Vb		●	●	●	●	IUCN-RL: <i>Sibirionetta formosa</i>	
<i>Anas crecca</i>	LC			Wv		●	●	●	●		
<i>Anas crecca crecca</i>				Wv		○	○	○	○		
<i>Aythya ferina</i>	VU			Wv		●	●	●	●		
<i>Aythya fuligula</i>	LC			Wv		●	●	●	●		
<i>Aythya marila</i>	LC			Wv		●	●	●	●		
<i>Aythya marila marila</i>				Wv		○	○	○	○		
<i>Bucephala clangula</i>	LC			Vb		●	●	●	●		
<i>Bucephala clangula clangula</i>				Vb		○	○	○	○		
<i>Mergellus albellus</i>	LC			Vb		●	●	●	●		
<i>Mergus merganser</i>	LC			Vb		●	●	●	●		
<i>Mergus merganser merganser</i>				Vb		○	○	○	○		
<i>Mergus serrator</i>	LC			Vb		●	●	●	●		
<i>Mergus squamatus</i>	EN			Vb		●	●	●	●		

**PODICIPEDIFORMES**

**PODICIPEDIDAE**

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Tachybaptus ruficollis</i>	LC			Rb		●	●	●	●		
<i>Tachybaptus ruficollis poggei</i>				Rb		○	○	○	○		
<i>Podiceps cristatus</i>	LC			Vb		●	●	●	●		
<i>Podiceps cristatus cristatus</i>				Vb		○	○	○	○		
<i>Podiceps auritus</i>	VU			Vb		●	●	●	●		
<i>Podiceps auritus auritus</i>				Vb		○	○	○	○		
<i>Podiceps nigricollis</i>	LC			Wv		●	●	●	●		
<i>Podiceps nigricollis nigricollis</i>				Wv		○	○	○	○		
<b>PHAETHONTIFORMES</b>											
<b>PHAETHONTIDAE</b>											
<i>Phaethon rubricauda</i>	LC			Vb		●	●	●	●		
<i>Phaethon rubricauda rothschildi</i>		EN		Vb		○	○	○	○		
<i>Phaethon lepturus</i>	LC			Vb		●	●	●	●		
<i>Phaethon lepturus dorotheae</i>				Vb		○	○	○	○		
<b>COLUMBIFORMES</b>											
<b>COLUMBIDAE</b>											
<i>Columba oenas</i>	LC			Vb		●	●	●	●		
<i>Columba oenas</i> ssp.				Vb		○	○	○	○		
<i>Columba janthina</i>	NT			Rb		●	●	●	●		
<i>Columba janthina janthina</i>		NT	NM*	Rb		○	○	○	○		* Designated by common name "Japanese Wood Pigeon" which includes subsp. <i>janthina</i>
<i>Columba janthina stejnegeri</i>		EN	NM*	Rb	e	○	○	○	○		and <i>stejnegeri</i> .
<i>Streptopelia orientalis</i>	LC			Rb		●	●	●	●		
<i>Streptopelia orientalis orientalis</i>				Vb		○	○	○	○		
<i>Streptopelia orientalis simpsoni</i>				Rb	e	○	○	○	○		
<i>Streptopelia tranquebarica</i>	LC			Vb		●	●	●	●		
<i>Streptopelia tranquebarica humilis</i>				Vb		○	○	○	○		
<i>Chalcophaps indica</i>	LC			Rb		●	●	●	●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Chalcophaps indica yamashinai</i>	LC	EN	NM <sup>3</sup>	Rb	e	○			○	* Designated by common name "Emerald Dove" which corresponds to subsp. <i>yamashinai</i>	
<i>Treron formosae</i>				Rb		●			●		
<i>Treron formosae permagnus</i>				Rb		○				IUCN-RL: <i>Treron permagnus</i>	
<i>Treron formosae medioximus</i>				Rb	e	○			○	IUCN-RL: <i>Treron formosae</i>	
<i>Ptilinopus leclancheri</i>	LC			Vb		●			●	IUCN-RL: <i>Ramphiculus leclancheri</i>	
<i>Ptilinopus leclancheri taiwanus</i>				Vb		○			○		
<b>GAVIIFORMES</b>											
<b>GAVIIDAE</b>											
<i>Gavia stellata</i>	LC			Vb		●					
<i>Gavia arctica</i>	LC			Vb		●					
<i>Gavia arctica viridigularis</i>				Vb		○					
<b>PROCELLARIIFORMES</b>											
<b>DIOMEDEIDAE</b>											
<i>Phoebastria immutabilis</i>	NT	EN		Vb		●					
<b>PROCELLARIIDAE</b>											
<i>Pterodroma hypoleuca</i>	LC	DD		Vb		●			●		
<i>Calonectris leucomegas</i>	NT			Sv		●			●		
<i>Puffinus griseus</i>	NT			Pm		●				IUCN-RL: <i>Ardenna grisea</i>	
<i>Puffinus tenuirostris</i>	LC			Pm		●			●	IUCN-RL: <i>Ardenna tenuirostris</i>	
<i>Puffinus carneipes</i>	LC			PmWv		●			●	IUCN-RL: <i>Ardenna carneipes</i>	
<i>Bulweria bulwerii</i>	LC			Sv		●			●		
<b>HYDROBATIDAE</b>											
<i>Oceanodroma monorhis</i>	NT	VU		Vb		●			●	IUCN-RL: <i>Hydrobates monorhis</i>	
<i>Oceanodroma tristrami</i>	NT	NT		Vb		●			●	IUCN-RL: <i>Hydrobates tristrami</i>	
<b>CICONIIFORMES</b>											
<b>CICONIIDAE</b>											
<i>Ciconia nigra</i>	LC			Vb		●			●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Ciconia boyciana</i>	EN	CR	SNM	Vb		●	●	●	●		
<b>SULIFORMES</b>											
<b>FREGATIDAE</b>											
<i>Fregata minor</i>	LC			Vb		●	●	●			
<i>Fregata minor minor</i>				Vb		○	○	○			
<i>Fregata ariel</i>	LC			Vb		●	●	●	●		
<i>Fregata ariel ariel</i>				Vb		○	○	○	○		
<b>SULIDAE</b>											
<i>Sula dactylatra</i>	LC			Vb		●	●	●	●		
<i>Sula dactylatra personata</i>				Vb		○	○	○	○		
<i>Sula sula</i>	LC			Vb		●	●	●	●		
<i>Sula sula rubripes</i>		EN		Vb		○	○	○	○		
<i>Sula leucogaster</i>	LC			Sv		●	●	●	●		
<i>Sula leucogaster plotus</i>				Sv		○	○	○	○		
<b>PHALACROCORACIDAE</b>											
<i>Phalacrocorax carbo</i>	LC			Wv		●	●	●	●		
<i>Phalacrocorax carbo hanedae</i>				Wv		○	○	○	○		
<i>Phalacrocorax capillatus</i>	LC			Wv		●	●	●	●		
<b>PELECANIFORMES</b>											
<b>PELECANIDAE</b>											
<i>Pelecanus onocrotalus</i>	LC			Vb		●	●	●	●		
<i>Pelecanus philippensis</i>	NT			Vb		●	●	●	●		
<i>Pelecanus crispus</i>	VU			Vb		●	●	●	●		
<b>ARDEIDAE</b>											
<i>Botaurus stellaris</i>	LC			Wv		●	●	●	●		
<i>Botaurus stellaris stellaris</i>		EN		Wv		○	○	○	○		
<i>Ixobrychus sinensis</i>	LC			Wv		●	●	●	●		



Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Ixobrychus sinensis sinensis</i>		NT		Wv		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ixobrychus eurhythmus</i>	LC	CR		Vb		<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Ixobrychus cinnamomeus</i>	LC			Rb		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Ixobrychus flavicollis</i>	LC			Vb		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ixobrychus flavicollis flavicollis</i>				Vb		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Gorsachius goisagi</i>	EN	VU		Wv/Pm		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Gorsachius melanolophus</i>	LC	VU		Rb		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Nycticorax nycticorax</i>	LC			Rb		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Nycticorax nycticorax nycticorax</i>				Rb		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Butorides striata</i>	LC			Wv/Pm		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Butorides striata amurensis</i>				Wv/Pm		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ardeola bacchus</i>	LC			Pm		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Bubulcus ibis</i>	LC			Wv/Pm		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Bubulcus ibis coromandus</i>				Wv/Pm		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ardea cinerea</i>	LC			Wv		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Ardea cinerea jouyi</i>				Wv		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ardea purpurea</i>	LC			Wv/Rb		<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Ardea purpurea manilensis</i>				Wv/Rb	e	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ardea alba</i>	LC			Wv		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Ardea alba alba</i>				Vb		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Ardea alba modesta</i>				Wv		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Egretta intermedia</i>	LC			Wv		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	IUCN-RL: <i>Ardea intermedia</i>
<i>Egretta intermedia intermedia</i>		NT		Wv		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Egretta garzetta</i>	LC			Wv		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Egretta garzetta garzetta</i>				Wv		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
<i>Egretta sacra</i>	LC			Rb		<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
<i>Egretta sacra sacra</i>				Rb		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Egretta eulophotes</i>	VU	NT		Pm		●	●			●	
<b>THRESKIORNITHIDAE</b>											
<i>Threskiornis melanocephalus</i>	NT	DD		Vb		●				●	
<i>Plegadis falcinellus</i>	LC					●		●			
<i>Platalea leucorodia</i>	LC			Vb		●	●	●	●		
<i>Platalea leucorodia leucorodia</i>		DD		Vb		○	○	○	○		
<i>Platalea minor</i>	EN	EN		Wv		●	●	●	●		
<b>GRUIFORMES</b>											
<b>GRUIDAE</b>											
<i>Grus leucogeranus</i>	CR			Vb		●			●	IUCN-RL: <i>Leucogeranus leucogeranus</i>	
<i>Grus vipio</i>	VU	VU		Vb		●				IUCN-RL: <i>Antigone vipio</i>	
<i>Grus grus</i>	LC			Vb		●					
<i>Grus grus lilfordi</i>		DD		Vb		○					
<i>Grus monacha</i>	VU	VU		Vb		●	●		●		
<i>Anthropoides virgo</i>	LC			Vb		●	●				
<b>RALLIDAE</b>											
<i>Coturnicops exquisitus</i>	VU	EN		Vb		●			●		
<i>Rallina eurizonoides</i>	LC			Rb		●			●		
<i>Rallina eurizonoides sepiaria</i>		EN		Rb	e	○			○		
<i>Gallirallus okinawae</i>	EN	CR	NM	Rb	E	●		●		IUCN-RL: <i>Hypotaenidia okinawae</i>	
<i>Gallirallus striatus</i>	LC			Vb		●		●		IUCN-RL: <i>Lewinia striata</i>	
<i>Gallirallus striatus</i> ssp.				Vb		○		○			
<i>Rallus aquaticus</i>	LC			Wv		●	●	●		IUCN-RL: <i>Rallus indicus</i>	
<i>Rallus aquaticus</i>				Wv		○	○	○			
<i>Amaurornis phoenicurus</i>	LC			Rb		●	●	●	●		
<i>Amaurornis phoenicurus phoenicurus</i>				Rb		○	○	○	○		
<i>Porzana pusilla</i>	LC			PmWv		●	●	●	●	IUCN-RL: <i>Zapornia pusilla</i>	

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Porzana pusilla pusilla</i>	LC			PmWv		○	○	○	○	○	
<i>Porzana fusca</i>				Rb		●	○	●	○	○	IUCN-RL: <i>Zapornia fusca</i>
<i>Porzana fusca erythrothorax</i>		NT		Vb		○	○	○	○		
<i>Porzana fusca phaeopyga</i>				Rb		○	○	○	○		
<i>Gallinago cinerea</i>	LC			Wv		○	○	○	○		
<i>Gallinula chloropus</i>	LC			Rb		○	○	○	○		
<i>Gallinula chloropus chloropus</i>				Rb		○	○	○	○		
<i>Fulica atra</i>	LC			Wv		○	○	○	○		
<i>Fulica atra atra</i>				Wv		○	○	○	○		
<b>OTIDIFORMES</b>											
<b>OTIDIDAE</b>											
<i>Otis tarda</i>	VU			Vb		○		○			
<i>Otis tarda dybowskii</i>				Vb		○		○			
<b>CUCULIFORMES</b>											
<b>CUCULIDAE</b>											
<i>Centropus bengalensis</i>	LC			Vb		○			○		
<i>Centropus bengalensis lignator</i>				Vb		○			○		
<i>Clamator coromandus</i>	LC			Vb		○		○			
<i>Hierococyx hyperythrus</i>	LC			Vb		○		○			
<i>Cuculus poliocephalus</i>	LC			Sv		○	○	○	○		
<i>Cuculus optatus</i>	LC			Pm		○	○	○	○		IUCN-RL: <i>Cuculus saturatus</i>
<i>Cuculus canorus</i>	LC			Pm		○	○	○	○		
<i>Cuculus canorus telephonus</i>				Pm		○	○	○	○		
<b>CAPRIMULGIFORMES</b>											
<b>CAPRIMULGIDAE</b>											
<i>Caprimulgus indicus</i>	LC			Vb		○		○	○		IUCN-RL: <i>Caprimulgus jotaka</i>
<i>Caprimulgus indicus jotaka</i>		NT		Vb		○		○	○		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<b>APODIFORMES</b>											
<b>APODIDAE</b>											
<i>Hirundapus caudacutus</i>	LC			Pm		●	●	●	●	●	
<i>Hirundapus caudacutus caudacutus</i>				Pm		○	○	○	○	○	
<i>Apus pacificus</i>	LC			Pm		●	●	●	●	●	
<i>Apus pacificus kurodae</i>				Pm		○	○	○	○	○	
<i>Apus nipalensis</i>	LC			Rb		●	●	●	●	●	
<i>Apus nipalensis kuntzi</i>				Rb		○	○	○	○	○	
<b>CHARADRIIFORMES</b>											
<b>CHARADRIIDAE</b>											
<i>Vanellus vanellus</i>	NT			Wv		●	●	●	●	●	
<i>Vanellus cinereus</i>	LC	DD		Wv		●	●	●	●	●	
<i>Pluvialis fulva</i>	LC			Pm/Wv		●	●	●	●	●	
<i>Pluvialis dominica</i>	LC			Vb		○	○	○	○	○	
<i>Pluvialis squatarola</i>	LC			Pm/Wv		●	●	●	●	●	
<i>Charadrius hiaticula</i>	LC			Wv		●	●	●	●	●	
<i>Charadrius hiaticula tundrae</i>				Wv		○	○	○	○	○	
<i>Charadrius placidus</i>	LC			Wv		●	●	●	●	●	
<i>Charadrius dubius</i>	LC			Wv		●	●	●	●	●	
<i>Charadrius dubius curonicus</i>				Wv		○	○	○	○	○	
<i>Charadrius alexandrinus</i>	LC	VU		Rb		●	●	●	●	●	
<i>Charadrius alexandrinus dealbatus</i>				Rb		○	○	○	○	○	
<i>Charadrius mongolus</i>	LC			Rb		●	●	●	●	●	
<i>Charadrius mongolus stegmanni</i>				Pm/Wv		○	○	○	○	○	
<i>Charadrius leschenaultii</i>	LC			Pm/Wv		●	●	●	●	●	
<i>Charadrius veredus</i>	LC			Pm		●	●	●	●	●	
<i>Charadrius morinellus</i>	LC			Vb		●	●	●	●	●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<b>HAEMATOPODIDAE</b>											
<i>Haematopus ostralegus</i>	NT			Vb		●	●	●	●	●	
<i>Haematopus ostralegus osculans</i>				Vb		○	○	○	○		
<b>RECURVIROSTRIDAE</b>				Wv/Pm		●	●	●	●		
<i>Himantopus himantopus</i>	LC			Wv/Pm		○	○	○	○		
<i>Himantopus himantopus himantopus</i>		VU		Vb		○	○	○	○		
<i>Himantopus himantopus leucocephalus</i>				Vb		○	○	○	○		
<i>Recurvirostra avosetta</i>	LC			Vb		●	●	●	●		
<b>SCOLOPACIDAE</b>											
<i>Scolopax rusticola</i>	LC			Wv		●	●	●	●		
<i>Scolopax mira</i>	VU	VU		Rb	E	●	●	●	●		
<i>Gallinago solitaria</i>	LC			Vb		●	●	●	●		
<i>Gallinago solitaria japonica</i>				Vb		○	○	○	○		
<i>Gallinago hardwickii</i>	LC	NT		Pm/Wv		●	●	●	●		
<i>Gallinago stenura</i>	LC			Pm/Wv		●	●	●	●		
<i>Gallinago megala</i>	LC			Pm		●	●	●	●		
<i>Gallinago gallinago</i>	LC			Wv		●	●	●	●		
<i>Gallinago gallinago gallinago</i>				Wv		○	○	○	○		
<i>Limnodromus scolopaceus</i>	LC			Pm/Wv		●	●	●	●		
<i>Limnodromus semipalmatus</i>	NT	DD		Vb		●	●	●	●		
<i>Limosa limosa</i>	NT			Pm		●	●	●	●		
<i>Limosa limosa melanuroides</i>				Pm		○	○	○	○		
<i>Limosa lapponica</i>	NT	VU		Pm/Wv		●	●	●	●		
<i>Limosa lapponica baueri</i>				Pm/Wv		○	○	○	○		
<i>Numenius minutus</i>	LC	EN		Pm		●	●	●	●		
<i>Numenius phaeopus</i>	LC			Pm/Wv		●	●	●	●		
<i>Numenius phaeopus variegatus</i>				Pm/Wv		○	○	○	○		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Aiami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Numenius arquata</i>	NT			Wv		●	●	●	●		
<i>Numenius arquata orientalis</i>				Wv		○			○		
<i>Numenius madagascariensis</i>	EN	VU		Wv		●			●		
<i>Tringa erythropus</i>	LC	VU		PmWv		●	●	●	●		
<i>Tringa totanus</i>	LC			Wv/Pm		●	●	●	●		
<i>Tringa totanus ussuriensis</i>		VU		Wv/Pm		○	○	○	○		
<i>Tringa stagnatilis</i>	LC			Wv		●	●	●	●		
<i>Tringa nebularia</i>	LC			PmWv		●	●	●	●		
<i>Tringa guttifer</i>	EN	CR		Vb		●			●		
<i>Tringa ochropus</i>	LC			Wv		●	●	●	●		
<i>Tringa glareola</i>	LC	VU		PmWv		●	●	●	●		
<i>Heteroscellus brevipes</i>	NT			PmWv		●	●	●	●	IUCN-RL: <i>Tringa brevipes</i>	
<i>Xenus cinereus</i>	LC			Pm		●	●	●	●		
<i>Actitis hypoleucos</i>	LC			Rb-Wv		●	●	●	●		
<i>Arenaria interpres</i>	LC			PmWv		●	●	●	●		
<i>Arenaria interpres interpres</i>				PmWv		○	○	○	○		
<i>Calidris tenuirostris</i>	EN			Pm		●	●	●	●		
<i>Calidris canutus</i>	NT			Pm		●	●	●	●		
<i>Calidris canutus rogersi</i>				Pm		○	○	○	○		
<i>Calidris alba</i>	LC			Wv		●	●	●	●		
<i>Calidris ruficollis</i>	NT			PmWv		●	●	●	●		
<i>Calidris minuta</i>	LC			Vb		●	●	●	●		
<i>Calidris temminckii</i>	LC			Wv		●	●	●	●		
<i>Calidris subminuta</i>	LC			Wv		●	●	●	●		
<i>Calidris melanotos</i>	LC			Vb		●	●	●	●		
<i>Calidris acuminata</i>	LC			Pm		●	●	●	●		
<i>Calidris ferruginea</i>	NT			Pm		●	●	●	●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Calidris alpina</i>	LC	NT		Wv		●	●	●	●		
<i>Calidris alpina sakhalina</i>				Wv		○	○	○	○		
<i>Eurynorhynchus pygmaeus</i>	CR	CR		PmWv		●	●	●	●	IUCN-RL: <i>Calidris pygmaea</i>	
<i>Limicola falcinellus</i>	LC			Pm		●	○	○	○	IUCN-RL: <i>Calidris falcinellus</i>	
<i>Limicola falcinellus sibirica</i>				Pm		○	○	○	○		
<i>Tryngites subruficollis</i>	NT			Vb		●	●	●	●	IUCN-RL: <i>Calidris subruficollis</i>	
<i>Philomachus pugnax</i>	LC			Pm/Wv		●	●	●	●	IUCN-RL: <i>Calidris pugnax</i>	
<i>Phalaropus lobatus</i>	LC			Vb		●	●	●	●		
<i>Phalaropus fulicarius</i>	LC			Vb		●	●	●	●		
<b>JACANIDAE</b>											
<i>Hydrophasianus chirurgus</i>	LC			Vb		●	●	●	●		
<b>ROSTRATULIDAE</b>											
<i>Rostratula benghalensis</i>	LC			Rb		●	●	●	●		
<i>Rostratula benghalensis benghalensis</i>		VU		Rb		○	○	○	○		
<b>TURNICIDAE</b>											
<i>Turnix suscitator</i>	LC			Rb		●	●	●	●	IUCN-RL: <i>Turnix suscitator</i>	
<i>Turnix suscitator okinawensis</i>				Rb	e	○	○	○	○		
<b>GLAREOLIDAE</b>											
<i>Glareola maldivarum</i>	LC	VU		Pm/Sv		●	●	●	●		
<b>LARIDAE</b>											
<i>Anous stolidus</i>	LC			Sv		●	●	●	●		
<i>Anous stolidus pileatus</i>				Vb		○	○	○	○		
<i>Anous minutus</i>	LC			Vb		●	●	●	●		
<i>Anous minutus marcusii</i>				Vb		○	○	○	○		
<i>Gygis alba</i>	LC			Vb		●	●	●	●		
<i>Gygis alba candida</i>				Vb		○	○	○	○		
<i>Rissa tridactyla</i>	LC			Vb		●	●	●	●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Rissa tridactyla pollicaris</i>				Vb		○			○		
<i>Larus ridibundus</i>	LC			Wv		●			●		
<i>Larus saundersi</i>	VU	VU		Wv		●			●	IUCN-RL: <i>Saundersi</i> <i>larus saundersi</i>	
<i>Larus crassirostris</i>	LC			Wv		●			●		
<i>Larus canus</i>	LC			Vb		●					
<i>Larus canus kamtschatschensis</i>				Vb		○					
<i>Larus glaucescens</i>	LC			Vb		●					
<i>Larus hyperboreus</i>	LC			Vb		●			●		
<i>Larus hyperboreus pallidissimus</i>				Vb		○			○		
<i>Larus argentatus</i>	LC			Wv		●			●		
<i>Larus argentatus vegae</i>				Wv		○			○		
<i>Larus schistsisagus</i>	LC			Vb		●					
<i>Gelochelidon nilotica</i>	LC			Pm		●			●		
<i>Gelochelidon nilotica nilotica</i>				Pm		○			○		
<i>Sterna caspia</i>	LC			Vb		●			●	IUCN-RL: <i>Hydroprogne caspia</i>	
<i>Sterna bergii</i>	LC			Vb		●			○	IUCN-RL: <i>Thalasseus bergii</i>	
<i>Sterna bergii cristata</i>		VU		Vb		○			○		
<i>Sterna albifrons</i>	LC			Sv		●				IUCN-RL: <i>Sterna albifrons</i>	
<i>Sterna albifrons sinensis</i>		VU		Sv		○			○		
<i>Sterna anaethetus</i>	LC			Sv		●			●		
<i>Sterna anaethetus anaethetus</i>				Sv		○			○		
<i>Sterna fuscata</i>	LC			Pm/Sv		●			●		
<i>Sterna fuscata nubilosa</i>				Pm/Sv		○			○		
<i>Sterna dougallii</i>	LC			Sv		●			●		
<i>Sterna dougallii bangsi</i>		VU		Sv		○			○		
<i>Sterna sumatrana</i>	LC	VU		Sv		●			●		
<i>Sterna hirundo</i>	LC			Pm		●			●		



Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Sterna hirundo longipennis</i>				Pm							
<i>Chlidonias hybrida</i>	LC			Pm							
<i>Chlidonias hybrida javanicus</i>				Pm							
<i>Chlidonias leucopterus</i>	LC			Pm							
<b>STERCORARIIDAE</b>											
<i>Stercorarius pomarinus</i>	LC			Pm							
<b>ALCIDAE</b>											
<i>Alle alle</i>	LC			Vb							
<i>Alle alle ssp.</i>				Vb							
<i>Brachyramphus perdix</i>	NT	DD		Vb							
<i>Synthliboramphus antiquus</i>	LC	CR		Vb							
<i>Synthliboramphus wumizusume</i>	VU	VU	NM	Vb							
<b>ACCIPITRIFORMES</b>											
<b>PANDIONIDAE</b>											
<i>Pandion haliaetus</i>	LC			Rb-Wv							
<i>Pandion haliaetus haliaetus</i>		NT		Rb-Wv							
<b>ACCIPITRIDAE</b>											
<i>Pernis ptilorhynchus</i>	LC			Pm							
<i>Pernis ptilorhynchus orientalis</i>		NT		Pm							
<i>Elanus caeruleus</i>	LC			Vb							
<i>Elanus caeruleus hypoleucus</i>				Vb							
<i>Milvus migrans</i>	LC			Wv							
<i>Milvus migrans lineatus</i>				Wv							
<i>Haliaeetus albicilla</i>	LC			Vb							
<i>Haliaeetus albicilla albicilla</i>		VU	NM*	Vb							*Designated by common name "White-tailed Eagle" which corresponds to subsp. <i>albicilla</i>
<i>Haliaeetus pelagicus</i>	VU	VU	NM	Vb							
<i>Aegypius monachus</i>	NT			Vb							

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Spilornis cheela</i>	LC	CR	SNM <sup>*</sup>	Rb	e	●			●		
<i>Spilornis cheela perplexus</i>				Rb		○			○		*Designated by common name "Crested Serpent Eagle" which corresponds to subsp.
<i>Circus spilonotus</i>	LC			Wv		●			●		
<i>Circus spilonotus spilonotus</i>				Wv		○			○		
<i>Circus cyaneus</i>	LC	EN		Wv		●			●		
<i>Circus cyaneus cyaneus</i>				Wv		○			○		
<i>Circus melanoleucos</i>	LC			Vb		●			●		
<i>Accipiter soloensis</i>	LC			Pm		●			●		
<i>Accipiter gularis</i>	LC			Rb		●			●		
<i>Accipiter gularis gularis</i>				Rb		○			○		IUCN-RL: <i>Accipiter gularis</i>
<i>Accipiter gularis iwasakii</i>				Rb	e	○			○		
<i>Accipiter nisus</i>	LC	EN		Wv		●			●		
<i>Accipiter nisus nisosimilis</i>				Wv		○			○		
<i>Accipiter nisus nisosimilis</i>		NT		Wv		○			○		
<i>Accipiter gentilis</i>	LC	NT		Wv		●			●		
<i>Accipiter gentilis fujiyamae</i>				Wv		○			○		
<i>Butastur indicus</i>	LC	VU		Pm/Wv		●			●		
<i>Buteo buteo</i>	LC			Wv		●			●		
<i>Buteo buteo japonicus</i>				Wv		○			○		
<i>Buteo hemilasius</i>	LC			Vb		●			●		
<i>Buteo lagopus</i>	LC			Vb		●			●		
<i>Buteo lagopus menzbieri</i>				Vb		○			○		
<i>Aquila heliaca</i>	VU			Vb		●			●		
<i>Nisaetus nipalensis</i>	LC			Vb		●			●		
<i>Nisaetus nipalensis orientalis</i>				Vb		○			○		
<b>STRIGIFORMES</b>											
<b>TYTONIDAE</b>											
<i>Tyto longimembris</i>	LC			Vb		●			●		

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Tyto longimembris</i> ssp.				Vb		○				○	
<b>STRIGIDAE</b>											
<i>Otus lempiji</i>	LC			Vb		●				●	IUCN-RL: <i>Otus semitorques</i>
<i>Otus lempiji semitorques</i>				Vb		○				○	
<i>Otus lempiji pyyeri</i>		VU		Rb	e	○				○	
<i>Otus sunia</i>	LC			Pm		●				●	
<i>Otus sunia japonicus</i>				Pm		○				○	
<i>Otus elegans</i>	NT			Rb		●				●	
<i>Otus elegans elegans</i>				Rb		○				○	
<i>Bubo bubo</i>	LC	CR		Vb		●				○	
<i>Bubo bubo kiutschensis</i>				Vb		○				○	
<i>Ninox scutulata</i>	LC			Rb		●				●	IUCN-RL: <i>Ninox japonica</i>
<i>Ninox scutulata japonica</i>				Vb		○				○	
<i>Ninox scutulata totogo</i>				Rb		○				○	
<i>Asio otus</i>	LC			Vb		●				●	
<i>Asio otus otus</i>				Vb		○				○	
<i>Asio flammeus</i>	LC			Wv		●				●	
<i>Asio flammeus flammeus</i>				Wv		○				○	
<b>BUCEROTIFORMES</b>											
<b>UPUPIDAE</b>											
<i>Upupa epops</i>	LC			Pm		●				●	
<i>Upupa epops saturata</i>				Pm		○				○	
<b>CORACIIFORMES</b>											
<b>ALCEDINIDAE</b>											
<i>Halcyon coromanda</i>	LC			Sv		●				●	
<i>Halcyon coromanda bangsi</i>				Sv		○				○	
<i>Halcyon smyrnensis</i>	LC			Vb		●				●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Halcyon smymensis</i> ssp.				Vb		○			○		
<i>Halcyon pileata</i>	LC			Vb		●		●	●		
<i>Todiramphus chloris</i>	LC			Vb		●			●		
<i>Todiramphus chloris collaris</i>				Vb		○			○		
<i>Alcedo atthis</i>	LC			Rb		●	●	●	●		
<i>Alcedo atthis bengalensis</i>				Rb		○	○	○	○		
<b>MEROPIDAE</b>											
<i>Merops philippinus</i>											
<b>CORACIIDAE</b>											
<i>Eurystomus orientalis</i>	LC			Pm		●	●	●	●		
<i>Eurystomus orientalis calonyx</i>		EN		Pm		○	○	○	○		
<b>PICIFORMES</b>											
<b>PICIDAE</b>											
<i>Jynx torquilla</i>	LC			Vb		●					
<i>Jynx torquilla japonica</i>				Vb		○					
<i>Dendrocopos kizuki</i>	LC			Rb		●	●	●	●	IUCN-RL: <i>Picoides kizuki</i>	
<i>Dendrocopos kizuki amamii</i>				Rb	e	○	○	○			
<i>Dendrocopos kizuki nigrescens</i>				Rb	e	○		○			
<i>Dendrocopos kizuki orii</i>				Rb	e	○			○		
<i>Dendrocopos leucotos</i>	LC			Rb		●					
<i>Dendrocopos leucotos owstoni</i>		VU	NM	Rb	e	○				IUCN-RL: <i>Dendrocopos owstoni</i>	
<i>Sapheopipo noguchii</i>	CR	CR	SNM	Rb	E	●		●		IUCN-RL: <i>Dendrocopos noguchii</i>	
<b>FALCONIFORMES</b>											
<b>FALCONIDAE</b>											
<i>Falco naumanni</i>	LC			Vb		●			●		
<i>Falco tinnunculus</i>	LC			Wv		●	●	●	●		
<i>Falco tinnunculus interstinctus</i>				Wv		○	○	○	○		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Falco amurensis</i>	LC			Vb		●	●		●		
<i>Falco columbarius</i>	LC			Vb		●			●		
<i>Falco columbarius insignis</i>				Vb					○		
<i>Falco subbuteo</i>	LC			Pm		●		●	●		
<i>Falco subbuteo subbuteo</i>				Pm		○		○	○		
<i>Falco peregrinus</i>	LC			Wv		●	●	●	●		
<i>Falco peregrinus japonensis</i>		VU		Wv		○	○	○	○		
<i>Falco peregrinus pealei</i>				Vb		○			○		
<b>PASSERIFORMES</b>											
<b>PITTIDAE</b>											
<i>Pitta nympha</i>	VU	EN		Vb		●					
<b>ARTAMIDAE</b>											
<i>Artamus leucorhynchus</i>	LC			Vb		●			●		
<i>Artamus leucorhynchus leucorhynchus</i>				Vb		○			○		
<b>CAMPEPHAGIDAE</b>											
<i>Coracina melaschistos</i>	LC			Vb		●			●		
<i>Coracina melaschistos intermedia</i>				Vb		○			○		
<i>Pericrocotus divaricatus</i>	LC			Rb		●	●	●	●		
<i>Pericrocotus divaricatus divaricatus</i>		VU		Pm		○		○	○		
<i>Pericrocotus divaricatus tegimae</i>				Rb		○	○	○	○	IUCN-RL: <i>Pericrocotus tegimae</i>	
<b>ORIOOLIDAE</b>											
<i>Oriolus chinensis</i>	LC			Vb		●			●		
<i>Oriolus chinensis diffusus</i>				Vb		○			○		
<b>DICRURIDAE</b>											
<i>Dicrurus macrocerus</i>	LC			Vb		●		●	●		
<i>Dicrurus macrocerus ssp.</i>				Vb		○	○	○	○		
<i>Dicrurus leucophaeus</i>	LC			Vb		●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Dicrurus leucophaeus leucogenis</i>				Vb		○	○	○	○	○	
<b>MONARCHIDAE</b>											
<i>Terpsiphone atrocaudata</i>	NT			Sv		●	○	●	●		
<i>Terpsiphone atrocaudata illex</i>				Sv		○	○	○	○		
<b>LANIIDAE</b>											
<i>Lanius tigrinus</i>	LC	CR		Vb		●			●		
<i>Lanius bucephalus</i>	LC			Wv		●			●		
<i>Lanius bucephalus bucephalus</i>				Wv		○	○	○	○		
<i>Lanius cristatus</i>	LC			Wv		●	○	○	●		
<i>Lanius cristatus lucionensis</i>				Wv		○	○	○	○		
<i>Lanius cristatus superciliosus</i>		EN		Wv		○	○	○	○		
<i>Lanius isabellinus</i>	LC			Vb		●					
<i>Lanius isabellinus</i> ssp.				Vb		○					
<i>Lanius schach</i>	LC			Vb		●			●		
<i>Lanius schach schach</i>				Vb		○			○		
<i>Lanius sphenocercus</i>	LC			Vb		●			●		
<i>Lanius sphenocercus sphenocercus</i>				Vb		○			○		
<b>CORVIDAE</b>											
<i>Garrulus licti</i>	VU		NM	Rb	E	●					
<i>Corvus dauuricus</i>	LC			Vb		●			●		
<i>Corvus frugilegus</i>	LC			Vb		●			●		
<i>Corvus frugilegus pastinator</i>				Vb		○			○		
<i>Corvus macrorhynchos</i>	LC			Rb		●			●		
<i>Corvus macrorhynchos connectens</i>				Rb	e	○			○		
<i>Corvus macrorhynchos osai</i>				Rb	e	○			○		
<b>REGULIDAE</b>											
<i>Regulus regulus</i>	LC			Wv		●			●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Regulus regulus japonensis</i>				Wv							
<b>REMIZIDAE</b>											
<i>Remiz pendulinus</i>	LC			Vb							IUCN-RL: <i>Remiz consobrinus</i>
<i>Remiz pendulinus consobrinus</i>				Vb							
<b>PARIDAE</b>											
<i>Poecile varius</i>	LC			Rb							IUCN-RL: <i>Parus varius</i>
<i>Poecile varius yakushimensis</i>				Vb							
<i>Poecile varius amamii</i>				Rb							
<i>Poecile varius olivaceus</i>		NT		Rb	e						
<i>Periparus ater</i>	LC			?							IUCN-RL: <i>Parus ater</i>
<i>Parus minor</i>	LC			Rb							IUCN-RL: <i>Parus major</i>
<i>Parus minor amamiensis</i>				Rb	e						
<i>Parus minor okinawae</i>				Rb	e						
<i>Parus minor nigriloris</i>				Rb	e						
<b>ALAUDIDAE</b>											
<i>Calandrella brachydactyla</i>	LC			Vb							
<i>Calandrella brachydactyla longipennis</i>				Vb							
<i>Calandrella cheleensis</i>	LC			Vb							
<i>Calandrella cheleensis cheleensis</i>				Vb							
<i>Alauda arvensis</i>	LC			Vb							
<i>Alauda arvensis japonica</i>				Vb							
<b>HIRUNDINIDAE</b>											
<i>Riparia riparia</i>	LC			Pm							
<i>Riparia riparia ijimae</i>				Pm							
<i>Hirundo rustica</i>	LC			Pm							
<i>Hirundo rustica saturata</i>				Vb							
<i>Hirundo rustica gutturalis</i>				Pm							

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Hirundo tahitica</i>	LC			Rb		●	●	●	●		
<i>Hirundo tahitica namiyei</i>				Rb		○	○	○	○		
<i>Hirundo daurica</i>	LC			Pm		●	●	●	●		
<i>Hirundo daurica japonica</i>				Pm		○	○	○	○		
<i>Delichon urbicum</i>	LC			Vb		●					
<i>Delichon urbicum lagopodum</i>				Vb		○					
<i>Delichon dasypus</i>	LC			Pm		●	●	●	●		
<i>Delichon dasypus</i>				Pm		○	○	○	○		
<b>PYCNONOTIDAE</b>											
<i>Pycnonotus sinensis</i>	LC			Rb		●		●	●		
<i>Pycnonotus sinensis sinensis</i>				Rb		○			○		
<i>Pycnonotus sinensis ssp.</i>				Rb		○			○		
<i>Hypsipetes amaurotis</i>	LC			Rb		●	●	●	●		IUCN-RL: <i>ixos amaurotis</i>
<i>Hypsipetes amaurotis amaurotis</i>				Wv		○	○	○	○		
<i>Hypsipetes amaurotis ogawae</i>				Rb		○	○	○	○		
<i>Hypsipetes amaurotis pyeiri</i>				Rb	e	○		○			
<i>Hypsipetes amaurotis stejnegeri</i>				Rb	e	○			○		
<b>CETTIIDAE</b>											
<i>Cettia diphone</i>	LC			Rb		●	●	●	●		
<i>Cettia diphone borealis</i>				Vb		○					
<i>Cettia diphone cantans</i>				Wv		○			○		
<i>Cettia diphone restricta</i>		EX <sup>*</sup>		Rb <sup>*</sup>		○	○	○	○		*The population which were indistinguishable from this subspecies morphologically were found in Okinawa Island (in 2002), and in Amami-Oshima Island (in 2009). Therefore, it is regarded as residential breeder in Amami Island Group and Okinawa Island Group in "Check-List of Japanese Birds. 7th rev. ed.".
<i>Cettia diphone riukiensis</i>				Wv		○	○	○	○		
<i>Urosphena squameiceps</i>	LC			Wv		●	●	●	●		



Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<b>PHYLLOSCOPIDAE</b>											
<i>Phylloscopus trochilus</i>	LC			Vb		●	●	●			
<i>Phylloscopus trochilus yakutensis</i>				Vb		○					
<i>Phylloscopus fuscatus</i>	LC			Vb		●	●	●	●		
<i>Phylloscopus fuscatus fuscatus</i>				Vb		○	○	○	○		
<i>Phylloscopus schwarzi</i>	LC			Vb		●		●	●		
<i>Phylloscopus prorégulus</i>	LC			Vb		●		●	●		
<i>Phylloscopus inornatus</i>	LC			Wv		●	●	●	●		
<i>Phylloscopus borealis</i>	LC			PmWv		●		●	●		
<i>Phylloscopus borealis kinnicotti</i>				PmWv		○		○	○		
<i>Phylloscopus examinandus</i>				Pm		●		●	●		
<i>Phylloscopus xanthodyas</i>	LC			Pm		●		●	●	IUCN-RL: <i>Phylloscopus borealis</i>	
<i>Phylloscopus borealoides</i>	LC			Vb		●		●			
<i>Phylloscopus coronatus</i>	LC			Vb		●	●	●			
<i>Phylloscopus jilmae</i>	VU	VU	NM	Vb		●		●	●		
<b>SYLVIIDAE</b>											
<i>Sylvia curruca</i>	LC			Vb		●		●			
<i>Sylvia curruca</i> ssp.				Vb		○		○			
<b>ZOSTEROPIDAE</b>											
<i>Zosterops japonicus</i>	LC			Rb		●	●	●	●		
<i>Zosterops japonicus japonicus</i>				Wv		○		○	○		
<i>Zosterops japonicus lochooensis</i>				Rb	e	○	○	○	○		
<b>LOCUSTELLIDAE</b>											
<i>Locustella ochotensis</i>	LC			Pm		●			●		
<i>Locustella pleskei</i>	VU	EN		Vb		●					
<i>Locustella fasciolata</i>	LC			Vb		●	●	●	●		
<i>Locustella fasciolata amnicola</i>				Vb		○	○	○	○		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<b>ACROCEPHALIDAE</b>											
<i>Acrocephalus orientalis</i>	LC			Pm					●		IUCN-RL: <i>Acrocephalus arundinaceus</i>
<i>Acrocephalus bistrigiceps</i>	LC			Vb					●		
<i>Acrocephalus bistrigiceps bistrigiceps</i>				Vb				○	○		
<b>CISTICOLIDAE</b>											
<i>Cisticola juncidis</i>	LC			Rb					●		
<i>Cisticola juncidis brunneiceps</i>				Rb				○	○		
<b>BOMBYCILLIDAE</b>											
<i>Bombycilla garrulus</i>	LC			Wv					●		
<i>Bombycilla garrulus centralasiae</i>				Wv				○	○		
<i>Bombycilla japonica</i>	NT			Wv				●	●		
<b>TROGLODYTIDAE</b>											
<i>Troglodytes troglodytes</i>	LC			Wv					●		
<i>Troglodytes troglodytes fumigatus</i>				Wv				○	○		
<b>STURNIDAE</b>											
<i>Spodiopsar sericeus</i>	LC			Vb					●		IUCN-RL: <i>Sturnus sericeus</i>
<i>Spodiopsar cineraceus</i>	LC			Wv/Rb					●		IUCN-RL: <i>Sturnus cineraceus</i>
<i>Agropsar sturninus</i>	LC			Vb					●		IUCN-RL: <i>Sturnus sturninus</i>
<i>Agropsar philippensis</i>	LC			Pm/Wv					●		IUCN-RL: <i>Sturnus philippensis</i>
<i>Sturnia sinensis</i>	LC			Wv					●		IUCN-RL: <i>Sturnus sinensis</i>
<i>Pastor roseus</i>	LC			Vb					●		IUCN-RL: <i>Sturnus roseus</i>
<i>Sturnus vulgaris</i>	LC			Vb					●		
<i>Sturnus vulgaris politaratskyi</i>				Vb				○	○		
<b>MUSCICAPIDAE</b>											
<i>Zoothera sibirica</i>	LC			Pm					●		
<i>Zoothera sibirica davisoni</i>				Pm					○		
<i>Zoothera dauma</i>	LC			Rb					●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Zoothera dauma aurea</i>	NT	VU	NM	Wv	e	○	○	○	○	○	IUCN-RL: <i>Zoothera aurea</i>
<i>Zoothera dauma major</i>				Rb	e	○	○				IUCN-RL: <i>Zoothera major</i>
<i>Zoothera dauma horsfieldi</i>		DD		Rb		○			○		IUCN-RL: <i>Zoothera dauma</i>
<i>Turdus hortulorum</i>	LC			Vb					●		
<i>Turdus cardis</i>	LC			Vb					●		
<i>Turdus merula</i>	LC			Vb					●		
<i>Turdus merula mandarinus</i>				Vb		○			○		
<i>Turdus obscurus</i>	LC			Wv		●			●		
<i>Turdus pallidus</i>	LC			Wv		●			●		
<i>Turdus chrysolaus</i>	LC			Wv		●			●		
<i>Turdus chrysolaus chrysolaus</i>				Wv		○			○		
<i>Turdus ruficollis</i>	LC			Vb		●			●		
<i>Turdus ruficollis ruficollis</i>				Vb		○			○		
<i>Turdus naumanni</i>	LC			Wv		●			●		
<i>Turdus naumanni eunomus</i>				Wv		○			○		
<i>Turdus naumanni naumanni</i>				Wv		○			○		
<i>Luscinia akahige</i>	LC			Vb		●			●		IUCN-RL: <i>Larvivora akahige</i>
<i>Luscinia akahige akahige</i>				Vb		○			○		
<i>Luscinia komadori</i>	NT		NM*	Rb		●			●		IUCN-RL: <i>Larvivora komadori</i>
<i>Luscinia komadori komadori</i>		VU	NM*	Rb-Wv		○			○		*Designated by common name "Ryukyu-Robin" corresponds to species <i>Luscinia komadori</i> which includes three subspecies.
<i>Luscinia komadori namiyei</i>		EN	NM*	Rb	e	○			○		
<i>Luscinia komadori subrufus</i>		DD	NM*	Vb		○			○		
<i>Luscinia svecica</i>	LC			Vb		●			●		
<i>Luscinia svecica svecica</i>				Vb		○			○		
<i>Luscinia caliope</i>	LC			Wv		●			●		
<i>Tarsiger cyanurus</i>	LC			Wv		●			●		
<i>Tarsiger cyanurus cyanurus</i>				Wv		○			○		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Phoenicurus ochruros</i>	LC			Vb		●			●		
<i>Phoenicurus ochruros rufiventris</i>				Vb		○			○		
<i>Phoenicurus aureus</i>	LC			Wv					●		
<i>Phoenicurus aureus aureus</i>				Wv					○		
<i>Saxicola rubetra</i>	LC			Vb		●					
<i>Saxicola torquatus</i>	LC			Pm/Wv		●			●		
<i>Saxicola torquatus stejnegeri</i>				Pm/Wv		○			○		
<i>Saxicola caprata</i>	LC			Vb		●			●		
<i>Saxicola ferreus</i>	LC			Vb		●			●		
<i>Oenanthe isabellina</i>	LC			Vb		●					
<i>Oenanthe oenanthe</i>	LC			Vb		●			●		
<i>Oenanthe oenanthe oenanthe</i>				Vb		○			○		
<i>Monticola solitarius</i>	LC			Rb		●			●		
<i>Monticola solitarius pandoo</i>				Vb		○			○		
<i>Monticola solitarius philippensis</i>				Rb		○			○		
<i>Monticola gularis</i>	LC			Vb		●			●		
<i>Muscicapa griseisticta</i>	LC			Pm		●			●		
<i>Muscicapa sibirica</i>	LC			Vb		●			●		
<i>Muscicapa sibirica sibirica</i>				Vb		○			○		
<i>Muscicapa dauurica</i>	LC			Pm		●			●		
<i>Muscicapa dauurica dauurica</i>				Pm		○			○		
<i>Ficedula zanthopygia</i>	LC			Vb		●			●		
<i>Ficedula narcissina</i>	LC			Rb		●			●		
<i>Ficedula narcissina narcissina</i>				Wv/Pm		○			○		
<i>Ficedula narcissina owstoni</i>				Rb		○			○	IUCN-RL: <i>Ficedula owstoni</i>	
<i>Ficedula mugimaki</i>	LC			Vb		●			●		
<i>Ficedula albicilla</i>	LC			Vb		●			●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Cyanoptila cyanomelana</i>	LC			Pm		●	●	●	●		
<i>Cyanoptila cyanomelana cyanomelana</i>				Pm		○	○	○	○		
<b>PASSERIDAE</b>											
<i>Passer rutilans</i>	LC			Vb		●			●		
<i>Passer rutilans rutilans</i>				Vb		○			○		
<i>Passer montanus</i>	LC			Rb		●	●	●	●		
<i>Passer montanus saturatus</i>				Rb		○	○	○	○		
<b>MOTACILLIDAE</b>											
<i>Dendronanthus indicus</i>	LC			Vb		●			●		
<i>Motacilla flava</i>	LC			Pm		●	●	●	●		
<i>Motacilla flava macronyx</i>				Vb		○			○		
<i>Motacilla flava similima</i>				Pm		○	○	○	○		
<i>Motacilla flava taiwana</i>				Wv/Pm		○	○	○	○		
<i>Motacilla citreola</i>	LC			Vb		●					
<i>Motacilla citreola citreola</i>				Vb		○	○	○	○		
<i>Motacilla cinerea</i>	LC			Wv		●	●	●	●		
<i>Motacilla cinerea cinerea</i>				Wv		○	○	○	○		
<i>Motacilla alba</i>	LC			Wv		●	●	●	●		
<i>Motacilla alba personata</i>				Vb		○			○		
<i>Motacilla alba ocularis</i>				Vb		○					
<i>Motacilla alba lugens</i>				Wv		○	○	○	○		
<i>Motacilla alba leucopsis</i>				Wv		○	○	○	○		
<i>Motacilla grandis</i>	LC			Vb		●			●		
<i>Anthus richardi</i>	LC			Wv		●			●		
<i>Anthus richardi richardi</i>				Wv		○			○		
<i>Anthus godlewskii</i>	LC			Vb		●			●		
<i>Anthus pratensis</i>	NT			Vb		●			●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island		
<i>Anthus pratensis</i> ssp.				Vb		○	○	○			
<i>Anthus hodgsoni</i>	LC			Wv		●	●	●	●		
<i>Anthus hodgsoni hodgsoni</i>				Wv		○	○	○	○		
<i>Anthus gustavi</i>	LC			Vb		○	○	○	○		
<i>Anthus gustavi gustavi</i>				Vb		○	○	○	○		
<i>Anthus cervinus</i>	LC			Wv		●	●	●	●		
<i>Anthus rubescens</i>	LC			Wv		●	●	●	●		
<i>Anthus rubescens japonicus</i>				Wv		○	○	○	○		
<b>FRINGILLIDAE</b>											
<i>Fringilla montifringilla</i>	LC			Wv		●	●	●	●		
<i>Chloris sinica</i>	LC			Wv		○	○	○	○		
<i>Chloris sinica kawaraha</i>				Wv		○	○	○	○		
<i>Chloris sinica minor</i>				Vb		○	○	○	○		
<i>Carduelis spinus</i>	LC			Wv		●	●	●	●		IUCN-RL: <i>Spinus spinus</i>
<i>Carduelis flammea</i>	LC			Vb		●	●	●	●		IUCN-RL: <i>Acanthis flammea</i>
<i>Carduelis flammea flammea</i>				Vb		○	○	○	○		
<i>Carpodacus erythrinus</i>	LC			Vb		●	●	●	●		
<i>Carpodacus erythrinus grebnitskii</i>				Vb		○	○	○	○		
<i>Carpodacus roseus</i>	LC			Vb		●	●	●	●		
<i>Loxia curvirostra</i>	LC			Vb		●	●	●	●		
<i>Loxia curvirostra japonica</i>				Vb		○	○	○	○		
<i>Pyrrhula pyrrhula</i>	LC			Vb		●	●	●	●		
<i>Pyrrhula pyrrhula griseiventris</i>				Vb		○	○	○	○		
<i>Coccothraustes coccothraustes</i>	LC			Wv		●	●	●	●		
<i>Coccothraustes coccothraustes japonica</i>				Wv		○	○	○	○		
<i>Eophona migratoria</i>	LC			Vb		●	●	●	●		
<i>Eophona migratoria migratoria</i>				Vb		○	○	○	○		

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Aiami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Eophona personata</i>	LC			Vb		●	●	●	●	●	
<i>Eophona personata personata</i>				Vb		○	○	○	○	○	
<b>CALCARIIDAE</b>											
<i>Calcarius lapponicus</i>	LC			Vb		●		●			
<i>Calcarius lapponicus coloratus</i>				Vb		○		○			
<i>Emberiza lathami</i>	LC			Vb		●		●	●		
<i>Emberiza leucocephalos</i>	LC			Vb		●					
<i>Emberiza leucocephalos leucocephalos</i>				Vb		○		○			
<i>Emberiza cioides</i>	LC			Vb		●		●	●		
<i>Emberiza cioides ciopsis</i>				Vb		○		○	○		
<i>Emberiza hortulana</i>	LC			Vb		●					
<i>Emberiza tristrami</i>	LC			Vb		●			●		
<i>Emberiza fucata</i>	LC			Wv		●		●	●		
<i>Emberiza fucata fucata</i>				Wv		○		○	○		
<i>Emberiza pusilla</i>	LC			Wv		●		●	●		
<i>Emberiza chrysophrys</i>	LC			Vb		●			●		
<i>Emberiza rustica</i>	LC			Vb		●		●	●		
<i>Emberiza rustica latifascia</i>				Wv		○		○	○		
<i>Emberiza elegans</i>	LC			Wv		●		●	●		
<i>Emberiza elegans elegans</i>				Wv		○		○	○		
<i>Emberiza aureola</i>	EN			Vb		●		●	●		
<i>Emberiza aureola ornata</i>		CR		Vb		○		○	○		
<i>Emberiza rutilla</i>	LC			Vb		●			●		
<i>Emberiza melanocephala</i>	LC			Vb		●		●			
<i>Emberiza bruniceps</i>	LC			Vb		●		●			
<i>Emberiza sulphurata</i>	VU	NT		Vb		●			●		
<i>Emberiza spodocephala</i>	LC			Wv		●		●	●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Migratory Status <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Regions Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Northern Part of Okinawa Island	Iriomote Is.	
<i>Emberiza spodocephala spodocephala</i>				Vb		○	○	○	○		
<i>Emberiza spodocephala personata</i>				Wv		○	○	○		IUCN-RL: <i>Emberiza personata</i>	
<i>Emberiza variabilis</i>	LC			Wv		●	●	●	●		
<i>Emberiza schoeniclus</i>	LC			Wv		●			●		
<i>Emberiza schoeniclus pyrrhulina</i>				Wv		○			○		

#### Bibliography

- For the classification and distribution data, as well as migratory status, the following literature was basically relied on:  
Ornithological Society of Japan, Check-List Editorial Committee(Ed.). (2012). *Check-List of Japanese Birds*. 7th rev. ed. Tokyo, Ornithological Society of Japan. (in Japanese)
- In addition, the following literature and sources were referred to as needed for island-specific distribution data:  
Amami Ornithologists Club (2009). *Pictorial Guide to Amami Wild Birds*. Tokyo, Bun-ichi Sogo Shuppan. (in Japanese)  
Itaya, H., & Ariyama, T. (2015). Observations of a Willow Warbler (*Phylloscopus trochilus*) on Yonaguni-jima, Okinawa Prefecture, Japan. *Japanese Journal of Ornithology*, 64(2), 257-260. (in Japanese)  
McWhirer, D. W., Ikenaga, H., Iozawa, H., Shoyama, M., & Takehara, K. (1996). A Check-list of the birds of Okinawa prefecture with notes on recent status including hypothetical records. *Bulletin of the Okinawa Prefectural Museum*, 22, 33-152.  
Miyajima, H., Takehara, K., & Tanaka, K. (2015). A record of Glossy Ibis (*Plegadis falcinellus*) in Okinawa Prefecture, Japan. *Japanese Journal of Ornithology*, 64(2), 267-270. (in Japanese)  
Miyazawa, T., & Miyazawa, M. (2013). The first record of the Slaty-breasted Rail in Amami-Oshima, southern Japan. *Strix*, 29, 139-141. (in Japanese)  
Morita, Y., Koshino, K., & Yamawashi, H. (2014). A record of Glossy Ibis on Tokashiki Island, Okinawa. *Bird Research*, 10, 23-24. (in Japanese)  
Okinawa Prefecture (2014). *Report on the Work of Inventory Development in Pursuit of the Inscription of Amami and Ryukyu on the World Natural Heritage List*. (in Japanese)  
Ryukyu Shimpo. (2015). *Blue-tailed bee-eater (Merops philippinus) spotted in Naha: first ever in Japan*. Retrieved from <http://ryukyushimpo.jp/photo/preentry-242942.html> (in Japanese)  
Yoshihara, R., Goto, Y., Kitaara, K., & Mizuta, T. (2016). Record of the Fairy Pitta (*Pitta nympha*) on Amami-Oshima Island, Kagoshima Prefecture. *Journal of the Yamashina Institute for Ornithology*, 48(1), 1  
· Those species found to be distributed in the "Amami Island Group", "Ryukyu Island Group", "Miyako Island Group", "Yaeyama Island Group" according to Check-List of Japanese Birds. 7th rev. ed. (2012) but for which there is no island-specific distribution data are assumed to be distributed on all islands contained in each island groups.  
· Information on the distribution of species and subspecies by island is not necessarily consistent because the preciseness of the information varies depending on the literature (e.g., species-level versus subspecies level, inconsistent migratory status between species- and subspecies levels).
- The following literature and sources were referred to for endemism to the Amami Island Group and the Ryukyu Chain  
Takagi, M (2008). Avifauna of the Nansei Shoto (Southwest Islands), Japan, in relation to distances among islands. *Japanese Journal of Ornithology*, 58(1), 1-17. (in Japanese)



## 2-2-4. Terrestrial reptiles of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island

\*1: As for Red List categories of IUCN, details are given on the last page.

\*2: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*3: SNM: Special Natural Monument, NM: Natural Monument

\*4: E: Endemic species, e: Endemic subspecies

● : shows the distribution of species, ○ : shows the distribution of subspecies

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus Iriomote Is.	
<b>TESTUDINES</b>										
<b>GEOEMYDIDAE</b>										
<i>Mauremys mutica</i>	EN				●			a	●	a: Domestic alien subspecies
<i>Mauremys mutica kami</i>				e	○			a	○	a: Domestic alien subspecies
<i>Cuora flavomarginata</i>	EN				●			A	●	A: Alien subspecies <i>C. flavomarginata</i> spp.
<i>Cuora flavomarginata evelynae</i>		VU	NM*	e	○				○	* Designated by common name "Yellow-margined box turtle" which corresponds to subsp. <i>evelynae</i> .
<i>Geomyda japonica</i>	EN	VU	NM	E	●			●		
<b>SQUAMATA</b>										
<b>LACERTILIA</b>										
<b>EUBLEPHARIDAE</b>										
<i>Goniurosaurus splendens</i>	(EN)*	EN		E	●				●	* Contained in <i>G. kuroiwaiae</i> , as a subsp. <i>splendens</i>
<i>Goniurosaurus kuroiwaiae</i>	EN*			E	●				●	* Contains 5 subspecies.
<i>Goniurosaurus kuroiwaiae kuroiwaiae</i>		VU		e	○			○		
<b>GEKKONIDAE</b>										
<i>Gehyra mutilata</i>					●				●	
<i>Gekko vertebralis</i>				E	●				●	
<i>Gekko</i> sp.				E	●				●	
<i>Gekko hokouensis</i>		NT			●				●	
<i>Gekko hokouensis</i>	LC				●				●	
<b>AGAMIDAE</b>										
<i>Japalura polygonata</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.		
<i>Japalura polygonata polygonata</i>		VU		e	○	○	○	○		
<i>Japalura polygonata ishigakiensis</i>		NT		e	○			○		
<b>SCINCIDAE</b>										
<i>Scincella boettgeri</i>				E	●			●		
<i>Plestiodon stimpsonii</i>		NT		E	●			●		
<i>Plestiodon oshimensis</i>		NT				●				
<i>Plestiodon marginatus</i>		VU		E	●		●			
<i>Plestiodon kishinouyei</i>	LR/nt	VU	NM	E	●			●		
<i>Plestiodon barboursi</i>		VU		E	●		●			
<i>Ateuchosaurus pellopleurus</i>					●	●	●			
<b>LACERTIDAE</b>										
<i>Takydromus smaragdinus</i>		LP*		E	●		●		*LP on Tokunoshima Island	
<i>Takydromus dorsalis</i>		VU		E	●			●		
<b>SERPENTES</b>										
<b>TYPHLOPIDAE</b>										
<i>Ramphotyphlops braminus</i>					●		●	●		
<b>PAREATIDAE</b>										
<i>Pareas iwasakii</i>	DD	NT		E	●			●		
<b>XENODERMATIDAE</b>										
<i>Achalinus werneri</i>	VU	NT		E	●		●			
<i>Achalinus formosanus</i>	LC				●			●		
<i>Achalinus formosanus chigirai</i>		VU		e	○			○		
<b>COLUBRIDAE</b>										
<i>Cyclophiops herminae</i>	NT	NT		E	●			●		
<i>Cyclophiops semicarinatus</i>				E	●		●			
<i>Lycodon ruhstrati</i>	LC				●			●		
<i>Lycodon ruhstrati multifasciatus</i>		NT		e	○			○		

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEJ-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	Iriomote Is.	
<i>Elaphe taeniura</i>					●			A	●	A: Alien subspecies, <i>E. taeniura friesel</i>
<i>Elaphe taeniura schmackeri</i>		VU		e	○				○	
<i>Hebius pryleri</i>				E	●			●		
<i>Hebius ishigakiense</i>				E	●				●	
<i>Dinodon semicarinatum</i>				E	●			●		
<i>Dinodon rufozonatum</i>					●				●	
<i>Dinodon rufozonatum walli</i>				e	○				○	
<b>ELAPIDAE</b>										
<b>ELAPINAE</b>										
<i>Sinomicrurus japonicus</i>	NT			E	●			●		
<i>Sinomicrurus japonicus boettgeri</i>		NT		e	○				○	
<i>Sinomicrurus japonicus japonicus</i>		NT		e	○				○	
<i>Sinomicrurus maclellandi</i>					●				●	
<i>Sinomicrurus maclellandi iwasakii</i>		VU		e	○				○	
<b>VIPERIDAE</b>										
<b>CROTALINAE</b>										
<i>Protobothrops elegans</i>				E	●				●	
<i>Protobothrops flavoviridis</i>				E	●			●		
<i>Ovophis okinawensis</i>				E	●			●		

### Bibliography

Herpetological Society of Japan. (2015). *Standard Japanese names of Herpetological species of Japan* [revised May 28, 2015]. Retrieved from <http://zoo.zool.kyoto-u.ac.jp/herp/wamei.html> (in Japanese)

Maenosono, T., & Toda, M. (2007). Distribution of Amphibian and Terrestrial Reptile Species in the Ryukyu Chain. *Akamata*, 18, 28-46. (in Japanese)

Okinawa Prefecture Department of Environmental and Community Affairs, Environmental Preservation Division (2014). *Report on the Work of Inventory Development in Pursuit of the Inscription of Amami and Ryukyu on the World Natural Heritage List: Amphibian and Reptile List.* (in Japanese)

## 2-2-5. Amphibians of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island

\*1: As for Red List categories of IUCN, details are given on the last page.

\*2: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*3: SNM: Special Natural Monument, NM: Natural Monument

\*4: E: Endemic species, e: Endemic subspecies

●: shows the distribution of species, ○: shows the distribution of subspecies

Scientific Name	IUCN-RL (2016) <sup>*1</sup>	MOEJ-RL (2015) <sup>*2</sup>	National Natural Monuments <sup>*3</sup>	Endemic to Middle and South Ryukyus <sup>*4</sup>	Nominated Property	Middle Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus	
<b>CAUDATA</b>										
<b>SALAMANDRIDAE</b>										
<i>Echinotriton andersoni</i>	EN	VU		E	●		●			
<i>Cynops ensicauda</i>	EN	NT		E	●		●			
<b>ANURA</b>										
<b>HYLIDAE</b>										
<i>Hyla hallowellii</i>	LC			E	●		●			
<b>RANIDAE</b>										
<i>Rana kobai</i>		NT		E	●		●			
<i>Rana ulma</i>		NT		E	●		●			
<i>Odorrana amamiensis</i>	EN	VU		E	●		●			
<i>Odorrana splendida</i>	EN	EN		E	●		●			
<i>Odorrana supranarina</i>	EN	NT		E	●		●	●		
<i>Odorrana ishikawae</i>	EN	EN		E	●		●			
<i>Odorrana utsunomiyaorum</i>	EN	EN		E	●		●	●		
<i>Odorrana narina</i>	EN	VU		E	●		●			
<i>Babina subaspera</i>	EN	EN		E	●		●			
<i>Babina holsti</i>	EN	EN		E	●		●			
<i>Nidirana okinavana</i>	EN	VU		E	●		●	●		IUCN-RL: <i>Babina okinavana</i>
<b>DICROGLOSSIDAE</b>										
<i>Limnonectes namiyei</i>	EN	EN		E	●		●			

Scientific Name	IUCN-RL (2016) <sup>1</sup>	MOEU-RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Nominated Property	Middle Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Northern part of Okinawa Is.	South Ryukyus	
<b>CAUDATA</b>				E	●				●	
<i>Fejervarya sakishimensis</i>										
<b>RHACOPHORIDAE</b>					●				●	
<i>Kurixalus eiffingeri</i>	LC			E	●				●	
<i>Rhacophorus viridis</i>	LC			e	●	●	○			
<i>Rhacophorus viridis viridis</i>				e	○					
<i>Rhacophorus viridis amamiensis</i>				e	○	○				
<i>Rhacophorus owstoni</i>	LC			E	●				●	
<i>Buergeria japonica</i>	LC				●	●		●	●	
<b>MICROHYLIDAE</b>					●				●	
<i>Microhyla okinavensis</i>	LC			E	●	●		●	●	

#### Bibliography

Herpetological Society of Japan. (2015). *Standard Japanese names of Herpetological species of Japan* [revised May 28, 2015]. Retrieved from <http://zoo.zool.kyoto-u.ac.jp/herp/wamei.html> (in Japanese)

Maenosono, T., & Toda, M. (2007). Distribution of amphibian and terrestrial reptile species in the Ryukyu Archipelago. *Akamata*, 18, 28-46. (in Japanese)

Okinawa Prefecture Department of Environmental and Community Affairs, Environmental Preservation Division (2014). *Report on the Work of Inventory Development in Pursuit of the Inscription of Amami and Ryukyu on the World Natural Heritage List: Amphibian and Reptile List*. (in Japanese)

## 2-2-6. Inland water fishes of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island

\*1: As for Red List categories of IUCN, details are given on the last page.

\*2: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*3: SNM: Special Natural Monument, NM: Natural Monument

\*4: F: Freshwater fish, which are confined to freshwater throughout their lives.

D: Diadromous fish, which regularly migrate between rivers and the sea during certain periods of their life cycle.

B: Brackish water fish, which spend their lives in and around brackish water bodies except for the planktonic stage.

P: Peripheral freshwater fish, which mainly inhabit the sea but spend part of their lives in inland waters.

M: Marine vagrants, which typically inhabit the sea but accidentally enter freshwater habitats.

\*5: E: Endemic species, e: Endemic subspecies

●: shows the distribution of species. ○: shows the distribution of subspecies

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
							Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<b>ORECTOLOBIFORMES</b>													
<b>HEMISCYLLIIDAE</b>													
<i>Hemiscylliidae</i> sp.				M		●						●	
<b>CARCHARHINIFORMES</b>													
<b>CARCHARHINIDAE</b>													
<i>Carcharhinus leucas</i>				P		●						●	
<i>Megapron acutidens</i>				M		●						●	
<b>MYLIOBATIFORMES</b>													
<b>DASYATIDAE</b>													
<i>Himantura fai</i>	LC			P		●						●	
<i>Neotrygon kuhlii</i>	DD			M		●						●	
<i>Pastinachus sephen</i>	DD			P		●						●	
<b>ELOPIFORMES</b>													
<b>ELOPIDAE</b>													
<i>Elops hawaiiensis</i>	DD			P		●						●	
<b>MEGALOPIDAE</b>													

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Megalops cyprinoides</i>	DD			P		●	●	●	●	●	
<b>ALUBLIFORMES</b>											
<b>ALUBLIDAE</b>				M		●		●			
<i>Albula</i> sp.											
<b>ANGUILLIFORMES</b>											
<b>ANGUILLIDAE</b>											
<i>Anguilla bicolor</i>	NT			D		●			●		
<i>Anguilla bicolor pacifica</i>	NT	DD		D		○			○		
<i>Anguilla japonica</i>	EN	EN		D		●	●	●	●		
<i>Anguilla marmorata</i>	LC			D		●	●	●	●		
<b>MURAENIDAE</b>											
<i>Echidna rhodochilus</i>		CR		B		●			●		
<i>Echidna nebulosa</i>				M		●		●	●		
<i>Gymnothorax albimarginatus</i>				M		●			●		
<i>Gymnothorax fimbriatus</i>				M		●			●		
<i>Gymnothorax monochrous</i>				P		●			●		
<i>Gymnothorax pictus</i>				M		●					
<i>Gymnothorax pseudothyrsoides</i>				M		●		●	●		
<i>Gymnothorax richardsonii</i>				M		●					
<i>Gymnothorax thyrsoides</i>				M		●			●		
<i>Strophidon sathete</i>				P		●			●		
<i>Uropterygius concolor</i>		CR		B		●		●	●		
<i>Uropterygius micropterus</i>				M		●		●	●		
<b>OPHICHTHIDAE</b>											
<i>Lamnostoma polyophthalmum</i>				B		●		●			
<i>Ophichthus altipennis</i>	LC			M		●		●	●		
<i>Pisodonophis boro</i>				B		●		●	●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Pisodonophis cancrivorus</i>				M		●				●	
<i>Scolecenchelys macroptera</i>				M		●				●	
<b>CONGRIDAE</b> <i>Conger cinereus</i>				M		●				●	
<b>CLUPEIFORMES</b>											
<b>CLUPEIDAE</b> <i>Amblygaster leiogaster</i>				M		●				●	
<i>Dussumieria elopoides</i>				M		●				●	
<i>Herklitsichthys quadrimaculatus</i>				P		●				●	
<i>Sardinella melanura</i>				M		●	●			●	
<i>Sardinella</i> sp.				M		●				●	
<i>Nematolosa come</i>				P		●				●	
<i>Nematolosa japonica</i>	EN			M		●		●		●	
<i>Spratelloides atrofasciatus</i>				M		●				●	
<i>Spratelloides delicatulus</i>				M		●				●	
<b>ENGRAULIDAE</b> <i>Encrasicholina heteroloba</i>				M		●				●	
<i>Stolephorus indicus</i>				M		●				●	
<i>Stolephorus commersonnii</i>				B		●				●	
<i>Thyssa baelama</i>				B		●				●	
<b>GONORYNCHIFORMES</b>											
<b>CHANIDAE</b> <i>Chanos chanos</i>				P		●				●	
<b>CYPRINIFORMES</b>											
<b>CYPRINIDAE</b> <i>Carassius burgeri</i>				F		●				●	
<i>Carassius burgeri</i> subsp. 1		DD		F		○				○	



Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Carassius</i> sp. A				F		●	●	●	●		
<i>Carassius</i> sp. B		CR		F	E	●		●	●		
<b>COBITIDAE</b>											
<i>Misgurnus anguillicaudatus</i>		DD		F		●	●	●	●		
<b>SILURIFORMES</b>											
<b>PLOTOSIDAE</b>											
<i>Plotosus lineatus</i>				M		●		●	●		
<i>Plotosus japonicus</i>				M		●		●			
<b>SALMONIFORMES</b>											
<b>PLECOGLOSSIDAE</b>											
<i>Plecoglossus altivelis</i>	DD			D		●	?	●*			
<i>Plecoglossus altivelis</i>				D	e	○	?	○*			* The distribution on the Okinawa Island is a result of the reintroduction from the Amami-Oshima Island. ?: Unverified information
<i>Plecoglossus altivelis ryukyensis</i>	EN	CR				○					
<b>STOMIIFORMES</b>											
<b>PHOSICHTHYIDAE</b>											
<i>Vinciguerria nimbaria</i>				M		●		●			
<b>AULOPIIFORMES</b>											
<b>SYNDONTIDAE</b>											
<i>Saurida gracilis</i>				M		●		●			
<i>Saurida nebulosa</i>				B		●		●	●		
<i>Trachinocephalus myops</i>				M		●		●			
<b>OPHIDIIFORMES</b>											
<b>BYTHITIDAE</b>											
<i>Bythitidae</i> sp.				M		●			●		
<b>LOPHIIFORMES</b>											
<b>ANTENNARIIDAE</b>											
<i>Antennarius dorehensis</i>				M		●		●	●		
<i>Antennarius pictus</i>				M		●		●	●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Histrio histrío</i>				M		●	●	●	●	●	●	
<b>BERYCIFORMES</b>												
<b>HOLOCENTRIDAE</b>												
<i>Neoniphon sammara</i>				M		●		●				
<i>Sargocentron diadema</i>				M		●		●				
<i>Sargocentron itodai</i>				M		●		●		●		
<i>Sargocentron praslin</i>				M		●		●		●		
<i>Sargocentron rubrum</i>				M		●		●		●		
<b>SYNBRANCHIFORMES</b>												
<b>SYNBRANCHIDAE</b>												
<i>Monopterus</i> sp.		CR		F	E	●		●		●		
<b>GASTEROSTEIFORMES</b>												
<b>PEGASIDAE</b>												
<i>Pegasus volitans</i>	DD			M		●				●		
<b>FISTULARIIDAE</b>												
<i>Fistularia commersonii</i>				M		●		●		●		
<b>CENTRISCIDAE</b>												
<i>Aeoliscus strigatus</i>				M		●				●		
<b>SYNGNATIDAE</b>												
<i>Acentronura</i> sp.				M		●		●				
<i>Corythoichthys haematopterus</i>				M		●		●		●		
<i>Doryrhamphus japonicus</i>				M		●				●		
<i>Hippichthys cyanospilus</i>				B		●				●		
<i>Hippichthys heptagonus</i>	LC	EN		D		●		●		●		
<i>Hippichthys spicifer</i>	LC			B		●		●	●	●		
<i>Hippocampus kelloggi</i>	VU			M		●		●		●		
<i>Hippocampus kuda</i>	VU			B		●		●		●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Micrognathus andersonii</i>				M		●				●	
<i>Microphis argulus</i>		CR		D		●				●	
<i>Microphis brachyurus</i>	LC			D		●	●			●	
<i>Microphis brachyurus brachyurus</i>	LC			D		○	○			○	
<i>Microphis jagorii</i>		CR		B		●				●	
<i>Microphis leiaspis</i>	LC			D		●	●			●	
<i>Microphis retzii</i>		CR		D		●				●	
<i>Urocampus carinirostris</i>				B		●				●	
<i>Urocampus nanus</i>				M		●		●		●	
<b>MUGILIFORMES</b>											
<b>MUGILIDAE</b>											
<i>Cestraeus plicatilis</i>		CR		D		●				●	
<i>Chelon affinis</i>				P		●				●	
<i>Chelon macrolepis</i>	LC			P		●				●	
<i>Chelon melinopterus</i>	LC			P		●				●	
<i>Chelon subviridis</i>		DD		P		●				●	
<i>Crenimugil crenilabris</i>				M		●				●	
<i>Crenimugil heterocheilos</i>	LC	EN		D		●				●	
<i>Elocheilon vaigiensis</i>		DD		P		●				●	
<i>Moolgarda engeli</i>		DD		P		●				●	
<i>Moolgarda pedaraki</i>		DD		P		●				●	
<i>Moolgarda perusii</i>				P		●				●	
<i>Moolgarda seheli</i>				P		●				●	
<i>Mugil cephalus</i>	LC			P		●				●	
<i>Mugil cephalus cephalus</i>	LC			P		○				○	
<i>Oedalechilus labiosus</i>				M		●				●	
<b>ATHERINIFORMES</b>											

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
							Amani-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus		
<b>ATHERINIDAE</b>												
<i>Atherinomorus duodecimalis</i>		DD		P		●			●			
<i>Atherinomorus lacunosus</i>				M		●						
<i>Atherinomorus pinguis</i>				P					●			
<i>Hypoaetherina temminckii</i>		DD		M		●			●			
<i>Hypoaetherina woodwardi</i>				P		●			●			
<i>Stenatherina panatela</i>				M		●			●			
<b>BELOBNIFORMES</b>												
<b>ADRIANICHTHYIDAE</b>												
<i>Oryzias latipes</i>		VU		F		●			●			
<b>HEMIRHAMPHIDAE</b>												
<i>Hyporhamphus dussumieri</i>				M		●			●			
<i>Hyporhamphus quoyi</i>				M		●			●			
<i>Zenarchopterus dunckeri</i>		NT		B		●			●			
<b>EXOCOETIDAE</b>												
<i>Parexocoetus mento</i>				M		●			●			
<b>BELONIDAE</b>												
<i>Strongylura incisa</i>				M		●			●			
<i>Tylosurus acus</i>				M		●			●			
<i>Tylosurus acus melanotus</i>				M		○			○			
<i>Tylosurus crocodilus</i>				M		●			●			
<i>Tylosurus crocodilus crocodilus</i>				M		○			○			
<b>PERCIFORMES</b>												
<b>SCORPAENIDAE</b>												
<i>Dendrochirus zebra</i>				M		●			●			
<i>Pterois antennata</i>				M		●			●			
<i>Pterois volitans</i>				M		●			●			

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Scorpaenodes guamensis</i>				M		●					●	
<i>Scorpaenopsis neglecta</i>				M		●						
<i>Scorpaenopsis ramaraoi</i>	LC			M		●					●	
<b>TETRAOROGIDAE</b>												
<i>Ablabys taenianotus</i>				M		●					●	
<i>Tetraroge barbata</i>		CR		B		●					●	
<i>Tetraroge niger</i>	LC	CR		B		●					●	
<b>SYNANCEIIDAE</b>												
<i>Synanceia verrucosa</i>				M		●					●	
<b>PLATYCEPHALIDAE</b>												
<i>Cociella punctata</i>				P		●					●	
<i>Platycephalus indicus</i>				P		●					●	
<i>Thysanophrys celebica</i>				M		●					●	
<b>DACTYLOPTERIDAE</b>												
<i>Dactyloptena orientalis</i>				M		●					●	
<b>LATIDAE</b>												
<i>Lates</i> sp.				P		●					●	
<b>AMBASSIDAE</b>												
<i>Ambassis buruensis</i>				D		●					●	
<i>Ambassis interrupta</i>	LC	DD		D		●					●	
<i>Ambassis macracanthus</i>		DD		D		●					●	
<i>Ambassis miops</i>	LC			D		●					●	
<i>Ambassis urotaenia</i>	LC			D		●					●	
<b>SERRANIDAE</b>												
<i>Epinephelus coioides</i>	NT			P		●					●	
<i>Epinephelus corallicola</i>				P		●					●	
<i>Epinephelus fasciatus</i>	LC			M		●					●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Epinephelus fuscoguttatus</i>	NT			M		●				●	
<i>Epinephelus maculatus</i>	LC			M		●				●	
<i>Epinephelus malabaricus</i>	NT			P		●		●		●	
<i>Epinephelus ongus</i>	LC			M		●				●	
<i>Grammistes sexlineatus</i>				M		●				●	
<b>PSEUDOCROMIDAE</b>											
<i>Labracinus cyclophthalinus</i>				M		●		●		●	
<i>Pseudochromis tapeinosoma</i>				M		●				●	
<b>PLESIOPIDAE</b>											
<i>Plesiops coeruleolineatus</i>				M		●		●		●	
<b>APOGONIDAE</b>											
<i>Apogon amboinensis</i>	DD			B		●		●		●	
<i>Apogon aureus</i>				M		●				●	
<i>Apogon compressus</i>	LC			M		●				●	
<i>Apogon cookii</i>				M		●				●	
<i>Apogon hyalosoma</i>	LC	CR		B		●				●	
<i>Apogon ishigakiensis</i>				M		●		●		●	
<i>Apogon fraenatus</i>				M		●				●	
<i>Apogon lateralis</i>	LC	DD		B		●		●		●	
<i>Apogon novemfasciatus</i>				M		●				●	
<i>Apogon properuptus</i>				M		●				●	
<i>Apogon trimaculatus</i>				M		●				●	
<i>Cheilodipterus intermedius</i>				M		●				●	
<i>Cheilodipterus quinquelineatus</i>				M		●		●		●	
<i>Foa brachygramma</i>				M		●		●		●	
<i>Fowleria marmorata</i>				M		●		●		●	
<i>Fowleria variegata</i>				B		●		●		●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Fowleria</i> sp.				M		●					●	
<i>Nectamia bandanensis</i>				M		●					●	
<i>Nectamia fusca</i>				M		●					●	
<i>Pseudamia amblyuroptera</i>		DD		B		●		●			●	
<i>Siphamia tubifer</i>				M		●		●			●	
<i>Sphaerama orbicularis</i>				B		●					●	
<i>Zorania viridiventer</i>				M		●					●	
<b>CARANGIDAE</b>												
<i>Caranx ignobilis</i>				P		●					●	
<i>Caranx melampygus</i>				P		●					●	
<i>Caranx papuensis</i>				P		●					●	
<i>Caranx sexfasciatus</i>	LC			P		●					●	
<i>Scorberoides lysan</i>				P		●					●	
<i>Scorberoides tol</i>				M		●					●	
<i>Selar crumenophthalmus</i>	LC			M		●					●	
<i>Trachinotus blochii</i>				M		●					●	
<b>LEIOGNATHIDAE</b>												
<i>Equulites leuciscus</i>				M		●					●	
<i>Eubleekeria splendens</i>	LC			P		●					●	
<i>Leiognathus equulus</i>	LC			P		●					●	
<i>Leiognathus fasciatus</i>				P		●					●	
<i>Photopectoralis bindus</i>				M		●					●	
<b>LUTJANIDAE</b>												
<i>Lutjanus argenteimaculatus</i>				P		●					●	
<i>Lutjanus bohar</i>				M		●					●	
<i>Lutjanus decussatus</i>				M		●					●	
<i>Lutjanus ehrenbergii</i>				P		●					●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Lufjanus fulviflamma</i>				P		●	●	●	●	●	
<i>Lufjanus fulvus</i>				P		●		●	●		
<i>Lufjanus gibbus</i>				M		●		●	●		
<i>Lufjanus goldiei</i>		CR		D		●			●		
<i>Lufjanus kasmira</i>				M		●			●		
<i>Lufjanus monostigma</i>				P		●			●		
<i>Lufjanus quinqueineatus</i>				M		●		●	●		
<i>Lufjanus rivulatus</i>				P		●		●	●		
<i>Lufjanus russellii</i>				P		●		●	●		
<i>Lufjanus stielatus</i>				M		●		●	●		
<i>Paracaesio xanthura</i>				M		●			●		
<b>CAESIONIDAE</b>											
<i>Pterocaesio digramma</i>				M		●		●	●		
<b>LOBOTIDAE</b>											
<i>Lobotes surinamensis</i>	LC			M		●		●	●		
<b>GERREIDAE</b>											
<i>Gerres erythrorus</i>				P		●		●	●		
<i>Gerres filamentosus</i>	LC			P		●		●	●		
<i>Gerres longirostris</i>				P		●		●	●		
<i>Gerres macracanthus</i>				P		●		●	●		
<i>Gerres oyena</i>				P		●		●	●		
<i>Gerres oblongus</i>				M		●		●	●		
<i>Gerres ryukyuensis</i>				M		●		●	●		
<i>Gerres shima</i>				P		●		●	●		
<b>HAEMULIDAE</b>											
<i>Hapalogenys nigripinnis</i>				M		●		●	●		
<i>Plectorhinchus albovittatus</i>		DD		P		●		●	●		



Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Plectorhynchus gibbosus</i>				P		●				●		
<i>Plectorhynchus lessonii</i>				M		●				●		
<i>Pomadasy's argenteus</i>				P		●				●		
<i>Pomadasy's quadrilineatus</i>				P		●				●		
<b>NEMIPTERIDAE</b>												
<i>Scolopsis bilineata</i>				M		●				●		
<i>Scolopsis ciliata</i>				M		●				●		
<i>Scolopsis lineata</i>				M		●				●		
<i>Scolopsis monogramma</i>				M		●				●		
<b>SPARIDAE</b>												
<i>Acanthopagrus chinshira</i>	NT			M		●				●		
<i>Acanthopagrus siviculus</i>	VU			P		●				●		
<i>Acanthopagrus pacificus</i>	LC	VU		P		●				●		
<i>Rhabdosargus sarba</i>				M		●				●		
<b>LETHRINIDAE</b>												
<i>Gnathodentex aureolineatus</i>				M		●				●		
<i>Lethrinus atkinsoni</i>				M		●				●		
<i>Lethrinus harak</i>				M		●				●		
<i>Lethrinus nebulosus</i>				M		●				●		
<i>Lethrinus semicinctus</i>				M		●				●		
<b>SILLAGONIDAE</b>												
<i>Sillaginops macrolepis</i>		EN		P		●				●		
<i>Sillago aeolus</i>				M		●				●		
<i>Sillago silhama</i>				P		●				●		
<b>MULLIDAE</b>												
<i>Mulloidichthys flavolineatus</i>				M		●				●		
<i>Mulloidichthys vanicolensis</i>				M		●				●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Parupeneus ciliatus</i>				M		●	●	●	●	●	
<i>Parupeneus indicus</i>				M		●	●	●	●	●	
<i>Parupeneus multifasciatus</i>	LC			M		●	●	●	●	●	
<i>Parupeneus spilurus</i>				M		●					
<i>Upeneus tragula</i>				M		●					
<i>Upeneus vittatus</i>				M		●				●	
<b>PEMPHERIDAE</b>											
<i>Pemppheris schwenkii</i>				M		●				●	
<b>MONODACTYLIDAE</b>											
<i>Monodactylus argenteus</i>				B		●				●	
<b>TOXOTIDAE</b>											
<i>Toxotes jaculatrix</i>		CR		B		●				●	
<b>CHAETODONTIDAE</b>											
<i>Chaetodon auriga</i>	LC			M		●				●	
<i>Chaetodon auripes</i>	LC			M		●				●	
<i>Chaetodon citrinellus</i>	LC			M		●				●	
<i>Chaetodon ephippium</i>	LC			M		●				●	
<i>Chaetodon kleinii</i>	LC			M		●				●	
<i>Chaetodon lineolatus</i>	LC			M		●				●	
<i>Chaetodon lunula</i>	LC			M		●				●	
<i>Chaetodon octofasciatus</i>	LC			M		●				●	
<i>Chaetodon vagabundus</i>	LC			M		●				●	
<i>Heniochus acuminatus</i>	LC			M		●				●	
<b>POMACANTHIDAE</b>											
<i>Pomacanthus semicirculatus</i>	LC			M		●				●	
<b>CHEILODACTYLIDAE</b>											
<i>Goniistius zonatus</i>				M		●				●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<b>POMACENTRIDAE</b>												
<i>Abudefduf lorenzi</i>				M		●					●	
<i>Abudefduf septemfasciatus</i>				M		●					●	
<i>Abudefduf sexfasciatus</i>				M		●		●			●	
<i>Abudefduf sordidus</i>				M		●		●			●	
<i>Abudefduf vaigiensis</i>				M		●		●			●	
<i>Amphiprion clarkii</i>				M		●					●	
<i>Chrysiptera biocellata</i>				M		●		●			●	
<i>Chrysiptera cyanea</i>				M		●		●			●	
<i>Chrysiptera glauca</i>				M		●		●			●	
<i>Chrysiptera brownriggi</i>				M		●					●	
<i>Chrysiptera unimaculata</i>				M		●		●			●	
<i>Dischistodus prosopotaenia</i>				M		●					●	
<i>Neopomacentrus cyanomos</i>				M		●					●	
<i>Neopomacentrus taeniurus</i>				B		●		●			●	
<i>Pomacentrus amboinensis</i>				M		●					●	
<i>Pomacentrus barakanensis</i>				M		●					●	
<i>Pomacentrus chysurus</i>				M		●		●			●	
<i>Pomacentrus moluccensis</i>				M		●					●	
<i>Pomacentrus nagasakiensis</i>				M		●		●			●	
<i>Pomacentrus taeniotopon</i>				B		●		●			●	
<i>Pomacentrus</i> sp.				M		●					●	
<i>Stegastes altus</i>				M		●					●	
<i>Stegastes nigricans</i>				M		●		●			●	
<b>TERAPONTIDAE</b>												
<i>Mesopristes argenteus</i>	LC	CR		P		●					●	
<i>Mesopristes cancellatus</i>		CR		D		●		●			●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Mesopristes iravi</i>		CR		D		●					●	
<i>Pelates quadrilineatus</i>				M		●						
<i>Rhynchopelates oxyrhynchus</i>				P		●						
<i>Terapon jarbua</i>	LC			P		●					●	
<b>KUHLIDAE</b>												
<i>Kuhlia marginata</i>	LC			D		●	●				●	
<i>Kuhlia mugil</i>				M		●						
<i>Kuhlia munda</i>		EN		D		●					●	
<i>Kuhlia rupestris</i>				D		●					●	
<b>KYPHOSIDAE</b>												
<i>Kyphosus cinerascens</i>				M		●						
<i>Kyphosus pacificus</i>				M		●					●	
<b>MICROCANTHIDAE</b>												
<i>Microcanthus strigatus</i>				M		●					●	
<b>GIRELLIDAE</b>												
<i>Girella leonina</i>				M		●						
<i>Girella mezinga</i>				M		●					●	
<b>POLYNEMIDAE</b>												
<i>Polydactylus plebeius</i>				P		●					●	
<b>LABRIDAE</b>												
<i>Cheilinus chlorourus</i>	LC			M		●					●	
<i>Cheilinus undulatus</i>	EN			M		●					●	
<i>Halichoeres argus</i>	LC			M		●					●	
<i>Halichoeres marginatus</i>	LC			M		●					●	
<i>Halichoeres melanurus</i>	LC			M		●					●	
<i>Halichoeres miniatus</i>	LC			M		●					●	
<i>Halichoeres nebulosus</i>	LC			M		●					●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Halichoeres scapularis</i>	LC			M		●				●		
<i>Halichoeres trimaculatus</i>	LC			M		●		●		●		
<i>Iniistius pavo</i>	LC			M		●				●		
<i>Iniistius pentadactylus</i>	LC			M		●				●		
<i>Labroides dimidiatus</i>	LC			M		●				●		
<i>Stethojulis strigiventer</i>	LC			M		●				●		
<i>Thalassoma cupido</i>				M		●				●		
<b>SCARIDAE</b>												
<i>Chlorurus sordidus</i>				M		●				●		
<i>Scarus ghobban</i>				M		●				●		
<i>Scarus oviceps</i>	DD			M		●				●		
<i>Scarus rivulatus</i>	LC			M		●				●		
<b>PINGUIDIDAE</b>												
<i>Parapercis pacifica</i>				M		●				●		
<b>TRICHONOTIDAE</b>												
<i>Trichonotus</i> sp.				M		●				●		
<b>TRYPTERYGIIDAE</b>												
<i>Enneapterygius cheni</i>	LC	CR		B		●				●		
<i>Enneapterygius etheostomus</i>	LC			M		●				●		
<i>Helcogramma nesion</i>	LC			M		●				●		
<b>BLENNIIDAE</b>												
<i>Andamia reyi</i>				M		●				●		
<i>Andamia tetradactyla</i>				M		●				●		
<i>Blenniella biltonensis</i>				M		●				●		
<i>Blenniella periophtalma</i>				M		●				●		
<i>Entomacrodus striatus</i>	LC			M		●				●		
<i>Glyptoparus delicatulus</i>	LC			M		●				●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Istiblennius dussumieri</i>	LC			M		●				●	
<i>Istiblennius edentulus</i>				M		●				●	
<i>Istiblennius lineatus</i>	LC			M		●				●	
<i>Praealticus bilineatus</i>	LC			M		●				●	
<i>Praealticus striatus</i>	LC			M		●				●	
<i>Rhabdoblennius nitidus</i>	LC			M		●				●	
<i>Salarias fasciatus</i>	LC			M		●				●	
<i>Salarias luctuosus</i>				M		●				●	
<i>Omobranchus elongatus</i>		DD		B		●				●	
<i>Omobranchus ferox</i>				B		●				●	
<i>Omobranchus toxozonus</i>	LC			M		●				●	
<i>Omox biporos</i>	DD	CR		B		●				●	
<i>Parablennius thysanius</i>				B		●				●	
<i>Meiacanthus grammistes</i>	LC			M		●				●	
<i>Parentchelyurus hepburni</i>	LC			M		●				●	
<i>Petroscirtes breviceps</i>				M		●				●	
<i>Petroscirtes mitratus</i>				M		●				●	
<i>Petroscirtes variabilis</i>				M		●				●	
<b>CALLIONYMIDAE</b>											
<i>Dactylopus dactylopus</i>				M		●					
<i>Eleutherochir opercularis</i>				B		●				●	
<i>Pseudocallitricthys ikedai</i>		DD		B		●				●	
<b>RHYACHICHTHYIDAE</b>											
<i>Rhyachichthys aspro</i>		CR		D		●				●	
<b>ELEOTRIDAE</b>											
<i>Belobranchus belobranchus</i>		DD		D		●				●	
<i>Bostrychus sinensis</i>	LC	EN		B		●				●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Bunaka gyrinoides</i>		NT		D		●				●		
<i>Butis amboinensis</i>	LC	CR		B		●				●		
<i>Eleotris acanthopoma</i>	LC			B		●	●			●		
<i>Eleotris fusca</i>	LC			D		●	●			●		
<i>Eleotris melanosoma</i>	LC			B		●	●			●		
<i>Hypseleotris cyprinoides</i>	DD	EN		D		●				●		
<i>Ophieleotris</i> sp. 1		EN		D		●	●			●		
<i>Ophieleotris</i> sp. 2		EN		D		●				●		
<i>Ophiocara porocephala</i>	LC	VU		B		●				●		
<b>GOBIIDAE</b>												
<i>Caragobius urolepis</i>		VU		B		●				●		
<i>Taenioides</i> sp.				B		●				●		
<i>Trypauchenopsis intermedia</i>				B		●	●			●		
<i>Trypauchenopsis</i> sp.				B		●				●		
<i>Acentrogobius audax</i>		NT		B		●				●		
<i>Acentrogobius caninus</i>		NT		B		●				●		
<i>Acentrogobius janthinopterus</i>				B		●				●		
<i>Acentrogobius multifasciatus</i>				B		●				●		
<i>Acentrogobius suluensis</i>		NT		B		●				●		
<i>Acentrogobius viganensis</i>				B		●				●		
<i>Acentrogobius virgatulus</i>				B		●				●		
<i>Acentrogobius viridipunctatus</i>		VU		B		●				●		
<i>Acentrogobius</i> sp. 2				B		●				●		
<i>Amblygobius esakiae</i>				B		●				●		
<i>Amblygobius hectori</i>				M		●				●		
<i>Amblygobius linki</i>		NT		B		●				●		
<i>Amblygobius phalaena</i>				M		●				●		

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Amblygobius</i> sp. A				B		●	●	●	●	●	
<i>Amoya molbanus</i>				B		●		●	●	●	
<i>Asterropteryx semipunctata</i>				M		●		●	●	●	
<i>Asterropteryx ensifera</i>				M		●		●	●	●	
<i>Bathygobius cocosensis</i>				M		●	●	●	●	●	
<i>Bathygobius cyclopterus</i>				M		●	●	●	●	●	
<i>Bathygobius fuscus</i>	LC			M		●	●	●	●	●	
<i>Bathygobius laddi</i>				M		●		●	●	●	
<i>Bathygobius hongkongensis</i>				M		●		●	●	●	
<i>Bathygobius coalitus</i>				M		●		●	●	●	
<i>Bathygobius</i> sp. A		CR		B		●		●	●	●	
<i>Cabillus</i> sp.				M		●		●	●	●	
<i>Callogobius hasseltii</i>				M		●		●	●	●	
<i>Callogobius okinawae</i>				M		●	●	●	●	●	
<i>Callogobius tanegasimae</i>				B		●	●	●	●	●	
<i>Callogobius</i> sp. A		CR		B	E	●		●	●	●	
<i>Callogobius</i> sp. B				B		●		●	●	●	
<i>Cristatogobius aurimaculatus</i>		CR		B		●		●	●	●	
<i>Cristatogobius lophius</i>		EN		B		●		●	●	●	
<i>Cristatogobius nonataoe</i>		CR		B		●		●	●	●	
<i>Cryptocentroides insignis</i>				B		●		●	●	●	
<i>Cryptocentrus albidorsus</i>				M		●		●	●	●	
<i>Cryptocentrus caeruleomaculatus</i>				B		●		●	●	●	
<i>Cryptocentrus melanopus</i>				B		●		●	●	●	
<i>Cryptocentrus nigrocellatus</i>				M		●		●	●	●	
<i>Cryptocentrus strigiliceps</i>				M		●		●	●	●	
<i>Ctenogobius pomastictus</i>				M		●		●	●	●	



Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Dorombus</i> sp.				B		●				●	
<i>Eviota abax</i>				M		●					
<i>Eviota japonica</i>				M						●	
<i>Eviota ocellifer</i>		CR		B	E					●	
<i>Eviota prasina</i>				M		●				●	
<i>Exyrias belissimus</i>				M		●				●	
<i>Exyrias puntang</i>				B		●				●	
<i>Favonigobius gymnauchen</i>				B		●				●	
<i>Favonigobius melanobranchus</i>				B		●				●	
<i>Favonigobius opalescens</i>				M		●				●	
<i>Favonigobius reichei</i>				B		●				●	
<i>Favonigobius</i> sp. A				B		●				●	
<i>Favonigobius</i> sp. B				B		●				●	
<i>Favonigobius</i> sp. C				B		●				●	
<i>Fusigobius duospilus</i>				M		●				●	
<i>Fusigobius humeralis</i>				M		●				●	
<i>Fusigobius neophytus</i>				M		●				●	
<i>Fusigobius signipinnis</i>				M		●				●	
<i>Gladigobius brevispinis</i>				B		●				●	
<i>Glossogobius aureus</i>		CR		B		●				●	
<i>Glossogobius bicirrhosus</i>		CR		B		●				●	
<i>Glossogobius biocellatus</i>				B		●				●	
<i>Glossogobius celebius</i>				D		●				●	
<i>Glossogobius circumspectus</i>		NT		B		●				●	
<i>Glossogobius</i> sp.		DD		B		●				●	
<i>Heteroplopomus</i> sp.				B		●				●	
<i>Istigobius campbelli</i>				M		●				●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Istigobius decoratus</i>				M		●				●	
<i>Istigobius goldmanni</i>				M		●				●	
<i>Istigobius ornatus</i>				M		●		●		●	
<i>Macrodon togobius wilburi</i>				M		●				●	
<i>Mahidoria</i> sp.				M		●		●		●	
<i>Manganinus waterousi</i>				B		●		●		●	
<i>Myrsina macrostoma</i>				B		●		●		●	
<i>Oplopomus oplopomus</i>				M		●		●		●	
<i>Palutrus meteori</i>				M		●		●		●	
<i>Parkraemeria saltator</i>		VU		B	E	●		●		●	
<i>Pleuroscicya bilobata</i>				M		●				●	
<i>Priolepis semidoliata</i>				M		●				●	
<i>Psilogobius prolatus</i>				M		●				●	
<i>Silhouettea capitilineata</i>				M		●				●	
<i>Silhouettea</i> sp. A		NT		B	E	●		●		●	
<i>Silhouettea</i> sp. B				B		●				●	
<i>Tomiyamichthys lanceolatus</i>				M		●		●		●	
<i>Tomiyamichthys russiae</i>				M		●				●	
<i>Trimma okinawae</i>				M		●				●	
<i>Valenciennea longipinnis</i>				M		●			●	●	
<i>Valenciennea sexguttata</i>				M		●				●	
<i>Vanderhorstia phaeosticta</i>				M		●				●	
<i>Vanderhorstia</i> sp. 2				M		●				●	
<i>Vanderhorstia</i> sp.				M		●				●	
<i>Yongeichthys nebulosus</i>				B		●				●	
Gobiidae sp. A				B		●				●	
Gobiidae sp. B				B		●				●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Gobiidae</i> sp. C				M		●					●	
<i>Acanthogobius insularis</i>		VU		B	E	●		●				
<i>Awaous melanocephalus</i>				D		●	●	●			●	
<i>Awaous ocellaris</i>				D		●		●			●	
<i>Eugnathogobius mindora</i>		NT		B		●		●			●	
<i>Eutaenichthys</i> sp.				B		●		●			●	
<i>Gnatholepis anjerensis</i>				M		●		●			●	
<i>Gnatholepis cauerensis</i>	LC			M		●		●			●	
<i>Gymnogobius petschiliensis</i>				D		●		●			●	
<i>Luciogobius ryukyuensis</i>		VU		B	E	●		●			●	
<i>Luciogobius pallidus</i>	DD	NT		B		●		●			●	
<i>Mugilogobius cavifrons</i>	LC	EN		B		●		●			●	
<i>Mugilogobius chulae</i>	LC			B		●		●			●	
<i>Mugilogobius fuscus</i>		DD		B		●		●			●	
<i>Mugilogobius</i> sp. 1				B		●		●			●	
<i>Mugilogobius</i> sp. 2				B		●		●			●	
<i>Mugilogobius</i> sp. 3		VU		B		●		●			●	
<i>Oligolepis acutipennis</i>	DD			B		●		●			●	
<i>Oligolepis stomias</i>	DD			B		●		●			●	
<i>Oxyurichthys cornutus</i>				B		●		●			●	
<i>Oxyurichthys ophthalmonema</i>				B		●		●			●	
<i>Oxyurichthys papuensis</i>				M		●		●			●	
<i>Oxyurichthys visayanus</i>				B		●		●			●	
<i>Oxyurichthys</i> sp. 1				M		●		●			●	
<i>Oxyurichthys</i> sp. 2		CR		B		●		●			●	
<i>Pandaka lidwilli</i>		VU		B		●		●			●	
<i>Pandaka trimaculata</i>				B		●		●			●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Pseudogobius javanicus</i>				B		●					●	
<i>Pseudogobius masago</i>		VU		B		●					●	
<i>Pseudogobius</i> sp.		DD		B		●					●	
<i>Redigobius balteatus</i>	LC	DD		B		●					●	
<i>Redigobius bikolanus</i>	LC			B		●	●				●	
<i>Rhinogobius giurinus</i>	LC			D		●	●				●	
<i>Rhinogobius brunneus</i>	DD			D		●	●				●	
<i>Rhinogobius nagoyae</i>	DD			D		●	●				●	
<i>Rhinogobius</i> sp. BB				F	E	●						
<i>Rhinogobius</i> sp. DL				D		●					●	
<i>Rhinogobius</i> sp. MO				D	E	●						
<i>Rhinogobius</i> sp. YB				F	E	●	●				●	
<i>Schismatogobius ampluvinculus</i>		EN		D		●					●	
<i>Schismatogobius roxasi</i>		EN		D		●					●	
<i>Stenogobius</i> sp.				D		●					●	
<i>Stenogobius ophthalmoporus</i>		DD		B		●					●	
<i>Tridentiger kuroi</i>	LC			D		●	●				●	
<i>Periophthalmus argenteolineatus</i>				B		●					●	
<i>Periophthalmus modestus</i>		NT		B		●					●	
<i>Scartelaos histophorus</i>		CR		M		●						
<i>Lenipes armatus</i>		CR		D		●					●	
<i>Sicyopterus japonicus</i>				D		●					●	
<i>Sicyopterus lagocephalus</i>	LC	VU		D		●	●				●	
<i>Sicyopterus cebuensis</i>		DD		D		●						
<i>Sicyopterus leprurus</i>		CR		D		●					●	
<i>Sicyopterus zosterophorus</i>		CR		D		●					●	
<i>Stiphodon alcedo</i>	LC	CR		D		●					●	

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Siphodon atropurpureus</i>		CR		D		●	●	●	●	●	
<i>Siphodon imperiorientis</i>	VU	CR		D	E	●	●	●	●	●	
<i>Siphodon multisquamus</i>				D		●	●	●	●	●	
<i>Siphodon percnopterygionus</i>	DD			D		●	●	●	●	●	
<b>KRAEMERIIDAE</b>											
<i>Gobitrichinotus radiocularis</i>		NT		B		●				●	
<i>Kraemeria cucullaria</i>				B		●	●			●	
<i>Kraemeria tongaensis</i>	LC	DD		B		●				●	
<i>Kraemeria</i> sp.				B		●				●	
<b>MICRODESMIDAE</b>											
<i>Gunnellichthys curiosus</i>				M		●				●	
<i>Paragunnellichthys</i> sp.				B		●				●	
<b>PTERELEOTRIDAE</b>											
<i>Paroglossus caeruleolineatus</i>		DD		B	E	●				●	
<i>Paroglossus dotui</i>				B		●				●	
<i>Paroglossus formosus</i>	LC			M		●				●	
<i>Paroglossus interruptus</i>		CR		B		●				●	
<i>Paroglossus lineatus</i>	DD	DD		B		●				●	
<i>Paroglossus palustris</i>	LC	VU		B		●				●	
<i>Paroglossus philippinus</i>				B		●				●	
<i>Paroglossus rainfordi</i>	LC	EN		B		●				●	
<i>Paroglossus raoi</i>	LC			B		●				●	
<i>Paroglossus senoui</i>				M		●				●	
<i>Paroglossus taeniatus</i>	LC	CR		B		●				●	
<i>Ptereleotris microlepis</i>				M		●				●	
<i>Ptereleotridae</i> sp.				B		●				●	
<b>EPHIPPIDAE</b>											

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Platax boersii</i>				M		●					●	
<i>Platax orbicularis</i>				M		●		●			●	
<b>SCATOPHAGIDAE</b>												
<i>Scatophagus argus</i>	LC			P		●		●			●	
<b>SIGANIDAE</b>												
<i>Siganus fuscescens</i>				M		●		●			●	
<i>Siganus guttatus</i>				P		●		●			●	
<i>Siganus spinus</i>				M		●		●			●	
<i>Siganus vermiculatus</i>				P		●		●			●	
<i>Siganus virgatus</i>				M		●		●			●	
<b>ZANCLIDAE</b>												
<i>Zanclus cornatus</i>				M		●		●			●	
<b>ACANTHURIDAE</b>												
<i>Acanthurus dissumieri</i>	LC			M		●		●				
<i>Acanthurus triostegus</i>	LC			M		●		●			●	
<i>Acanthurus xanthopterus</i>	LC			P		●		●			●	
<i>Zebriasoma scopas</i>	LC			M		●		●			●	
<b>SPHYRAENIDAE</b>												
<i>Sphyræna barracuda</i>	LC			P		●		●			●	
<b>TRICHIURIDAE</b>												
<i>Trichiurus</i> sp. 2				M		○		○				
<b>OSPRONEMIDAE</b>												
<i>Macropodus opercularis</i>		CR		F		●		●			●	
<b>PLEURONECTIFORMES</b>												
<b>PARALICHTHYIDAE</b>												
<i>Pseudorhombus arsius</i>				P		●		●			●	
<b>BOTHIDAE</b>												

Scientific Name	IUCN - RL (2016) <sup>1</sup>	MOEJ - RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
							Amani-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Bothus mancus</i>	LC			M		●		●	●	●	
<i>Bothus pantherinus</i>				P		●		●	●	●	
<b>SOLEIDAE</b>											
<i>Aseraggodes xenicus</i>				M		●			●	●	
<i>Pardachirus pavoninus</i>				M		●		●	●	●	
<i>Synaptura marginata</i>				P		●		●	●	●	
<b>TETRAODONTIFORMES</b>											
<b>BALISTIDAE</b>											
<i>Abalistes stellatus</i>				M		●			●	●	
<i>Ballistoides virescens</i>				M		●			●	●	
<i>Pseudobalistes flavimarginatus</i>				M		●			●	●	
<i>Rhinecanthus aculeatus</i>				M		●			●	●	
<i>Rhinecanthus rectangularis</i>				M		●			●	●	
<b>MONACANTHIDAE</b>											
<i>Acreichthys tomentosus</i>				M		●		●	●	●	
<i>Aluterus scriptus</i>	LC			M		●		●	●	●	
<b>OSTRACIIDAE</b>											
<i>Ostracion cubicum</i>				M		●		●	●	●	
<b>TETRAODONTIDAE</b>											
<i>Arothron hispidus</i>	LC			M		●		●	●	●	
<i>Arothron immaculatus</i>				P		●		●	●	●	
<i>Arothron manilensis</i>				P		●		●	●	●	
<i>Arothron reticularis</i>				P		●		●	●	●	
<i>Arothron stellatus</i>				M		●		●	●	●	
<i>Canthigaster amboinensis</i>	LC			M		●		●	●	●	
<i>Canthigaster rivulata</i>	LC			M		●		●	●	●	
<i>Canthigaster valentini</i>	LC			M		●		●	●	●	

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Life Cycle <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
							Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Chelonodon patoca</i>	LC			P		●	●			●	
<i>Takifugu niphobles</i>	LC	LP*		P		●	●			●	* LP on Okinawa Island
<b>DIODONTIDAE</b>											
<i>Chilomycterus reticulatus</i>	LC			M		●				●	
<i>Diodon holocanthus</i>	LC			M		●				●	
<i>Diodon hystrix</i>	LC			M		●				●	
<i>Diodon liturosus</i>				M		●				●	

#### Bibliography

Yoshigou, H. (2014). Species Composition of Inland Water Fishes of the Ryukyu Archipelago and Biography. Fauna Ryukyuan, 9, 1-153. (in Japanese)

Nakabou, T. (ed.) (2013). Fishes of Japan with pictorial keys to the species. 3rd ed. Tokai University Press. Tokyo. (in Japanese)



## 2-2-7. Insects of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island\*1

\*1: As for the National Endangered Species, species that require special attention in handling distribution information are excluded from this list.

\*2: As for Red List categories of IUCN, details are given on the last page.

\*3: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*4: SNM: Special Natural Monument, NM: Natural Monument

\*5: E: Endemic species, e: Endemic subspecies

●: shows the distribution of species, ○: shows the distribution of subspecies

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus Iriomote Is.		
<b>ARCHAEOGNATHA</b>											
<b>MACHILIDAE</b>											
<i>Pedetontus amamiensis</i>				E	●	●					
<i>Pedetontus okajimae</i>				E	●	●	●	●	●		
<i>Pedetontus takahashii</i>					●	●	●	●			
<i>Pedetontus unimaculatus</i>					●	●	●	●			
<b>ZYCENTOMA</b>											
<b>LEPISMATIDAE</b>											
<i>Ctenolepisma longicaudata</i>					●			●			
<i>Ctenolepisma villosa</i>					●			●			
<i>Heterolepisma dispar</i>					●			●			
<i>Isolepisma japonica</i>					●			●			
<i>Lepisma albomaculata</i>				E	●			●			
<i>Thermobia domestica</i>					●			●			
<b>NICOLETIIDAE</b>											
<i>Nipponatelura shirozui</i>				E	●						
<b>EPHEMEROPTERA</b>											
<b>BAETIDAE</b>											
<i>Alainites sacishimensis</i>					●						
<i>Baetiella bispinosa</i>					●			●			
<i>Baetis pseudofrequentus</i>					●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Baetis thermicus</i>				E	●				●	
<i>Baetis yoshinensis</i>					●			●		
<i>Cloeon bimaculatum</i>					●			●		
<i>Cloeon marginale</i>					●			●		
<b>EPEMERIDAE</b>										
<i>Ephemera formosana</i>					●			●		
<b>HEPTAGENIIDAE</b>										
<i>Afronurus hyalinus</i>				E	●			●		
<i>Ecdyonurus yoshidae</i>					●			●		
<i>Rhithrogena parva</i>					●			●		
<b>LEPTOPHELEIIDAE</b>										
<i>Chiusanophlebia asahinai</i>		NT		E	●			●		
<b>POTAMANTHIDAE</b>										
<i>Potamanthus formosus</i>				E	●			●		
<b>SIPHONURIDAE</b>										
<i>Dipteromimus tipuliformis</i>				E	●			●		
<b>ODONATA</b>										
<b>EUPHAEIDAE</b>										
<i>Bayadera brevicauda</i>					●				●	
<i>Bayadera brevicauda ishigakiana</i>				e	○				○	
<i>Euphaea yayeyamana</i>				E	●				●	
<b>CALOPTERYGIDAE</b>										
<i>Matrona basilaris</i>	LC				●			●		
<i>Matrona basilaris japonica</i>	EN			e	○			○		
<i>Psolodesmus mandarinus</i>					●				●	
<i>Psolodesmus mandarinus kuroiwa</i>				e	○				○	
<b>CHLOROCYPHIDAE</b>										
<i>Rhinocypha uenoi</i>	EN			E	●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<b>MEGAPODAGRIONIDAE</b>										
<i>Rhipidolestes aculeatus</i>				E	●				●	*The distribution is simply defined as "Nansei Shoto" and the assessment was conducted in 1996. It may include the following species and subspecies that were subdivided from <i>Rhipidolestes okinawanus</i> in and after 2005: <i>Rhipidolestes aculeatus</i> , <i>R. shozoi</i> , <i>R. amamiensis amamiensis</i> , and <i>R. amamiensis tokunoshimensis</i> .
<i>Rhipidolestes okinawanus</i>	EN*			E	●					
<i>Rhipidolestes amamiensis</i>				E	●					
<i>Rhipidolestes amamiensis amamiensis</i>				e	○					
<i>Rhipidolestes amamiensis tokunoshimensis</i>				e	○					
<i>Rhipidolestes shozoi</i>				E	●					
<b>LESTIDAE</b>										
<i>Indolestes peregrinus</i>	LC				●				●	
<b>PLATYCNEMIDAE</b>										
<i>Coelliccia flavicauda</i>	LC			●					●	
<i>Coelliccia flavicauda masakii</i>	EN			○					○	
<i>Coelliccia ryukyuensis</i>				E	●				●	
<i>Coelliccia ryukyuensis amamii</i>	EN			e	○				○	
<i>Coelliccia ryukyuensis ryukyuensis</i>	EN			e	○				○	
<b>COENAGRIONIDAE</b>										
<i>Agriocnemis femina</i>	LC				●				●	
<i>Agriocnemis femina onyzae</i>	LC				○				○	
<i>Agriocnemis pygmaea</i>	LC	NT			●				●	
<i>Cercion sexlineatum</i>					●				●	
<i>Ceriagrion auranticum</i>	LC				●				●	
<i>Ceriagrion auranticum ryukyuenum</i>	LC				○				○	
<i>Ischnura asiatica</i>					●				●	
<i>Ischnura senegalensis</i>	LC				●				●	
<i>Pseudagrion pilidorsum</i>					●				●	
<i>Pseudagrion pilidorsum pilidorsum</i>					○				○	
<b>GOMPHIDAE</b>										
<i>Asiagomphus amamiensis</i>	NT			E	●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Asiagomphus amamiensis amamiensis</i>	EN	NT		e	○	○				
<i>Asiagomphus amamiensis okinawanus</i>	EN	NT		e	○		○			
<i>Asiagomphus yayeyamensis</i>	EN	NT		E	●			●		
<i>Ictinogomphus pertinax</i>	LC			E	●	●	●	●		
<i>Leptogomphus yayeyamensis</i>	LC			E	●	●	●	●		
<i>Stylogomphus ryukyuanus</i>					●	●	●	●		
<i>Stylogomphus ryukyuanus asatoi</i>	EN			e	○	○	○	○		
<i>Stylogomphus ryukyuanus ryukyuanus</i>					○	○	○	○		
<i>Stylogomphus shirozui</i>					○	○	○	○		
<i>Stylogomphus shirozui</i>					●	●	●	●		
<i>Stylogomphus shirozui watanabei</i>	EN*			e	○	○	○	○		* Listed as <i>S. ryukyuanus</i> subsp. <i>watanabei</i>
<b>CORDULEGASTRIDAE</b>										
<i>Anotogaster sieboldii</i>					●			●		
<i>Anotogaster klossi</i>					●			●		
<i>Chlorogomphus brunneus</i>					●			●		
<i>Chlorogomphus brunneus brunneus</i>	EN			e	○			○		* Evaluated only subspecies
<i>Chlorogomphus brunneus costalis</i>					○			○		
<i>Chlorogomphus iriomotensis</i>	LC	NT		E	●			●		
<i>Chlorogomphus okinawensis</i>	EN	VU		E	●			●		
<b>AESHNIDAE</b>										
<i>Anaciaeschna jaspidea</i>	LC	EN			●			●		
<i>Anax guttatus</i>	LC				●			●		
<i>Anax nigrofasciatus</i>	LC				●			●		
<i>Anax nigrofasciatus nigrofasciatus</i>	LC				○			○		
<i>Anax panybeus</i>	LC				●			●		
<i>Anax parthenope</i>	LC				●			●		
<i>Anax parthenope julius</i>	LC				○			○		
<i>Gynacantha japonica</i>					●			●		
<i>Gynacantha ryukyensis</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Planaeschna ishigakiana</i>		NT		E	●	●	●	●	●	
<i>Planaeschna ishigakiana ishigakiana</i>	EN	NT		e	○			○	○	*Evaluated only subspecies
<i>Planaeschna ishigakiana nagaminei</i>	EN	NT		e	○					*Evaluated only subspecies
<i>Planaeschna milnei</i>	LC			e	●	●				
<i>Planaeschna milnei naica</i>	LC			e	○	○				
<i>Planaeschna risi</i>	LC			e	●				●	
<i>Planaeschna risi sakishimana</i>	EN			e	○				○	
<i>Polycanthogyna melanictera</i>	LC			E	●				●	
<i>Sarasaeschna kunigamiensis</i>		NT			●				●	
<b>CORDULIIDAE</b>										
<i>Epophthalmia elegans</i>					●				●	
<i>Epophthalmia elegans elegans</i>					○				○	
<i>Hemicordulia mindana</i>	LC	VU			●				●	
<i>Hemicordulia mindana nipponica</i>	EN	VU			○				○	
<i>Hemicordulia okinawensis</i>	LC			E	●				●	
<i>Macromia clio</i>					●				●	
<i>Macromia kubokaiya</i>	EN	NT		E	●				●	
<i>Macromia urania</i>	LC	NT			●				●	
<i>Macromidia ishidaï</i>	LC	VU		E	●				●	
<b>LIBELLULIDAE</b>										
<i>Acisoma panorpoides</i>	LC				●				●	
<i>Acisoma panorpoides panorpoides</i>	LC				○				○	
<i>Agrionoptera insignis</i>	LC				●				●	
<i>Agrionoptera insignis insignis</i>	LC				○				○	
<i>Brachydiplax chalybea</i>	LC				●				●	
<i>Brachydiplax chalybea flavovittata</i>	LC				○				○	
<i>Brachythemis contaminata</i>	LC				●				●	
<i>Crocothemis servilla</i>	LC				●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Crocothemis servilla servilla</i>	LC				○	○	○	○	○	○	
<i>Deilella phaon</i>	LC				●			○			
<i>Diplacodes trivialis</i>	LC				●	●	●	●	●	●	
<i>Hydrobasileus croceus</i>	LC				●						
<i>Lathrecista asiatica</i>					●						
<i>Lathrecista asiatica asiatica</i>					○						
<i>Lyriothemis elegantissima</i>	LC				●	●	●	●	●	●	
<i>Lyriothemis tricolor</i>	LC				●						
<i>Macrodiplox cora</i>	LC				●						
<i>Neurothemis fluctuans</i>					●						
<i>Orthetrum albistylum</i>	LC				●	●	●	●	●	●	
<i>Orthetrum albistylum speciosum</i>	LC				○	○	○	○	○	○	
<i>Orthetrum glaucum</i>	LC				●						
<i>Orthetrum luzonicum</i>	LC				●						
<i>Orthetrum pruinatum</i>	LC				●						
<i>Orthetrum pruinatum neglectum</i>	LC				○						
<i>Orthetrum sabina</i>	LC				●						
<i>Orthetrum sabina sabina</i>	LC				○	○	○	○	○	○	
<i>Orthetrum triangulare</i>					●	●	●	●	●	●	
<i>Orthetrum triangulare melania</i>					○	○	○	○	○	○	
<i>Pantala flavescens</i>	LC				●	●	●	●	●	●	
<i>Pseudothemis zonata</i>	LC				●						
<i>Rhyothemis phyllis</i>					●						
<i>Rhyothemis phyllis phyllis</i>					○						
<i>Rhyothemis severini</i>		EN			●						
<i>Rhyothemis variegata</i>					●	●	●	●	●	●	
<i>Rhyothemis variegata imperatrix</i>					○	○	○	○	○	○	
<i>Sympetrum cordulegaster</i>					●	●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Sympetrum darwinianum</i>					●	●			●	
<i>Sympetrum depressiusculum</i>					●		●			
<i>Sympetrum frequens</i>					●					
<i>Tholymis tillarga</i>	LC				●	●				
<i>Tramea basilaris</i>					●					
<i>Tramea basilaris burmeisteri</i>					○					
<i>Tramea transmarina</i>	LC				●	●				
<i>Tramea transmarina euryale</i>	LC				○	○				
<i>Tramea transmarina propinqua</i>	LC				○	○				
<i>Tramea transmarina yayeyamana</i>	LC			e	○	○				
<i>Tramea virginia</i>	LC				●	●				
<i>Trithemis aurora</i>	LC				●	●				
<i>Zyxomma obtusum</i>					●					
<i>Zyxomma petiolatum</i>	LC				●	●				
<b>PLECOPTERA</b>										
<b>LEUCTRIDAE</b>										
<i>Rhopalopsola amamiensis</i>				E	●		●			
<i>Rhopalopsola subnigra</i>					●					
<b>NEMOURIDAE</b>										
<i>Amphinemoura bulla</i>					●					
<i>Amphinemoura flavicollis</i>					●				●	
<i>Amphinemoura ryukyuensis</i>				E	●					
<i>Nemoura chinonis</i>					●					
<i>Nemoura dantigera</i>				E	●					
<i>Nemoura dentata</i>				E	●					
<i>Nemoura okinawaensis</i>				E	●				●	
<b>PERLIDAE</b>										
<i>Gibosia linguambita</i>				E	●					●

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Kiotina riukuensis</i>					●					●	
<i>Neoperla geniculata</i>					●					●	
<b>OLIGOTOMIDAE</b>											
<i>Oligotoma humbertiana</i>					●					●	
<i>Oligotoma japonica</i>					●		●			●	
<i>Oligotoma saundersii</i>					●					●	
<b>BLATTARIA</b>											
<b>BLATTELLIDAE</b>											
<i>Anaplectella ruficollis</i>					●					●	
<i>Blattella asahinai</i>					●					●	
<i>Blattella bilgata</i>					●					●	
<i>Blattella lituricollis</i>					●					●	
<i>Episymploce amamiensis</i>					●					●	
<i>Episymploce sundaica</i>					●					●	
<i>Lobopterella dimidiatipes</i>					●					●	
<i>Margattea kumamotois</i>					●					●	
<i>Margattea kumamotois shirakii</i>					○					○	
<i>Margattea ogatai</i>				E	●					●	
<i>Margattea satsumana</i>					●					●	
<i>Onychostylus notulatus</i>					●					●	
<i>Onychostylus pallidulus</i>					●					●	
<i>Onychostylus pallidulus pallidulus</i>					○					○	
<i>Onychostylus vilis</i>					●					●	
<i>Symploce furcata</i>					●					●	
<i>Symploce gigas</i>					●					●	
<i>Symploce gigas gigas</i>					○					○	
<i>Symploce gigas okinawana</i>					○					○	
<i>Symploce japonica</i>					●					●	



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Symploce yaleyamana</i>				E	●				●	
<b>BLATTIDAE</b>										
<i>Hebardina yaleyamana</i>				E	●				●	
<i>Periplaneta japonica</i>				E	●		●		●	
<i>Periplaneta suzukii</i>				E	●		●		●	
<b>EPILAMPRIDAE</b>										
<i>Opisthoblatta orientalis</i>					●		●		●	
<i>Rhabdoblatta formosana</i>					●		●		●	
<i>Rhabdoblatta guttigera</i>					●		●		●	
<i>Rhabdoblatta yaleyamana</i>				E	●		●		●	
<b>NOCTICOLIDAE</b>										
<i>Nocticola uenoi</i>				E	●			●		
<i>Nocticola uenoi uenoi</i>				e	○			○		
<b>OXYHALOIDAE</b>										
<i>Nauphoeta cinerea</i>					●			●		
<b>PANESTHIIDAE</b>										
<i>Panesthia angustipennis</i>					●				●	
<i>Panesthia angustipennis yaleyamensis</i>					○				○	
<i>Salganea taiwanensis</i>					●			●		
<i>Salganea taiwanensis ryukyuanus</i>				e	○			○		
<i>Salganea taiwanensis taiwanensis</i>					○			○		
<b>PERISPHAERIDAE</b>										
<i>Trichoblatta nigra</i>					●				●	
<i>Trichoblatta pygmaea</i>					●			●	●	
<b>POLYPHAGIDAE</b>										
<i>Eucoydia yasumatsui</i>				E	●				●	
<i>Holocompsa nitidula</i>					●				●	
<b>PYCNOSCELIDAE</b>										

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Pycnoscelus niger</i>					●					●	
<b>MANTODEA</b>											
<b>ACROMANTIDAE</b>					●						
<i>Acromantis japonica</i>					●			●		●	
<b>MANTIDAE</b>					●						
<i>Amantis nawai</i>					●			●		●	
<i>Hierodula patellifera</i>					●			●		●	
<i>Mantis religiosa</i>		DD			●			●		●	
<i>Statilia</i> sp.1				E	●					●	
<i>Tenodera angustipennis</i>				E	●			●		●	
<i>Tenodera</i> sp.					●			●		●	
<b>ISOPTERA</b>											
<b>KALOTERMITIDAE</b>											
<i>Cryptotermes domesticus</i>					●			●		●	
<i>Glyptotermes fuscus</i>					●			●		●	
<i>Glyptotermes nakajimai</i>					●			●			
<i>Neotermes koshunensis</i>					●			●		●	
<b>RHINOTERMITIDAE</b>											
<i>Coptotermes guangzhouensis</i>					●			●		●	
<i>Coptotermes</i> sp.				E	●			●			
<i>Reticulitermes amamianus</i>				E	○			○			
<i>Reticulitermes flaviceps</i>					●					●	
<i>Reticulitermes miyatakei</i>				E	●			●			
<i>Reticulitermes okinawanus</i>				E	○			○		○	
<i>Reticulitermes yaeyamanus</i>					●			●		●	
<b>TERMITIDAE</b>											
<i>Nasutitermes takasagoensis</i>					●					●	
<i>Odontotermes formosanus</i>					●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Odontotermes</i> sp.				E	○				○	
<i>Pericapritermes nitobei</i>					●				●	
<i>Sinocapritermes mushae</i>					●				●	
<b>TERMOPSIDAE</b>										
<i>Hodotermopsis japonica</i>					●		●			
<b>ORTHOPTERA</b>										
<b>ANOSTOMATIDAE</b>										
<i>Paterdecolius murayamai</i>				E	●				●	
<i>Paterdecolius yanbarensis</i>				E	●			●		
<b>STENOPELMATIDAE</b>										
<i>Neanias magnus</i>					●				●	
<i>Nippancistroger testaceus</i>					●				●	
<i>Prosopogryllacris okadai</i>				E	●				●	
<i>Prosopogryllacris rotundimacula</i>				E	●				●	
<i>Prosopogryllacris simulans</i>				E	●			●		
<b>RHAPHIDOPHORIDAE</b>										
<b>RHAPHIDOPHORINAE</b>										
<i>Rhaphidophora taiwana</i>					●				●	
<i>Atachycines</i> sp. 1				E	●					
<i>Atachycines</i> sp. 2				E	●					
<i>Diestrammena ingens</i>				E	●				●	
<i>Diestrammena</i> sp. 1				E	●					
<i>Diestrammena</i> sp. 2				E	●				●	
<b>TETTIGONIDAE</b>										
<b>TETTIGONINAE</b>										
<i>Gampsocleis ryukyuensis</i>		NT		E	●				●	
<b>COPIPHORINAE</b>										
<i>Euconocephalus pallidus</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Euconocephalus varius</i>					●	●			●		
<i>Palaeograeca ascenda</i>					●	●	●	●			
<i>Pygocorypha subulata</i>					●		●	●			
<i>Xestophrys javanicus</i>					●				●		
<b>CONOCEPHALINAE</b>											
<i>Conocephalus gladiatus</i>					●	●	●	●			
<i>Conocephalus japonicus</i>					●	●	●	●			
<i>Conocephalus maculatus</i>					●	●	●	●			
<i>Conocephalus melas</i>					●	●	●	●			
<i>Conocephalus</i> sp.				E	●	●	●	●			
<b>LISTROSCELIDINAE</b>											
<i>Hexacentrus fuscipes</i>					●						
<i>Hexacentrus unicolor</i>					●	●	●	●			
<b>MECONEMATIDAE</b>											
<i>Cosmetura anamiensis</i>				E	●						
<i>Leptoteraura digitata</i>				E	●						
<i>Leptoteraura jona</i>				E	●						
<i>Leptoteraura symmetrica</i>				E	●	●					
<i>Leptoteraura yaeyamana</i>				E	●				●		
<i>Leptoteraura yaeyamana yaeyamana</i>				e	○				○		
<i>Microconocephalopsis yuwanensis</i>				E	●						
<i>Neophisis iriomotensis</i>				E	●				●		
<i>Phlugiolopsis yaeyamensis</i>				E	●				●		
<b>MECOPODIDAE</b>											
<i>Mecopoda elongata</i>					●				●		
<b>PSEUDOPHYLLIDAE</b>											
<i>Togona unicolor</i>					●				●		
<b>PHANEROPTERIDAE</b>											

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Duceitia japonica</i>					●	●				●	
<i>Elimaea</i> sp.				E	●					●	
<i>Holochlora japonica</i>					●						
<i>Isopsera denticulata</i>					●						
<i>Isopsera sulcata</i>					●						
<i>Phaneroptera falcata</i>					●						
<i>Phaneroptera gracilis</i>					●						
<i>Phaneroptera okinawensis</i>				E	●					●	
<i>Phaneroptera trigonia</i>					●					●	
<i>Phaulula daitoensis</i>					●					●	
<i>Phaulula gracilis</i>					●					●	
<i>Psyrana amamiensis</i>				E	●						
<i>Psyrana japonica</i>					●						
<i>Psyrana nyukyuensis</i>				E	●						
<i>Psyrana yaeyamaensis</i>				E	●					●	
<i>Psyrana yaeyamaensis iriomoteana</i>				e	○					○	
<i>Ruidocollaris truncatolobata</i>					●						
<b>GRYLLIDAE</b>											
<b>BRACHYTRUPINAE</b>											
<i>Phonarellus ritsemæ</i>					●					●	
<b>GRYLLINAE</b>											
<i>Gryllus bimaculatus</i>					●					●	
<i>Loxoblemmius equester</i>					●					●	
<i>Melanogryllus bilineatus</i>					●					●	
<i>Modicogryllus consobrinus</i>					●					●	
<i>Modicogryllus siamensis</i>					●					●	
<i>Parasongella japonica</i>				E	●					●	
<i>Teleogryllus occipitalis</i>		DD			●					●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Velarifictorus ornatus</i>					●	●	●	●	●	●	
<b>SCLEROGRYLLINAE</b>											
<i>Velarifictorus grylloides</i>					●	●	●	●	●	●	
<i>Sclerogryllus punctatus</i>					●	●	●	●	●	●	
<b>LANDREVINAE</b>											
<i>Duolandrevus guntheri</i>					●	●	●	●	●	●	
<i>Duolandrevus ivani</i>					●	●	●	●	●	●	
<b>ENEOPTERIDAE</b>											
<b>ENEOPTERINAE</b>											
<i>Cardiodactylus guttulus</i>					●	●	●	●	●	●	
<i>Phaloria ryukyensis</i>				E	●	●	●	○	○	●	
<i>Xenogryllus marmoratus</i>					○	○	○	○	○	○	
<i>Xenogryllus marmoratus unipartitus</i>					○	○	○	○	○	○	
<b>PODOSCIRTINAE</b>											
<i>Aphonoides rufescens</i>					●	●	●	●	●	●	
<i>Aphonoides</i> sp. 2				E	●	●	●	●	●	●	
<i>Mistschenkoana gracilis</i>				E	●	●	●	●	●	●	
<b>OECANTHINAE</b>											
<i>Oecanthus rufescens</i>					●	●	●	●	●	●	
<b>EUSCYRTINAE</b>											
<i>Patiscus nagatomii</i>				E	●	●	●	●	●	●	
<b>TRIGONIDIIDAE</b>											
<b>TRIGONIDIINAE</b>											
<i>Anaxipha longevalata</i>					●	●	●	●	●	●	
<i>Homoeoxipha lycoides</i>					●	●	●	●	●	●	
<i>Homoeoxipha nigripes</i>					●	●	●	●	●	●	
<i>Homoeoxipha obliterata</i>					●	●	●	●	●	●	
<i>Meiochodes karnyi</i>					●	●	●	●	●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Natula matsuurai</i>					●	●	●	●	●	●	
<i>Natula pallidula</i>					●	●	●	●	●	●	
<i>Natula pravdini</i>					●	●	●	●	●	●	
<i>Svistella bifasciata</i>					●	●	●	●	●	●	
<i>Svistella henryi</i>					●	●	●	●	●	●	
<i>Trigonidium chamadara</i>					●	●	●	●	●	●	
<i>Trigonidium cindeloides</i>					●	●	●	●	●	●	
<i>Trigonidium pallipes</i>					●	●	●	●	●	●	
<b>NEMOBIINAE</b>											
<i>Apteronomobius asahinai</i>					●	●	●	●	●	●	
<i>Caconemobius sazanami</i>					●	●	●	●	●	●	
<i>Caconemobius takarai</i>					●	●	●	●	●	●	
<i>Dianemobius csikii</i>					●	●	●	●	●	●	
<i>Dianemobius fuscipes</i>					●	●	●	●	●	●	
<i>Dianemobius nigrofasciatus</i>					●	●	●	●	●	●	
<i>Pollionemobius taprobanensis</i>					●	●	●	●	●	●	
<i>Pteronomobius indicus</i>					●	●	●	●	●	●	
<i>Pteronomobius nigrescens</i>					●	●	●	●	●	●	
<i>Pteronomobius sulfurariae</i>					●	●	●	●	●	●	
<i>Taiwanemobius ryukyuensis</i>		DD		E	●	●	●	●	●	●	
<i>Thetella elegans</i>				E	●	●	●	●	●	●	
<b>MOGOPLISTIDAE</b>											
<i>Ectatoderus</i> sp.					●	●	●	●	●	●	
<i>Ormebius bimaculatus</i>					●	●	●	●	●	●	
<i>Ormebius fuscicerci</i>					●	●	●	●	●	●	
<i>Ormebius kanetataki</i>					●	●	●	●	●	●	
<i>Ormebius longipennis</i>					○	○	○	○	○	○	
<i>Ormebius longipennis ryukyuensis</i>					○	○	○	○	○	○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Tubarama iriomotejimana</i>					●			●	●	
<b>MYRMECOPHILIDAE</b>										
<i>Myrmecophilus albicinctus</i>					●				●	
<i>Myrmecophilus formosanus</i>					●				●	
<b>GRYLLOTALPIDAE</b>										
<i>Gryllotalpa orientalis</i>					●		●		●	
<b>TRIDACTYLIDAE</b>										
<i>Xya nitobae</i>					●		●		●	
<i>Xya riparia</i>					●		●		●	
<b>TETRIGIDAE</b>										
<b>CLADONOTINAE</b>										
<i>Austrohancockia okinawensis</i>				E	●		●		●	
<i>Austrohancockia amamiensis</i>		DD		E	●		●			
<b>METRODORINAE</b>										
<i>Amphinotus amamiensis</i>				E	●		●			
<i>Amphinotus okinawaensis</i>				E	●		●			
<i>Salomonotettix hygrophilus</i>				E	●			●		
<i>Systolederus japonicus</i>				E	●		●			
<b>SCELIMENINAE</b>										
<i>Criotettix okinawanus</i>				E	●		●			
<i>Criotettix saginatus</i>					●			●		
<i>Eucriotettix oculatus</i>					●			●		
<i>Eucriotettix oculatus transpinosus</i>					○			○		
<i>Platygavialidium formosanum</i>					●			●		
<b>TETRIGINAE</b>										
<i>Ergatettix dorsifer</i>					●		●			
<i>Euparatettix histricus</i>					●		●		●	
<i>Euparatettix tricarinatus</i>					●		●		●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Hedotettix gracilis</i>					●	●			●	
<i>Sciotettix sakishimensis</i>					●				●	
<i>Tettix minor</i>					●				●	
<b>PYGOMORPHIDAE</b>										
<i>Atractomorpha lata</i>					●	●	●		●	
<i>Atractomorpha sinensis</i>					●	●	●	●	●	
<i>Atractomorpha sinensis sinensis</i>					○	○	○	○	○	
<b>CATANTOPIIDAE</b>										
<b>CATANTOPINAE</b>										
<i>Stenocatantops mitschenkol</i>					●				●	
<i>Traulia omata</i>					●	●	●		●	
<i>Traulia omata amamiensis</i>				e	○					
<i>Traulia omata iriomotensis</i>				e	○				○	
<i>Traulia omata okinawensis</i>				e	○		○			
<b>PODISMINAE</b>										
<i>Fruhstorferiola okinawaensis</i>				E	●		●			
<i>Sinopodisma aurata</i>				E	●				●	
<i>Sinopodisma punctata</i>					●					
<i>Tonkinacris ruficrus</i>				E	●					
<i>Tonkinacris yaeyamensis</i>				E	●				●	
<b>CYRTACANTHACRIDINAE</b>										
<i>Patanga japonica</i>					●				●	
<i>Patanga succincta</i>					●		●		●	
<b>EYREPOCNEMIDINAE</b>										
<i>Shirakiacris shirakii</i>					●					
<i>Shirakiacris</i> sp.					●				●	
<b>HEMIACRIDINAE</b>										
<i>Hieroglyphus annulicornis</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<b>OXYINAE</b>												
<i>Gesonula punctifrons</i>					●	●	●	●	●	●	●	
<i>Oxya chinensis</i>					●	●	●	●	●	●	●	
<i>Oxya hyla</i>					●							
<i>Oxya hyla intricata</i>					○							
<i>Oxya japonica</i>					●	●	●	●	●	●	●	
<i>Oxya podisma</i>					●	●	●	●	●	●	●	
<b>GELASTORHININAE</b>												
<i>Gonista bicolor</i>					●	●	●	●	●	●	●	
<b>ACRIDINAE</b>												
<i>Acrida cinerea</i>					●	●	●	●	●	●	●	
<b>OEDIPODINAE</b>												
<i>Aiolopus thalassinus</i>					●	●	●	●	●	●	●	
<i>Aiolopus thalassinus tamulus</i>					○							
<i>Gastrimargus marmoratus</i>					●	●	●	●	●	●	●	
<i>Heteropternis rufipes</i>					●	●	●	●	●	●	●	
<i>Locusta migratoria</i>					●	●	●	●	●	●	●	
<i>Locusta migratoria manilensis</i>					○							
<i>Trilophidia annulata</i>					●							
<b>PHASMATODEA</b>												
<b>BACILLIDAE</b>												
<i>Datames</i> sp.					●							
<b>HETERONEMIIDAE</b>												
<i>Micadina phluctaenoides</i>					●	●	●	●	●	●	●	
<i>Neōhirasea japonica</i>					●	●	●	●	●	●	●	
<i>Phraortes</i> sp. 1				E	●							
<i>Phraortes</i> sp. 4				E	●							
<i>Phraortes</i> sp. 5				E	●							

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Sipylodea sipylus</i>					●	●	●	●	●	
<b>PHASMATIDAE</b>										
<i>Entoria ishigakiensis</i>					●		●	●	●	
<i>Entoria okinawaensis</i>					●		●	●	●	
<i>Megacrania tsudai</i>					●				○	
<i>Megacrania tsudai adan</i>		DD		e	○				○	
<b>DERMAPTERA</b>										
<b>ANISOLABIDAE</b>										
<i>Anisolabis maritima</i>					●		●	●	●	
<i>Anisolabis ryukyuensis</i>				E	●		●	●	●	
<i>Euborellia annulipes</i>					●		●	●	●	
<i>Euborellia plebeja</i>					●		●	●	●	
<i>Gonolabis distincta</i>					●		●	●	●	
<i>Gonolabis marginalis</i>					●		●	●	●	
<b>CHELISOCHIDAE</b>										
<i>Proreus simulans</i>					●				●	
<b>DIPLATYIDAE</b>										
<i>Diplatys flavicollis</i>					●				●	
<b>FORFICULIDAE</b>										
<i>Forficula hiromasai</i>					●			●		
<i>Paratimomenus flavocapitatus</i>					●			●		
<b>LABIDURIDAE</b>										
<i>Labidura riparia</i>					●			●		
<i>Labidura riparia japonica</i>					○			○		
<b>PSOCOPTERA</b>										
<b>CAECILIUSIDAE</b>										
<i>Caecilius oyamai</i>					●			●		
<i>Coryphosmia dolobrata</i>					○				○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Dypsocus coleopratus</i>					●					
<b>ECTOPSOCIDAE</b>										
<i>Ectopsocus cryptomeriae</i>					●					
<i>Ectopsocus maindroni</i>					○		○			
<b>HEMIPSOCIDAE</b>										
<i>Hemipsocus chloroticus</i>					●					
<b>LACHESILLIDAE</b>										
<i>Lachesilla pedicularia</i>					●		●		●	
<b>MESOPSOCIDAE</b>										
<i>Mesopsocus hongkongensis</i>					●		●		●	
<b>PSEUDOCAECILIIDAE</b>										
<i>Allocaecilius sinensis</i>					○		○			
<i>Heteroecacilius fuscus</i>					○		○			
<i>Phallocaecilius hirsutus</i>					○			○		
<i>Pseudocaecilius citricola</i>					○		○			
<i>Pseudocaecilius kagoshimensis</i>					●		●		●	
<i>Pseudocaecilius kagoshimensis kagoshimensis</i>					○		○			
<i>Pseudocaecilius kagoshimensis yaeyamensis</i>				e	○			○		
<i>Pseudoscottiella sakishimensis</i>				E	○			○		
<b>PSOCIDAE</b>										
<i>Atrichadenotecnum ryukyuense</i>				E	●		●		●	
<i>Psococerastis ryukyuensis</i>				E	●		●		●	
<i>Psococerastis yuwan</i>				E	●			●		
<b>MALLOPHAGA</b>										
<b>MENOPONIDAE</b>										
<i>Colpocephalum gallinulae</i>					●				●	
<i>Myrsidea shirakii</i>					●				●	
<b>PHILOPTERIDAE</b>										

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Philopterus acutifrons</i>				E	●	●					
<b>ANOPLURA</b>											
<b>HOPLOPLEURA</b>											
<i>Hoplopleura oenomydis</i>					●	●				●	
<i>Polyplax rectinata</i>					●	●				●	
<b>THYSANOPTERA</b>											
<b>PHLAEOTHIRIPIDAE</b>											
<i>Acallurothrips casuarinae</i>				E	●					●	
<i>Acallurothrips hanatonii</i>					●						
<i>Acallurothrips nonakai</i>				E	●					●	
<i>Apelaunothrips consimilis</i>					●					●	
<i>Apelaunothrips maculipennis</i>					●						
<i>Apelaunothrips nigripennis</i>					●						
<i>Azaleothrips moundi</i>					●					●	
<i>Bactrothrips brevitubus</i>					●					●	
<i>Bactrothrips honoris</i>					●						
<i>Bactrothrips pictipes</i>					●						
<i>Baenothrips ryukyuensis</i>					●					●	
<i>Bamboosiella exastis</i>					●						
<i>Chiridurothrips hisakoeae</i>				E	●					●	
<i>Dichaeothrips secutor</i>					●						
<i>Ecacanthothrips leai</i>					●						
<i>Ecacanthothrips ryukyuensis</i>					●						
<i>Ecacanthothrips tibialis</i>					●						
<i>Ethirothrips tibialis</i>					●						
<i>Eugynothrips intorquens</i>					●						
<i>Gastrothrips acutulus</i>					●					●	
<i>Gynaikothrips ficorum</i>					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Haplothrips aculeatus</i>					●			●		●	
<i>Haplothrips chinensis</i>					●			●		●	
<i>Helionothrips mube</i>					●			●			
<i>Holothrips hagai</i>					●			●			
<i>Holothrips okinawanus</i>					●			●			
<i>Holothrips porifer</i>					●			●			
<i>Holothrips ryukyuensis</i>				E	●			●			
<i>Holurothrips morikawai</i>					●			●			
<i>Hoplothrips dentifer</i>					●			●			
<i>Hydlothrips bruneus</i>					●			●			
<i>Hydlothrips hiromiae</i>				E	●			●			
<i>Hydlothrips nirasawae</i>				E	●			●			
<i>Idolothrips yashiroi</i>				E	●			●			
<i>Liothrips piperinus</i>					●			●			
<i>Mecynothrips pugilator</i>					●			●			
<i>Mesothrips claripennis</i>					●			●			
<i>Nesothrips brevicollis</i>					●			●			
<i>Phaurothrips solifer</i>					●			●			
<i>Phylladothrips pictus</i>					●			●			
<i>Psaldothrips ascitus</i>					●			●			
<i>Psaldothrips consimilis</i>				E	●			●			
<i>Psaldothrips lewisi</i>					●			●			
<i>Psaldothrips ochraceus</i>				E	●			●			
<i>Psaldothrips simplex</i>					●			●			
<i>Pygothrips breviceps</i>					●			●			
<i>Pygothrips vicinus</i>				E	●			●			
<i>Sophiothrips nigrus</i>					●			●			
<i>Sophiothrips annulatus</i>					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Stephanothrips occidentalis</i>					●				●	
<i>Stigmothrips infimus</i>					●			●		
<i>Stigmothrips russatus</i>					●			●		
<b>THRIPIDAE</b>										
<i>Anaphothrips sudanensis</i>					●			●		
<i>Bolacidothrips evittatus</i>					○			○		
<i>Chaetanaphothrips varius</i>				E	○			○		
<i>Frankliniella intonsa</i>					●			●		
<i>Fulmekiola serrata</i>					●			●		
<i>Hydatothrips liquidambar</i>					○			○		
<i>Hydatothrips noro</i>				E	○			○		
<i>Hydatothrips onari</i>					○			○		
<i>Hydatothrips samayunkur</i>					○			○		
<i>Megaleurothrips diStâ /is</i>					●			●		
<i>Megaleurothrips usitatus</i>					○			○		
<i>Serichothis tabullifer</i>					○			○		
<i>Stenchaetothrips minutus</i>					○			○		
<i>Stenchaetothrips mucunae</i>				E	○			○		
<i>Taeniothrips cognaticeps</i>					○			○		
<i>Thrips addendus</i>					○			○		
<i>Thrips alliorum</i>					●			●		
<i>Thrips flavus</i>					●			●		
<b>HOMOPTERA</b>										
<b>AUCHENORRHYNCHA</b>										
<b>CICADOMORPHA</b>										
<b>CICADIDAE</b>										
<b>CICADINAE</b>										
<i>Cryptotympana facialis</i>					●			●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Cryptopygma yaeyamana</i>				E	●				●	
<i>Euterpnosia chibensis</i>					●		●			
<i>Euterpnosia chibensis chibensis</i>					○					
<i>Euterpnosia chibensis okinawana</i>				e	○		○			
<i>Euterpnosia iwasakii</i>				E	●				●	
<i>Graptosaltria bimaculata</i>				E	●	●	●			
<i>Meimuna iwasakii</i>					●				●	
<i>Meimuna kuroiwaie</i>					●	●	●			
<i>Meimuna oshimensis</i>				E	●	●	●			
<i>Mogannia minuta</i>					●				●	
<i>Nipponosemia terminalis</i>		LP			●				●	
<i>Platyleura kaempferi</i>					●					
<i>Platyleura kuroiwaie</i>				E	●	●	●			
<i>Platyleura yaeyamana</i>				E	●	●	●		●	
<i>Pomponia linearis</i>					●				●	
<i>Tanna japonensis</i>					●					
<i>Tanna japonensis japonensis</i>					○					
<i>Tanna ishigakiana</i>				E	●				●	
<b>TIBICININAE</b>										
<i>Muda kuroiwaie</i>		VU		E	●			●		
<b>CERCOPIDAE</b>										
<i>Eoscarta assimilis</i>					●			●		
<i>Eoscarta zonalis</i>					●				●	
<b>APHROPHORIDAE</b>										
<i>Aphrophora flavipes</i>					●					
<i>Aphrophora okinawana</i>				E	●			●		●
<i>Aphrophora paguma</i>				E	●			●		●
<i>Clovia bipunctata</i>					●			●		●



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Poophilus coStá /is</i>					●					●	
<b>MACHAEROTIDAE</b>											
<i>Hindoloides bipunctatus</i>					●					●	
<i>Makiptylus dimorphus</i>					●					●	
<b>MEMBRACIDAE</b>											
<i>Taihorina geisha</i>					●						
<i>Gargara genistae</i>					●					●	
<i>Gargara minuta</i>					●					●	
<b>CICADELLIDAE</b>											
<b>AGALLIINAE</b>											
<i>Austroagallia nitobei</i>					○					○	
<b>MACROPSINAE</b>											
<i>Macropsis irrorata</i>					●					●	
<i>Macropsis matsumurana</i>					●						
<i>Pedionis kagoshimensis</i>					●					●	
<i>Pediopsoides satsumensis</i>					●					●	
<b>LEDRIINAE</b>											
<i>Funkikonia tuberculata</i>					●					●	
<i>Ledra auditura</i>					●					●	
<i>Ledropsis wakabae</i>					●					●	
<i>Tituria angulata</i>					●					●	
<b>CICADELLINAE</b>											
<i>Bothrogonia ferruginea</i>					●					●	
<i>Cofana spectra</i>					●					●	
<i>Kolla atramentaria</i>					●					●	
<b>IDIOCERINAE</b>											
<i>Idiocerus yanonis</i>					●					●	
<b>SELENOCEPHALINAE</b>											

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Bhatia satsumensis</i>					●	●	●	●		
<i>Drabescus formosanus</i>					●	●	●	●		
<i>Drabescus nitobei</i>					●	●	●	●		
<i>Dryadomorpha pallida</i>					●	●	●	●		
<i>Favinita camphorae</i>					●	●	●	●		
<i>Parabolopona guttata</i>					●	●	●	●		
<i>Parohinka longiseta</i>					●	●	●	●		
<i>Waigara boninensis</i>					●	●	●	●		
<b>TARTESSINAE</b>										
<i>Tartessus ferrugineus</i>					●	●	●	●		
<b>PENTHIMIINAE</b>										
<i>Penthimia guttula</i>				E	●	●	●	●		
<i>Penthimia okinawana</i>					●	●	●	●		
<b>MUKARIINAE</b>										
<i>Mukaria maculata</i>				E	●	●	●	●		
<i>Mukaria zonata</i>					●	●	●	●		
<b>IASSINAE</b>										
<i>Batracomorphus chlorophana</i>					●	●	●	●		
<i>Batracomorphus curvatus</i>					●	●	●	●		
<i>Batracomorphus diminutus</i>					●	●	●	●		
<i>Batracomorphus mundus</i>					●	●	●	●		
<i>Batracomorphus stigmaticus</i>					●	●	●	●		
<b>COELIDIINAE</b>										
<i>Calodia yayeyamana</i>					●	●	●	●		
<i>Lodiana alata</i>				E	●	●	●	●		
<i>Lodiana uenoi</i>					●	●	●	●		
<i>Thagria fuscovenosa</i>				E	●	●	●	●		
<i>Thagria sola</i>					●	●	●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<b>APHRODINAE</b>												
<i>Chiasmus mustelinus</i>					●	●				●		
<i>Stroggylocephalus agrestis</i>					●	●	●			●		
<b>XESTOCEPHALINAE</b>				■	●							
<i>Xestocephalus atratus</i>					●							
<i>Xestocephalus japonicus</i>					●							
<b>DELTOCEPHALINAE</b>												
<i>Alobaldia tobae</i>					●							
<i>Bacliutha asymmetrica</i>					○					○		
<i>Bacliutha batuensis</i>					○					○		
<i>Bacliutha bifasciata</i>					●					●		
<i>Bacliutha incisa</i>					●					●		
<i>Bacliutha kuroiwaee</i>					●					●		
<i>Bacliutha lucida</i>					●					●		
<i>Bacliutha trieki</i>					●					●		
<i>Bacliutha rosea</i>					●					●		
<i>Bacliutha rubrinervis</i>					●					●		
<i>Bacliutha saltuella</i>					●					●		
<i>Bacliutha sternalis</i>					●					●		
<i>Bacliutha viridinervis</i>					●					●		
<i>Cicadulina bipunctata</i>					●					●		
<i>Doratulina producta</i>					●					●		
<i>Exitianus indicus</i>					●					●		
<i>Exitianus nanus</i>					●					●		
<i>Hecalus apicalis</i>					●					●		
<i>Hecalus arcuatus</i>					●					●		
<i>Hecalus okinawensis</i>					●					●		
<i>Hecalus prasinus</i>					●					●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Hengchunia koshunensis</i>					●					●	
<i>Hishimonus araii</i>					●			●		●	
<i>Hishimonus phycitis</i>					●					●	
<i>Hishimonus sellatus</i>					●			●		●	
<i>Macrosteles sexnotatus</i>					●						
<i>Macrosteles striifrons</i>					●			●			
<i>Nephotetix cinciceps</i>					●			●		●	
<i>Nephotetix malayanus</i>					●			●		●	
<i>Nephotetix nigropictus</i>					●			●		●	
<i>Nephotetix virescens</i>					●			●		●	
<i>Orientus ishidae</i>					●			●		●	
<i>Orosius orientalis</i>					●			●		●	
<i>Orosius ryukyuensis</i>					●			●		●	
<i>Paivanana indra</i>					●			●		●	
<i>Paralaeicephalus nigrifemoratus</i>					●			●		●	
<i>Paramesodes albinervosus</i>					●			●		●	
<i>Phlogotetix cyclops</i>					●			●		●	
<i>Psamnotetix striatus</i>					●			●		●	
<i>Recilia distincta</i>					●			●		●	
<i>Recilia dorsalis</i>					●			●		●	
<i>Recilia oryzae</i>					●			●		●	
<i>Satsumanus satsumae</i>					●			●		●	
<i>Scaphoideus kumamotois</i>					●			●		●	
<i>Scaphoideus festivus</i>					●			●		●	
<i>Scaphoideus rubroguttatus</i>					●			●		●	
<i>Stymphalus rubrolineatus</i>					●			●		●	
<i>Takagiella tezuyae</i>					●			●		●	
<i>Thamnotetix okinawanus</i>					●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Yamatotetix flavovittatus</i>					●	●			●	
<i>Yamatotetix pacificus</i>					●				●	
<b>NIRVANINAE</b>										
<i>Nirvana pallida</i>					●				●	
<i>Nirvana suturalis</i>					●				●	
<i>Sophonia orientalis</i>					●	●			●	
<b>TYPHLOCYBINAE</b>										
<i>Aguriahana quercus</i>					●					
<i>Amrasca biguttula</i>					●					
<i>Anufrievia ciconia</i>					●				●	
<i>Apheliona ferruginea</i>					●					
<i>Arboridia apicalis</i>					●				●	
<i>Arboridia suzukii</i>					●				●	
<i>Dayus takagii</i>					●				●	
<i>Diomma taiwana</i>					●				●	
<i>Empoasca nara alami</i>					●					
<i>Empoasca nara circumscripta</i>					●					
<i>Empoasca nara limbata</i>					●				●	
<i>Empoasca nara maculifrons</i>					●					
<i>Empoasca nara sonani</i>					●					
<i>Helionides singularis</i>					●					
<i>Hiratetix arisanellus</i>					●					
<i>Ishiharella polyphemus</i>					●					
<i>Jacobiasca boninensis</i>					●				●	
<i>Karachiotia marcowa</i>					●				●	
<i>Lectotypella asara</i>					●				●	
<i>Limassolla multipunctata</i>					●				●	
<i>Naratetix inomatus</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Platygyba bistrata</i>					●			●	●	●	
<i>Seriana ochrata</i>					○			○			
<i>Singapora nigropunctata</i>					●				●		
<i>Tautoneura japonica</i>					●		●				
<i>Tautoneura mori</i>					●		●		●		
<i>Thaia subrufa</i>					●				●		
<i>Ziczacella heptapotamica</i>					●		●				
<i>Zyginella citri</i>					●				●		
<b>Fulgutomorpha</b>											
<b>CIXIIDAE</b>											
<i>Andes harimaensis</i>					●			●		●	
<i>Betacixius brunneus</i>					●			●			
<i>Betacixius kumejimai</i>				E	●			●			
<i>Borystheneus maculatus</i>					●		●		●		
<i>Kirbyana pagana</i>					●		●		●		
<i>Oliarus okinawanus</i>				E	●			●	●		
<i>Pentastriidius pachyceps</i>					●			●	●		
<b>DELPHACIDAE</b>											
<b>ASIRACINAE</b>											
<i>Ugyops vittatus</i>					●			●		●	
<b>STENOCRANINAE</b>											
<i>Stenocranus agamopsyche</i>					●			●		●	
<i>Stenocranus takasagonis</i>					●			●			
<b>SACCHAROSYDININAE</b>											
<i>Saccharosydne procerus</i>					●			●		●	
<b>DELPHACINAE</b>											
<i>Arcofaciella verrucosa</i>					●					●	
<i>Arcofacies fullawayi</i>					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Belocera sinensis</i>					●				●	
<i>Cemus nigromaculosus</i>					●			●	●	
<i>Cemus nigropunctatus</i>					●			●	●	
<i>Delphacodes nigriella</i>					●			●	●	
<i>Ecdelphax cervina</i>					●			●	●	
<i>Ecdelphax dentata</i>					●			●	●	
<i>Epeurysa nawaii</i>					●			●	●	
<i>Garaga orchidensis</i>					●			●	●	
<i>Harmalia heitensis</i>					●			●	●	
<i>Harmalia sirokata</i>					●			●	●	
<i>Himeunka tateyamaella</i>					●			●	●	
<i>Hirozunka japonica</i>					●			●	●	
<i>Kakuna kuwayamai</i>					●			●	●	
<i>Laodelphax striatella</i>					●			●	●	
<i>Latristia eupompe</i>					●			●	●	
<i>Malaxa aurunca</i>					●			●	●	
<i>Matutinus yanchinus</i>					●			●	●	
<i>Nilaparvata bakeri</i>					●			●	●	
<i>Nilaparvata lugens</i>					●			●	●	
<i>Numata corporaali</i>					●			●	●	
<i>Numata muiri</i>					●			●	●	
<i>Nycheuma cognatum</i>					●			●	●	
<i>Paraconon membranacea</i>					●			●	●	
<i>Peliales chuhkouensis</i>					●			●	●	
<i>Peregrinus maidis</i>					●			●	●	
<i>Perkinsiella bakeri</i>					●			●	●	
<i>Perkinsiella graminicida</i>					●			●	●	
<i>Perkinsiella saccharicida</i>					●			●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Perkinsiella sinensis</i>					●					●	
<i>Perkinsiella yakushimensis</i>					●						
<i>Prodelphax formosana</i>					●						
<i>Purohita taiwanensis</i>					●					●	
<i>Rhombotoya pseudonigripennis</i>					●					●	
<i>Sardia rostrata</i>					●					●	
<i>Sogata hakonensis</i>					●					●	
<i>Sogata nigrifrons</i>					●					●	
<i>Sogatella furcifera</i>					●					●	
<i>Sogatella kolophon</i>					●					●	
<i>Sogatella vibix</i>					●					●	
<i>Tarophagus colocasiae</i>					●					●	
<i>Terthron albovittatum</i>					●					●	
<i>Toya propinqua</i>					●					●	
<i>Toya tuberculosa</i>					●					●	
<i>Tropidocephala brunneipennis</i>					●					●	
<i>Tropidocephala festiva</i>					●					●	
<i>Tropidocephala nigra</i>					●					●	
<i>Ulanar centesima</i>					●					●	
<b>MEENOPLIDAE</b>											
<i>Nisia grandiceps</i>					●					●	
<i>Nisia nervosa</i>					●					●	
<b>DERBIDAE</b>											
<i>Diostrombus politus</i>					●					●	
<i>Halicta shirakii</i>					●					●	
<i>Kamendaka saccharivora</i>					●					●	
<i>Losbanosia hibarenensis</i>					●					●	
<i>Parapeggia taiwana</i>					○					○	



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Rhotana kagoshimana</i>					●	●	●	●	●	●	
<i>Rhotana maculata</i>					●	●	●	●	●	●	
<i>Shirakiana infumata</i>					●	●	●	●	●	●	
<i>Vekunta malloti</i>					●	●	●	●	●	●	
<b>ACHILIDAE</b>											
<i>Akotropis fumata</i>					●	●	●	●	●	●	
<i>Catanidia sobrina</i>					●	●	●	●	●	●	
<i>Deferunda rubrostigma</i>					●	●	●	●	●	●	
<i>Kosalya flavostrigata</i>					○	●	●	●	○	●	
<i>Plectoderoides vittifrons</i>				E	●	●	●	●	●	●	
<i>Rhotala nawae</i>					●	●	●	●	●	●	
<i>Tangina bipunctata</i>					●	●	●	●	●	●	
<i>Usana yanonis</i>					●	●	●	●	●	●	
<b>DICTYOPHARIDAE</b>											
<i>Dictyophara okinawensis</i>					●	●	●	●	●	●	
<i>Orthopagus lunulifer</i>					●	●	●	●	●	●	
<b>TROPIDUCHIDAE</b>											
<i>Catullioides albosignatus</i>					●	●	●	●	●	●	
<i>Kallitaxila sinica</i>					●	●	●	●	●	●	
<i>Mesepora onukii</i>					●	●	●	●	●	●	
<i>Neommatissus basifuscus</i>					●	●	●	●	●	●	
<i>Ossoides lineatus</i>					●	●	●	●	●	●	
<i>Sogana hopponis</i>					●	●	●	●	●	●	
<i>Trypetimorpha biermani</i>					●	●	●	●	●	●	
<b>ISSIDAE</b>											
<i>Conocaliscelis hokotonis</i>					○	●	○	○	○	○	
<i>Gergithoides carinatifrons</i>					●	●	●	●	●	●	
<i>Gergithus okinawanus</i>					●	●	●	●	●	●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Gergithus satsumensis</i>					●	●			●	
<i>Gergithus yayeyamensis</i>				E	●				●	
<i>Hemisphaerius takegii</i>				E	●				●	
<i>Okissus kuroiwae</i>				E	●		●		●	
<i>Sarina amagisana</i>					●	●				
<i>Sarina ryukyuana</i>				E	●	●				
<i>Sarina satsumana</i>					●	●			●	
<i>Tonga yayeyamana</i>				E	●				●	
<b>NOGODINIDAE</b>										
<i>Mindura subfasciata</i>					●				●	
<i>Mindura sundana</i>					●				●	
<i>Pisacha naga</i>					●				●	
<b>FLATIDAE</b>										
<i>Atracis formosana</i>					●				●	
<i>Geisha distinctissima</i>					●				●	
<i>Mimophantia maritima</i>					●				●	
<b>RICANIIDAE</b>										
<i>Euricania ocellus</i>					●					
<i>Orosanga japonicus</i>					●					
<i>Pochazia albomaculata</i>					●					
<i>Ricania bifasciata</i>					●				●	
<i>Ricania formosana</i>					●				●	
<i>Ricania taeniata</i>					●				●	
<b>LOPHOPIDAE</b>										
<i>Lophops carinata</i>					●				●	
<b>STERNORRHYNCHA</b>										
<b>ALEYRODOIDEA</b>										
<b>ALEYRODIDAE</b>										

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Acanthobemisia distylli</i>					●	●			●	
<i>Aleurotuberculatus aucubae</i>					●	●			●	
<i>Apobemisia kuwanai</i>					●					
<i>Pealius amamianus</i>				E	●	●				
<i>Tuberaleyrododes machili</i>					●					
<b>PSYLLOIDEA</b>										
<b>APHALARIDAE</b>					●					
<i>Aphalara itadori</i>										
<b>CARSIDARIDAE</b>					●					
<i>Caenohomotoma radiata</i>					●		●		●	
<i>Leptynoptera sulfurea</i>					●		●		●	
<i>Mesohomotoma camphorae</i>					●				●	
<i>Nesiopie ornata</i>					●				●	
<i>Paurocephala chonchataensis</i>					●				●	
<i>Paurocephala psylloptera</i>					●		●		●	
<i>Sympauropsylla triozyptera</i>					●		●		●	
<b>PSYLLIDAE</b>					●					
<i>Calophya nigradorsalis</i>					●				●	
<i>Insnesia ditypetes</i>				E	●		●		●	
<i>Psylla coccinea</i>					●					
<i>Psylla evodiae</i>				E	●				●	
<i>Psylla fulguraris</i>					●				●	
<i>Psylla tobirae</i>					●				●	
<i>Psylla vaccinii</i>					●		●		●	
<b>TRIOZIDAE</b>										
<i>Megatrioza magnicauda</i>					●		●		●	
<i>Megatrioza malloicola</i>					●		●			
<i>Stenopsylla occipitalis</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Stenopsylla proboscidea</i>					●	●			●		
<i>Trioza cinnamomi</i>					●	●	●		●		
<i>Trioza formosana</i>					●				●		
<i>Trioza kuwayamai</i>				E	●	●	●		●		
<i>Trioza nigra</i>					●	●	●		●		
<b>APHIDOIDEA</b>											
<b>APHIDIDAE</b>											
<i>Aicenoa actinodaphis</i>					●			●			
<i>Aphis clerodendri</i>					●			●			
<i>Aphis gossypii</i>					●			●			
<i>Aphis ichigo</i>					●			●			
<i>Aphis spiraeicola</i>				E	●			●			
<i>Astegopteryx bambusifoliae</i>					●			●			
<i>Astegopteryx styracophila</i>					●			●			
<i>Aulacorthum esakii</i>					●		●		●		
<i>Brachysiphoniella montana</i>					●			●			
<i>Capitophorus javanicus</i>				E	●			●			
<i>Cavariella araliae</i>				E	●			●			
<i>Ceratovacuna lanigera</i>					●			●			
<i>Ceratovacuna nekoashi</i>					●			●			
<i>Ceratovacuna uscare</i>				E	●			●			
<i>Cinara piniformosa</i>					●			●			
<i>Cryptomyzus taoi</i>				E	●			●			
<i>Cryptosiphum artemisiae</i>					●			●			
<i>Dinipponaphis autumnna</i>					●			●			
<i>Eulachnus thunbergii</i>					●			●			
<i>Eutrichosiphum pasaniae</i>					●			●			
<i>Greenidea ficicola</i>					●			●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Greenidea formosana</i>					●				●	
<i>Greenidea okajimai</i>					●					
<i>Hyalopterus pruni</i>					●					
<i>Hyperomyzus cardullinus</i>					●					
<i>Hysteroneura setariae</i>					●					
<i>Indomegoura indica</i>					●					
<i>Macromyzus woodwardiae</i>					●					
<i>Macrosiphoniella formosartemisiae</i>					●				●	
<i>Macrosiphoniella grandicauda</i>					●				●	
<i>Macrosiphoniella oblonga</i>					●					
<i>Macrosiphoniella pseudoartemisiae</i>					●					
<i>Macrosiphoniella sanborni</i>					●					
<i>Macrosiphoniella yomogifoliae</i>					●					
<i>Matsumuraja rubifoliae</i>					●					
<i>Melanaphis bambusae</i>					●					
<i>Melanaphis formosana</i>				E	●				●	
<i>Melanaphis sacchari</i>					●					
<i>Mollitrichosiphum glaucae</i>				E	●				●	
<i>Mollitrichosiphum luchuanum</i>				E	●					
<i>Mollitrichosiphum nigrofasciatum</i>					●					
<i>Mollitrichosiphum nigrofasciatum nigrofasciatum</i>					○					
<i>Mollitrichosiphum yamabiiwae</i>					●				●	
<i>Myzosphium ryukyuense</i>				E	●					
<i>Myzus boehmeriae</i>					●					
<i>Myzus lactucicola</i>					●					
<i>Myzus siegesbeckicola</i>					●					
<i>Myzus varians</i>					●					
<i>Nipponaphis amamiana</i>				E	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Nipponaphis machiliphaga</i>					●				●	
<i>Nipponaphis monzeni</i>					●			●		
<i>Pentalonia nigronervosa</i>					●			●		
<i>Pleotrichophonus chrysanthemii</i>				E	●			●		
<i>Rhopalosiphum maidis</i>					●			●		
<i>Rhopalosiphum nymphaeae</i>					●			●		
<i>Rhopalosiphum rufiabdominalis</i>					●			●		
<i>Sappaphis piri</i>					●			●		
<i>Sarucaalis kaha waluokalani</i>					●			●		
<i>Schizaphis minuta</i>				E	●			●		
<i>Schizaphis rotundiventris</i>					●			●		
<i>Schizolachnus orientalis</i>					●			●		
<i>Semiaphis heraclei</i>					●			●		
<i>Sinomegoura citricola</i>					●			●		
<i>Sitobion akebiae</i>					●			●		
<i>Sitobion ibarae</i>					●			●		
<i>Sitobion smilacifoliae</i>					●			●		
<i>Sitobion yasumatsui</i>					●			●		
<i>Toxoptera aurantii</i>					●			●		
<i>Toxoptera odinae</i>					●			●		
<i>Uroleucon amamanum</i>					●			●		
<i>Uroleucon cephalonopli</i>					●			●		
<i>Uroleucon formosanum</i>					●			●		
<b>COCCOIDEA</b>										
<b>ACLERIDAE</b>										
<i>Aclerda takahashii</i>					●			●		
<i>Nipponaclerda biwakoensis</i>					●			●		
<b>ASTEROLECANIIDAE</b>										

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Asterolecanium bambusae</i>					●	●			●		
<i>Asterolecanium bambusicola</i>					●		●				
<i>Asterolecanium coronatum</i>					●		●				
<i>Asterolecanium minutum</i>					●						
<i>Asterolecanium pasaniae</i>					●		●				
<b>COCCIDAE</b>											
<i>Ceroplastes ceriferus</i>					●		●				
<i>Ceroplastes cirripediformis</i>					○						
<i>Ceroplastes japonicus</i>					●						
<i>Coccus acutissimus</i>					●		●		●		
<i>Coccus discrepans</i>					●		●		●		
<i>Coccus hesperidum</i>					●		●		●		
<i>Paralecanium expansum</i>					●		●		●		
<i>Protopulvinaria ixorae</i>					●		●				
<i>Protopulvinaria pyriformis</i>					●		●				
<i>Pulvinaria polygonata</i>					●		●				
<b>DIASPIDIIDAE</b>											
<i>Acanthaspidotus borchsenii</i>					●		●				
<i>Acanthomytilus imperatae</i>					●						
<i>Andaspis crawii</i>					●						
<i>Andaspis kashicola</i>					●						
<i>Andaspis naracola</i>					●						
<i>Andaspis recurrens</i>					●						
<i>Aonidiella messengeri</i>					●				●		
<i>Aonidiella taxus</i>					●				●		
<i>Aspidiella phragmitis</i>					●						
<i>Aspidiotus beilschmiediae</i>					●						
<i>Aspidiotus destructor</i>					●						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Aspidiotus ophiopogonus</i>					●	●				●	
<i>Aulacaspis amamiana</i>				E	●	●				●	
<i>Aulacaspis distylli</i>				E	●						
<i>Aulacaspis isobeae</i>					●						
<i>Aulacaspis kadsurae</i>					●					●	
<i>Aulacaspis kuzunoi</i>					●						
<i>Aulacaspis takarai</i>				E	●						
<i>Aulacaspis yabunikkei</i>					●					●	
<i>Chionaspis machili</i>					●					●	
<i>Chionaspis sozanica</i>					●						
<i>Chrysomphalus bifasciculatus</i>					●					●	
<i>Clavaspidotus tayabanus</i>					●						
<i>Comstockaspis paraphyses</i>					●						
<i>Cryptoparlatoria leucaspis</i>					●						
<i>Diaonidia yabunikkei</i>					●					●	
<i>Diaspidiotus maki</i>					●						
<i>Duplaspidiotus claviger</i>					●						
<i>Fiorinia euryae</i>					●						
<i>Fiorinia proboscidea</i>					●						
<i>Fiorinia separata</i>				E	●					●	
<i>Fiorinia theae</i>					●					●	
<i>Greenaspis elongata</i>					●						
<i>Hemiberlesia lataniae</i>					●					●	
<i>Hemiberlesia pitysophila</i>					●						
<i>Hypaspidotus jordani</i>					●						
<i>Hypaspidotus phaneraspis</i>				E	●						
<i>Ichthyaspis ficicola</i>					●						
<i>Kuwanaspis pseudoleucaspis</i>					●					●	



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Lepidosaphes abdominalis</i>					●	●			●	
<i>Lepidosaphes buzenensis</i>					●					
<i>Lepidosaphes celitis</i>					●					
<i>Lepidosaphes euryae</i>					●					
<i>Lepidosaphes glaucae</i>					●					
<i>Lepidosaphes gloverii</i>					●					
<i>Lepidosaphes laterochitinoso</i>					●				●	
<i>Lepidosaphes machili</i>					●				●	
<i>Lepidosaphes pallida</i>					●					
<i>Lepidosaphes pallidula</i>					●				●	
<i>Lepidosaphes pini</i>					●					
<i>Lepidosaphes piniphila</i>					●					
<i>Lepidosaphes pitysophila</i>					●					
<i>Lepidosaphes smilacis</i>				E	●				●	
<i>Lindingaspis setiger</i>					●					
<i>Lopholeucaspis hydrangeae</i>					●				●	
<i>Lopholeucaspis japonica</i>					●					
<i>Metaspidiotus stauntoniae</i>					●					
<i>Microparlatoria itabicola</i>				E	●					
<i>Natalaspis formosanus</i>					●					
<i>Neopinaspis harperi</i>					●				●	
<i>Odonaspis oshimaensis</i>					●				●	
<i>Odonaspis penicillata</i>					●				●	
<i>Odonaspis secreta</i>					●					
<i>Parlatoreopsis pyri</i>					●					
<i>Parlatoria camelliae</i>					●					
<i>Parlatoria pergandii</i>					●					
<i>Pinaspis aspidistrae</i>					●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Pinnaspis buxi</i>					●				●	
<i>Pinnaspis hikosana</i>					●				●	
<i>Pinnaspis piperis</i>					●				●	
<i>Pinnaspis uniloba</i>					●				●	
<i>Pseudaonidia duplex</i>					●					
<i>Pseudaonidia trilobitiformis</i>					●					
<i>Pseudaulacaspis celtis</i>					●					
<i>Pseudaulacaspis cockerelli</i>					●				●	
<i>Pseudaulacaspis pentagona</i>					●				●	
<i>Pseudaulacaspis prunicola</i>					●					
<i>Radiaspis indica</i>					●					
<i>Thysanaspis litseae</i>					●					
<i>Ungulaspis ficicola</i>					●				●	
<b>ERIOCOCCIDAE</b>										
<i>Eriococcus henmii</i>					●					
<b>MARGARODIDAE</b>										
<i>Kuwania quercus</i>					●					
<i>Matsucoccus matsumurae</i>					●					
<b>PSEUDOCOCCIDAE</b>										
<i>Allotrionymus</i> sp.				E	●					
<i>Antonina crawii</i>					●					
<i>Antonina graminis</i>					●					
<i>Chaetococcus bambusae</i>					●				●	
<i>Dysmicoccus borinensis</i>					●				●	
<i>Eumyrmococcus nipponensis</i>					●				●	
<i>Ferrisia virgata</i>					●					
<i>Miscanathicoccus miscanthi</i>					●				●	
<i>Neoripersia japonica</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Nipaeococcus viridis</i>					●				●	
<i>Planococcus lilacinus</i>					●				●	
<i>Saccharicoccus sacchari</i>					●				●	
<b>HETEROPTERA</b>										
<b>DIPSOCOROMORPHA</b>										
<b>SCHIZOPTERIDAE</b>										
<i>Hypselosoma hirashimai</i>		DD		E	●	●				
<i>Kokeshia esakii</i>					●	●				
<b>NEPOMORPHA</b>										
<b>NEPIDAE</b>										
<i>Laccotrepes grossus</i>					●				●	
<i>Laccotrepes japonensis</i>					●					
<i>Ranatra chinensis</i>					●					
<i>Ranatra longipes</i>		NT			●					
<i>Ranatra unicolor</i>					●				●	
<b>BELOSTOMATIDAE</b>										
<i>Diplonychus rusticus</i>		CR			●					
<i>Lethocerus deyrolli</i>					●				●	
<b>CORIXIDAE</b>										
<i>Agraptocorixa hyalinipennis</i>					●				●	
<i>Micronecta grisea</i>					●				●	
<i>Micronecta hungerfordi</i>					●				●	
<i>Micronecta japonica</i>					●				●	
<i>Micronecta lenticularis</i>				E	●				●	
<i>Micronecta sahlbergii</i>					●				●	
<i>Sigara distorta</i>					●				●	
<i>Sigara formosana</i>					●				●	
<i>Sigara nigroventralis</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Sigara septemlineata</i>					●	●				●	
<b>OCHTERIDAE</b>					●						
<i>Ochterus marginatus</i>										●	
<b>GELASTOCORIDAE</b>											
<i>Nerthra macrothorax</i>					●	●				●	
<b>NOTONECTIDAE</b>											
<i>Anisops exiguus</i>					●	●				●	
<i>Anisops kuroiwaie</i>					●	●				●	
<i>Anisops nasutus</i>					●	●				●	
<i>Anisops occipitalis</i>					●	●				●	
<i>Anisops ogasawarensis</i>					●	●				●	
<i>Anisops sta/i</i>					●	●				●	
<i>Anisops tahitiensis</i>					●	●				●	
<i>Enithares sinica</i>					●	●				●	
<i>Notonecta montandoni</i>		NT			●	●					
<b>PLEIDAE</b>											
<i>Paraplea japonica</i>					●	●				●	
<b>HELOTREPHIDAE</b>											
<i>Paraplea liturata</i>					●					●	
<i>Heterotrepes admorsus</i>		VU		E	●	●					
<b>GERROMORPHA</b>											
<b>MESOVELIIDAE</b>											
<i>Mesovella japonica</i>					●	●				●	
<i>Mesovella vittigera</i>					●	●				●	
<b>HYDROMETRIDAE</b>											
<i>Hydrometra albolineata</i>		VU			●	●					
<i>Hydrometra annamana</i>					●	●				●	
<i>Hydrometra okinawana</i>					●	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Hydrometra procera</i>					●					
<b>HEBRIDAE</b>										
<i>Hebrus hasegawai</i>					●				●	
<i>Hebrus nipponicus</i>					●				●	
<b>VELIIDAE</b>										
<i>Halovelia septentrionalis</i>					●				●	
<i>Microvelia diluta</i>					●				●	
<i>Microvelia douglasi</i>					●				●	
<i>Microvelia Horváthi</i>					●				●	
<i>Microvelia iriomotensis</i>				E	●				●	
<i>Microvelia japonica</i>					●				●	
<i>Microvelia kyushuensis</i>					●				●	
<i>Microvelia morimotoi</i>				E	●				●	
<i>Microvelia uenoi</i>				E	●				●	
<i>Pseudovelia hirashimai</i>				E	●				●	
<i>Pseudovelia takarai</i>				E	●				●	
<i>Pseudovelia tsutsuii</i>				E	●				●	
<i>Rhagovelia esakii</i>				E	●				●	
<i>Xiphovelia curvifemur</i>				E	●				●	
<b>GERRIDAE</b>										
<b>GERRINAE</b>										
<i>Aquarius paludum</i>					●				●	
<i>Aquarius paludum amamiensis</i>					○				○	
<i>Gerris gracilicornis</i>					●				●	
<i>Limnognonus fossarum</i>					●				●	
<i>Limnognonus fossarum fossarum</i>					○				○	
<i>Limnognonus hungerfordi</i>					●				●	
<i>Neogerris parvulus</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<b>HALOBATINAE</b>												
<i>Halobates japonicus</i>					●	●				●		
<i>Metrocoris esaki</i>					●					●		
<i>Metrocoris histrio</i>					●			●				
<b>HERMATOBATIDAE</b>												
<i>Hermatobates weddii</i>		NT			●					●		
<b>LEPTOPODOMORPHA</b>												
<b>SALDIDAE</b>												
<i>Micracanthia ornatula</i>					●					●		
<i>Saldoida armata</i>					●					●		
<i>Saldula recticollis</i>					●					●		
<i>Saldula saltatoria</i>					●					●		
<i>Salduncula decempunctata</i>					●					●		
<b>OMANIIDAE</b>												
<i>Corallocooris satoi</i>					●					●		
<b>CIMICOMORPHA</b>												
<b>MIRIDAE</b>												
<b>PSALLOPINAE</b>												
<i>Psallops yaeyamanus</i>				E	●					●		
<b>CYLAPINAE</b>												
<i>Bothriomiris capillosus</i>					●					●		
<i>Bothriomiris gotohi</i>					●							
<i>Cylapomorpha michikoeae</i>					●					●		
<i>Peritropsis insularis</i>				E	●					●		
<i>Peritropsis iriomotensis</i>				E	●					●		
<i>Yamatofulvius laevigatus</i>				E	●					●		
<b>BRYOCORINAE</b>												
<i>Bryocoris gracilis</i>					●					●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Ernestinus pallidiscutum</i>					●					●	
<i>Ernestinus tetragigma</i>				E	●					●	
<i>Felisacus capitatus</i>				E	●					●	
<i>Felisacus gressitti</i>				E	●					●	
<i>Felisacus insularis</i>				E	●					●	
<i>Felisacus okinawanus</i>				E	●					●	
<i>Michailocoris chinensis</i>					●					●	
<i>Monalocoris amamianus</i>				E	●					●	
<i>Monalocoris filicis</i>					●					●	
<b>DERAEOCORINAE</b>											
<i>Deraeocoris hayashii</i>				E	●					●	
<i>Deraeocoris kimotoi</i>				E	●					●	
<i>Deraeocoris nyukyuensis</i>					●					●	
<i>Dortus chinai</i>					●					●	
<i>Fingulus collaris</i>					●					●	
<i>Fingulus longicornis</i>					●					●	
<i>Fingulus takahashii</i>				E	○					○	
<i>Stethoconus japonicus</i>					●					●	
<i>Stethoconus praefectus</i>					●					●	
<i>Teratophyllum aeneum</i>				E	●					●	
<i>Teratophyllum orientale</i>					●					●	
<b>MIRINAE</b>											
<i>Adelphocorisella insulana</i>				E	●					●	
<i>Apolygus bipunctatellus</i>				E	●					●	
<i>Apolygus fuscoruber</i>				E	●					●	
<i>Apolygus insulicola</i>					●					●	
<i>Apolygus miniaceus</i>				E	●					●	
<i>Apolygus spinolae</i>					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Bersia lankana</i>					●	●				●	
<i>Castanopsides hasegawai</i>					●	●				○	
<i>Castanopsides takaii</i>					●						
<i>Cheilocapsus miyamotoi</i>					●		●			●	
<i>Creontiades bipunctatus</i>					●		●			●	
<i>Creontiades coloripes</i>					●		●			●	
<i>Creontiades minutus</i>					●		●			●	
<i>Dolichormiris linearis</i>					●		●			●	
<i>Eurystylus sauteri</i>					●		●	●		●	
<i>Exopantilius pilosus</i>					●					●	
<i>Hyalopeplus lineifer</i>					●					●	
<i>Lygoeorides rubricans</i>					●		●			●	
<i>Lygocoris kyushuensis</i>					●		●			●	
<i>Lygocoris tokaraensis</i>					●		●			●	
<i>Mecistoscelis scirtetoides</i>					●		●			●	
<i>Miyamotoa rubicunda</i>		NT		E	●		●				
<i>Orientomiris erythromelas</i>				E	●		●				
<i>Orientomiris flavicollaris</i>				E	●		●				
<i>Orientomiris nigripennis</i>				E	●		●				
<i>Orientomiris yaeyamanus</i>				E	●		●			●	
<i>Orientomiris yaeyamanus yaeyamanus</i>				e	○					○	
<i>Proligus kirkaldyi</i>					●		●				
<i>Tayloriylugus apicalis</i>					●		●			●	
<i>Tingnotum formosanum</i>					●					●	
<i>Tingnotum perlatum</i>					●					●	
<i>Trigonolytus tenuis</i>					●		●			●	
<i>Yamatolygus insulanus</i>					●		●			●	
<i>Zhengiella scutellata</i>					●		●			●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus		
<b>ORTHOTYLINAE</b>											
<i>Coridromius bufo</i>					●			●			
<i>Coridromius declivipennis</i>				E	●			●			
<i>Cyrtorhynchus lividipennis</i>					●			●			
<i>Halticellus insularis</i>					●						
<i>Pseudoboxops takaii</i>					●						
<i>Pseudoxopidea pinicola</i>				E	●			●			
<i>Pseudoxops imperatorius</i>					●			●			
<i>Zanichius gigantoculus</i>				E	●			●			
<i>Zanichius nakatanii</i>				E	●			●			
<i>Zanichius ryukyensis</i>				E	●			●			
<b>PHYLINAE</b>											
<i>Campylomma livida</i>					●				●		
<i>Decomioides philippinensis</i>					●				●		
<i>Decomioides schneiffai</i>					●			●			
<i>Moissonia punctata</i>					●			●			
<i>Opuna annulata</i>					●			●			
<i>Opuna pallidula</i>				E	●			●			
<i>Phoenicocoris ryukyensis</i>				E	●			●			
<i>Pilophorus typicus</i>					●			●			
<i>Tytthus chinensis</i>					●			●			
<b>ISOMETOPINAE</b>											
<i>Isometopus hasegawai</i>				E	●				●		
<i>Myiomma minutum</i>				E	●				●		
<i>Myiomma samuelsoni</i>				E	●				●		
<b>NABIDAE</b>											
<i>Alloeorhynchus vinulus</i>					●				●		
<i>Arbeta simplicipes</i>					●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Arbela tabida</i>					●			●		
<i>Nabis stenofenus</i>					●			●		
<i>Nabis kinbergii</i>					●			●		
<i>Phorticus affinis</i>					●			●		
<i>Prostemma fasciatum</i>					●			●		
<i>Stenonabis orientalis</i>					●			●		
<i>Stenonabis uhleri</i>					●			●		
<b>ANTHOCORIDAE</b>										
<i>Amphiareus constrictus</i>					●			●		
<i>Anthocoris miyamotoi</i>					●			●		
<i>Bilia japonica</i>					●			●		
<i>Blaptostethus esakii</i>					●		●	●		
<i>Montandoniola moraguesi</i>					●			●		
<i>Orius strigicollis</i>					●			●		
<i>Orius takaii</i>					●			●		
<i>Orius tantillus</i>				E	●			●		
<i>Orius atratus</i>					●			●		
<b>TINGIDAE</b>										
<i>Belenus dentatus</i>					●			●		
<i>Dictyla evidens</i>					●			●		
<i>Eteoneus yasumatsui</i>				E	●			●		
<i>Perissonemia occasa</i>					●			●		
<i>Phatnoma takasago</i>					●			●		
<i>Physatocheila miyatakei</i>				E	●			●		
<i>Stephanitis aperta</i>					●			●		
<i>Stephanitis exigua</i>					●			●		
<i>Stephanitis fasciatarina</i>					●			●		
<i>Stephanitis hiurai</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Stephanitis hiurai hiurai</i>				o	o	o	o	o	o	
<i>Stephanitis pyriformis</i>					●	●	●	●	●	
<i>Stephanitis scotti</i>				E	●	●	●	●	●	
<i>Stephanitis shirakii</i>				E	●	●	●	●	●	
<i>Stephanitis subfasciata</i>					●	●	●	●	●	
<i>Stephanitis takeyai</i>					●	●	●	●	●	
<i>Stephanitis typica</i>					●	●	●	●	●	
<b>REDUVIIDAE</b>										
<i>Canthesancus lurco</i>					●				●	
<i>Ectomocoris biguttulus</i>					●				●	
<i>Ectrychotes andreae</i>					●				●	
<i>Elongicoris takarai</i>		NT		E	●				●	
<i>Emesopsis nubilus</i>					●				●	
<i>Epidaus sexspinus</i>					●				●	
<i>Euagoras plagiatus</i>					●				●	
<i>Euagoras plagiatus</i>					●				●	
<i>Gardena melinanthrum</i>		NT			●				●	
<i>Haematoloecha adachii</i>					●				●	
<i>Haematoloecha rubescens</i>					●				●	
<i>Oncocephalus breviscutum</i>					●				●	
<i>Oncocephalus philippinus</i>					●				●	
<i>Onychomesa gokani</i>				E	o				o	
<i>Peirates cinctiventris</i>					●				●	
<i>Peirates turpis</i>					●				●	
<i>Polidius armatissimus</i>					●				●	
<i>Polytoxus annulipes</i>					o				o	
<i>Polytoxus ruber</i>				E	o				o	
<i>Pygolampis bidentata</i>					●				●	
<i>Pygolampis foeda</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Rhinocoris fuscipes</i>					●				●	
<i>Scadta okinawensis</i>					●			●	●	
<i>Sirthena flavipes</i>					●			●	●	
<i>Staccia diluta</i>					●			●	●	
<i>Stachytropha miyamotoi</i>				E	●			●	●	
<i>Triatoma rubrofasciata</i>	VU				●			●	●	
<b>PENTATOMORPHA</b>										
<b>ARADIDAE</b>										
<i>Aneurus greeni</i>					●				●	
<i>Brachyrhynchus taiwanicus</i>					●				●	
<i>Calisius acutus</i>					●				●	
<i>Glochocoris infantulus</i>		NT			●				●	
<i>Neuroctenus pacificus</i>					●				●	
<i>Neuroctenus palauensis</i>					●				●	
<i>Neuroctenus taiwanicus</i>					●			●	●	
<b>BERYTIDAE</b>										
<i>Caprella horni</i>					●				●	
<b>LYGAEIDAE</b>										
<b>LYGAEINAE</b>										
<i>Aethalotus nigriventris</i>					●				●	
<i>Caenocoris dimidiatus</i>					●				●	
<i>Graptostethus servus</i>					●				●	
<i>Oncopeltus nigriceps</i>					●				●	
<i>Spilostethus hospes</i>					●				●	
<i>Thunbergia marginata</i>					●				●	
<i>Thunbergia sanguinaria</i>					●				●	
<i>Tropidothorax sinensis</i>					●				●	
<b>ORSILLINAE</b>										

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Nysius plebeius</i>					●	●	●	●	●	
<b>ISCHNORHYNCHINAE</b>										
<i>Pylogus ishiharai</i>					●	●	●	●	●	
<b>CYMINAE</b>										
<i>Cymoninus turaensis</i>					●		●			
<i>Cymus tabaci</i>					●		●			
<i>Ninomimus assamensis</i>					●		●			
<i>Ninomimus flavipes</i>					●		●			
<i>Ninus insignis</i>					●		●			
<b>BLISSINAE</b>										
<i>Dimorphopterus kyushuensis</i>					●		●			
<i>Macropes obnubilus</i>					●		●			
<i>Pirkimerus esakii</i>					●		●			
<b>GEOCORINAE</b>										
<i>Geocoris jucundus</i>					●		●			
<b>PACHYGRONTHINAE</b>										
<i>Pachygrontha austriana</i>					●					
<i>Pachygrontha bipunctata</i>					●		●			
<i>Pachygrontha nigrovittata</i>					●		●			
<i>Pachygrontha similis</i>					●		●			
<i>Pachyphlegyas modigliani</i>					●					
<b>HETEROGASTRINAE</b>										
<i>Parahyginus signifer</i>					●					
<i>Sadoletus valdezi</i>					●		●			
<b>RHYPAROCHROMINAE</b>										
<i>Appolonius oblongus</i>					●					
<i>Botocudo formosanus</i>					●		●			
<i>Botocudo yasumatsui</i>					●		●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Bryanellocoris orientalis</i>					●	●				●	
<i>Caridops albomarginatus</i>					●						
<i>Clerada apicicornis</i>		NT			●					●	
<i>Dieuches albomarginatus</i>					●					●	
<i>Dieuches siamicus</i>					●						
<i>Dieuches uniformis</i>					●						
<i>Diniella intaminata</i>					●					●	
<i>Diniella pallipes</i>					●					●	
<i>Elasmolomus lineosus</i>					●					●	
<i>Elasmolomus sordidus</i>					●					●	
<i>Eremocoris hirashimai</i>					●					●	
<i>Gastrodes grossipes</i>					●					●	
<i>Gastrodes grossipes japonicus</i>					○					○	
<i>Horridipamera inconspicua</i>					●					●	
<i>Horridipamera nietheri</i>					●					●	
<i>Lamproceps antennatus</i>					●						
<i>Metochus abbreviatus</i>					●						
<i>Metochus uniguttatus</i>					●					●	
<i>Neolethaeus dallasi</i>					●					●	
<i>Neolethaeus lewisi</i>					●					●	
<i>Neolethaeus esakii</i>					●					●	
<i>Neomizaldus lewisi</i>					●					●	
<i>Pamerana scotti</i>					●					●	
<i>Pamerama distanti</i>					●					●	
<i>Pamerama ventralis</i>					●					●	
<i>Paraeucosmetus pallicornis</i>					●					●	
<i>Paraparomius lateralis</i>					●					●	
<i>Paromius exiguus</i>					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Paromius gracilis</i>					●				●	
<i>Paromius nigriapicalis</i>				■	●				●	
<i>Prosmoeus brunneus</i>					●					
<i>Pseudopachybrachius guttus</i>					●	●			●	
<i>Remaudiereana flavipes</i>					●				●	
<i>Remaudiereana nigriceps</i>					●	●			●	
<i>Remaudiereana octonotata</i>					●				●	
<i>Remaudiereana sobrina</i>					●		●		●	
<i>Scolopostethus morimotoi</i>				E	●				●	
<i>Stigmatonotum geniculatum</i>					●	●			●	
<b>MALCIDAE</b>										
<i>Chaulioops fallax</i>					●	●			●	
<b>PYRRHOCORIDAE</b>										
<i>Dysdercus cingulatus</i>					●				●	
<i>Dysdercus decussatus</i>					●				●	
<i>Dysdercus philippinus</i>					●			●	●	
<i>Dysdercus poecilus</i>					●				●	
<b>LARGIDAE</b>										
<i>Physopelta cincticollis</i>					●				●	
<i>Physopelta gutta</i>					●				●	
<b>STENOCEPHALIDAE</b>										
<i>Dicranocephalus lateralis</i>					●				●	
<b>ALYDIDAE</b>										
<i>Daclera levana</i>					●				●	
<i>Leptocoris acuta</i>					●				●	
<i>Leptocoris chinensis</i>					●				●	
<i>Leptocoris oratoria</i>					●				●	
<i>Melanacanthus ferrugineus</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Riptortus clavatus</i>					●	●				●	
<i>Riptortus fuscus</i>					●	●					
<i>Riptortus linearis</i>					●	●	●	●	●	●	
<i>Riptortus pedestris</i>					●	●	●	●	●	●	
<b>COREIDAE</b>											
<i>Acanthocoris sordidus</i>					●	●	●	●	●	●	
<i>Anoplocnemis phasiana</i>					●	●	●	●	●	●	
<i>Clavigralla spinofemoralis</i>					●	●	●	●	●	●	
<i>Cletus bipunctata</i>					●	●	●	●	●	●	
<i>Cletus punctiger</i>					●	●	●	●	●	●	
<i>Cletus schmidtii</i>					●	●	●	●	●	●	
<i>Cletus trigonus</i>					●	●	●	●	●	●	
<i>Dasynus biguttatus</i>					●	●	●	●	●	●	
<i>Dasynus coccocinctus</i>					●	●	●	●	●	●	
<i>Homococcus marginiventris</i>					●	●	●	●	●	●	
<i>Homococcus unipunctatus</i>					●	●	●	●	●	●	
<i>Hygia lativentris</i>					●	●	●	●	●	●	
<i>Leptoglossus australis</i>					●	●	●	●	●	●	
<i>Paradasynus formosanus</i>					●	●	●	●	●	●	
<i>Paradasynus spinosus</i>					●	●	●	●	●	●	
<i>Plinactus basalis</i>					●	●	●	●	●	●	
<i>Plinactus bicoloripes</i>					●	●	●	●	●	●	
<b>RHOPALIDAE</b>											
<i>Leptocoris augur</i>					●	●	●	●	●	●	
<i>Leptocoris rufomarginatus</i>					●	●	●	●	●	●	
<i>Liorhyssus hyalinus</i>					●	●	●	●	●	●	
<i>Rhopalus sapporensis</i>					●	●	●	●	●	●	
<i>Stictopleurus punctatovenosus</i>					○	○	○	○	○	○	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Stictopleurus punctatonevrosus minutus</i>					○			○		
<b>PLATASPIDAE</b>										
<i>Brachyplatys subaeneus</i>					●				●	
<i>Brachyplatys vahlii</i>					●				●	
<i>Coptosoma japonicum</i>					●				●	
<i>Coptosoma siamicum</i>					●				●	
<i>Megacopta cribraria</i>					●				●	
<b>CYDNIIDAE</b>										
<i>Adomerus rotundus</i>					●					
<i>Aethus pseudindicus</i>					●				●	
<i>Fromundus pygmaeus</i>					●				●	
<i>Garsauria laosana</i>					●					
<i>Lactistes falcipes</i>					●				●	
<i>Macrocytus japonensis</i>					●				●	
<i>Parachilocoris minutus</i>					●				●	
<i>Parachilocoris minutus japonicus</i>					○				○	
<i>Paratrachia japonensis</i>					●				●	
<b>SCUTELLERIDAE</b>										
<i>Calliphara exellens</i>					●					
<i>Calliphara nobilis</i>					●				●	
<i>Cantao ocellatus</i>					●				●	
<i>Eucoysses grandis</i>					●				●	
<i>Philia miyakonus</i>				E	●				●	
<i>Solenosthedium chinense</i>					●				●	
<b>DINDORIDAE</b>										
<i>Coridius chinensis</i>					●					
<i>Cyclopetta parva</i>					●					
<i>Eumenotes obscura</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<b>PENTATOMIDAE</b>											
<b>PODOPINAE</b>											
<i>Graphosoma rubrolineatum</i>					●			●		●	
<i>Scotinophara lurida</i>					●			●		●	
<i>Scotinophara scotti</i>					●			●			
<b>PENTATOMINAE</b>											
<i>Aedrus obscurus</i>					●			●		●	
<i>Agonoscelis nubila</i>					●			●		●	
<i>Alcimocoris japonensis</i>					●			●		●	
<i>Amblycara gladiatoria</i>					●			●		●	
<i>Apines grisea</i>					●			●		●	
<i>Axiagastus rosmarinus</i>					●			●		●	
<i>Bathycyoeila indica</i>					●			●		●	
<i>Brachymna tenuis</i>		NT			●			●		●	
<i>Carbula crassiventris</i>					●			●			
<i>Carbula obtusangula</i>					●			●			
<i>Catacanthus incarnatus</i>					●			●			
<i>Caystrus depressus</i>					●			●		●	
<i>Eurydema dominulus</i>					●			●		●	
<i>Eysarcoris guttiger</i>					●			●		●	
<i>Eysarcoris ventralis</i>					●			●		●	
<i>Glaucias subpunctatus</i>					●			●		●	
<i>Halyomorpha halys</i>					●			●		●	
<i>Lagynotomus elongatus</i>					●			●		●	
<i>Laprius varicornis</i>					●			●		●	
<i>Massocephalus maculatus</i>					●			●		●	
<i>Nezara antennata</i>					●			●		●	
<i>Nezara viridula</i>					●			●		●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Piezodorus hybneri</i>					●	●			●	
<i>Plautia splendens</i>					●		●	●	●	
<i>Plautia sta / i</i>					●	●			●	
<i>Pygomenida bengalensis</i>					●				●	
<i>Rhynchocoris humeralis</i>		NT			●		●		●	
<i>Starioides degenerus</i>					●				●	
<i>Vitellus orientalis</i>					●	●			●	
<b>ASOPINAE</b>										
<i>Andrallus spinidens</i>					●		●		●	
<i>Eocanthecona turcellata</i>					●		●		●	
<i>Eocanthecona kyushuensis</i>					●		●		●	
<i>Zicrona caerulea</i>					●				●	
<b>PHYLLOCEPHALINAE</b>										
<i>Gonopsis affinis</i>					●		●		●	
<b>ACANTHOSOMATIDAE</b>										
<i>Dichobothrium nubilum</i>					●		●		●	
<i>Eiasmucha nipponica</i>					●		●		●	
<i>Sastragala esakii</i>					●					
<i>Sastragala scutellata</i>					●					
<b>NEUROPTERA</b>										
<b>ASCALAPHIDAE</b>										
<i>Suphalomitus okinawensis</i>				E	●			●		
<b>CHRYSOPIDAE</b>										
<i>Ankylopteryx delicatula</i>				E	●			●		
<i>Ankylopteryx exquisita</i>				E	●				●	
<i>Ankylopteryx ferruginea</i>					●				●	
<i>Ankylopteryx gracilis</i>					●				●	
<i>Ankylopteryx octopunctata</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Brinckochrysa scelestes</i>					●					●	
<i>Chrysopa pallens</i>					●					●	
<i>Chrysopa formosa</i>					●					●	
<i>Chrysoperla furcifera</i>					●					●	
<i>Chrysoperla nipponensis</i>				E	●					●	
<i>Dichochrysa alcestes</i>					●					●	
<i>Dichochrysa astur</i>					●					●	
<i>Dichochrysa cognatellus</i>					●					●	
<i>Dichochrysa formosanus</i>					●					●	
<i>Dichochrysa ussuriensis</i>					●					●	
<i>Italochrysa japonica</i>					●			●			
<i>Mallada basalis</i>					●					●	
<i>Mallada boninensis</i>					●					●	
<i>Nipponochrysa moriutii</i>					●						
<i>Plesiochrysa remota</i>					●						
<i>Semachrysa decorata</i>					●						
<i>Semachrysa matsumurae</i>					●						
<i>Semachrysa pulchella</i>					●						
<b>CORYDALIDAE</b>											
<i>Neochauliodes azumai</i>				E	●						●
<i>Neochauliodes sinensis</i>					●						●
<i>Parachauliodes japonicus</i>					●						●
<i>Parachauliodes yanbaru</i>				E	●						●
<i>Protohermes immaculatus</i>					●						●
<i>Protohermes</i> sp.				E	●						●
<b>HEMEROBIDAE</b>											
<i>Annandalia iniqua</i>					●						●
<i>Eumicromus confusus</i>					●						●

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Eumicromus narigatonum</i>					●			●			
<i>Eumicromus sauteri</i>					●			●			
<i>Mesohemerobius subacutus</i>					●			●			
<i>Micromus multipunctatus</i>					●						
<i>Micromus timidus</i>					●			●			
<i>Notibiella ochracea</i>				E	●			●			
<i>Notibiella subolivacea</i>					●			●			
<i>Pseudomicromus igorotus</i>					●			●			
<i>Spilomicromus maculatus</i>					●						
<i>Symphorobius okinawaensis</i>				E	●			●			
<i>Symphorobius tessellatus</i>					●			●			
<i>Zachobiella striata</i>				E	●				●		
<b>MANTISPIDAE</b>											
<i>Climaciella quadrituberculata</i>					●			●			
<i>Euclimacia badia</i>					●						
<b>MYRMELEONTIDAE</b>											
<i>Distoleon bistrigatus</i>					●			●			
<i>Distoleon contubernalis</i>					●			●			
<i>Distoleon parvulus</i>					●			●			
<i>Glenuroides okinawaensis</i>				E	●			●			
<i>Grocus acer</i>					●			●			
<i>Hagenomyia micans</i>					●			●			
<b>OSMYLIDAE</b>											
<i>Spilosmylus kruegeri</i>					●				●		
<i>Spilosmylus nipponensis</i>					●			●			
<b>SIALIDAE</b>											
<i>Nipponosialis kumejimai</i>					●			●			
<i>Sialis sinensis</i>					●			●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<b>COLEOPTERA</b>											
<b>RHYSODIDAE</b>											
<i>Omoglymmius sakuraii</i>				E	●	●					
<b>PAUSSIDAE</b>											
<i>Eustra chinensis</i>					●				●		
<i>Eustra crucifera</i>				E	●						
<b>CICINDELIDAE</b>											
<i>Callytron yuasai</i>		NT			●	●	○	○	●	○	
<i>Callytron yuasai okinawensis</i>		NT			○	○					
<i>Cicindela chinensis</i>					●						
<i>Cicindela chinensis okinawana</i>				e	○						
<i>Cicindela elisae</i>					●						
<i>Cicindela elisae elisae</i>					○						
<i>Cicindela ferritei</i>				E	●	●					
<i>Cicindela kaleea</i>					●			●			
<i>Cicindela kaleea humerula</i>				e	○			○			
<i>Cicindela psilica</i>					●				●		
<i>Cicindela psilica luchuensis</i>				e	○				○		
<i>Cicindela specularis</i>					●						
<i>Cicindela striolata</i>					●				●		
<i>Cicindela striolata dorsolineolata</i>					○				○		
<i>Collyris lochooensis</i>				E	●				●		
<i>Therates alboobliquatus</i>					●				●		
<i>Therates alboobliquatus iriomotensis</i>				e	○				○		
<i>Therates alboobliquatus yakushimanus</i>					○				○		
<b>CARABIDAE</b>											
<i>Abacetus leucotelus</i>					●					●	
<i>Abacetus submetallicus</i>					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Acupalpus inornatus</i>					●					●	
<i>Aeophnidius adelooides</i>					●					●	
<i>Agonum daimio</i>					●		●				
<i>Agonum hasegawai</i>				E	●					●	
<i>Amblystomus quadriguttatus</i>					●		●				
<i>Amphimenes ryukyensis</i>				E	●					●	
<i>Anisodactylus tricuspoidatus</i>					●						
<i>Anisodactylus tricuspoidatus nomurai</i>				e	○						
<i>Anoplogeniinus cyanescens</i>					●						
<i>Apristus miyakei</i>					●						
<i>Apristus seticollis</i>					●					●	
<i>Armatocillenus kasaharai</i>				E	●					●	
<i>Armatocillenus seticomis</i>				E	●					●	
<i>Armatocillenus tokunoshimanus</i>				E	●					●	
<i>Asaphidion tenyuense</i>					●		●				
<i>Asaphidion tenyuense konoii</i>					○		○				
<i>Badister ishigakiensis</i>					●					●	
<i>Badister vittatus</i>					●						
<i>Bembidion niloticum</i>					●					●	
<i>Bembidion niloticum batesi</i>					○					○	
<i>Bembidion satoi</i>				E	●					●	
<i>Brachichila hypocrita</i>					●					●	
<i>Caelostomus picipes</i>					●						
<i>Caelostomus picipes japonicus</i>					○						
<i>Calleida splendidula</i>					●					●	
<i>Campalita chinense</i>					●						
<i>Celaenephes parallelus</i>					●						
<i>Chlaeminus annamensis</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Chlaenius bimaculatus</i>					●				●	
<i>Chlaenius bimaculatus lynx</i>					○				○	
<i>Chlaenius bioculatus</i>					●				●	
<i>Chlaenius circumdatus</i>					●		●		●	
<i>Chlaenius circumductus</i>					●		●		●	
<i>Chlaenius hamifer</i>					●		●		●	
<i>Chlaenius inops</i>					●		●		●	
<i>Chlaenius micans</i>					●		●		●	
<i>Chlaenius pictus</i>					●				●	
<i>Chlaenius praefectus</i>		CR			●		●		●	
<i>Chlaenius ruffemoratus</i>					●		●		●	
<i>Chlaenius sericimicans</i>					●		●		●	
<i>Chlaenius tetragonoderus</i>					●		●		●	
<i>Chlaenius pictus</i>					●				●	
<i>Clivina lobata</i>					●			●	●	
<i>Clivina lobata ryukyuensis</i>				e	○				○	
<i>Colpodes amamiokishimensis</i>				E	●					
<i>Colpodes buchanani</i>					●		●			
<i>Colpodes iriomotensis</i>				E	●				●	
<i>Colpodes ishidai</i>					●					
<i>Colpodes latus</i>				E	●					
<i>Colpodes maruokai</i>				E	●				●	
<i>Colpodes meridies</i>					●					
<i>Colpodes obscuritaris</i>					●				●	
<i>Colpodes rubriolus</i>					●					
<i>Colpodes shibatai</i>				E	●					
<i>Colpodes shibataianus</i>					●					
<i>Colpodes sylphides</i>				E	●				●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Colpodes teruyai</i>				FM	●			●		
<i>Colpodes yasuii</i>				FM	●				●	
<i>Coptodera esakii</i>					●					
<i>Coptodera marginata</i>					●				●	
<i>Coptodera subapicalis</i>					●					
<i>Coptodera taiwana</i>					●				●	
<i>Craspedophorus formosanus</i>					●				●	
<i>Craspedophorus mandarinus</i>					●				●	
<i>Dicaelindus ryukyensis</i>					●				●	
<i>Diplocheila zeelandica</i>					●			●	●	
<i>Dischissus tibialis</i>					●				●	
<i>Dolichoctis striatus</i>					●				●	
<i>Dolichoctis striatus formosanus</i>					○				○	
<i>Dolichoctis striatus striatus</i>					○					
<i>Dolichoctis tetraspilotus</i>					●			●		
<i>Drypta lineola</i>					●			●		
<i>Drypta lineola virgata</i>					○			○		
<i>Dyschirius formosanus</i>					●				●	
<i>Elaphropus latissimus</i>					●				●	
<i>Endynomena praderi</i>					●				●	
<i>Epomis nigricans</i>					●				●	
<i>Eucoiluris fuscipennis</i>					●				●	
<i>Euschizomerus liebkei</i>					●				●	
<i>Galerita orientalis</i>					●				●	
<i>Gnathaphanus chujoii</i>					●				●	
<i>Haplochaenius costiger</i>					●				●	
<i>Haplochaenius insularis</i>					●				●	
<i>Harpalomimetes shibatai</i>		EN			●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus Iriomote Is.	
<i>Harpalus azumai</i>				E	●			●		
<i>Harpalus griseus</i>					●			●		
<i>Harpalus thai</i>					●			●		
<i>Harpalus sinicus</i>					●			●		
<i>Harpalus tridens</i>					●					
<i>Hexagonia sauteri</i>					●					
<i>Holeius ceylanicus</i>					●			●		
<i>Ischnagonum carinigerum</i>					●			●		
<i>Lachnocrepis japonica</i>				E	●			●		
<i>Lebia purkynei</i>					●			●		
<i>Lebidia octoguttata</i>					●			●		
<i>Leistus crassus</i>					●					
<i>Microcosmodes flavopilosus</i>					●			●		
<i>Mimocoliuris insulana</i>				E	●					
<i>Morion japonicum</i>		VU			●			●		
<i>Nipponosynuchus abnormalis</i>				E	●					
<i>Ocydromus hiranoi</i>				E	●			●		
<i>Ocydromus kishimotoi</i>				E	●			●		
<i>Odacantha metallica</i>					●			●		
<i>Oodes peguensis</i>					●			●		
<i>Oodes piceus</i>					●			●		
<i>Ophionea indica</i>					●			●		
<i>Ophionea ishii</i>					●			●		
<i>Orionella lewisii</i>					●					
<i>Oxycentrus changi</i>					●					
<i>Paratachys fasciatus</i>					●					
<i>Paratachys fasciatus fasciatus</i>					○					
<i>Parena amamioshimensis</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Parena latecincta</i>					●			●			
<i>Parena nigrolineata</i>					●			●			
<i>Pentagonica biangulata</i>					●			●			
<i>Pentagonica daimaiella</i>					●			●			
<i>Pentagonica kyushuensis</i>					●				●		
<i>Pentagonica nigripennis</i>					●						
<i>Pentagonica subcordicollis</i>					●						
<i>Perigona nigriceps</i>					●						
<i>Perileptus asahinai</i>					●				●		
<i>Perileptus japonicus</i>					●				●		
<i>Perileptus laticeps</i>					●			●			
<i>Perileptus laticeps ryukyuensis</i>				e	○			○			
<i>Perileptus morimotoi</i>		NT			●			●			
<i>Planetes kasaharai</i>				E	●				●		
<i>Platymetopus flavilabris</i>					●			●	●		
<i>Pseudognathaphanus punctilabris</i>					●			●			
<i>Pseudomenarus flavomaculatus</i>					●			●			
<i>Pterostichus plesiomorphs</i>		EN		E	●			●			
<i>Scarites acutidens</i>					●				●		
<i>Somotrichus unifasciatus</i>					●			●			
<i>Stenolophus quinquepustulatus</i>					●			●			
<i>Stenolophus shirakii</i>				E	●			●			
<i>Stenolophus smaragdulus</i>					●			●			
<i>Stenolophus yonaguniensis</i>				E	●				●		
<i>Synuchus amamioshimae</i>				E	●						
<i>Synuchus shibatai</i>				E	●						
<i>Synuchus tokararum</i>					●						
<i>Tachylopha ovata</i>					●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Tachyta umbrosa</i>					●	●			●	●	
<i>Tachyura exarata</i>					●						
<i>Tachyura fumicata</i>					●				●		
<i>Tachyura gradata</i>					●						
<i>Tachyura klugi</i>					●				●		
<i>Tachyura klugi klugi</i>					○				○		
<i>Tachyura laetifica</i>					●						
<i>Tachyura lutea</i>					●						
<i>Trichisia insularis</i>					●						
<i>Trichotichnus kobayashie</i>					●						
<i>Trichotichnus sugimotoi</i>					●						
<i>Trichotichnus szekessyi</i>					●				●		
<b>BRACHINIDAE</b>											
<i>Pheropsophus javanus</i>					●					●	
<i>Pheropsophus jessoensis</i>					●						
<i>Pheropsophus occipitalis</i>					●					●	
<b>HALIPLIDAE</b>											
<i>Halipilus kotoshonis</i>		NT			●					●	
<i>Pelitodytes sinensis</i>					●					●	
<b>NOTERIDAE</b>											
<i>Canthyrus nitidulus</i>					●					●	
<i>Neohydrocoptus subvittulus</i>					●					●	
<i>Noterus japonicus</i>					●					●	
<b>DYTISCIDAE</b>											
<i>Agabus japonicus</i>					●					●	
<i>Allopathria bimaculata</i>		NT		E	●						
<i>Copelatus andamanicus</i>					●					●	
<i>Copelatus minutissimus</i>		DD			●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Copelatus tenebrosus</i>					●	●				●	
<i>Cybister sugillatus</i>					●	●				●	
<i>Cybister tripunctatus</i>					●	●				●	
<i>Cybister tripunctatus orientalis</i>		VU			○		○			○	
<i>Cybister rugosus</i>		VU			●	●	●	●	●	●	
<i>Eretes sifiticus</i>					●	●	●	●	●	●	
<i>Herophydrus rufus</i>					●	●	●	●	●	●	
<i>Hydaticus conspersus</i>					●	●	●	●	●	●	
<i>Hydaticus conspersus sakishimanus</i>					○					○	
<i>Hydaticus rhanthoides</i>		NT		e	●	●	○	●	●	●	
<i>Prodaticus vittatus</i>		VU			●	●				●	
<i>Hydroglyphus kifunei</i>		DD		E	●	●				●	
<i>Hydroglyphus inconstans</i>					●	●	●	●	●	●	
<i>Hydroglyphus amamiensis</i>					●	●	●	●	●	●	
<i>Hydrovatus acuminatus</i>		NT			●	●	●	●	●	●	
<i>Hydrovatus bonvouloiri</i>		NT			●	●				●	
<i>Hydrovatus pumilus</i>		NT			●	●				●	
<i>Hydrovatus seminarius</i>		NT		E	●	●	●	●	●	●	
<i>Hydrovatus subtilis</i>		NT		E	●	●	●	●	●	●	
<i>Hydrovatus yagii</i>		NT		E	●	●	●	●	●	●	
<i>Hyphydrus laeiventris</i>					●	●	○			●	
<i>Hyphydrus laeiventris laeiventris</i>		VU			○					○	
<i>Hyphydrus lyratus</i>					●					●	
<i>Hyphydrus orientalis</i>		DD			●		●	●	●	●	
<i>Hyphydrus pulchellus</i>					●	●	●	●	●	●	
<i>Laccophilus chinensis</i>					●	●				●	
<i>Laccophilus difficilis</i>					●	●				●	
<i>Laccophilus flexuosus</i>					●	●	●	●	●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Laccophilus kobensis</i>		NT			●				●	
<i>Laccophilus pulicarius</i>					●		●		●	
<i>Laccophilus sharpi</i>		NT			●		●		●	
<i>Leiodytes nicobaricus</i>					●	●	●		●	
<i>Limbedessus compactus</i>					●		●			
<i>Liodessus megacephalus</i>					●	●				
<i>Microdytes uenoi</i>				E	●				●	
<i>Platynectes chujoii</i>				E	●				●	
<i>Rhantus suturalis</i>					●	●			●	
<b>GYRINIDAE</b>										
<i>Dineutus australis</i>		NT			●		●		●	
<i>Dineutus mellyi</i>					●		●			
<i>Dineutus mellyi insularis</i>				e	○		○			
<i>Dineutus orientalis</i>		NT			●		●		●	
<i>Gyrinus ryukyuensis</i>		CR		E	●		●		●	
<i>Orectochilus yayeyamensis</i>				E	●				●	
<b>HYDRAENIDAE</b>										
<i>Hydraena miyatakei</i>					●		●			
<i>Limnebius nakanei</i>				E	●		●			
<i>Limnebius nakanei nakanei</i>				e	○		○			
<i>Limnebius nakanei okinawensis</i>				e	○					
<i>Limnebius taiwanensis</i>					●				●	
<b>HYDROCHIDAE</b>										
<i>Hydrochus japonicus</i>		NT			●		●		●	
<b>HYDROPHILIDAE</b>										
<i>Amphiops mater</i>					●		●		●	
<i>Berosus elongatulus</i>					●				●	
<i>Berosus fairmairei</i>					●		●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Berosus japonicus</i>					●	●				●	
<i>Berosus pulchellus</i>					●			●			
<i>Berosus signaticollis</i>					●						
<i>Berosus signaticollis punctipennis</i>					○						
<i>Cercyon laminatus</i>					●						
<i>Cercyon yayeyama</i>				E	●					●	
<i>Chasmogenus abnormalis</i>					●			●		●	
<i>Coelostoma fallaciosum</i>					●					●	
<i>Coelostoma stultum</i>					●			●		●	
<i>Dactylosternum abdominale</i>					●			●		●	
<i>Enochrus esuriens</i>					●			●		●	
<i>Enochrus japonicus</i>					●			●		●	
<i>Enochrus ryukyuensis</i>					●			●		●	
<i>Enochrus satomii</i>				E	●			●		●	
<i>Enochrus simulans</i>					●			●			
<i>Enochrus subsignatus</i>		NT			●			●		●	
<i>Enochrus uniformis</i>					●			●		●	
<i>Helochares anchoralis</i>					●			●		●	
<i>Helochares ohkurai</i>				E	●			●		●	
<i>Helochares pallens</i>					●			●		●	
<i>Hydrocassis jengi</i>				E	●			●		●	
<i>Hydrochara affinis</i>		DD			●			●		●	
<i>Hydrophilus acuminatus</i>		NT			●			●		●	
<i>Hydrophilus bilineatus</i>					●			●		●	
<i>Hydrophilus bilineatus cashimirensis</i>		VU			○			○		○	
<i>Laccobius nakanei</i>				E	●			●		●	
<i>Laccobius satoi</i>				E	●			●		●	
<i>Paracymus evanescens</i>					●			●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Peithydrus okinawanus</i>		DD		E	●			●		
<i>Regimbaria attenuata</i>					●			●		
<i>Sphaeridium quinquemaculatum</i>					●			●		
<i>Sternolophus inconspicuus</i>					●			●		
<i>Sternolophus rufipes</i>					●	●		●		
<b>HISTERIDAE</b>										
<i>Atholus coelestis</i>					●			●		
<i>Atholus depister</i>					●			●		
<i>Chaetabraeus cohaeres</i>					●			●		
<i>Ebilisia satzumae</i>					●			●		
<i>Eperus uenoi</i>				E	●			●		
<i>Eucurtiopsis hiranoi</i>				E	●			●		
<i>Hypocaccus varians</i>					●			●		
<i>Hypocaccus varians varians</i>					○			○		
<i>Merohister jekeli</i>					●			●		
<i>Merohister uenoi</i>				E	●			●		
<i>Niponius furcatus</i>					●			●		
<i>Paromalus vernalis</i>					●			●		
<i>Platylomalus mendicus</i>					●			●		
<i>Platylomalus persimilis</i>					●			●		
<i>Platysoma cambodjense</i>					●			●		
<i>Platysoma oberthuri</i>				E	●			●		
<i>Platysoma rasile</i>					●			●		
<i>Platysoma schaumei</i>					●			●		
<i>Platysoma takehiko</i>					●			●		
<i>Platysoma unicum</i>					●			●		
<i>Saprinus splendens</i>					●			●		
<b>LEIODIDAE</b>										



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Agathidium alkanae</i>				F	●	●				
<i>Agathidium amamiense</i>				F	●	●				
<i>Agathidium cribratum</i>					●					
<i>Agathidium fujsakiae</i>				F	●	●	●			
<i>Agathidium longicome</i>				F	●	●				
<i>Agathidium narusawae</i>				F	●	●	●			
<i>Agathidium okinawaense</i>				F	●	●	●			
<i>Agathidium saigoii</i>				F	●	●	●			
<i>Cyrtoplastus laevis</i>				F	●	●	●			
<i>Pseudoliodes piceus</i>				F	●	●	●			
<i>Zeadolopus sinensis</i>					●			●		
<b>CATOPIDAE</b>										
<i>Catopodes fuscifrons</i>					●					
<i>Catops amamiensis</i>				F	●	●	●			
<i>Catops nomurai</i>				F	●	●	●			
<i>Micronemadus pusillimus</i>					●	●	●			
<i>Prionocheaeta harmandi</i>					●	●	●			
<i>Prionocheaeta harmandi insulana</i>					○					
<i>Ptomaphagus shibatai</i>				F	●	●	●			
<i>Ptomaphagus amamianus</i>				F	●	●	●			
<i>Sciodreporoides dubius</i>					●	●	●			
<b>SILPHIDAE</b>										
<i>Eusilpha kurosawai</i>				F	●		●			
<i>Necrodes asiaticus</i>					●		●			
<i>Necrophilus nomurai</i>				F	●					
<i>Nicrophorus nepalensis</i>					●		●			
<b>STAPHYLINIDAE</b>										
<i>Acylophorus ruficollis</i>					●		●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Aleochara puberula</i>					●			●		
<i>Anotylus lewisius</i>					●		●			
<i>Astenus angulatus</i>					●					
<i>Astenus brevipes</i>					●	●				
<i>Astenus latifrons</i>					●					
<i>Astenus naomii</i>				E	●				●	
<i>Astenus ohbayashii</i>				E	●					
<i>Astenus shibatai</i>				E	●				●	
<i>Astenus yonezoi</i>				E	●	●				
<i>Atanygnathus terminalis</i>					●					
<i>Atopocnemis nomurai</i>				E	●					
<i>Cafius corallicola</i>				E	●				●	
<i>Cafius rufescens</i>					●				●	
<i>Carpelimus siamensis</i>					●			●		
<i>Carpelimus vagus</i>					●			●		
<i>Charichirus chinensis</i>					●			●		
<i>Cilea silphoides</i>					●			●		
<i>Creochara brevipennis</i>					●					
<i>Creophilus maxillosus</i>					●			●		
<i>Derispia miyatakei</i>				E	●					
<i>Derops okinawanus</i>				E	●					
<i>Dianous amamiensis</i>				E	●					
<i>Dianous yoshidai</i>				E	●				●	
<i>Edaphus okinawaensis</i>				E	●			●		
<i>Edaphus riukuensis</i>				E	●			●		
<i>Euphalerum amamiense</i>				E	●					
<i>Euphalerum kana</i>				E	●				●	
<i>Gabronthus sulcifrons</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Gabronthus thermanum</i>					●			●			
<i>Hypocyrtus nomurai</i>				E	●			●			
<i>Lathrobium unicolor</i>					●			●			
<i>Lathrobium pallipes</i>					●			●			
<i>Leucocraspedum parvum</i>				E	●			●			
<i>Lispinus jambar</i>					●			●			
<i>Lispinus strigiventris</i>					●			●			
<i>Lithocharis nigriceps</i>					●			●			
<i>Lithocharis nigriceps</i>					●			●			
<i>Lobrothium amamiense</i>				E	●			●			
<i>Lobrothium cribricolle</i>					●			●			
<i>Lobrothium ryukyense</i>				E	●			●			
<i>Megalopinus hirashimai</i>				E	●			●			
<i>Nacaeus iriomotensis</i>				E	●			●			
<i>Nacaeus japonicus</i>				E	●			●			
<i>Nacaeus newtoniellus</i>				E	●			●			
<i>Nazeris gotoi</i>				E	●			●			
<i>Nazeris okinawanus</i>				E	●			●			
<i>Nazeris okinawanus amamianus</i>				e	○			○			
<i>Nazeris okinawanus okinawanus</i>				e	○			○			
<i>Neobisnius praelongus</i>					●			●			
<i>Neobisnius inornatus</i>					●			●			
<i>Nipponophloeostiba verrucifera</i>					●			●			
<i>Ochtheophilum harusawai</i>				E	●			●			
<i>Ochtheophilum japonicum</i>					●			●			
<i>Oedechirus idae</i>					●			●			
<i>Oedechirus lewisii</i>					●			●			
<i>Oxytelus bengalensis</i>					●			●			
<i>Oxytelus incisus</i>					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Oxytelus migrator</i>					●				Irimoto Is.	
<i>Oxytelus nigriceps</i>					●			●		
<i>Oxytelus puncticeps</i>					●			●		
<i>Pachycorynus dimideatus</i>				E	●			●		
<i>Paederus fuscipes</i>					●					
<i>Palaminus formosae</i>					●					
<i>Palaminus japonicus</i>					●					
<i>Paracilea insulicola</i>					●					
<i>Phacopsallus flavipennis</i>					●					
<i>Philonthus aeneipennis</i>					●					
<i>Philonthus amamiensis</i>				E	●					
<i>Philonthus discoideus</i>					●					
<i>Philonthus flavipes</i>					●					
<i>Philonthus geminus</i>					●					
<i>Philonthus lewisii</i>					●					
<i>Philonthus notabilis</i>					●					
<i>Philonthus quisquiliarius</i>					●					
<i>Philonthus solidus</i>					●					
<i>Philonthus variipennis</i>					●					
<i>Phucobius densipennis</i>				E	●					
<i>Pinophilus rufipennis</i>					●					
<i>Pinophilus sautteri</i>					●					
<i>Platydracus amamiensis</i>				E	●					
<i>Priochirus kimurai</i>				E	●					
<i>Priochirus yasutoshii</i>				E	●					
<i>Procirrus lewisii</i>					●					
<i>Rugilus ceylanensis</i>					●					
<i>Rugilus japonicus</i>				E	●					

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Saegerius japonicus</i>					●					
<i>Scopaeus virilis</i>					●			●		
<i>Sepedophilus apicalis</i>				E	●			●		
<i>Sepedophilus armatus</i>				E	●			●		
<i>Sepedophilus elegantissimus</i>				E	●			●		
<i>Sepedophilus glabratus</i>					●			●		
<i>Sepedophilus glabratus okinawanis</i>				e	○			○		
<i>Sepedophilus iriomotensis</i>				E	●				●	
<i>Sepedophilus lewisii</i>					●					
<i>Sepedophilus quadricurcatus</i>				E	●			●		
<i>Siagonium densepunctatum</i>				E	●			●		
<i>Stenaesthetus okinawaensis</i>				E	●			●		
<i>Stenus amamiensis</i>				E	●			●		
<i>Stenus flavidulus</i>					●			●		
<i>Stenus flavidulus paederinus</i>					○			○		
<i>Stenus gestroi</i>					●			●		
<i>Stenus gestroi stigmatipennis</i>					○			○		
<i>Stenus gestroi takara</i>					○			○		
<i>Stenus hagoromo</i>				E	●				●	
<i>Stenus lentus</i>					●				●	
<i>Stenus oshimaensis</i>				E	●					
<i>Stenus punctifer</i>				E	●					
<i>Stenus riukuensis</i>				E	●			●		
<i>Stenus rugipennis</i>					●			●		
<i>Stillicoderus duplicatus</i>				E	●					
<i>Stillicopsis insulicola</i>					●				●	
<i>Tachinus iriomotensis</i>				E	●				●	
<i>Tetrabothrus japonicus</i>					●			●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Trichopsepius brunneus</i>				E	●					
<i>Trichopsepius serratus</i>				E	●					
<i>Velleius amamiensis</i>				E	●					
<b>PSELAPHIDAE</b>										
<i>Apharinodes papageno</i>		DD		E	●		●			
<i>Arthromelodes giganteus</i>				E	●					
<i>Arthromelodes punctifrons</i>				E	●					
<i>Babascenellus macroscapus</i>				E	●				●	
<i>Batraxis splendida</i>				E	●			●	●	
<i>Batriscenaulax kleinzach</i>				E	●				●	
<i>Batriscenaulax kunigamensis</i>				E	●			●		
<i>Batriscenaulax nagensis</i>				E	●			●		
<i>Batriscenellus sakaii</i>				E	●			●		
<i>Batriscopisus amamianus</i>				E	●			●		
<i>Batriscopisus constrictus</i>				E	●			●		
<i>Batriscopisus monostatus</i>				E	●			●		
<i>Batriscopisus tamino</i>				E	●			●		
<i>Batriscopisus torticornis</i>				E	●				●	
<i>Bryaxis iriomotensis</i>				E	●				●	
<i>Halohermatus regulus</i>				E	●				●	
<i>Hyugatyachus tokunoshimensis</i>				E	●				●	
<i>Micrellytriger mirabilis</i>				E	●					
<i>Micrellytriger nakatai</i>				E	●					
<i>Physomerinus schenkingi</i>				E	●			●		
<i>Pselaphogenius lanceolatus</i>				E	●					
<i>Thalassomerus miyakei</i>				E	●					
<i>Tribasodites picticornis</i>				E	●				●	
<i>Triomictus hamifer</i>				E	●			●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Triomicrus melini</i>				E	●					
<b>SCAPHIDIIDAE</b>										
<i>Eubaeocera caliginosa</i>				E	○			○		
<i>Scaphidium reitteri</i>					●					
<i>Scaphisoma brunneonotatum</i>					●			●		
<i>Scaphisoma conforme</i>					○			○		
<i>Scaphisoma conforme okinawense</i>				e	○			○		
<i>Scaphisoma insulanum</i>				E	●					
<i>Scaphisoma itomotense</i>				E	●					
<i>Scaphisoma rubrum</i>					●			●		
<i>Scaphisoma rufum</i>					●			●		
<i>Scaphisoma sakaii</i>				E	○			○		
<b>HELODIDAE</b>										
<i>Cyphon formosanus</i>					●			●		
<i>Cyphon hashimotorum</i>				E	●					
<i>Cyphon intermedius</i>					●					
<i>Cyphon puncticeps</i>					○			○		
<i>Cyphon puncticeps hisamatsui</i>				e	○			○		
<i>Cyphon sinuosus</i>				E	●			●		
<i>Sacodes amamiensis</i>				E	●			●		
<i>Scirtes japonicus</i>					●			●		
<i>Scirtes okinawanus</i>				E	●			●		
<i>Scirtes okinawanus okinawanus</i>				e	○			○		
<i>Scirtes okinawanus yayeyamanus</i>				e	○			○		
<i>Scirtes sakishimanus</i>				E	●			●		
<i>Scirtes tsumaguro</i>				E	●			●		
<b>RHIPICERIDAE</b>										
<i>Sandalus kani</i>				E	●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<b>LUCANIDAE</b>												
<i>Aegus laevicollis</i>					●	●	●	●	●	●	●	
<i>Aegus laevicollis ishigakiensis</i>				e	○					○		
<i>Aegus laevicollis nakanei</i>				e	○						○	
<i>Aegus laevicollis taurulus</i>				e	○							
<i>Dorcus amamianus</i>				E	●	○	●	●	●	●	●	
<i>Dorcus amamianus amamianus</i>				e	○							
<i>Dorcus amamianus kubotai</i>				e	○							
<i>Dorcus amamianus nomurai</i>				e	○							
<i>Dorcus amamianus yaeyamaensis</i>				e	○							
<i>Dorcus japonicus</i>					●							
<i>Dorcus metacostatus</i>				E	●	●	●	●	●	●	●	
<i>Dorcus titanus</i>					●	○	●	●	●	●	●	
<i>Dorcus titanus elegans</i>				e	○							
<i>Dorcus titanus okinawanus</i>				e	○							
<i>Dorcus titanus sakishimanus</i>				e	○							
<i>Dorcus titanus tokunoshimaensis</i>				e	○							
<i>Figulus punctatus</i>					●							
<i>Lucanus ferriei</i>				E	●							
<i>Neolucanus insularis</i>				E	●							
<i>Neolucanus insulicola</i>				E	●							
<i>Neolucanus insulicola insulicola</i>		NT		e	○							
<i>Neolucanus okinawanus</i>		VU		E	●							
<i>Neolucanus protogenetivus</i>				E	●							
<i>Neolucanus protogenetivus protogenetivus</i>		VU		e	○							
<i>Nigidius lewisi</i>					●							
<i>Prosopocoilus dissimilis</i>					●							
<i>Prosopocoilus dissimilis dissimilis</i>				e	○							



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Prosopocoilus dissimilis makinoi</i>				e	○					
<i>Prosopocoilus dissimilis okinawanus</i>				e	○		○			
<i>Prosopocoilus pseudodissimilis</i>				E	●			●		
<i>Rhaetulus recticomis</i>				E	●		●			
<b>CERATOBANTHIDAE</b>				E	●			●		
<i>Madrasostes hisamatsui</i>										
<b>TROGIDAE</b>				E	●					
<i>Trox sugayai</i>				E	●					
<i>Trox uenoi</i>				E	●					
<i>Trox yamayai</i>				E	●					
<b>GEOTRUPIDAE</b>				E	●					
<i>Bolbelasmus ishigakiensis</i>				E	●				●	
<i>Bolbelasmus shibatai</i>				E	●					
<i>Bolbochromus ryukyuensis</i>				E	●				●	
<i>Geotrupes oshimanus</i>				E	●				●	
<b>HYBOSORIDAE</b>										
<i>Phaeochrous emarginatus</i>					●				●	
<i>Phaeochrous emarginatus emarginatus</i>					○				○	
<b>SCARABAEIDAE</b>										
<i>Adoretus faiciungulatus</i>				E	●				●	
<i>Adoretus formosanus</i>					○				○	
<i>Adoretus formosanus sakishimanus</i>				e	○				○	
<i>Adoretus sinicus</i>					●				●	
<i>Adoretus tenuimaculatus</i>					●				●	
<i>Trypoxylus dichotomus takarai</i>		DD		e	○				○	
<i>Amphicoma splendens</i>				E	●				●	
<i>Anomala albopilosa</i>					●				●	
<i>Anomala albopilosa gracilis</i>					○				○	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Anomala albopilosa sakishimana</i>				e	○				○		
<i>Anomala albopilosa yashiroi</i>				e	○			○			
<i>Anomala chloroderma</i>				E	●		●	●			
<i>Anomala cpustulatus</i>				●	●				○		
<i>Anomala cpustulatus cpustulatus</i>				e	○						
<i>Anomala cuprea</i>				●	●						
<i>Anomala edentula</i>				●	●						
<i>Anomala edentula amamiana</i>				e	○		○	●			
<i>Anomala edentula okinawana</i>				e	○			○			
<i>Anomala edentula yaeyamana</i>				e	○				○		
<i>Anomala esakii</i>				E	●				●		
<i>Anomala geniculata</i>				●	●						
<i>Anomala limbuera</i>				○	○				○		
<i>Anomala limbuera yanoi</i>				e	○				○		
<i>Anomala nijimae</i>				E	●				●		
<i>Anomala octescostata</i>				●	●						
<i>Anomala shiraki</i>				E	●				●		
<i>Anomala triangularis</i>				●	●						
<i>Anomala triangularis triangularis</i>				○	○				○		
<i>Anomala xanthopleura</i>				●	●				●		
<i>Aphodius atusuhii</i>				E	●						
<i>Aphodius brachysomus</i>		DD		●	●						
<i>Aphodius elegans</i>				●	●						
<i>Aphodius marginellus</i>				●	●						
<i>Aphodius ohishii</i>				●	●						
<i>Aphodius inouei</i>		NT		●	●						
<i>Aphodius sublimbatus</i>				●	●						
<i>Aphodius uniformis</i>				●	●						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Aphodius uniplagiatus</i>					●				●	
<i>Aphodius urostigma</i>					●				●	
<i>Apogonia bicarinata</i>					●	●	●	●	●	
<i>Apogonia bicarinata bicarinata</i>					○	○	●	●	●	
<i>Apogonia bicarinata okinawana</i>				e	○		○			
<i>Apogonia bicarinata yaeyamana</i>				e	○			○		
<i>Apogonia bicavata</i>					●		●			
<i>Apogonia shibuyai</i>					●	●	●	●	●	
<i>Ataenius okinawensis</i>				E	●		●			
<i>Blitopertha okinawaensis</i>				E	●		●			
<i>Brahmina sakishimana</i>				E	●				●	
<i>Brahmina yasuii</i>				E	●				●	
<i>Callinomes ishikawai</i>				E	●				●	
<i>Charitovagus laetus</i>				E	●				●	
<i>Cheirtonotus jambar</i>	EN	EN	NM	E	●		●			
<i>Coenochilus striatus</i>					●				●	
<i>Copris brachypterus</i>		VU		E	●					
<i>Copris ochus</i>		VU			●					
<i>Cosmiomorpha similis</i>				E	●				●	
<i>Cosmiomorpha similis nigra</i>				e	○				○	
<i>Dasytlepida ishigakiensis</i>				E	●				●	
<i>Dialytes foveatus</i>					●			●	●	
<i>Ectinohoplia gracilipes</i>					●			●	●	
<i>Eophileurus chinensis</i>					●			●	●	
<i>Eophileurus chinensis irregularis</i>				e	○					
<i>Eophileurus chinensis okinawanus</i>				e	○			○	○	
<i>Epirichius lagopus</i>				E	●				●	
<i>Gametis forticula</i>					●			●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Gametis forticula forticula</i>				e	○	○	○	○	○	
<i>Gametis forticula ishigakiana</i>				e	○	○	○	○	○	
<i>Gastromaladera major</i>				E	●	●	●	●	●	
<i>Holotrichia amamiana</i>				E	●	●	●	●	●	
<i>Holotrichia aritai</i>				E	●	●	●	●	●	
<i>Holotrichia loochooana</i>				E	●	●	●	●	●	
<i>Holotrichia loochooana loochooana</i>				e	○	○	○	○	○	
<i>Holotrichia loochooana okinawana</i>				e	○	○	○	○	○	
<i>Hoplia shirakii</i>				E	●	●	●	●	●	
<i>Hoplomaladera saitoi</i>				E	●	●	●	●	●	
<i>Maladera amamiana</i>				E	●	●	●	●	●	
<i>Maladera hiranoi</i>				E	●	●	●	●	●	
<i>Maladera impressithorax</i>				E	●	●	●	●	●	
<i>Maladera impressithorax impressithorax</i>				e	○	○	○	○	○	
<i>Maladera impressithorax okinoerabuana</i>				e	○	○	○	○	○	
<i>Maladera japonica</i>				e	○	○	○	○	○	
<i>Maladera japonica yaeyamana</i>				e	○	○	○	○	○	
<i>Maladera nitidiceps</i>				E	●	●	●	●	●	
<i>Maladera nitidorsis</i>				E	●	●	●	●	●	
<i>Maladera okinawaensis</i>				E	●	●	●	●	●	
<i>Maladera opima</i>				E	●	●	●	●	●	
<i>Maladera oshimana</i>				e	○	○	○	○	○	
<i>Maladera oshimana okinawana</i>				e	○	○	○	○	○	
<i>Maladera oshimana oshimana</i>				e	○	○	○	○	○	
<i>Maladera oshimana sakishimana</i>				e	○	○	○	○	○	
<i>Melolontha masafumii</i>				E	●	●	●	●	●	
<i>Melolontha tamina</i>				E	●	●	●	●	●	
<i>Mimela ignicauda</i>				E	○	○	○	○	○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Mimela ignicauda sakishimana</i>		DD		e	○					○	
<i>Mimela testaceoviridis</i>					●			●			
<i>Miridiba trichophora</i>					○				○		
<i>Nipponovalgus yonakuniensis</i>				E	●			●	●		
<i>Ochodaeus asahinai</i>					●				●		
<i>Ochodaeus maculatus</i>				E	○			○			
<i>Ochodaeus maculatus carinatus</i>				e	○			○			
<i>Ochodaeus maculatus</i>					○				○		
<i>Ochodaeus maculatus interruptus</i>					○				○		
<i>Odochilus convexus</i>				E	●				●		
<i>Ohkubous ferrieri</i>					○				○		
<i>Ohkubous ferrieri ferrieri</i>				e	○				○		
<i>Onthophagus acuticollis</i>					○				○		
<i>Onthophagus acuticollis sakishimanus</i>				e	○				○		
<i>Onthophagus amamiensis</i>				E	●			●			
<i>Onthophagus atripennis</i>					●				●		
<i>Onthophagus atripennis apicinctus</i>				e	○				○		
<i>Onthophagus carniarius</i>					●			●			
<i>Onthophagus discedens</i>					●				●		
<i>Onthophagus lutosopictus</i>					●				●		
<i>Onthophagus murasakianus</i>				E	●				●		
<i>Onthophagus oshimanus</i>				E	●			●			
<i>Onthophagus shibatai</i>				E	●			●			
<i>Onthophagus shirakii</i>				E	●			●			
<i>Onthophagus suginoi</i>				E	●			●			
<i>Onthophagus viduus</i>					●			●			
<i>Pachyserica yanoi</i>				E	●			●			
<i>Panelus rufulus</i>				E	●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Paraphytus dentifrons</i>					●	●				
<i>Paraserica gricea</i>					●		●			
<i>Parastasia oberthuri</i>					○			○		
<i>Parastasia oberthuri ishigakiana</i>				e	○			○		
<i>Paratrichiulus duplicatus</i>				E	●		●			
<i>Paratrichiulus duplicatus duplicatus</i>				e	○		○			
<i>Paratrichiulus duplicatus okinawanus</i>				e	○		○			
<i>Polyphylia schoenfeldtii</i>				E	●		●			
<i>Popillia insularis</i>				E	●		●			
<i>Popillia lewisi</i>				E	●		●	●		
<i>Proagoperttha ohbayashii</i>				E	●		●			
<i>Protaetia culta</i>					●			●		
<i>Protaetia exasperata</i>					●		●	●		
<i>Protaetia exasperata akita</i>				e	○		○			
<i>Protaetia exasperata exasperata</i>				e	○					
<i>Protaetia exasperata nomurai</i>				e	○		○			
<i>Protaetia exasperata satoi</i>				e	○			○		
<i>Protaetia ishigakia</i>					●		●	●		
<i>Protaetia ishigakia ishigakia</i>				e	○			○		
<i>Protaetia ishigakia okinawana</i>				e	○		○			
<i>Protaetia lewisi leachi</i>				e	○		○			
<i>Protaetia lewisi lewisi</i>					○			○		
<i>Protaetia miyakoensis</i>				E	●		●			
<i>Protaetia orientalis</i>					○		○			
<i>Protaetia orientalis submammorea</i>					○		○			
<i>Protaetia pryeri</i>					●		●			
<i>Protaetia pryeri oschimana</i>					○		○			
<i>Protaetia pryeri pryeri</i>					○		○			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Psammodytes lineatus</i>				E	●				●	
<i>Psammodytes thalassidromus</i>				E	●			●		
<i>Rhomborrhina hamai</i>				E	●				●	
<i>Rhomborrhina unicolor</i>					●					
<i>Rhyparus amamiensis</i>					●					
<i>Rhyparus helopholoides</i>					●					
<i>Rhyparus peninsularis</i>					●					
<i>Saprosites japonicus</i>					●					
<i>Saprosites narae</i>					●					
<i>Sophraps kawadai</i>				E	●				●	
<i>Sophraps kawadai kawadai</i>				e	○					
<i>Sophraps kawadai okinawaensis</i>				e	○					
<i>Sophraps konishii konishii</i>				e	○					
<i>Trichiorhyssemus aspenullus</i>				E	●				●	
<i>Tricholontha papagena</i>					●					
<b>PTILODACTYLIDAE</b>										
<i>Epilichas flabellatus</i>					○				○	
<i>Epilichas flabellatus amamiensis</i>				e	○					
<i>Epilichas flabellatus okinawanus</i>				e	○					
<i>Epilichas flabellatus tamaii</i>				e	○					
<i>Epilichas yakushimensis</i>					●				●	
<i>Epilichas yakushimensis iriomotensis</i>				e	○				○	
<i>Epilichas yakushimensis oshimanus</i>				e	○					
<i>Ptilodactyla amamioshimana</i>					●				●	
<i>Ptilodactyla ishigakiana</i>				E	●				●	
<i>Ptilodactyla takahashii</i>				E	●				●	
<b>CHELONARIIDAE</b>										
<i>Chelonarium ohbayashii</i>				E	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus			Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	
<i>Pseudocheilonarium yakushimaenum</i>					●			●	
<b>PSEPHENIDAE</b>									
<i>Eubrianax lochooensis</i>				E	●			●	
<i>Eubrianax manakikikuse</i>				E	●			●	
<i>Eubrianax manakikikuse amamiensis</i>				e	○			○	
<i>Eubrianax manakikikuse manakikikuse</i>				e	○			○	
<i>Eubrianax nobuoi</i>				E	●				
<i>Macroebria lewisi</i>				E	●				
<i>Macroebria okinawana</i>				E	●			●	
<i>Spineubria reticulata</i>				E	●				
<b>ELMIDAE</b>									
<i>Grouvellinus subopacus</i>				E	●			●	
<i>Nomuraelmis amamiensis</i>				E	●			●	
<i>Ordobrevia amamiensis</i>				e	○			○	
<i>Ordobrevia amamiensis amamiensis</i>					○				
<i>Ordobrevia amamiensis okinawana</i>					○			○	
<i>Stenelmis hisamatsui</i>				E	●			●	
<i>Stenelmis ishiharai</i>				E	●				
<i>Urumaelmis uenoi</i>				E	●				
<i>Urumaelmis uenoi uenoi</i>				e	○			○	
<i>Zaitzevia aritai</i>				E	●				
<i>Zaitzevia elongata</i>				E	●			●	
<i>Zaitzevia yaeyamana</i>				E	●				
<b>DRYOPIDAE</b>									
<i>Elmomorphus brevicornis</i>					●			●	
<i>Elmomorphus brevicornis amamiensis</i>				e	○			○	
<b>LIMNICHIDAE</b>									
<i>Acontosceles yorioi</i>				E	●				●



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Babalimnichus masamii</i>					●	●		●			
<i>Chibidoronus aureus</i>				E	●			●			
<i>Hyphalus taekoa</i>				E	●			●			
<i>Linnichomorphus ohbayashii</i>				E	●			●			
<i>Pelochares ryukyensis</i>					●			●			
<b>HETEROCERIDAE</b>											
<i>Heterocerus fenestratus</i>					●			●			
<b>BUPRESTIDAE</b>											
<i>Acmaeodera luzonica</i>					●			●			
<i>Agrilus alesi</i>					●			●			
<i>Agrilus alesi alesi</i>					●			○			
<i>Agrilus alesi sacchari</i>					○						
<i>Agrilus amamioshimanus</i>				E	●			●			
<i>Agrilus auroapicalis</i>					●				●		
<i>Agrilus auroapicalis ishigakianus</i>				e	○				○		
<i>Agrilus auropictus</i>					●			●			
<i>Agrilus auropictus kanohi</i>					○			○			
<i>Agrilus auropictus ryukyensis</i>				e	○				○		
<i>Agrilus carinohumeralis</i>				E	●			●			
<i>Agrilus deguchii</i>				E	●			●			
<i>Agrilus esakii</i>				E	●			●			
<i>Agrilus hirashimai</i>				E	●			●			
<i>Agrilus hirashimai hirashimai</i>				e	○			○			
<i>Agrilus hornianus</i>					●			●			
<i>Agrilus hornianus hornianus</i>					○			○			
<i>Agrilus mallotiellus</i>					●						
<i>Agrilus nagaoi</i>				E	●			●			
<i>Agrilus okinawensis</i>					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Agrilus okinawensis okinawensis</i>					○					○	
<i>Agrilus okinawensis shiozaki</i>				e	○			○			
<i>Agrilus samuelsoni</i>				E	●					●	
<i>Agrilus shibatai</i>				E	●			●		●	
<i>Agrilus suginoi</i>				E	●					●	
<i>Agrilus takaii</i>				E	●					●	
<i>Agrilus uenoi</i>				E	●			●		●	
<i>Agrilus yamawakii</i>				E	●			●			
<i>Agrilus yasumatsui</i>				E	●			●			
<i>Agrilus yonahaensis</i>				E	●			●			
<i>Anthaxia arakii</i>				E	●			●			
<i>Anthaxia lhanatsumi</i>				E	●						
<i>Anthaxia moya</i>				E	●					●	
<i>Buprestis esakii</i>				E	●			●			
<i>Buprestis haemorrhoidalis</i>				E	●			●		●	
<i>Buprestis haemorrhoidalis arakii</i>				e	○			○			
<i>Buprestis haemorrhoidalis japonensis</i>					○					○	
<i>Chalcophora japonica</i>					●			●		●	
<i>Chalcophora japonica miwai</i>					○					○	
<i>Chalcophora japonica oshimana</i>				e	○			○			
<i>Chalcophora yunnana</i>					●			●		●	
<i>Chalcophora yunnana abnormalis</i>					○			○		○	
<i>Chalcophora yunnana insularis</i>				e	○			○			
<i>Chrysobothris ohnoi</i>					●			●			
<i>Chrysobothris saliaris</i>				E	●			●		●	
<i>Chrysobothris saliaris saliaris</i>				e	○			○			
<i>Chrysobothris saliaris yaeyamana</i>				e	○					○	
<i>Chrysochroa fulgidissima</i>					○			○			

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Chrysoschroa fulgidissima alternans</i>				e	○	○	○	○		
<i>Chrysodema lewisii</i>				●	●	○	○	●		
<i>Chrysodema manillarum</i>				●	●	●	○	●		
<i>Coraebeus amamianus</i>				●	●	●	○	●		
<i>Coraebeus formosanus</i>				●	●	●	○	●		
<i>Coraebeus formosanus heikichii</i>				○	○	○	○	○		
<i>Coraebeus formosanus nishiyamai</i>				○	○	○	○	○		
<i>Coraebeus formosanus oshimensis</i>				○	○	○	○	○		
<i>Coraebeus fukamachii</i>				●	●	○	○	●		
<i>Coraebeus hastanus</i>				○	○	○	○	○		
<i>Coraebeus hastanus oberthueri</i>				○	○	○	○	○		
<i>Coraebeus ignotus</i>				●	●	●	○	●		
<i>Coraebeus ignotus okinawanus</i>				○	○	○	○	○		
<i>Coraebeus ignotus shibatai</i>				○	○	○	○	○		
<i>Coraebeus iriei</i>				●	●	●	○	●		
<i>Coraebeus iriei iriei</i>				○	○	○	○	○		
<i>Coraebeus iriei yoshimotoi</i>				○	○	○	○	○		
<i>Coraebeus lochooensis</i>				●	●	●	○	●		
<i>Coraebeus niponicus</i>				●	●	●	○	●		
<i>Endelus collaris</i>				●	●	●	○	●		
<i>Endelus collaris kerremansi</i>				○	○	○	○	○		
<i>Endelus pyrosiae</i>				●	●	●	○	●		
<i>Endelus pyrosiae aokii</i>				○	○	○	○	○		
<i>Habroloma asahinae</i>				●	●	●	○	●		
<i>Habroloma eximium</i>				●	●	●	○	●		
<i>Habroloma eximium eupoetum</i>				○	○	○	○	○		
<i>Habroloma liukuense</i>				●	●	●	○	●		
<i>Habroloma nixillum</i>				●	●	●	○	●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Habroloma nixillum insulicola</i>				e	○					
<i>Mastogenius insperatus</i>					●			●	●	
<i>Nalanda rutilicollis</i>					●			●	●	
<i>Nalanda rutilicollis rutilicollis</i>					○					
<i>Nalanda rutilicollis ryukyuensis</i>				e	○			○	○	
<i>Ovalisia tonkinea</i>					○			○		
<i>Ovalisia tonkinea intermedia</i>					○			○		
<i>Paratrachys hederæ</i>					●			●		
<i>Paratrachys hederæ chujoii</i>				e	○			○		
<i>Paratrachys hederæ princeps</i>				e	○			○		
<i>Sambus quadricolor</i>					●			●		
<i>Sambus quadricolor quadricolor</i>					○			○		
<i>Sambus yaeyamanus</i>				E	●			●	●	
<i>Toxoscelus amamiensis</i>				E	●			●		
<i>Toxoscelus miwai</i>				E	●				●	
<i>Toxoscelus miwai miwai</i>				e	○				○	
<i>Toxoscelus yakushimensis</i>					●			●		
<i>Toxoscelus yakushimensis akiyamai</i>				e	○			○		
<i>Toxoscelus yakushimensis gressitti</i>				e	○			○		
<i>Trachys dilaticeps</i>					●			●	●	
<b>CALLIRHIPIDAE</b>										
<i>Callirhipis kurosawai</i>				E	●			●		
<i>Horatocera oshimana</i>				E	●					
<b>ELATERIDAE</b>										
<i>Abelater pulcherus</i>				E	●				●	
<i>Abelater satoi</i>				E	●				●	
<i>Abelater shirozui</i>					●					
<i>Actenicerus nagaoui</i>				E	●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Adelocera brunneus</i>					●	●					
<i>Adelocera difficilis</i>					●						
<i>Aeoloderma agnatum</i>					●		●				
<i>Aeoloderma brachmana</i>					●	●			●		
<i>Agriotes asaakai</i>				E	●						
<i>Agriotes hirayamai</i>				E	●						
<i>Agrypnus amamiensis</i>				E	●						
<i>Agrypnus amamiensis amamiensis</i>				e	○			●			
<i>Agrypnus amamiensis okinawanus</i>				e	○			○			
<i>Agrypnus arenicola</i>				E	●						
<i>Agrypnus binodulus</i>					●		●		●		
<i>Agrypnus binodulus sakishimanus</i>				e	○				○		
<i>Agrypnus binodulus tamurai</i>				e	○						
<i>Agrypnus formosanus</i>					●						
<i>Agrypnus miyakei</i>				E	●			●			
<i>Agrypnus miyakei miyakei</i>				e	○			○			
<i>Agrypnus miyakei seinoi</i>				e	○			○			
<i>Agrypnus miyamotoi</i>					●						
<i>Agrypnus miyamotoi heianus</i>				e	○						
<i>Agrypnus miyamotoi ihai</i>				e	○						
<i>Agrypnus miyamotoi tsushimensis</i>					○						
<i>Agrypnus nagaoui</i>					●						
<i>Agrypnus oshimanus</i>				E	●						
<i>Agrypnus sakaguchii</i>					●						
<i>Agrypnus scutellaris</i>					●						
<i>Agrypnus scutellaris amamianus</i>					○						
<i>Agrypnus scutellaris hamai</i>					○						
<i>Agrypnus scutellaris scutellaris</i>					○						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Agrypnus setiger</i>					●					●	
<i>Agrypnus taciturnus</i>					○			○		○	
<i>Agrypnus taciturnus ryukyuensis</i>				e	○			○		○	
<i>Agrypnus yuppe</i>					●			●		●	
<i>Allocephalus nigroapicalis</i>				E	●			●		●	
<i>Ampedus amamiensis</i>				E	●			●			
<i>Ampedus aritai</i>				E	●			●			
<i>Ampedus aritai aritai</i>				e	○			○			
<i>Ampedus aritai kuniyoshii</i>				e	○			○			
<i>Ampedus aritai mikiyensis</i>				e	○			○			
<i>Ampedus nomurai</i>				E	●			●			
<i>Anchastus aquilis</i>					○			○		○	
<i>Anchastus aquilis ryukyuensis</i>					○			○		○	
<i>Anchastus castaneus</i>				E	●			●		●	
<i>Anchastus nagaoi</i>				E	●			●			
<i>Anthracaetus sakaguchii</i>					●			●		●	
<i>Camposternus auratus</i>					●			●			
<i>Camposternus matsumurae</i>				E	●			●		●	
<i>Cardiotsarus pallidipes</i>					○			○			
<i>Cardiotsarus pallidipes yamazakii</i>				e	○			○			
<i>Chatanayus insularis</i>					●			●		●	
<i>Chatanayus insularis insularis</i>					○			○		○	
<i>Chatanayus insularis isaoi</i>				e	○			○			
<i>Chatanayus ishiharai seinoi</i>				e	○			○			
<i>Chiagosnius akashii</i>				E	●			●		●	
<i>Chiagosnius okinawensis</i>				E	●			●		●	
<i>Chiagosnius vittiger</i>					○			○		○	
<i>Chiagosnius vittiger fuscomarginatus</i>					○			○		○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Ectamenogonus amamiensis</i>				F	●	●					
<i>Elater babai</i>				F	●	●					
<i>Elater babai babai</i>				e	○						
<i>Elater babai seinoi</i>				e	○						
<i>Elater sakishimensis</i>				F	●				●		
<i>Elater sieboldi</i>				e	○				●		
<i>Elater sieboldi amami</i>				○	○						
<i>Elater sieboldi sieboldi</i>				○	○				○		
<i>Feutiauxellus curatus</i>				○	○						
<i>Feutiauxellus curatus kishiii</i>				e	○						
<i>Feutiauxellus curatus okina wanus</i>				e	○			○			
<i>Gambrius amamiensis</i>				F	●						
<i>Glyphonyx esakii</i>				F	●						
<i>Glyphonyx haterumarum</i>				F	●						
<i>Glyphonyx haterumarum haterumarum</i>				e	○				○		
<i>Glyphonyx ihai</i>				F	●						
<i>Glyphonyx iriomotensis</i>				F	●						
<i>Glyphonyx kishiii</i>				F	●						
<i>Glyphonyx makiharai</i>				F	●						
<i>Glyphonyx matobai</i>				F	●						
<i>Glyphonyx nomurai</i>				F	●						
<i>Glyphonyx okinawanus</i>				F	●						
<i>Glyphonyx pallidipes</i>				F	●						
<i>Glyphonyx shibatai</i>				F	●						
<i>Glyphonyx tamurai</i>				F	●						
<i>Glyphonyx tamurai tamurai</i>				e	○						
<i>Glyphonyx tamurai yamayai</i>				e	○						
<i>Glyphonyx yoshimotoi</i>				F	●						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Glyphonyx yuwancola</i>				F	●	●				
<i>Glyphonyx yuwancola yambarus</i>				e	○					
<i>Glyphonyx yuwancola yuwancola</i>				e	○					
<i>Haterumelater bicarinatus</i>					○	○	○	○		
<i>Haterumelater bicarinatus shibatai</i>					○	○	○	○		
<i>Hayekpenthès pallidus</i>				e	○			○		
<i>Hayekpenthès pallidus masakii</i>				e	○			○		
<i>Hayekpenthès pallidus tokunoshimensis</i>				E	●					
<i>Hemicrepidius amami</i>					○	○				
<i>Hemicrepidius desertor</i>				e	○					
<i>Hemicrepidius desertor amamicola</i>					○					
<i>Hemicrepidius secessus</i>				e	●			●		
<i>Hemicrepidius secessus kuniyoshii</i>					○					
<i>Hemicrepidius secessus secessus</i>					○			○		
<i>Heteroderes prosternalis</i>					●			●		
<i>Insullectinus amami</i>				E	●					
<i>Ischiodontus kawaii</i>					●					
<i>Lacon churakagi</i>				E	●				●	
<i>Lacon parallelus</i>					●					
<i>Lacon parallelus amamiensis</i>				e	○					
<i>Lacon parallelus parallelus</i>					○					
<i>Lacon yayeyamanus</i>					●			●		
<i>Lanecarus ihai</i>				E	●			●		
<i>Malaxia elongata</i>				E	○					
<i>Megapenthes azumai</i>				E	○				○	
<i>Megapenthes shirozui</i>					○					
<i>Megapenthes shirozui taichii</i>				e	○					
<i>Melanotus amamiensis</i>				E	●			●		



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Melanotus amamiensis amamiensis</i>				e	○	○				
<i>Melanotus amamiensis yambaru</i>				e	○		○			
<i>Melanotus bannaensis</i>				E	●			●		
<i>Melanotus cete</i>					●					
<i>Melanotus cete cete</i>					○					
<i>Melanotus ishigakianus</i>				E	●			●		
<i>Melanotus lochooensis</i>				E	●			●		
<i>Melanotus lochooensis lochooensis</i>				e	○		○	○		
<i>Melanotus lochooensis tanchamells</i>					○					
<i>Melanotus masakii</i>				E	●					
<i>Melanotus okinawensis</i>					●		●	●		
<i>Melanotus omotoensis</i>				E	●				●	
<i>Melanotus oshimanus</i>				E	●			●		
<i>Melanotus restrictus</i>					●			●		
<i>Melanotus sakishimensis</i>				E	●			●		
<i>Melanotus senilis</i>					●					
<i>Melanotus senilis senilis</i>					○					
<i>Melanotus takahashii</i>					●			●		
<i>Melanotus yayeyamacola</i>				E	●				●	
<i>Meristhus scobinula</i>					●			●		
<i>Migiwa amamiensis</i>				E	●			●		
<i>Nanseia erabuensis</i>					●					
<i>Neodiploconus ferrugineipennis</i>				E	●				●	
<i>Neodiploconus ferrugineipennis ferrugineipennis</i>				e	○			○		
<i>Neodiploconus ferrugineipennis kuniyoshii</i>				e	○			○		
<i>Neodiploconus satoi</i>				E	●				●	
<i>Neodiploconus satoi matobai</i>				e	○				○	
<i>Neopenthes pallidihumeralis</i>				E	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Neotrichophorus aureoilosus</i>				M	●	●	●	●	●	
<i>Neotrichophorus lineatus</i>					●					
<i>Neotrichophorus rubiginosus</i>					●				●	
<i>Okinawana hatayamai</i>				E	●	●	●			
<i>Okinawana hatayamai amami</i>				e	○	○	○			
<i>Okinawana hatayamai hatayamai</i>				e	○					
<i>Parabetaimon carinicephalus</i>					●				●	
<i>Paracalais berus</i>					●					
<i>Paracalais larvatus</i>					●	●	●		●	
<i>Paracalais larvatus larvatus</i>					○	○	○		○	
<i>Paracardiophorus amami</i>				E	●					
<i>Paracardiophorus tokara</i>					●	●	●			
<i>Paracardiophorus tokara helianus</i>				e	○	○	○			
<i>Paracardiophorus tokara tokara</i>					○					
<i>Pectocera amamiinsulana</i>				E	●	●	●			
<i>Pectocera yaeyamana</i>					●				●	
<i>Penthelater plebejus</i>					●					
<i>Platynychus adjutor</i>					●					
<i>Platynychus adjutor adjutor</i>					○					
<i>Platynychus formosanus</i>					●				●	
<i>Platynychus nothus</i>					○	○	○		○	
<i>Platynychus nothus amamianus</i>				e	○					
<i>Platynychus nothus loochooensis</i>				e	○				○	
<i>Pleonomus makiharai</i>				E	●				●	
<i>Procræus variegatus</i>					●				●	
<i>Prodrasterius hisamatsui</i>					●	●	●		●	
<i>Prodrasterius hisamatsui hisamatsui</i>					○	○	○		○	
<i>Prodrasterius hisamatsui yaeyamensis</i>				e	○				○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Pronegastrus amamiensis</i>				F	●	●					
<i>Quasimus cordatus</i>				F	●		●		●		
<i>Quasimus formosanus</i>				F	●		●		●		
<i>Quasimus imasakai</i>				●	●						
<i>Quasimus saitoi</i>				●	●		●				
<i>Quasimus saitoi ogatai</i>				○	○						
<i>Quasimus shibatai matobai</i>				○	○						
<i>Quasimus takahashii</i>				●	●		●		●		
<i>Quasimus yamayai</i>				●	●		●		●		
<i>RyukyuCARDIOPHORUS loochooensis</i>				●	●		●		●		
<i>Sephihus formosanus</i>				●	●				●		
<i>Silesis okinawensis</i>				●	●				●		
<i>Silesis okinawensis okinawensis</i>				○	○				○		
<i>Silesis okinawensis shirouzui</i>				○	○				○		
<i>Silesis sauteri</i>				○	○				○		
<i>Silesis sauteri babai</i>				○	○				○		
<i>Tetrigus lewisi</i>				●	●		●		●		
<i>Tetrigus okinawensis</i>	E			●	●		●		●		
<i>Vuilletus amamiensis</i>	E			●	●		●		●		
<i>Vuilletus amamiensis amamiensis</i>	e			○	○						
<i>Vuilletus amamiensis okinawanus</i>	e			○	○				○		
<i>Xanthopenthes granulipennis</i>				●	●		●		●		
<i>Xanthopenthes hiramatsui</i>	E			●	●		●		●		
<i>Xanthopenthes konoi</i>				●	●		●		●		
<i>Yukoana amamiensis</i>	E			●	●		●		●		
<i>Yukoana elongata</i>				●	●						
<i>Yukoana elongata amamicola</i>	e			○	○				○		
<i>Yukoana elongata elongata</i>				○	○				○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Yukoana elongata okinawana</i>				e	○			○		
<b>TROSCIDAE</b>										
<i>Aulonothroscus longulus</i>					●					
<b>EUCNEMIDAE</b>										
<i>Bioxylyus laticollis</i>					●					
<i>Dromaeolus cariniceps</i>					●		●			
<i>Eurytychus isiharaei</i>					●					
<i>Nematodes confusus</i>					●				●	
<i>Otho amamiensis</i>				E	●					
<i>Pterotaraxus mouhoti</i>				E	●				●	
<i>Spiniformax oshimanus</i>					●					
<b>LYCIDAE</b>										
<i>Cautires amamiensis</i>				E	●					
<i>Cautires kazuoii</i>				E	●		●		●	
<i>Eropterus nothus</i>					●					
<i>Libnetis kazuoii</i>				E	●				●	
<i>Lyponia ishigakiana</i>				E	●				●	
<i>Lyponia oshimana</i>				E	●			●		
<i>Macrolycus dominator</i>					○				○	
<i>Macrolycus dominator ishigakianus</i>				e	○				○	
<i>Macrolycus okinawanus</i>				E	●			●		
<i>Macrolycus shirakii</i>				E	●		●			
<i>Plateros ignius</i>				E	●				●	
<i>Plateros ikarianus</i>				E	●					
<i>Plateros imasakai</i>				E	●				●	
<i>Plateros koreanus</i>				E	●					
<i>Plateros miwai</i>				E	●					
<i>Plateros nakachii</i>				E	●			●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Plateros rufomarginatus</i>				M	●				●	
<i>Plateros sakshimana</i>				M	●				●	
<i>Plateros shibatai</i>				M	●		●			
<i>Plateros shirakii</i>				M	●		●			
<i>Plateros yayeyamanus</i>				M	●				●	
<b>LAMPYRIDAE</b>										
<i>Curtos costipennis</i>					●				●	
<i>Curtos okinawanus</i>				E	●		●			
<i>Cyphonocerus okinawanus</i>				E	●		●			
<i>Cyphonocerus okinawanus amamianus</i>				e	○					
<i>Cyphonocerus okinawanus okinawanus</i>				e	○			○		
<i>Drilaster anomalus</i>				M	●		●			
<i>Drilaster bicolor</i>				M	●		●			
<i>Drilaster fuscicollis</i>				M	●			●		
<i>Drilaster iokii</i>				M	●			●		
<i>Drilaster okinawensis</i>				E	●			●		
<i>Drilaster shibatai</i>				E	●		●			
<i>Lucidina natsumiae</i>				E	●				●	
<i>Luciola filiformis</i>					○				○	
<i>Luciola filiformis yayeyamana</i>				e	○				○	
<i>Luciola kuroiwae</i>				E	●			●		
<i>Pristolytus sagulatus</i>					○					
<i>Pristolytus sagulatus amami</i>				e	○				○	
<i>Pyrocoelia abdominalis</i>				E	●				●	
<i>Pyrocoelia atripennis</i>				E	●				●	
<i>Pyrocoelia iriomotensis</i>				E	●				●	
<i>Pyrocoelia matsumurai</i>				E	●				●	
<i>Pyrocoelia matsumurai matsumurai</i>				e	○			○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Pyrocoelia oshimana</i>				E	●					●	
<i>Stenocladus azumai</i>				E	●			●			
<i>Stenocladus bicoloripes</i>				E	●			●			
<i>Stenocladus shirakii</i>				E	●					●	
<b>RHAGOPHTHALMIDAE</b>											
<i>Rhagophthalmus ohbai</i>		EN		E	●					●	
<b>CANTHARIDAE</b>											
<i>Athemus akemiae</i>				E	●			●			
<i>Athemus hanatanii</i>				E	●					●	
<i>Athemus kunigamiensis</i>				E	●			●			
<i>Athemus okinawanus</i>				E	●			●			
<i>Athemus nyukyuanus</i>				E	●					●	
<i>Athemus teruhisai</i>				E	●						
<i>Athemus ueharaensis</i>				E	●					●	
<i>Athemus yaeyamanus</i>				E	●					●	
<i>Athemus yonaensis</i>				E	●					●	
<i>Habronychus aritai</i>				E	●					●	
<i>Kandyosilis mucronata</i>				E	●					●	
<i>Laemoglyptus iriomotoensis</i>				E	●					●	
<i>Malthinellus chujoi</i>				E	●					●	
<i>Malthinus okinawanus</i>				E	●					●	
<i>Maltypus yukyuanus</i>				E	●					●	
<i>Microichthyurus minutulus</i>				E	●					●	
<i>Micropodabrus maculivertex</i>				E	●					●	
<i>Micropodabrus yayeyamanus</i>				E	●					●	
<i>Podabrus curvatipes</i>				E	●					●	
<i>Podabrus ihai</i>				E	●					●	
<i>Prothemus kanoi</i>				E	●					●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Prothemus nigrithumeralis</i>				E	●	●			●		
<i>Prothemus ryukyuanus</i>				E	●	●	●		●		
<i>Themus ishigakiensis</i>				E	●	●			●		
<i>Themus kazuoi</i>				E	●	●			●		
<i>Themus kurosawai</i>				E	●	●					
<b>DERMESTIDAE</b>											
<i>Anthrenus maculifer</i>					●	●					
<i>Dermestes freudi</i>					●	●			●		
<i>Evorinea hisamatsui</i>					●	●					
<i>Oriphinus fasciatus</i>					●	●			●		
<i>Oriphinus formosanus</i>					●	●					
<i>Oriphinus quadrimaculatus</i>					●	●			●		
<i>Thaumaglossa laeta</i>					●	●					
<i>Trinodes amamiensis</i>				E	●	●					
<i>Trogoderma amatum</i>					●	●			●		
<b>THORICTIDAE</b>											
<i>Thorictodes heydeni</i>					●				●		
<b>BOSTRYCHIDAE</b>											
<i>Xylopsocus bicuspis</i>					●				●		
<i>Xylothrips flavipes</i>					●						
<b>ANOBIIDAE</b>											
<i>Clada okinawana</i>				E	○				○		
<i>Cryptoramorphus longiusculus</i>					●						
<i>Dimorphotheca albomarginata</i>				E	●				●		
<i>Megorama japonicola</i>				E	●				●		
<i>Oligomerus chujoii</i>				E	●						
<i>Rhamma yaeyamana</i>				E	○				○		
<i>Stagetomorphus amamiensis</i>				E	●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<i>Trichodesma kirishimanum</i>					●							
<i>Xyletinus tomentosus</i>					●			●				
<b>PTINIDAE</b>												
<i>Gibbium psylloides</i>					●			●				
<i>Ptinus sauteri</i>					●			●				
<i>Ptinus senilis</i>					●			●				
<i>Ptinus senilis senilis</i>					○			○				
<i>Ptinus senilis yamayai</i>				e	○				○			
<b>TROGOSITIDAE</b>												
<i>Ancyrona shibatai</i>				E	●			●				
<i>Thymalus amamensis</i>				E	●			●				
<b>CLERIDAE</b>												
<i>Allochotes amamioshimanus</i>				E	●			●				
<i>Allochotes yuwanensis</i>				E	●			●				
<i>Callimerus ryukyuenis</i>				E	●			●				
<i>Gladiscus obeliscus</i>					●			●				
<i>Clerus postmaculatus</i>					●			●				
<i>Cyfidrus cyaneus</i>					●			●				
<i>Diploperusa shibatai</i>				E	●			●				
<i>Omadius nigromaculatus</i>					●			●				
<i>Omadius pectoralis</i>					●			●				
<i>Opilo difficilis</i>					●			●				
<i>Opilo formosanus</i>					●			●				
<i>Orthius binotatus</i>					●			●				
<i>Paracladiscus atricolor</i>					●			●				
<i>Stenocallimerus okinawanus</i>				E	●			●				
<i>Stenocallimerus prasinatus</i>				E	●			●				
<i>Stigmatium igai</i>					●			●				



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Stigmatium ryukyuense</i>					●			●			
<i>Xenorhynchus elongatus</i>					●						
<i>Xenorhynchus umbratus</i>					●				●		
<b>MELYRIDAE</b>											
<i>Attalus amami</i>				E	●						
<i>Attalus Chijōanus</i>				E	●	●					
<i>Attalus okinawanus</i>				E	●	●	●				
<i>Attalus trochantinus</i>				E	●	●					
<i>Dasytes taguchii</i>				E	●	●					
<i>Hyebaeus okinawensis</i>				E	●		●				
<i>Hyebaeus tokunoshimanus</i>				E	●	●					
<i>Idgia flavicollis</i>					●				●		
<i>Intibia kawasakii</i>					●						
<i>Laius miyamotoi</i>					●						
<i>Malachus okinawaensis</i>				E	●	●	●		●		
<i>Nepachys ryukyuanus</i>				E	●						
<b>LYMEXYLIDAE</b>											
<i>Atractocerus nipponicus</i>					●						
<i>Lymexylon amamianum</i>					●						
<i>Lymexylon miyakei</i>					●						
<b>NITIDULIDAE</b>											
<i>Aethina aeneipennis</i>					●			●			
<i>Aethina maculicollis</i>					●			●			
<i>Amystrops formosiana</i>					●			●			
<i>Brachypeplus dorsalis</i>					●			●	●		
<i>Carpophilus chalybeus</i>					●			●			
<i>Carpophilus mutilatus</i>					●				●		
<i>Cryptarcha okinawensis</i>				E	●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Epuraea foveicollis</i>					●						
<i>Haptoncurina paulula</i>					●			●			
<i>Haptoncus luteolus</i>					●			●	●		
<i>Haptoncus ocellaris</i>					●			●	●		
<i>Lasiodactylus pictus</i>					●			●			
<i>Parametopia xrubrum</i>					●			●			
<i>Pocadites chujoii</i>					●			●			
<i>Pria tokarensis</i>					●			●			
<i>Prometopia quadrimaculata</i>					●			●			
<i>Urophorus humeralis</i>					●			●			
<b>MONOTOMIDAE</b>											
<i>Mimemodes carenifrons</i>					●			●			
<i>Mimemodes japonus</i>					●			●			
<b>PHALACRIDAE</b>											
<i>Heterolitus nigromaculatus</i>					●			●			
<i>Heterolitus nipponicus</i>					●			●			
<i>Heterolitus thoracicus</i>					●		●	●			
<i>Litochrus ryukyuensis</i>				E	●			●			
<i>Phalacrus tenuicornis</i>					●			●			
<b>SPHINDIDAE</b>											
<b>CUCUJIDAE</b>											
<i>Placonotus testaceus</i>					●			●			
<b>PASSANDRIDAE</b>											
<i>Passandra tenuicornis</i>					●			●			
<i>Passandra trigemina</i>					●			●			
<b>SILVANIDAE</b>											
<i>Protosilvanus lateritius</i>					●			●			
<i>Silvanoprus scuticollis</i>					●			●			

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Silvanopsis simoni</i>					●				●	
<b>CRYPTOPHAGIDAE</b>										
<i>Atomaria lewisi</i>					●			●		
<i>Cryptophagus micramboides</i>					●			●		
<i>Curelius japonicus</i>					●			●		
<b>BYTURIDAE</b>										
<i>Byturus atricollis</i>					●			●		
<b>BIPHYLLOIDAE</b>										
<i>Biphyllus oshimanus</i>					●			●		
<b>LANGURIIDAE</b>										
<i>Anadastus convexus</i>				E	●			●		
<i>Anadastus melanosternus</i>					●			●		
<i>Anadastus rufobrunneus</i>				E	●			●		
<i>Atomarops dharmia</i>					●			●		
<i>Caenolanguria insularis</i>					●			●		
<i>Cathartocypus hiranoi</i>					●			●		
<i>Microlanguria jansoni</i>					●			●		
<i>Paederolanguria cyanea</i>				E	●			●		
<i>Tetralanguria oshimana</i>				E	●			●		
<i>Toramus quadriguttatus</i>				E	●			●		
<i>Toramus uenoi</i>				E	●			●		
<b>EROTYLIDAE</b>										
<i>Aporitritoma amamiensis</i>				E	●			●		
<i>Aulacochilus episcaphoides</i>				E	●			●		
<i>Aulacochilus sibiricus</i>					●			●		
<i>Episcapha fortunei</i>					●			●		
<i>Megalodacne asahinai</i>					○			○		
<i>Megalodacne asahinai amamiana</i>				e	○			○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Megalodacne lewisi</i>					●					
<i>Microsternus higonius</i>					●		●			
<i>Microsternus yamadai</i>				E	●		●			
<i>Spondotriplax flavofasciata</i>					●					
<i>Triplax horni</i>					●					
<i>Triplax taiwana</i>					●		●			
<i>Tritoma lochooana</i>				E	●					
<i>Tritoma shibatai</i>				E	●					
<b>PROPALTICIDAE</b>										
<i>Propalticus morimotoi</i>				E	●				●	
<i>Propalticus ryukyuensis</i>				E	●				●	
<b>CORYLOPHIDAE</b>										
<i>Lewisium magnum</i>					●		●			
<b>ENDOMYCHIDAE</b>										
<i>Ectomychus nigrofasciatus</i>				E	●		●			
<i>Ectomychus sakaii</i>					●		●			
<i>Ectomychus yukihiiko</i>				E	●		●			
<i>Mycetina karin</i>				E	●		●			
<i>Stenotarsus oshimarus</i>				E	●		●			
<i>Stenotarsus ryukyuensis</i>					●					
<i>Trochoideus desjardinsi</i>					●				●	
<b>ANAMORPHIDAE</b>										
<i>Bystodes flavoapicalis</i>				E	●		●			
<i>Idiophyes uenoi</i>				E	●		●			
<i>Mycothenus hirashimai</i>				E	●		●			
<b>COCCINELLIDAE</b>										
<i>Axinocymnus beneficus</i>					●		●			
<i>Axinocymnus nigripennis</i>					●		●		●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Axinocymnus rai</i>				M	●				●	
<i>Bothrocalvia albolineata</i>					●					
<i>Calvia muiri</i>					●					
<i>Calvia parvinotata</i>				M	●					
<i>Chilocorus amamensis</i>				M	●					
<i>Chilocorus ishigakensis</i>				M	●	●				
<i>Chilocorus septempunctata</i>					●				●	
<i>Coccinella horishanus</i>					●				●	
<i>Cryptogonus horishanus</i>					●				●	
<i>Cryptogonus orbiculus</i>					●				●	
<i>Epilachna boisduvali</i>					●				●	
<i>Epilachna vigintioctopunctata</i>					●				●	
<i>Harmonia octomaculata</i>					●				●	
<i>Harmonia yedoensis</i>					●				●	
<i>Horniolus amamensis</i>				M	●					
<i>Horniolus okinawensis</i>				M	●					
<i>Illeis koebelei</i>					●				●	
<i>Illeis koebelei amamiana</i>				e	○					
<i>Illeis koebelei koebelei</i>					○				○	
<i>Lemnia bipilagiata</i>					●				●	
<i>Medamatenito ocellaris</i>				M	●					
<i>Medamatenito secunda</i>				M	●					
<i>Menochilus sexmaculatus</i>					●				●	
<i>Micraspis discolor</i>					●				●	
<i>Microserangium okinawense</i>					●				●	
<i>Nephus ryuguus</i>					●				●	
<i>Nephus ryukyuensis</i>					●				●	
<i>Nephus tagiapatus</i>					●				●	
<i>Nesolotis amabilis</i>				M	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Nesolotis azumai</i>					●	●					
<i>Nesolotis impunctata</i>				FM	●			●			
<i>Phrynocaria congener</i>				FM	●			●	●		
<i>Platynaspidium maculosus</i>				E	●			●			
<i>Propylea japonica</i>					●			●	●		
<i>Pseudoscymnus kurohime</i>					●			●	●		
<i>Pseudoscymnus nagasakiensis</i>					●			●	●		
<i>Pseudoscymnus quinquepunctatus</i>					●			●	●		
<i>Pseudoscymnus quinquepunctatus okinawanus</i>				e	○			○	○		
<i>Pseudoscymnus quinquepunctatus quinquepunctatus</i>					○				○		
<i>Rodolia pumila</i>					●			●			
<i>Rodolia quadrimaculata</i>					●			●			
<i>Sasajella amamiana</i>				E	○			○			
<i>Scotoscymnus bicolor</i>					●			●	●		
<i>Scymnus contemtus</i>					●			●	●		
<i>Scymnus fuscatus</i>					●			●	●		
<i>Scymnus hatomensis</i>				E	●				●		
<i>Scymnus kimotoi</i>				E	●				●		
<i>Scymnus miyatakei</i>					●			●	●		
<i>Scymnus nigrosuturalis</i>					●			●	●		
<i>Scymnus quadrillum</i>					●			●	●		
<i>Scymnus sodalis</i>					●			●	●		
<i>Serangium ryukyuense</i>				E	●			●	●		
<i>Stethorus aptus</i>					○			○	○		
<i>Stethorus aptus tsutsuii</i>					○			○	○		
<i>Synonycha grandis</i>					●			●	●		
<i>Telsimia chujoii</i>					●			●	●		

**DISCOLOMIDAE**

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Aphanocephalus nigriventris</i>					●						
<i>Aphanocephalus shibatai</i>				E	●		●				
<i>Aphanocephalus shirozui</i>				E	●						
<i>Aphanocephalus wollastoni</i>					●				●		
<b>COLYDIDAE</b>											
<i>Bitoma sicana</i>					●				●		
<i>Bolocius shibatai</i>					●				●		
<i>Bolocius yaeyamensis</i>				E	●				●		
<i>Pseudotarphius lewisii</i>					●						
<i>Pycnomerus sculpturatus</i>					●						
<i>Trachypholis okinawensis</i>					●				●		
<b>BOTHRIDERIDAE</b>											
<i>Cylindromicrus gracilis</i>					●				●		
<i>Dastarcus kurosawai</i>					●				●		
<b>MYCETOPHAGIDAE</b>											
<i>Litargus lewisi</i>					●						
<i>Mycetophagus amamianus</i>				E	●				●		
<i>Pseudotriphyllus ohbayashii</i>				E	●				●		
<b>CIIDAE</b>											
<i>Acanthocis quadridentatus</i>					●				●		
<i>Anoplocis ryukyuensis</i>				E	●				●		
<i>Ceracis laminicollis</i>					●						
<i>Cis caoricornis</i>					●				●		
<i>Cis taiwanus</i>					●						
<i>Ennearthron amamense</i>				E	●						
<i>Neoennearthron amamense</i>				E	●				●		
<i>Neoennearthron hisamatsui</i>				E	●				●		
<b>MELANDRYIDAE</b>											

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Anisoxya laicollis</i>					●	●	●	●	●		
<i>Dircaea eroyloides</i>					●		●				
<i>Holostrophus orientalis</i>					●		●		●		
<i>Orchesia imitans</i>					●		●		●		
<i>Phloeotrinus minusculus</i>					●		●		●		
<i>Phloeotrya obscura</i>					●		●				
<i>Symphora miyakei</i>					●		●				
<i>Symphora miyakei amamiana</i>				e	○		○				
<b>MORDELLIDAE</b>											
<i>Ermischiella hasegawai</i>					●		●				
<i>Falsomordellina amamiana</i>				E	●		●		●		
<i>Falsomordellina luteoloides</i>					●		●		●		
<i>Falsomordellistena altestrigata</i>					●		●		●		
<i>Falsomordellistena katoi</i>					●		●				
<i>Falsomordellistena konoii</i>					●		●				
<i>Falsomordellistena konoii yakushimaensis</i>					○						
<i>Falsomordellistena lochooana</i>				E	●		●		●		
<i>Falsomordellistena okamotoi</i>					●		●				
<i>Falsomordellistena tokarana</i>					●		●		●		
<i>Gilpa apicalis</i>					●		●		●		
<i>Gilpa azumai</i>					●		●		●		
<i>Gilpa fasciata</i>					●		●				
<i>Gilpa formosana</i>					●		●				
<i>Gilpa iritei</i>					●		●		●		
<i>Gilpa ishigakiana</i>					●		●		●		
<i>Gilpa malaccana</i>					●		●				
<i>Gilpa nipponica</i>					●		●		●		
<i>Gilpa oshimana</i>					●		●		●		



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Gilpa satoi</i>					●	●					
<i>Gilpa satoi yanma</i>				e	○						
<i>Gilpa sauteri</i>					●						
<i>Gilpa uenoi</i>					●		●				
<i>Glipostena pelecotomoidea</i>					●		●				
<i>Glipostenoda excisa</i>					●		●				
<i>Glipostenoda fusciceps</i>				E	●		●		●		
<i>Glipostenoda lineatisuturalis</i>					●				●		
<i>Glipostenoda matsumurai</i>					●		●		●		
<i>Glipostenoda rarasana</i>					●				●		
<i>Glipostenoda rosseola</i>					●		●				
<i>Glipostenoda shizuokana</i>					●		●				
<i>Higehananomia palpalis</i>					●		●		●		
<i>Hoshihananomima auromaculata</i>					●		●				
<i>Hoshihananomima auromaculata nipponica</i>					○						
<i>Hoshihananomima borealis</i>					●		●		●		
<i>Hoshihananomima composita</i>					●				●		
<i>Hoshihananomima composita composita</i>					○				○		
<i>Hoshihananomima katoii</i>					●				●		
<i>Hoshihananomima katoii katoii</i>					○				○		
<i>Hoshihananomima kirai</i>					●				●		
<i>Hoshihananomima nakanei</i>					●						
<i>Hoshihananomima nakanei nakanei</i>				e	○						
<i>Hoshihananomima ohshimae</i>				E	●						
<i>Hoshihananomima splendens</i>				E	●						
<i>Mordella kanpira</i>				E	●				●		
<i>Mordella niveoscutellata</i>					●				●		
<i>Mordellaria humeralis</i>				E	●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Mordellaria triguttata</i>					●	●				
<i>Mordellina amamiensis</i>					●		●			
<i>Mordellina atrofusca</i>					●		●			
<i>Mordellina brunneotincta</i>					●		●			
<i>Mordellina hidakai</i>					●		●			
<i>Mordellina hirayamai</i>					●		●			
<i>Mordellina palleola</i>					●		●			
<i>Mordellina pilosovittata</i>					●		●			
<i>Mordellina pseudohumeralis</i>					●		●			
<i>Mordellina signatella</i>					●		●			
<i>Mordellina tsutsuii</i>					●		●			
<i>Mordellistena edashigei</i>					●		●			
<i>Mordellistena maedai</i>					●		●			
<i>Mordellistena miyamotoi</i>					●		●			
<i>Mordellistena okinawana</i>				E	●		●			
<i>Mordellistenoda aka</i>					●		●			
<i>Mordellistenoda ohsumiana</i>					●		●			
<i>Pseudotolida multisulcata</i>				E	●		●			
<i>Stenomordella ochii</i>				E	●		●			
<i>Toiidopalpus galloisi</i>					●		●			
<i>Toiidostena atripennis</i>					●		●			
<i>Tomoxia ryukyuana</i>				E	●		●			
<i>Variimorda ithai</i>				E	●		●			
<i>Variimorda ithai ithai</i>				e	○		○			
<i>Variimorda miyarabi</i>				E	●		●			
<b>SYNCHROIDAE</b>										
<i>Synchroa melanotooides</i>					●		●			
<b>OEDEMERIDAE</b>										

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus Iriomote Is.	
<i>Anoxaxis flavomarginata</i>					●					
<i>Anoxaxis iriomotensis</i>				■	●				●	
<i>Anoxaxis vittata</i>					●					
<i>Chrysanthia integricolis</i>					●					
<i>Dryopomera kurosai</i>				■	●				●	
<i>Dryopomera yatoi</i>					●				○	
<i>Dryopomera yatoi yatoi</i>					○					
<i>Eobia chinensis</i>					●			●		
<i>Eobia cinereipennis</i>					●				○	
<i>Eobia cinereipennis ishigakiana</i>				e	○					
<i>Eobia florilega</i>					●			●		
<i>Eobia fuscipennis</i>					●				●	
<i>Eobia magna</i>				■	●				●	
<i>Hypasclera geniculata</i>				■	●			●		
<i>Indasclera japonica</i>					●					
<i>Indasclera japonica amamiana</i>				e	○					
<i>Indasclera subrugosa</i>					●			●		
<i>Indasclera subrugosa subrugosa</i>					○			○		
<i>Ischnomera nigrocyanea</i>					●					
<i>Ischnomera okushimai</i>				■	●			●		
<i>Nacerdes umenoi</i>				■	●			●		
<i>Nacerdes umenoi okinawensis</i>				e	○			○		
<i>Nacerdes umenoi umenoi</i>				e	○					
<i>Nacerdes waterhousei</i>					●			●		
<i>Oedemera sexualis</i>					●			●		
<i>Oedemera sexualis nyukuana</i>					○			○		
<i>Oedemera testaceithorax</i>					●			●		
<i>Oedemera testaceithorax okinawana</i>				e	○			○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Oedemera testaceithorax testaceithorax</i>					○				○	
<b>PYROCHROIDAE</b>										
<i>Pseudodendroides amamiana</i>				E	●			●		
<i>Pseudopyrochroa kazui</i>				E	●					
<i>Pseudopyrochroa kazui teruhisai</i>				e	○			○		
<i>Pseudopyrochroa kazui kazui</i>				e	○					
<i>Pseudopyrochroa vestiflua</i>					●					
<b>ANTHICIDAE</b>										
<i>Anthelephila cribriceps</i>					●			●		
<i>Anthelephila ruficollis</i>					●			●		
<i>Anthicomorphus cruralis</i>					●			●		
<i>Anthicomorphus niponicus</i>					●			●		
<i>Anthicomorphus niponicus amamiensis</i>				e	○				●	
<i>Anthicus confucii</i>					●				○	
<i>Anthicus confucii confucii</i>					○					
<i>Anthicus formicarius</i>					●					
<i>Anthicus formicarius atropterus</i>					○					
<i>Anthicus hamai</i>				E	●				●	
<i>Anthicus luteonotatus</i>					●			●	●	
<i>Anthicus shibatai</i>					●			●	●	
<i>Formicomus braminus</i>					●					
<i>Formicomus braminus tokarensis</i>				e	○			○		
<i>Formicomus okinawanus</i>				E	●			●	●	
<i>Macratia atrata</i>					●				●	
<i>Macratia griseosellata</i>					●				●	
<i>Macratia serialis</i>					●				●	
<i>Mecynotarsus minimus</i>					●				●	
<i>Mecynotarsus minimus laticornis</i>				e	○				○	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Sapintus irregularis</i>					●	●			●	
<i>Sapintus sakishimanus</i>				E	●	●	●		●	
<b>ADERIDAE</b>										
<i>Aderus laticeps</i>					●					
<i>Aderus yaeyamanus</i>				E	●		●		●	
<i>Phytobaenus amabilis</i>					●					
<i>Phytobaenus amabilis amamiensis</i>				e	○					
<i>Pseudoloterus humeralis</i>					●					
<i>Pseudoloterus japonicus</i>					●					
<i>Syzeion shibatai</i>				E	●					
<b>MELOIDAE</b>										
<i>Cissites cephalotes</i>					●					
<i>Zonitis cothurnata</i>					●					
<i>Zonitis okinawensis</i>					●				●	
<b>SCRIPTIIDAE</b>										
<i>Anaspis oshimana</i>				E	●					
<i>Anaspis shibatai</i>					●				●	
<i>Canifa cribriceps</i>					●					
<i>Scaptia livens</i>					●					
<b>SALPINGIDAE</b>										
<i>Elacatis atrithorax</i>					●					
<i>Elacatis ocularis</i>					●					
<i>Inopeplus uenoi</i>					●				●	
<i>Inopeplus uenoi ohbayasii</i>					○					
<i>Inopeplus uenoi uenoi</i>				e	○				○	
<i>Lissodema laevipenne</i>					●					
<i>Lissodema munaguro</i>				E	●				●	
<i>Lissodema teruhisai</i>				E	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Lissodema uenoi</i>					●							
<i>Uruminopeplus sakaii</i>				E	●			●				
<b>MYCTERIDAE</b>												
<i>Hemipeplus miyamotoi</i>					●			●				
<b>LAGRIIDAE</b>												
<i>Anisostira abnormipes</i>				E	●				●			
<i>Anisostira elegans</i>				E	●			●				
<i>Anisostira rugipennis</i>				E	●		●	●				
<i>Arthromacra amamiana</i>				E	●			●				
<i>Casnonidea occipitalis</i>					●				●			
<i>Laena rotundicollis</i>					●			●				
<i>Laena rotundicollis insularis</i>				e	○			○				
<i>Laena rotundicollis rotundicollis</i>					○			○				
<i>Lagria notabilis</i>				E	●							
<i>Lagria okinawana</i>				E	●			●				
<i>Luprops orientalis</i>					●			●				
<b>ALLECULIDAE</b>												
<i>Allecula amamiensis</i>				E	●			●				
<i>Allecula amamiensis amamiensis</i>				e	○			○				
<i>Allecula amamiensis okinawaensis</i>				e	○			○				
<i>Allecula ohtshimana</i>				E	●			●				
<i>Allecula satsumae</i>					●			●				
<i>Allecula shibatai</i>				E	●			●				
<i>Allecula simiola</i>					●			●				
<i>Allecula tenuis</i>					●			●				
<i>Bolbostetha sauteri</i>					●			●				
<i>Bolbostetha sauteri oshimana</i>				e	○			○				
<i>Borboresthes amamianus</i>				E	●			●				

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Cteniopus iriomotensis</i>				E	●				●	
<b>TENEBRIONIDAE</b>										
<i>Ainu masumotoi</i>				E	●				●	
<i>Amarygmus callichromus</i>				E	●				●	
<i>Androcamararia ryukyuensis</i>				E	●				●	
<i>Basanus amamiensis</i>				E	●				●	
<i>Basanus fukudai</i>					●				●	
<i>Boletoxenus bellicosus</i>					●				●	
<i>Bradymerus clathratus</i>					●				●	
<i>Byrsax kaszabi</i>					●				●	
<i>Caecidius maderi</i>					●				●	
<i>Caecidius maderi minor</i>					○					
<i>Catapiestus rugipennis</i>				E	●				●	
<i>Ceropria induta</i>					●				●	
<i>Cneocnemis laminipes</i>					●				●	
<i>Corticeus amamiensis</i>				E	●				●	
<i>Corticeus gentilis</i>					●				●	
<i>Corticeus maelleri</i>					●				●	
<i>Corticeus maelleri mayumiæ</i>				e	○				○	
<i>Cryphaeus satoi</i>				e	●				●	
<i>Cryphaeus satoi iriomotensis</i>					○				○	
<i>Cryphaeus satoi satoi</i>					○				○	
<i>Derispsia amamiana</i>				E	●				●	
<i>Derispsia japonica</i>				E	●				●	
<i>Derispsia japonica japonica</i>				e	○				○	
<i>Derispsia japonica yaeyamana</i>				e	○				○	
<i>Derispsia shibatai</i>				E	●				●	
<i>Diaclina quadrimaculata</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<i>Diaperis lewisi</i>					●	○						
<i>Diaperis lewisi intersecta</i>												
<i>Diaperis sanguineipennis</i>					●			●				
<i>Diaperis sanguineipennis sinensis</i>					○			○				
<i>Dioedus tokaranus</i>					●				●			
<i>Diphyrthynchus iriomotensis</i>					●				●			
<i>Diphyrthynchus oharensis</i>					●				●			
<i>Diphyrthynchus shibatai</i>					●				●			
<i>Elixota iridicollis</i>					●				●			
<i>Elixota izumii</i>				E	●				●			
<i>Encyalesthus exularis</i>					●				●			
<i>Eucrossoscelis broscosomoides</i>				E	●				●			
<i>Eucrossoscelis michioi</i>				E	●				●			
<i>Euhemicera hajime</i>				E	●				●			
<i>Euhemicera japonica</i>				E	●				●			
<i>Euhemicera nodokai</i>					●				●			
<i>Euhemicera sakishimensis</i>					●				●			
<i>Eutochia lateralis</i>					●				●			
<i>Gnesis helopioides</i>					●				●			
<i>Gnesis helopioides amamianus</i>				e	○				○			
<i>Gnesis helopioides okinawanus</i>				e	○				○			
<i>Gnesis helopioides purpurascens</i>					○				○			
<i>Gnesis magnipunctatus</i>					●				●			
<i>Gonocephalum coenosum</i>					●				●			
<i>Gonocephalum coriaceum</i>					●				●			
<i>Gonocephalum kondoi</i>				E	●				●			
<i>Gonocephalum okinawanum</i>					●				●			
<i>Gonocephalum pubens</i>					●				●			



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Gonocephalum takara</i>					●					●	
<i>Ischnodactylus iriomotensis</i>				E	●					●	
<i>Leptoscapha unifasciata</i>					●					●	
<i>Menephius arciscelis</i>					●	●				●	
<i>Mesomorphus villiger</i>					●	●					
<i>Metacilisa nagaii</i>				E	●	●	●				
<i>Micropedinus pallidipennis</i>					●	●				●	
<i>Micropedinus rotundicollis</i>				E	●					●	
<i>Myostes amamianus</i>				E	●						
<i>Myostes ishigakianus</i>				E	●					●	
<i>Myostes okinawanus</i>				E	●			●			
<i>Nesocaedius minimus</i>					●	●				●	
<i>Pentaphyllus dilatipes</i>					●					●	
<i>Pentaphyllus quadricornis</i>					●					●	
<i>Phaedis iriei</i>				E	●						
<i>Phaedis marmoratus</i>				E	●					●	
<i>Phaedis oshimensis</i>				E	●						
<i>Plamius yaeyamensis</i>				E	●					●	
<i>Platydemia celatum</i>				E	●					●	
<i>Platydemia fumosum</i>					●					●	
<i>Platydemia fumosum fumosum</i>					○					○	
<i>Platydemia fumosum kawaii</i>				e	○					○	
<i>Platydemia maruseuli</i>					●					●	
<i>Platydemia pallidicolle</i>					●					●	
<i>Platydemia recticorne</i>					●					●	
<i>Platydemia sakishimense</i>					●					●	
<i>Platydemia sauteri</i>					●					●	
<i>Platydemia sauteri omoto</i>				e	○					○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Platydemia sawadai</i>				E	●	●	●	●	●	
<i>Platydemia subfascia</i>					●		●	●	●	
<i>Platydemia subfascia subfascia</i>					○		○			
<i>Platydemia subfascia yaeyama</i>				e	○		○		○	
<i>Plesiophthalmus aurichalceus</i>				E	●		●			
<i>Plesiophthalmus brevipennis</i>				E	●		●			
<i>Plesiophthalmus brevipennis aurichalceus</i>				e	○		○			
<i>Plesiophthalmus brevipennis brevipennis</i>				e	○		○			
<i>Plesiophthalmus fuscoaenescens</i>				E	●			●		
<i>Plesiophthalmus gracilis</i>				E	●			●		
<i>Plesiophthalmus makiharai</i>				E	●		●			
<i>Plesiophthalmus mizusawai</i>				E	●					
<i>Plesiophthalmus nakamurai</i>				E	●		●			
<i>Plesiophthalmus piceus</i>				E	●		●			
<i>Plesiophthalmus spectabilis</i>					●					
<i>Plesiophthalmus spectabilis okinawanus</i>				e	○		○			
<i>Promethis iriomotensis</i>				E	●			●		
<i>Promethis okinawana</i>				E	●		●			
<i>Promethis oshimana</i>				E	●					
<i>Promethis subbiangulata</i>					●					
<i>Promethis tokunoshimana</i>				E	●					
<i>Pseudonauates purpurivittatus</i>					●					
<i>Rhipidandrus speculifrons</i>					●					
<i>Scaphidema kondoi</i>				E	●					
<i>Stenochinus carinatus</i>					●					
<i>Stenochinus carinatus carinatus</i>					●					
<i>Stenochinus oshimanus</i>				E	○		○		○	
<i>Strongylium akitai</i>				E	●					

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Strongylium cultellatum</i>					●	●		●	●	
<i>Strongylium kawadai</i>				E	●		●	●	●	
<i>Strongylium marseulli</i>						●				
<i>Strongylium oshimanum</i>				E	●					
<i>Strongylium shibatai</i>				E	●				●	
<i>Tapela amamiensis</i>					●				●	
<i>Tapela brunnea</i>					●				●	
<i>Tapela brunnea konoi</i>					○				○	
<i>Tetragonomenes palpabiloides</i>					●				●	
<i>Tetragonomenes rufiventris</i>				E	●				●	
<i>Tetragonomenes semiviolaceus</i>					●					
<i>Tetraphyllus latior</i>					●					
<i>Tetraphyllus lunuliger</i>					●					
<i>Tetraphyllus lunuliger laevis</i>				e	○					
<i>Toxicum funginum</i>					●				●	
<i>Toxicum subtricomutum</i>				E	●					
<i>Trachyscelis chinensis</i>					●				●	
<i>Uloma bonzica</i>					●					
<i>Uloma excisa</i>					●				●	
<i>Uloma excisa nanseiensis</i>					○				○	
<i>Uloma ichoi</i>				E	●					
<i>Uloma marseulli</i>					●					
<i>Uloma marseulli marseulli</i>					○					
<i>Uloma polita</i>					●				●	
<i>Uloma sakuraii</i>				E	●					
<i>Uloma takarai</i>				E	●				●	
<b>CERAMBYCIDAE</b>					●				●	
<i>Abryna obscura</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Acalolepta amaiana</i>				F	●	●	●	●		
<i>Acalolepta amaiana amaiana</i>				e	○					
<i>Acalolepta amaiana similima</i>				e	○	○				
<i>Acalolepta ferriei</i>				F	●		●			
<i>Acalolepta iwahashii</i>				F	●			●		
<i>Acalolepta kuniyoshii</i>				F	●		●			
<i>Acalolepta luxuriosa</i>				F	●					
<i>Acalolepta luxuriosa kawadai</i>				e	○		○			
<i>Acalolepta oshimana</i>				F	●		●			
<i>Acalolepta oshimana oromo</i>				e	○		○			
<i>Acalolepta oshimana oshimana</i>				F	●		○			
<i>Acalolepta permutans</i>				F	●			●		
<i>Acalolepta permutans okinawana</i>				e	○		○			
<i>Acalolepta permutans paucipunctata</i>				F	●				○	
<i>Acrocyrtidus elegantulus</i>				e	○		●			
<i>Acrocyrtidus elegantulus longicornis</i>				e	○		○			
<i>Aeolesthes chrysothrix</i>				F	●		●		●	
<i>Aeolesthes chrysothrix kurosawai</i>				e	○		○			
<i>Aeolesthes chrysothrix nakamurai</i>				e	○			○		
<i>Allotraeus insularis</i>				F	●		●		●	
<i>Allotraeus insularis amamiensis</i>				e	○		○			
<i>Allotraeus insularis insularis</i>				e	○			○		
<i>Amamicyltus nobuoi</i>		DD		F	●					
<i>Anaesopogonius piceonigris</i>				F	●					
<i>Anaglyptus arakawae</i>				F	●		●			
<i>Anaglyptus arakawae amamiensis</i>				e	○		○			
<i>Anastrangalia kasaharai</i>				F	●		●			
<i>Anoplophora malasiaca</i>				F	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Anoplophora oshimana</i>					●	●	●	●		
<i>Apomecyna histrio</i>				■	●	●	●	●	●	
<i>Apomecyna histrio histrio</i>					○	○	○	○	○	
<i>Apomecyna histrio okinawana</i>					○	○	○	○	○	
<i>Apomecyna naevia</i>					●	○	○	○	○	
<i>Apomecyna naevia deguchii</i>				e	○	○	○	○	○	
<i>Apomecyna semihistrio</i>				E	●				●	
<i>Apriona nobuoi</i>				E	●				●	
<i>Apriona yayeyamai</i>				E	●				●	
<i>Artimpaza setigera</i>					○	○	○	○		
<i>Artimpaza setigera japonica</i>					○	○	○	○		
<i>Asaperda bicostata</i>					○	○	○	○		
<i>Asaperda bicostata bicostata</i>					○	○	○	○		
<i>Asaperda bicostata okinawana</i>				e	○	○	○	○		
<i>Batoceira lineolata</i>					●					
<i>Bumetopia japonica</i>					○					
<i>Bumetopia japonica okinawana</i>				e	○					
<i>Bumetopia ohshimana</i>					○	○	○	○		
<i>Bumetopia ohshimana ohshimana</i>					○	○	○	○		
<i>Bumetopia sakishimana</i>				E	○				○	
<i>Bumetopia sakishimana ishigaki</i>				e	○				○	
<i>Callidilellum rufipenne</i>					○					
<i>Caraphia lepturooides</i>					○	○	○	○		
<i>Caraphia lepturooides lepturooides</i>					○	○	○	○		
<i>Cephalallus unicolor</i>					○	○	○	○		
<i>Ceresium elongatum</i>					○	○	○	○	○	
<i>Ceresium fuscum</i>					○	○	○	○	○	
<i>Ceresium fuscum fuscum</i>					○	○	○	○	○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Ceresium fuscum shirakii</i>				o	o					o	
<i>Ceresium holophaeum</i>					●	●	●	●	●	●	
<i>Ceresium longicorne</i>					●	●	●	●	●	●	
<i>Ceresium simile</i>					●	●	●	●	●	●	
<i>Ceresium simile flavopubescens</i>					o	o	o	o	o	o	
<i>Ceresium unicolor</i>					●				●	●	
<i>Ceresium unicolor pseudounicolor</i>				e	o				o	o	
<i>Chloridolum lochooanum</i>				E	●				●		
<i>Chlorophorus amami</i>				E	●				●		
<i>Chlorophorus annularis</i>				E	●				●		
<i>Chlorophorus aritai</i>				E	●				●		
<i>Chlorophorus flavopubescens</i>				E	●				●		
<i>Chlorophorus muscosus</i>					●						
<i>Chlorophorus quinquefasciatus</i>					●				●		
<i>Chlorophorus signaticollis</i>					●				●		
<i>Chlorophorus yayeyamensis</i>					●				●		
<i>Comusia testacea</i>					●				●		
<i>Corymbia succedanea</i>					●				●		
<i>Cylindrella makiharai</i>				E	●				●		
<i>Demonax masatakai</i>				E	●				●		
<i>Demonax ohbayashii</i>				E	●				●		
<i>Demonax sawaii</i>				E	●				●		
<i>Demonax semixenicus</i>				E	●				●		
<i>Diboma costata</i>		VU			●				●		
<i>Egesina flavoapicalis</i>				E	●				●		
<i>Egesina picea</i>					●						
<i>Egesina shibatai</i>					●				●		
<i>Epania dilaticornis</i>					●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Epania dilatitomis kumatai</i>					○	○						
<i>Epania iriei</i>				≡	●				●			
<i>Epania shikokensis</i>				e	●			●	●			
<i>Epania shikokensis maruokai</i>					○				○			
<i>Epania shikokensis shikokensis</i>					○							
<i>Ephies japonicus</i>					●			●				
<i>Ephies japonicus okinawanus</i>				e	○			○				
<i>Eupromius ruber</i>					●			●				
<i>Eurypoda batesi</i>					●			●				
<i>Eurypoda unicolor</i>					●			●				
<i>Euseboides matsudai</i>					●			●				
<i>Euseboides matsudai matsudai</i>					○			○		●		
<i>Exocentrus hayashii</i>				E	●					●		
<i>Exocentrus marui</i>				E	●			●				
<i>Exocentrus nobuoi</i>					●			●				
<i>Exocentrus nobuoi nobuoi</i>				e	○			○				
<i>Exocentrus nobuoi okinawaensis</i>					○			○				
<i>Exocentrus takakuwai</i>					●							
<i>Formosopyrrhona satoi</i>				E	●			●				
<i>Glaphyra cobaltina</i>				E	●			●				
<i>Glaphyra shibatai</i>					●			●				
<i>Glaphyra shibatai okinawana</i>				e	○			○				
<i>Glaphyra shibatai shibatai</i>					○			○				
<i>Glaphyra takeuchii</i>					●			●				
<i>Glaphyra takeuchii ebeninus</i>				e	○			○				
<i>Glenea chlorospila</i>					●			●				
<i>Glenea chlorospila chlorospila</i>					○			○				
<i>Glenea chlorospila okinawensis</i>				e	○			○				

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Glenea hamabovola</i>				F	●	●			●	
<i>Glenea iriei</i>				F	●	●				
<i>Glenea iriei heikichii</i>				e	○		○			
<i>Glenea iriei iriei</i>				e	○					
<i>Glenea iwasakii</i>					●				●	
<i>Glenea lineata</i>					●				●	
<i>Glenea lineata itai</i>				e	○		○			
<i>Glenea lineata lineata</i>					○					
<i>Glenea lineata ryukyuensis</i>				e	○				○	
<i>Gnatholea biseburata</i>					●					
<i>Hyllisia taihokensis</i>					●				●	
<i>Idiostrangalia maruokai</i>					●					
<i>Iproca ishigakiana</i>				F	●				●	
<i>Kazuoclytus fukiensis</i>					●					
<i>Kurarua chujo</i>					●				●	
<i>Leptepania ryukyuana</i>					●					
<i>Leptura ochraceofasciata</i>					●					
<i>Leptura ochraceofasciata amamiana</i>				e	○					
<i>Leptura ochraceofasciata watanabei</i>				e	○					
<i>Longipalpus dilatipennis</i>				F	●				●	
<i>Macrotoma fisheri</i>				e	○				○	
<i>Macrotoma fisheri obscuribrunnea</i>					●				●	
<i>Margites formosana</i>				e	○				○	
<i>Margites formosana ishigakiana</i>				e	○					
<i>Margites formosana kawazoei</i>				e	○					
<i>Margites formosana okinawana</i>					○					
<i>Margites fulvidus</i>					●					
<i>Megopsis sinica</i>					●					



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Megopis sinica sinica</i>					○	○			○	
<i>Megopis sinica validicornis</i>				e	○				○	
<i>Merionoeda formosana</i>					●				●	
<i>Merionoeda formosana iriomotensis</i>				e	○				○	
<i>Merionoeda formosana okinawana</i>				e	○	○				
<i>Merionoeda formosana rubriventris</i>				e	○					
<i>Mesoeris horiana</i>				E	●				●	
<i>Mesosa cervinopicta</i>				E	●				●	
<i>Mesosa itoi</i>				E	●					
<i>Mesosa konoi</i>					●					
<i>Mesosa konoi amamiana</i>				e	○				○	
<i>Mesosa konoi okinawana</i>				e	○				○	
<i>Mesosa longipennis</i>					●					
<i>Mesosa nomurai</i>					●					
<i>Mesosa pictipes</i>				E	●					
<i>Mesosa pictipes miyamotai</i>					○					
<i>Mesosa pictipes pictipes</i>				e	○				○	
<i>Mesosa yonaguni</i>				E	●				●	
<i>Mesosa yonaguni subkonoi</i>				e	○				○	
<i>Microleucanptus nakabayashii</i>				E	●					
<i>Mimectatina divaricata</i>					●					
<i>Mimectatina divaricata fulvovariegata</i>					○					
<i>Mimectatina divaricata yayeyamana</i>				e	○				○	
<i>Mimectatina iriei</i>				E	●					
<i>Mimectatina meridiana</i>					●				●	
<i>Mimectatina meridiana ?hirai</i>					○				○	
<i>Mimorsicis yayeyamensis</i>				E	●				●	
<i>Mimostangalia longicornis</i>				E	●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Molochoevania mizoguchii</i>					●	●	●	●	●	
<i>Monochamus alternatus</i>					●		●			
<i>Monochamus asiaticus</i>				E	●			●		
<i>Monochamus maruokai</i>				E	●			●		
<i>Monochamus masaoi</i>				E	●					
<i>Myceritopsis apomecynoides</i>				E	●					
<i>Nadezhdella japonica</i>				E	●				●	
<i>Nanohammus subfasciatus</i>					●					
<i>Necydalis moriyai</i>				E	●					
<i>Neosybra ryukyuensis</i>				E	●				●	
<i>Niphona furcata</i>					●				●	
<i>Niphona yanoi</i>					●				●	
<i>Niphona yanoi yanoi</i>					○				○	
<i>Nortia carnicollis</i>					●				●	
<i>Notomulciber quadrisignatus</i>					●				●	
<i>Oberea ishigakiana</i>				E	●				●	
<i>Oberea okinawana</i>				E	●				●	
<i>Oberea shibatai</i>				E	●				●	
<i>Obrium hattai</i>				E	●				●	
<i>Obrium takahashii</i>				E	●				●	
<i>Obrium takeshitai</i>				E	●				●	
<i>Olenecamptus bilobus</i>				e	○				○	
<i>Olenecamptus bilobus nipponensis</i>					●				○	
<i>Olenecamptus formosanus</i>					●				●	
<i>Olenecamptus taiwanus</i>					●				●	
<i>Ostedes inermis</i>					●				○	
<i>Ostedes inermis densepunctata</i>		DD		e	○				○	
<i>Paranaspia yaeyamensis</i>				E	●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Parandra formosana</i>					●					●	
<i>Parandra shibatai</i>				E	●			●			
<i>Parasalpinia kojimai</i>					●			●		●	
<i>Parutetrapha magnifica</i>					●					●	
<i>Parutetrapha magnifica caeruleithoracica</i>				e	○					○	
<i>Peblephaeus ishigakianus</i>				E	●					●	
<i>Peblephaeus okinawanus</i>				E	●			●		●	
<i>Peblephaeus yayeyamai</i>				E	●					●	
<i>Penthides flavus</i>					●					●	
<i>Penthides flavus multipubens</i>				e	○					○	
<i>Penthides rufiflavus</i>					●						
<i>Perissus kiusiuenis</i>					●						
<i>Perissus kiusiuenis yamadai</i>				e	○						
<i>Perissus tsutsumii</i>				E	●			●			
<i>Poehyne annulata</i>					●			●		●	
<i>Poehyne annulata annulata</i>					○			○			
<i>Poehyne annulata ishigakiana</i>				e	○					○	
<i>Poehyne annulata yonaguniensis</i>				e	○						
<i>Poehyne formosana chocolatooides</i>				e	○					○	
<i>Poehyne formosana liturata</i>				e	○						
<i>Poehyne variegata</i>					●			●		●	
<i>Poehyne variegata hayashii</i>				e	○			○			
<i>Poehyne variegata ryukyana</i>				e	○						
<i>Poehyne variegata yayeyamana</i>				e	○					○	
<i>Praolia citrinipes</i>					●					●	
<i>Praolia citrinipes ishigakiana</i>				e	○					○	
<i>Praolia citrinipes takeuchii</i>				e	○						
<i>Praolia citrinipes umui</i>				e	○						

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Praoia mizutani</i>				F	●	●	●	●	●	●	
<i>Psacotha hilaris</i>				e	○	○	○	○	○	○	
<i>Psacotha hilaris ishigakiana</i>				e	○	○	○	○	○	○	
<i>Psacotha hilaris maculata</i>					○	○	○	○	○	○	
<i>Psacotha hilaris tenebrosa</i>					○	○	○	○	○	○	
<i>Psephactus remiger</i>					●	●	●	●	●	●	
<i>Psephactus remiger insularis</i>					○	○	○	○	○	○	
<i>Pseudalosterna airtai</i>				E	●	●	●	●	●	●	
<i>Pseudalosterna takagii</i>				E	●	●	●	●	●	●	
<i>Pseudiphra apicale</i>				E	●	●	●	●	●	●	
<i>Pseudiphra elegans</i>				E	●	●	●	●	●	●	
<i>Pseudiphra obscura</i>					●	●	●	●	●	●	
<i>Pseudocalamobius leptissimus</i>					●	●	●	●	●	●	
<i>Pseudocalamobius leptissimus okinawanus</i>				e	○	○	○	○	○	○	
<i>Pterolophia annulata</i>					●	●	●	●	●	●	
<i>Pterolophia formosana</i>					●	●	●	●	●	●	
<i>Pterolophia gibbosipennis</i>					●	●	●	●	●	●	
<i>Pterolophia gibbosipennis iriomotei</i>				e	○	○	○	○	○	○	
<i>Pterolophia gibbosipennis kuniyoshii</i>				e	○	○	○	○	○	○	
<i>Pterolophia gibbosipennis subcristipennis</i>					○	○	○	○	○	○	
<i>Pterolophia kaleea</i>					●	●	●	●	●	●	
<i>Pterolophia kaleea kaleea</i>					○	○	○	○	○	○	
<i>Pterolophia kubokii</i>		NT			●	●	●	●	●	●	
<i>Pterolophia latefascia</i>					●	●	●	●	●	●	
<i>Pterolophia obovata</i>				E	●	●	●	●	●	●	
<i>Pterolophia oshimana</i>				E	●	●	●	●	●	●	
<i>Pyrestes inaequalicollis</i>				E	●	●	●	●	●	●	
<i>Pyrestes yayeyamensis</i>				E	●	●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Rhaphuma amamiensis</i>				M	●	●					
<i>Rhaphuma diminuta</i>					●	●	○	○	●		
<i>Rhaphuma diminuta nitens</i>				e	○						
<i>Rhodopina modica</i>				M	●	●					
<i>Rhodopina okinawensis</i>				M	●	●					
<i>Rhodopina sakishimana</i>				M	●				●		
<i>Rondibilis amanoi</i>					●						
<i>Rondibilis elongata</i>				E	●				●		
<i>Rondibilis elongata elongata</i>				e	○				○		
<i>Rondibilis elongata minor</i>				e	○						
<i>Rondibilis femorata</i>		DD			●				●		
<i>Rondibilis insularis</i>					●						
<i>Ropica caenosa</i>					●						
<i>Ropica honesta</i>					●				●		
<i>Ropica loochooana</i>				E	●				●		
<i>Ropica loochooana hayashii</i>				e	○				○		
<i>Ropica loochooana loochooana</i>				e	○				○		
<i>Ropica nobuoi</i>					●						
<i>Ropica nobuoi nobuoi</i>				e	○						
<i>Rosalia feriei</i>				E	●						
<i>Rosalia lesnei</i>					●						
<i>Sciades brevicollis</i>				E	●				●		
<i>Sciades fasciatus</i>					●				●		
<i>Sciades fasciatus nobuoi</i>				e	○						
<i>Sciades fasciatus okinawanus</i>				e	○						
<i>Sciades fasciatus yaeyamanus</i>				e	○				○		
<i>Sciades longicollis</i>				E	●						
<i>Sciades sakishimanus</i>				E	●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Sciades sakishimanus deguchii</i>				e	○	○		○		○	
<i>Sciades sakishimanus sakishimanus</i>				e	○					○	
<i>Sciades tonsus</i>					●			●			
<i>Sophronica obrioides</i>					●						
<i>Stenomalus taiwanus</i>					●			●		●	
<i>Stenodyas clavigera</i>					●			●		●	
<i>Stenodyas clavigera iusularis</i>					○			○		○	
<i>Stenygrinum quadrinotatum</i>					●			●			
<i>Strangalia gracilis</i>					●			●			
<i>Stromatium longicorne</i>				E	●			●		●	
<i>Sybra basialbofasciata</i>				E	●			●			
<i>Sybra distincta</i>				E	●			●			
<i>Sybra flavostriata</i>				E	●					●	
<i>Sybra flavostriata flavostriata</i>				e	○					○	
<i>Sybra mimogeminata</i>				E	●					●	
<i>Sybra ordinata</i>					●			●			
<i>Sybra ordinata loochooana</i>				e	○			○			
<i>Sybra ordinata subtesselata</i>				e	○			○			
<i>Sybra oshimana</i>					●			●			
<i>Sybra pascoei</i>					●			●			
<i>Sybra pascoei ishigakii</i>				e	○					○	
<i>Sybra pascoei okinawana</i>				e	○			○			
<i>Sybra trimeresura</i>				E	●			●			
<i>Thranis multinotatus</i>					●			●			
<i>Thranis multinotatus latipennis</i>				e	○					○	
<i>Thranis multinotatus okinawensis</i>				e	○			○			
<i>Thranis rufescens</i>					●			●		●	
<i>Thranis variegatus</i>					●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Thraupis variegatus obscura</i>				e	○	○	○			
<i>Uraecha oshimana</i>				E	●	●	●	●		
<i>Xenolea asiatica</i>				E	●	●	●	●		
<i>Xylariopsis iriei</i>				E	●	●	●	●		
<i>Xylotrechus albolatifasciatus</i>					●	●	●	●		
<i>Xylotrechus atronotatus</i>					○	○	○	○		
<i>Xylotrechus atronotatus angulithorax</i>				e	○	○	○	○		
<i>Xylotrechus atronotatus generosus</i>					○	○	○	○		
<i>Xylotrechus chinensis</i>					●	●	●	●		
<i>Xylotrechus chujoii</i>				E	●	●	●	●		
<i>Xylotrechus chujoii chujoii</i>				e	○	○	○	○		
<i>Xylotrechus chujoii ishigakianus</i>				e	○	○	○	○		
<i>Xylotrechus grayii</i>					●	●	●	●		
<i>Xylotrechus grayii grayii</i>					○	○	○	○		
<i>Xylotrechus grayii yaeyamanus</i>					○	○	○	○		
<i>Xylotrechus reductemaculatus</i>				E	●	●	●	●		
<b>CHRYSOMELIDAE</b>										
<i>Abitus fortunei</i>					●	●	●	●		
<i>Acrothinium gaschkevitchii</i>					●	●	●	●		
<i>Acrothinium gaschkevitchii okinawense</i>				e	○	○	○	○		
<i>Acrothinium gaschkevitchii shirakii</i>				e	○	○	○	○		
<i>Adiscus nigripennis</i>					●	●	●	●		
<i>Altica caeruleascens</i>					●	●	●	●		
<i>Altica circicola</i>					●	●	●	●		
<i>Altica cyanea</i>					●	●	●	●		
<i>Altica viridicyanea</i>					●	●	●	●		
<i>Aphthona amarniana</i>				E	●	●	●	●		
<i>Aphthona formosana</i>					●	●	●	●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Aphthona nigrita</i>					●	●					
<i>Apophyllia elongata</i>				E	●		●				
<i>Argopistes coccinelliformis</i>					●		●				
<i>Atrachya flavomaculata</i>				E	●				●		
<i>Aulacophora bicolor</i>					●		●		●		
<i>Aulacophora indica</i>					●		●		●		
<i>Aulacophora lewisii</i>					●		●		●		
<i>Aulacophora lochooensis</i>				E	●		●		●		
<i>Aulacophora nigripennis</i>					●		●		●		
<i>Aulacophora nigripennis nigripennis</i>					○				○		
<i>Aulacophora nigripennis nitidipennis</i>					○				○		
<i>Basilepta amamiensis</i>				E	●				●		
<i>Basilepta davidi</i>					●				●		
<i>Basilepta hirayamai</i>					●				●		
<i>Basilepta uenoi</i>					●				●		
<i>Batophila latissima</i>					●						
<i>Brontispa longissima</i>					●						
<i>Cassida circumdata</i>					●				●		
<i>Cassida piperata</i>					●				●		
<i>Cassida versicolor</i>					●				●		
<i>Cassida vespertina</i>					●				●		
<i>Chaetocnema basalis</i>					●				●		
<i>Chaetocnema concinna</i>					●				●		
<i>Chaetocnema concinnicollis</i>					●						
<i>Chaetocnema discreta</i>					●						
<i>Chaetocnema formosensis</i>					●				●		
<i>Chlamisus geniculatus</i>					●						
<i>Chlamisus japonicus</i>					●				●		



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Chlamisus yakushimanus</i>					●					
<i>Chrysolina aurichalcea</i>					●	●	●	●		
<i>Giltea metallica</i>					●					
<i>Coenobius nigrocastaneus</i>					●					
<i>Coenobius obscuripennis</i>					●	●				
<i>Colaspoides amamiensis</i>				E	●	●	●	●		
<i>Colaspoides fulvus</i>					●	●	●	●		
<i>Colaspoides imasakai</i>					●	●	●	●		
<i>Colaspoides okinawanus</i>				E	●					
<i>Colaspoides suginoi</i>				E	●					
<i>Colasposoma auripenne</i>					●					
<i>Cryptocephalus loochooensis</i>					●	●	●	●		
<i>Cryptocephalus loochooensis loochooensis</i>					○					
<i>Cryptocephalus perelegans</i>					●					
<i>Cryptocephalus perelegans perelegans</i>					○					
<i>Cryptocephalus perelegans takahashii</i>				e	●					
<i>Demotina aurosquama</i>					●					
<i>Demotina decorata</i>					●					
<i>Demotina elegans</i>					●					
<i>Demotina major</i>					●					
<i>Demotina modesta</i>					●					
<i>Demotina sasakawai</i>					●					
<i>Demotina serhiventris</i>					●					
<i>Dercetina azumai</i>					●					
<i>Dicladispa armigera</i>				E	●					
<i>Epaenidea elegans</i>					●					
<i>Epiluperodes ryukyuanus</i>				E	●					
<i>Exosoma amamiense</i>				E	●					

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Galerucella griseascens</i>					●			●		
<i>Gallerucida oshimana</i>					●			●		
<i>Haplosomoides costatus</i>					●			●		
<i>Haplosomoides miyamotoi</i>				E	●			●		
<i>Hemipyxis balyi</i>				e	●			●		
<i>Hemipyxis balyi yaeyamana</i>					○			○		
<i>Hemipyxis cinctipennis</i>					●			●		
<i>Hemipyxis cinctipennis cinctipennis</i>					○			○		
<i>Hemipyxis cinctipennis okinawana</i>				e	○			○		
<i>Hemipyxis flavibdominalis</i>					●			●		
<i>Hemipyxis foveolata</i>					●			○		
<i>Hemipyxis foveolata foveolata</i>					○			○		
<i>Hemipyxis shirakii</i>				E	●			●		
<i>Hemipyxis takarai</i>				E	●			●		
<i>Hespera lomasa</i>					●			●		
<i>Hoplosaenidea miyatakei</i>				E	●			●		
<i>Issikia issikii</i>				E	●			●		
<i>Laccoptera quadrimaculata</i>					●			●		
<i>Lanka fulva</i>					●			●		
<i>Lema coronata</i>					●			●		
<i>Lema honorata</i>					●			●		
<i>Lema rugifrons</i>					●			●		
<i>Leptispa miyamotoi</i>				E	●			●		
<i>Lilloceris formosana</i>					●			●		
<i>Lipromela okinawana</i>				E	●			●		
<i>Lipromorpha difficilis</i>					●			●		
<i>Longitarsus bimaculatus</i>					●			●		
<i>Longitarsus boharti</i>				E	●			●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Longitarsus formosanus</i>					●				●	
<i>Longitarsus ihai</i>				E	●		●		●	
<i>Longitarsus ishigakiensis</i>				E	●		●		●	
<i>Longitarsus scutellaris</i>				●	●	●				
<i>Luperomorpha amamiana</i>				●	●					
<i>Luperomorpha birmanica</i>				●						
<i>Luperomorpha hidakai</i>				●		●			●	
<i>Luperomorpha sakishimana</i>				●		●			●	
<i>Lypesthes fulvus</i>				●					●	
<i>Manobia gressitti</i>				●					●	
<i>Manobia lewisi</i>				●		●			●	
<i>Manobia parvula</i>				●		●			●	
<i>Manobidia simplicithorax</i>				●						
<i>Medythia suturalis</i>				●					●	
<i>Monolepta chujoji</i>				●					●	
<i>Monolepta minor</i>				●						
<i>Monolepta miyamotoi</i>				●						
<i>Monolepta pallidula</i>				●						
<i>Monolepta sakishimana</i>				●					●	
<i>Morphosphaera coerulea</i>				●					●	
<i>Nodina chalcosoma</i>				●					●	
<i>Nodina kraussi</i>				●						
<i>Nodina morimotoi</i>				●						
<i>Nonarthra variabilis</i>				●						
<i>Notosacantha ihai</i>				●						
<i>Notosacantha loochooana</i>				●						
<i>Ogloblinia flavicornis</i>				●					●	
<i>Oomorhoides loochooensis</i>				●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Oomorphoides okinawensis</i>					●	●		●		
<i>Oomorphoides sakishimanus</i>				E	●		●	●		
<i>Orthallia shirozui</i>				E	●		●	●		
<i>Orthallia okinawana</i>				E	●		●	●		
<i>Oulema atrosuturalis</i>					●		●	●		
<i>Pagria signata</i>					●			●		
<i>Parascela cribrata</i>					●			●		
<i>Parategrius unicolor</i>				E	●			●		
<i>Phaedon brassicae</i>					●		●	●		
<i>Phola octodecimguttata</i>					●		●	●		
<i>Phylloreta striolata</i>					●		●	●		
<i>Plagiodera versicolora</i>					●		●	●		
<i>Platyconynus japonicus</i>				E	●		●	●		
<i>Platyconynus japonicus japonicus</i>				e	○		○	○		
<i>Psylliodes angusticollis</i>					●		●	●		
<i>Psylliodes balyi</i>					●		●	●		
<i>Psylliodes bretinghami</i>					●		●	●		
<i>Psylliodes sribrugosa</i>					●		●	●		
<i>Pyrrhalta humeralis</i>					●		●	●		
<i>Pyrrhalta nigricornis</i>				E	●		●	●		
<i>Pyrrhalta yasumatsui</i>				E	●		●	●		
<i>Pyrrhalta yoshimotoi</i>				E	●		●	●		
<i>Rhyarida sakisimensis</i>					●		●	●		
<i>Schenklingia hiranoi</i>					●		●	●		
<i>Schenklingia sauteri</i>					●		●	●		
<i>Smaragdina ihai</i>				E	●		●	●		
<i>Smaragdina nipponensis</i>					●		●	●		
<i>Smaragdina quadrimaculata</i>				E	●		●	●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Spermophagus rufiventris</i>					●					●	
<i>Sphaeroderma flavonotatum</i>					●						
<i>Sphaeroderma fulvoapicale</i>	E				●		●				
<i>Sphaeroderma quadrimaculatum</i>	E				●		●				
<i>Theopea aureoviridis</i>					●		●				
<i>Thlaspida cribrosa</i>					●		●				
<i>Trichochoysea okinawana</i>					●		●				
<i>Trichochoysea okinawana okinawana</i>					○		○				
<i>Trichochoysea sakishimana</i>	E				●						
<i>Zeugophora flavonotata</i>	E				●						
<i>Zeugophora gracilis</i>					●						
<i>Zeugophora gracilis unicolor</i>	e				○						
<i>Zipangia amamiana</i>	E				●						
<i>Zipangia nigricornis</i>	E				●						
<i>Zipangia okinawana</i>	E				●						
<i>Zipanginia loochooana</i>	E				●						
<b>ANTHRIBIDAE</b>											
<i>Acorynus asanoi</i>					●						
<i>Acorynus okinawanus</i>	E				●						
<i>Acorynus poecilus</i>	E				●						
<i>Acorynus singularis</i>	E				●						
<i>Anthrribus niveovariegatus</i>					●						
<i>Aphaulimia grammica</i>					●						
<i>Aracerus ishigakiensis</i>	E				●						
<i>Asemorhinus nebulosus</i>					●						
<i>Autotropis okinawana</i>	E				●						
<i>Caenophloeobius inconspicuus</i>					●						
<i>Cedus japonicus</i>	E				●						

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Cisanthribus nakanei</i>					●			●			
<i>Deropygus cavus</i>				■	●						
<i>Deropygus morimotoi</i>				■	●						
<i>Deropygus uedai</i>				■	●						
<i>Eucorynus crassicornis</i>				■	●				●		
<i>Euparius concolor</i>				■	●				●		
<i>Euparius modicus</i>				■	●				●		
<i>Euparius modicus yaeyamanus</i>				○	○				○		
<i>Exilis japonicola</i>				●	●			●	●		
<i>Habrissus formosanus</i>				●	●			●	●		
<i>Habrissus nigronotatus</i>				●	●			●	●		
<i>Illis anna</i>				●	●			●	●		
<i>Litocerus communis</i>				●	●			●	●		
<i>Litocerus communis amamianus</i>				e	○			○	○		
<i>Litocerus communis communis</i>					○						
<i>Litocerus securus</i>					●			●			
<i>Litocerus tokarensis</i>					●			●			
<i>Litocerus tokarensis tokarensis</i>					○			○			
<i>Mecotropis kyushuensis</i>					●			●			
<i>Mecotropis ogasawarai</i>				E	●			●			
<i>Melanopsacus inaequalis</i>				E	●			●			
<i>Melanopsacus kinke</i>					●			●			
<i>Melanopsacus makiharai</i>				E	●			●	●		
<i>Misthoshima brevitarsis</i>				E	●			●			
<i>Nerthomma aplota</i>					●			●			
<i>Nessiiodocus propinquus</i>					●			●			
<i>Nessiiodocus triodes</i>					●			●	●		
<i>Notioxenus nitidus</i>					●			●	●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Ozotomerus amamianus</i>					●				●	
<i>Ozotomerus nigromaculatus</i>					●			●		
<i>Peribathys okinawanus</i>				E	●		●			
<i>Peribathys shinonagai</i>				E	●	●				
<i>Phaulimia angusta</i>				E	●		●		●	
<i>Phaulimia decorata</i>					●		●			
<i>Phaulimia incerta</i>					●		●			
<i>Phaulimia kurosawai</i>				E	●				●	
<i>Phaulimia tuberosa</i>				E	●				●	
<i>Platystomos asteromaculatus</i>					●		●			
<i>Plintheria varifolosa</i>					●					
<i>Rawasia ritsemiae</i>					●		●			
<i>Rhaphitropis flavipes</i>				E	●				●	
<i>Rhaphitropis nigromaculata</i>				E	●				●	
<i>Sintor bipunctatus</i>					●					
<i>Sintor yamawakii</i>				E	●			●		
<i>Stenorhis hirashimai</i>				E	●		●			
<i>Tropideres insularis</i>				E	●		●			
<i>Tropideres japonicus</i>					●		●			
<i>Uncifer discrepans</i>				E	●		●			
<i>Uncifer hispidus</i>					●		●			
<i>Unciferina persimilis</i>				E	●		●			
<i>Xanthoderopygus didymus</i>					●				●	
<i>Xanthoderopygus flavicollis</i>				E	●				●	
<i>Xanthoderopygus jocosus</i>					●					
<i>Xylinada annulipes</i>					●					
<i>Xylinada japonica</i>					●					
<i>Xylinada oshimai</i>				E	●		●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<b>ATTELABIDAE</b>											
<i>Auletobius fumigatus</i>					●					●	
<i>Auletobius planifrons</i>					●			●		●	
<i>Auletobius uniformis</i>					●			●		●	
<i>Deporaus insularis</i>					●		●	●			
<i>Eugnaptus aurifrons</i>					●			●			
<i>Eugnaptus sauteri</i>					●			●			
<i>Involvulus aes</i>				E	●			●			
<i>Involvulus amamiensis</i>				E	●			●			
<i>Involvulus comix</i>					●			●			
<i>Involvulus flavus</i>				E	●			●		●	
<i>Involvulus subtilis</i>				E	●			●			
<b>BRENTIDAE</b>											
<i>Baryrhynchus poweri</i>					●			●			
<i>Baryrhynchus yaeyamensis</i>		DD		E	●			●		●	
<i>Callipareius japonicus</i>					●						
<i>Cerobates canaliculatus</i>					●						
<i>Cerobates formosanus</i>					●					●	
<i>Cerobates laticostatus</i>					●			●			
<i>Cerobates planicollis</i>				E	●			●			
<i>Cyphagogus signipes</i>					●						
<i>Desmidophorus crassus</i>					●			●		●	
<i>Higonius cilo</i>					●					●	
<i>Paramorphocephalus fumosus</i>					●			●			
<i>Trachelizus japonicus</i>					●			●		●	
<i>Trachelizus makiharai</i>				E	●					●	
<b>APIONIDAE</b>											
<i>Nanophyes dimorphus</i>					●					●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Nanophyes formosensis</i>					●							
<i>Nanophyes pallipes</i>					●			●				
<i>Nanophyes plumbeus</i>					●			●				
<i>Nanophyes proles</i>					●			●				
<b>CURCULIONIDAE</b>												
<i>Acicnemis azumai</i>					●			●				
<i>Acicnemis dividicincta</i>					●			●				
<i>Acicnemis dividicincta okinawana</i>				e	○			○				
<i>Acicnemis dorsonigrita</i>					●			●				
<i>Acicnemis exilis</i>					●			●				
<i>Acicnemis kiotoensis</i>					●			●				
<i>Acicnemis maculaalba</i>					●			●				
<i>Acicnemis postica</i>					●			●				
<i>Acicnemis shibatai</i>					●			●				
<i>Acicnemis shigematsui</i>				E	●			●				
<i>Aclees hirayamai</i>					●			●				
<i>Acythopeus insularis</i>					●			●				
<i>Adorytomus anoploides</i>					●			●				
<i>Anthonomus minor</i>					●			●				
<i>Anthonomus okinawanus</i>					●			●				
<i>Anthonomus ryukyuensis</i>					●			●				
<i>Anthonomus uenoi</i>					●			●				
<i>Anthinobaris shirozui</i>					●			●				
<i>Bagous kagiashi</i>					●			●				
<i>Bagous ryukyuensis</i>				E	●			●				
<i>Bagous subvittatus</i>				E	●			●				
<i>Bagous youngi</i>					●			●				
<i>Baris amipes</i>					●			●				

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Baris kiboshi</i>					●	●					
<i>Baris kiboshi ihai</i>				○	○						
<i>Baris kiboshi kiboshi</i>					○						
<i>Batobaris rubi</i>					●						
<i>Blosyrus asellus</i>					●						
<i>Caloptopygus kumei</i>				E	●				●		
<i>Camptorhinus dorsalis</i>					●				●		
<i>Catabonops monachus</i>					●						
<i>Catarhinus umbrosus</i>					●				●		
<i>Colobodellus postfasciatus</i>					●				●		
<i>Colobodes alboguttatus</i>				E	●				●		
<i>Colobodes formosanus</i>				E	●				●		
<i>Colobodes kuniyoshii</i>				E	●				●		
<i>Colobodes ornatoideus</i>					●				●		
<i>Colobodes rotundicollis</i>					●				●		
<i>Conisius yaeyamanus</i>				E	●				●		
<i>Cotasteromimus squamiger</i>					●				●		
<i>Cryptorhynchus fasciculatus</i>					●				●		
<i>Curculio atidorsum</i>				E	●				●		
<i>Curculio clarus</i>					●				●		
<i>Curculio funebris</i>					●				●		
<i>Curculio hilgendorfi</i>					●				●		
<i>Curculio hirashimai</i>					●				●		
<i>Curculio maculanigra</i>					●				●		
<i>Curculio nagaoui</i>					●				●		
<i>Cyphicerus kuchibutonus</i>				E	●				●		
<i>Darumazo distinctus</i>					●				●		
<i>Demimaea minuta</i>					●				●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Derelomus bicarinatus</i>					●					●	
<i>Deretiosopsis nigrisetis</i>					●			●			
<i>Deretiosus albicaudatus</i>					●			●		●	
<i>Deretiosus angulicollis</i>					●			●		●	
<i>Deretiosus ishigakianus</i>				E	●			●		●	
<i>Dermatoxenus caesicollis</i>					●			●		●	
<i>Dryotribus mimeticus</i>					●			●		●	
<i>Dyscerus orientalis</i>					●			●		●	
<i>Dyscerus perforatus</i>					●			●		●	
<i>Echinocnemus phytonomoides</i>					●			●		●	
<i>Echinocnemus squameus</i>					●			●		●	
<i>Edaphotrypeta ovipennis</i>					●			●		●	
<i>Edaphotrypeta paraillepennis</i>					●			●		●	
<i>Endaeus nipponicus</i>					●			●		●	
<i>Endaeus nychiommatoides</i>					●			●		●	
<i>Episomus mori</i>					●			●		●	
<i>Eugnathus distinctus</i>					●			●		●	
<i>Euryommatus ellipticus</i>					●			●		●	
<i>Euthycus inaequalicollis</i>					●			●		●	
<i>Euthycus japonicus</i>				E	●			●		●	
<i>Euthythinus yaeyamanus</i>					●			●		●	
<i>Gasteroclisus auriculatus</i>					●			●		●	
<i>Gasteroclisus binodulus</i>					●			●		●	
<i>Gryporrhynchus obscurus</i>					●			●		●	
<i>Gryporrhynchus ryukyuensis</i>				E	●			●		●	
<i>Gymnaetron miyoshii</i>					●			●		●	
<i>Hesychobius vossi</i>					●			●		●	
<i>Heterandaeus miyamotoi</i>				E	●			●		●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Heterochyromera imerodeus</i>					●					●	
<i>Imachra oculatus</i>				■	●					●	
<i>Imachra decipiens</i>					●			●			
<i>Imachra maetai</i>					●			●			
<i>Imachra shirozui</i>				■	●			●		●	
<i>Ixalma hilleri</i>					●			●			
<i>Labaninus kimotoi</i>					●			●			
<i>Lainus latissimus</i>					●			●			
<i>Lainus latissimus kuroiwai</i>				e	○			○			
<i>Lixus akonis</i>					●					●	
<i>Lixus impressiventris</i>					●			●			
<i>Macrocorynus psittacinus</i>					●					●	
<i>Macrohyncolus crassiusculus</i>					●			●			
<i>Mechistocerus japonicus</i>					●			●			
<i>Mechistocerus ochraceus</i>					●			●		●	
<i>Mechistocerus okumai</i>				E	●			●			
<i>Mechistocerus similis</i>				E	●			●		●	
<i>Mechistocerus yaeyamensis</i>				E	●			●		●	
<i>Mecysolobus takahashii</i>					●			●			
<i>Metetra esakii</i>					●			●			
<i>Microcryptorhynchus nipponicus</i>					●			●		●	
<i>Microtribus splendidus</i>					●			●			
<i>Myllocerus neglectus</i>					●			●			
<i>Neasphalmus okinawanus</i>					●			●			
<i>Ochronanus pallidus</i>					●			●			
<i>Ochyromera miwai</i>					●			●			
<i>Ochyromera ryukyuensis</i>					●			●		●	
<i>Odosyllis subcostatus</i>					●			●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Oedophrys sakaguchii</i>					●	●				●	
<i>Orchestes heritierae</i>				☐	●					●	
<i>Orchestes truncatipennis</i>				☐	●						
<i>Orchestes yokoae</i>				☐	●						
<i>Pachyrhynchus infernalis</i>				☐	●					●	
<i>Parempleurus dentirostris</i>					●						
<i>Parempleurus femoratus</i>					●						
<i>Parendymia pilipes</i>					●					●	
<i>Pentarthrum angustissimum</i>					●					●	
<i>Phaenomerus foveipennis</i>					●					●	
<i>Phloeophagosoma curvirostre</i>					●					●	
<i>Pholidoforus squamosus</i>					●					●	
<i>Rhadinomerus annulipes</i>					●						
<i>Rhadinomerus ishigakianus</i>				☐	●					●	
<i>Rhadinomerus unmon</i>					●					●	
<i>Rhadinomerus unmon ryukyuensis</i>					○					○	
<i>Rhinoncus sibiricus</i>					●					●	
<i>Scepticus uniformis</i>					●					●	
<i>Sclerolips horridus</i>					●						
<i>Scleropteroides insulare</i>				☐	●						
<i>Seleuca impressicollis</i>				☐	●					●	
<i>Shigizo rhombiformis</i>				☐	●					●	
<i>Shirahoshizo rufescens</i>					●						
<i>Simulatacalles simulator</i>					●					●	
<i>Sphinxis ihai</i>					●					●	
<i>Stenoscelis gracilitarsis</i>					●						
<i>Sybulus nigricollis</i>					●					●	
<i>Sympiezomias cribricollis</i>					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Telephae matsudai</i>					●					●	
<i>Tivicis aeratus</i>				E	●					●	
<i>Tivicis maculatus</i>				E	●			●		●	
<i>Xenomimetus tenuis</i>					●					●	
<b>RHYNCHOPHORIDAE</b>											
<i>Cryptoderma kuniyoshii</i>				E	●			●		●	
<i>Dexipeus uenoi</i>					●			●			
<i>Dryophthorus japonicus</i>					●			●			
<i>Laogenia formosana</i>					●			●			
<i>Sipalinus gigas</i>					●			●			
<i>Sitophilus granarius</i>					●			●			
<i>Sphenocorynes ocellatus</i>					●			●		●	
<i>Stenommatius ocularis</i>					●			●			
<b>PLATYPODIDAE</b>											
<i>Crossotarsus emancipatus</i>					●			●			
<i>Crossotarsus externedentatus</i>					●			●		●	
<i>Crossotarsus niponicus</i>					●			●			
<i>Crossotarsus simplex</i>					●			●		●	
<i>Cryphalus abbreviatus</i>					●			●			
<i>Platypus calamus</i>					●			●		●	
<i>Platypus quercivorus</i>					●			●			
<i>Platypus solidus</i>					●			●			
<i>Platypus taiwanis</i>					●			●			
<b>SCOLYTIDAE</b>											
<i>Cyrtogenius brevior</i>					●					●	
<i>Margadillius corpulentus</i>					●						
<i>Orthotomicus kuniyoshii</i>				E	●			●			
<i>Poecilips advena</i>					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus Okinawa Is.	South Ryukyus Iriomote Is.	
<i>Scolytogenes birosimensis</i>					●			●	●	
<i>Scolytogenes fulvipennis</i>					●			●		
<i>Sueus nisimai</i>					●			●		
<i>Xyleborus andrewesi</i>					●			●		
<i>Xyleborus permarginatus</i>					●					
<b>HALICTOPHAGIDAE</b>										
<i>Blattodeaphagus iriomotensis</i>				E	●			●		
<i>Halictophagus iriomotensis</i>				E	●			●		
<i>Halictophagus yaeyamanus</i>				E	●			●		
<b>MYRMECOLACIDAE</b>										
<i>Stichotrema asahinai</i>				E	●			●		
<b>STYLOPIDAE</b>										
<i>Paraxenos esakii</i>					●				●	
<i>Paraxenos nagatomii</i>				E	●				●	
<i>Paraxenos orientalis</i>					●				●	
<i>Pseudoxenos iwatai</i>					●			●	●	
<b>HYMENOPTER</b>										
<b>AGAONIDAE</b>										
<i>Acophila mikii</i>					●			●		
<i>Blastophaga nipponica</i>					●			●		
<i>Blastophaga pumilae</i>					●			●		
<i>Blastophaga sumatrana</i>					●			●		
<i>Ceratosolen appendiculatus</i>					●			●		
<i>Ceratosolen jucundus</i>					●			●		
<i>Cetrasolen cornutus</i>					●			●		
<i>Eufroggattisca okinavensis</i>				E	●			●		
<i>Eupristina verticillata</i>					●			●		
<i>Kradibia sumatrana</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Liporhopalum philippinensis</i>					●					
<i>Odontofroggata gajimaru</i>					●		●			
<i>Odontofroggata gailii</i>					●		●		●	
<i>Otitesella ako</i>					●					
<i>Philotrypesis jacobsoni</i>					●		●			
<i>Philotrypesis okinawensis</i>				E	●		●		●	
<i>Platyscapa ishiiana</i>					●					
<i>Sycoscapter gajimaru</i>				E	●		●			
<i>Sycoscapter inubiae</i>					●		●			
<i>Walkerella yashiroi</i>				E	●		●			
<i>Wiebesia pumilae</i>					●		●			
<b>AMPULICIDAE</b>										
<i>Ampulex dentata</i>				E	●		●		●	
<i>Ampulex tridentata</i>				E	●					
<b>ANDRENIDAE</b>										
<i>Andrena amamiensis</i>				E	●		●			
<i>Andrena austroinsularis</i>				E	●		●			
<i>Andrena edashigei</i>				E	●		●			
<i>Andrena hirashimai</i>				E	●		●			
<i>Andrena ishikawai</i>				E	●		●			
<i>Andrena okinawana</i>				E	●		●		●	
<i>Andrena taniguchiae</i>				E	●		●			
<b>ANTHOPHORIDAE</b>										
<i>Amegilla florea</i>					●		●		●	
<i>Amegilla florea urens</i>					○		○		○	
<i>Amegilla senahai</i>					●		●		●	
<i>Amegilla senahai senahai</i>					○		○		○	
<i>Amegilla senahai subflavescens</i>				e	○		○		○	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Ceratina iwatai</i>					●					
<i>Ceratina okinawana</i>					●	●	●	●		
<i>Ceratina dentipes</i>					●					
<i>Ceratina satoi</i>					●					
<i>Euceira spurcatipes</i>					●					
<i>Nomada amamiensis</i>				E	●					
<i>Nomada japonica</i>					●					
<i>Tetralonia chinensis</i>					●					
<i>Tetralonia chinensis nigricaudata</i>				e	○			○		
<i>Tetralonia okinawae</i>					●			●		
<i>Tetralonia okinawae okinawae</i>					○			○		
<i>Tetralonia okinawae sakishimana</i>				e	○			○		
<i>Thyreus takaonis</i>					●			●		
<i>Xylocopa albinotum</i>				E	●			●		
<i>Xylocopa amamensis</i>					●		●			
<i>Xylocopa flavifrons</i>				E	●			●		
<b>APHELINIDAE</b>										
<i>Aspidiotiphagus pseudoaonidiidae</i>					●			●		
<i>Coccobius azumai</i>				E	●			●		
<b>AULACIDAE</b>										
<i>Pristaulacus comptipennis</i>					●			●		
<i>Pristaulacus insularis</i>					●					
<i>Pristaulacus ryukyensis</i>				E	●			●		
<b>BETHYLIDAE</b>										
<i>Acrepyris ishigakiensis</i>				E	●			●		
<i>Acrepyris minutus</i>				E	●			●		
<i>Acrepyris orihime</i>				E	●			●		
<i>Allobethylus tomoae</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Apensia bishamon</i>				E	●	●		●			
<i>Apensia daikoku</i>				E	●			●			
<i>Apensia elegans</i>				E	●			●			
<i>Apensia kusigematii</i>				E	●			●			
<i>Apensia okinawensis</i>				E	●			●			
<i>Apensia otohime</i>				E	●			●			
<i>Cephalonomia shirahama</i>				E	●			●			
<i>Dissomphlus minutulus</i>				E	●			●			
<i>Epyris yamatonis</i>					●						
<i>Goniozus hoorai</i>					●						
<i>Goniozus japonicus</i>					●			●			
<i>Goniozus kusigematii</i>					●			●			
<i>Holepyris amamiinselanus</i>				E	●						
<i>Holepyris atamensis</i>				E	●						
<i>Holepyris matsumurai</i>				E	●						
<i>Holepyris yambaru</i>				E	●						
<i>Odontepyrus marishi</i>				E	●						
<i>Plastanoxus amamiensis</i>				E	●						
<i>Pseudisobrachium onoyamai</i>				E	●						
<i>Pseudisobrachium ryukyuum</i>				E	●						
<i>Sclerodermus harmandi</i>					●			●			
<b>BRACONIDAE</b>											
<i>Acanthormius iriomotensis</i>				E	●					●	
<i>Acanthormius rugosus</i>				E	●					●	
<i>Acanthormius takadai</i>				E	●					●	
<i>Aleiodes tenuis</i>					●						
<i>Apanteles baofis</i>					●						
<i>Apanteles cypris</i>					●						

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Aphidius amamioshimensis</i>				■	●	●				
<i>Aphidius gifuensis</i>					●					
<i>Aphidius longipetiolus</i>					●	●				
<i>Aphidius picipes</i>					●	●				
<i>Aphidius salicis</i>					●					
<i>Bassus albifasciatus</i>					●	●				
<i>Bassus ebulus</i>					●					
<i>Bassus festivus</i>					●	●				
<i>Binodoxys confucius</i>					●					
<i>Binodoxys toxopterae</i>					●					
<i>Blacus melliceps</i>				E	●					
<i>Bracon onukii</i>					●			●		
<i>Braunsia anterfurcalis</i>					●					
<i>Braunsia matsumurai</i>					●					
<i>Cotesia flavipes</i>					●					
<i>Cotesia plutellae</i>					●					
<i>Cotesia ruficornis</i>					●			●		
<i>Cremnops desertor</i>					●					
<i>Diaeretiella rapae</i>					●					
<i>Ephedrus persicae</i>					●					
<i>Lipolexis gracilis</i>					●					
<i>Lysiphlebus japonicus</i>					●	●				
<i>Macrocentrus thoracicus</i>					●					
<i>Meteorus graviventris</i>					●					
<i>Meteorus ictericus</i>					●					
<i>Meteorus narangae</i>					●					
<i>Meteorus pulchricornis</i>					●			●		
<i>Meteorus versicolor</i>					●			●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Myosoma chinensis</i>					●				●	
<i>Phanerotoma flava</i>					●			●		
<i>Phanerotoma grapholithae</i>					●			●		
<i>Praon orientale</i>					●			●		
<i>Praon yomenae</i>					●			●		
<i>Pseudoshirakia yokohamensis</i>					●			●		
<i>Rogas narangae</i>					●				●	
<b>CHALCIDIDAE</b>										
<i>Antrocephalus apicalis</i>					●			●		
<i>Antrocephalus apicalis apicalis</i>					○			○		
<i>Antrocephalus apicalis yaeyamanus</i>				e	○			○		
<i>Brachymeria tonscolombi</i>					●			●		
<i>Brachymeria himi</i>					●			●		
<i>Epitranus albipennis</i>					●			●		
<i>Epitranus shirakii</i>				E	●			●		
<i>Euchaetidia yamamotoi</i>					●				●	
<i>Hockeria amamioshimensis</i>				E	●					
<b>CHRYSIDIDAE</b>										
<i>Calosega kamiteta</i>				E	●				●	
<i>Chrysis angolensis</i>					●			●		
<i>Chrysis angolensis fuscipennis</i>					○			○		
<i>Chrysis principalis</i>					●			●		
<i>Chrysis splendidula</i>					●			●		
<i>Chrysis vicaria</i>					●			●		
<i>Chrysis formosana</i>					○			○		
<i>Chrysis formosana amamiensis</i>					○			○		
<i>Loboscelidia maai</i>				e	●				●	
<i>Okinawasega eguchii</i>				E	●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Praestochysis lusca</i>					●				●	
<i>Stilbum cyanurum</i>					●			●		
<i>Stilbum cyanurum splendidum</i>					○			○		
<i>Trichrysis triacantha</i>					●			●		
<b>CIMBICIDAE</b>										
<i>Abia imperialis</i>					●					
<b>COLLETIDAE</b>										
<i>Colletes esakii</i>					●					
<i>Colletes perforator</i>					●			●		
<i>Hylaeus nanselensis</i>				E	●			●		
<i>Hylaeus insularum</i>					●			●		
<i>Hylaeus insularum iriomotensis</i>				e	○			○		
<i>Hylaeus insularum insularum</i>					○			○		
<i>Hylaeus maetai</i>				E	●				●	
<i>Hylaeus meridianus</i>				E	●			●		
<b>CRABRONIDAE</b>										
<i>Crossocerus hakusanus</i>					●					
<i>Crossocerus hirashimai</i>				E	●			●		
<i>Dolichurus amamiensis</i>					●				●	
<i>Dolichurus minor</i>				E	●			●		
<i>Ectemnius albomaculatus</i>				E	●				●	
<i>Ectemnius chrysites</i>					●			●		
<i>Ectemnius confinis</i>					●			●		
<i>Ectemnius flavohirtus</i>					●			●		
<i>Ectemnius schletteri</i>					●			●		
<i>Ectemnius schletteri ishigakiensis</i>					○				○	
<i>Ectemnius schletteri japonicus</i>					○					
<i>Ectemnius schletteri sakaguchii</i>				e	○			○		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Lara amplipennis</i>		NT			●	●			●	
<i>Lara carbonaria</i>					●	●				
<i>Lara luzonensis</i>					●				●	
<i>Lestica hentona</i>				E	●					
<i>Lestica okinawana</i>				E	●					
<i>Liris albopilosus</i>				●	●				●	
<i>Liris aurulentus</i>				●	●				●	
<i>Liris binghami</i>				●	●				●	
<i>Liris binghami deplanatus</i>				○	○				○	
<i>Liris difficilis</i>				●	●				●	
<i>Liris festinans</i>				●	●				●	
<i>Liris festinans festinans</i>				○	○					
<i>Liris festinans japonicus</i>				○	○				○	
<i>Liris iriomotensis</i>				●	●				●	
<i>Liris rohweri</i>				●	●				●	
<i>Liris rohweri formosanus</i>				○	○				○	
<i>Liris subtesselatus</i>				●	●				●	
<i>Lyroda venusta</i>				●	●				●	
<i>Lyroda venusta taiwana</i>				○	○				○	
<i>Pison punctifrons</i>				●	●				●	
<i>Rhopalum okinawanum</i>				●	●				●	
<i>Tachysphex changi</i>				●	●				●	
<i>Tachysphex formosanus</i>				●	●				●	
<i>Tachysphex nambui</i>				●	●				●	
<i>Tachysphex nigricolor</i>				●	●				●	
<i>Tachysphex nigricolor nigricolor</i>				○	○				○	
<i>Tachysphex nigricolor yaeyamanus</i>				○	○				○	
<i>Tachytes sinensis</i>				●	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Tachyites sinensis yaeyamanus</i>				e	○	●	○	○	○	
<i>Trypoxylon thaianum</i>				e	○	○	○	○	○	
<i>Trypoxylon thaianum dubiosum</i>					○	○	○	○	○	
<i>Trypoxylim errans</i>					●	○	○	○	○	
<i>Trypoxylon formosicola</i>					●	○	○	○	○	
<i>Trypoxylon formosicola amamiense</i>				e	○	○	○	○	○	
<i>Trypoxylon formosicola inornatum</i>				e	○	○	○	○	○	
<i>Trypoxylon irimotense</i>				E	●	○	○	○	○	
<i>Trypoxylon okinawanum</i>				E	●	○	○	○	○	
<i>Trypoxylon petiolatum</i>				E	●	○	○	○	○	
<i>Trypoxylon petioloides</i>					●	○	○	○	○	
<i>Trypoxylon petioloides ishigakiense</i>					○	○	○	○	○	
<i>Trypoxylon rufiventre</i>				E	●	○	○	○	○	
<i>Trypoxylon ryukyense</i>				E	●	○	○	○	○	
<i>Trypoxylon schmiedeknechti</i>					●	○	○	○	○	
<i>Trypoxylon varipes</i>					●	○	○	○	○	
<i>Trypoxylon takasago</i>					●	○	○	○	○	
<i>Trypoxylon takasago kumaso</i>				e	○	○	○	○	○	
<b>DIPRIONIDAE</b>										
<i>Gilpinia amamiana</i>				E	●	○	○	○	○	
<i>Nesodiprion japonicus</i>					●	○	○	○	○	
<b>DRYINIDAE</b>										
<i>Apterodytinus tambinia</i>				E	●	○	○	○	○	
<b>EMBOLEMIDAE</b>										
<i>Embolemus pecki</i>					●	○	○	○	○	
<b>EUCOILIDAE</b>										
<i>Endecameris erugatus</i>				E	●	○	○	○	○	
<i>Endecameris striatus</i>					●	○	○	○	○	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Eucoilidea guamensis</i>					●						
<i>Gronotoma micromorpha</i>				E	●			●			
<i>Hexacola antennata</i>				E	●			●	●		
<i>Hexacola cognata</i>				E	●			●	●		
<i>Hexacola octosegmenta</i>				E	●			●	●		
<i>Hexacola quinaria</i>				E	●			●	●		
<i>Hexacola samuelsoni</i>				E	●			●	●		
<i>Leptlamina gressitti</i>					●				●		
<i>Odonteucoila amamiensis</i>				E	●			●			
<i>Odonteucoila floccosa</i>				E	●			●			
<i>Rhoptromeris ryukyensis</i>				E	●			●	●		
<i>Trybliographa elliptica</i>					●				●		
<i>Trybliographa laticauca</i>					●				●		
<i>Trybliographa okinawaensis</i>				E	●			●	●		
<i>Trybliographa parallela</i>				E	●				●		
<i>Trybliographa rugipunctata</i>					●			●	●		
<i>Trybliographa shirozui</i>				E	●			●	●		
<i>Trybliographa vulgaris</i>					●			●	●		
<b>EULOPHIDAE</b>											
<i>Apleurotropis kumatai</i>					●				●		
<i>Asecodes delucchii</i>					●				●		
<i>Chrysocharis chilo</i>					●				●		
<i>Chrysocharis pentheus</i>					●				●		
<i>Cirrospilus phyllocnistis</i>					●				●		
<i>Cirrospilus quadristriatus</i>					●				●		
<i>Citrostichus phyllocnistoides</i>					●				●		
<i>Closterocerus trifasciatus</i>					●				●		
<i>Desmatocharis turcica</i>					●				●		



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Diglyphus albiscapus</i>					●					
<i>Hemiptarsenus varicornis</i>					●					
<i>Inositichus kumatai</i>					●					
<i>Melittobia sosui</i>				E	●					
<i>Mestocharella kumatai</i>				E	●					
<i>Mestocharella rhois</i>				E	●			●		
<i>Neochrysocharis formosa</i>				●						
<i>Neochrysocharis okazaki</i>				●						
<i>Parachrysocharis javensis</i>				●						
<i>Pediobius acantha</i>				●						
<i>Pediobius flaviscapus</i>				●						
<i>Pediobius italicus</i>				●						
<i>Pediobius longicornis</i>				●						
<i>Pleurotropopsis japonica</i>				●						
<i>Pleurotropopsis lunata</i>				●						
<i>Quadrastichus liriomyzae</i>				●						
<i>Stenomesus japonicus</i>				●						
<i>Sympiesis dolichogaster</i>				●						
<i>Zaommomente brevipetiolatus</i>				●						
<b>EUMENIDAE</b>										
<i>Anterhynchium flavomarginatum</i>					●					
<i>Anterhynchium flavomarginatum hanedai</i>				e	●					
<i>Anterhynchium flavomarginatum umenoi</i>				e	○					
<i>Anterhynchium flavomarginatum amamiense</i>				e	○					
<i>Delta esuriensa</i>					●					
<i>Delta esuriensa okinawae</i>					○					
<i>Delta flavopictum</i>					●					
<i>Delta flavopictum formosanum</i>					○					

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus Irimote Is.	
<i>Discoelius japonicus</i>					●					
<i>Euodynerus dantici</i>					●					
<i>Euodynerus dantici nigrescens</i>				e	○	○	○	●		
<i>Euodynerus nipanicus</i>					●	○	○	●		
<i>Euodynerus nipanicus flavicornis</i>				e	○	○	○	○		
<i>Euodynerus nipanicus ryukyensis</i>					○			○		
<i>Euodynerus trilobus</i>					●			●		
<i>Okinawepipona kogimai</i>					●			●		
<i>Okinawepipona kogimai kogimai</i>				e	○		○			
<i>Okinawepipona kogimai nagasei</i>				e	○					
<i>Pachymenes yayeyamensis</i>					●			●		
<i>Pararrhynchium ishigakiense</i>				E	●			●		
<i>Pararrhynchium tsunekii</i>		NT		E	●			●		
<i>Pseudozumia indosinensis</i>					●			●		
<i>Pseumenes depressus</i>					●			●		
<i>Rhynchium quinquecinctum</i>					●			●		
<i>Rhynchium quinquecinctum murotai</i>					○			○		
<i>Rhynchium quinquecinctum nambui</i>				e	○			○		
<i>Stenodynerus clypeopictus</i>					●			●		
<i>Stenodynerus frauenfeldi</i>					●			●		
<i>Stenodynerus kusigematii</i>					●			●		
<i>Stenodynerus kusigematii kusigematii</i>				e	○			○		
<i>Stenodynerus kusigematii tsunekii</i>				e	○			○		
<i>Stenodynerus kusigematii rufiventris</i>				e	○			○		
<i>Stenodynerus rufomaculatus</i>				E	●			●		
<b>EURYTOMIDAE</b>										
<i>Eurytoma schaeferi</i>					●			●		
<i>Sycophila variegata</i>					●			●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<b>EVANIIDAE</b>					●			●		
<i>Evania appendigaster</i>										
<b>FORMICIDAE</b>										
<i>Acropyga nipponensis</i>					●			●		
<i>Acropyga sauteri</i>					●			●		
<i>Acropyga yaeyamensis</i>				E	●			●		
<i>Aenictus ceylonicus</i>					●					
<i>Aenictus lifuiae</i>					●					
<i>Amblyopone fulvida</i>				E	●					
<i>Amblyopone sakaii</i>					●					
<i>Amblyopone silvestrii</i>					●					
<i>Anoplolepis gracilipes</i>					●					
<i>Aphaenogaster concolor</i>					●					
<i>Aphaenogaster gracillima</i>				E	●					
<i>Aphaenogaster irrigua</i>					●					
<i>Aphaenogaster luteipes</i>				E	●					
<i>Aphaenogaster minutula</i>				E	●					
<i>Aphaenogaster osimensis</i>					●					
<i>Aphaenogaster tipuna</i>					●					
<i>Camponotus alboparsus</i>					●					
<i>Camponotus amamianus</i>				E	●					
<i>Camponotus bishamon</i>					●					
<i>Camponotus devestivus</i>					●					
<i>Camponotus friedae</i>					●					
<i>Camponotus keguya</i>					●					
<i>Camponotus monju</i>					●					
<i>Camponotus nawai</i>					●					
<i>Camponotus nipponicus</i>					●					

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Camponotus shonki</i>					●					●	
<i>Camponotus yambaru</i>				☐	●						
<i>Cardiocondyla nuda</i>					●					●	
<i>Cardiocondyla tsukuyomi</i>					●					●	
<i>Cardiocondyla wroughtonii</i>					●					●	
<i>Cardiocondyla yamauchii</i>				☐	●					●	
<i>Cerapachys biroi</i>					●					●	
<i>Cerapachys hashimotoi</i>				☐	●					●	
<i>Cerapachys nubatama</i>					●						
<i>Crematogaster nawai</i>					●			●			
<i>Crematogaster osakensis</i>					●						
<i>Crematogaster</i> sp.					●						
<i>Crematogaster teranishii</i>					●						
<i>Crematogaster vagula</i>					●			●		●	
<i>Cryptopone sauteri</i>					●			●			
<i>Cryptopone tengu</i>					●			●		●	
<i>Diacamma</i> sp.					●			●			
<i>Discothyrea kamiteta</i>				☐	●			●			
<i>Discothyrea sauteri</i>					●					●	
<i>Epitrilius hexamerus</i>					●						
<i>Epitrilius hirashimai</i>					●						
<i>Hypoponera beppin</i>					●						
<i>Hypoponera bondroiti</i>					●						
<i>Hypoponera gleadowi</i>					●					●	
<i>Hypoponera nippona</i>					●					●	
<i>Hypoponera opaciceps</i>					●						
<i>Hypoponera zwaluwenburgi</i>					●						
<i>Kydris mutica</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Lasius sakagami</i>					●			●			
<i>Leptanilla</i> sp.				E	●			●			
<i>Leptogenys confucii</i>					●			●			
<i>Leptothrax anira</i>					●			●			
<i>Leptothrax antera</i>					●			●			
<i>Leptothrax basana</i>				E	●			●			
<i>Leptothrax indra</i>				E	●			●			
<i>Monomorium chinense</i>					●			●			
<i>Monomorium destructor</i>					●			●			
<i>Monomorium floricola</i>					●			●			
<i>Monomorium hiten</i>					●			●			
<i>Monomorium intrudens</i>					●			●			
<i>Monomorium latinode</i>					●			●			
<i>Monomorium sechellense</i>					●			●			
<i>Myrmica kotokui</i>					●			●			
<i>Myrmecina amamiana</i>				E	●			●			
<i>Myrmecina ryukyuensis</i>				E	●			●			
<i>Ochetellus glaber</i>					●			●			
<i>Odontomachus</i> sp.				E	●			●			
<i>Oligomyrmex hannya</i>				E	●			●			
<i>Oligomyrmex oni</i>				E	●			●			
<i>Oligomyrmex yamatoris</i>					●			●			
<i>Pachycondyla chinensis</i>					●			●			
<i>Pachycondyla darwini</i>					●			●			
<i>Pachycondyla luleipes</i>					●			●			
<i>Pachycondyla pilosior</i>					●			●			
<i>Pachycondyla sakishimensis</i>				E	●			●			
<i>Pachycondyla</i> sp.					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Paratrechina arnia</i>					●	●	●	●	●	●	
<i>Paratrechina longicornis</i>					●	●	●	●	●	●	
<i>Paratrechina nubatama</i>					●						
<i>Paratrechina otome</i>				E	●				●	●	
<i>Paratrechina ryukyuensis</i>					●		●		●	●	
<i>Paratrechina sakurae</i>					●						
<i>Paratrechina yaeyamensis</i>				E	●				●	●	
<i>Paratrechina yambaru</i>				E	●		●	●	●	●	
<i>Pentastroma sauteri</i>					●						
<i>Pheidole fervens</i>					●						
<i>Pheidole megapheala</i>					●						
<i>Pheidole node</i>					●						
<i>Pheidole pieli</i>					●						
<i>Pheidole ryukyuensis</i>					●						
<i>Pheidole susanowe</i>					●						
<i>Pheidologeton diversus</i>					●						
<i>Polytrachis dives</i>					●						
<i>Polytrachis latona</i>					●						
<i>Polytrachis moesta</i>					●						
<i>Ponera bishamon</i>				E	●						
<i>Ponera takaminei</i>					●						
<i>Ponera tamon</i>					●						
<i>Pristomyrmex pungens</i>					●						
<i>Pristomyrmex yaeyamensis</i>					●						
<i>Probolomyrmex okinawensis</i>		DD		E	●			●			
<i>Proceratium itoi</i>					●					●	
<i>Proceratium japonicum</i>					●					●	
<i>Protanilla</i> sp.					●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Recurviteris recurvispinosa</i>					●					●	
<i>Smithistruma benten</i>					●			●		●	
<i>Smithistruma circothrix</i>				E	●			●			
<i>Smithistruma japonica</i>					●			●		●	
<i>Smithistruma kichijo</i>					●			●		●	
<i>Smithistruma leptothrix</i>					●			●		●	
<i>Smithistruma mazu</i>					●			●			
<i>Smithistruma morisitai</i>					●			●			
<i>Solenopsis tipuna</i>					●			●		●	
<i>Strumigenys lacunosus</i>					●			●			
<i>Strumigenys minutula</i>					●			●		●	
<i>Strumigenys solifontis</i>					●			●			
<i>Strumigenys</i> sp. 1				E	●			●		●	
<i>Strumigenys</i> sp. 2				E	●			●			
<i>Strumigenys</i> sp. 3					●			●			
<i>Strumigenys</i> sp. 4					●			●		●	
<i>Tapinoma melanocephalum</i>					●			●		●	
<i>Tapinoma</i> sp.					●			●		●	
<i>Technomyrmex albipes</i>					●			●		●	
<i>Tetramorium bicarinatum</i>					●			●		●	
<i>Tetramorium kraepelini</i>					●			●			
<i>Tetramorium lanuginosum</i>					●			●		●	
<i>Tetramorium nipponense</i>					●			●		●	
<i>Tetramorium similimum</i>					●			●		●	
<i>Tetramorium smithi</i>					●			●			
<i>Tetraponera</i> sp.				E	●			●			
<i>Trichoscapa membranifera</i>					●			●		●	
<i>Vollenhovia amamiana</i>				E	●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Vollenhovia benzai</i>					●	●				
<i>Vollenhovia okinawana</i>	E				●		●			
<i>Vollenhovia sakishimana</i>	E				●				●	
<i>Vollenhovia yambaru</i>	E				●		●			
<b>HALICTIDAE</b>										
<i>Halictus aerarius</i>					●		●			
<i>Lasioglossum vagans</i>					●		●			
<i>Lasioglossum amamiensis</i>	E				●		●			
<i>Lasioglossum formosae</i>					●				●	
<i>Lasioglossum kumejimense</i>					●		●		●	
<i>Lasioglossum naitoi</i>	E				●		●		●	
<i>Lasioglossum okinawa</i>	E				●		●			
<i>Lasioglossum sakishima</i>	E				●				●	
<i>Lasioglossum solisortus</i>	E				●				●	
<i>Lasioglossum subopaeum</i>	E				●		●		●	
<i>Lasioglossum subtropicum</i>					●				●	
<i>Lasioglossum villosulum</i>					●					
<i>Lasioglossum villosulum trichopse</i>					○					
<i>Lasioglossum zipangu</i>	E				●		●		●	
<i>Nomia pavoniula</i>					●		●		●	
<b>ICHNEUMONIDAE</b>										
<i>Acrolyta discrepa</i>	E				●					
<i>Acrolyta excisa</i>	E				●		●		●	
<i>Acrolyta spola</i>	E				●		●			
<i>Aphanistes wadai</i>					●					
<i>Aritranis sumiyonus</i>	E				●		●			
<i>Atelcute densistriata</i>	E				●		●		●	
<i>Atelcute mesorufa</i>	E				●		●		●	



Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Atractodes paucus</i>				E	●					
<i>Baltazaria nigrescens</i>				E	●					
<i>Bathyrhix prothorax</i>				E	●				●	
<i>Callajoppa formosana</i>				E	●		●			
<i>Calosphyrum alboorbitalis</i>				E	●				●	
<i>Campoplex notabilis</i>				E	●					
<i>Campoplex sugiharai</i>				E	●	●				
<i>Campoplex sugiharai okinawensis</i>				e	○					
<i>Casinaria cylindratior</i>				E	●				●	
<i>Casinaria daitojimensis</i>				E	●					
<i>Charops daitojimensis</i>				E	●	●				
<i>Chorinaeus ryukyuensis</i>				E	●					
<i>Chriodes pentagonus</i>				E	●				●	
<i>Coccygomimus amamiensis</i>				E	●					
<i>Coccygomimus nipponicus</i>				E	●	●				
<i>Colpotrochia pilosa</i>				E	●					
<i>Cratichneumon amamioshimensis</i>				E	●					
<i>Cryptopimpla procul</i>				E	●					
<i>Cryptopimpla tertia</i>				E	●					
<i>Cymodusa orientalis</i>				E	●					
<i>Diatora lissorota</i>				E	●					
<i>Dicamptus nigropictus</i>				E	●					
<i>Dichrogaster schaffneri</i>				E	●					
<i>Diplazon ryukyuensis</i>				E	●				●	
<i>Dolichomitus macropunctatus</i>					●					
<i>Dolichomitus macropunctatus urainus</i>					○					
<i>Echthromorpha agrestoria</i>					●					
<i>Echthromorpha agrestoria notulatoria</i>					○				○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Enicospilus analis</i>					●						
<i>Enicospilus erythrocerus</i>					●			●			
<i>Enicospilus flavicapus</i>					●			●			
<i>Enicospilus flavocephalus</i>					●			●			
<i>Enicospilus microstriatellus</i>				E	●	●		●			
<i>Enicospilus nigribasalis</i>					●			●			
<i>Enicospilus nigristigma</i>					●			●			
<i>Enicospilus nocturnus</i>					●			●			
<i>Enicospilus okinawensis</i>					●			●			
<i>Enicospilus pungens</i>					●			●			
<i>Enicospilus sakaguchii</i>					●			●			
<i>Enicospilus semiotopacus</i>					●			●			
<i>Enicospilus shinkanus</i>					●			●			
<i>Enicospilus striolatus</i>					●			●			
<i>Enicospilus tripartitus</i>					●			●			
<i>Enicospilus uncivena</i>					●			●			
<i>Enicospilus yonezawanus</i>					●			●			
<i>Eriborus acutulus</i>				E	●			●			
<i>Eriborus niger</i>				E	●			●			
<i>Eriborus ryukyensis</i>				E	●			●			
<i>Eriborus samuelsoni</i>				E	●			●			
<i>Eriborus similis</i>				E	●			●			
<i>Eriborus vulgaris</i>					●			●			
<i>Euchalinus multimaculatus</i>					●			●			
<i>Eugelta cameroni</i>					●			●			
<i>Eurycryptus sakaguchii</i>					●			●			
<i>Eurycryptus unicolor</i>					●			●			
<i>Exochus affinis</i>					●			●			

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Exochus ornatus</i>					●	●					
<i>Friana okinawana</i>					●	●	●				
<i>Gelis takadai</i>				E	●	●	●				
<i>Gerdius iriomotensis</i>				E	●			●			
<i>Glypta densa</i>				E	●						
<i>Glypta tumor</i>				E	●						
<i>Gnotus chionops</i>					●						
<i>Goryphus albofasciatus</i>				E	●		●				
<i>Gotra interrupta</i>				E	●						
<i>Gotra ryukyuensis</i>				E	●			●			
<i>Habronyx heros</i>					●				●		
<i>Hemiteles hirashimai</i>					●				●		
<i>Heterocola concava</i>				E	●			●			
<i>Homotropus tarsatorius</i>					●						
<i>Hybophanes angustus</i>				E	●			●			
<i>Hypsicera bicolor</i>					●			●			
<i>Hypsicera brevicornis</i>					●			●			
<i>Hypsicera carinata</i>					●			●			
<i>Hypsicera harrelli</i>					●			●			
<i>Hypsicera incarinata</i>					●				●		
<i>Hypsicera intermedia</i>					●						
<i>Hypsicera nigribasis</i>					●			●			
<i>Hypsicera rugosa</i>					●			●			
<i>Hypsicera watanabei</i>				E	●			●			
<i>Hypsicera yoshimotoi</i>				E	●			●			
<i>Intermedichneumon ocellus</i>					●			●			
<i>Ischnojoppa luteator</i>					●			●			
<i>Itoplectis naranyae</i>					●			●			

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Javira taniguchiae</i>				E	●	●					
<i>Leptobatopsis babai</i>					●				●		
<i>Leptobatopsis indica</i>					●						
<i>Lissosculpta javanica</i>					●		●				
<i>Mastrus ecomutus</i>				E	●						
<i>Mastrus takadai</i>				E	●		●				
<i>Mesochorus takizawai</i>					●		●				
<i>Metopius dissectorius</i>					●						
<i>Microcharops australis</i>					●		●				
<i>Mymeleonostenus babai</i>					●						
<i>Necolio sidereus</i>				E	●				●		
<i>Nematopodius kusigematii</i>				E	●						
<i>Neoparacryptus formosanus</i>					●						
<i>Netelia formosana</i>					●		●				
<i>Netelia hayashii</i>					●		●		●		
<i>Netelia ishiharai</i>					●		●				
<i>Netelia kodai</i>					●		●				
<i>Netelia latro</i>					●		●		●		
<i>Netelia latro latro</i>					○				○		
<i>Netelia major</i>					●						
<i>Netelia okinawana</i>				E	●		●				
<i>Netelia orientalis</i>					●		●				
<i>Netelia uchidai</i>					●		●				
<i>Netelia vulgaris</i>					●		●				
<i>Nipponaetes haeussleri</i>					●		●				
<i>Nipponaetes striatus</i>				E	●		●		●		
<i>Paraphylax agelenae</i>					●						
<i>Paraphylax subtilis</i>					●						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Phaeniaspis fulvitergus</i>					●	●					
<i>Phytodietus leucaspis</i>				☐	●		●				
<i>Phytodietus longicauda</i>					●						
<i>Picardiella rufa</i>					●	●	●				
<i>Pimplopterus mesorufus</i>				☐	●	●	●				
<i>Pimplopterus samuelsoni</i>				☐	●	●	●		●		
<i>Platylabus okui</i>					●						
<i>Plectochorus iwatensis</i>					●						
<i>Pristomerus punctatus</i>					●				●		
<i>Rhombobius quadristriatus</i>				☐	●						
<i>Schreineria geniculata</i>					●		●				
<i>Sericopimpla ryukyuensis</i>				☐	●						
<i>Stictopisthus miyatakei</i>				☐	●						
<i>Teleutaea minamikawai</i>					●						
<i>Theronia zebra</i>					●		●				
<i>Theronia zebra diluta</i>					○						
<i>Therocopus striatus</i>				☐	●		●				
<i>Thymaris niger</i>				☐	●						
<i>Thymaris rufomaculatus</i>				☐	●				●		
<i>Thymaris taiwanensis</i>					●						
<i>Torbda rufa</i>				☐	●						
<i>Torbda sauteri</i>					●				●		
<i>Townostilpnus rufinator</i>					●				●		
<i>Triancyra hirashimai</i>				☐	●				●		
<i>Triancyra striatiscutellaris</i>				☐	●						
<i>Triancyra taniguchiae</i>				☐	●		●				
<i>Trichionotus seminger</i>				☐	●						
<i>Trichionotus suzuki</i>				☐	●				●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus Irimote Is.	
<i>Tricholinum orientalis</i>				■	●	●				
<i>Triclistus aitkini</i>					●			●		
<i>Triclistus dimidiatus</i>					●			●		
<i>Triclistus glabrosus</i>					●					
<i>Triclistus kamijoi</i>					●					
<i>Triclistus nigripes</i>					●					
<i>Triclistus parvulus</i>					●					
<i>Triclistus planus</i>					●					
<i>Triclistus semistriatus</i>					●					
<i>Tromatobia maculata</i>				■	●			●		
<i>Venturia exareolata</i>				■	●					
<i>Venturia linearis</i>				■	●				●	
<i>Vulgichneumon diminutus</i>				■	●			●	●	
<i>Vulgichneumon leucariae</i>					●			●		
<i>Vulgichneumon taiwanensis</i>					●			●		
<i>Vulgichneumon takagii</i>				■	●					
<i>Vulgichneumon uchidai</i>				■	●					
<i>Xanthopimpla clavata</i>					●			●		
<i>Xanthopimpla flavolineata</i>					●			●	●	
<i>Xanthopimpla konowi</i>					●			●		
<i>Xanthopimpla naenia</i>					●			●		
<i>Xanthopimpla punctata</i>					●			●		
<i>Xanthopimpla stemmator</i>					●			●	●	
<i>Xorides nasensis</i>				■	●			●		
<i>Xoridescopus nigrispeculum</i>				■	●			●	●	
<i>Xoridescopus taihokensis</i>					●			●		
<i>Zaglyptus seminufus</i>				■	●			●		
<i>Zygogypta iwatai</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus		
<b>LEUCOSPIDIDAE</b>											
<i>Leucospis nambui</i>				E	●				●		
<b>MEGACHILIDAE</b>											
<i>Chalicodoma disjunctiformis</i>					●			●			
<i>Chalicodoma esakii</i>				E	●			●			
<i>Chalicodoma monticola</i>					●			●			
<i>Chalicodoma sculpturalis</i>					●			●			
<i>Euasps basalis</i>					●			●			
<i>Heriades sakishimanus</i>				E	●			●			
<i>Lithurge collaris</i>					●			●			
<i>Megachile angustistrigata</i>					●			●			
<i>Megachile igniscopata</i>					●			●			
<i>Megachile nipponica</i>					●			●			
<i>Megachile nipponica amamiensis</i>				e	○			○			
<i>Megachile okinawana</i>					●			●			
<i>Megachile remotissima</i>					●			●			
<i>Megachile rixator</i>					●			●			
<i>Megachile rixator sakishimana</i>					○			○			
<i>Megachile sudai</i>				E	●			●			
<i>Megachile yaeyamaensis</i>				E	●			●			
<b>MEGAPILIDAE</b>											
<i>Dendrocerus amamiensis</i>				E	○			○			
<b>MUTILLIDAE</b>											
<i>Ephucilla najia</i>					●			●			
<i>Mickelomyrme hageni</i>					●			●			
<i>Neotrogaspidia pustulata</i>					●			●			
<i>Petersenidia fukudai</i>					●			●			
<i>Squamulotilla ardescens</i>					●			●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<b>MYMARIDAE</b>					○					
<i>Mymar taprobanicum</i>					○					
<b>NYSSONIDAE</b>										
<i>Bembecinus bimaculatus</i>				E	●		●		●	
<i>Bembecinus hungaricus</i>					○		○			
<i>Bembecinus hungaricus amamiensis</i>				e	○		○			
<i>Bembecinus tanoi</i>				E	●				●	
<i>Bembix formosana</i>		NT		E	●				●	
<i>Gorytes ishigakiensis</i>		NT		E	●				●	
<i>Nippononysson rufopictus</i>					●					
<b>ORUSSIDAE</b>										
<i>Orussus striatus</i>				E	○				○	
<b>PEMPHREDONIDAE</b>										
<i>Polemistus annulicornis</i>					●					
<i>Psen caocinnus</i>					●					
<i>Psen exaratus</i>					●				●	
<i>Psen exaratus intermedius</i>				e	○			○		
<i>Psen exaratus taiwanus</i>					○				○	
<i>Psen exaratus santaro</i>				e	○					
<i>Psen hirashimai</i>				E	●					
<i>Psen koreanus</i>					●			●		
<i>Psen opacus</i>					●					
<i>Psen opacus gressitti</i>				e	○				○	
<i>Psen</i> sp.				E	●				●	
<i>Psenulus okinawanus</i>				E	●			●		
<i>Stigmus shirozui</i>					●				●	
<b>PHILANTHIDAE</b>										
<i>Cerceris amamiensis</i>				E	●		●			



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Cerceris amamiensis amamiensis</i>				e	○	○	○	○		
<i>Cerceris amamiensis tokunosimana</i>		NT		e	○	○	○	○		
<i>Cerceris amamiensis geboharti</i>				e	○					
<i>Cerceris lauta</i>				E	●			●		
<i>Cerceris okumurai</i>				E	●					
<i>Cerceris tomiyamai</i>		NT		E	●		●	●		
<i>Cerceris variaesimilis</i>				E	●		●	●		
<i>Cerceris xanthosoma</i>				E	●					
<i>Cerceris yuwanensis</i>				E	●		●	●		
<b>PLATYGASTRIDAE</b>										
<i>Platygaster tubulosa</i>					●		●			
<i>Trichacoides hirsutus</i>					●		●			
<i>Trichacoides hirsutus ryukyuensis</i>				e	○		○			
<b>POMPIDIDAE</b>										
<i>Anoplius dorsalis</i>					●		●	●		
<i>Anoplius iriomotensis</i>				E	●		●	●		
<i>Anoplius liukiu</i>					●		●	●		
<i>Anoplius nozakae</i>				E	●		●			
<i>Anoplius nozakae nozakae</i>				e	○		○			
<i>Anoplius pacificus</i>					●		●			
<i>Anoplius reflexus</i>					●		●			
<i>Anoplius ryukyuensis</i>					●		●	●		
<i>Anoplius sakeshimanus</i>				E	●			●		
<i>Anoplius surusumi</i>					●			●		
<i>Anoplius surusumi yaeyamanus</i>				e	○			○		
<i>Anoplius tanoi</i>				E	●		●	●		
<i>Anoplius valdezi</i>					●			●		
<i>Anoplius valdezi ryukyuensis</i>				e	○		○	○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Anoplius yonagunianus</i>				m	●					●	
<i>Auplopus carbonarius</i>					●	●		●			
<i>Auplopus carbonarius japonicus</i>					○			○			
<i>Auplopus chiponensis</i>					●					●	
<i>Auplopus deceptrix</i>					●						
<i>Auplopus esaki</i>				E	●						
<i>Auplopus nagatomii</i>				E	●					●	
<i>Auplopus nozakae</i>				E	●					●	
<i>Auplopus nozakae okinawanus</i>				e	○			○			
<i>Auplopus nozakae nozakae</i>				e	○					○	
<i>Auplopus obtusus</i>					●						
<i>Auplopus takachihoi</i>					●						
<i>Auplopus williamsi</i>					●			●			
<i>Batozonellus annulatus</i>					●			●		●	
<i>Batozonellus maculifrons</i>					●			●		●	
<i>Gtenopriocnemis</i> sp.					●						
<i>Cyphononyx abdominalis</i>				E	●					●	
<i>Cyphononyx dorsalis</i>					●					●	
<i>Cyphononyx iridipennis</i>					●					●	
<i>Episyron arrogans</i>					●						
<i>Ferreola hirayamae</i>				E	●					●	
<i>Hatanomus granulatus</i>				E	●					●	
<i>Hemipepsis amamiensis</i>					●					●	
<i>Hemipepsis apicata</i>				E	●					●	
<i>Hemipepsis hanedai</i>				E	●					●	
<i>Hemipepsis sinensis</i>					●					●	
<i>Hemipepsis yaeyamana</i>				E	●					●	
<i>Homonotus okinawanus</i>				E	●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Leptodialepis nicevillei</i>					●				●	
<i>Cryptocheilus sugiharai</i>		DD			●					
<i>Macromerella honesta</i>					●				●	
<i>Macromeris maculifrons</i>					●			●	●	
<i>Morochares nigripennis</i>					●			○	●	
<i>Morochares nigripennis okinawana</i>				e	○					
<i>Morochares nigripennis yayeyamana</i>				e	○				○	
<i>Phanagenia kyotensis</i>					●			○	●	
<i>Phanagenia kyotensis esakii</i>					○			○		
<i>Phanagenia yaeyamaensis</i>				E	●				●	
<i>Platydalepis ryohiei</i>					●					
<i>Pompius cinereus</i>					●					
<i>Priocnemis azumai</i>				E	●				●	
<i>Pseudagenia ochracea</i>					●					
<i>Ridestus sibatani</i>				E	●				●	
<i>Tachypompilus analis</i>					●				●	
<b>PTEROMALIDAE</b>										
<i>Callitula yasudai</i>				E	●					
<i>Cleonymus angustatus</i>					●					
<i>Cleonymus ryukyuensis</i>				E	●				●	
<i>Dibrachys kojimae</i>					●					
<i>Pachyneuron groenlandicum</i>					●					
<i>Sphegigaster hamugurivora</i>				E	●				●	
<b>SCELIIONIDAE</b>										
<i>Eumicrosoma blissae</i>					●					
<i>Gryon fellah</i>					●				●	
<i>Gryon festivus</i>					●					
<i>Gryon insulare</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Gyyon lala</i>					●					
<i>Gyyon nixonii</i>					●			●		
<i>Gyyon viggianii</i>					●	●				
<i>Maruzza japonica</i>				E	●	●	●			
<i>Telenomus euproctidis</i>					●					
<i>Telenomus kuboii</i>				E	●					
<i>Telenomus kyushuensis</i>				E	●					
<i>Telenomus lucullus</i>					●					
<i>Trissolcus mitsukurii</i>					●					
<b>SCOLIIDAE</b>										
<i>Campsomeriella annulata</i>					●	●			●	
<i>Campsomeriella annulata sakaguchii</i>				e	○	○			○	
<i>Campsomeriella annuloides</i>				E	●				●	
<i>Campsomeriella quadrfasciata</i>					●				●	
<i>Campsomeriella quadrfasciata sauteri</i>					○				○	
<i>Liacos erythrosoma</i>					●				●	
<i>Liacos erythrosoma formosana</i>					○				○	
<i>Megacampsomeris grossa</i>					●					
<i>Megacampsomeris grossa matsumurai</i>					○				○	
<i>Megacampsomeris mojienis</i>					●				●	
<i>Megacampsomeris mojienis ryukyuana</i>					○				○	
<i>Megacampsomeris schultheissi</i>					●				●	
<i>Megacampsomeris stoetzneri</i>					●				●	
<i>Scolia kuroiwae</i>					●					
<i>Scolia melanosoma</i>					●				●	
<i>Scolia melanosoma melanosoma</i>					○				○	
<i>Scolia quadripustulata</i>					●				●	
<i>Scolia quadripustulata formosensis</i>					○				○	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Scolia sinensis</i>					●	●		●	●	
<b>SIRICIDAE</b>										
<i>Eriotremex formosanus</i>					●					
<i>Tremex okinawensis</i>				E	●		●			
<b>SPHECIDAE</b>										
<i>Ammophila atripes</i>					●				●	
<i>Ammophila atripes formosana</i>					○		○		○	
<i>Ammophila infesta</i>					●		●			
<i>Chalybion bengalense</i>					●		●			
<i>Chalybion japonicum</i>					●		●		●	
<i>Isodontia maidli</i>					●					
<i>Isodontia nigella</i>					●				●	
<i>Prionyx viduatus</i>					●		●		●	
<i>Psenulus carinifrons</i>					●		●			
<i>Psenulus carinifrons iwatai</i>					○		○			
<i>Sceliphron deforme</i>					●		●			
<i>Sceliphron deforme taiwanum</i>					○		○			
<i>Sceliphron madraspatanum</i>					●		●		●	
<i>Sceliphron madraspatanum kohli</i>					○		○		○	
<i>Sceliphron madraspatanum formosanum</i>					○		○		○	
<i>Sphex argentatus</i>					●		●		●	
<i>Sphex argentatus argentatus</i>					○		○		○	
<i>Sphex diabolicus</i>					●		●		●	
<i>Sphex diabolicus flammitricus</i>					○		○		○	
<i>Sphex sericeus</i>					●		●		●	
<i>Sphex sericeus lineolus</i>					○		○		○	
<b>STEPHANIDAE</b>										
<i>Athalia cinctus</i>					●		●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<b>TENTHREDINIDAE</b>										
<i>Abeleses metallicus</i>				E	●	●		●		
<i>Beleses metallicus</i>				E	●	●		●		
<i>Macrophya liukiuana</i>				E	●	●		●		
<i>Neostromboceros okinawaensis</i>				E	●			●		
<i>Neselandria formosana</i>				E	●					
<i>Neselandria ryukyuensis</i>				E	●					
<i>Neselandria shirozui</i>				E	●				●	
<b>TIPHIIDAE</b>										
<i>Methocha</i> sp.				E	●			●		
<i>Tiphia vulgata</i>					●				●	
<i>Tiphia brevilineata</i>					●					
<i>Tiphia itomotensis</i>				E	●				●	
<i>Tiphia okinawana</i>				E	●			●		
<i>Tiphia okinawana okinawana</i>				e	○			○		
<i>Tiphia popilliaavora</i>					●				●	
<i>Tiphia sternata</i>					●				●	
<i>Tiphia tokunoshimana</i>				E	●					
<b>TORYMIDAE</b>										
<i>Diomorus armatus</i>					●			●		
<i>Pachytomoides epibulum</i>					●				●	
<i>Pachytomoides hornianus</i>					●			●		
<b>TRICHOGRAMMATIDAE</b>										
<i>Trichogramma australicum</i>					●			●		
<b>VESPIDAE</b>										
<i>Parapolybia indica</i>					●			●		
<i>Parapolybia indica indica</i>					○			○		
<i>Parapolybia varia</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus Iriomote Is.	
<i>Polistes chinensis</i>					●					
<i>Polistes chinensis chinensis</i>				e	○			●		
<i>Polistes japonicus</i>					●			●	○	
<i>Polistes japonicus formosanus</i>					○			●	○	
<i>Polistes japonicus japonicus</i>	DD				○			○	○	
<i>Polistes jokahamae</i>					●			●	○	
<i>Polistes rothneyi</i>					●			●	○	
<i>Polistes rothneyi iwatai</i>					○			○	○	
<i>Polistes rothneyi ingrami</i>				e	○			○	○	
<i>Polistes rothneyi yayeyamae</i>				e	○			○	○	
<i>Ropalidia fasciata</i>					●			●	○	
<i>Vespa affinis</i>					●			●	○	
<i>Vespa affinis affinis</i>					○			○	○	
<i>Vespa analis</i>					●			●	○	
<i>Vespa analis nagatomi</i>				e	○			○	○	
<i>Vespa analis eisa</i>				e	○			○	○	
<i>Vespa ducalis</i>					●			●	○	
<i>Vespa ducalis lochooensis</i>				e	○			○	○	
<i>Vespa ducalis ducalis</i>				E	○			○	○	
<i>Vespula shidai</i>					●			●	○	
<i>Vespula shidai amamiana</i>				e	○			○	○	
<b>XIPHYRIIDAE</b>										
<i>Genaxiphia hirashimai</i>				E	●			●		
<i>Hyperxiphia nodai</i>				E	●			●		
<b>MECOPTERA</b>										
<b>PANORPIDAE</b>										
<i>Panorpa amamiensis</i>		DD		E	●			●		
<b>DIPTERA</b>										

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<b>ACROCERIDAE</b>					●	●					
<i>Oligoneura shirakii</i>				E	●						
<b>AGROMYZIDAE</b>											
<i>Agromyza lunulata</i>				E	●	●					
<i>Agromyza phragmitidis</i>					●	●					
<i>Agromyza potentillae</i>					●	●					
<i>Calycomyza artemisiae</i>					●	●			●		
<i>Cerodontha biseiortbita</i>					●	●					
<i>Cerodontha geniculata</i>					●	●					
<i>Cerodontha luctuosa</i>					●	●					
<i>Cerodontha omisa</i>					●	●					
<i>Cerodontha setariae</i>					●	●					
<i>Liriomyza asterivora</i>					●	●					
<i>Liriomyza brassicae</i>					●	●			●		
<i>Liriomyza debilis</i>					●	●					
<i>Liriomyza pusilla</i>					●	●					
<i>Melanagromyza metallica</i>					●	●			●		
<i>Melanagromyza pubescens</i>					●	●					
<i>Melanagromyza shirakii</i>					●	●					
<i>Ophiomyia anguliceps</i>					●	●			●		
<i>Ophiomyia conspicua</i>					●	●			●		
<i>Ophiomyia cornuta</i>					●	●					
<i>Ophiomyia curvipalpis</i>					●	●					
<i>Ophiomyia ricini</i>					●	●			●		
<i>Phytoliriomyza perpusilla</i>					●	●					
<i>Phytomyza flavofemorialis</i>					●	●					
<i>Phytomyza plantaginis</i>					●	●					
<i>Phytomyza ranunculi</i>					●	●					



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Phytomyza ranunculi albipes</i>					○					
<i>Phytomyza ranunculi flavoscutellata</i>					○					
<i>Phytomyza yasumatsui</i>				E	●					
<i>Phytomyza yasumatsui anemoneae</i>				e	○					
<i>Tropicomyia flacourtae</i>				●	●			●		
<i>Tropicomyia styricicola</i>				●	●					
<i>Tropicomyia theae</i>				●	●			●		
<b>ANTHOMYIIDAE</b>										
<i>Adia cinerella</i>				●	●					
<i>Anthomyia illocata</i>				●	●			●		
<i>Anthomyia latifasciata</i>				●	●					
<i>Anthomyia plumiseta</i>				●	●					
<i>Emmesomyia similata</i>				●	●					
<i>Fucellia boninensis</i>				●	●			●		
<i>Pegomya holosteeae</i>				●	●					
<i>Pegomya orientis</i>				●	●					
<b>ASILIDAE</b>										
<i>Asilus fallaciosus</i>				E	●			●		
<i>Asilus okinawaensis</i>				E	●			●		
<i>Cophinopoda chinensis</i>				●	●			●		
<i>Goneccalypsis lucida</i>				●	●				●	
<i>Laphria okinawaensis</i>				E	●			●		
<i>Maira aterrima</i>				●	●			●		
<i>Microstylum dimorphum</i>				●	●			●		
<i>Molobratia nipponi</i>				E	●			●		
<i>Pagidolephria remota</i>				●	●			●		
<i>Promachus</i> sp.				●	●			●		
<i>Scylaticus degener</i>				●	●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Scylaticus sayano</i>				M	●					●	
<b>ASTEIIDAE</b>					●						
<i>Astiosoma okinawae</i>					●			●			
<b>ATHERICIDAE</b>											
<i>Atrichops fulvithorax</i>				E	●					●	
<i>Suragina uruma</i>				E	●						
<i>Suragina yaeyamana</i>				E	●					●	
<b>BIBIONIDAE</b>											
<i>Bibio holomaurus</i>					●						
<i>Bibio obuncus</i>				E	●					●	
<i>Bibio rufiventris</i>					●					●	
<b>BOMBYLIDAE</b>											
<i>Anthrax distigma</i>					●						
<i>Bombylius major</i>					●					●	
<i>Ligyra tantalus</i>					●					●	
<b>CALLIPHORIDAE</b>											
<i>Aldrichina grahami</i>					●					●	
<i>Bengalia latro</i>					●						
<i>Calliphora lata</i>					●						
<i>Chrysomya megacephala</i>					●					●	
<i>Chrysomya pinguis</i>					●					●	
<i>Chrysomya rufifacies</i>					●					●	
<i>Hemipyrellia liguriensis</i>					●					●	
<i>Idiella sternalis</i>					●						
<i>Isomyia electa</i>					●						
<i>Isomyia prasina</i>					●					●	
<i>Isomyia ryukyuensis</i>					●					●	
<i>Lucilia bazini</i>				E	●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Lucilia porphyrina</i>					●	●			●		
<i>Melinda pruinosa</i>					●	●			●		
<i>Melinda pusilla</i>					●	●			●		
<i>Paradichosia itoi</i>					●	●			●		
<i>Paradichosia tsukamotoi</i>					●	●			●		
<i>Phumosia coomani</i>					●	●			●		
<i>Rhyncomyia setipyga</i>					●	●			●		
<i>Stomothina obsoleta</i>					●	●			●		
<i>Tainanina pilisquama</i>					●	●			●		
<i>Tainanina saruephagoides</i>					●	●			●		
<b>CANACIDAE</b>											
<i>Chaetocanace biseta</i>					●				●		
<i>Nocticanace pacificus</i>					●						
<i>Procanace aestuaricola</i>					●				●		
<i>Procanace griseocens</i>					●				●		
<i>Procanace nakazatoi</i>				E	●				●		
<b>CECIDOMYIIDAE</b>											
<i>Ametrodiplosis</i> sp.					●				●		
<i>Asphondylia</i> sp. 2				E	●				●		
<i>Asphondylia</i> sp. 3					●				●		
<i>Asphondylia sphaera</i>					●				●		
<i>Asteralobia sasaki</i>					●				●		
<i>Asteralobia</i> sp.				E	●				●		
<i>Asteralobia styraci</i>					●				●		
<i>Celticecis japonica</i>					●				●		
<i>Contarinia</i> sp. 1				E	●				●		
<i>Daphnephila machilicola</i>					●				●		
<i>Lasioptera camelliae</i>					●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Lasioptera paederiae</i>					●			●			
<i>Lasioptera</i> sp. 2					●			●			
<i>Orseolia miscanthi</i>					●			●			
<i>Pseudasphondylia neolitiseae</i>					●			●			
<i>Pseudasphondylia</i> sp.					●			●			
<i>Rhopalomyia cinerarius</i>					●		●	●			
<i>Rhopalomyia styracchila</i>					●			●			
<i>Rhopalomyia yomogicola</i>					●		●	●			
<i>Thecodiplosis japonensis</i>					●		●	●			
<i>Tokiwadiplosis matecola</i>					●		●	●			
<b>CERATOPOGONIDAE</b>											
<i>Alluaudomyia spinosipes</i>				E	●			●			
<i>Atrichopogon citrinipes</i>					●			●			
<i>Atrichopogon insularis</i>					●			●			
<i>Atrichopogon jejunus</i>					●			●			
<i>Atrichopogon maritimus</i>					●			●			
<i>Atrichopogon minimus</i>					●			●			
<i>Atrichopogon okinawensis</i>				E	●			●			
<i>Atrichopogon palmatus</i>					●			●			
<i>Atrichopogon ryukyuensis</i>				E	●			●			
<i>Bezzia micronyx</i>					●			●			
<i>Culicoides actoni</i>					●			●			
<i>Culicoides amamiensis</i>					●			●	●		
<i>Culicoides arakawae</i>					●			●	●		
<i>Culicoides araudi</i>					●			●			
<i>Culicoides aterinervis</i>					●			●			
<i>Culicoides brevipalpis</i>					●			●	●		
<i>Culicoides charadraeus</i>					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<i>Culicoides circumscriptus</i>					●							
<i>Culicoides crassipilosus</i>					●			●				
<i>Culicoides cylindratu</i>				E	●			●				
<i>Culicoides dendrophilus</i>				E	●			●				
<i>Culicoides iriomotensis</i>					●				●			
<i>Culicoides jacobsoni</i>					●			●				
<i>Culicoides japonicus</i>					●			●				
<i>Culicoides kadensis</i>				E	●			●				
<i>Culicoides kibunensis</i>					●			●				
<i>Culicoides komiensis</i>				E	●			●				
<i>Culicoides longidens</i>					●			●				
<i>Culicoides maculatus</i>					●			●				
<i>Culicoides nagahanai</i>					●			●				
<i>Culicoides nipponensis</i>					●			●				
<i>Culicoides okinawensis</i>					●			●				
<i>Culicoides oxystoma</i>				E	●			●				
<i>Culicoides panpangensis</i>					●			●				
<i>Culicoides paraflavescens</i>					●			●				
<i>Culicoides peregrinus</i>					●			●				
<i>Culicoides schultzei</i>					●			●				
<i>Culicoides subdubius</i>					●			●				
<i>Culicoides suzukii</i>				E	●			●				
<i>Culicoides verbosus</i>					●			●				
<i>Culicoides wakuensis</i>				E	●			●				
<i>Culicoides yaeyamaensis</i>				E	●			●				
<i>Dasyhelea breviceps</i>				E	●			●				
<i>Dasyhelea claviculifera</i>				E	●			●				
<i>Dasyhelea dufouri</i>					●			●				

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Dasyhelea flaviventris</i>					●				Irimoto Is.	
<i>Dasyhelea insularis</i>					●			●	Okinawa Is.	
<i>Dasyhelea luteicauda</i>				■	●			●	Okinawa Is.	
<i>Dasyhelea okinawensis</i>				■	●			●	Okinawa Is.	
<i>Dasyhelea robusticeps</i>				■	●			●	Okinawa Is.	
<i>Dasyhelea symmetrica</i>				■	●			●	Okinawa Is.	
<i>Dasyhelea yoshimurai</i>				■	●			●	Okinawa Is.	
<i>Forcipomyia adhesipes</i>					●					
<i>Forcipomyia albradialis</i>					●					
<i>Forcipomyia arcigera</i>					●					
<i>Forcipomyia asahinai</i>				■	●		●			
<i>Forcipomyia edgari</i>					●			●		
<i>Forcipomyia esakiana</i>					●			●		
<i>Forcipomyia fascicornia</i>				■	●			●		
<i>Forcipomyia fidens</i>					●			●		
<i>Forcipomyia formosae</i>					●			●		
<i>Forcipomyia formosana</i>					●			●		
<i>Forcipomyia fuliginosa</i>					●			●		
<i>Forcipomyia fuscimanus</i>					●			●		
<i>Forcipomyia hikosanensis</i>					●			●		
<i>Forcipomyia latipes</i>					●			●		
<i>Forcipomyia longicornis</i>					●			●		
<i>Forcipomyia monilis</i>				■	●			●		
<i>Forcipomyia nibleyi</i>				■	●			●		
<i>Forcipomyia pallida</i>					●			●		
<i>Forcipomyia sauteri</i>					●			●		
<i>Forcipomyia subpallida</i>				■	●			●		
<i>Forcipomyia tokunagai</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Forcipomyia yapensis</i>					●			●		
<i>Monohalea inflativena</i>					●			●		
<i>Stilobezzia alba</i>					●			●		
<i>Stilobezzia esakiana</i>					●			●		
<i>Stilobezzia festiva</i>					●			●		
<i>Stilobezzia notata</i>					●			●		
<i>Stilobezzia okinawensis</i>	E				●			●		
<i>Stilobezzia subviridis</i>					●			●		
<b>CHAOBORIDAE</b>										
<i>Corethrella nippon</i>				E	●				●	
<i>Corethrella urmense</i>					●					
<b>CHIRONOMIDAE</b>										
<i>Ablabesmyia amamisimplex</i>				E	●			●		
<i>Ablabesmyia monilimormis</i>					●			●		
<i>Chironomus circumdatus</i>					●			●		
<i>Chironomus glauciventris</i>					●			●		
<i>Chironomus javanus</i>					●			●		
<i>Chironomus kiensis</i>					●			●		
<i>Chironomus longilobus</i>					●			●		
<i>Chironomus okinawanus</i>					●			●		
<i>Chironomus samoensis</i>					●			●		
<i>Chironomus tainanus</i>					●			●		
<i>Climotanypus japonicus</i>					●			●		
<i>Climotanypus sugiyamai</i>					●			●		
<i>Clinio takahashii</i>					●			●		
<i>Conchapeloptia amamiaurea</i>				E	●			●		
<i>Conchapeloptia okisimilis</i>	E				●			●		
<i>Cricatopus bichinctus</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Cryptochironomus hentonensis</i>				■	●				Irimoto Is.	
<i>Dicrotendipes pelochloris</i>					●			●	Okinawa Is.	
<i>Dicrotendipes tamaviridis</i>					●			●	Okinawa Is.	
<i>Einfeldia dissidens</i>					●			●	Okinawa Is.	
<i>Einfeldia kanazawai</i>				■	●					●
<i>Eukiefferiella amamipubescia</i>					●			●		
<i>Eukiefferiella yaraensis</i>				■	●			●		
<i>Glyptotendipes tokunagai</i>					●			●		
<i>Harnischia acuta</i>				■	●			●		
<i>Harnischia okiurida</i>				■	●			●		
<i>Harnischia viridula</i>					●			●		
<i>Kiefferulus glauciventris</i>				■	●			●		
<i>Krenopelopia amaminova</i>				■	●			●		
<i>Kribiocosmus kanazawai</i>				■	●			●		
<i>Limnophyes minimus</i>					●			●		
<i>Macropelopia goetghebueri</i>					●			●		
<i>Macropelopia nipponotana</i>					●			●		
<i>Macropelopia tomosecunda</i>					●			●		
<i>Metriocnemus amamianomalis</i>				■	●			●		
<i>Metriocnemus ryutanus</i>				■	●			●		
<i>Microtendipes amamihoseides</i>				■	●			●		
<i>Monopelopia okigenga</i>				■	●			●		
<i>Nilodorum tainanus</i>					●			●		
<i>Paramerina okimaculata</i>				■	●			●		
<i>Paramerina divisa</i>					●			●		
<i>Polypedilum benokiense</i>					●			●		
<i>Polypedilum cultellatum</i>					●			●		
<i>Polypedilum kunigamiense</i>					●			●		



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Polypedium medivittatum</i>					●			●		
<i>Polypedium miyakoense</i>				■	●					
<i>Polypedium nubifer</i>					●			●		
<i>Polypedium okiflavum</i>				■	●			●		
<i>Polypedium okigrandis</i>				■	●			●		
<i>Polypedium okiharaki</i>				■	●			●		
<i>Polypedium okipallidum</i>				■	●			●		
<i>Polypedium tritum</i>					●					
<i>Polypedium uncinatum</i>					●					
<i>Polypedium unifascium</i>					●			●		
<i>Psectrocladius amamikonaseus</i>				■	●					
<i>Psectrotanypus tokunagai</i>					●					
<i>Pseudosmittia amamiagina</i>				■	●					
<i>Pseudosmittia amamibifurca</i>				■	●			●		
<i>Pseudosmittia ikemaensis</i>				■	●			●		
<i>Pseudosmittia nishiharaensis</i>				■	●			●		
<i>Rheocricotopus chalybeatus</i>				■	●			●		
<i>Rheocricotopus okifoveatus</i>				■	●			●		
<i>Rheotanytarsus amamiflavus</i>				■	●			●		
<i>Rheotanytarsus okisimplex</i>				■	●			●		
<i>Smittia aterrima</i>				■	●			●		
<i>Smittia gusukuensis</i>				■	●			●		
<i>Smittia nudipennis</i>				■	●			●		
<i>Smittia pratora</i>				■	●			●		
<i>Stenochironomus okialbus</i>				■	●			●		
<i>Tanytarsus kitaokinawanus</i>				■	●			●		
<i>Tanytarsus oyaberotundus</i>				■	●			●		
<i>Tanytarsus sakishimanus</i>				■	●			●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Tanytarsus shouaautumnalis</i>				M	●					●	
<i>Thienemanniella okigrata</i>				M	●		●				
<i>Trisopelopia longimana</i>				M	●						
<i>Xylotopus amamiptiatus</i>				M	●						
<i>Yaetanytarsus irimotensis</i>				M	●					●	
<b>CHLOROPIDAE</b>											
<i>Anatrichus pygmaeus</i>					●					●	
<i>Anthracophagella albovariegata</i>					●		●				
<i>Aprometopsis hirashimai</i>					●						
<i>Cadrema minor</i>					●						
<i>Cadrema ryukyana</i>					●					●	
<i>Chlorops canaliculatus</i>					●						
<i>Chlorops lenis</i>					●					●	
<i>Chlorops leymi</i>					●					●	
<i>Chlorops stigmatellus</i>					●					●	
<i>Chloropsina citravora</i>					●					●	
<i>Conioscinella formosa</i>					●					●	
<i>Dicraeus flavipes</i>					●					●	
<i>Dicraeus flavoscutellatus</i>					●						
<i>Dicraeus nartshukae</i>					●						
<i>Dicraeus phyllostachyus</i>					●						
<i>Disciphus flavitarsis</i>					●						
<i>Elachiptera insignis</i>					●						
<i>Eutropha noctilux</i>					●						
<i>Formosina cincta</i>					●					●	
<i>Gampocera magnisnuosa</i>					●					●	
<i>Gampocera tenuisnuosa</i>					●						
<i>Luzonia incisa</i>				M	●					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Meijerella flavisetosa</i>					●					●	
<i>Meijerella inaequalis</i>					●					●	
<i>Melanochaeta umbrosa</i>					●					●	
<i>Metopostigma nigrirangulum</i>					●						
<i>Neoloxotaenia gracilis</i>					●					●	
<i>Polydaspis ruficornis</i>					●						
<i>Psilacrum sabroskyi</i>				E	●					●	
<i>Rhodesiella dimidiata</i>					●					●	
<i>Rhodesiella elegantula</i>					●					●	
<i>Rhodesiella nitidifrons</i>					●					●	
<i>Rhodesiella simulans</i>				E	●					●	
<i>Rhodesiella yamagishii</i>					●					●	
<i>Scolophthalmus consimilis</i>					●						
<i>Semaranga dorsocentralis</i>					●						
<i>Siphunculina bella</i>					●						
<i>Siphunculina nitidissima</i>					●						
<i>Siphunculina striolata</i>					●						
<i>Speccafrans coStá / is</i>					●						
<i>Steleocerellus ensifer</i>					●						
<i>Steleocerellus maculicoxa</i>					●						
<i>Tricimba stigma</i>					●					●	
<b>CONOPIDAE</b>											
<i>Conopus santaroi</i>					●					●	
<i>Thecophone abdominalis</i>					●						
<i>Thecophone atra</i>					●						
<b>CULICIDAE</b>											
<i>Aedes albopictus</i>					●						●
<i>Aedes aureostriatus</i>					●						●

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Aedes aureostriatus okinawanus</i>					○	○	○	○	○		
<i>Aedes flavopictus</i>				■	●			●			
<i>Aedes flavopictus downsi</i>				■	○			○			
<i>Aedes japonica</i>				■	●						
<i>Aedes japonica amamiensis</i>				■	○						
<i>Aedes nipponicus</i>				■	●						
<i>Aedes nishikawai</i>				■	●		●				
<i>Aedes nobukonis</i>				■	●				●		
<i>Aedes riversi</i>				■	●				●		
<i>Aedes togoi</i>				■	●				●		
<i>Aedes vexans</i>				■	●				●		
<i>Aedes watasei</i>				■	●				●		
<i>Anopheles aitkenii</i>				■	●						
<i>Anopheles aitkenii bengalensis</i>				○	○						
<i>Anopheles lesteri</i>				■	●						
<i>Anopheles minimus</i>				■	●						
<i>Anopheles saperoi</i>		NT		■	●				●		
<i>Anopheles sinensis</i>				■	●				●		
<i>Anopheles tessellatus</i>				■	●				●		
<i>Armigeres subalbatus</i>				■	●				●		
<i>Coquillettidia crassipes</i>				■	●				●		
<i>Coquillettidia ochracea</i>				■	●				●		
<i>Culex bicomutus</i>				■	●				●		
<i>Culex bitaeniorhynchus</i>				■	●				●		
<i>Culex brevipalpis</i>				■	●				●		
<i>Culex cinctellus</i>				■	●				●		
<i>Culex fuscus</i>				■	●				●		
<i>Culex fuscocephala</i>				■	●				●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Culex halifaxii</i>					●	●				●	
<i>Culex hayashii</i>					●	●				●	
<i>Culex hayashii ryukyuanus</i>				○	○	○				○	
<i>Culex infantulus</i>				●	●	●				●	
<i>Culex mimeticus</i>				●	●	●				●	
<i>Culex nigropunctatus</i>				●	●	●				●	
<i>Culex okinawae</i>				●	●	●				●	
<i>Culex pallidothorax</i>				●	●	●				●	
<i>Culex pipiens</i>				●	●	●				●	
<i>Culex pipiens quinquefasciatus</i>				○	○	○				○	
<i>Culex pseudovishnui</i>				●	●	●				●	
<i>Culex rubithoracis</i>				●	●	●				●	
<i>Culex ryukyensis</i>				●	●	●				●	
<i>Culex sinensis</i>				●	●	●				●	
<i>Culex sitiens</i>				●	●	●				●	
<i>Culex tritaeniorhynchus</i>				●	●	●				●	
<i>Culex tuberos</i>				●	●	●				●	
<i>Culex vagans</i>				●	●	●				●	
<i>Culex vorax</i>				●	●	●				●	
<i>Culex whitmorei</i>				●	●	●				●	
<i>Ficalbia</i> sp.				●	●	●				●	
<i>Heizmannia kana</i>				●	●	●				●	
<i>Malaya genurostris</i>				●	●	●				●	
<i>Mansonia crassipes</i>				●	●	●				●	
<i>Mansonia ochracea</i>				●	●	●				●	
<i>Mansonia uniformis</i>				●	●	●				●	
<i>Mimomyia elegans</i>				●	●	●				●	
<i>Mimomyia luzonensis</i>				●	●	●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Orthopodomyia anopheloides</i>					●	●		●	●	
<i>Topomyia yanbarensis</i>					●	●	●			
<i>Toxorhynchites manicatus</i>					●			●		
<i>Toxorhynchites manicatus yamadai</i>				e	○			○		
<i>Toxorhynchites</i> sp.				E	●		●			
<i>Tripteroides</i> sp.				E	●			●		
<i>Tripteroides bambusa</i>					●			●		
<i>Tripteroides bambusa yaeyamensis</i>					○			○		
<i>Uranotaenia annandalei</i>					●			●		
<i>Uranotaenia jacksoni</i>					●		●			
<i>Uranotaenia lateralis</i>					●			●		
<i>Uranotaenia Uranotaenia</i>					●			●		
<i>Uranotaenia Uranotaenia macfarlanei</i>					○		○	○		
<i>Uranotaenia nivipecta</i>					●		●			
<i>Uranotaenia novobscura</i>					●		●	●		
<i>Uranotaenia novobscura novobscura</i>					○			○		
<i>Uranotaenia novobscura novobscura ryukyuana</i>				e	○			○		
<i>Uranotaenia ohamai</i>				E	●			●		
<i>Uranotaenia yaeyamana</i>				E	●			●		
<b>DOLICHOPODIDAE</b>										
<i>Medetera apicalis</i>					●					
<b>DROSOPHILIDAE</b>										
<i>Amiota nagatai</i>					●			●		
<i>Amiota okinawana</i>					●			●		
<i>Colocasiomyia alocasiae</i>					●		●			
<i>Colocasiomyia xenalocasiae</i>					●		●			
<i>Drosophila albomicans</i>					●		●			
<i>Drosophila ananassae</i>					●		●			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Drosophila ancora</i>					●	●				●	
<i>Drosophila asahinai</i>				■	●	●				●	
<i>Drosophila bipectinata</i>					●						
<i>Drosophila bizonata</i>					●	●	●				
<i>Drosophila busckii</i>					●	●	●				
<i>Drosophila daruma</i>					●	●	●			●	
<i>Drosophila ficusphila</i>					●	●	●				
<i>Drosophila hydei</i>					●	●	●				
<i>Drosophila immigrans</i>					●	●	●				
<i>Drosophila kikkawai</i>					●	●	●				
<i>Drosophila lacertosa</i>					●	●	●				
<i>Drosophila lacteicornis</i>				■	●	●	●			●	
<i>Drosophila nepalensis</i>					●	●	●				
<i>Drosophila nigromaculata</i>					●	●	●				
<i>Drosophila pulchrella</i>					●	●	●				
<i>Drosophila quadriineata</i>					●	●	●			●	
<i>Drosophila repleta</i>					●	●	●				
<i>Drosophila suzukii</i>					●	●	●				
<i>Drosophila takahashii</i>					●	●	●			●	
<i>Drosophila triauraria</i>					●	●	●				
<i>Drosophila virilis</i>					●	●	●				
<i>Drosophila yuwanensis</i>				■	●	●	●				
<i>Hirtodrosophila hirtinokogiri</i>					●					●	
<i>Hirtodrosophila longecrinita</i>					●					●	
<i>Hirtodrosophila manonoensis</i>					●					●	
<i>Hirtodrosophila nucinokogiri</i>					●					●	
<i>Hirtodrosophila seminigra</i>				■	●					●	
<i>Hirtodrosophila seminokogiri</i>				■	●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Hirtodrosophila unicolorata</i>					●					●	
<i>Hirtodrosophila unicolorata exilis</i>				○	○					○	
<i>Leucophenga angusta</i>					●			●		●	
<i>Leucophenga argentata</i>					●					●	
<i>Leucophenga bellula</i>					●						
<i>Leucophenga concilia</i>					●			●		●	
<i>Leucophenga interrupta</i>					●						
<i>Leucophenga lacteus</i>					●						
<i>Leucophenga mejerei</i>					●						
<i>Leucophenga orientalis</i>					●						
<i>Leucophenga ornata</i>					●			●		●	
<i>Leucophenga subpollinosa</i>					●						
<i>Liodrosophila aerea</i>					●						
<i>Liodrosophila bicolor</i>					●					●	
<i>Liodrosophila globosa</i>					●					●	
<i>Liodrosophila nitida</i>					●						
<i>Lordiphosa acutissima</i>					●						
<i>Lordiphosa stackelbergi</i>					●						
<i>Lordiphosa tenuicauda</i>					●					●	
<i>Microdrosophila elongata</i>					●					●	
<i>Microdrosophila latifrons</i>					●						
<i>Microdrosophila matsudairai</i>					●						
<i>Microdrosophila pleurolineata</i>					●					●	
<i>Microdrosophila pseudopleurolineata</i>					●					●	
<i>Microdrosophila submarginata</i>					●					●	
<i>Mulgravea asiatica</i>					●					●	
<i>Mycodrosophila erecta</i>					●			●		●	
<i>Mycodrosophila gratiosa</i>					●					●	



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Mycodrosophila subgratiosa</i>				■	●			●		
<i>Mycodrosophila takachihonis</i>					●			●		
<i>Mycodrosophila wassemani</i>					●			●		
<i>Paramycodrosophila pictula</i>					●			●		
<i>Scaptodrosophila bryani</i>					●			●		
<i>Scaptodrosophila coracina</i>					●			●		
<i>Scaptodrosophila dorsata</i>					●			●		
<i>Scaptodrosophila dorsocentralis</i>				E	●			●		
<i>Scaptodrosophila kyushuensis</i>					●			●		
<i>Scaptomyza pallida</i>					●			●		
<i>Scaptomyza polygonia</i>					●			●		
<i>Stegana nigripennis</i>					●			●		
<i>Stegana ornaticpes</i>					●			●		
<b>EMPIDIDAE</b>										
<i>Empis</i> sp.				E	●			●		
<i>Rhamphomyia auripilosa</i>				E	●			●		
<i>Rhamphomyia ciliatopoda</i>				E	●			●		
<i>Rhamphomyia clariventris</i>				E	●			●		
<i>Rhamphomyia taenia</i>				E	●			●		
<i>Rhamphomyia yasumatsui</i>				E	●			●		
<i>Syneches amamiensis</i>				E	●			●		
<i>Syneches claripilosus</i>				E	●			●		
<i>Syneches deformitarsis</i>				E	●			●		
<i>Syneches flavipalpis</i>				E	●			●		
<i>Syneches miyamotoi</i>				E	●			●		
<b>EPHYDRIDAE</b>										
<i>Brachydeutera argentata</i>					●			●		
<i>Brachydeutera longipes</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Discoerina peculiaris</i>					●							
<i>Donaceus nigronotatus</i>					●			●				
<i>Hecamede albicans</i>					●			●				
<i>Hyadina pulchella</i>					●			●				
<i>Hyadina sauteri</i>					●			●				
<i>Hydrellia orientalis</i>				E	●			●				
<i>Lamproscatella fluviialis</i>					●			●				
<i>Notiphila canescens</i>				E	●			●				
<i>Notiphila dorsopunctata</i>					●			●				
<i>Ochthera circularis</i>					●			●				
<i>Paralimna major</i>					●			●				
<i>Paralimna sinensis</i>					●			●				
<i>Parydra pacifica</i>				E	●			●				
<i>Pelignellus lituscola</i>					●			●				
<i>Polytrichophora luteicomis</i>					●			●				
<i>Pseudopelina setosa</i>					●			●				
<i>Psilopa flavimana</i>					●			●				
<i>Scatella septempunctata</i>				E	●			●				
<i>Scatella stagnalis</i>					●			●				
<i>Setacera fluxa</i>					●			●				
<i>Typopsilopa chinensis</i>					●			●				
<i>Zeros orientalis</i>					●			●				
<b>FANNIIDAE</b>												
<i>Fannia dupla</i>					●							
<i>Fannia japonica</i>					●							
<i>Fannia japonica amamiensis</i>				e	○							
<i>Fannia leucosticta</i>					●							
<i>Fannia prisca</i>					●							

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<b>HELEOMYZIDAE</b>												
<i>Suilla shirozui</i>				E	●			●				
<b>HIPPOBOSCIDAE</b>												
<i>Icosta amamiensis</i>				E	●							
<i>Pseudolyntchia canariensis</i>					●			●				
<b>LAUXANIDAE</b>												
<i>Drepanophora piliseta</i>					●			●				
<i>Homoneura acrostichalis</i>					●			●				
<i>Homoneura bistriata</i>					●			●				
<i>Homoneura brevicornis</i>					●			●				
<i>Homoneura dicyrta</i>				E	●			●				
<i>Homoneura discoglauca</i>					●			●				
<i>Homoneura furcistylis</i>				E	●			●				
<i>Homoneura latifrons</i>					●			●				
<i>Homoneura ornatifrons</i>					●			●				
<i>Homoneura paraforicipata</i>				E	●			●				
<i>Homoneura quinquevittata</i>					●			●				
<i>Homoneura repanda</i>					●			●				
<i>Homoneura spinicauda</i>					●			●				
<i>Homoneura striatifrons</i>					●			●				
<i>Homoneura tridentata</i>					●			●				
<i>Homoneura unguiculata</i>					●			●				
<i>Homoneura varinervis</i>					●			●				
<i>Homoneura yamagishii</i>					●			●				
<i>Melinomyia flava</i>					●			●				
<i>Minettia tubifera</i>					●			●				
<i>Prosopoporella iriomotensis</i>				E	●			●				
<i>Protrigonometopus okinawanus</i>				E	●			●				

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Sapromyza flavopleura</i>					●	●		●			
<i>Sapromyza zebra</i>					●						
<i>Steganopsis convergens</i>					●	●	●	●		●	
<i>Trypitosoma fenestrata</i>					●	●	●	●			
<i>Wawu corunuta</i>					●				●		
<b>LEPTOCONOPIIDAE</b>											
<i>Leptoconopus</i> sp. (spp.?)				E	●		●				
<b>MICROPEZIDAE</b>											
<i>Mimegralla albimana</i>					●		●				
<i>Mimegralla albimana galbula</i>					○		○				
<b>MILICHIIDAE</b>											
<i>Desmometopa singaporensis</i>					●				●		
<i>Desmonetopa microps</i>					●				●		
<b>MUSCIDAE</b>											
<i>Atherigona boninensis</i>					●		●				
<i>Atherigona orientalis</i>					●		●				
<i>Atherigona oryzae</i>					●		●				
<i>Brontaea ascendens</i>					●		●		●		
<i>Brontaea flexa</i>					●		●		●		
<i>Brontaea nigrogrisea</i>					●		●		●		
<i>Dichatomyia bibax</i>					●		●		●		
<i>Dichatomyia flavipalpis</i>					●		●		●		
<i>Dichatomyia japonica</i>					●		●		●		
<i>Dichatomyia quadrata</i>					●		●		●		
<i>Graphomyia rufitibia</i>					●		●		●		
<i>Haematobosca sanguinolenta</i>					●		●		●		
<i>Helina lateralis</i>					●		●		●		
<i>Hydrotaea chalcogaster</i>					●		●		●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Hydrotaea exigua</i>					●	●				
<i>Hydrotaea obscurifrons</i>					●		●			
<i>Limnophora argentifrons</i>				E	●	●	●	●		
<i>Limnophora argentigena</i>				E	●	●	●	●		
<i>Limnophora aureifrons</i>				E	●					
<i>Limnophora exigua</i>								●		
<i>Limnophora melanocephala</i>				E	●			●		
<i>Limnophora ryukyuensis</i>				E	●			●		
<i>Limnophora suzukii</i>					●					
<i>Lispe aquamarina</i>					●					
<i>Lispe binotata</i>					●		●			
<i>Lispe bivittata</i>					●					
<i>Lispe geniseta</i>					●					
<i>Lispe kowarzi</i>					●					
<i>Lispe leucospila</i>					●					
<i>Lispe leucospila sinica</i>					○					
<i>Lispe orientalis</i>					●			●		
<i>Lispe pacifica</i>					●				●	
<i>Megophya multisetosa</i>					●					
<i>Morella hortensia</i>					●					
<i>Musca concludens</i>					●					
<i>Musca confiscata</i>					●					
<i>Musca convexifrons</i>					●				●	
<i>Musca sorbens</i>					●				●	
<i>Musca ventrosa</i>					●				●	
<i>Muscina angustifrons</i>					●					
<i>Muscina japonica</i>					●				●	
<i>Muscina pascuorum</i>					●					

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus		
<i>Muscina stabulans</i>					●						
<i>Myospila argentata</i>					●			●			
<i>Myospila bina</i>					●			●			
<i>Myospila bina bina</i>					○			○			
<i>Myospila femorata</i>					●			●			
<i>Myospila flavibasis</i>					●			●			
<i>Myospila japonica</i>					●			●			
<i>Myospila laevis</i>					●		●	●			
<i>Myospila lenticeps</i>					●			●			
<i>Myospila pudica</i>					●			●			
<i>Neomyia coeruleifrons</i>					●			●			
<i>Neomyia indica</i>					●			●			
<i>Neomyia lauta</i>					●			●			
<i>Neomyia timorensis</i>					●			●			
<i>Orchisia costata</i>					●			●			
<i>Phaonia amamiensis</i>				E	●			●			
<i>Stomoxys calcitrans</i>					●			●			
<i>Stomoxys indicus</i>					●			●			
<i>Stomoxys uruma</i>					●			●			
<i>Synthesiomia nudiseta</i>					●			●			
<b>MYDIDAE</b>					●						
<i>Neomydas gruenbergi</i>					●				●		
<b>NEMESTRINIDAE</b>					●						
<i>Atriadops amamioshimensis</i>					●						
<i>Atriadops javanus</i>					●						
<b>NERIIDAE</b>					●						
<i>Gymnonerius</i> sp.					●				●		
<b>PHORIDAE</b>					●						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Conicera formosensis</i>					●					
<i>Megaselia araneivora</i>				E	●			●		
<i>Megaselia scalaris</i>					●			●		
<i>Megaselia setipennis</i>				E	●			●		
<i>Megaselia spiracularis</i>					●			●		
<i>Phora lacunifera</i>					●			●		
<i>Plastophora conferta</i>				E	●			●		
<i>Spiniphora okinawa</i>				E	●			●		
<b>PIOPHILIDAE</b>					●			●		
<i>Protoiphila cortecta</i>										
<b>PIPUNCULIDAE</b>										
<i>Cephalops pulvillatus</i>					●			●		
<i>Dorylomorpha lini</i>					●			●		
<i>Eudorylas javanensis</i>					●			●		
<i>Eudorylas macropygus</i>					●		●	●		
<i>Eudorylas mutilatus</i>					●			●		
<i>Eudorylas roralis</i>					●			●		
<i>Pipunculus boharti</i>				E	●			●		
<i>Tomosvaryella coquilletti</i>					●			●		
<i>Tomosvaryella epichalca</i>					●			●		
<i>Tomosvaryella oryzaetora</i>					●			●		
<i>Tomosvaryella subvirescens</i>					●			●		
<i>Tomosvaryella sylvatica</i>					●			●		
<b>PLATYSTOMATIDAE</b>										
<i>Rivellia basilaris</i>					●					
<i>Rivellia yaeyamensis</i>				E	●				●	
<b>PSYCHODIDAE</b>										
<i>Burrunettia spinistoma</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Chodopsyche harrisi</i>					●				●	
<i>Chodopsyche malleola</i>					●				●	
<i>Chodopsyche serosa</i>				E	●				●	
<i>Glogmia albipunctatus</i>					●				●	
<i>Logima zetterstedti</i>					●					
<i>Pericoma miyatakei</i>				E	●				●	
<i>Pericoma palopsis</i>				E	●				●	
<i>Philosepedon memnonius</i>				E	●				●	
<i>Psyche formosana</i>					●					
<i>Psychoda allodapa</i>					●				●	
<i>Psychoda contigua</i>				E	●					
<i>Psychoda crenula</i>					●					
<i>Psychoda innoatabilis</i>					●					
<i>Psychoda quadrifilis</i>					●					
<i>Psychoda savaiensis</i>					●					
<i>Psychoda umbratica</i>					●				●	
<i>Psychodocha bifurcata</i>				E	●					
<i>Psychodocha itoco</i>					●					
<i>Psychodocha longiseta</i>					●					
<i>Psychodocha yama</i>				E	●				●	
<i>Teimatoscopus aquilus</i>				E	●					
<i>Teimatoscopus lanceolatus</i>					●				●	
<i>Teimatoscopus obtusulus</i>				E	●				●	
<i>Teimatoscopus spinitibialis</i>				E	●				●	
<i>Teimatoscopus spinitibialis okinawanus</i>				e	○				○	
<i>Tinearia alternata</i>					●				●	
<i>Trichopsychoda amaudi</i>				E	●				●	
<i>Trichopsychoda okinawensis</i>				E	●				●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<b>RACHICERIDAE</b>											
<i>Rachicercus galloisi</i>					●					●	
<i>Rachicercus sakishimanus</i>				E	●					●	
<i>Rachicercus</i> sp.				E	●					●	
<b>RHAGIOMIDAE</b>											
<i>Chrysopilus fenestratus</i>					●			●		●	
<i>Chrysopilus poecilopterus</i>					●			●		●	
<i>Chrysopilus sauteri</i>					●					●	
<i>Rhagio irimotensis</i>				E	●					●	
<i>Rhagio latifasciatus</i>					●			●			
<b>SARCOPHAGIDAE</b>											
<i>Bellieriomima josephi</i>					●			●		●	
<i>Bellieriomima pseudosubulata</i>				E	●			●			
<i>Bellieriomima uniseta</i>					●			●			
<i>Blaesoxipha amamiensis</i>				E	●			●			
<i>Blaesoxipha palauensis</i>					●			●			
<i>Boettcherisca peregrina</i>					●			●		●	
<i>Chaetoanicia sauteri</i>					●			●			
<i>Goniophyto horishuensis</i>					●			●			
<i>Goniophyto yaeyamaensis</i>				E	●			●		●	
<i>Helicophagella melanura</i>					●			●			
<i>Heteronychia obscurata</i>					●			●			
<i>Leucomyia cinerea</i>					●			●			
<i>Metopia argyrocephala</i>					●			●			
<i>Parasarcophaga albiceps</i>					●			●			
<i>Parasarcophaga magensi</i>				E	●			●		●	
<i>Parasarcophaga misera</i>					●			●		●	
<i>Parasarcophaga oshimensis</i>				E	●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Parasarcophaga ruficornis</i>					●	●		●			
<i>Parasarcophaga shirakii</i>					●		●				
<i>Parasarcophaga tuberosa</i>					●		●				
<i>Phallosphaera gravelyi</i>					●		●				
<i>Pierretia asahinai</i>				E	●		●		●		
<i>Pierretia calicifera</i>					●		●				
<i>Pierretia kanekoi</i>				E	●		●				
<i>Robineauella uemotoi</i>					●		●				
<i>Sarcophaga yuwanensis</i>				E	●		●				
<i>Sarcorohdendorfia aurata</i>					●		●				
<i>Sarcorohdendorfia inextricata</i>					●		●		●		
<i>Senotainia japonensis</i>				E	●		●				
<i>Simonipponia anyai</i>				E	●		●		●		
<i>Sarcophaga yonahaensis</i>		EN		E	●		●		●		
<i>Thysoctenema cernitula</i>					●		●		●		
<b>SCIOMYZIDAE</b>											
<i>Sepedon aenescens</i>					●		●		●		
<b>SEPSIDAE</b>											
<i>Australosepsis frontalis</i>					●		●				
<i>Australosepsis niveipennis</i>					●		●				
<i>Sepsis albopunctata</i>					●		●		●		
<i>Sepsis coprophila</i>					●		●		●		
<i>Sepsis indica</i>					●		●		●		
<i>Sepsis lateralis</i>					●		●				
<i>Sepsis monosigma</i>					●		●				
<i>Sepsis nitens</i>					●		●				
<i>Sepsis thoracica</i>					●		●				
<b>SIMULIIDAE</b>											

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Simulium aureohirtum</i>					●	●	●	●	●	
<i>Simulium batoense</i>					●			●	●	
<i>Simulium bidentatum</i>					●	●				
<i>Simulium japonicum</i>					●	●	●			
<i>Simulium mie</i>					●	●	●			
<i>Simulium okinawaense</i>				E	●	●	●		●	
<i>Simulium sakishimaense</i>				E	●				●	
<i>Simulium suzukii</i>					●	●	●		●	
<b>STRATIOMYIDAE</b>										
<i>Allognosta japonica</i>					●	●	●			
<i>Microchrysa flaviventris</i>					●		●			
<i>Microchrysa nigrimaculata</i>					●					
<i>Odontomyia garatas</i>					●		●			
<i>Odontomyia okinawae</i>				E	●		●	●		
<i>Ptecticus aurifer</i>					●		●	●		
<i>Ptecticus okinawae</i>				E	●		●	●		
<i>Ptecticus okinawaensis</i>				E	●		●	●		
<i>Ptecticus shirakii</i>				E	●		●			
<i>Ptecticus sinchangensis</i>					●			●		
<i>Ptecticus tenebrifer</i>					●					
<i>Wallacea albiesta</i>					●					
<i>Wallacea albiesta albiseta</i>					○					
<i>Wallacea tsudai</i>					●					
<b>STREBLIDAE</b>										
<i>Brachytarsina suzukii</i>				E	●				●	
<b>SYRPHIDAE</b>										
<i>Allobaccha amphithoe</i>					●			●		
<i>Allobaccha apicalis</i>				E	●			●		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Allobaccha nubilipennis</i>					●	●			●	
<i>Allograpta iavana</i>					●					
<i>Asarkina erictorum</i>					●					
<i>Asarkina erictorum formosae</i>					○					
<i>Asarkina porcina</i>					●					
<i>Betasyrphus nipponensis</i>				E	●					
<i>Brachypalpoidea splendens</i>				E	●		●			
<i>Chalcosyrphus shirakii</i>					●					
<i>Chlcosyrphus (Xylotina) nemorum</i>				E	●					
<i>Chrysotoxum testaceum</i>				E	●			●		
<i>Dasyrphus bilineatus</i>				E	●					
<i>Didea fasciata</i>					●					
<i>Dideoopsis aegrata</i>					●				●	
<i>Episyrrhus balteatus</i>					●					
<i>EriStâ / inus avorum</i>					●				●	
<i>EriStâ / inus basalis</i>				E	●				●	
<i>EriStâ / inus ishigakiensis</i>					●				●	
<i>EriStâ / inus quinquestriatus</i>					●				●	
<i>EriStâ / is cerealis</i>					●					
<i>EriStâ / is tenax</i>					●					
<i>Eumerus figurans</i>				E	●					
<i>Eumerus japonicus</i>					●					
<i>Eumerus okinawaensis</i>					●					
<i>Eupeodes confrater</i>					●					
<i>Eupeodes corollae</i>				E	●					
<i>Eupeodes kuroiwae</i>				E	●					
<i>Eupeodes okinawensis</i>					●				●	
<i>Eupeodes riukiensis</i>				E	●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Graptomyza ihai</i>				E	●					
<i>Ischiodon scutellaris</i>					●			●		
<i>Kertesziomyia caliphoroides</i>				E	●					
<i>Melanostoma scalare</i>					●					
<i>Meliscaeva omogensis</i>				E	●					
<i>Mesembrius okinawaensis</i>					●		●			
<i>Milesia elegans</i>				E	●					
<i>Milesia oshimaensis</i>					●					
<i>Milesia yaeyamana</i>				E	●					
<i>Paragus crenulatus</i>				E	●				●	
<i>Paragus politus</i>					●				●	
<i>Paragus tibialis</i>					●					
<i>Paragus (Pandasyophthalmus) haemorrhous</i>				E	●					
<i>Phytomyia errans</i>					●					
<i>Phytomyia zonata</i>					●					
<i>Sphaerophoria macrogaster</i>				E	●					
<i>Sphegina amamiensis</i>				E	●					
<i>Volucella nigricans</i>				E	●					
<i>Xanthandrus comitus</i>				E	●					
<i>Xylota amamiensis</i>				E	●					
<b>TABANIDAE</b>										
<i>Atylotus angusticornis</i>					●					
<i>Atylotus kakeromaensis</i>				E	●					
<i>Atylotus keegani</i>				E	●					
<i>Atylotus sawadai</i>				E	●					
<i>Chrysops vanderwulpi</i>				E	●					
<i>Chrysops vanderwulpi sakishimaensis</i>				e	○					
<i>Hirosia amamiensis</i>				E	●					

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Hirosia kotoshoensis</i>					●				●	
<i>Nagatomyia melanica</i>					●					
<i>Silvius dorsalis</i>					●		●			
<i>Silvius formosensis</i>					●				●	
<i>Silvius oshimaensis</i>	E				●					
<i>Silvius shirakii</i>					●					
<i>Stonemyia amamiensis</i>				E	●					
<i>Stonemyia yezoensis</i>					●					
<i>Tabanus amaeus</i>					●					
<i>Tabanus kanoi</i>					●					
<i>Tabanus masamitsui</i>				E	●					
<i>Tabanus okinawanus</i>				E	●		●			
<i>Tabanus nyukyuensis</i>				E	●					
<i>Tabanus signatipennis</i>					●					
<i>Tabanus taiwanus</i>					●					
<i>Tabanus takasagoensis</i>					●					
<i>Tabanus tokunoshimaensis</i>				E	●					
<i>Tabanus toshiokai</i>					●			●		
<i>Tabanus yaeyamaensis</i>				E	●					
<i>Tabanus yanbaruensis</i>				E	●				●	
<b>TACHINIDAE</b>										
<i>Blepharipa jacobsoni</i>					●					
<i>Blepharipa zebina</i>					●					
<i>Cavillatrix gymnopa</i>					●					
<i>Compsilura concinnata</i>					●					
<i>Dexia flavipes</i>					●					
<i>Dexia gilva</i>				E	●					
<i>Dexia longipennis</i>					●					

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Drino atropivora</i>					●				Irimoto Is.	
<i>Exorista sorbillans</i>					●		●	●	Okinawa Is.	
<i>Lixophaga latigena</i>				E	●	●				
<i>Nemorilla aquila</i>					●					
<i>Nemorilla maculosa</i>					●		●	●		
<i>Paraditino longicornis</i>					●					
<i>Peribaea insularis</i>				E	●					
<i>Peribaea ussuriensis</i>					●					
<i>Prosema siberita</i>					●					
<i>Rhinomyodes emporomyioides</i>					●					
<i>Senometopia excisa</i>					●					
<i>Senometopia orientalis</i>				E	●					
<i>Urodexia penicillum</i>					●					
<i>Uromedina atrata</i>					●			●		
<i>Vibrissina angustifrons</i>					●					
<i>Winthemia sumatrana</i>					●			●		
<b>TEPHRITIDAE</b>										
<i>Acanthonevra formosana</i>					●					
<i>Acidilella mushaensis</i>					●			●		
<i>Acrotaeniosstola flavoscutellata</i>					●			●		
<i>Actinoptera montana</i>					●				●	
<i>Anomoia amamioshimensis</i>				E	●					
<i>Anomoia apicalis</i>					●					
<i>Anomoia bellata</i>				E	●					
<i>Anomoia okinawaensis</i>					●			●		
<i>Anomoia proba</i>				E	●					
<i>Anomoia tranquilla</i>				E	●			●		
<i>Bactrocera depressa</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Bactrocera garmiciae</i>					●	●				●	
<i>Bactrocera hyalina</i>					●		●				
<i>Bactrocera ishigakiensis</i>				E	●					●	
<i>Bactrocera kuniyoshii</i>				E	●					●	
<i>Bactrocera scutellata</i>					●		●				
<i>Bactrocera tsuneonis</i>					●						
<i>Campiglossa deserta</i>					●					●	
<i>Campiglossa hirayamae</i>					●		●				
<i>Carpophthoracidia matsumotoi</i>					●		●				
<i>Ceratitis sobrina</i>					●		●				
<i>Chenacidella purpureisetata</i>					●						
<i>Dacus ihai</i>				E	●		●			●	
<i>Dioxyna bidentis</i>					●		●			●	
<i>Dioxyna sororcula</i>					●		●			●	
<i>Ensina sonchi</i>					●		●			●	
<i>Fusculidia ensifera</i>				E	●		●				
<i>Oxyaciura formosae</i>					●		●			●	
<i>Paragastrozona tripunctata</i>				E	●						
<i>Philophylla fossata</i>					●					●	
<i>Philophylla nigrescens</i>					●		●				
<i>Philophylla superflucta</i>					●		●			●	
<i>Pliomelaena assimilis</i>					●		●			●	
<i>Pliomelaena shirozui</i>					●					●	
<i>Rhabdochaeta asteria</i>					●		●			●	
<i>Rhabdochaeta naevia</i>					●		●			●	
<i>Scedeella formosella</i>					●					●	
<i>Spathulina acroleuca</i>					●					●	
<i>Sphaeniscus atilius</i>					●		●			●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Sphenella sinensis</i>					●	●			●	
<i>Trupanea convergens</i>					●	●			●	
<b>TETHINIDAE</b>										
<i>Dasyrhicnoessa platypes</i>				E	●		●			
<i>Dasyrhicnoessa yoshiyasui</i>				E	●		●		●	
<i>Pseudorhicnoessa spinipes</i>					●		●		●	
<i>Tethina orientalis</i>					●				●	
<b>THEREVIDAE</b>										
<i>Irwinella sauteri</i>					●		●		●	
<b>TIPULIDAE</b>										
<i>Dicranomyia okinawensis</i>				E	●		●			
<i>Geranomyia sakaguchii</i>				E	●		●			
<i>Gonomyia bibarbata</i>				E	●			●		
<i>Gonomyia longipennis</i>				E	●			●		
<i>Hexatoma iriomotensis</i>				E	●			●		
<i>Holorusia esakii</i>				E	●			●		
<i>Nephrotoma medioflava</i>				E	●			●		
<i>Nephrotoma virgata</i>					●					
<i>Styringomyia bidens</i>				E	●			●		
<i>Styringomyia digitostylus</i>				E	●			●		
<i>Teucholabis iriomotensis</i>				E	●			●		
<i>Tipula okinawensis</i>				E	●			●		
<b>XENASTEIIDAE</b>										
<i>Xenasteia okinawensis</i>				E	●		●		●	
<b>TRICHOPTERA</b>										
<b>ANNULIPALPIA</b>										
<i>Chimarra</i> sp. 1				E	●			●		
<i>Chimarra</i> sp. 2				E	●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Wormaldia</i> sp.				E	●	●		●			
<b>GLOSSOSOMATIDAE</b>					●			●			
<i>Agapetus yasensis</i>					●			●			
<b>GOERIDAE</b>					●			●			
<i>Goera</i> sp. 1				E	●			●			
<i>Goera</i> sp. 2				E	●			●			
<b>HELICOPSYCHIDAE</b>					●			●			
<i>Helicopsyche</i> sp.				E	●			●			
<b>HYDROBIOSIDAE</b>					●			●			
<i>Apsilochorema</i> sp.				E	●			●			
<b>HYDROPSYCIDAE</b>					●			●			
<i>Cheumatopsyche</i> sp. 1				E	●			●			
<i>Diplectrona</i> sp.				E	●			●			
<i>Hydatamanicus</i> sp.				E	●			●			
<i>Hydropsyche orientalis</i>					●			●			
<i>Hydropsyche</i> sp. 1				E	●			●			
<i>Hydropsyche</i> sp. 2				E	●			●			
<i>Hydropsyche yaeyamensis</i>				E	●			●	●		
<i>Macrosternum okinawanum</i>		NT		E	●			●			
<b>HYDROPTILIDAE</b>					●			●			
<i>Hydroptila</i> sp.				E	●			●			
<b>LEPIDOSTOMATIDAE</b>					●			●			
<i>Goerodes amamiensis</i>				E	●			●			
<i>Goerodes arcuatus</i>					●			●	●		
<i>Goerodes ebebacanthus</i>				E	●			●			
<i>Goerodes nanselensis</i>				E	●			●			
<i>Goerodes ryukyuensis</i>				E	●			●			
<i>Goerodes ryukyuensis</i>				E	●			●			

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus		
<b>LEPTOCERIDAE</b>											
<i>Oeetis</i> sp.				E	●			●			
<b>ODONTOCERIDAE</b>											
<i>Psilotreta</i> sp.				E	●			●			
<b>POLYCENTROPODIDAE</b>											
<i>Nyctiophylax</i> sp.				E	●			●			
<i>Plectrocnemia</i> sp.				E	●			●			
<i>Polycentropus</i> sp.				E	●			●			
<i>Polyplectropus</i> sp.				E	●			●			
<i>Pseudoneureclipsis</i> sp.				E	●			●			
<b>PSYCHOMYIIDAE</b>											
<i>Paduniella</i> sp.				E	●			●			
<b>RHYACOPHILIDAE</b>											
<i>Rhyacophila clemens</i>				E	●				●		
<i>Rhyacophila coclearis</i>				E	●						
<i>Rhyacophila formosana</i>				E	●				●		
<i>Rhyacophila kawamurae</i>				E	●			●			
<i>Rhyacophila satoi</i>				E	●			●			
<i>Rhyacophila shikotsuensis</i>				E	●			●			
<i>Rhyacophila</i> spp.				E	●			●			
<b>SERICOSTOMATIDAE</b>											
<i>Gumaga okinawaensis</i>				E	●				●		
<b>STENOPSYCHIDAE</b>											
<i>Stenopsyche schmidi</i>				E	●			●			
<b>XIPHOCESTRONIDAE</b>											
<i>Melanotrichia kibuneana</i> (?)				E	●				●		
<b>LEPIDOPTERA</b>											
<b>HEPIALIDAE</b>											

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Endoclyta sinensis</i>					●					●	
<b>ADELIDAE</b>				E	●						
<i>Nemophora marisella</i>											
<b>COSSIDAE</b>											
<i>Zeuzera caudata</i>					●					●	
<i>Zeuzera caudata rhabdota</i>					○					○	
<i>Zeuzera coffeae</i>					●			●		●	
<i>Zeuzera militistrigata</i>					●						
<i>Zeuzera militistrigata leuconota</i>					○						
<b>TORTRICIDAE</b>											
<i>Acleris enitescens</i>					●						
<i>Acroclita nigrovenana</i>					●					●	
<i>Adoxophyes dubia</i>					●			●			
<i>Apeleptera semnochryas</i>					●			●			
<i>Apotomis biemina</i>					●			●			
<i>Archips insulanus</i>					●			●		●	
<i>Archips meridionalis</i>				E	●			●			
<i>Archips nigricaudanus</i>					●			●			
<i>Archips peratratus</i>					●			●		●	
<i>Argyrotaenia congruentana</i>					●			●		●	
<i>Asaphisitis praeceps</i>					●			●		●	
<i>Bactra cerata</i>					●			●			
<i>Bactra hostilis</i>					●			●			
<i>Cephalophyes cyanura</i>					●						
<i>Cryptaspasma angulicosiana</i>					●			●		●	
<i>Cryptophlebia horii</i>				E	●			●		●	
<i>Cryptophlebia repletana</i>					●			●		●	
<i>Cydia leucostoma</i>					●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Dactyloglypha tonica</i>					●	●					
<i>Didymys tokui</i>					●	●					
<i>Dudua hemigrapta</i>					●	●	●				
<i>Dudua ptarmicopa</i>					●	●	●	●			
<i>Endothenia banauusopis</i>					●	●	●	●			
<i>Epiblema foenella</i>					●	●	●	●			
<i>Eucosma melanoneura</i>					●	●	●	●			
<i>Eucosma okubiensis</i>				E	●	●	●	●			
<i>Eucosma threnodes</i>					●	●	●	●			
<i>Eudemis gyrotis</i>					●	●	●	●			
<i>Gatesclarkeana idia</i>					●	●	●	●			
<i>Gnorismoneura exullis</i>					●	●	●	●			
<i>Grapholita hyalitis</i>					●	●	●	●			
<i>Hedya iophaea</i>					●	●	●	●			
<i>Homona magnanima</i>					●	●	●	●			
<i>Hystrihoscetus spathanum</i>					●	●	●	●			
<i>Lobesia aeolopa</i>					●	●	●	●			
<i>Lobesia candida</i>					●	●	●	●			
<i>Loboschiza koenigiana</i>					●	●	●	●			
<i>Matsumuraeses falcana</i>					●	●	●	●			
<i>Matsumuraeses phaseoli</i>					●	●	●	●			
<i>Neocalyptis affinisana</i>					●	●	●	●			
<i>Olethreutes castaneana</i>					●	●	●	●			
<i>Phaecedophora acutana</i>					●	●	●	●			
<i>Phaecedophora limbriata</i>					●	●	●	●			
<i>Phaecasiophora fernaldana</i>					●	●	●	●			
<i>Proschistis marmaropa</i>					●	●	●	●			
<i>Ptycholoma lecheana</i>					●	●	●	●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Retinia cristata</i>					●					
<i>Rhodactra pyrrihocrassa</i>					●			●		
<i>Rhodocosmaria occidentalis</i>					●				●	
<i>Rhopobota naevana</i>					●					
<i>Sorolopha plinthograpta</i>					●					
<i>Spilonota algosa</i>					●				●	
<i>Spilonota distylana</i>					●					
<i>Spilonota meleanocopa</i>					●					
<i>Statherotoxys hedraea</i>					●					
<i>Strepsicrates rhothia</i>					●				●	
<i>Tetramoera schistaceana</i>					●				●	
<b>COCHYLIDAE</b>										
<i>Eupoecilia ambiguaella</i>					●					
<i>Piercea vectisana</i>					●				●	
<b>PSYCHIDAE</b>										
<i>Chalioides kondonis</i>					●					
<i>Eumeta japonica</i>					●				●	
<i>Mahasena aurea</i>					●				●	
<b>TINEIDAE</b>										
<i>Comodica saitoi</i>				E	●				●	
<i>Erechthias atrinivis</i>					●				●	
<i>Erechthias zebrina</i>					●					
<i>Monopsis monachella</i>					●					
<i>Morphaga bucephala</i>					●				●	
<i>Morphaga iriomotensis</i>				E	●				●	
<b>LYONETIIDAE</b>										
<i>Bedellia ipomoella</i>					●				●	
<i>Lyonetia leci</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.		
<i>Microthauma glycinella</i>					●					
<b>GRACILLARIIDAE</b>										
<i>Caloptilia kadsurae</i>					●			●		
<i>Caloptilia protiella</i>					●			●		
<i>Caloptilia querci</i>					●					
<i>Caloptilia ryukyensis</i>					●	●		●		
<i>Caloptilia syrphetias</i>					●			●		
<i>Caloptilia theivora</i>					●		●			
<i>Cryphiomystis yaeyamensis</i>				E	●			●		
<i>Dialectica geometra</i>					●					
<i>Eumetiochroa hiranoi</i>					●			●		
<i>Gibbovalva civica</i>					●			●		
<i>Gibbovalva quadrifasciata</i>					●			●		
<i>Katapangia regulifera</i>					●			●		
<i>Melanocercops ficuvorella</i>					●					
<i>Systoloneura geometropis</i>					●					
<i>Telamoptilia cathedraea</i>					●					
<i>Telamoptilia hemistacta</i>					●					
<i>Telamoptilia prosacta</i>					●			●		
<b>PHYLLOCNISTIDAE</b>										
<i>Phyllocnistis citrella</i>					●			●		
<b>YPONOMEUTIDAE</b>										
<i>Kessleria insulella</i>					●			●		
<i>Leuroperna sera</i>					●			●		
<i>Lycophantis bradleyi</i>				E	●					
<i>Plutella xylostella</i>					●				●	
<i>Teinoptilia guttella</i>					●					
<i>Yponomeuta griseatus</i>				E	●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<b>AMPHITHERIDAE</b>					●					●	
<i>Agriothera elaeocarphaga</i>					●						
<b>GLYPHIPTERIGIDAE</b>					●						
<i>Glyphipterix ditiorana</i>					●			●			
<i>Glyphipterix melania</i>					●			●			
<b>BRACHODIDAE</b>					●					●	
<i>Nigilgia limata</i>					●			●		●	
<i>Paranigilgia bushii</i>				E	●					●	
<b>SESIIDAE</b>					●						
<i>Macrocelesia japona</i>					●			●			
<i>Melittia formosana</i>					●			●			
<i>Melittia inoueii</i>					●			●			
<i>Nokona rubra</i>				E	●			●			
<i>Pennisetia insulicola</i>				E	●			●			
<i>Sesia okinawana</i>				E	●			●			
<i>Synanthedon esperi</i>				E	●			●			
<i>Trichocrota esakii</i>					●			●			
<b>CHOREUTIDAE</b>					●						
<i>Brenthia formosensis</i>					●			●			
<i>Choreutis achyrodus</i>					●			●			
<i>Choreutis amethystodes</i>					●			●			
<i>Choreutis basalis</i>					●			●			
<i>Choreutis cyanogramma</i>					●			●			
<i>Choreutis japonica</i>				E	●			●			
<i>Choreutis minuta</i>				E	●			●			
<i>Choreutis ophiocoma</i>					●			●			
<i>Saptha beryllitis</i>					●			●			
<i>Saptha divitiosa</i>					●			●			



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Tebenna micalis</i>					●					
<i>Tebenna yamashitai</i>				E	●			●		
<b>OECOPHORIDAE</b>										
<i>Acria ceramitis</i>					●				●	
<i>Autosticha pachysticta</i>					●				●	
<i>Cryptolechia malacobyrsa</i>					●				●	
<b>ETHMIIDAE</b>										
<i>Ethmia assamensis</i>					●				●	
<i>Ethmia nigroapicella</i>					●			●	●	
<b>STATHMOPODIDAE</b>										
<i>Stathmopoda auriferella</i>					●				●	
<b>ELACHISTIDAE</b>										
<i>Elachista amamii</i>				E	●			●		
<b>BLASTOBASIDAE</b>										
<i>Neoblastobasis brevicornis</i>				E	●				●	
<i>Neoblastobasis decolor</i>					●				●	
<b>COSMOPTERIGIDAE</b>										
<b>LECITHOCERIDAE</b>										
<i>Homaloxestis myloxesta</i>					●				●	
<b>GELECHIIDAE</b>										
<i>Anarsia incerta</i>				E	●				●	
<i>Anarsia tortuosa</i>					●				●	
<i>Dendrophila saxigera</i>					●				●	
<i>Helcystogramma arotraeum</i>					●				●	
<i>Hypatima spathota</i>					●				●	
<b>ALUCITIDAE</b>										
<i>Alucita pusilla</i>				E	●				●	
<i>Alucita straminea</i>				E	●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<b>CARPOSINIDAE</b>												
<i>Commatarcha palaeosema</i>					●	●						
<i>Peragrarchis synchollela</i>					●			●				
<b>ZYGAENIDAE</b>												
<i>Artoria martini</i>					●			●		●		
<i>Chalcosia formosana</i>					●			●		●		
<i>Chalcosia formosana formosana</i>				e	○					○		
<i>Erasmia pulchella</i>					●					●		
<i>Erasmia pulchella fritzei</i>				e	○			○		●		
<i>Erasmia pulchella sakishimana</i>				e	○					○		
<i>Eterusia aedea</i>					●			●		●		
<i>Eterusia aedea okinawana</i>				e	○					○		
<i>Eterusia aedea sakaguchii</i>				e	○							
<i>Eterusia aedea tomokunii</i>				e	○			○				
<i>Histia flabellicornis</i>					●					●		
<i>Histia flabellicornis atrovirens</i>				e	○					○		
<i>Histia flabellicornis azurea</i>				e	○							
<i>Histia flabellicornis obsoleta</i>				e	○			○				
<i>Illiberis tenuis</i>					●			●				
<i>Inouela exiguitata</i>				E	●			●				
<b>LIMACODIDAE</b>												
<i>Belippa horrida</i>					●			●		●		
<i>Demonarosa rufotessellata</i>					●			●		●		
<i>Demonarosa rufotessellata issikii</i>					○					○		
<i>Matsumurides okinawanus</i>				E	●			●		●		
<i>Narosa azumai</i>				E	●			●		●		
<i>Narosa corusca</i>					●			●		●		
<i>Narosa corusca amamiana</i>				e	○			○		○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Narosoideus flavidorsalis</i>					●	○	○	●		
<i>Narosoideus flavidorsalis ochridorsalis</i>				e	○	○	○	○		
<i>Natada takemurai</i>					●		●	●		
<i>Parasa consocia</i>					●				●	
<i>Phrixolepia tenebrosa</i>				E	●					
<i>Susica nasuta</i>					●			●		
<i>Trichogyia circulifera</i>					●			●		
<b>HYBLAEIDAE</b>										
<i>Hyblaea constellata</i>					●			●		
<i>Hyblaea puera</i>					●			●		
<b>THYRIDIDAE</b>										
<i>Addaea polyphoralis</i>					●			●		
<i>Banisia owadai</i>					●			●		
<i>Calindoea polygraphalis</i>					●			●		
<i>Canaea ryukyuensis</i>					●			●		
<i>Hypolamprus ypsilon</i>					●			●		
<i>Microbelia canidentalis</i>					●			●		
<i>Microbelia intimalis</i>					●			●		
<i>Pharambara splendida</i>					●			●		
<i>Picrostomastis marginepunctalis</i>					●			●		
<i>Pyinioides sinuosus</i>					●			●		
<i>Striglina oceanica</i>				E	●			●		
<i>Striglina paravenia</i>					●			●		
<i>Striglina suzukii</i>					●			●		
<b>PYRALIDAE</b>										
<i>Addyme inductalis</i>					●			●		
<i>Aethalossa calidalis</i>					●			●		
<i>Aethalossa calidalis tiphalis</i>					○			○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Agathodes orientalis</i>					●	●			●	
<i>Agrotera basinotata</i>					●	●	●		●	
<i>Analthes euryterminalis</i>					●	●	●			
<i>Analthes insignis</i>					●					
<i>Ancylolomia japonica</i>					●		●			
<i>Ancylolomia westwoodi</i>					●				●	
<i>Ancylolomia westwoodi bitubirosella</i>					○				○	
<i>Aripiana cribrata</i>					●		●			
<i>Arippara indicator</i>					●		●		●	
<i>Assara korbi</i>					●				●	
<i>Ategumia adipalis</i>					●		●			
<i>Bocchoris inspersalis</i>					●		●		●	
<i>Botyodes asialis</i>					●		●			
<i>Botyodes diniasalis</i>					●		●		●	
<i>Botyodes principalis</i>					●				●	
<i>Bradina angustalis</i>					●				●	
<i>Bradina angustalis ryukyensis</i>				e	○				○	
<i>Bradina erilitoides</i>					●		●		●	
<i>Bradina geminalis</i>					●					
<i>Bradina trigonalis</i>					●					
<i>Calamotropha formosella</i>					●					
<i>Calamotropha paludella</i>					●		●		●	
<i>Calamotropha paludella purella</i>					○		○			
<i>Calamotropha shichito</i>					●					
<i>Calamotropha yamanakai</i>					●		●		●	
<i>Calamotropha yamanakai owadai</i>				e	○		○		○	
<i>Calgula defigialis</i>					●		●		●	
<i>Camptomastix hisbonalis</i>					●		●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Cangetta rectilinea</i>					●	●				●	
<i>Ceratarcha umbrosa</i>					●		●				
<i>Chilo suppressalis</i>					●		●	●		●	
<i>Circobotys cryptica</i>					●		●	●			
<i>Cirrhochrota brizoalis</i>					●		●	●		●	
<i>Cirrhochrota kosemponialis</i>					●		●	●		●	
<i>Citripestis sagittiferalis</i>					●		●	●		●	
<i>Clupeosoma pryeri</i>					●		●	●		●	
<i>Clupeosoma purpureum</i>					●		●	●		●	
<i>Enaphalocrocis stereogona</i>					●		●	●		●	
<i>Enaphalocrocis medinalis</i>					●		●	●		●	
<i>Enaphalocrocis pilosa</i>					●		●	●		●	
<i>Enaphalocrocis poeyalis</i>					●		●	●		●	
<i>Conobathra</i> sp.					●		●	●			
<i>Conogethes punctiferalis</i>					●		●	●			
<i>Conogethes</i> sp.					●		●	●		●	
<i>Crambus okinawanus</i>					●		●	●			
<i>Crypsiptera coclesalis</i>					●		●	●		●	
<i>Daulia afralis</i>					●		●	●		●	
<i>Diaphania indica</i>					●		●	●		●	
<i>Diasemia accalis</i>					●		●	●		●	
<i>Diathrausta brevipfascialis</i>					●		●	●		●	
<i>Diorcytria pryeri</i>					●		●	●			
<i>Diorcytria sylvestrella</i>					●		●	●		●	
<i>Dipha aphidivora</i>					●		●	●		●	
<i>Dolossa ochrociella</i>					●		●	●		●	
<i>Dysallacta negatalis</i>					●		●	●		●	
<i>Elophila melagnynalis</i>					●		●	●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Elophila nigrilabalis</i>					●			●		●	
<i>Elophila turbata</i>					●						
<i>Emmalocera genseanalis</i>					●			●			
<i>Endotricha inouei</i>					●		●				
<i>Endotricha minialis</i>					●						
<i>Endotricha olivacealis</i>					●					●	
<i>Endotricha ruminalis</i>					●						
<i>Endotricha theonalis</i>					●					●	
<i>Eoophyla conjunctalis</i>					●						
<i>Eoophyla inouei</i>				E	●					●	
<i>Eristena argentata</i>					●						
<i>Etiella behrii</i>					●						
<i>Etiella grisea</i>					●					●	
<i>Etiella zinckenella</i>					●						
<i>Euampyla estriatella</i>					●			●			
<i>Eurhyarodes accessalis</i>					●						
<i>Galleria mellonella</i>					●						
<i>Gargela xanthocasis</i>					●						
<i>Glycythyma chrysorycta</i>					●					●	
<i>Glyphodes actorionalis</i>					●					●	
<i>Glyphodes bipunctalis</i>					●						
<i>Glyphodes bivittalis</i>					●					●	
<i>Glyphodes crithealis</i>					●					●	
<i>Glyphodes duplicata</i>					●					●	
<i>Glyphodes eurytusalis</i>					●					●	
<i>Glyphodes itysalis</i>					●					●	
<i>Glyphodes multilinealis</i>					●					●	
<i>Glyphodes onychinalis</i>					●					●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Glyphodes perspectalis</i>					●			●			
<i>Glyphodes pyloalis</i>					●			●			
<i>Goniorhynchus butyrosa</i>					●			●			
<i>Haritalodes derogata</i>					●			●			
<i>Heiothela nigraibata</i>					●		●				
<i>Heilula undalis</i>					●			●			
<i>Hendecasis pulchella</i>					●			●			
<i>Herculia drabacillialis</i>					●			●			
<i>Herpetogramma basalis</i>					●			●			
<i>Herpetogramma cynaralis</i>					●			●			
<i>Herpetogramma fuscescens</i>					●			●			
<i>Herpetogramma licarsialis</i>					●			●			
<i>Herpetogramma luctuosalis</i>					●			●			
<i>Herpetogramma luctuosalis zelleri</i>					○			○			
<i>Herpetogramma phaeopteralis</i>					●			●			
<i>Herpetogramma</i> sp.				E	●			●			
<i>Herpetogramma tuitalis</i>					●			●			
<i>Herpetogramma submarginalis</i>					●			●			
<i>Hyalobathra dialychna</i>					●			●			
<i>Hyalobathra illectalis</i>					●			●			
<i>Hydriris ornatalis</i>					●			●			
<i>Hyperanalyta apicalis</i>					●			●			
<i>Hypsopygia mauritalis</i>					●			●			
<i>Hypsopygia postflava</i>					●			●			
<i>Hypsopygia regina</i>					●			●			
<i>Lamida obscura</i>					●			●			
<i>Lamoria adaptella</i>					●			●			
<i>Lamoria infumatella</i>					●			●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Locastra muscosalis</i>					●	●				●	
<i>Mabra eryxalis</i>					●	●					
<i>Mabra nigriscripta</i>					●						
<i>Maruca amboinensis</i>					●	●	●	●	●	●	
<i>Maruca vitrata</i>					●	●	●	●	●	●	
<i>Melanochroa yasuda</i>				E	●	●	●	●	●	●	
<i>Mesolia bipunctella</i>					●						
<i>Metoeca foedalis</i>					●	●	●	●	●	●	
<i>Micraglossa aureata</i>					●	●	●	●	●	●	
<i>Nacoleia charesalis</i>					●	●	●	●	●	●	
<i>Nacoleia commixta</i>					●	●	●	●	●	●	
<i>Nacoleia satsumalis</i>					●	●	●	●	●	●	
<i>Nausinoe perspectata</i>					●	●	●	●	●	●	
<i>Neomusotima fuscolinealis</i>					●	●	●	●	●	●	
<i>Nephopterix mikadella</i>					●	●	●	●	●	●	
<i>Nephopterix proximalis</i>					●	●	●	●	●	●	
<i>Nevina procopia</i>					●	●	●	●	●	●	
<i>Nomophila noctuella</i>					●	●	●	●	●	●	
<i>Noorda amethystina</i>					●	●	●	●	●	●	
<i>Notesia tranquillalis</i>					●	●	●	●	●	●	
<i>Nymphicula juncialis</i>					●	●	●	●	●	●	
<i>Nymphicula mesorphna</i>					●	●	●	●	●	●	
<i>Omiodes decialis</i>					●	●	●	●	●	●	
<i>Omiodes diemenalis</i>					●	●	●	●	●	●	
<i>Omiodes indicatus</i>					●	●	●	●	●	●	
<i>Omiodes similis</i>					●	●	●	●	●	●	
<i>Oncocera semirubella</i>					●	●	●	●	●	●	
<i>Orthaga olivacea</i>					●	●	●	●	●	●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Orthopygia glaucinalis</i>					●	●				●	
<i>Orthopygia igniflualis</i>					●						
<i>Orthopygia nannodes</i>					●						
<i>Orthopygia repetita</i>					●						
<i>Ostrinia zaguliaevi</i>					●	●				●	
<i>Ostrinia zaguliaevi ryukuensis</i>				e	○	○	○			○	
<i>Pachybotys spissalis</i>					●					●	
<i>Pachynon sabelialis</i>					●					●	
<i>Pagoda arbiter</i>					●	●				●	
<i>Pagoda quadrilineata</i>					●						
<i>Pagoda quinque-lineata</i>					●						
<i>Paliga auratalis</i>					●					●	
<i>Paliga minnehaha</i>					●					●	
<i>Palpita homalia</i>					●					●	
<i>Palpita munroei</i>					●					●	
<i>Palpita nigropunctalis</i>					●						
<i>Paranacoleia lophophoralis</i>					●						
<i>Paraponyx bilinealis</i>					●					●	
<i>Paraponyx crisonalis</i>					●					●	
<i>Paraponyx diminutalis</i>					●						
<i>Paraponyx fluctuosalis</i>					●					●	
<i>Paraponyx stagnalis</i>					●					●	
<i>Parotis marginata</i>					●						
<i>Parotis suralis</i>					●					●	
<i>Parthenodes fuscalis</i>					●						
<i>Parthenodes niger</i>					●						
<i>Parthenodes okinawanus</i>					●					●	
<i>Pelena sericea</i>					●						

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Phycitodes rotundisigna</i>				■	■	■	■	■	■	●	
<i>Pileocera aegimiusalis</i>					■	■	■	■	■		
<i>Pleuroptya balteata</i>					■						
<i>Pleuroptya characteristica</i>				■	■					●	
<i>Pleuroptya chlorophanta</i>				■	■					●	
<i>Pleuroptya deficiens</i>				■	■					●	
<i>Pleuroptya inferior</i>				■	■					●	
<i>Pleuroptya iopasalis</i>				■	■					●	
<i>Pleuroptya plagiatalis</i>				■	■		●	●		●	
<i>Pleuroptya punctimarginalis</i>				■	■					●	
<i>Pleuroptya sabinusalis</i>				■	■		●	●		●	
<i>Pleuroptya ultimalis</i>				■	■						
<i>Preneopogon catenalis</i>				■	■						
<i>Prophantis adusta</i>				■	■					●	
<i>Protonoceras capitalis</i>				■	■						
<i>Pseudocatharylla duplicella</i>				■	■					●	
<i>Ptyobathra atrisquamella</i>				■	■					●	
<i>Pycnarmon lactiferalis</i>				■	■						
<i>Pyrausta deductalis</i>				■	■					●	
<i>Pyrausta teStä 7/is</i>				■	■						
<i>Rehimena surusalis</i>				■	■						
<i>Roxita albipennata</i>				■	■						
<i>Sameodes aptalis</i>				■	■						
<i>Sameodes cancellalis</i>				■	■					●	
<i>Scirpophaga excerptalis</i>				■	■					●	
<i>Scirpophaga nivella</i>				■	■					●	
<i>Scirpophaga praelata</i>				■	■					●	
<i>Scirpophaga xanthopygata</i>				■	■					●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Sitochroa palealis</i>					●							
<i>Spoladea recurvalis</i>					●			●		●		
<i>Sufetula sunidesalis</i>					●			●				
<i>Syllepte pallidinotalis</i>					●		●			●		
<i>Syllepte segnalis</i>					●			●				
<i>Syllepte verecunda</i>					●			●				
<i>Talanga nympha</i>					●			●				
<i>Tatobotys aurantialis</i>					●			●				
<i>Tatobotys biannulalis</i>					●			●				
<i>Tatobotys janapalis</i>					●			●				
<i>Tegulifera faviusalis</i>					●		●			●		
<i>Teliphasa elegans</i>					●			●				
<i>Teliphasa sakishimensis</i>					●			●				
<i>Terastia subjectalis</i>					●			●				
<i>Termioptycha bilineata</i>					●			●				
<i>Termioptycha eucarta</i>				E	●			●				
<i>Tetridia caletoralis</i>					●					●		
<i>Thalamorrhyncha isoneura</i>					●					●		
<i>Thiptoceras amamiale</i>				E	●			●				
<i>Tirathaba mundella</i>					●					●		
<i>Tirathaba</i> sp.				E	●					●		
<i>Tyspanodes gracilis</i>				E	●			●				
<i>Udea testacea</i>					●			●				
<i>Uresiphita gracilis</i>					●			●				
<i>Uresiphita polygonalis</i>					●			●				
<i>Uresiphita quinquigera</i>					●			●				
<i>Vinicia inouella</i>					●					●		
<i>Volobilis chloroptereilla</i>					●					●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<b>MACROPIRATIDAE</b>												
<i>Agdistopsis sinhala</i>					●					●		
<b>PTEROPHORIDAE</b>												
<i>Amblyptilia sythoffi</i>					●					●		
<i>Crombrugghia kinbane</i>					●			●				
<i>Deuterocepheus albipunctatus</i>					●					●		
<i>Hellinsia hirosakianus</i>					●							
<i>Ochyrotica yanoi</i>					●							
<i>Platyptilia farfarella</i>					●			●				
<i>Pseudoxyroptila tectorica</i>					●					●		
<i>Pterophorus albidus</i>					●					●		
<i>Sphenarches anisodactylus</i>					●							
<i>Stenoptilodes taprobanes</i>					●					●		
<b>HESPERIIDAE</b>												
<i>Badamia exclamatoris</i>					●					●		
<i>Borbo cinnara</i>					●					●		
<i>Choaspes benjaminii</i>					●					●		
<i>Choaspes benjaminii formosana</i>					○					○		
<i>Choaspes benjaminii japonica</i>					○					○		
<i>Hasora badra</i>					●					●		
<i>Hasora badra badra</i>					○					○		
<i>Hasora chromus</i>					●					●		
<i>Hasora chromus inermis</i>				e	○					○		
<i>Notocrypta curvifascia</i>					●					●		
<i>Notocrypta curvifascia curvifascia</i>					○					○		
<i>Ochlodes asahinai</i>				E	●					●		
<i>Parnara guttata</i>		VU			●					●		
<i>Parnara guttata guttata</i>					○					○		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Parnara bada</i>		NT			●	●		●	●	
<i>Pelopidas agna</i>					●	●		●	●	
<i>Pelopidas agna agna</i>					○	○		○	○	
<i>Pelopidas mathias</i>					●	●		●	●	
<i>Pelopidas mathias oberthueri</i>					○	○		○	○	
<i>Suastrus germius</i>					●	●		●	●	
<i>Suastrus germius germius</i>					○	○		○	○	
<i>Tagiades trebellius</i>					●	●		●	●	
<i>Tagiades trebellius martinus</i>					○	○		○	○	
<i>Telicota colon</i>					●	●		●	●	
<i>Telicota colon stinga</i>					○	○		○	○	
<i>Udaspes folus</i>					●	●		●	●	
<b>PAPILIONIDAE</b>										
<i>Atrophaneura alcinous</i>					●	●		●	●	
<i>Atrophaneura alcinous bradanus</i>				e	○	○		○	○	
<i>Atrophaneura alcinous loochooana</i>				e	○	○		○	○	
<i>Graphium cloanthus</i>					●	●		●	●	
<i>Graphium cloanthus kuge</i>					○	○		○	○	
<i>Graphium doson</i>					●	●		●	●	
<i>Graphium doson albidum</i>					○	○		○	○	
<i>Graphium doson perillus</i>				e	○	○		○	○	
<i>Graphium sarpedon</i>					●	●		●	●	
<i>Graphium sarpedon nipponum</i>					○	○		○	○	
<i>Pachilopta aristolochiae</i>					●	●		●	●	
<i>Pachilopta aristolochiae interposita</i>					○	○		○	○	
<i>Papilio alphenor</i>					●	●		●	●	
<i>Papilio nyukyuensis</i>					●	●		●	●	
<i>Papilio nyukyuensis amamiensis</i>				e	○	○		○	○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Papilio nyukyuensis nyukyuensis</i>				⊖	○			○			
<i>Papilio bianor</i>				⊖	●				●		
<i>Papilio bianor okinawensis</i>				⊖	○			○	○		
<i>Papilio helenus</i>				●	●			●	●		
<i>Papilio helenus nicconicolens</i>				○	○			○	○		
<i>Papilio machaon</i>				●	○			○			
<i>Papilio machaon hippocrates</i>				○	○			○			
<i>Papilio memnon</i>				●	●			●	●		
<i>Papilio memnon thunbergii</i>				○	○			○	○		
<i>Papilio polytes</i>				●	●			●	●		
<i>Papilio polytes polytes</i>				○	○			○	○		
<i>Papilio protenor</i>				●	●			●	●		
<i>Papilio protenor demetrius</i>				○	○			○	○		
<i>Papilio protenor liukuensis</i>				○	○			○	○		
<i>Papilio rumanzovia</i>				●	●			●	●		
<i>Papilio xuthus</i>				●	●			●	●		
<i>Princeps demoleus</i>				●	●			●	●		
<i>Princeps demoleus libanius</i>				○	○			○	○		
<b>PIERIDAE</b>											
<i>Appias albina</i>					●			●	●		
<i>Appias albina semperi</i>				○	○			○	○		
<i>Appias lycinda</i>				●	●			●	●		
<i>Appias lycinda formosana</i>				○	○			○	○		
<i>Appias paulina</i>				●	●			●	●		
<i>Appias paulina minato</i>				○	○			○	○		
<i>Artogeia canidia</i>				●	●			●	●		
<i>Artogeia canidia canidia</i>				○	○			○	○		
<i>Artogeia rapae</i>				●	●			●	●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Artogeia rapae crucivora</i>					○	○	○	○	○	
<i>Catopsilia pomona</i>					●	●	●	●	●	
<i>Catopsilia pomona pomona</i>					○	○	○	○	○	
<i>Catopsilia pyranthe</i>					●	●	●	●	●	
<i>Colias erate</i>					●	●	●	●	●	
<i>Eurema blanda</i>					●	●	●	●	●	
<i>Eurema blanda arsakia</i>					○	○	○	○	○	
<i>Eurema brigitta</i>					●	●	●	●	●	
<i>Eurema hecabe</i>					●	●	●	●	●	
<i>Eurema hecabe hecabe</i>					○	○	○	○	○	
<i>Eurema laeta</i>					●	●	●	●	●	
<i>Eurema laeta betheseba</i>		EN			○	○	○	○	○	
<i>Hebomoia glaucippe</i>					●	●	●	●	●	
<i>Hebomoia glaucippe iukuiensis</i>					○	○	○	○	○	
<i>Ixias pyrene</i>					●	●	●	●	●	
<i>Ixias pyrene insignis</i>					○	○	○	○	○	
<i>Leptosia nina</i>					●	●	●	●	●	
<i>Leptosia nina niobe</i>					○	○	○	○	○	
<i>Saletara panda</i>					●	●	●	●	●	
<i>Saletara panda nathalia</i>					○	○	○	○	○	
<b>LYCAENIDAE</b>										
<i>Acytolepis puspa</i>					●	●	●	●	●	
<i>Acytolepis puspa ishigakiana</i>					○	○	○	○	○	
<i>Artipe enyx</i>	LC				●	●	●	●	●	
<i>Artipe enyx okinawana</i>	LC	NT		e	○	○	○	○	○	
<i>Catochrysops panormus</i>					●	●	●	●	●	
<i>Catochrysops panormus exiguus</i>					○	○	○	○	○	
<i>Catochrysops strabo</i>					●	●	●	●	●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Catochysops strabo luzonensis</i>					○					○	
<i>Celastrina argiolus</i>					●						
<i>Celastrina argiolus iadonides</i>					○						
<i>Celastrina dilecta</i>					●		●	●	●	●	
<i>Celastrina dilecta dilecta</i>					○		○	○	○	○	
<i>Chilades mindorus</i>					●						
<i>Chilades pandava</i>					●						
<i>Chilades pandava pandava</i>					○						
<i>Curetis acuta</i>					●		●		●	●	
<i>Curetis acuta paracuta</i>					○		○		○	○	
<i>Euchysops cnejus</i>					●		●		●	●	
<i>Everes argiades</i>					●		●		●	●	
<i>Everes argiades argiades</i>					○				○	○	
<i>Everes lacturnus</i>					●		●		●	●	
<i>Everes lacturnus rileyi</i>					○		○		○	○	
<i>Famegana alsulus</i>					●				●	●	
<i>Jamides alecto</i>					●				●	●	
<i>Jamides alecto dromicus</i>					○				○	○	
<i>Jamides bochus</i>					●				●	●	
<i>Jamides bochus ishigakianus</i>				e	○				○	○	
<i>Lampides boetius</i>					●				●	●	
<i>Megisba malaya</i>					●				●	●	
<i>Megisba malaya sikkima</i>					○				○	○	
<i>Nacaduba kurava</i>					●				●	●	
<i>Nacaduba kurava septentrionalis</i>					○				○	○	
<i>Narathura bazalus</i>					●				●	●	
<i>Narathura bazalus turbata</i>					○				○	○	
<i>Narathura japonica</i>					●		●		●	●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Narathura rama</i>					●				●	
<i>Neopithecopus zalmora</i>					●				●	
<i>Pithecopus convus</i>					●				●	
<i>Pithecopus convus ryukyuensis</i>		NT		e	○				○	
<i>Prosotas nora</i>					●				●	
<i>Prosotas nora kanoi</i>					○				○	
<i>Pseudozizeeria maha</i>					●				●	
<i>Pseudozizeeria maha okinawana</i>					○				○	
<i>Syntarucus plinius</i>					●				●	
<i>Udara albocaerulea</i>					●				●	
<i>Udara albocaerulea albocaerulea</i>					○				○	
<i>Zizeeria karsandra</i>		VU			●				●	
<i>Zizina otis</i>					●				●	
<i>Zizina otis riukuensis</i>					○				○	
<i>Zizula hylax</i>					○				○	
<b>LIBYTHEIDAE</b>					●				●	
<i>Libythea celtis</i>					●				●	
<i>Libythea celtis amamiana</i>					○				○	
<i>Libythea celtis formosana</i>					○				○	
<i>Libythea geoffroy</i>					●				●	
<i>Libythea geoffroy philippina</i>					○				○	
<b>DANAIDAE</b>					●				●	
<i>Anosia chrysippus</i>					●				●	
<i>Anosia chrysippus chrysippus</i>					○				○	
<i>Danaus plexippus</i>					●				●	
<i>Danaus plexippus plexippus</i>					○				○	
<i>Euploea camaralzeman</i>					●				●	
<i>Euploea camaralzeman cratis</i>					○				○	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Euploea core</i>					●					●	
<i>Euploea core godartii</i>					○			●	○	○	
<i>Euploea radamanthus</i>					●			●			
<i>Euploea radamanthus radamanthus</i>					○			○			
<i>Euploea eunice</i>					●			●		●	
<i>Euploea klugii</i>					●					●	
<i>Euploea klugii erichsonii</i>					○					○	
<i>Euploea midamus</i>					●			●		●	
<i>Euploea multiciber</i>					●			○		●	
<i>Euploea multiciber barsine</i>					○			○		○	
<i>Euploea swainson</i>					●			●			
<i>Euploea swainson swainson</i>					○			○			
<i>Euploea sylvester</i>					●					●	
<i>Euploea sylvester laetifica</i>					○					○	
<i>Euploea tulliolus</i>					●					●	
<i>Euploea tulliolus koxinga</i>					○			○		○	
<i>Euploea tulliolus polita</i>					○			○		○	
<i>Idea leuconoe</i>					●					●	
<i>Idea leuconoe clara</i>				e	○			○		○	
<i>Idea leuconoe riukiensis</i>				e	○					○	
<i>Ideopsis similis</i>					●					●	
<i>Ideopsis similis similis</i>					○			○		○	
<i>Parantica aglea</i>					●					●	
<i>Parantica aglea maghaba</i>					○			○		○	
<i>Parantica luzonensis</i>					●			●		●	
<i>Parantica luzonensis luzonensis</i>					○			○		○	
<i>Parantica melaneus</i>					●			●		●	
<i>Parantica melaneus swinhoei</i>					○			○		○	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Parantica sita</i>					●	●	●	●	●	
<i>Parantica sita nipponica</i>					○	○	○	○	○	
<i>Salatura genutia</i>					●		●	●	●	
<i>Salatura genutia genutia</i>					○		○	○	○	
<i>Salatura melanippus</i>					●		●	●	●	
<i>Salatura melanippus edmondii</i>					○		○	○	○	
<i>Tirumala hamata</i>					●		●	●	●	
<i>Tirumala hamata orientalis</i>					○		○	○	○	
<i>Tirumala ishmooides</i>					●		●	●	●	
<i>Tirumala ishmooides sontinus</i>					○		○	○	○	
<i>Tirumala limniace</i>					●		●	●	●	
<i>Tirumala septentrionis</i>					●		●	●	●	
<i>Tirumala septentrionis septentrionis</i>					○		○	○	○	
<b>NYPHALIDAE</b>										
<i>Argyreus hyperbius</i>					●	●	●	●	●	
<i>Argyreus hyperbius hyperbius</i>					○		○	○	○	
<i>Ariadne ariadne</i>					●		○	●	●	
<i>Ariadne ariadne pallidior</i>					○			○	○	
<i>Athyma perius</i>					●			●	●	
<i>Athyma perius perius</i>					○			○	○	
<i>Athyma selenophora</i>					●			●	●	
<i>Athyma selenophora ishiana</i>					○			○	○	
<i>Cupha erymanthis</i>					●			●	●	
<i>Cupha erymanthis erymanthis</i>					○			○	○	
<i>Cynthia cardui</i>					●			●	●	
<i>Cyrestis thyodamas</i>					●			●	●	
<i>Cyrestis thyodamas mabella</i>					○			○	○	
<i>Dichorragia nesimachus</i>					●			●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Dichorragia nesimachus ishigakianus</i>				o	o	o			o		
<i>Dichorragia nesimachus okinawaensis</i>				o	o	o			o		
<i>Doleschallia polibeta</i>					o	o			o		
<i>Doleschallia polibeta philippensis</i>					o				o		
<i>Hestina assimilis</i>					o	o			o		
<i>Hestina assimilis shirakii</i>		NT		e	o	o			o		
<i>Hypolimnas anomala</i>					o				o		
<i>Hypolimnas anomala truentus</i>					o				o		
<i>Hypolimnas bolina</i>					o	o			o		
<i>Hypolimnas misippus</i>					o	o			o		
<i>Junonia almana</i>					o	o			o		
<i>Junonia ailites</i>					o	o			o		
<i>Junonia hedonia</i>					o	o			o		
<i>Junonia hedonia iwasakii</i>					o				o		
<i>Junonia lemonias</i>					o				o		
<i>Junonia lemonias lemonias</i>					o				o		
<i>Junonia orithya</i>					o				o		
<i>Kallima inachus</i>					o				o		
<i>Kallima inachus eucerca</i>		NT		e	o				o		
<i>Kaniska canace</i>					o				o		
<i>Kaniska canace ishima</i>					o				o		
<i>Neptis hylas</i>					o				o		
<i>Neptis hylas luculenta</i>					o				o		
<i>Parthenos syla</i>					o				o		
<i>Parthenos syla philippensis</i>					o				o		
<i>Phalanta phalantha</i>					o				o		
<i>Polygonia c-aureum</i>					o				o		
<i>Polyura eudamippus</i>		NT			o				o		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Polyura eudamippus weismanni</i>		NT		e	○		○			
<i>Timelaea albescens</i>					●					
<i>Timelaea albescens formosana</i>					○					
<i>Vanessa indica</i>					●	●	●	●	●	
<i>Vanessa indica indica</i>					○	○	○	○	○	
<i>Yoma sabina</i>					●		●	●	●	
<i>Yoma sabina podium</i>					○		○	○	○	
<b>SATYRIDAE</b>										
<i>Lethe europa</i>					●				●	
<i>Lethe europa pavida</i>		NT			○				○	
<i>Melanitis boisduvalia</i>					●					
<i>Melanitis boisduvalia boisduvalia</i>					○					
<i>Melanitis leda</i>					●	●	●	●	●	
<i>Melanitis leda leda</i>					○	○	○	○	○	
<i>Melanitis phedima</i>					●		●	●	●	
<i>Melanitis phedima oitensis</i>					○		○	○	○	
<i>Mycalasis madjicosa</i>				E	●		●	●	●	
<i>Mycalasis madjicosa amamiana</i>				e	○		○	○	○	
<i>Mycalasis madjicosa madjicosa</i>				e	○				○	
<i>Ypthima masakii</i>		NT		E	●				●	
<i>Ypthima riukiwana</i>		NT		E	●			●		
<i>Ypthima yayeyamana</i>		NT		E	●				●	
<b>DREPANIDAE</b>										
<i>Callidrepana hirayamai</i>					●		●	●		
<i>Callidrepana melanonota</i>				E	●		●	●	●	
<i>Hypsomadius insignis</i>					●		●	●	●	
<i>Macrauzata maxima</i>					●		●	●	●	
<i>Macroclix mysticata</i>					●		●	●	●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Macroclix mysticata watsoni</i>					○						
<i>Nordstromia duplicata</i>					●					●	
<i>Oreta fuscopurpurea</i>					●			●			
<i>Oreta lochooana</i>					●		●	●	○	●	
<i>Oreta lochooana lochooana</i>					○					○	
<i>Tridrepana unispina</i>					●			●			
<b>THYATRIDAE</b>											
<i>Habrosyne fraterna</i>					●			●			
<i>Habrosyne fraterna japonica</i>					○			○			
<i>Horipsestis mushana</i>					●						
<i>Horithyatira kawamurae</i>					●			●			
<i>Thyatira batis</i>					●			●		●	
<i>Thyatira batis japonica</i>					○			○		○	
<b>GEOMETRIDAE</b>											
<i>Abraxas formosilluminata</i>					●					●	
<i>Abraxas miranda</i>					●			●		●	
<i>Abraxas miranda aesia</i>				e	○			○		○	
<i>Abraxas nipponibia</i>					●			●			
<i>Acasis viretata</i>					●			●			
<i>Acolutha pictaria</i>					●			●		●	
<i>Acolutha pictaria shirozui</i>					○			○		○	
<i>Acolutha pulchella</i>					●			●			
<i>Acolutha pulchella semifulva</i>					○			○			
<i>Acrodontis tanchame</i>				E	●			●			
<i>Acrodontis yazakii</i>				E	●			●			
<i>Agathia laetata</i>					●					●	
<i>Agathia lycanaria</i>					●			●		●	
<i>Agathia lycanaria chizumon</i>					○			○		○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Agathia lycanaria samuelsoni</i>				e	○	●		○	○	○	
<i>Alcis angulifera</i>					●						
<i>Amblychia angeronaria</i>					●				●	●	
<i>Amraica recursaria</i>					●				●	●	
<i>Antitrygodes divisaria</i>					●				●	●	
<i>Antitrygodes divisaria perturbatus</i>					○				○	○	
<i>Apochima praeacutaria</i>					●				●		
<i>Apocleora rimosa</i>					●				●		
<i>Biston marginata</i>					●				●		
<i>Biston robustus</i>					●				○	○	
<i>Biston robustus ryukyense</i>				e	○				○	○	
<i>Borbachia pardaria</i>					●				●	●	
<i>Carige obsoleta</i>				E	●				●	●	
<i>Celenna festivaria</i>					●				○	○	
<i>Celenna festivaria manifesta</i>					○				○	○	
<i>Chlorissa oblitterata</i>					●				●	●	
<i>Chloroclystis neoconversa</i>					●				●	●	
<i>Chrysocraspeda faganaria</i>					●				●	●	
<i>Chrysocraspeda sanguinea</i>					●				●	●	
<i>Cleora amamiensis</i>				E	●				●	●	
<i>Cleora injectaria</i>					●				●	●	
<i>Cleora minutaria</i>					●				●	●	
<i>Cleora repulsaria</i>					●				●	●	
<i>Collix ghosha</i>					●				●	●	
<i>Comibaena diluta</i>					●				●	●	
<i>Comibaena insulana</i>				E	●				●	●	
<i>Comibaena procumbaria</i>					●				●	●	
<i>Comostola rubripunctata</i>					●				●	●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Comostola subtilitaria</i>					●	●				●	
<i>Comostola subtilitaria kawazoei</i>				o	○	○				○	
<i>Corympha pryeri</i>					●	●				●	
<i>Corympha arnearia</i>					●	●				●	
<i>Crypsicometa ochracea</i>				≡	●	●				●	
<i>Cusiala stipitaria</i>					●						
<i>Cusiala stipitaria kariuzawensis</i>					○	○					
<i>Derambila fragilis</i>					●					●	
<i>Dilophodes elegans</i>					●						
<i>Dindica virescens</i>					●						
<i>Diplodesma ussuriaria</i>					●					●	
<i>Doroptera amabilis</i>					●					●	
<i>Echthrocollix minuta</i>				≡	●					●	
<i>Ecliptopera umbrosaria</i>					●					●	
<i>Ectropis crepuscularia</i>					●					●	
<i>Ectropis excellens</i>					●					●	
<i>Entomopteryx combusta</i>					●					●	
<i>Eois grataria</i>					●						
<i>Episteira eupena</i>					●						
<i>Episteira nigrlinearua</i>					●					●	
<i>Erannis golda</i>					●						
<i>Eriopithex ishigakiensis</i>					●					●	
<i>Eschatarchia lineata</i>					●						
<i>Eucrostes disparata</i>					●					●	
<i>Eucyclodes infracta</i>					●						
<i>Eumelea biflavata</i>					●					●	
<i>Eumelea biflavata insulata</i>					○					○	
<i>Eumelea ludovicata</i>					●					●	



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Eupithecia antivulgaria</i>					●				●	
<i>Eupithecia aritai</i>					●					
<i>Eupithecia kuroshio</i>					●					
<i>Eupithecia nipponaria</i>					●				●	
<i>Eupithecia rigida</i>					●				●	
<i>Eupithecia ryukyuensis</i>					●				●	
<i>Eupithecia tabidaria</i>					●			●		
<i>Fascellina chromataria</i>					●				●	
<i>Gandaritis fixseni</i>					●					
<i>Glaucochrysis azumai</i>				E	●			●		
<i>Glaucochrysis spinosa</i>				E	●				●	
<i>Godonela emersaria</i>					●			●		
<i>Godonela hebesata</i>					●			●		
<i>Gymnoscelis esakii</i>					●			●		
<i>Gymnoscelis expedita</i>					●			●		
<i>Gymnoscelis semialbida</i>					●			●		
<i>Gymnoscelis tristrigosa</i>					●			●		
<i>Hemithea aestivaris</i>					●				●	
<i>Hemithea tritonaria</i>					●			●		
<i>Heterolocha aristonaria</i>					●			●		
<i>Heterophleps endoi</i>		EN		E	●				●	
<i>Hypomecis yuwantina</i>					●					
<i>Hyposidra talaca</i>					●			●		
<i>Idaea contravalida</i>				E	●				●	
<i>Idaea crassipuncta</i>					●				●	
<i>Idaea neovalida</i>					●			●		
<i>Idaea okinawensis</i>				E	●			●		
<i>Idaea sakuraii</i>					●			●		

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Idiochloa minuscula</i>				M	●			●	●	
<i>Jankowskia fuscaria</i>					●			●		
<i>Jankowskia fuscaria naitoi</i>					●			○		
<i>Jodis amamiensis</i>				M	●					
<i>Jodis angulata</i>					●					
<i>Krananda latimarginaria</i>					●		●			
<i>Krananda semihyalina</i>					●		●		●	
<i>Lassaba fuliginosa</i>				E	●		●			
<i>Lomographa inamata</i>					●					
<i>Luxiaria amasa</i>					●				●	
<i>Macaria abydata</i>					●		●			
<i>Maxates fuscofrons</i>					●				●	
<i>Maxates protrusa</i>					●				●	
<i>Maxates versicauda</i>					●				●	
<i>Maxates versicauda microptera</i>				e	○				○	
<i>Megabiston plumosaria</i>					●		●			
<i>Melanthia catenaria</i>					●		●		●	
<i>Melanthia catenaria mesozona</i>					○		○		○	
<i>Melanthia procellata</i>					●					
<i>Melanthia procellata szechuanensis</i>				e	○					
<i>Menophra senilis</i>					●					
<i>Microcalcarifera obscura</i>					●					
<i>Milionia basalis</i>					●		●		●	
<i>Milionia basalis pryeri</i>					○		○		○	
<i>Myrteta angelica</i>					●		●			
<i>Nadagara subnubila</i>					●					
<i>Ninodes watanabei</i>					●		●		●	
<i>Nipponogelasma chlorissoides</i>					●		●		●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Nothomiza aureolaria</i>					●	●						
<i>Odontopera arida</i>					●	●						
<i>Odontopera arida arida</i>					○	○						
<i>Organopoda carnearia</i>					●	●			●			
<i>Orthocabera tinagneria</i>					●	●			●			
<i>Orthonama obstipata</i>					●	●			●			
<i>Ourapteryx nivea</i>					●	●			●			
<i>Oxymacaria teneraria</i>					●	●			●			
<i>Ozola deftectata</i>					●	●			●			
<i>Pamphlebia rubrolimbraria</i>					●	●			●			
<i>Pareclipsis gracilis</i>					●	●			●			
<i>Pelagodes antiquadrata</i>					●	●			●			
<i>Pelagodes proquadrata</i>					●	●			●			
<i>Peratostega deletaria</i>					●	●			○			
<i>Peratostega deletaria hypotaenia</i>					○							
<i>Perixera minorata</i>					●				●			
<i>Perixera minorata dubiosa</i>					○				○			
<i>Perixera obliivaria</i>					●				●			
<i>Perixera obrinaria</i>					●				●			
<i>Phthonoloba viridifasciata</i>					●				●			
<i>Phthonosema tendinosaria</i>					●				●			
<i>Pingasa ruginaria</i>					●				●			
<i>Pingasa ruginaria pacifica</i>					○				○			
<i>Plestiomorpha flaviceps</i>					●				●			
<i>Plestiomorpha punctilinearia</i>					●				●			
<i>Pogonopygia nigrilabata</i>					●				●			
<i>Pogonopygia pavida</i>					●				●			
<i>Pogonopygia pavida contaminata</i>					○				○			

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Pomasia denticulata</i>					●	●				●	
<i>Problepsis albidior</i>					●	●				○	
<i>Problepsis albidior matsumurai</i>					○					○	
<i>Pseudocollix hyperythra</i>					●					●	
<i>Pseudocollix hyperythra catalina</i>					○					○	
<i>Pseudonadagara semicolor</i>					●					●	
<i>Psilalcis breta</i>					●						
<i>Psilalcis breta rantaizana</i>					○						
<i>Racotis boarmiaria</i>					●						
<i>Racotis boarmiaria japonica</i>					○	○					
<i>Sarcinodes yaeyamana</i>					●					●	
<i>Sauris angustifasciata</i>					●					●	
<i>Sauris interruptaria</i>					●						
<i>Scopula anisopleura</i>				E	●					●	
<i>Scopula caesaria</i>					●						
<i>Scopula cineraria</i>					●						
<i>Scopula coniaria</i>					●					●	
<i>Scopula emissaria</i>					●					●	
<i>Scopula emma</i>					●						
<i>Scopula emma jordanii</i>					○						
<i>Scopula epiorthoe</i>					●					●	
<i>Scopula eulomata</i>					●					●	
<i>Scopula insolata</i>					●					●	
<i>Scopula insolata satsumaria</i>					○					○	
<i>Scopula kawabei</i>					●					●	
<i>Scopula limbata</i>					●						
<i>Scopula nesciaria</i>					●					●	
<i>Scopula nesciaria absconditaria</i>					○					○	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Scopula personata</i>					●	●		●	●	
<i>Scopula plumbearia</i>					●	●	●			
<i>Scopula praesignipuncta</i>					●	●	●			
<i>Scopula pulchellata</i>					●	●	●			
<i>Scopula pulchellata takowensis</i>					○		○			
<i>Scopula uridata</i>					●		○			
<i>Scopula uridata sternecki</i>					○		○			
<i>Sibatania arizana</i>					●		○	●		
<i>Sibatania arizana fluctigera</i>				e	○		○	○		
<i>Spaniocentra hollowayi</i>					●		●	●		
<i>Spiralsigna subpumlata</i>					●		●	●		
<i>Synegia esther</i>					●		●	●		
<i>Tanaorhinus reciprocata</i>					●		●	●		
<i>Tanaorhinus reciprocata confuciaris</i>					○		○	○		
<i>Thalassodes immissaria</i>					●		●	●		
<i>Thalassodes immissaria intaminatus</i>					○		○	○		
<i>Thinopteryx crocoptera</i>					●		●	●		
<i>Thinopteryx crocoptera striolata</i>					○		○	○		
<i>Timandra convectoria</i>					●		●	●		
<i>Timandra dichela</i>					●		●	●		
<i>Traminda aventuraria</i>					●		●	●		
<i>Trichopterygia consobrinaria</i>					●		●	●		
<i>Tyloptera bella</i>					●		●	●		
<i>Tyloptera bella amamiensis</i>				e	○		○	○		
<i>Xerodes albo-notaria</i>					●		●	●		
<i>Xerodes albo-notaria aritai</i>				e	○		○	○		
<i>Xerodes sordidata</i>				E	●		●	●		
<i>Xyloscia subpersata</i>					●		●	●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<b>URANIIDAE</b>										
<i>Acropteris sparsaria</i>					●				●	
<i>Pseudomicronia advocataria</i>					●			●	●	
<b>EPIPLEMIDAE</b>										
<i>Chundana emarginatus</i>					●			●		
<i>Dysaethria cretacea</i>					●		●	●		
<i>Dysaethria flavistriga</i>					●		●	●	●	
<i>Dysaethria meridiana</i>				E	●		●	●		
<i>Dysaethria moza</i>					●			●		
<i>Europlema conchiferata</i>					●			●		
<i>Europlema desistaria</i>					●			●		
<i>Monobolodes prunaria</i>					●		●	●	●	
<i>Phazaca ailkangensis</i>					●		●	●	●	
<i>Phazaca kosemonica</i>					●		●	●	●	
<i>Warreniema fumicosta</i>		NT			●		●	●	●	
<b>CALLIDULIDAE</b>										
<i>Callidula attenuata</i>					●			●	●	
<b>LASIOCAMPIDAE</b>										
<i>Dendrolimus spectabilis</i>					●			●		
<i>Dendrolimus spectabilis okinawanus</i>					○			○		
<i>Kunugia undans</i>					●			●	●	
<i>Kunugia undans iwasakii</i>				e	○			○	○	
<b>BOMBYCIDAE</b>										
<i>Bombyx mori</i>					●			●	●	
<b>SATURNIIDAE</b>										
<i>Antheraea yamamai</i>					●			●		
<i>Antheraea yamamai yoshimotoi</i>				e	○			○	○	
<i>Attacus atlas</i>		NT		E	●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Caligula japonica</i>					●	●						
<i>Caligula japonica ryukyuensis</i>				●	○	○						
<i>Loepa sakaei</i>		NT		●	●	●						
<i>Samia cynthia</i>				●	○	○				●		
<i>Samia cynthia pryeri</i>				○	○	○				○		
<b>SPHINGIDAE</b>												
<i>Acherontia lachesis</i>					●							
<i>Acherontia styx</i>					●							
<i>Acherontia styx medusa</i>					○							
<i>Acosmeryx castanea</i>					●							
<i>Acosmeryx naga</i>					●							
<i>Agrilus convolvuli</i>					●							
<i>Ampelophaga rubiginosa</i>					●							
<i>Cephonodes hylas</i>					●							
<i>Cephonodes xanthus</i>					●							
<i>Glanis bilineata</i>					●							
<i>Glanis bilineata tsingtauica</i>					○							
<i>Deilephila elpenor</i>					●							
<i>Deilephila elpenor lewisii</i>					○							
<i>Dolbina inexacta</i>					●							
<i>Hemaris affinis</i>					●							
<i>Hemaris radians</i>					●							
<i>Hippotion boerhaviae</i>		VU			●							
<i>Hippotion celero</i>					●							
<i>Hippotion echeclus</i>					●							
<i>Hippotion rosetta</i>					●							
<i>Hippotion velox</i>					●							
<i>Hyles livornica</i>					●							

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Macroglossum bombylans</i>					●	●				●	
<i>Macroglossum corythus</i>					●	●				○	
<i>Macroglossum corythus platyaxanthum</i>					○						
<i>Macroglossum faro</i>					●					●	
<i>Macroglossum fritzei</i>					●					●	
<i>Macroglossum heliophilum</i>					●					●	
<i>Macroglossum mediovittata</i>				E	●					●	
<i>Macroglossum passalus</i>					●					●	
<i>Macroglossum poecilum</i>					●					●	
<i>Macroglossum Macroglossum</i>					●					●	
<i>Macroglossum saga</i>					●					●	
<i>Macroglossum stellatarum</i>					●					●	
<i>Macroglossum troglodytus</i>					●						
<i>Marumba sperchius</i>					●						
<i>Parum colligata</i>					●					●	
<i>Pergesa acteus</i>					●					●	
<i>Psilogramma increta</i>					●					●	
<i>Theretra alecto</i>					●					●	
<i>Theretra clotho</i>					●					●	
<i>Theretra japonica</i>					●					●	
<i>Theretra nessus</i>					●					●	
<i>Theretra oldenlandiae</i>					●					●	
<i>Theretra silhetensis</i>					●					●	
<i>Theretra suffusa</i>					●					●	
<b>NOTODONTIDAE</b>											
<i>Cerura tattakana</i>					●					●	
<i>Chadisia bipartita</i>					●					●	
<i>Clostera anastomosis</i>					●					●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.		
<i>Disparia nigrofasciata</i>					●					●	
<i>Epodonta lineata</i>					●			●			
<i>Mesophalera sigmata</i>					●			●			
<i>Neodrymonia acuminata</i>					●			●		●	
<i>Phalera minor</i>					●			●			
<i>Phalerodonta manleyi</i>					●			●			
<i>Phalerodonta manleyi yambaru</i>				e	○			○			
<i>Phycidopsis albovittata</i>					●			●		●	
<i>Pseudofentonia variegata</i>					●			●		●	
<i>Pseudofentonia variegata sordida</i>					○			○		○	
<i>Rabala cristata</i>					●			●		●	
<i>Stauropus alternus</i>					●			●		●	
<i>Syntypistis amamiensis</i>				E	●			●		●	
<i>Syntypistis nachiensis</i>					●			●		●	
<i>Syntypistis subgeneris</i>					●			●		●	
<i>Vaneckeia pallidifascia</i>				E	●			●		●	
<i>Vaneckeia pallidifascia iriomotensis</i>				e	○			○		○	
<b>LYMANTRIDAE</b>											
<i>Arctomis kanazawai</i>					●					●	
<i>Calliteara lunulata</i>					●			●		●	
<i>Calliteara taiwana</i>					●			●			
<i>Calliteara taiwana aurifera</i>					○			○			
<i>Euproctis kanshireta</i>					●					●	
<i>Euproctis okinawana</i>				E	●			●		●	
<i>Euproctis pulverea</i>					●			●		●	
<i>Euproctis sakaguchii</i>					●			●		●	
<i>Euproctis taiwana</i>					●			●		●	
<i>Ilema nachiensis</i>					●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus		
<i>Laelia kunigamiensis</i>					●						
<i>Lymantria dispar</i>		NT		■	●						
<i>Lymantria dispar albescens</i>				■	○						
<i>Lymantria mathura</i>					●						
<i>Lymantria mathura aurosa</i>					○						
<i>Lymantria minomonis</i>					●						
<i>Lymantria minomonis okinawaensis</i>				■	○						
<i>Lymantria xylina</i>					●						
<i>Lymantria xylina xylina</i>					○						
<i>Orgyia posica</i>					●	●			●		
<i>Orgyia triangularis</i>					●				●		
<i>Perina nuda</i>					●				●		
<b>ARCTIIDAE</b>											
<i>Aloa lactinea</i>		NT			●				●		
<i>Argina astrea</i>					●						
<i>Asura aikangiae</i>					●						
<i>Asura aikangiae intermedia</i>					○						
<i>Asura dharna</i>					●				●		
<i>Asura dharna dharna</i>					○				○		
<i>Chamaita ranruna</i>					●				●		
<i>Chrysaeglia magnifica</i>					●				●		
<i>Chrysaeglia magnifica taiwana</i>					○				○		
<i>Creatonotos gangis</i>					●				●		
<i>Creatonotos transiens</i>					●				○		
<i>Creatonotos transiens vacillans</i>					○				○		
<i>Cyana hamata</i>					●				●		
<i>Cyana hamata hamata</i>					○				○		
<i>Cyana harterti</i>					●				●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Cyana unpunctata</i>					●	●	●	●	●	
<i>Eilema antica</i>					●	●	●	●	●	
<i>Eilema fuscodorsalis</i>		NT			●				●	
<i>Eilema laevis</i>					●				●	
<i>Eugoa bipunctata</i>					●				●	
<i>Garudinia simulana</i>					●				●	
<i>Lemyra imparilis</i>					●					
<i>Lemyra inaequalis</i>					●	○	○	○		
<i>Lemyra inaequalis sakaguchii</i>				e	○	○	○	○		
<i>Miltochrista aberrans</i>				e	●	○	○	○	●	
<i>Miltochrista aberrans okinawana</i>				e	○	○	○	○	○	
<i>Miltochrista expressa</i>				E	●				●	
<i>Miltochrista ziczac</i>					●					
<i>Mithuna fuscivena</i>					●				●	
<i>Neasura melanopyga</i>					●				●	
<i>Nikaea matsumurai</i>					●				●	
<i>Nipponasura sanguinea</i>		NT		E	●				●	
<i>Nudaridia ochracea</i>					●				●	
<i>Nudaridia ochracea bani</i>					○				○	
<i>Nyctemera adversata</i>					●				●	
<i>Nyctemera cenis</i>					●				●	
<i>Nyctemera coleta</i>					●				●	
<i>Nyctemera lacticina</i>					●				●	
<i>Pitasira okinawensis</i>					●				●	
<i>Rhyparioides metelkana</i>					●				●	
<i>Rhyparioides metelkana flaviclus</i>					○				○	
<i>Siccia sordida</i>					●				●	
<i>Spiarctia seriatopunctata</i>					●				●	

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Spiarctia seriatopunctata azumai</i>				o	o							
<i>Spiarctia seriatopunctata nuda</i>				o	o							
<i>Spiarctia subcamea</i>					●			●	●	●		
<i>Stictane rectilinea</i>					●			●	●	○		
<i>Stictane rectilinea chinensis</i>					○							
<i>Stigmatophora leacrita</i>				●	●			●	●	●		
<i>Tigrioides pallens</i>				●	●			●	●	●		
<i>Utetheisa lotrix</i>				●	●			●	●	●		
<i>Utetheisa pulchelloides</i>				●	●			●	●	●		
<b>AGANAIIDAE</b>												
<i>Asota caribae</i>					●			●	●	●		
<i>Asota egens</i>					●			●	●	○		
<i>Asota egens confinis</i>					○			○	○			
<i>Asota ficus</i>					●			●	●			
<i>Asota heliconia</i>					●			●	●	○		
<i>Asota heliconia riukiwana</i>					○			○	○			
<i>Asota plana</i>					●			●	●	○		
<i>Asota plana lacteata</i>					○			○	○			
<b>NOLIDAE</b>												
<i>Nola angustipennis</i>				E	●					●		
<i>Nola ceylonica</i>					●			●				
<i>Nola exumbrata</i>					●			●	●			
<i>Nola infiriba</i>					●			●				
<i>Nola infranigra</i>					●			●				
<i>Nola innocua</i>					●			●				
<i>Nola taeniata</i>					●			●				
<i>Nola trilinea</i>					●			●	●	●		
<i>Rhynchopalpus albula</i>					●			●	●	●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Rhyncho palp us albula formosana</i>					○							
<i>Rhyncho palp us banghaasi</i>					●			○				
<i>Rhyncho palp us banghaasi sumi</i>					○							
<i>Rhyncho palp us brunellus</i>					●		●			●		
<i>Rhyncho palp us izuensis</i>					●					●		
<i>Rhyncho palp us major</i>					●							
<i>Rhyncho palp us major caesiopennis</i>					○							
<i>Rhyncho palp us triangulalis</i>					●					●		
<i>Sarbeta ustipennis</i>					●							
<b>CTENUCHIDAE</b>												
<i>Amata germana</i>					●					●		
<i>Amata germana nigricauda</i>					○					○		
<b>NOCTUIDAE</b>												
<i>Abrostola triplasia</i>					●							
<i>Acanthoplusia agnata</i>					●							
<i>Achaea melicerta</i>					●							
<i>Achaea serva</i>					●							
<i>Acontia marmorata</i>					●							
<i>Adrapsa abluialis</i>					●							
<i>Adrapsa simplex</i>					●							
<i>Adrapsa subnotigera</i>					●							
<i>Adris tyrannus</i>					●							
<i>Aedia leucomelas</i>					●							
<i>Aedia acronictoides</i>					●							
<i>Aegilia describens</i>					●							
<i>Agrotis ipsilon</i>					●							
<i>Agrotis segetum</i>					●							
<i>Amphipyra horiei</i>					●							

Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus	
<i>Amphipyra okinawensis</i>				E	●			●		
<i>Amphipyra sublivida</i>		NT		E	●			●		
<i>Amyna axis</i>					●			●		
<i>Amyna natalis</i>					●					
<i>Amyna punctum</i>					●			●		
<i>Anachrostis amamiana</i>				E	●					
<i>Anachrostis minutissima</i>					●				●	
<i>Anacronicta okinawensis</i>				E	●			●		
<i>Anadevidia peponis</i>					●			●		
<i>Anigraea albomaculata</i>					●				●	
<i>Anisoneura salebrosa</i>					●				●	
<i>Anomis albitibia</i>					●			●		
<i>Anomis flava</i>					●			●		
<i>Anomis flava flava</i>					○			○		
<i>Anomis fulvida</i>					●			●		
<i>Anomis involuta</i>					●			●		
<i>Anomis mesogona</i>					●			●		
<i>Antapamea okinawensis</i>					●			●		
<i>Anitarsia irrorata</i>					●			●		
<i>Apamea sodalis</i>					●			●		
<i>Araeopteron amoena</i>					●			●		
<i>Arcte coerulea</i>					●			●		
<i>Artena dotata</i>					●			●		
<i>Athetis costiloba</i>				E	●			●		
<i>Athetis lineosella</i>				E	●			●		
<i>Athetis placida</i>					●			●		
<i>Athetis stellata</i>					●			●		
<i>Athetis striolata</i>					●			●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Athetis thoracica</i>					●	●						
<i>Autoba triStâ /is</i>					●	●				●		
<i>Avitta fasciosa</i>					●							
<i>Avitta puncta</i>					●							
<i>Azumaia micardiopsis</i>					●					●		
<i>Bambusiphila vulgaris</i>					●					●		
<i>Bamira albicola</i>					●					●		
<i>Bertula sinuosa</i>					●					●		
<i>Blasticorhinus rivulosa</i>					●					●		
<i>Blenina senex</i>					●					●		
<i>Bocana manifeStâ /is</i>					●					●		
<i>Bocula caradrinoides</i>					●					●		
<i>Bomolocha amamiensis</i>					●					●		
<i>Bomolocha</i> sp.					●					●		
<i>Borsippa diffusa</i>					●					●		
<i>Bryophila parva</i>					●					●		
<i>Bryophiina mollicula</i>					●					●		
<i>Caduca albopunctata</i>					●					●		
<i>Callopistria aethiops</i>					●					●		
<i>Callopistria duplicans</i>					●					●		
<i>Callopistria guttulalis</i>					●					●		
<i>Callopistria juvenina</i>					●					●		
<i>Callopistria maillardi</i>					●					●		
<i>Callopistria placodoides</i>					●					●		
<i>Callopistria repleta</i>					●					●		
<i>Callopistria rivularis</i>					●					●		
<i>Callyna contracta</i>					●					●		
<i>Calyptra minuticornis</i>					●					●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Carea internifusca</i>					●	●				●	
<i>Carmara subcervina</i>					●	●				●	
<i>Chalciope mygdon</i>					●					●	
<i>Charadroma ruficirra</i>					●					●	
<i>Chasmodon candida</i>					●					●	
<i>Chibidokuga hypernodes</i>					●					●	
<i>Chrysodeixis eriosoma</i>					●					●	
<i>Chrysodeixis heberachis</i>					●					●	
<i>Chrysodeixis minutus</i>					●					●	
<i>Cidaripura galadiata</i>					●					●	
<i>Condica albigutta</i>					●					●	
<i>Condica illecta</i>					●					●	
<i>Condica illustrata</i>		EN			●					●	
<i>Condica serva</i>					●					●	
<i>Conistra nawae</i>					●					●	
<i>Corgatha marumoi</i>					●					●	
<i>Corgatha nitens</i>					●					●	
<i>Corsa petrina</i>					●					●	
<i>Craniophora fasciata</i>					●					●	
<i>Cryphia maritima</i>					●					●	
<i>Ctenoplusia albostrigata</i>					●					●	
<i>Ctenoplusia ichinosei</i>					●					●	
<i>Ctenoplusia placida</i>					●					●	
<i>Cucullia fraterna</i>					●					●	
<i>Cultripalpa partita</i>					●					●	
<i>Dactyloplusia impulsiva</i>					●					●	
<i>Daddata lucilla</i>					●					●	
<i>Decticyptis deleta</i>					●					●	



Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Diarsia canescens</i>					●			●			
<i>Dictyestra dissecta</i>					●				●		
<i>Dinumma placens</i>					●				●		
<i>Diomea discisigna</i>					●		●	●	●		
<i>Diomea jankowskii</i>					●		●	●	●		
<i>Dunira diplogramma</i>					●		●	●			
<i>Dysgonia arctotaenia</i>					●		●	●			
<i>Dysgonia arcuata</i>					●		●	●			
<i>Dysgonia fulvotaenia</i>					●		●	●			
<i>Dysgonia illibata</i>					●		●	●			
<i>Dysgonia joviana</i>					●		●	●			
<i>Dysgonia maturata</i>					●		●	●			
<i>Dysgonia onelia</i>					●		●	●			
<i>Dysgonia stuposa</i>					●		●	●			
<i>Earias cupreoviridis</i>					●		●	●			
<i>Earias dilatifemur</i>					●		●	●			
<i>Earias roseifera</i>					●		●	●			
<i>Earias roseoviridis</i>				E	●		●	●			
<i>Ecpatia longinquua</i>				E	●		●	●			
<i>Ectogniella insularis</i>					●		●	●			
<i>Enispa leucosticta</i>					●		●	●			
<i>Enispa lutefascialis</i>					●		●	●			
<i>Episparis okinawensis</i>				E	●		●	●			
<i>Ercheia dubia</i>					●		●	●			
<i>Erebus ephesperis</i>					●		●	●			
<i>Ericcia inangulata</i>					●		●	●			
<i>Ericcia pertendens</i>					●		●	●			
<i>Ericcia subcinerea</i>					●		●	●			

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	South Ryukyus	
<i>Ericia</i> sp.					●					
<i>Erygia apicalis</i>					●		●			
<i>Erythroplusta pyropia</i>					●			●		
<i>Eublemma anachoresis</i>					●				●	
<i>Eublemma baccalix</i>					●					
<i>Eublemma cochylionides</i>					●					
<i>Eublemma ragusana</i>					●					
<i>Eudocima salamina</i>					●					
<i>Eupatula macrops</i>					●					
<i>Eutelia adularicoides</i>					●					
<i>Feliniopsis asahinai</i>					●					
<i>Gesonia obeditalis</i>					●					
<i>Giaura tortricoides</i>					●					
<i>Grammodes geometrica</i>					●					
<i>Gynaephila punctirena</i>				E	●					
<i>Gyrtothripa pusilla</i>					●					
<i>Hadennia obliqua</i>					●					
<i>Helicoverpa assulta</i>					●					
<i>Hepatica seinoi</i>				E	●					
<i>Herminia kurokoi</i>					●					
<i>Herminia tyukyuensis</i>					●					
<i>Herminia terminalis</i>					●					
<i>Hipoepa fractalis</i>					●					
<i>Hydrilodes lentalis</i>					●					
<i>Hydrilodes pacifica</i>					●					
<i>Hydrilodes uenoi</i>				E	●					
<i>Hypena conscitalis</i>					●					
<i>Hypena gonospialis</i>					●					

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<i>Hypena indicatalis</i>					●	●						
<i>Hypena innocuoides</i>					●	●						
<i>Hypena masuralis</i>					●	●						
<i>Hypena occata</i>					●	●						
<i>Hypena sagitta</i>					●							
<i>Hypena sinuosa</i>					●							
<i>Hypena strigatus</i>					●							
<i>Hypena strigatus minna</i>					○				○			
<i>Hypena subcyanea</i>					●							
<i>Hypersynoides submarginata</i>					●							
<i>Hypocala biarcuata</i>					●							
<i>Hypocala deflorata</i>					●							
<i>Hypocala deflorata deflorata</i>					○							
<i>Hypocala rostrata</i>					●							
<i>Hypocala subsatura</i>					●							
<i>Hyposada hirashimai</i>				E	●							
<i>Hyosemansis singha</i>					●							
<i>Hypospila bolinoides</i>					●							
<i>Idia fulvipicta</i>					●							
<i>IsCADIA pulchra</i>					●							
<i>IsCADIA sp.</i>				E	●							
<i>Ischyja ferrifracta</i>					●							
<i>Ischyja manila</i>					●							
<i>Karana hoenei</i>					●							
<i>Karana hoenei inornata</i>				e	○							
<i>Karana laetevirens</i>					●							
<i>Labanda sp.</i>				E	●							
<i>Lacera noctilio</i>					●							

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Lacera procellosa</i>					●			●		●	
<i>Lagoptera juno</i>					●			●		●	
<i>Lophomilia takao</i>					●			●			
<i>Lophonycta nigropurpurata</i>				E	●			●			
<i>Lophoruza lunifera</i>				E	●			●		●	
<i>Loxioda parva</i>					●			●		●	
<i>Luceria fletcheri</i>					●			●			
<i>Luceria oculalis</i>					●			●		●	
<i>Macrobarsa albibasis</i>					●			●		●	
<i>Maliattha separata</i>					●			●			
<i>Maliattha signifera</i>					●			●		●	
<i>Masca abactalis</i>					●			●			
<i>Mecodina albodentata</i>					●			●		●	
<i>Mecodina cineracea</i>					●			●			
<i>Mecodina fasciata</i>				E	●			●		●	
<i>Mecodina kurosawai</i>				E	●			●			
<i>Melapia bifasciata</i>					●			●			
<i>Melapia japonica</i>					●			●			
<i>Melapia kishidai</i>				E	●			●		●	
<i>Metaemene atriguttata</i>					●			●		●	
<i>Metaemene atriguttata maculata</i>					○			○		○	
<i>Metaemene hamptoni</i>					●			●		●	
<i>Miaromima kobesi</i>				E	●			●		●	
<i>Micreremites azumai</i>				E	●			●		●	
<i>Micreremites pallens</i>				E	●			●			
<i>Mimachrostia fasciata</i>					●			●		●	
<i>Mimachrostia owadai</i>				E	●			●			
<i>Mocis undata</i>					●			●		●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Mythimna compta</i>					●				●	
<i>Mythimna curvilinea</i>					●					
<i>Mythimna decisissima</i>					●					
<i>Mythimna formosana</i>					●				●	

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Mythimna hamifera</i>					●	●				●	
<i>Mythimna inouei</i>					●						
<i>Mythimna nigrilinea</i>					●		●				
<i>Mythimna opada</i>					●					●	
<i>Mythimna polysticha</i>					●						
<i>Mythimna separata</i>					●					●	
<i>Mythimna similima</i>					●					●	
<i>Mythimna stenographa</i>					●					●	
<i>Mythimna stolidia</i>					●					●	
<i>Mythimna uruma</i>				E	●					●	
<i>Mythimna yu</i>				E	●					●	
<i>Naarda pectinata</i>					●						
<i>Naranga aenescens</i>					●						
<i>Narangodes haemoranta</i>					●						
<i>Neachrostia purpureoflava</i>				E	●					●	
<i>Neustrotia albicincta</i>					●					●	
<i>Nodaria externalis</i>					●					●	
<i>Nycteola coStã /is</i>					●					●	
<i>Olulis japonica</i>					●						
<i>Olulis punctinctalis</i>					●					●	
<i>Olulis shigakii</i>				E	●					●	
<i>Ophisma gravata</i>					●					●	
<i>Ophiusa coronata</i>					●					●	
<i>Ophiusa disjungens</i>					●						
<i>Ophiusa disjungens indiscriminata</i>					○						
<i>Ophiusa microtirhaca</i>					●					●	
<i>Ophiusa tirhaca</i>					●					●	
<i>Ophiusa trapezium</i>					●					●	

Scientific Name	<i>Ophiura triphaenoides</i>		IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	● Four Islands Containing the Nominated Property	● Amami-Oshima Is.	● Tokunoshima Is.	● Okinawa Is.	South Ryukyus	Notes		

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.		
<i>Oraesia emarginata</i>					●			●			
<i>Oraesia excavata</i>					●			●		●	
<i>Orthogonia sugii</i>				E	●						
<i>Orthosia fausta</i>					●			●		●	
<i>Orthosia nigromaculata</i>					●			●		●	
<i>Oruza brunnea</i>					●			●		●	
<i>Oruza glaucotoma</i>					●			●		●	
<i>Oruza obliquaria</i>					●			●		●	
<i>Oruza stragulata</i>					●	●					
<i>Othreis fullonia</i>					●			●		●	
<i>Othreis homaena</i>					●			●		●	
<i>Ozarba punctigera</i>					●					●	
<i>Pangrapta</i> sp.				E	●			●			
<i>Pangrapta flavomacula</i>					●			●			
<i>Pantylia metaspila</i>					●			●		●	
<i>Paracolax fentoni</i>					●						
<i>Paracolax pacifica</i>					●			●			
<i>Paracolax pryeri</i>					●			●			
<i>Paracrama argulata</i>					●					●	
<i>Penicillaria jocosatrix</i>					●					●	
<i>Penicillaria maculata</i>					●						
<i>Perinaenia accipiter</i>					●						
<i>Phalga clarirena</i>					●			●			
<i>Phylodes consobrina</i>					●			●			
<i>Plataplecta pruinosa</i>					●			●			
<i>Plataplecta pruinosa consanguis</i>					○			○		○	
<i>Plusiodonta coelonota</i>					●			●		●	
<i>Plusiopala adrastra</i>					●			●		●	



Scientific Name	IUCN - RL (2016) <sup>2</sup>	MOEJ - RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.			
<i>Polydesma boarmoides</i>					●							
<i>Progonia kurosawai</i>					●					●		
<i>Progonia oileusalis</i>					●		●			●		
<i>Protophota trigonifera</i>					●					●		
<i>Protodeltote pygarga</i>					●							
<i>Protoschrankia minuta</i>				E	●							
<i>Pseuderiopus albiscripta</i>					●					●		
<i>Pseudeustrotia bipartita</i>					●					●		
<i>Remigia frugalis</i>					●					●		
<i>Rhynchaglaea scitula</i>					●					●		
<i>Risoba basalis</i>					●					●		
<i>Risoba prominens</i>					●					●		
<i>Rivula albipunctata</i>				E	●							
<i>Rivula basalis</i>					●					●		
<i>Rivula cognata</i>					●							
<i>Rivula leucanioides</i>					●							
<i>Rivula sp.</i>					●							
<i>Sasunaga longiplaga</i>					●							
<i>Scedopla inouei</i>				E	●							
<i>Schrankia costaeirrigalis</i>					●							
<i>Schrankia seinoi</i>				E	●							
<i>Scriptoplusia nigriluna</i>					●				●			
<i>Selepa celtis</i>					●							
<i>Seneratia praecipua</i>					●					●		
<i>Serrodos campana</i>					●					●		
<i>Sesamia azumai</i>					●					●		
<i>Sesamia inferens</i>					●					●		
<i>Sesamia turpis</i>					●					●		

Scientific Name	IUCN -RL (2016) <sup>2</sup>	MOEJ -RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Simplicia caeneusalis</i>					●	●			●	
<i>Simplicia mistacalis</i>					●		●	●	●	
<i>Simplicia niphona</i>					●					
<i>Simplicia xanthoma</i>					●	●			●	
<i>Spirama helicina</i>					●				●	
<i>Spodoptera cilium</i>					●				●	
<i>Spodoptera exempta</i>					●				●	
<i>Spodoptera exigua</i>					●				●	
<i>Spodoptera litura</i>					●				●	
<i>Spodoptera pecten</i>					●				●	
<i>Spodoptera picta</i>					●				●	
<i>Stenhypena longipennis</i>				E	●				●	
<i>Stictoptera curculioides</i>					●				●	
<i>Sugia idiosytgia</i>					●				●	
<i>Tamba gansanalis</i>					●				●	
<i>Targalla delatrix</i>					●				●	
<i>Thyas honesta</i>					●				●	
<i>Thysanoplusia orichalcea</i>					●				●	
<i>Tipasa renalis</i>					●				●	
<i>Tiracola aureata</i>					●				●	
<i>Trichoplusia daubei</i>					●				●	
<i>Trichoplusia lectula</i>					●				●	
<i>Trichoplusia ni</i>					●				●	
<i>Trichosea champa</i>					●				●	
<i>Trigonodes hyppasia</i>					●				●	
<i>Trigonodes hyppasia hyppasia</i>					○				○	
<i>Ulotrichopus macula</i>					●				●	
<i>Westermannia elliptica</i>					●				●	

Scientific Name	IUCN-RL (2016) <sup>2</sup>	MOEJ-RLn(2015) <sup>3</sup>	National Natural Monuments <sup>4</sup>	Endemic to Middle and South Ryukyus <sup>5</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Irimote Is.	
<i>Xanthodes intersepta</i>					●	●				
<i>Xanthodes transversa</i>					●	●	●	●		
<i>Xenapamea pacifica</i>					●		●			
<i>Xylena formosa</i>					●		●			
<i>Xylena nihonica</i>					●		●			
<i>Xylopolia bella</i>					●		●			
<i>Xylopolia bella amamiensis</i>				e	○					
<i>Zanclognatha yaeyamalis</i>				E	●		●	●		
<i>Zanclognatha yakushimalis</i>					●		●	●		
<i>Zonoplusia ochreatea</i>					●		●	●		

#### Bibliography

- Azuma, S., Yatuso, M., Kinjo, M., Hayashi, M., Kohama, T., Sasaki, T., Kimura, M., & Kawamura, F. (Eds.). (2002). *Check-List of Insects of the Ryukyu Archipelago*. Revised ed. Okinawa, Biological Society of C  
Futahashi, R. & A. Sasamoto, 2012. Revision of the Japanese species of the genus *Rhipidolestes* (Megapodagrionidae) based on nuclear and mitochondrial gene genealogies, with a special reference of  
Kyushu-Yakushima population and Taiwan-Yaeyama population. *Tombo Fukui*, 54: 107-122.
- Karube, H., R. Futahashi, A. Sasamoto & Itsuro Kawashima, 2012. Taxonomic revision of Japanese odonate species, based on nuclear and mitochondrial gene genealogies and morphological comparison with  
allied species. Part 1. *Tombo Fukui*, 54: 75-106.
- Obayashi N. and Shinzato T. (ed.) 2007. Japanese Cerambycidae. xii + 813pp. Tokai University Press. (in Japanese)
- Ozono A., Kawashima A. & Futahashi T., 2012. Nature-Guide of Japanese Odonata. Bunitsu Sougou Pubirishing. (in Japanese)
- Yata, O. (ed.) 2007. Insects of Japan in color. I. (LEPIDOPTERA) revised ed. 460pp. Hokuryukan Pubirishing. (in Japanese)

## 2-2-8. Inland water decapod crustaceans of Amami-Oshima Island, Tokunoshima Island, the northern part of Okinawa Island, and Iriomote Island

\*1: As for Red List categories of IUCN, details are given on the last page.

\*2: As for Red List categories of Ministry of the Environment Government of Japan, details are given on the last page.

\*3: SNM: Special Natural Monument, NM: Natural Monument

\*4: E: Endemic species, e: Endemic subspecies

●: shows the distribution of species, ○: shows the distribution of subspecies

Scientific Name	IUCN -RL (2016) <sup>*1</sup>	MOEJ -RL (2015) <sup>*2</sup>	National Natural Monuments <sup>*3</sup>	Endemic to Middle and South Ryukyus <sup>*4</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus				South Ryukyus	Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.			
<b>DECAPODA</b>												
<b>ATYIDAE</b>												
<i>Paratya compressa</i>	LC				●	●	●	●	●	●		
<i>Atypsis spinipes</i>	LC				●	●	●	●	●	●		
<i>Caridina leucosticta</i>	LC				●	●	●	●	●	●		
<i>Caridina multidentata</i>	LC				●	●	●	●	●	●		
<i>Caridina serratiostris</i>	LC				●	●	●	●	●	●		
<i>Caridina grandirostris</i>	LC				●	●	●	●	●	●		
<i>Caridina typus</i>	LC				●	●	●	●	●	●		
<i>Caridina celebensis</i>	LC				●	●	●	●	●	●		
<i>Caridina prashadi</i>	LC	NT			●	●	●	●	●	●		
<i>Caridina rubella</i>	LC	NT			●	●	●	●	●	●		
<i>Atyoida pilipes</i>	LC	NT			●	●	●	●	●	●		
<i>Caridina laogensis</i>	LC				●	●	●	●	●	●		
<i>Halocaridinoides trigonophthalma</i>		NT			●	●	●	●	●	●		
<i>Caridina okinawa</i>	DD			E	●	●	●	●	●	●		
<i>Caridina propinqua</i>	LC	NT			●	●	●	●	●	●		
<i>Caridina macrodentata</i>	DD			E	●	●	●	●	●	●		
<i>Neocaridina brevisrostris</i>				E	●	●	●	●	●	●		

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Four Islands Containing the Nominated Property	Ryukyus				Notes	
						Amami-Oshima Is.	Tokunoshima Is.	Middle Ryukyus	South Ryukyus		
<i>Neocaridina iriomotensis</i>	LC	NT		E	●				Iriomote Is.	●	
<b>PALAEONIDAE</b>											
<i>Macrobrachium australe</i>	LC				●	●	●	●			
<i>Macrobrachium formosense</i>	LC				●	●	●	●			
<i>Macrobrachium japonicum</i>	LC				●	●	●	●			
<i>Macrobrachium lar</i>	LC				●	●	●	●			
<i>Macrobrachium latimanus</i>	LC				●	●	●	●			
<i>Palaemon paucidens</i>					●						
<i>Macrobrachium gracilirostre</i>	LC	NT			●						
<i>Macrobrachium equidens</i>	LC				●						
<i>Macrobrachium grandimanus</i>	LC				●						
<i>Macrobrachium latidactylus</i>	LC	NT			●						
<i>Macrobrachium placidulum</i>	LC	VU			●						?: Unverified information
<i>Macrobrachium lepidactyloides</i>	LC				●	?					
<i>Macrobrachium shokitai</i>	LC	NT		E	●						
<i>Macrobrachium</i> sp.				?	●						?: Unverified information
<b>ALPHEIDAE</b>											
<i>Metabetaeus minutus</i>		NT			●				●		
<b>POTAMIDAE</b>											
<i>Geothelphusa minei</i>	LC	NT		E	●					●	
<i>Geothelphusa sakamotoana</i>	LC	NT		E	●				●		
<i>Geothelphusa obtusipes</i>	LC	NT		E	●				●		
<i>Amamiku amamensis</i>	LC	VU		E	●				●		
<i>Candiotopotamon okinawense</i>	LC	NT		E	●					●	
<i>Geothelphusa grandiovatata</i>	LC	VU		E	●					●	
<i>Geothelphusa aramotoi</i>	LC	VU		E	●					●	

Scientific Name	IUCN -RL (2016) <sup>1</sup>	MOEJ -RL (2015) <sup>2</sup>	National Natural Monuments <sup>3</sup>	Endemic to Middle and South Ryukyus <sup>4</sup>	Four Islands Containing the Nominated Property	Middle Ryukyus			South Ryukyus	Notes
						Amami-Oshima Is.	Tokunoshima Is.	Okinawa Is.	Iriomote Is.	
<i>Geothelphusa tenuimanus</i>	NT	CR+EN		E	●			●		
<i>Geothelphusa fulva</i>	LC	NT		E	●			●		
<i>Ryukyum yaeyamense</i>	LC	NT		E	●			●		
<b>VARUNIDAE</b>										
<i>Eriochelip japonicus</i>					●	●	●			
<i>Varuna litterata</i>					●	●	●	●		
<i>Utica gracilipes</i>					●			●		
<i>Utica borneensis</i>					●			●		

### Bibliography

- Cai, Y. & S. Shokita (2006) Atyid shrimps (Crustacea: Decapoda: Caridea) of the Ryukyu Islands, southern Japan, with descriptions of two new species. *Journal of Natural History*, 40, 2123-2172.
- Cai, Y., Ng, P. K. L., Shokita, S., & Satake, K. (2006) On the species of Japanese atyid shrimps (Decapoda: Caridea) described by William Stimpson (1860). *Journal of Crustacean Biology*, 26(3), 392.
- Fujita, Y., & Kitamura, T. (2010). Caridina grandirostris and Utica gracilipes collected in the Sakita River, Miyakojima Island. *Miyakojima City Museum Bulletin*, 14, 115-121. (in Japanese)
- Fujita, Y., Nakasone, K., Kinjo, K., Tamaki, F., & Ueno, D. (2012). Actual state of the riparian environment and riparian animal communities in the Gima river and the Shirase river on Kumejima Island. *Kumejima Museum Bulletin*, 12, 35-87. (in Japanese)
- Kagoshima University (2014). *FY2011 Report on Deliberations Aimed at a Management Structure Based on Scientific Knowledge in Pursuit of the Inscription of the Ryukyu Arc on the World Natural Heritage List*. (in Japanese)
- Kawai, T., & Nakata, K. (Eds.) (2011). *Shrimps, Crabs and Crayfishes: Conservation and Biology of Freshwater Crustaceans*. Tokyo, Seibutsu Kenkyusha. (in Japanese)
- Kishino, T., & Wada, K. (2001). *Utica gracilipes (Grapsidae)* recorded on Yakushima Island. *Nanki Biology*, 43(12), 9-60. (in Japanese)
- Kishino, T., Nomoto, A., Kimura, S., Yonezawa, T., & Wada, K. (2001). Estuarine Crabs of Amami-Oshima Island. *Nanki Biology*, 43(2), 125-131. (in Japanese)
- Nishijima, S., Nishida, M., Shikatani, N., & Shokita, S. (Eds.) (2004). *Freshwater Living Organisms in the Ryukyu Archipelago*. Kanagawa, Tokai University Press. (in Japanese)
- Shokita, S. (1979). The distribution and speciation of the inland water shrimps and prawns from the Ryukyu Islands - II. *Bulletin of the Faculty of Science, University of the Ryukyus*, 28, 193-278. (in Japanese)
- Soomro, A., Suzuki, H., Kitazaki, M., & Kobari, T. (2010). Species composition of freshwater shrimp in Kikai-jima Island, southern Japan. *Journal of Crustacean Biology*, 30(4), 721-726.
- Suzuki, H., & Sato, M. (1994). *Kagoshima Nature Guide: Freshwater Shrimps and Crabs*. Fukuoka, Nishinippon Shimbun. (in Japanese)
- Suzuki, H., Tanigawa, N., Nagatomo, T., & Tsuda, E. (1993) Distribution of freshwater caridean shrimps and prawns (Atyidae and Palaemonidae) from Southern Kyushu and adjacent islands, Kagoshima Prefecture, Japan. *Crustacean Research*, 22, 55-64.

## The Categories of Red List

### \* Categories of IUCN Red List

EX	EXTINCT: A taxon is Extinct when there is no reasonable doubt that the last individual has died. A taxon is presumed Extinct when exhaustive surveys in known and/or expected habitat, at appropriate times (diurnal, seasonal, annual), throughout its history
EW	EXTINCT IN THE WILD: A taxon is Extinct in the Wild when it is known only to survive in cultivation, in captivity or as a naturalized population (or populations) well outside the past range. A taxon is presumed Extinct in the Wild when exhaustive surveys
CR	CRITICALLY ENDANGERED: A taxon is Critically Endangered when the best available evidence indicates that it meets any of the criteria A to E for Critically Endangered, and it is therefore considered to be facing an extremely high risk of extinction in the
EN	ENDANGERED: A taxon is Endangered when the best available evidence indicates that it meets any of the criteria A to E for Endangered, and it is therefore considered to be facing a very high risk of extinction in the wild.
VU	VULNERABLE: A taxon is Vulnerable when the best available evidence indicates that it meets any of the criteria A to E for Vulnerable, and it is therefore considered to be facing a high risk of extinction in the wild.
NT	NEAR THREATENED: A taxon is Near Threatened when it has been evaluated against the criteria but does not qualify for Critically Endangered, Endangered or Vulnerable now, but is close to qualifying for or is likely to qualify for a threatened category in the
LC	LEAST CONCERN: A taxon is Least Concern when it has been evaluated against the criteria and does not qualify for Critically Endangered, Endangered, Vulnerable or Near Threatened. Widespread and abundant taxa are included in this category.
DD	DATA DEFICIENT: A taxon is Data Deficient when there is inadequate information to make a direct, or indirect, assessment of its risk of extinction based on its distribution and/or population status.
LR(1994 category)	LOWER RISK: A taxon is Lower Risk when it has been evaluated, does not satisfy the criteria for any of the categories Critically Endangered, Endangered or Vulnerable. Taxa included in the Lower Risk category can be separated into three subcategories:
LR/cd	Conservation Dependent. Taxa which are the focus of a continuing taxon-specific or habitat-specific conservation programme targeted towards the taxon in question, the cessation of which would result in the taxon qualifying for one of the threatened categories
LR/nt	Near Threatened. Taxa which do not qualify for Conservation Dependent, but which are close to qualifying for Vulnerable.
LR/lc	Least Concern. Taxa which do not qualify for Conservation Dependent or Near Threatened.

### \*\* Categories of Red List published by Ministry of the Environment, Government of Japan.

EX	Extinct: A taxon is considered extinct in Japan.
EW	Extinct in the wild: A taxon known only to survive in cultivation or in captivity.
CR	Threatened IA: Critically Endangered. A taxon is facing an extremely high risk of extinction in the wild immediate future.
EN	Threatened IB: Endangered. A taxon is not Critically Endangered but is facing a very high risk of extinction in the wild in the near future.
VU	Threatened II: Vulnerable. A taxon believed likely to move into the upper rank in near future if the casual factors continue operating.
NT	Near threatened: A taxon which is close to qualifying for vulnerable.
DD	A taxon which has insufficient information for evaluation.
LP	Populations which is isolated locally and are highly at risk of extinction.

## References

- IUCN. 1994. IUCN Red List Categories and Criteria version 2.3. IUCN Species Survival Commission. IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN. 2001. IUCN Red List Categories and Criteria: Version 3.1. IUCN Species Survival Commission. IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN. 2016. 2016 IUCN Red List of Threatened Species. URL: <http://www.iucnredlist.org>.
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Plants I (Vascular Plants). Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Mammals. Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Birds. Biodiversity Center of Japan, Ministry of the Environment. URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Reptiles. Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Amphibians. Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Brackish / Freshwater Fish. Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Insects. Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>
- Ministry of the Environment. 2015. Threatened Wildlife of Japan - Red List - Invertebrates (except Insects and Mollusks). Biodiversity Center of Japan, Ministry of the Environment (in Japanese). URL: <http://ikilog.biodic.go.jp/Rdb/>