

○Results of Radioactive Material Monitoring of Aquatic Organisms (Location F along the Ota River)

< Location F along the Ota River: Samples collected >

Locations	General items		Radioactive materials			
	Water	Sediment	Water(Cs)	Water(Sr)	Sediment(Cs)	Sediment(Sr)
F-1	○	○	○	○	○	○
F-2	○	○	○	○	○	○
F-3	○	○	○	○	○	○
F-4	○	○	○	○	○	○
F-5	○	○	○	○	○	○
F-6	○	-	○	-	-	-

< Location F along the Ota River: Site measurement item >

Locations	Latitude and longitude of the location		Survey date and time		Water	Sediment			Other			
	Scheduled latitude	Scheduled longitude	Date	Time (water)	Time (sediment)	Water temperature (degrees C)	Sediment temperature (degrees C)	Property	Color	Contaminants	Water depth(m)	Transparency(cm)
F-1	37.5975°	140.9252°	2015/8/21	8:23	8:03	21.9	21.9	Sand	2.5Y4/2	None	0.50	>50
F-2	37.6016°	140.9423°		9:30	9:16	21.2	21.2	Sand	10YR4/3	None	0.34	>50
F-3	37.6045°	140.9636°		10:40	10:50	21.6	21.8	Sand	2.5Y5/2	None	0.50	>50
F-4	37.6070°	140.9720°		12:34	12:46	19.6	19.8	Sand	2.5Y4/3	None	0.32	>50
F-5	37.6022°	140.9868°		13:30	13:27	20.5	20.8	Sand	2.5Y4/3	None	0.37	>50
F-6	37.5953°	141.0123°		14:36	-	22.1	-	-	-	-	-	0.76

< Location F along the Ota River: General survey items/Analysis of radioactive materials Water >

Locations	Latitude and longitude of the location		Survey date and time		pH	BOD (mg/L)	COD (mg/L)	DO (mg/L)	Electrical conductivity (mS/m)	Salinity	TOC (mg/L)	SS (mg/L)	Turbidity (FNU)	Cs-134 (Bq/L)	Cs-137 (Bq/L)	Sr-90 (Bq/L)
	Scheduled latitude	Scheduled longitude	Date	Time (water)												
F-1	37.5975°	140.9252°	2015/8/21	8:23	7.5	<0.5	3.1	8.7	5.8	0.03	1.2	2	1.3	0.076	0.28	-
F-2	37.6016°	140.9423°		9:30	7.3	<0.5	2.3	8.4	6.6	0.04	0.9	1	1.0	0.087	0.33	0.0033
F-3	37.6045°	140.9636°		10:40	7.4	<0.5	2.7	8.2	6.7	0.04	1.0	4	1.9	0.083	0.32	-
F-4	37.6070°	140.9720°		12:34	6.9	<0.5	1.6	7.9	7.4	0.04	0.6	1	0.8	0.048	0.18	-
F-5	37.6022°	140.9868°		13:30	7.1	<0.5	3.3	8.4	8.3	0.05	1.6	3	2.3	0.042	0.16	-
F-6	37.5953°	141.0123°		14:36	7.1	0.5	2.6	8.1	131.5	0.69	2.3	4	3.4	0.034	0.14	-

< Location F along the Ota River: General survey items/Analysis of radioactive materials Sediment >

Locations	Latitude and longitude of the location		Survey date and time		pH	Redox potential EN.H.E (mV)	Water content (%)	IL (%)	TOC (mg/g-dry)	Soil particle density (g/cm3)	Grain size distribution							Cs-134 (Bq/kg-dry)	Cs-137 (Bq/kg-dry)	Sr-90 (Bq/kg-dry)	
	Scheduled latitude	Scheduled longitude	Date	Time (sediment)							Gravel (2-75mm) (%)	Coarse sand (0.85-2mm) (%)	Medium sand (0.25-0.85mm) (%)	Fine sand (0.075-0.25mm) (%)	Silt (0.005-0.0075mm) (%)	Clay (Less than 0.005mm) (%)	Median grain diameter				Maximum grain diameter
F-1	37.5975°	140.9252°	2015/8/21	8:03	6.8	427	18.6	1.2	2.9	2.663	22.9	16.2	39.4	17.6	1.5	2.4	0.60	19	1400	5600	-
F-2	37.6016°	140.9423°		9:16	6.9	477	18.2	0.5	1.4	2.654	47.8	39.2	11.4	0.6	0.4	0.6	1.9	19	640	2600	N.D.(0.14)
F-3	37.6045°	140.9636°		10:50	6.4	404	16.7	0.6	1.4	2.653	29.7	26.3	26.3	13.5	1.8	2.4	1.0	19	380	1600	-
F-4	37.6070°	140.9720°		12:46	6.9	516	10.9	0.4	1.2	2.646	40.7	41.6	15.7	1.5	0.3	0.2	1.7	19	210	810	-
F-5	37.6022°	140.9868°		13:27	7.0	288	15.6	0.7	1.5	2.649	30.6	39.5	23.9	3.5	1.2	1.3	1.3	4.8	150	630	-
F-6	37.5953°	141.0123°		14:36	7.1	0.5	2.6	8.1	131.5	0.69	2.3	4	3.4	0.034	0.14	-	-	-	-	-	-

< Location F along the Ota River: Analysis items Aquatic organisms >

Location	Sampling point	Latitude and longitude of the location		Sampling Date	Division	Class	Order	Family	Species name	English name	Population	Sample weight (kg-wet)	Note		Radioactive cesium(Bq/kg-wet)		Sr-90 (Bq/kg-wet)					
		Latitude	Longitude										Growth stage	Stomach contents	Measurement site	Cs-134		Cs-137				
F-1	-	37.5975°	140.9252°	2015/8/21	Phycophyta	-	-	-	-	Riverbed Deposits (include algae)	-	0.047	-	-	-	81	340	-				
					Arthropod	Insecta	Odonata	Cordulidae	<i>Macromia amphigena amphigena</i>	Macromia amphigena	-	-	-	-	-	-	-	-	-	-		
					Arthropod	Insecta	Odonata	Cordulegastriidae	<i>Anotogaster sieboldii</i>	Anotogaster sieboldii	-	-	-	-	-	-	-	-	-	-	-	
					Arthropod	Insecta	Odonata	Gomphidae	<i>Nihonogomphus viridis</i>	Nihonogomphus viridis	-	-	-	-	-	-	-	-	-	-	-	
					Arthropod	Insecta	Odonata	Gomphidae	<i>Melligomphus viridicostus</i>	Onychogomphus viridicostus	-	-	-	-	-	-	-	-	-	-	-	
					Arthropod	Insecta	Odonata	Gomphidae	<i>Sieboldius albardae</i>	Sieboldius albardae	-	-	-	-	-	-	-	-	-	-	-	-
					Arthropod	Insecta	Odonata	Gomphidae	-	Davidius	-	-	-	-	-	-	-	-	-	-	-	-
					Arthropod	Insecta	Odonata	Gomphidae	<i>Astiomphus melanocephalus</i>	Astiomphus melanocephalus	-	-	-	-	-	-	-	-	-	-	-	-
					Arthropod	Insecta	Odonata	Aeshnidae	<i>Boyeria maclachlani</i>	Boyeria maclachlani	-	-	-	-	-	-	-	-	-	-	-	-
					Arthropod	Insecta	Trichoptera	Stenopsychidae	<i>Stenopsyche marmorata</i>	Stenopsyche marmorata	41	0.0097	Larva	-	-	-	-	-	-	98	380	-
					Arthropod	Insecta	Megaloptera	Corydalidae	<i>Protohermes grandis</i>	Protohermes grandis	25	0.012	Larva	-	-	-	-	-	-	30	120	-
					Arthropoda	Insecta	Neuroptera	Corydalidae	<i>Parachauliodes japonicus</i>	Parachauliodes japonicus	-	-	-	-	-	-	-	-	-	-	-	-
					Arthropod	Malacostraca	Decapoda	Procambarus	<i>Procambarus clarkii</i>	Red swamp crawfish	2	0.029	Imago	-	-	-	-	-	-	78	310	-
					Arthropod	Malacostraca	Decapoda	Palaemonidae	<i>Palaemon paucidens</i>	Common prawn	12	0.015	Imago	-	-	-	-	-	-	120	450	-
					Arthropoda	Malacostraca	Decapoda	Atyidae	<i>Paratya improvisa</i>	Freshwater shrimp	177	0.021	Imago	-	-	-	-	-	-	36	150	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Tribolodon hakonensis</i>	Japanese dace	3	0.062	Mature fish (3-year-old)	-	-	-	-	-	-	110	430	-
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	-	Rhinogobius	10	0.020	Mature fish	-	-	-	-	-	-	210	840	-
										Particulate Organic Matter	-	-	-	Bottom fallen leaves	-	-	-	-	-	15	61	-

\*1: Organisms were collected in or around the targeted water areas.

\*2: When multiple types of aquatic organisms were collected, a sample was prepared by mixing them.

\*3: For a sample made of multiple types of aquatic organisms, the name of the dominant one largest in number is underlined.

\*4: Basically, measurement was conducted for all organism samples. Viscera (stomach and bowels) were removed for the measurement when possible so that undigested food and sediments, etc. in the digestive system would be excluded.

\*5: A statement in red in the "Growth stage" column shows the age assessed based on squama or otolith.

\*6: Plankton (suspended algae) is the residue remaining after the filtration of lake water or seawater with a plankton net (40µm-mesh).

\*7: River bottom materials (incl. algae) are algae, etc. that were scratched off stones with a brush, etc. and may include very fine particles such as inorganic silt and clay.

\*8: N.D. means to be below the detection limit and figures in parentheses show the detection limit.

\*9: Activity concentrations include counting errors, but the details are omitted here.