

Collected and Destroyed Volume of Fluorocarbons in FY 2005



(Unit: kg)

	CFC	HCFC	HFC	Total
Volume in storage as of April 1, 2005	9,393	21,742	5,332	36,467
Volume collected				
Class-1 specified equipments ⁽¹⁾	257,376	1,635,545	215,005	2,107,926
Class-1 specified equipments ⁽²⁾	299,906	-	392,938	692,844
Total	557,283	1,635,545	607,943	2,800,770
Volume destroyed	556,176	1,623,043	608,480	2,787,700
Volume in storage as of March 31, 2006	10,499	34,244	4,795	49,538

Notes: 1. Class-1 specified equipments are commercial freezer/chiller and air conditioner.

2. Class-2 specified equipments are air conditioner installed on motor vehicle.

3. Total may not add up due to rounding off before decimal points.



Notes: 1. CFC (chlorofluorocarbon) and HCFC (hydrochlorofluorocarbon) are kinds of fluorocarbons. They deplete the ozone layer and are controlled under the Montreal Protocol on Substances that Deplete the Ozone Layer. They have high global warming potentials. Ozone depletion potential of HCFC is less than that of CFC.

2. HFC (hydrofluorocarbon) is an alternative for CFC. It does not deplete the ozone layer but has high global warming potential. Its emission is subject to reduce under the Kyoto Protocol to the United Nations Framework Convention on Climate Change.