

尼崎市全域 ※網掛けは、95%信頼区間から見て統計上有意な値

	期待死亡数	合計		職業ばく露有り		屋内等		その他のばく露		職業ばく露除く【参考】												
		死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間									
男性																						
尼母①	2.12	7	3.3	1.3	6.8	3	1.4	0.3	4.1	0	0.0	0.0	1.7	2	0.9	0.1	3.4	4	1.9	0.5	4.8	
尼母②	0.58	7	12.1	4.9	24.9	4	6.9	1.9	17.7	1	1.7	0.0	9.6	2	3.5	0.4	12.5	3	5.2	1.1	15.1	
尼母③	0.92	6	6.5	2.4	14.1	5	5.4	1.8	12.6	0	0.0	0.0	4.0	1	1.1	0.0	6.0	1	1.1	0.0	6.0	
尼母④	0.95	2	2.1	0.3	7.6	1	1.1	0.0	5.9	0	0.0	0.0	3.9	0	0.0	0.0	3.9	1	1.1	0.0	5.9	
尼母⑤	0.71	2	2.8	0.3	10.2	0	0.0	0.0	5.2	0	0.0	0.0	5.2	1	1.4	0.0	7.9	2	2.8	0.3	10.2	
尼①+②	2.69	14	5.2	2.8	8.7	7	2.6	1.0	5.4	1	0.4	0.0	2.1	4	1.5	0.4	3.8	7	2.6	1.0	5.4	
尼①+②+③	3.62	20	5.5	3.4	8.5	12	3.3	1.7	5.8	1	0.3	0.0	1.5	5	1.4	0.4	3.2	8	2.2	1.0	4.4	
尼①+②+③+④	4.57	22	4.8	3.0	7.3	13	2.8	1.5	4.9	1	0.2	0.0	1.2	5	1.1	0.4	2.6	9	2.0	0.9	3.7	
尼崎合計①~⑤	5.27	24	4.6	2.9	6.8	13	2.5	1.3	4.2	1	0.2	0.0	1.1	6	1.1	0.4	2.5	11	2.1	1.0	3.7	
女性																						
尼母①	0.76	9	11.8	5.4	22.5	3	3.9	0.8	11.5	1	1.3	0.0	7.3	4	5.3	1.4	13.5	6	7.9	2.9	17.2	
尼母②	0.21	3	14.5	3.0	42.4	0	0.0	0.0	17.8	0	0.0	0.0	17.8	0	0.0	0.0	17.8	3	14.5	3.0	42.4	
尼母③	0.29	4	14.0	3.8	35.9	0	0.0	0.0	12.9	1	3.5	0.1	19.5	0	0.0	0.0	12.9	4	14.0	3.8	35.9	
尼母④	0.29	1	3.5	0.1	19.3	0	0.0	0.0	12.8	1	3.5	0.1	19.3	0	0.0	0.0	12.8	1	3.5	0.1	19.3	
尼母⑤	0.20	1	5.1	0.1	28.6	0	0.0	0.0	18.9	1	5.1	0.1	28.6	0	0.0	0.0	18.9	1	5.1	0.1	28.6	
尼①+②	0.97	12	12.4	6.4	21.7	3	3.1	0.6	9.1	1	1.0	0.0	5.8	4	4.1	1.1	10.6	9	9.3	4.3	17.6	
尼①+②+③	1.25	16	12.8	7.3	20.7	3	2.4	0.5	7.0	2	1.6	0.2	5.8	4	3.2	0.9	8.2	13	10.4	5.5	17.7	
尼①+②+③+④	1.54	17	11.0	6.4	17.7	3	1.9	0.4	5.7	3	1.9	0.4	5.7	4	2.6	0.7	6.6	14	9.1	5.0	15.2	
尼崎合計①~⑤	1.74	18	10.4	6.1	16.4	3	1.7	0.4	5.1	4	2.3	0.6	5.9	4	2.3	0.6	5.9	15	8.6	4.8	14.3	
合計	2.88	16	5.6	3.2	9.0	6	2.1	0.8	4.5	1	0.3	0.0	1.9	6	2.1	0.8	4.5	10	3.5	1.7	6.4	
尼母②	0.79	10	12.7	6.1	23.4	4	5.1	1.4	13.0	1	1.3	0.0	7.1	2	2.5	0.3	9.2	6	7.6	2.8	16.6	
尼母③	1.21	10	8.3	4.0	15.2	5	4.1	1.3	9.6	1	0.8	0.0	4.6	1	0.8	0.0	4.6	5	4.1	1.3	9.6	
尼母④	1.23	3	2.4	0.5	7.1	1	0.8	0.0	4.5	1	0.8	0.0	4.5	0	0.0	0.0	3.0	2	1.6	0.2	5.9	
尼母⑤	0.90	3	3.3	0.7	9.7	0	0.0	0.0	4.1	1	1.1	0.0	6.2	1	1.1	0.0	6.2	3	3.3	0.7	9.7	
尼①+②	3.66	26	7.1	4.6	10.4	10	2.7	1.3	5.0	2	0.5	0.1	2.0	8	2.2	0.9	4.3	16	4.4	2.5	7.1	
尼①+②+③	4.87	36	7.4	5.2	10.2	15	3.1	1.7	5.1	3	0.6	0.1	1.8	9	1.8	0.8	3.5	21	4.3	2.7	6.6	
尼①+②+③+④	6.11	39	6.4	4.5	8.7	16	2.6	1.5	4.3	4	0.7	0.2	1.7	9	1.5	0.7	2.8	23	3.8	2.4	5.7	
尼崎合計①~⑤	7.01	42	6.0	4.3	8.1	16	2.3	1.3	3.7	5	0.7	0.2	1.7	10	1.4	0.7	2.6	26	3.7	2.4	5.4	

行政区別(男性) ※行政区不明は未記載。観察死亡数が0の場合は95%信頼区間を算出していない。網掛けは、95%信頼区間から見て統計上有意な値

行政区	期待死亡数	合計		職業ばく露有り		屋内等		その他のばく露		職業ばく露除く【参考】				
		死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	
行母①	中央	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	小田	1	5.7	0.1	32.0	0.1	32.0	0	0.0	-	0	0.0	-	
	大庄	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	立花	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	武庫	1	28.1	0.7	154.8	0	0.0	-	1	28.1	0.7	154.8	0.7	154.8
	園田	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
行母②	中央	1	4.1	0.1	23.0	0.1	23.0	0	0.0	-	0	0.0	-	
	小田	4	16.5	4.5	42.1	1.0	29.7	0	0.0	-	2	8.2	1.0	29.7
	大庄	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	立花	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	武庫	1	21.1	0.5	118.5	0	0.0	-	1	21.1	0.5	118.5	0.5	118.5
	園田	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
行母③	中央	1	3.2	0.1	17.7	0.1	17.7	0	0.0	-	0	0.0	-	
	小田	4	12.2	3.3	31.1	0.7	22.0	0	0.0	-	2	6.1	0.7	22.0
	大庄	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	立花	1	3.2	0.1	18.0	0.1	18.0	0	0.0	-	0	0.0	-	
	武庫	1	9.9	0.3	55.2	0	0.0	-	1	9.9	0.3	55.2	0.3	55.2
	園田	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
行母④	中央	2	7.0	0.8	25.2	0.8	25.2	0	0.0	-	0	0.0	-	
	小田	6	21.1	7.8	46.0	2.2	30.9	0	0.0	-	3	10.6	2.2	30.9
	大庄	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	立花	1	3.3	0.1	18.1	0.1	18.1	0	0.0	-	0	0.0	-	
	武庫	1	6.4	0.2	35.5	0	0.0	-	1	6.4	0.2	35.5	0.2	35.5
	園田	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
行母⑤	中央	3	5.7	1.2	16.6	1.2	16.6	0	0.0	-	0	0.0	-	
	小田	7	10.6	4.3	21.9	0.9	13.3	0	0.0	-	4	6.1	1.7	15.6
	大庄	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	
	立花	2	2.6	0.3	9.6	1.3	0.0	7.4	0	0.0	-	0	0.0	-
	武庫	1	2.7	0.1	15.1	0	0.0	-	1	2.7	0.1	15.1	0.1	15.1
	園田	1	2.1	0.1	11.4	0	0.0	-	1	2.1	0.1	11.4	0.1	11.4

行政区別(女性) ※行政区不明は未記載。観察死亡数が0の場合は95%信頼区間を算出してない。網掛けは、95%信頼区間から見て統計上有意な値

行母	行政区	期待死亡数	合計		職業ばく露有り		屋内等		その他のばく露		職業ばく露除く【参考】							
			死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間				
行母①	中央	0.07	1	14.1	0.4	78.5	0	0.0	-	1	14.1	0.4	78.5	1	14.1	0.4	78.5	
	小田	0.08	3	40.0	8.2	116.9	0	0.0	-	1	13.3	0.3	74.3	3	40.0	8.2	116.9	
	大庄	0.05	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	立花	0.05	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	武庫	0.01	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	園田	0.03	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
行母②	中央	0.10	1	10.0	0.3	55.7	0	0.0	-	1	10.0	0.3	55.7	1	10.0	0.3	55.7	
	小田	0.11	4	37.9	10.3	96.6	0	0.0	-	1	9.5	0.2	52.6	4	37.9	10.3	96.6	
	大庄	0.08	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	立花	0.08	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	武庫	0.02	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	園田	0.04	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
行母③	中央	0.13	1	7.6	0.2	42.5	0	0.0	-	1	7.6	0.2	42.5	1	7.6	0.2	42.5	
	小田	0.14	5	36.6	11.9	85.2	0	0.0	-	1	7.3	0.2	40.7	5	36.6	11.9	85.2	
	大庄	0.12	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	立花	0.12	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	武庫	0.04	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	園田	0.07	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
行母④	中央	0.11	2	18.3	2.2	66.3	0	0.0	-	2	18.3	2.2	66.3	2	18.3	2.2	66.3	
	小田	0.10	7	68.6	27.6	141.4	1	9.8	0.2	54.6	2	19.6	2.4	70.8	6	58.8	21.6	128.0
	大庄	0.08	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	立花	0.11	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	武庫	0.05	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	園田	0.06	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
行母⑤	中央	0.20	2	10.1	1.2	36.7	0	0.0	-	2	10.1	1.2	36.7	2	10.1	1.2	36.7	
	小田	0.24	7	29.6	11.9	60.9	1	4.2	0.1	23.5	2	8.5	1.0	30.5	6	25.4	9.3	55.1
	大庄	0.20	1	5.1	0.1	28.4	0	0.0	-	0	0.0	-	-	1	5.1	0.1	28.4	
	立花	0.26	2	7.6	0.9	27.6	1	3.8	0.1	21.3	0	0.0	-	1	3.8	0.1	21.3	
	武庫	0.12	0	0.0	-	-	0	0.0	-	0	0.0	-	-	0	0.0	-	-	
	園田	0.16	2	12.4	1.5	44.6	0	0.0	-	1	6.2	0.2	34.4	2	12.4	1.5	44.6	

行政区別(男女計) ※行政区不明は未記載。観察死亡数が0の場合は95%信頼区間を算出してない。網掛けは、95%信頼区間から見て統計上有意な値

行政区	期待死亡数	合計		職業ばく露有り		屋内等		その他のばく露		職業ばく露除く【参考】												
		死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間	死亡数	SMR	95%信頼区間									
行母①	中央	0.24	1	4.2	0.1	23.2	0	0.0	-	0	0.0	-	1	4.2	0.1	23.2	1	4.2	0.1	23.2		
	小田	0.25	4	16.0	4.4	41.1	1	4.0	0.1	22.4	1	4.0	0.1	22.4	1	4.0	0.1	22.4	3	12.0	2.5	35.2
	大庄	0.18	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	立花	0.16	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	武庫	0.05	1	21.0	0.5	116.1	0	0.0	-	-	0	0.0	-	-	1	21.0	0.5	116.1	1	21.0	0.5	116.1
園田	0.11	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	
行母②	中央	0.34	2	5.8	0.7	21.1	1	2.9	0.1	16.3	0	0.0	-	1	2.9	0.1	16.3	1	2.9	0.1	16.3	
	小田	0.35	8	23.0	9.9	45.2	2	5.7	0.7	20.7	1	2.9	0.1	16.0	3	8.6	1.8	25.1	6	17.2	6.3	37.4
	大庄	0.28	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	立花	0.27	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	武庫	0.06	1	15.5	0.4	87.1	0	0.0	-	-	0	0.0	-	-	1	15.5	0.4	87.1	1	15.5	0.4	87.1
園田	0.15	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	
行母③	中央	0.45	2	4.5	0.5	16.2	1	2.2	0.1	12.5	0	0.0	-	1	2.2	0.1	12.5	1	2.2	0.1	12.5	
	小田	0.47	9	19.3	8.9	36.7	2	4.3	0.5	15.5	1	2.1	0.1	12.0	3	6.4	1.3	18.9	7	15.0	6.1	31.0
	大庄	0.40	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	立花	0.43	1	2.3	0.1	12.8	1	2.3	0.1	12.8	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	武庫	0.14	1	7.2	0.2	40.1	0	0.0	-	-	0	0.0	-	-	1	7.2	0.2	40.1	1	7.2	0.2	40.1
園田	0.24	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	
行母④	中央	0.40	4	10.1	2.8	25.9	2	5.0	0.6	18.2	0	0.0	-	2	5.0	0.6	18.2	2	5.0	0.6	18.2	
	小田	0.39	13	33.7	17.9	57.6	4	10.4	2.8	26.5	1	2.6	0.1	14.4	5	13.0	4.2	30.2	9	23.3	10.7	44.3
	大庄	0.33	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	立花	0.42	1	2.4	0.1	13.4	1	2.4	0.1	13.4	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-
	武庫	0.21	1	4.7	0.1	26.4	0	0.0	-	-	0	0.0	-	-	1	4.7	0.1	26.4	1	4.7	0.1	26.4
園田	0.25	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	
行母⑤	中央	0.73	5	6.9	2.2	16.1	3	4.1	0.9	12.1	0	0.0	-	2	2.8	0.3	10.0	2	2.8	0.3	10.0	
	小田	0.89	14	15.7	8.6	26.3	4	4.5	1.2	11.5	1	1.1	0.0	6.2	6	6.7	2.5	14.6	10	11.2	5.4	20.6
	大庄	0.75	1	1.3	0.0	7.4	0	0.0	-	-	0	0.0	-	-	0	0.0	-	-	1	1.3	0.0	7.4
	立花	1.02	4	3.9	1.1	10.1	2	2.0	0.2	7.1	1	1.0	0.0	5.5	0	0.0	-	-	2	2.0	0.2	7.1
	武庫	0.49	1	2.0	0.1	11.3	0	0.0	-	-	0	0.0	-	-	1	2.0	0.1	11.3	1	2.0	0.1	11.3
園田	0.65	3	4.6	1.0	13.5	0	0.0	-	-	1	1.5	0.0	8.6	1	1.5	0.0	8.6	3	4.6	1.0	13.5	

<参考> 尼崎市における死因別の標準化死亡比(平成14～16年)

性別	行政区	平成15年人口		中皮腫		肺がん		悪性新生物		全死因						
		死亡者数	SMR	信賴区間	死亡者数	SMR	信賴区間	死亡者数	SMR	信賴区間	死亡者数	SMR	信賴区間			
男性	中央	3	3.1	0.6	9.2	1.38	1.09	1.68	(343)	1.27	1.13	1.40	(924)	1.23	1.15	1.31
	小田	13	10.3	5.5	17.6	1.39	1.13	1.65	(479)	1.35	1.23	1.47	(1249)	1.27	1.20	1.34
	大庄	1	1.0	0.0	5.4	1.43	1.14	1.72	(373)	1.28	1.15	1.41	(997)	1.24	1.16	1.32
	立花	5	3.1	1.0	7.2	1.19	0.98	1.40	(536)	1.18	1.08	1.28	(1421)	1.12	1.06	1.18
	武庫	5	5.1	1.6	11.8	0.99	0.74	1.25	(309)	1.14	1.01	1.27	(767)	1.01	0.94	1.09
	園田	5	4.1	1.3	9.6	1.28	1.02	1.53	(420)	1.26	1.14	1.39	(1111)	1.21	1.13	1.28
合計	228,353	32	4.5	3.1	6.4	1.28	1.17	1.38	(2460)	1.25	1.20	1.30	(6469)	1.18	1.15	1.21
女性	中央	3	9.7	2.0	28.3	1.21	0.75	1.66	(207)	1.19	1.02	1.35	(739)	1.27	1.17	1.36
	小田	8	18.9	8.2	37.3	1.16	0.78	1.55	(300)	1.27	1.13	1.41	(976)	1.26	1.18	1.34
	大庄	2	6.2	0.7	22.2	1.25	0.79	1.70	(199)	1.09	0.94	1.25	(689)	1.15	1.06	1.23
	立花	2	3.8	0.5	13.9	1.12	0.77	1.46	(335)	1.14	1.02	1.27	(1105)	1.17	1.10	1.23
	武庫	1	3.2	0.1	17.7	0.87	0.48	1.27	(173)	0.98	0.84	1.13	(624)	1.13	1.04	1.22
	園田	2	5.3	0.6	19.1	1.07	0.67	1.46	(220)	1.04	0.90	1.17	(776)	1.15	1.07	1.23
合計	234,748	18	7.9	4.7	12.5	1.12	0.95	1.28	(1434)	1.13	1.07	1.18	(4909)	1.19	1.15	1.22
男女計	中央	6	4.8	1.7	10.3	1.34	1.09	1.58	(550)	1.24	1.13	1.34	(1663)	1.25	1.19	1.31
	小田	21	12.5	7.7	19.1	1.33	1.12	1.55	(779)	1.32	1.22	1.41	(2225)	1.27	1.21	1.32
	大庄	3	2.2	0.5	6.5	1.38	1.14	1.63	(572)	1.21	1.11	1.31	(1686)	1.20	1.14	1.26
	立花	7	3.3	1.3	6.7	1.17	0.99	1.35	(871)	1.17	1.09	1.25	(2526)	1.14	1.09	1.18
	武庫	6	4.6	1.7	10.0	0.96	0.75	1.17	(482)	1.08	0.98	1.17	(1391)	1.06	1.01	1.12
	園田	7	4.4	1.8	9.0	1.22	1.00	1.44	(640)	1.18	1.08	1.27	(1887)	1.18	1.13	1.24
合計	463,101	50	5.4	4.0	7.1	1.23	1.14	1.32	(3894)	1.20	1.16	1.24	(11378)	1.18	1.16	1.20

※ 網掛けは、95%信賴区間から見て統計上有意な値。信賴区間の算出は、中皮腫ではPoisson分布、その他は2項分布に基づく。

～ 尼崎市の人口

.....

平成15年9月30日現在の住民基本台帳登録人口 (保健行政の概要)

平成15年全国5歳階級別、男女別人口 (人口動態統計)

～ 出典 尼崎市中皮腫死亡者数

..... 平成14～16年中皮腫死亡者数

..... 平成14～16年「保健行政の概要」掲載の行政区別主要死因別死亡率と行政区別人口を用いて算出した推計値: ( )書きの数値

～ 全国の死因別死亡者数

..... 平成14～16年人口動態統計