

表6-1-1. 府県別・地区別ベースライン調査結果(宮城県)

	男性				女性			
	都市 (仙台市青葉区・宮城野区)		対照 (前谷町・田尻町)		都市 (仙台市青葉区・宮城野区)		対照 (前谷町・田尻町)	
	数	(%)	数	(%)	数	(%)	数	(%)
対象者数	7,391		6,601		9,383		7,870	
死亡数	1,133		1,249		857		1,077	
観察人年(合計)	54,584		59,023		73,857		72,920	
観察人年平均値(標準偏差)	7.4 (3.5)		8.9 (2.4)		7.9 (3.2)		9.1 (2.2)	
年齢階級	40-44	1137 (15.4)	903 (13.7)	45-49	1318 (14.0)	938 (11.8)	1161 (14.6)	1161 (14.6)
	45-49	1161 (15.7)	1020 (15.5)	50-54	1447 (15.4)	1161 (14.6)	1254 (17.0)	1254 (17.0)
	50-54	1194 (16.2)	1213 (18.4)	55-59	1508 (16.1)	1268 (15.9)	1268 (15.9)	1268 (15.9)
	55-59	1057 (14.3)	1082 (16.4)	60-64	1379 (14.7)	1009 (12.7)	1009 (12.7)	1009 (12.7)
	60-64	859 (11.6)	784 (11.9)	65-69	1234 (13.2)	758 (9.5)	758 (9.5)	758 (9.5)
	65-69	765 (10.4)	607 (9.2)	70-74	837 (9.0)	717 (9.0)	717 (9.0)	717 (9.0)
	70-74	586 (7.9)	490 (7.4)	75-79	746 (8.0)	391 (4.9)	391 (4.9)	391 (4.9)
	75-79	371 (5.0)	333 (5.0)	80+	453 (4.8)	374 (4.7)	374 (4.7)	374 (4.7)
年齢	80+	261 (3.5)	169 (2.6)	年平均値(標準偏差)	57.0 (11.5)	58.1 (11.5)	58.1 (11.5)	58.1 (11.5)
喫煙状況	非喫煙者	1241 (16.8)	1129 (17.1)	喫煙状況	非喫煙者	5919 (63.1)	4415 (55.4)	4415 (55.4)
	過去喫煙者	1617 (21.9)	832 (12.6)		過去喫煙者	280 (3.0)	94 (1.2)	94 (1.2)
	現在喫煙者	3083 (41.7)	2579 (39.1)		現在喫煙者	822 (8.8)	280 (3.6)	280 (3.6)
	欠損値	1450 (19.6)	2061 (31.2)		欠損値	2362 (25.2)	3171 (39.8)	3171 (39.8)
喫煙年数(現在喫煙、過去喫煙別、合計別)				喫煙年数(現在喫煙、過去喫煙別、合計別)				
現在喫煙者	-9	30 (1.0)	55 (2.1)	現在喫煙者	-9	99 (12.0)	39 (13.4)	39 (13.4)
	10-19	98 (3.2)	124 (4.8)		10-19	165 (20.1)	65 (22.4)	65 (22.4)
	20-29	1036 (33.6)	813 (31.5)		20-29	276 (33.6)	71 (24.5)	71 (24.5)
	30-39	1044 (33.9)	902 (35.0)		30-39	157 (19.1)	49 (16.9)	49 (16.9)
	40+	803 (26.0)	633 (24.5)		40+	103 (12.5)	50 (17.2)	50 (17.2)
	欠損値	72 (2.3)	52 (2.0)		欠損値	22 (2.7)	16 (5.5)	16 (5.5)
過去喫煙者	-9	84 (5.2)	40 (4.8)	過去喫煙者	-9	54 (19.3)	12 (12.8)	12 (12.8)
	10-19	311 (19.2)	146 (17.5)		10-19	68 (24.3)	20 (21.3)	20 (21.3)
	20-29	456 (28.2)	233 (28.0)		20-29	76 (27.1)	15 (16.0)	15 (16.0)
	30-39	362 (22.4)	217 (26.1)		30-39	39 (13.9)	17 (18.1)	17 (18.1)
	40+	295 (18.2)	117 (14.1)		40+	25 (8.9)	12 (12.8)	12 (12.8)
	欠損値	109 (6.7)	79 (9.5)		欠損値	18 (6.4)	18 (19.1)	18 (19.1)
現在・過去喫煙者計	-9	114 (2.4)	95 (2.8)	現在・過去喫煙者計	-9	153 (13.9)	51 (13.3)	51 (13.3)
	10-19	409 (8.7)	270 (7.9)		10-19	233 (21.1)	85 (22.1)	85 (22.1)
	20-29	1482 (31.7)	1046 (30.7)		20-29	352 (31.9)	86 (22.4)	86 (22.4)
	30-39	1406 (29.9)	1119 (32.8)		30-39	196 (17.8)	66 (17.2)	66 (17.2)
	40+	1098 (23.4)	750 (22.0)		40+	128 (11.6)	62 (16.1)	62 (16.1)
	欠損値	181 (3.9)	131 (3.8)		欠損値	40 (3.6)	34 (8.9)	34 (8.9)
喫煙本数(現在喫煙、過去喫煙、合計別)				喫煙本数(現在喫煙、過去喫煙、合計別)				
現在喫煙者	-19	1003 (32.5)	843 (32.7)	現在喫煙者	-19	532 (64.7)	217 (74.8)	217 (74.8)
	20-29	1246 (40.4)	1205 (46.8)		20-29	217 (26.4)	58 (20.0)	58 (20.0)
	30-39	438 (14.2)	332 (12.9)		30-39	45 (5.5)	4 (1.4)	4 (1.4)
	40+	373 (12.1)	178 (6.9)		40+	21 (2.6)	1 (0.3)	1 (0.3)
	欠損値	23 (0.7)	20 (0.8)		欠損値	7 (0.9)	10 (3.4)	10 (3.4)
過去喫煙者	-19	547 (33.8)	278 (33.4)	過去喫煙者	-19	192 (68.6)	71 (75.5)	71 (75.5)
	20-29	551 (34.1)	331 (39.8)		20-29	53 (18.9)	10 (10.6)	10 (10.6)
	30-39	208 (12.7)	74 (8.9)		30-39	14 (5.0)	3 (3.2)	3 (3.2)
	40+	241 (14.9)	110 (13.2)		40+	8 (2.9)	2 (2.1)	2 (2.1)
	欠損値	72 (4.5)	39 (4.7)		欠損値	13 (4.6)	8 (8.5)	8 (8.5)
現在・過去喫煙者計	-19	1550 (33.0)	1121 (32.9)	現在・過去喫煙者計	-19	724 (65.7)	288 (75.0)	288 (75.0)
	20-29	1797 (38.2)	1537 (46.1)		20-29	270 (24.5)	68 (17.7)	68 (17.7)
	30-39	644 (13.7)	406 (11.9)		30-39	59 (5.4)	7 (1.8)	7 (1.8)
	40+	614 (13.1)	288 (8.4)		40+	29 (2.6)	3 (0.8)	3 (0.8)
	欠損値	95 (2.0)	69 (1.7)		欠損値	20 (1.8)	18 (4.7)	18 (4.7)
Packyears(現在喫煙、過去喫煙、合計別)				Packyears(現在喫煙、過去喫煙、合計別)				
現在喫煙者	<20	549 (17.8)	498 (19.3)	現在喫煙者	<20	476 (57.9)	193 (66.6)	193 (66.6)
	20-<40	1417 (46.0)	1305 (50.6)		20-<40	264 (32.1)	64 (22.1)	64 (22.1)
	40-<60	723 (23.5)	553 (21.4)		40-<60	46 (5.6)	14 (4.8)	14 (4.8)
	60+	314 (10.2)	164 (6.4)		60+	12 (1.5)	3 (1.0)	3 (1.0)
	欠損値	80 (2.6)	59 (2.3)		欠損値	24 (2.9)	16 (5.5)	16 (5.5)
過去喫煙者	<20	554 (34.3)	274 (32.9)	過去喫煙者	<20	188 (70.7)	60 (63.8)	60 (63.8)
	20-<40	501 (31.0)	295 (35.3)		20-<40	45 (16.1)	10 (10.6)	10 (10.6)
	40-<60	275 (17.0)	110 (13.2)		40-<60	11 (3.9)	3 (3.2)	3 (3.2)
	60+	168 (10.4)	67 (8.1)		60+	6 (2.1)	2 (2.1)	2 (2.1)
	欠損値	119 (7.4)	86 (10.3)		欠損値	20 (7.1)	10 (20.2)	10 (20.2)
現在・過去喫煙者計	<20	1103 (23.5)	772 (22.6)	現在・過去喫煙者計	<20	674 (61.2)	253 (65.9)	253 (65.9)
	20-<40	1918 (40.8)	1600 (46.9)		20-<40	309 (28.0)	74 (19.3)	74 (19.3)
	40-<60	996 (21.2)	663 (19.4)		40-<60	57 (5.2)	17 (4.4)	17 (4.4)
	60+	482 (10.3)	231 (6.8)		60+	18 (1.6)	5 (1.3)	5 (1.3)
	欠損値	199 (4.2)	145 (4.3)		欠損値	44 (4.0)	35 (9.1)	35 (9.1)
子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				
非喫煙者	なし	345 (27.8)	383 (33.9)	非喫煙者	なし	1388 (23.4)	1137 (25.8)	1137 (25.8)
	あり	769 (62.0)	642 (56.9)		あり	3900 (65.9)	2733 (61.9)	2733 (61.9)
	欠損値	127 (10.2)	104 (9.2)		欠損値	631 (10.7)	545 (12.3)	545 (12.3)
過去喫煙者	なし	333 (20.6)	214 (25.7)	過去喫煙者	なし	43 (15.4)	13 (13.8)	13 (13.8)
	あり	1139 (70.4)	538 (64.7)		あり	208 (74.3)	67 (71.3)	67 (71.3)
	欠損値	145 (9.0)	80 (9.6)		欠損値	29 (10.4)	14 (14.0)	14 (14.0)
現在喫煙者	なし	592 (19.2)	558 (21.6)	現在喫煙者	なし	130 (15.8)	47 (16.2)	47 (16.2)
	あり	2220 (72.0)	1762 (68.3)		あり	583 (70.9)	212 (73.1)	212 (73.1)
	欠損値	271 (8.8)	259 (10.0)		欠損値	109 (13.3)	31 (10.7)	31 (10.7)
合計	なし	1270 (21.4)	1155 (25.4)	合計	なし	1561 (22.2)	1197 (24.9)	1197 (24.9)
	あり	4128 (69.5)	2942 (64.8)		あり	4691 (66.8)	3012 (62.8)	3012 (62.8)
	欠損値	543 (9.1)	443 (9.8)		欠損値	709 (11.0)	590 (12.3)	590 (12.3)

	男性				女性			
	都市 (仙台市青葉区・宮城野区)		対照 (瀧谷町・田尻町)		都市 (仙台市青葉区・宮城野区)		対照 (瀧谷町・田尻町)	
配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)								
非喫煙者	なし	1190 (95.9)	1109 (98.2)	非喫煙者	なし	3654 (61.7)	2540 (57.5)	
	あり	51 (4.1)	19 (1.7)		あり	2261 (38.2)	1868 (42.3)	
	欠損値		1 (0.1)		欠損値	4 (0.1)	7 (0.2)	
過去喫煙者	なし	1538 (95.1)	807 (97.0)	過去喫煙者	なし	195 (69.6)	64 (68.1)	
	あり	77 (4.8)	25 (3.0)		あり	84 (30.0)	30 (31.9)	
	欠損値	2 (0.1)			欠損値	1 (0.4)		
現在喫煙者	なし	2721 (88.3)	2471 (95.8)	現在喫煙者	なし	472 (57.4)	179 (61.7)	
	あり	366 (11.5)	107 (4.1)		あり	350 (42.6)	111 (38.3)	
	欠損値	8 (0.2)	1 (0.0)		欠損値			
合計	なし	5449 (91.7)	4387 (96.6)	合計	なし	4321 (61.5)	2783 (58.0)	
	あり	484 (8.1)	151 (3.3)		あり	2695 (38.4)	2009 (41.9)	
	欠損値	8 (0.1)	2 (0.0)		欠損値	5 (0.1)	7 (0.1)	
家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				
非喫煙者	なし	954 (77.7)	586 (51.8)	非喫煙者	なし	2632 (44.5)	1191 (27.0)	
	あり	277 (22.3)	543 (48.1)		あり	3287 (55.5)	3224 (73.0)	
過去喫煙者	なし	1198 (74.1)	462 (55.5)	過去喫煙者	なし	119 (42.5)	26 (27.7)	
	あり	419 (25.9)	370 (44.8)		あり	161 (57.5)	68 (72.3)	
現在喫煙者	なし	1969 (63.9)	1209 (46.9)	現在喫煙者	なし	268 (32.6)	82 (28.3)	
	あり	1114 (36.1)	1370 (53.1)		あり	554 (67.4)	208 (71.7)	
合計	なし	4131 (69.5)	2257 (49.7)	合計	なし	4117 (43.9)	2391 (30.0)	
	あり	1810 (30.5)	2283 (60.3)		あり	5266 (56.1)	5570 (70.0)	
危険職種	なし	4473 (60.5)	1615 (24.5)	危険職種	なし	7590 (80.9)	3709 (46.5)	
	あり	2918 (39.5)	4986 (75.5)		あり	1793 (19.1)	4261 (53.5)	
緑黄色野菜摂取	食べない	73 (1.0)	116 (1.8)	緑黄色野菜摂取	食べない	65 (0.7)	103 (1.3)	
	月に1-2回	244 (3.3)	300 (4.5)		月に1-2回	139 (1.5)	236 (2.9)	
	週に1-2回	1253 (17.0)	1074 (16.3)		週に1-2回	899 (9.6)	1008 (12.6)	
	週に3-4回	1879 (25.4)	1505 (22.8)		週に3-4回	2191 (23.4)	1898 (21.3)	
	ほとんど毎日	3568 (48.7)	2834 (42.9)		ほとんど毎日	5174 (55.1)	3683 (46.2)	
	欠損値	344 (4.7)	772 (11.7)		欠損値	915 (9.8)	1242 (15.6)	
緑黄色野菜毎日摂取(再掲)	なし	3449 (46.7)	2995 (45.4)	緑黄色野菜毎日摂取(再掲)	なし	3294 (35.1)	3045 (38.2)	
	あり	3598 (48.7)	2834 (42.9)		あり	5174 (55.1)	3683 (46.2)	
	欠損値	344 (4.7)	772 (11.7)		欠損値	915 (9.8)	1242 (15.6)	
その他の野菜摂取	食べない	52 (0.7)	90 (1.4)	その他の野菜摂取	食べない	62 (0.7)	98 (1.2)	
	月に1-2回	127 (1.7)	131 (2.0)		月に1-2回	88 (0.9)	105 (1.3)	
	週に1-2回	813 (11.0)	498 (7.5)		週に1-2回	581 (6.2)	367 (4.6)	
	週に3-4回	1850 (25.0)	1092 (16.5)		週に3-4回	1790 (19.1)	1053 (13.2)	
	ほとんど毎日	4251 (57.5)	4166 (63.1)		ほとんど毎日	5955 (63.5)	5232 (65.6)	
	欠損値	298 (4.0)	624 (9.5)		欠損値	907 (9.7)	1115 (14.0)	
その他の野菜毎日摂取(再掲)	なし	2842 (38.5)	1811 (27.4)	その他の野菜毎日摂取(再掲)	なし	2521 (26.9)	1623 (20.4)	
	あり	4251 (57.5)	4166 (63.1)		あり	5955 (63.5)	5232 (65.6)	
	欠損値	298 (4.0)	624 (9.5)		欠損値	907 (9.7)	1115 (14.0)	
果物摂取	食べない	166 (2.2)	145 (2.2)	果物摂取	食べない	99 (1.1)	109 (1.4)	
	月に1-2回	439 (5.9)	269 (4.1)		月に1-2回	173 (1.8)	151 (1.9)	
	週に1-2回	1289 (17.4)	878 (13.3)		週に1-2回	655 (7.0)	488 (6.1)	
	週に3-4回	1502 (20.3)	1304 (19.8)		週に3-4回	1324 (14.1)	1029 (12.9)	
	ほとんど毎日	3614 (48.9)	3131 (47.4)		ほとんど毎日	6213 (66.2)	4936 (61.9)	
	欠損値	381 (5.2)	874 (13.2)		欠損値	919 (9.8)	1257 (15.8)	
果物毎日摂取(再掲)	なし	3396 (45.9)	2596 (39.3)	果物毎日摂取(再掲)	なし	2251 (24.0)	1777 (22.3)	
	あり	3614 (48.9)	3131 (47.4)		あり	6213 (66.2)	4936 (61.9)	
	欠損値	381 (5.2)	874 (13.2)		欠損値	919 (9.8)	1257 (15.8)	
緑茶摂取	飲まない	354 (4.8)	312 (4.7)	緑茶摂取	飲まない	338 (3.6)	315 (4.0)	
	ときどき	706 (9.6)	932 (14.1)		ときどき	1067 (11.4)	937 (11.8)	
	1日に1-2回	1280 (17.3)	948 (14.4)		1日に1-2回	1297 (13.8)	1131 (14.1)	
	1日に3-4回	1495 (20.2)	1154 (17.5)		1日に3-4回	1887 (20.1)	1395 (17.5)	
	1日5杯以上	2729 (36.9)	2214 (33.5)		1日5杯以上	3552 (37.9)	2726 (34.2)	
	欠損値	827 (11.2)	1041 (15.8)		欠損値	1242 (13.2)	1476 (18.5)	
緑茶毎日5杯以上摂取(再掲)	なし	3835 (51.9)	3346 (50.7)	緑茶毎日5杯以上摂取(再掲)	なし	4589 (48.9)	3768 (47.3)	
	あり	2729 (36.9)	2214 (33.5)		あり	3552 (37.9)	2726 (34.2)	
	欠損値	827 (11.2)	1041 (15.8)		欠損値	1242 (13.2)	1476 (18.5)	
BMI階級	<18.5	394 (5.3)	210 (3.2)	BMI階級2	<18.5	842 (6.8)	329 (4.1)	
	18.5-25	5199 (70.3)	4475 (67.8)		18.5-25	6174 (65.8)	4503 (56.5)	
	25-30	1417 (19.2)	1366 (20.7)		25-30	1865 (19.9)	2167 (27.2)	
	30+	126 (1.7)	110 (1.7)		30+	255 (2.7)	322 (4.0)	
	欠損値	255 (3.5)	440 (6.7)		欠損値	447 (4.8)	649 (8.1)	
BMI	平均値(標準偏差)	23.0 (3.5)	23.2 (2.9)	BMI	平均値(標準偏差)	22.9 (3.6)	23.9 (3.5)	
飲酒状況	1=ほとんど毎日	3143 (42.5)	2454 (37.2)	飲酒状況	1=ほとんど毎日	424 (4.5)	150 (1.9)	
	2=ときどき	894 (12.1)	847 (12.8)		2=ときどき	623 (6.6)	324 (4.1)	
	3=あまりのときだけ	1150 (15.6)	916 (12.4)		3=あまりのときだけ	1545 (16.5)	894 (11.2)	
	4=以前はよく飲んだが最近では飲まない	557 (7.5)	538 (8.2)		4=以前はよく飲んだが最近では飲まない	293 (3.1)	151 (1.9)	
	5=以前から飲まない	997 (13.5)	831 (12.6)		5=以前から飲まない	4336 (46.2)	3473 (43.6)	
	欠損値	650 (8.8)	1115 (16.9)		欠損値	2162 (23.0)	2978 (37.4)	
毎日飲酒(再掲)	毎日飲む(1)	3143 (42.5)	2454 (37.2)	毎日飲酒(再掲)	毎日飲む(1)	424 (4.5)	150 (1.9)	
	飲まない(2,3,5)	3041 (41.1)	2494 (37.8)		飲まない(2,3,5)	6004 (69.3)	4691 (58.9)	
	やめた(4)	557 (7.5)	538 (8.2)		やめた(4)	293 (3.1)	151 (1.9)	
	欠損値	650 (8.8)	1115 (16.9)		欠損値	2162 (23.0)	2978 (37.4)	
現在飲酒(再掲)	飲む(1,2,3)	5187 (70.2)	4117 (62.4)	現在飲酒(再掲)	飲む(1,2,3)	2592 (27.6)	1368 (17.2)	
	飲まない(5)	997 (13.5)	831 (12.6)		飲まない(5)	4336 (46.2)	3473 (43.6)	
	やめた(4)	557 (7.5)	538 (8.2)		やめた(4)	293 (3.1)	151 (1.9)	
	欠損値	650 (8.8)	1115 (16.9)		欠損値	2162 (23.0)	2978 (37.4)	
健康保険	国民健康保険	2976 (40.3)	4588 (69.5)	健康保険	国民健康保険	4198 (44.7)	5315 (66.7)	
	健康保険(政府管掌)	1981 (26.8)	909 (13.8)		健康保険(政府管掌)	2364 (25.2)	1237 (15.5)	
	健康保険(組合等)	1124 (15.2)	286 (4.3)		健康保険(組合等)	1143 (12.2)	400 (5.0)	
	共済組合	1014 (13.7)	496 (7.5)		共済組合	1194 (12.7)	531 (6.7)	
	その他	168 (2.3)	127 (1.9)		その他	245 (2.6)	177 (2.2)	
	欠損値	128 (1.7)	195 (3.0)		欠損値	239 (2.5)	310 (3.9)	

		男性				女性			
		釜市 (仙台市青葉区・宮城野区)		対照 (涌谷町・田尻町)		釜市 (仙台市青葉区・宮城野区)		対照 (涌谷町・田尻町)	
居住年数20年以上 (明治・大正元号のみ含む)	なし	1812	(24.5)	464	(7.0)	2269	(24.2)	761	(9.5)
	あり	4765	(64.5)	5490	(83.2)	5998	(63.9)	6162	(77.3)
	欠損値	814	(11.0)	647	(9.8)	1116	(11.9)	1047	(13.1)
煙草なしのストロブ	なし	2646	(35.8)	1812	(27.5)	3255	(34.7)	2265	(28.4)
	あり	4745	(64.2)	4789	(72.5)	6128	(65.3)	5705	(71.6)
高血圧既往	なし	5501	(74.4)	4653	(70.5)	7222	(77.0)	5639	(70.8)
	あり	1890	(25.6)	1948	(29.5)	2161	(23.0)	2331	(29.2)
心臓病既往	なし	6747	(91.3)	6056	(91.7)	8554	(91.2)	7154	(89.8)
	あり	644	(8.7)	545	(8.3)	829	(8.8)	816	(10.2)
脳血管疾患既往	なし	7291	(98.6)	6508	(98.6)	9309	(98.2)	7903	(99.2)
	あり	100	(1.4)	93	(1.4)	74	(0.8)	67	(0.8)
糖尿病既往	なし	6723	(91.0)	6203	(94.0)	8970	(95.6)	7682	(96.1)
	あり	668	(9.0)	398	(6.0)	413	(4.4)	308	(3.9)
肝臓病既往	なし	6919	(93.6)	6197	(93.9)	9066	(96.6)	7709	(96.7)
	あり	472	(6.4)	404	(6.1)	317	(3.4)	261	(3.3)
胃十二指腸膵臓癌既往	なし	6386	(86.4)	5661	(85.8)	8838	(94.2)	7428	(93.2)
	あり	1005	(13.6)	940	(14.2)	945	(5.8)	542	(6.8)
胆石既往	なし	7170	(97.0)	6484	(98.2)	9001	(95.9)	7741	(97.1)
	あり	221	(3.0)	117	(1.8)	382	(4.1)	229	(2.9)
虫垂炎既往	なし	6916	(93.6)	6275	(95.1)	8704	(92.8)	7493	(94.0)
	あり	475	(6.4)	326	(4.9)	679	(7.2)	477	(6.0)
結核肋膜炎既往	なし	6825	(92.3)	6387	(96.8)	8921	(95.1)	7843	(98.4)
	あり	566	(7.7)	214	(3.2)	462	(4.9)	127	(1.6)
肺炎既往	なし	7215	(97.6)	6491	(98.3)	9152	(97.5)	7854	(98.7)
	あり	176	(2.4)	110	(1.7)	231	(2.5)	106	(1.3)
喘息既往	なし	7183	(97.2)	6336	(96.0)	9179	(97.8)	7777	(97.6)
	あり	208	(2.8)	265	(4.0)	204	(2.2)	193	(2.4)
慢性気管支炎既往	なし	7193	(97.3)	6490	(98.3)	9180	(97.8)	7842	(98.4)
	あり	198	(2.7)	111	(1.7)	203	(2.2)	128	(1.6)
肺炎腫既往	なし	7355	(99.5)	6575	(99.6)	9370	(99.9)	7963	(99.9)
	あり	36	(0.5)	26	(0.4)	13	(0.1)	7	(0.1)
じん肺既往	なし	7377	(98.8)	6576	(99.6)	9377	(99.9)	7949	(99.7)
	あり	14	(0.2)	25	(0.4)	6	(0.1)	21	(0.3)
痛風既往	なし	7174	(97.1)	6531	(98.9)	9307	(99.2)	7920	(99.4)
	あり	217	(2.9)	70	(1.1)	76	(0.8)	50	(0.6)

表6-1-2. 府県別・地区別ベースライン調査結果(愛知県)

男性				女性			
		都市 (名古屋市中心部)	対照 (犬山市)			都市 (名古屋市中心部)	対照 (犬山市)
対象者数		10,044	5,694	対象者数		11,470	6,307
死亡数		1,306	849	死亡数		1,016	715
観察人年(合計)		77,262	50,147	観察人年(合計)		93,606	58,372
観察人年平均値(標準偏差)		7.7 (3.3)	8.8 (2.6)	観察人年平均値(標準偏差)		8.2 (3.0)	8.9 (2.5)
年齢階級	数 (%)	数 (%)	数 (%)	年齢階級	数 (%)	数 (%)	数 (%)
40-44	1841 (18.3)	1097 (19.3)	1911 (16.7)	40-44	1911 (16.7)	1072 (17.0)	
45-49	1821 (18.1)	989 (17.4)	1944 (16.8)	45-49	1944 (16.8)	1050 (16.6)	
50-54	1760 (17.5)	963 (16.9)	1785 (15.6)	50-54	1785 (15.6)	897 (14.2)	
55-59	1358 (13.5)	823 (14.5)	1621 (14.1)	55-59	1621 (14.1)	869 (13.2)	
60-64	1035 (10.3)	561 (9.9)	1351 (11.8)	60-64	1351 (11.8)	711 (11.3)	
65-69	818 (8.1)	476 (8.4)	1020 (8.9)	65-69	1020 (8.9)	638 (10.1)	
70-74	675 (6.7)	377 (6.8)	843 (7.3)	70-74	843 (7.3)	459 (7.3)	
75-79	442 (4.4)	250 (4.4)	679 (5.9)	75-79	679 (5.9)	346 (5.5)	
80+	294 (2.9)	158 (2.8)	466 (3.5)	80+	466 (3.5)	285 (4.2)	
年齢	平均値(標準偏差)	55.5 (11.1)	55.5 (11.2)	年齢	平均値(標準偏差)	56.6 (11.5)	56.0 (11.8)
喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 欠損値	1588 (15.8) 3008 (29.9) 5283 (52.6) 187 (1.7)	845 (14.8) 1478 (26.0) 3218 (56.5) 153 (2.7)	喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 欠損値	8736 (76.2) 526 (4.6) 1421 (12.4) 787 (6.9)	4112 (65.2) 190 (3.0) 591 (9.4) 1414 (22.4)
喫煙年数(現在喫煙、過去喫煙別、合計別)				喫煙年数(現在喫煙、過去喫煙別、合計別)			
現在喫煙者	-9 10-19 20-29 30-39 40+	24 (0.5) 109 (2.1) 1994 (37.7) 1716 (32.5) 1391 (26.3)	10 (0.3) 81 (1.9) 1135 (20.3) 1048 (22.6) 909 (28.2)	現在喫煙者	-9 10-19 20-29 30-39 40+	134 (9.4) 304 (21.4) 526 (37.0) 277 (19.5) 155 (10.9)	60 (10.2) 130 (22.0) 168 (28.4) 109 (18.4) 104 (17.6)
過去喫煙者	-9 10-19 20-29 30-39 40+	284 (8.8) 627 (20.8) 918 (30.5) 672 (22.3) 450 (15.0)	132 (8.9) 306 (20.7) 427 (28.9) 327 (22.1) 227 (15.4)	過去喫煙者	-9 10-19 20-29 30-39 40+	118 (22.4) 162 (30.8) 122 (23.2) 66 (12.5) 37 (7.0)	26 (13.7) 45 (23.7) 37 (19.5) 20 (10.5) 32 (16.8)
現在・過去喫煙者計	-9 10-19 20-29 30-39 40+	288 (3.5) 736 (8.9) 2912 (35.1) 2388 (28.8) 1841 (22.2)	142 (3.0) 387 (7.8) 1562 (33.3) 1375 (29.3) 1136 (24.2)	現在・過去喫煙者計	-9 10-19 20-29 30-39 40+	252 (12.9) 466 (23.9) 648 (33.3) 343 (17.6) 192 (9.9)	86 (11.0) 175 (22.4) 205 (26.2) 129 (16.5) 136 (17.4)
喫煙本数(現在喫煙、過去喫煙、合計別)				喫煙本数(現在喫煙、過去喫煙、合計別)			
現在喫煙者	-19 20-29 30-39 40+	1488 (28.2) 2013 (38.1) 898 (17.0) 884 (16.7)	1024 (31.8) 1354 (42.1) 416 (12.9) 424 (13.2)	現在喫煙者	-19 20-29 30-39 40+	881 (62.0) 412 (29.0) 65 (4.6) 63 (4.4)	389 (65.8) 157 (26.6) 24 (4.1) 21 (3.6)
過去喫煙者	-19 20-29 30-39 40+	904 (33.0) 1066 (35.4) 380 (12.6) 568 (18.9)	533 (36.1) 530 (35.9) 182 (12.3) 283 (15.8)	過去喫煙者	-19 20-29 30-39 40+	373 (70.9) 99 (18.8) 10 (1.9) 44 (8.4)	132 (69.5) 38 (20.0) 3 (1.6) 17 (8.9)
現在・過去喫煙者計	-19 20-29 30-39 40+	2482 (29.9) 3079 (37.1) 1278 (15.4) 1452 (17.5)	1557 (33.2) 1884 (40.1) 598 (12.7) 657 (14.0)	現在・過去喫煙者計	-19 20-29 30-39 40+	1254 (64.4) 511 (28.2) 75 (3.9) 107 (5.5)	521 (86.7) 195 (25.0) 27 (3.5) 38 (4.9)
Packyears(現在喫煙、過去喫煙、合計別)				Packyears(現在喫煙、過去喫煙、合計別)			
現在喫煙者	<20 20<-40 40<-60 60+	792 (15.0) 2376 (45.0) 1364 (25.8) 702 (13.3)	513 (15.9) 1520 (47.2) 839 (26.1) 291 (9.0)	現在喫煙者	<20 20<-40 40<-60 60+	856 (60.2) 424 (29.8) 90 (6.3) 26 (1.8)	362 (61.3) 159 (26.9) 39 (6.6) 11 (1.9)
過去喫煙者	<20 20<-40 40<-60 60+	1135 (37.7) 954 (31.7) 473 (15.7) 369 (12.3)	553 (37.4) 524 (35.5) 297 (14.0) 135 (9.1)	過去喫煙者	<20 20<-40 40<-60 60+	386 (73.4) 88 (16.7) 16 (3.0) 15 (2.9)	114 (60.0) 31 (16.3) 11 (5.8) 4 (2.1)
現在・過去喫煙者計	<20 20<-40 40<-60 60+	1927 (23.2) 3330 (40.2) 1837 (22.2) 1071 (12.9)	1066 (22.7) 2044 (43.5) 1046 (22.3) 426 (9.1)	現在・過去喫煙者計	<20 20<-40 40<-60 60+	1242 (63.8) 512 (26.3) 106 (5.4) 41 (2.1)	476 (60.9) 190 (24.3) 50 (6.4) 15 (1.9)
子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり 欠損値	471 (29.7) 946 (58.6) 169 (10.7)	260 (30.8) 481 (56.9) 104 (12.3)	非喫煙者	なし あり 欠損値	2075 (23.8) 5779 (66.2) 882 (10.1)	1023 (24.9) 2527 (61.5) 562 (13.7)
過去喫煙者	なし あり 欠損値	654 (21.7) 2082 (69.2) 272 (9.0)	336 (22.7) 966 (65.4) 176 (11.9)	過去喫煙者	なし あり 欠損値	86 (16.3) 381 (72.4) 59 (11.2)	32 (16.6) 124 (65.3) 34 (17.9)
現在喫煙者	なし あり 欠損値	939 (17.8) 3633 (72.6) 511 (9.7)	600 (18.6) 2226 (69.2) 392 (12.2)	現在喫煙者	なし あり 欠損値	177 (12.5) 1079 (75.9) 165 (11.6)	89 (13.5) 428 (72.4) 83 (14.0)
合計	なし あり 欠損値	2064 (20.9) 6861 (69.5) 952 (9.6)	1198 (21.6) 3673 (66.3) 672 (12.1)	合計	なし あり 欠損値	2338 (21.9) 7239 (67.8) 1106 (10.4)	1135 (23.2) 3079 (62.9) 679 (13.9)

		男 性				女 性			
		都 市 (名古屋市千種区)		対 照 (大山市)		都 市 (名古屋市千種区)		対 照 (大山市)	
配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり	1540 46	(97.1) (2.9)	823 22	(97.4) (2.6)	5682 3054	(65.0) (35.0)	2474 1638	(60.2) (39.8)
過去喫煙者	なし あり	2863 145	(95.2) (4.8)	1428 52	(96.5) (3.5)	371 156	(70.5) (29.5)	140 50	(73.7) (26.3)
現在喫煙者	なし あり	4601 682	(87.1) (12.9)	2946 272	(91.5) (8.5)	792 629	(55.7) (44.3)	323 268	(54.7) (45.3)
合計	なし あり	9004 873	(91.2) (8.8)	5195 346	(93.8) (6.2)	6845 3838	(64.1) (35.9)	2937 1956	(60.0) (40.0)
家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり	1314 272	(82.8) (17.2)	612 233	(72.4) (27.6)	4406 4330	(50.4) (49.6)	1648 2464	(40.1) (59.9)
過去喫煙者	なし あり	2401 607	(78.8) (20.2)	1055 423	(71.4) (28.6)	286 240	(54.4) (45.6)	95 95	(50.0) (50.0)
現在喫煙者	なし あり	3712 1571	(70.3) (29.7)	1981 1237	(61.6) (38.4)	534 887	(37.6) (62.4)	185 405	(31.3) (68.7)
合計	なし あり	7427 2450	(75.2) (24.8)	3648 1893	(65.8) (34.2)	5226 5457	(48.9) (51.1)	1928 2965	(39.4) (60.6)
危険職種	なし あり	6116 3928	(60.9) (39.1)	2424 3270	(42.6) (57.4)	3295 2175	(31.0) (19.0)	4113 2194	(65.2) (34.8)
緑黄色野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	64 505 2194 2897 4125 259	(0.6) (5.0) (21.8) (28.8) (41.1) (2.6)	45 406 1387 1500 1922 434	(0.8) (7.1) (24.4) (26.3) (33.8) (7.6)	30 267 1711 3294 5838 330	(0.3) (2.3) (14.9) (28.7) (50.9) (2.9)	25 230 1113 1601 2653 685	(0.4) (3.8) (17.6) (25.4) (42.1) (10.9)
緑黄色野菜毎日摂取 (再掲)	なし あり 欠損値	5660 4125 259	(56.4) (41.1) (2.6)	3336 1922 434	(58.6) (33.8) (7.6)	5302 5838 330	(46.2) (50.9) (2.9)	2969 2653 685	(47.1) (42.1) (10.9)
その他の野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	21 179 1327 2715 5585 217	(0.2) (1.8) (13.2) (27.0) (55.6) (2.2)	19 195 688 1469 3075 338	(0.3) (1.8) (12.1) (25.8) (54.0) (5.9)	20 99 957 2748 7341 305	(0.2) (0.9) (8.3) (24.0) (64.0) (2.7)	18 69 432 1299 3859 630	(0.3) (1.1) (6.8) (20.6) (61.2) (10.0)
その他の野菜毎日摂取 (再掲)	なし あり 欠損値	4242 5585 217	(42.2) (55.6) (2.2)	2281 3075 338	(40.1) (54.0) (5.9)	3824 7341 305	(33.3) (64.0) (2.7)	1818 3859 630	(28.8) (61.2) (10.0)
果物摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	200 807 2147 2305 4236 349	(2.0) (8.0) (21.4) (22.9) (42.2) (3.5)	97 548 1640 1421 1452 536	(1.7) (8.6) (28.8) (25.0) (25.5) (9.4)	94 339 1400 2530 6892 415	(0.8) (3.0) (12.2) (22.1) (58.3) (3.6)	53 304 1166 1672 2341 771	(0.8) (4.8) (18.5) (26.5) (37.1) (12.2)
果物毎日摂取 (再掲)	なし あり 欠損値	5459 4236 349	(54.4) (42.2) (3.5)	3706 1452 536	(65.1) (25.5) (9.4)	4363 6892 415	(38.0) (58.3) (3.6)	3195 2341 771	(50.7) (37.1) (12.2)
緑茶摂取	飲まない ときどき 1日に1-2回 1日に3-4回 1日5杯上 欠損値	264 792 2217 3111 2901 759	(2.6) (7.9) (22.1) (31.0) (28.8) (7.6)	271 370 823 1608 1696 926	(4.8) (6.5) (14.5) (28.2) (29.8) (16.3)	221 943 1857 3814 4020 715	(1.9) (7.3) (16.2) (33.3) (35.0) (6.2)	247 410 703 1769 2097 1081	(3.9) (6.5) (11.1) (26.0) (33.2) (17.1)
緑茶毎日5杯以上摂取 (再掲)	なし あり 欠損値	6384 2501 759	(63.6) (28.8) (7.6)	3072 1696 926	(54.0) (29.8) (16.3)	6735 4020 715	(58.7) (35.0) (6.2)	3129 2097 1081	(49.6) (33.2) (17.1)
BMI階級	<18.5 18.5-25 25-30 30+ 欠損値	813 7313 1515 81 322	(8.1) (72.8) (15.1) (0.6) (3.2)	453 4344 702 50 145	(8.0) (76.3) (12.3) (0.9) (2.5)	1311 8158 1349 117 535	(11.4) (71.1) (11.8) (1.0) (4.7)	634 4404 884 84 301	(10.1) (69.8) (14.0) (1.3) (4.8)
BMI	平均値(標準偏差)	22.4 (2.9)		22.1 (2.8)		21.8 (3.0)		22.2 (3.1)	
飲酒状況	1=ほとんど毎日 2=ときどき 3=あまりのときだけ 4=以前はよく飲んだが最近 は飲まない 5=以前から飲まない 欠損値	4970 1773 1061 683 1353 204	(49.5) (17.7) (10.6) (6.0) (13.5) (2.0)	2659 899 632 348 954 302	(46.7) (18.8) (11.1) (6.1) (15.0) (5.3)	859 2070 1498 252 5454 1337	(7.5) (18.0) (13.1) (2.2) (47.6) (11.7)	335 849 690 97 2652 1684	(5.3) (13.5) (10.9) (1.5) (42.0) (26.7)
毎日飲酒 (再掲)	毎日飲む(1) 飲まない(2,3,5) やめた(4) 欠損値	4970 4187 683 204	(49.5) (41.7) (6.8) (2.0)	2659 2385 348 302	(46.7) (41.9) (6.1) (5.3)	859 9022 252 1337	(7.5) (78.7) (2.2) (11.7)	335 4191 97 1684	(5.3) (66.4) (1.5) (26.7)
現在飲酒 (再掲)	飲む(1,2,3) 飲まない(5) やめた(4) 欠損値	7804 1353 683 204	(77.7) (13.5) (6.8) (2.0)	4190 854 348 302	(73.6) (15.0) (6.1) (5.3)	4427 5494 252 1337	(38.6) (47.6) (2.2) (11.7)	1874 2652 97 1684	(29.7) (42.0) (1.5) (26.7)
健康保険	国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 欠損値	3505 2044 3254 934 76 231	(34.9) (20.4) (32.4) (9.3) (0.8) (2.3)	2204 1129 1650 426 48 237	(38.7) (19.8) (29.0) (7.5) (0.8) (4.2)	4629 2228 3108 962 127 398	(40.4) (19.4) (27.1) (8.6) (1.1) (3.3)	2494 1284 1582 480 63 404	(39.5) (20.4) (25.1) (7.6) (1.0) (6.4)

		男性		女性	
		都市 (名古屋市千種区)	対照 (犬山市)	都市 (名古屋市千種区)	対照 (犬山市)
居住年数20年以上 (明治・大正元号のみ含む)	なし	5408 (53.8)	1696 (29.8)	6820 (50.7)	1789 (28.4)
	あり	4553 (45.3)	3902 (68.5)	5529 (48.2)	4394 (69.7)
	欠損値	83 (0.8)	96 (1.7)	121 (1.1)	124 (2.0)
煙突なしのストーブ	なし	4135 (41.2)	1775 (31.2)	4648 (40.5)	2060 (32.7)
	あり	5009 (58.8)	3919 (68.8)	6822 (59.5)	4247 (67.3)
	欠損値				
高血圧既往	なし	5739 (57.1)	3177 (55.8)	6867 (59.9)	3553 (56.3)
	あり	2068 (20.6)	1049 (18.4)	2392 (20.9)	1403 (22.2)
	欠損値	2237 (22.3)	1468 (25.8)	2211 (19.3)	1351 (21.4)
心臓病既往	なし	6286 (62.6)	3407 (59.8)	7345 (64.0)	3728 (60.1)
	あり	851 (8.5)	421 (7.4)	1042 (9.1)	590 (9.4)
	欠損値	2907 (28.9)	1866 (32.8)	3065 (26.9)	1929 (30.6)
脳血管疾患既往	なし	6611 (65.8)	3523 (61.9)	7808 (68.1)	3986 (63.2)
	あり	138 (1.4)	95 (1.7)	82 (0.7)	49 (0.8)
	欠損値	3295 (32.8)	2076 (36.5)	3580 (31.2)	2272 (36.0)
糖尿病既往	なし	6287 (62.6)	3414 (60.0)	7896 (67.1)	3938 (62.4)
	あり	788 (7.8)	377 (6.6)	381 (3.3)	234 (3.7)
	欠損値	2969 (29.6)	1903 (33.4)	3393 (29.6)	2135 (33.9)
肝臓病既往	なし	6113 (60.9)	3378 (59.3)	7529 (65.6)	3903 (61.9)
	あり	924 (9.2)	391 (6.9)	587 (5.1)	232 (3.7)
	欠損値	3007 (29.9)	1925 (33.8)	3354 (29.2)	2172 (34.4)
腎臓病既往	なし	6378 (63.5)	3462 (60.8)	7427 (64.8)	3877 (61.5)
	あり	471 (4.7)	202 (3.5)	672 (5.8)	267 (4.2)
	欠損値	3195 (31.8)	2030 (35.7)	3371 (29.4)	2163 (34.3)
胃十二指腸潰瘍既往	なし	5731 (57.1)	3193 (56.1)	7435 (64.8)	3889 (61.7)
	あり	1657 (16.5)	783 (13.8)	738 (6.4)	282 (4.2)
	欠損値	2656 (26.4)	1718 (30.2)	3297 (28.7)	2156 (34.2)
胆石既往	なし	6415 (63.9)	3480 (60.8)	7541 (65.7)	3822 (62.2)
	あり	479 (4.8)	199 (3.5)	584 (5.1)	224 (3.6)
	欠損値	3150 (31.4)	2035 (35.7)	3345 (29.2)	2161 (34.3)
結核肋膜炎既往	なし	5916 (58.9)	3320 (58.3)	7260 (63.3)	3863 (61.2)
	あり	1279 (12.7)	490 (8.6)	998 (8.7)	303 (4.8)
	欠損値	2849 (28.4)	1894 (33.1)	3212 (28.0)	2141 (33.9)
肺炎既往	なし	6298 (62.7)	3438 (60.4)	7481 (65.2)	3903 (61.9)
	あり	501 (5.0)	224 (3.9)	501 (4.4)	182 (2.6)
	欠損値	3245 (32.3)	2032 (35.7)	3488 (30.4)	2242 (35.5)
喘息既往	なし	6486 (64.6)	3494 (61.4)	7652 (66.7)	3938 (62.4)
	あり	270 (2.7)	151 (2.7)	321 (2.8)	161 (2.6)
	欠損値	3288 (32.7)	2049 (36.0)	3487 (30.5)	2208 (35.0)
慢性気管支炎既往	なし	6406 (63.8)	3447 (60.5)	7513 (65.5)	3988 (62.0)
	あり	399 (4.0)	203 (3.6)	487 (4.2)	189 (3.0)
	欠損値	3239 (32.2)	2044 (35.9)	3470 (30.3)	2210 (35.0)
肺炎腫既往	なし	6631 (66.0)	3555 (62.4)	7814 (68.1)	4008 (63.5)
	あり	58 (0.6)	20 (0.4)	44 (0.4)	8 (0.1)
	欠損値	3355 (33.4)	2119 (37.2)	3612 (31.5)	2291 (36.3)
じん肺既往	なし	6650 (66.2)	3551 (62.4)	7827 (68.2)	4008 (63.5)
	あり	11 (0.1)	22 (0.4)	10 (0.1)	5 (0.1)
	欠損値	3393 (33.7)	2121 (37.2)	3639 (31.7)	2294 (36.4)

表6-1-3. 府県別・地区別ベースライン調査結果(大阪府)

	男性				女性				
	都市 (大阪市東成区)		郊外 (能勢町・河内町・箕取町)		都市 (大阪市東成区)		郊外 (能勢町・河内町・箕取町)		
対象者数	7,857	8,887	対象者数	9,390	9,823				
死亡数	1,661	1,323	死亡数	1,293	1,048				
観察人年(合計)	83,460	79,264	観察人年(合計)	80,836	86,969				
観察人年平均値(標準偏差)	8.3 (2.9)	8.8 (2.6)	観察人年平均値(標準偏差)	8.6 (2.7)	9.0 (2.4)				
年齢階級	数 (%)	数 (%)	年齢階級	数 (%)	数 (%)				
40-44	986 (12.9)	2,118 (23.6)	40-44	1,261 (13.4)	2,020 (21.0)				
45-49	1,158 (15.1)	1,583 (17.6)	45-49	1,376 (14.7)	1,540 (16.0)				
50-54	1,259 (16.4)	1,400 (15.6)	50-54	1,400 (14.9)	1,389 (14.4)				
55-59	1,172 (15.3)	1,301 (14.5)	55-59	1,371 (14.6)	1,300 (13.5)				
60-64	922 (12.0)	852 (9.5)	60-64	1,243 (13.2)	1,043 (10.8)				
65-69	757 (9.9)	637 (7.1)	65-69	1,021 (10.9)	812 (8.4)				
70-74	710 (9.3)	564 (6.3)	70-74	808 (8.6)	682 (7.1)				
75-79	433 (5.7)	317 (3.5)	75-79	494 (5.3)	453 (4.7)				
80+	260 (3.4)	215 (2.4)	80+	416 (4.4)	384 (4.0)				
年齢	平均値(標準偏差)	57.7 (11.3)	年齢	平均値(標準偏差)	58.1 (11.6)	55.9 (11.9)			
喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 欠損値	1161 (15.2) 1941 (25.3) 4404 (57.5) 151 (2.0)	1443 (16.1) 1922 (21.4) 5369 (59.7) 253 (2.8)	喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 欠損値	6960 (74.1) 428 (4.6) 1283 (13.7) 719 (7.7)	7110 (73.9) 228 (2.4) 781 (8.1) 1504 (15.6)		
喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 時どき吸う 欠損値	1161 (15.2) 1941 (25.3) 4404 (57.5) 151 (2.0)	1443 (16.1) 1922 (21.4) 5320 (59.2) 49 (0.5) 253 (2.8)	喫煙状況	非喫煙者 過去喫煙者 現在喫煙者 時どき吸う 欠損値	6960 (74.1) 428 (4.6) 1283 (13.7) 719 (7.7)	7110 (73.9) 228 (2.4) 755 (7.8) 26 (0.3) 1504 (15.6)		
喫煙年数(現在喫煙、過去喫煙、合計別)			喫煙年数(現在喫煙、過去喫煙、合計別)						
現在喫煙者			現在喫煙者						
-9	12 (0.3)	29 (0.5)	-9	94 (7.3)	80 (10.2)				
10-19	84 (1.1)	150 (2.8)	10-19	232 (18.1)	169 (21.6)				
20-29	1,196 (27.2)	1,942 (36.2)	20-29	364 (28.4)	204 (26.1)				
30-39	1,498 (34.0)	1,606 (29.9)	30-39	307 (23.9)	139 (17.8)				
40+	1,574 (35.7)	1,357 (25.3)	40+	251 (19.6)	120 (15.4)				
欠損値	60 (1.4)	285 (5.3)	欠損値	35 (2.7)	69 (8.8)				
過去喫煙者			過去喫煙者						
-9	120 (6.2)	181 (6.4)	-9	66 (15.4)	38 (15.7)				
10-19	340 (17.5)	414 (21.5)	10-19	123 (28.7)	55 (24.1)				
20-29	568 (29.3)	525 (27.3)	20-29	95 (22.2)	47 (20.6)				
30-39	462 (23.8)	333 (17.3)	30-39	65 (15.2)	34 (14.9)				
40+	370 (19.1)	243 (12.6)	40+	39 (9.1)	18 (7.9)				
欠損値	81 (4.2)	226 (11.8)	欠損値	40 (9.3)	36 (15.8)				
現在・過去喫煙者計			現在・過去喫煙者計						
-9	132 (2.1)	210 (2.9)	-9	160 (9.4)	118 (11.7)				
10-19	404 (6.4)	564 (7.7)	10-19	355 (20.7)	224 (22.2)				
20-29	1,764 (27.8)	2,467 (33.8)	20-29	469 (28.6)	251 (24.6)				
30-39	1,860 (30.9)	1,939 (26.6)	30-39	372 (21.7)	173 (17.1)				
40+	1,944 (30.6)	1,600 (21.9)	40+	290 (16.9)	138 (13.7)				
欠損値	141 (2.2)	511 (7.0)	欠損値	75 (4.4)	105 (10.4)				
喫煙本数(現在喫煙、過去喫煙、合計別)			喫煙本数(現在喫煙、過去喫煙、合計別)						
現在喫煙者			現在喫煙者						
-19	1,414 (32.1)	1,554 (28.9)	-19	836 (65.2)	559 (71.6)				
20-29	1,783 (40.5)	2,236 (41.6)	20-29	328 (25.6)	167 (21.4)				
30-39	648 (14.7)	790 (14.7)	30-39	56 (4.4)	18 (2.3)				
40+	532 (12.1)	715 (13.3)	40+	36 (2.8)	6 (0.8)				
欠損値	27 (0.6)	74 (1.4)	欠損値	27 (2.1)	31 (4.0)				
過去喫煙者			過去喫煙者						
-19	686 (35.3)	570 (29.7)	-19	295 (68.8)	161 (70.8)				
20-29	616 (31.7)	618 (32.2)	20-29	78 (18.2)	31 (13.6)				
30-39	209 (10.8)	228 (11.9)	30-39	9 (2.1)	5 (2.2)				
40+	340 (17.5)	280 (15.1)	40+	14 (3.3)	6 (2.6)				
欠損値	90 (4.6)	216 (11.2)	欠損値	32 (7.5)	25 (11.0)				
現在・過去喫煙者計			現在・過去喫煙者計						
-19	2,100 (33.1)	2,124 (29.1)	-19	1,131 (66.1)	720 (71.4)				
20-29	2,399 (37.8)	2,684 (39.1)	20-29	406 (23.7)	198 (19.6)				
30-39	857 (13.5)	1,018 (14.0)	30-39	65 (3.8)	23 (2.3)				
40+	872 (13.7)	1,005 (13.8)	40+	50 (2.9)	12 (1.2)				
欠損値	117 (1.8)	290 (4.0)	欠損値	59 (3.4)	56 (5.6)				
Packyears(現在喫煙、過去喫煙、合計別)			Packyears(現在喫煙、過去喫煙、合計別)						
現在喫煙者			現在喫煙者						
<20	622 (14.1)	768 (14.3)	<20	714 (55.7)	483 (61.8)				
20-40	1,950 (44.3)	2,469 (46.3)	20-40	398 (31.1)	181 (23.2)				
40-60	1,204 (27.3)	1,284 (23.9)	40-60	87 (7.6)	37 (4.7)				
60+	593 (12.8)	540 (10.1)	60+	32 (2.5)	5 (0.6)				
欠損値	65 (1.5)	308 (5.7)	欠損値	41 (3.2)	75 (9.6)				
過去喫煙者			過去喫煙者						
<20	660 (34.0)	679 (35.3)	<20	295 (68.8)	150 (65.8)				
20-40	605 (31.2)	546 (28.4)	20-40	57 (13.3)	27 (11.8)				
40-60	304 (15.7)	271 (14.1)	40-60	17 (4.0)	4 (1.8)				
60+	255 (13.1)	162 (8.4)	60+	8 (1.4)	6 (2.6)				
欠損値	117 (6.0)	264 (13.7)	欠損値	53 (12.4)	41 (18.0)				
現在・過去喫煙者計			現在・過去喫煙者計						
<20	1,282 (20.2)	1,447 (19.8)	<20	1,009 (59.0)	633 (62.7)				
20-40	2,555 (40.3)	3,015 (41.4)	20-40	456 (26.7)	208 (20.6)				
40-60	1,508 (23.8)	1,555 (21.4)	40-60	114 (6.7)	41 (4.1)				
60+	818 (12.9)	702 (9.6)	60+	38 (2.2)	11 (1.1)				
欠損値	182 (2.9)	572 (7.8)	欠損値	94 (5.6)	116 (11.5)				
子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			子供頃の両親喫煙(非喫煙、過去喫煙、現在喫煙、合計別)						
非喫煙者			非喫煙者						
なし	220 (18.9)	274 (19.0)	なし	1,204 (17.3)	1,152 (16.2)				
あり	792 (68.2)	974 (67.6)	あり	5,005 (71.9)	5,008 (70.4)				
欠損値	149 (12.8)	195 (13.5)	欠損値	751 (10.8)	950 (13.4)				
過去喫煙者			過去喫煙者						
なし	302 (15.6)	328 (17.1)	なし	47 (11.0)	31 (13.6)				
あり	1,443 (74.3)	1,400 (72.8)	あり	328 (76.8)	162 (71.1)				
欠損値	196 (10.1)	193 (10.0)	欠損値	53 (12.4)	35 (15.4)				
現在喫煙者			現在喫煙者						
なし	574 (13.0)	674 (12.6)	なし	159 (12.4)	78 (10.0)				
あり	3,366 (78.9)	4,019 (74.9)	あり	983 (76.6)	589 (75.4)				
欠損値	444 (10.1)	576 (12.6)	欠損値	141 (11.0)	114 (14.6)				
合計			合計						
なし	1,096 (14.6)	1,277 (14.6)	なし	1,410 (16.3)	1,261 (15.5)				
あり	5,621 (74.9)	6,393 (73.2)	あり	6,316 (72.8)	5,759 (70.9)				
欠損値	769 (10.5)	1,064 (12.2)	欠損値	946 (10.9)	1,099 (13.5)				

男性				女性			
		都市 (大阪市東成区)	対照 (熊勢町・河内町・柏取町)			都市 (大阪市東成区)	対照 (熊勢町・河内町・柏取町)
配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				配偶者喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり 欠損値	1102 59 (94.9) (5.1)	625 28 790 (43.3) (1.9) (54.7)	非喫煙者	なし あり 欠損値	4092 2860 8 (58.8) (41.1) (0.1)	2038 3140 1932 (26.7) (44.2) (27.2)
過去喫煙者	なし あり 欠損値	1808 133 (93.1) (5.9)	632 66 1224 (32.9) (3.4) (63.7)	過去喫煙者	なし あり 欠損値	305 123 (71.3) (28.7)	84 85 79 (36.8) (28.5) (34.6)
現在喫煙者	なし あり 欠損値	3829 567 8 (86.9) (12.9) (0.2)	2478 407 2484 (46.2) (7.6) (46.3)	現在喫煙者	なし あり 欠損値	721 562 (56.2) (43.8)	268 382 131 (34.3) (48.9) (16.8)
合計	なし あり 欠損値	6739 759 8 (89.8) (10.1) (0.1)	3795 501 4498 (42.8) (5.7) (51.5)	合計	なし あり 欠損値	5118 3545 8 (59.0) (40.9) (0.1)	2390 3587 2142 (29.4) (44.2) (28.4)
家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)				家庭内喫煙(非喫煙、過去喫煙、現在喫煙、合計別)			
非喫煙者	なし あり	855 306 (73.6) (26.4)	1053 390 (73.0) (27.0)	非喫煙者	なし あり	2749 4211 (39.5) (60.5)	2446 4664 (34.4) (65.6)
過去喫煙者	なし あり	1334 607 (68.7) (31.3)	1342 580 (69.8) (30.2)	過去喫煙者	なし あり	177 251 (41.4) (58.6)	87 141 (38.2) (61.8)
現在喫煙者	なし あり	2609 1795 (59.2) (40.8)	3216 2153 (59.9) (40.1)	現在喫煙者	なし あり	411 872 (32.0) (68.0)	185 598 (23.7) (76.3)
合計	なし あり	4798 2708 (63.9) (36.1)	5611 3123 (64.2) (35.8)	合計	なし あり	3337 5334 (38.5) (61.5)	2718 5401 (33.5) (66.5)
危険職種	なし あり	3700 3957 (48.3) (51.7)	4552 4435 (50.7) (49.3)	危険職種	なし あり	6953 2437 (74.0) (26.0)	6472 3151 (67.3) (32.7)
緑黄色野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	81 612 2207 2187 2120 450 (1.1) (8.0) (28.8) (29.8) (27.7) (5.9)	68 793 2198 2834 2897 397 (0.8) (9.8) (24.5) (28.3) (32.2) (4.4)	緑黄色野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	48 384 2058 3046 3381 475 (0.5) (4.1) (21.9) (32.4) (36.0) (5.1)	36 614 1765 3075 3701 432 (0.4) (6.4) (18.3) (32.0) (38.5) (4.5)
緑黄色野菜毎日摂取 (再掲)	なし あり 欠損値	5087 2120 450 (56.4) (27.7) (5.9)	5693 2897 397 (63.3) (32.2) (4.4)	緑黄色野菜毎日摂取 (再掲)	なし あり 欠損値	5534 3381 475 (58.9) (36.0) (5.1)	5490 3701 432 (57.1) (38.5) (4.5)
その他の野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	46 351 1768 2375 2703 414 (0.6) (4.6) (23.1) (31.0) (35.3) (5.4)	32 337 1533 2748 3984 353 (0.4) (3.7) (17.1) (30.6) (44.3) (3.9)	その他の野菜摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	38 195 1673 3026 4042 418 (0.4) (2.1) (17.8) (32.2) (43.0) (4.4)	28 288 1207 2887 4831 382 (0.3) (3.0) (12.5) (30.0) (50.2) (4.0)
その他の野菜毎日摂取 (再掲)	なし あり 欠損値	4540 2703 414 (59.3) (35.3) (5.4)	4650 3984 353 (51.7) (44.3) (3.9)	その他の野菜毎日摂取 (再掲)	なし あり 欠損値	4932 4042 418 (52.5) (43.0) (4.4)	4410 4831 382 (45.8) (50.2) (4.0)
果物摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	264 858 1799 1648 2574 514 (3.4) (11.2) (23.5) (21.5) (33.6) (6.7)	195 1045 1872 2118 3278 484 (2.2) (11.6) (20.8) (23.5) (36.5) (5.4)	果物摂取	食べない 月に1-2回 週に1-2回 週に3-4回 ほとんど毎日 欠損値	110 381 1442 1966 5036 455 (1.2) (4.1) (15.4) (20.9) (53.6) (4.8)	80 558 1137 2116 5291 443 (0.8) (5.8) (11.8) (22.0) (55.0) (4.6)
果物毎日摂取 (再掲)	なし あり 欠損値	4569 2574 514 (59.7) (33.6) (6.7)	5225 3278 484 (58.1) (36.5) (5.4)	果物毎日摂取 (再掲)	なし あり 欠損値	3899 5036 455 (41.5) (53.6) (4.8)	3889 5291 443 (40.4) (55.0) (4.6)
緑茶摂取	飲まない ときどき 1日に1-2回 1日に3-4回 1日5杯上 欠損値	999 630 1038 1548 1656 1786 (13.0) (8.2) (13.6) (20.2) (21.6) (23.3)	976 780 1418 2182 2059 1572 (10.9) (8.7) (15.8) (24.3) (22.9) (17.5)	緑茶摂取	飲まない ときどき 1日に1-2回 1日に3-4回 1日5杯上 欠損値	960 840 1154 2201 2437 1798 (10.2) (8.9) (12.3) (23.4) (26.0) (19.1)	802 899 1374 2470 2413 1585 (9.4) (9.3) (14.3) (25.7) (25.1) (16.3)
緑茶毎日5杯以上摂取 (再掲)	なし あり 欠損値	4215 1656 1786 (55.0) (21.6) (23.3)	5356 2059 1572 (59.6) (22.9) (17.5)	緑茶毎日5杯以上摂取 (再掲)	なし あり 欠損値	5155 2437 1798 (54.9) (26.0) (19.1)	5645 2413 1585 (58.7) (25.1) (16.3)
BMI階級	<18.5 18.5-25 25-30 30+ 欠損値 平均値(標準偏差)	645 5404 1169 82 397 22.3 (8.4) (70.6) (15.3) (1.1) (4.7) (3.0)	544 6825 1356 64 398 22.4 (8.1) (73.7) (15.1) (0.7) (4.4) (2.8)	BMI階級	<18.5 18.5-25 25-30 30+ 欠損値 平均値(標準偏差)	857 6214 1640 167 512 22.5 (9.1) (86.2) (17.5) (1.8) (5.5) (3.2)	849 6800 1459 184 531 22.4 (8.8) (86.6) (15.2) (1.9) (5.5) (3.2)
BMI				BMI			
飲酒状況	1=ほとんど毎日 2=時どき 3=あまりのときだけ 4=以前はよく飲んだが最近 は飲まない 5=以前から飲まない 欠損値	3776 1123 651 354 1549 204 (49.3) (14.7) (8.5) (4.6) (20.2) (2.7)	4748 1184 847 305 1528 375 (52.8) (13.2) (9.4) (3.4) (17.0) (4.2)	飲酒状況	1=ほとんど毎日 2=時どき 3=あまりのときだけ 4=以前はよく飲んだが最近 は飲まない 5=以前から飲まない 欠損値	711 1631 1234 181 4993 640 (7.6) (17.4) (13.1) (1.9) (53.2) (6.8)	458 1174 955 120 5186 1730 (4.8) (12.2) (9.9) (1.2) (53.9) (18.0)
毎日飲酒 (再掲)	毎日飲む(1) 飲まない(2,3,5) やめた(4) 欠損値	3776 3323 354 204 (49.3) (43.4) (4.6) (2.7)	4748 3559 305 375 (52.8) (39.6) (3.4) (4.2)	毎日飲酒 (再掲)	毎日飲む(1) 飲まない(2,3,5) やめた(4) 欠損値	711 7858 181 640 (7.6) (83.7) (1.9) (6.8)	458 7815 120 1730 (4.8) (76.0) (1.2) (18.0)
現在飲酒 (再掲)	飲む(1,2,3) 飲まない(5) やめた(4) 欠損値	5550 1549 354 204 (72.5) (20.2) (4.6) (2.7)	6779 1528 305 375 (75.4) (17.0) (3.4) (4.2)	現在飲酒 (再掲)	飲む(1,2,3) 飲まない(5) やめた(4) 欠損値	3576 4993 181 640 (38.1) (53.2) (1.9) (6.8)	2587 5186 120 1730 (26.9) (53.9) (1.2) (18.0)
健康保険	国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 健康保険 欠損値	3922 1706 1048 141 91 749 (51.2) (22.3) (13.7) (1.8) (1.2) (9.8)	3661 (40.7)	健康保険 国民健康保険 健康保険(政府管掌) 健康保険(組合等) 共済組合 その他 健康保険 欠損値	4628 2006 1272 191 146 1147 (49.3) (21.4) (13.5) (2.0) (1.6) (12.2)	3975 (41.3)	872 (9.1) 133 (1.4) 4227 (43.5) 416 (4.3)

		男性				女性			
		都市 (大阪市東成区)		河原 (能勢町・河南町・熊取町)		都市 (大阪市東成区)		河原 (能勢町・河南町・熊取町)	
		人数	割合	人数	割合	人数	割合	人数	割合
居住年数20年以上 (明治・大正元年のみ含む)	なし	1076	(14.1)	4027	(44.8)	1511	(16.1)	4121	(42.8)
	あり	6364	(83.1)	4582	(51.0)	7581	(80.7)	5001	(52.0)
	欠損値	217	(2.8)	378	(4.2)	298	(3.2)	501	(5.2)
煙突なしのストーブ	なし	3048	(39.8)	2878	(32.0)	3710	(39.5)	3112	(32.3)
	あり	4609	(60.2)	6109	(68.0)	5680	(60.5)	6511	(67.7)
	欠損値								
高血圧既往	なし	6163	(80.5)	6772	(75.4)	7349	(78.3)	6824	(70.9)
	あり	1494	(19.5)	1536	(17.1)	2041	(21.7)	1993	(20.7)
	欠損値			679	(7.6)			806	(8.4)
心臓病既往	なし	7016	(91.6)	7661	(85.2)	8383	(89.3)	7866	(81.7)
	あり	641	(8.4)	562	(6.3)	1007	(10.7)	820	(8.6)
	欠損値			764	(8.5)			927	(9.6)
脳血管疾患既往	なし	7563	(98.8)	8114	(90.3)	9345	(99.5)	8694	(89.3)
	あり	94	(1.2)	97	(1.1)	45	(0.5)	57	(0.6)
	欠損値			776	(8.6)			972	(10.1)
糖尿病既往	なし	7040	(91.8)	7609	(84.7)	8975	(95.6)	8342	(86.7)
	あり	617	(8.1)	611	(6.8)	415	(4.4)	324	(3.4)
	欠損値			767	(8.5)			957	(9.9)
肝臓病既往	なし	6806	(88.8)	7427	(82.8)	8866	(94.4)	8263	(85.9)
	あり	851	(11.1)	790	(8.8)	524	(5.6)	412	(4.3)
	欠損値			760	(8.5)			948	(9.9)
腎臓病既往	なし			7619	(84.8)			8206	(85.3)
	あり			591	(6.6)			458	(4.8)
	欠損値	7657	(100.0)	777	(8.6)	9390	(100.0)	959	(10.0)
胃十二指腸潰瘍既往	なし	6707	(87.6)	5762	(64.1)	8925	(95.0)	6399	(66.5)
	あり	950	(12.4)	1009	(11.2)	465	(5.0)	684	(7.1)
	欠損値			2216	(24.7)			2540	(26.4)
胆石既往	なし			6532	(72.7)			6892	(71.5)
	あり			239	(2.7)			191	(2.0)
	欠損値	7657	(100.0)	2216	(24.7)	9390	(100.0)	2540	(26.4)
結核肋膜炎既往	なし	7314	(95.5)	7728	(86.0)	9141	(97.3)	8305	(86.3)
	あり	343	(4.5)	517	(5.8)	249	(2.7)	360	(3.8)
	欠損値			742	(8.3)			938	(9.7)
肺炎既往	なし	7591	(99.1)	7902	(87.9)	8323	(99.3)	8491	(87.6)
	あり	66	(0.9)	313	(3.5)	67	(0.7)	237	(2.5)
	欠損値			772	(8.6)			955	(9.9)
喘息既往	なし	7429	(97.0)	7976	(88.8)	9146	(97.4)	8443	(87.7)
	あり	228	(3.0)	232	(2.6)	242	(2.6)	220	(2.3)
	欠損値			779	(8.7)			960	(10.0)
慢性気管支炎既往	なし	7380	(96.1)	7921	(88.1)	9095	(96.9)	8408	(87.4)
	あり	297	(3.9)	294	(3.3)	295	(3.1)	263	(2.7)
	欠損値			772	(8.6)			952	(9.9)
肺気腫既往	なし	7610	(99.4)	8160	(90.8)	9378	(99.9)	8625	(89.6)
	あり	47	(0.6)	30	(0.3)	12	(0.1)	24	(0.2)
	欠損値			797	(8.9)			974	(10.1)
じん肺既往	なし	7630	(99.6)	8087	(90.0)	9372	(99.8)	8526	(88.6)
	あり	27	(0.4)	114	(1.3)	18	(0.2)	125	(1.3)
	欠損値			786	(8.7)			971	(10.1)
貧血既往	なし	7255	(94.7)			7868	(83.8)		
	あり	402	(5.3)	8987	(100.0)	1522	(16.2)	9623	(100.0)
	欠損値								
アレルギー性鼻炎既往	なし			1341	(14.9)			1484	(15.4)
	あり			86	(1.1)			81	(0.8)
	欠損値	7657	(100.0)	7550	(84.0)	9390	(100.0)	8058	(83.7)
蕁麻疹既往	なし			1150	(12.8)			1278	(13.3)
	あり			294	(3.3)			329	(3.4)
	欠損値	7657	(100.0)	7543	(83.5)	9390	(100.0)	8016	(83.3)
湿疹・皮膚炎既往	なし			1207	(13.4)			1319	(13.7)
	あり			234	(2.6)			269	(2.8)
	欠損値	7657	(100.0)	7546	(84.0)	9390	(100.0)	8025	(83.5)

表6-2-1. 地区別・死因別死亡者数(宮城; 10年追跡)

		都市 (仙台市青葉区・宮城野区)			対照 (涌谷町・田尻町)		
		男性	女性	男女計	男性	女性	男女計
コホート対象者数		7,391	9,383	16,774	6,601	7,970	14,571
転出者数		2,188	2,642	4,830	164	287	451
死亡者数		1,133	857	1,990	1,249	1,077	2,326
死因	ICD-9						
感染症	001-139	10	7	17	13	12	25
全がん	140-208	393	226	619	390	251	641
胃がん	151	87	34	121	99	49	148
結腸がん	153	36	11	47	16	22	38
直腸・肛門がん	154	11	11	22	24	13	37
肝がん	155	37	11	48	36	22	58
膵がん	157	22	23	45	26	22	48
肺がん	162	76	26	102	74	21	95
乳がん	174	-	27	27	-	15	15
子宮がん	179-182	-	13	13	-	12	12
肺がん以外	140-208(162以外)	317	200	517	316	230	546
内分泌疾患等	240-279	23	17	40	5	8	13
糖尿病	250	15	13	28	5	7	12
血液系疾患	280-289	4	4	8	3	1	4
精神障害	290-319	4	2	6	2	6	8
神経系疾患	320-389	6	8	14	8	6	14
循環器疾患(リウマチ性含む)	390-459	402	360	762	545	547	1,092
循環器疾患	401-440	379	353	732	532	539	1,071
高血圧性疾患	401-405	9	17	26	8	9	17
心疾患	410-429	216	176	392	265	224	489
虚血性心疾患	410-414	103	54	157	98	84	182
その他の心疾患	420-429	110	120	230	161	140	301
脳血管疾患	430-438	152	159	311	258	302	560
くも膜下出血	430	9	16	25	15	24	39
脳内出血	431	43	41	84	55	58	113
脳梗塞	433-434	90	74	164	144	161	305
動脈硬化および大動脈瘤	440-441	19	6	25	5	6	11
大動脈瘤	441	17	5	22	4	2	6
呼吸器疾患	460-519	149	87	236	118	67	185
肺炎およびインフルエンザ	480-487	102	59	161	62	48	110
慢性閉塞性肺疾患	490-496	21	15	36	30	9	39
非悪性呼吸器疾患	485-496	123	74	197	90	53	143
消化器系疾患	520-579	39	28	67	42	38	80
損傷・中毒	800-999	44	37	81	72	40	112

表6-2-2. 地区別・死因別死亡者数(愛知:10年追跡)

		都市 (名古屋市千種区)			対照 (犬山市)		
		男性	女性	男女計	男性	女性	男女計
コホート対象者数		10,044	11,470	21,514	5,694	6,307	12,001
転出者数		2,895	3,026	5,921	484	573	1,057
死亡者数		1,306	1,016	2,322	849	715	1,564
死因	ICD-9						
感染症	001-139	22	17	39	6	4	10
全がん	140-208	476	293	769	263	186	449
胃がん	151	95	61	156	55	41	96
結腸がん	153	35	32	67	17	16	33
直腸・肛門がん	154	15	17	32	8	9	17
肝がん	155	67	22	89	26	4	30
膵がん	157	22	21	43	19	16	35
肺がん	162	122	39	161	63	12	75
乳がん	174	-	20	20	-	10	10
子宮がん	179-182	-	12	12	-	16	16
肺がん以外	140-208(162以外)	354	254	608	200	174	374
内分泌疾患等	240-279	11	8	19	9	10	19
糖尿病	250	11	6	17	8	9	17
血液系疾患	280-289	6	4	10	5	6	11
精神障害	290-319	3	5	8	-	2	2
神経系疾患	320-389	14	11	25	4	5	9
循環器疾患(リウマチ性含む)	390-459	437	431	868	334	299	633
循環器疾患	401-440	423	420	843	328	294	622
高血圧性疾患	401-405	9	18	27	3	8	11
心疾患	410-429	253	239	492	191	157	348
虚血性心疾患	410-414	90	58	148	48	43	91
その他の心疾患	420-429	163	179	342	142	114	256
脳血管疾患	430-438	156	160	316	133	129	262
くも膜下出血	430	11	23	34	5	19	24
脳内出血	431	32	27	59	15	12	27
脳梗塞	433-434	83	72	155	69	61	130
動脈硬化および大動脈瘤	440-441	14	11	25	4	4	8
大動脈瘤	441	9	8	17	3	4	7
呼吸器疾患	460-519	170	78	248	86	54	140
肺炎およびインフルエンザ	480-487	124	54	178	63	40	103
慢性閉塞性肺疾患	490-496	17	7	24	15	11	26
非悪性呼吸器疾患	485-496	139	60	199	77	51	128
消化器系疾患	520-579	57	43	100	35	22	57
損傷・中毒	800-999	28	27	55	30	22	52

表6-2-3. 地区別・死因別死亡者数(大阪; 10年追跡)

	ICD-9	都市 (大阪市東成区)			対照 (能勢町・熊取町・河南町)		
		男性	女性	男女計	男性	女性	男女計
		コホート対象者数	7,657	9,390	17,047	8,987	9,623
転出者数	909	1,254	2,163	718	747	1,465	
死亡者数		1,661	1,293	2,954	1,323	1,048	2,371
死因							
感染症	001-139	22	16	38	13	9	22
全がん	140-208	648	326	974	440	236	676
胃がん	151	142	72	214	103	52	155
結腸がん	153	41	27	68	25	21	46
直腸・肛門がん	154	24	13	37	13	10	23
肝がん	155	134	35	169	68	20	88
膵がん	157	31	15	46	37	23	60
肺がん	162	145	55	200	90	24	114
乳がん	174	-	15	15	-	10	10
子宮がん	179-182	-	11	11	-	15	15
肺がん以外	140-208(162以外)	503	271	774	350	212	562
内分泌疾患等	240-279	26	27	53	13	20	33
糖尿病	250	24	24	48	12	18	30
血液系疾患	280-289	7	8	15	6	4	10
精神障害	290-319	2	4	6	3	4	7
神経系疾患	320-389	12	6	18	7	5	12
循環器疾患(リウマチ性含む)	390-459	493	497	990	429	459	888
循環器疾患	401-440	476	482	958	417	448	865
高血圧性疾患	401-405	20	22	42	6	12	18
心疾患	410-429	249	254	503	237	251	488
虚血性心疾患	410-414	134	103	237	69	58	127
その他の心疾患	420-429	111	149	260	166	191	357
脳血管疾患	430-438	203	200	403	167	182	349
くも膜下出血	430	16	24	40	11	26	37
脳内出血	431	48	42	90	35	26	61
脳梗塞	433-434	103	87	190	87	73	160
動脈硬化および大動脈瘤	440-441	16	11	27	14	6	20
大動脈瘤	441	12	5	17	7	3	10
呼吸器疾患	460-519	196	142	338	174	94	268
肺炎およびインフルエンザ	480-487	124	91	215	111	69	180
慢性閉塞性肺疾患	490-496	45	28	73	44	16	60
非悪性呼吸器疾患	485-496	169	118	287	151	84	235
消化器系疾患	520-579	90	85	175	58	51	109
損傷・中毒	800-999	68	37	105	79	49	128

表6-3. 府県別多変量調整相対リスク(Cox比例ハザードモデル)

死因	性別	変数	富城県			愛知県			大阪府		
			ハザード比	[95%信頼区間]	*	ハザード比	[95%信頼区間]	*	ハザード比	[95%信頼区間]	*
全死因	男性	地区(都市/対照)	0.80	[0.71: 0.90]	*	0.98	[0.88: 1.08]	*	1.10	[1.01: 1.21]	*
		年齢(+1歳)	1.11	[1.10: 1.12]	*	1.11	[1.11: 1.12]	*	1.10	[1.10: 1.11]	*
		現在喫煙(非喫煙=1)	1.70	[1.46: 1.97]	*	1.48	[1.28: 1.71]	*	1.43	[1.26: 1.62]	*
		過去喫煙(非喫煙=1)	1.57	[1.34: 1.84]	*	1.20	[1.03: 1.40]	*	1.13	[0.98: 1.30]	*
		危険職種(有/無)	1.09	[0.97: 1.23]		0.97	[0.88: 1.07]		1.11	[1.01: 1.21]	*
		野菜毎日摂取(有/無)	0.87	[0.77: 0.99]	*	1.00	[0.90: 1.11]		0.95	[0.87: 1.04]	
		果物毎日摂取(有/無)	1.02	[0.91: 1.15]		0.97	[0.87: 1.08]		0.98	[0.90: 1.07]	
		BMI18.5未満(18.5以上25.0未満=1)	1.44	[1.19: 1.74]	*	1.40	[1.23: 1.59]	*	1.40	[1.24: 1.59]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.92	[0.79: 1.06]		0.94	[0.80: 1.10]		1.19	[1.05: 1.35]	*
		毎日飲酒(有/無)	0.88	[0.78: 0.98]	*	0.83	[0.75: 0.92]	*	0.82	[0.75: 0.90]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.05	[0.92: 1.20]		0.93	[0.84: 1.04]		0.88	[0.81: 0.97]	*	
	共済(国民健康保険=1)	0.95	[0.77: 1.18]		0.99	[0.78: 1.24]		0.74	[0.58: 0.94]	*	
	その他の保険(国民健康保険=1)	1.29	[0.93: 1.79]		1.16	[0.78: 1.75]		1.02	[0.71: 1.47]		
	女性	地区(都市/対照)	0.72	[0.63: 0.82]	*	0.87	[0.76: 0.99]	*	1.02	[0.92: 1.14]	*
		年齢(+1歳)	1.13	[1.12: 1.14]	*	1.12	[1.11: 1.13]	*	1.13	[1.12: 1.13]	*
		現在喫煙(非喫煙=1)	1.13	[0.90: 1.41]		1.32	[1.10: 1.59]	*	1.52	[1.32: 1.76]	*
		過去喫煙(非喫煙=1)	1.71	[1.32: 2.22]	*	1.35	[1.08: 1.71]	*	1.19	[0.96: 1.48]	*
		危険職種(有/無)	1.07	[0.85: 1.34]		1.04	[0.88: 1.23]		0.88	[0.77: 1.01]	
		野菜毎日摂取(有/無)	0.81	[0.70: 0.94]	*	0.92	[0.81: 1.05]		0.88	[0.79: 0.98]	*
		果物毎日摂取(有/無)	0.85	[0.74: 0.98]	*	0.88	[0.77: 1.00]	*	0.92	[0.83: 1.03]	
BMI18.5未満(18.5以上25.0未満=1)		1.59	[1.31: 1.92]	*	1.30	[1.12: 1.52]	*	1.33	[1.16: 1.52]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.14	[0.98: 1.32]		1.15	[0.97: 1.37]		1.02	[0.89: 1.17]		
毎日飲酒(有/無)		0.55	[0.36: 0.83]	*	0.69	[0.52: 0.92]	*	1.04	[0.84: 1.30]		
政府管掌・組合などの保険(国民健康保険=1)	1.02	[0.88: 1.20]		1.02	[0.90: 1.16]		0.96	[0.86: 1.08]			
共済(国民健康保険=1)	0.80	[0.62: 1.02]		1.04	[0.82: 1.31]		0.88	[0.69: 1.12]			
その他の保険(国民健康保険=1)	1.17	[0.81: 1.67]		1.07	[0.67: 1.72]		1.06	[0.77: 1.45]			
全がん	男性	地区(都市/対照)	0.97	[0.79: 1.19]		1.18	[0.99: 1.41]		1.39	[1.20: 1.61]	*
		年齢(+1歳)	1.09	[1.08: 1.10]	*	1.08	[1.07: 1.09]	*	1.08	[1.07: 1.08]	*
		現在喫煙(非喫煙=1)	2.34	[1.74: 3.14]	*	1.88	[1.44: 2.45]	*	1.84	[1.46: 2.32]	*
		過去喫煙(非喫煙=1)	2.13	[1.57: 2.91]	*	1.25	[0.94: 1.65]		1.38	[1.07: 1.78]	*
		危険職種(有/無)	1.06	[0.86: 1.29]		1.02	[0.86: 1.20]		1.17	[1.02: 1.35]	*
		野菜毎日摂取(有/無)	0.87	[0.70: 1.08]		1.04	[0.87: 1.23]		0.87	[0.76: 1.01]	
		果物毎日摂取(有/無)	1.10	[0.89: 1.34]		1.09	[0.84: 1.19]		1.11	[0.96: 1.28]	
		BMI18.5未満(18.5以上25.0未満=1)	1.37	[0.98: 1.94]		1.19	[0.94: 1.50]		1.11	[0.88: 1.40]	
		BMI25.0以上(18.5以上25.0未満=1)	0.85	[0.66: 1.11]		0.67	[0.50: 0.89]	*	1.15	[0.95: 1.40]	
		毎日飲酒(有/無)	0.96	[0.78: 1.16]		0.97	[0.82: 1.15]		1.07	[0.93: 1.23]	
	政府管掌・組合などの保険(国民健康保険=1)	1.22	[0.98: 1.53]		0.95	[0.79: 1.13]		0.93	[0.80: 1.08]		
	共済(国民健康保険=1)	1.19	[0.85: 1.66]		0.92	[0.65: 1.32]		0.64	[0.42: 0.97]	*	
	その他の保険(国民健康保険=1)	1.37	[0.78: 2.46]		1.35	[0.67: 2.72]		1.41	[0.83: 2.40]		
	女性	地区(都市/対照)	0.77	[0.59: 1.00]		0.89	[0.70: 1.14]		1.03	[0.83: 1.28]	
		年齢(+1歳)	1.08	[1.07: 1.09]	*	1.07	[1.06: 1.08]	*	1.06	[1.05: 1.07]	*
		現在喫煙(非喫煙=1)	1.58	[1.05: 2.39]	*	1.46	[1.04: 2.03]	*	1.66	[1.25: 2.21]	*
		過去喫煙(非喫煙=1)	1.06	[0.52: 2.15]		1.42	[0.91: 2.23]		1.10	[0.66: 1.83]	
		危険職種(有/無)	1.13	[0.75: 1.68]		0.83	[0.60: 1.14]		0.73	[0.55: 0.97]	*
		野菜毎日摂取(有/無)	1.00	[0.72: 1.37]		0.84	[0.66: 1.07]		0.85	[0.69: 1.06]	
		果物毎日摂取(有/無)	1.31	[0.95: 1.82]		1.05	[0.83: 1.34]		1.07	[0.86: 1.34]	
BMI18.5未満(18.5以上25.0未満=1)		1.20	[0.75: 1.91]		1.33	[0.99: 1.79]		1.30	[0.95: 1.76]		
BMI25.0以上(18.5以上25.0未満=1)		1.13	[0.85: 1.50]		1.03	[0.74: 1.43]		1.12	[0.86: 1.47]		
毎日飲酒(有/無)		0.58	[0.26: 1.32]		0.86	[0.54: 1.36]		1.31	[0.89: 1.93]		
政府管掌・組合などの保険(国民健康保険=1)	0.91	[0.66: 1.24]		0.93	[0.73: 1.17]		0.90	[0.72: 1.12]			
共済(国民健康保険=1)	0.82	[0.51: 1.32]		0.80	[0.50: 1.28]		0.50	[0.27: 0.92]	*		
その他の保険(国民健康保険=1)	1.07	[0.50: 2.29]		0.46	[0.11: 1.87]		0.79	[0.35: 1.78]			
肺がん	男性	地区(都市/対照)	0.98	[0.61: 1.57]		1.46	[1.02: 2.10]	*	1.43	[1.04: 1.96]	*
		年齢(+1歳)	1.08	[1.06: 1.11]	*	1.10	[1.08: 1.12]	*	1.10	[1.08: 1.12]	*
		現在喫煙(非喫煙=1)	8.96	[3.20: 25.08]	*	6.61	[3.05: 14.33]	*	4.76	[2.32: 9.78]	*
		過去喫煙(非喫煙=1)	5.88	[2.03: 17.04]	*	2.61	[1.16: 5.89]	*	2.54	[1.18: 5.49]	*
		危険職種(有/無)	0.77	[0.47: 1.25]		0.98	[0.71: 1.36]		1.20	[0.88: 1.64]	
		野菜毎日摂取(有/無)	1.20	[0.70: 2.06]		1.00	[0.72: 1.41]		0.98	[0.71: 1.35]	
		果物毎日摂取(有/無)	1.78	[1.08: 2.95]	*	1.17	[0.83: 1.65]		0.85	[0.62: 1.18]	
		BMI18.5未満(18.5以上25.0未満=1)	2.13	[1.07: 4.25]	*	1.18	[0.77: 1.82]		1.14	[0.71: 1.82]	
		BMI25.0以上(18.5以上25.0未満=1)	0.96	[0.52: 1.76]		0.39	[0.18: 0.84]	*	0.91	[0.56: 1.49]	
		毎日飲酒(有/無)	0.79	[0.50: 1.25]		0.80	[0.58: 1.12]		0.97	[0.71: 1.32]	
	政府管掌・組合などの保険(国民健康保険=1)	1.15	[0.68: 1.94]		0.67	[0.47: 0.97]	*	0.81	[0.58: 1.13]		
	共済(国民健康保険=1)	0.54	[0.19: 1.52]		0.59	[0.25: 1.37]		0.57	[0.21: 1.57]		
	その他の保険(国民健康保険=1)	3.52	[1.38: 8.99]	*	1.17	[0.29: 4.76]		0.44	[0.06: 3.15]		
	女性	地区(都市/対照)	1.32	[0.57: 3.02]		1.88	[0.77: 4.58]		1.10	[0.61: 1.99]	
		年齢(+1歳)	1.07	[1.03: 1.11]	*	1.07	[1.04: 1.11]	*	1.10	[1.07: 1.13]	*
		現在喫煙(非喫煙=1)	5.44	[2.33: 12.70]	*	4.37	[2.02: 9.46]	*	3.67	[1.90: 7.10]	*
		過去喫煙(非喫煙=1)	1.55	[0.20: 11.73]		2.48	[0.74: 8.33]		1.68	[0.51: 5.59]	
		危険職種(有/無)	1.58	[0.59: 4.26]		0.28	[0.07: 1.19]		1.07	[0.52: 2.17]	
		野菜毎日摂取(有/無)	0.67	[0.28: 1.58]		0.84	[0.41: 1.70]		0.96	[0.52: 1.75]	
		果物毎日摂取(有/無)	2.63	[0.88: 7.91]		1.28	[0.62: 2.62]		1.10	[0.60: 2.04]	
BMI18.5未満(18.5以上25.0未満=1)		1.26	[0.36: 4.41]		1.61	[0.72: 3.57]		1.30	[0.61: 2.76]		
BMI25.0以上(18.5以上25.0未満=1)		0.80	[0.32: 2.02]		0.65	[0.19: 2.16]		0.68	[0.28: 1.63]		
毎日飲酒(有/無)		0.59	[0.08: 4.46]		-	-		0.56	[0.13: 2.35]		
政府管掌・組合などの保険(国民健康保険=1)	1.09	[0.47: 2.54]		1.25	[0.63: 2.50]		0.62	[0.33: 1.20]			
共済(国民健康保険=1)	-	-		0.40	[0.05: 3.00]		0.31	[0.04: 2.29]			
その他の保険(国民健康保険=1)	2.09	[0.46: 9.41]		2.30	[0.30: 17.43]		0.64	[0.09: 4.73]			

死因	性別	変数	宮城県		愛知県		大阪府		
			ハザード比	[95%信頼区間]	ハザード比	[95%信頼区間]	ハザード比	[95%信頼区間]	
肺がん以外のがん	男性	地区(都市/対照)	0.97	[0.78; 1.22]	1.11	[0.91; 1.36]	1.38	[1.18; 1.62]	*
		年齢(+1歳)	1.09	[1.08; 1.10]	1.08	[1.07; 1.09]	1.07	[1.06; 1.08]	*
		現在喫煙(非喫煙=1)	1.88	[1.38; 2.57]	1.39	[1.05; 1.85]	1.54	[1.21; 1.98]	*
		過去喫煙(非喫煙=1)	1.86	[1.34; 2.58]	1.10	[0.81; 1.48]	1.26	[0.96; 1.66]	*
		危険職種(有/無)	1.14	[0.91; 1.42]	1.03	[0.85; 1.24]	1.16	[0.99; 1.36]	
		野菜毎日摂取(有/無)	0.81	[0.65; 1.03]	1.05	[0.86; 1.28]	0.85	[0.72; 1.00]	*
		果物毎日摂取(有/無)	0.99	[0.79; 1.24]	0.95	[0.78; 1.16]	1.19	[1.01; 1.40]	*
		BMI18.5未満(18.5以上25.0未満=1)	1.23	[0.82; 1.82]	1.18	[0.89; 1.56]	1.10	[0.85; 1.43]	
		BMI25.0以上(18.5以上25.0未満=1)	0.83	[0.62; 1.11]	0.75	[0.55; 1.03]	1.21	[0.98; 1.49]	
		毎日飲酒(有/無)	1.00	[0.80; 1.25]	1.04	[0.86; 1.25]	1.10	[0.94; 1.29]	
	政府管掌・組合などの保険(国民健康保険=1)	1.24	[0.97; 1.59]	1.06	[0.86; 1.30]	0.96	[0.81; 1.13]		
	共済(国民健康保険=1)	1.36	[0.95; 1.94]	1.05	[0.71; 1.57]	0.65	[0.41; 1.04]		
	その他の保険(国民健康保険=1)	0.95	[0.45; 2.04]	1.43	[0.63; 3.22]	1.70	[0.98; 2.96]		
	地区(都市/対照)	0.72	[0.54; 0.95]	0.82	[0.64; 1.07]	1.02	[0.81; 1.29]		
	年齢(+1歳)	1.08	[1.07; 1.09]	1.07	[1.06; 1.08]	1.06	[1.05; 1.07]	*	
	現在喫煙(非喫煙=1)	1.17	[0.72; 1.93]	1.20	[0.83; 1.75]	1.43	[1.03; 1.97]	*	
	過去喫煙(非喫煙=1)	1.02	[0.48; 2.17]	1.32	[0.82; 2.15]	1.02	[0.58; 1.79]		
	危険職種(有/無)	1.06	[0.68; 1.64]	0.90	[0.65; 1.25]	0.69	[0.51; 0.93]	*	
	野菜毎日摂取(有/無)	1.06	[0.75; 1.49]	0.84	[0.65; 1.09]	0.84	[0.66; 1.06]		
	果物毎日摂取(有/無)	1.21	[0.86; 1.70]	1.03	[0.80; 1.33]	1.07	[0.84; 1.36]		
BMI18.5未満(18.5以上25.0未満=1)	1.19	[0.72; 1.96]	1.29	[0.93; 1.78]	1.29	[0.92; 1.81]			
BMI25.0以上(18.5以上25.0未満=1)	1.18	[0.87; 1.59]	1.08	[0.76; 1.52]	1.20	[0.90; 1.59]			
毎日飲酒(有/無)	0.58	[0.24; 1.43]	1.02	[0.64; 1.62]	1.46	[0.97; 2.18]			
政府管掌・組合などの保険(国民健康保険=1)	0.88	[0.63; 1.24]	0.89	[0.69; 1.15]	0.94	[0.74; 1.20]			
共済(国民健康保険=1)	0.93	[0.57; 1.51]	0.85	[0.52; 1.37]	0.53	[0.28; 1.00]			
その他の保険(国民健康保険=1)	0.90	[0.37; 2.21]	0.26	[0.04; 1.85]	0.81	[0.33; 1.97]			
循環器疾患	男性	地区(都市/対照)	0.65	[0.54; 0.79]	0.79	[0.66; 0.94]	0.98	[0.83; 1.16]	
		年齢(+1歳)	1.13	[1.11; 1.14]	1.13	[1.12; 1.14]	1.13	[1.12; 1.14]	*
		現在喫煙(非喫煙=1)	1.56	[1.22; 1.98]	1.63	[1.27; 2.10]	1.38	[1.08; 1.71]	*
		過去喫煙(非喫煙=1)	1.49	[1.16; 1.91]	1.40	[1.08; 1.81]	1.04	[0.80; 1.34]	
		危険職種(有/無)	1.12	[0.92; 1.36]	0.90	[0.76; 1.07]	0.98	[0.83; 1.16]	
		野菜毎日摂取(有/無)	0.94	[0.77; 1.15]	1.00	[0.84; 1.19]	0.88	[0.75; 1.05]	
		果物毎日摂取(有/無)	0.94	[0.78; 1.14]	0.97	[0.81; 1.16]	0.89	[0.75; 1.06]	
		BMI18.5未満(18.5以上25.0未満=1)	1.15	[0.83; 1.59]	1.27	[1.02; 1.59]	1.37	[1.09; 1.71]	*
		BMI25.0以上(18.5以上25.0未満=1)	1.01	[0.79; 1.27]	1.25	[0.98; 1.61]	1.23	[0.96; 1.56]	
		毎日飲酒(有/無)	0.82	[0.67; 0.99]	0.67	[0.56; 0.80]	0.72	[0.61; 0.86]	*
	政府管掌・組合などの保険(国民健康保険=1)	0.86	[0.68; 1.08]	0.94	[0.78; 1.13]	0.82	[0.68; 0.98]	*	
	共済(国民健康保険=1)	0.68	[0.45; 1.02]	1.31	[0.91; 1.87]	0.60	[0.38; 0.98]	*	
	その他の保険(国民健康保険=1)	1.24	[0.74; 2.10]	1.10	[0.54; 2.22]	0.65	[0.29; 1.45]		
	地区(都市/対照)	0.61	[0.50; 0.74]	0.97	[0.79; 1.19]	0.87	[0.73; 1.03]		
	年齢(+1歳)	1.15	[1.14; 1.16]	1.15	[1.14; 1.17]	1.16	[1.15; 1.17]	*	
	現在喫煙(非喫煙=1)	1.19	[0.85; 1.67]	1.69	[1.28; 2.22]	1.96	[1.58; 2.42]	*	
	過去喫煙(非喫煙=1)	2.12	[1.49; 3.00]	1.46	[1.03; 2.07]	1.25	[0.88; 1.76]		
	危険職種(有/無)	1.03	[0.73; 1.47]	0.99	[0.75; 1.30]	0.89	[0.72; 1.11]		
	野菜毎日摂取(有/無)	0.78	[0.63; 0.96]	1.07	[0.87; 1.31]	0.91	[0.77; 1.08]		
	果物毎日摂取(有/無)	0.69	[0.56; 0.85]	0.85	[0.70; 1.04]	0.87	[0.73; 1.04]		
BMI18.5未満(18.5以上25.0未満=1)	1.43	[1.08; 1.91]	1.21	[0.96; 1.53]	1.23	[0.99; 1.51]			
BMI25.0以上(18.5以上25.0未満=1)	1.24	[1.00; 1.54]	1.45	[1.12; 1.86]	1.04	[0.83; 1.30]			
毎日飲酒(有/無)	0.68	[0.39; 1.19]	0.58	[0.36; 0.95]	1.16	[0.83; 1.61]			
政府管掌・組合などの保険(国民健康保険=1)	0.98	[0.77; 1.25]	0.99	[0.81; 1.20]	1.02	[0.86; 1.22]			
共済(国民健康保険=1)	0.75	[0.51; 1.11]	1.09	[0.76; 1.55]	1.11	[0.79; 1.57]			
その他の保険(国民健康保険=1)	0.76	[0.40; 1.44]	0.64	[0.26; 1.56]	1.20	[0.75; 1.91]			
心疾患	男性	地区(都市/対照)	0.75	[0.58; 0.97]	0.86	[0.68; 1.08]	0.81	[0.65; 1.02]	
		年齢(+1歳)	1.12	[1.11; 1.14]	1.12	[1.11; 1.14]	1.12	[1.11; 1.13]	*
		現在喫煙(非喫煙=1)	2.11	[1.47; 3.03]	1.85	[1.32; 2.60]	1.64	[1.17; 2.31]	*
		過去喫煙(非喫煙=1)	2.11	[1.46; 3.07]	1.49	[1.05; 2.12]	1.31	[0.90; 1.90]	
		危険職種(有/無)	1.11	[0.85; 1.45]	0.91	[0.73; 1.14]	1.05	[0.83; 1.33]	
		野菜毎日摂取(有/無)	1.01	[0.76; 1.34]	1.02	[0.81; 1.28]	0.88	[0.69; 1.11]	
		果物毎日摂取(有/無)	0.95	[0.73; 1.23]	1.05	[0.83; 1.33]	0.81	[0.64; 1.02]	
		BMI18.5未満(18.5以上25.0未満=1)	1.30	[0.85; 1.99]	1.35	[1.01; 1.80]	1.43	[1.05; 1.95]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.97	[0.69; 1.35]	1.08	[0.76; 1.52]	1.34	[0.97; 1.85]	
		毎日飲酒(有/無)	0.78	[0.60; 1.02]	0.56	[0.44; 0.71]	0.66	[0.52; 0.84]	*
	政府管掌・組合などの保険(国民健康保険=1)	0.72	[0.52; 1.01]	0.99	[0.78; 1.27]	0.73	[0.57; 0.94]	*	
	共済(国民健康保険=1)	0.69	[0.39; 1.19]	1.37	[0.87; 2.17]	0.58	[0.31; 1.11]		
	その他の保険(国民健康保険=1)	1.24	[0.61; 2.55]	0.25	[0.03; 1.76]	0.19	[0.03; 1.36]		
	地区(都市/対照)	0.66	[0.49; 0.89]	1.08	[0.81; 1.43]	0.76	[0.60; 0.96]	*	
	年齢(+1歳)	1.15	[1.13; 1.16]	1.16	[1.14; 1.17]	1.15	[1.14; 1.17]	*	
	現在喫煙(非喫煙=1)	1.10	[0.66; 1.83]	1.94	[1.36; 2.77]	1.95	[1.46; 2.61]	*	
	過去喫煙(非喫煙=1)	2.13	[1.27; 3.57]	1.63	[1.03; 2.57]	1.41	[0.90; 2.22]		
	危険職種(有/無)	1.13	[0.68; 1.88]	0.94	[0.64; 1.39]	1.04	[0.78; 1.38]		
	野菜毎日摂取(有/無)	0.74	[0.54; 1.02]	1.18	[0.89; 1.57]	0.83	[0.66; 1.05]		
	果物毎日摂取(有/無)	0.69	[0.51; 0.93]	0.75	[0.57; 0.98]	0.77	[0.61; 0.97]	*	
BMI18.5未満(18.5以上25.0未満=1)	2.01	[1.36; 2.96]	1.52	[1.13; 2.05]	1.41	[1.06; 1.86]	*		
BMI25.0以上(18.5以上25.0未満=1)	1.31	[0.94; 1.81]	1.25	[0.86; 1.81]	1.17	[0.87; 1.57]			
毎日飲酒(有/無)	0.35	[0.11; 1.10]	0.73	[0.41; 1.32]	1.04	[0.65; 1.67]			
政府管掌・組合などの保険(国民健康保険=1)	1.14	[0.81; 1.60]	0.90	[0.69; 1.18]	1.18	[0.93; 1.49]			
共済(国民健康保険=1)	0.91	[0.53; 1.56]	0.80	[0.47; 1.36]	1.19	[0.75; 1.90]			
その他の保険(国民健康保険=1)	0.89	[0.36; 2.19]	0.67	[0.21; 2.12]	1.36	[0.73; 2.51]			

死因	性別	変数	宮城県		愛知県		大阪府		
			ハザード比	[95%信頼区間]	ハザード比	[95%信頼区間]	ハザード比	[95%信頼区間]	
虚血性心疾患	男性	地区(都市/対照)	0.92	[0.62: 1.35]	0.96	[0.64: 1.44]	1.50	[1.04: 2.14]	*
		年齢(+1歳)	1.12	[1.09: 1.14]	1.10	[1.08: 1.12]	1.11	[1.09: 1.13]	*
		現在喫煙(非喫煙=1)	2.12	[1.22: 3.71]	3.05	[1.49: 6.22]	2.09	[1.18: 3.71]	*
		過去喫煙(非喫煙=1)	2.58	[1.48: 4.49]	2.65	[1.29: 5.45]	1.60	[0.86: 2.97]	*
		危険職種(有/無)	1.32	[0.89: 1.95]	0.77	[0.53: 1.14]	0.91	[0.64: 1.29]	
		野菜毎日摂取(有/無)	1.13	[0.73: 1.74]	0.99	[0.67: 1.47]	0.66	[0.46: 0.96]	*
		果物毎日摂取(有/無)	1.01	[0.68: 1.51]	1.34	[0.90: 1.99]	1.02	[0.71: 1.45]	
		BMI18.5未満(18.5以上25.0未満=1)	1.37	[0.74: 2.55]	1.02	[0.58: 1.80]	1.24	[0.76: 2.05]	
		BMI25.0以上(18.5以上25.0未満=1)	1.01	[0.62: 1.65]	1.20	[0.70: 2.07]	1.39	[0.86: 2.25]	
		毎日飲酒(有/無)	0.67	[0.45: 1.02]	0.52	[0.34: 0.78]	0.69	[0.48: 0.99]	*
	政府管掌・組合などの保険(国民健康保険=1)	0.70	[0.43: 1.14]	0.95	[0.63: 1.42]	0.67	[0.45: 0.99]	*	
	共済(国民健康保険=1)	0.65	[0.28: 1.51]	0.42	[0.13: 1.38]	0.48	[0.15: 1.52]	*	
	その他の保険(国民健康保険=1)	1.61	[0.64: 4.03]	0.80	[0.11: 5.81]	0.50	[0.07: 3.61]		
	女性	地区(都市/対照)	0.55	[0.34: 0.90]	1.06	[0.60: 1.85]	1.42	[0.94: 2.14]	*
		年齢(+1歳)	1.13	[1.11: 1.16]	1.13	[1.10: 1.16]	1.14	[1.12: 1.16]	*
		現在喫煙(非喫煙=1)	1.70	[0.83: 3.49]	2.27	[1.17: 4.41]	3.17	[2.02: 4.98]	*
		過去喫煙(非喫煙=1)	2.67	[1.21: 5.90]	1.62	[0.64: 4.12]	2.39	[1.25: 4.56]	*
		危険職種(有/無)	1.15	[0.52: 2.54]	1.02	[0.49: 2.12]	1.05	[0.65: 1.69]	
		野菜毎日摂取(有/無)	0.77	[0.46: 1.30]	1.07	[0.62: 1.85]	0.61	[0.40: 0.92]	*
		果物毎日摂取(有/無)	0.74	[0.45: 1.22]	0.62	[0.36: 1.08]	0.93	[0.62: 1.40]	
BMI18.5未満(18.5以上25.0未満=1)		1.71	[0.87: 3.37]	2.08	[1.16: 3.75]	1.38	[0.84: 2.27]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.30	[0.77: 2.19]	1.38	[0.65: 2.92]	1.51	[0.94: 2.43]		
毎日飲酒(有/無)		0.29	[0.04: 2.12]	0.69	[0.21: 2.23]	1.46	[0.73: 2.94]		
政府管掌・組合などの保険(国民健康保険=1)	1.25	[0.73: 2.14]	0.81	[0.47: 1.39]	0.81	[0.53: 1.25]	*		
共済(国民健康保険=1)	0.51	[0.16: 1.64]	0.77	[0.27: 2.20]	1.24	[0.56: 2.76]			
その他の保険(国民健康保険=1)	0.90	[0.22: 3.73]	-	-	0.89	[0.28: 2.85]			
虚血性心疾患以外の心疾患	男性	地区(都市/対照)	0.64	[0.45: 0.91]	0.83	[0.62: 1.10]	0.50	[0.37: 0.69]	*
		年齢(+1歳)	1.13	[1.11: 1.15]	1.14	[1.12: 1.15]	1.13	[1.11: 1.15]	*
		現在喫煙(非喫煙=1)	2.10	[1.31: 3.36]	1.55	[1.05: 2.29]	1.40	[0.91: 2.14]	*
		過去喫煙(非喫煙=1)	1.77	[1.07: 2.93]	1.18	[0.79: 1.78]	1.14	[0.71: 1.83]	
		危険職種(有/無)	0.95	[0.66: 1.38]	1.01	[0.77: 1.33]	1.17	[0.85: 1.59]	
		野菜毎日摂取(有/無)	0.92	[0.63: 1.34]	1.02	[0.77: 1.36]	1.07	[0.79: 1.45]	
		果物毎日摂取(有/無)	0.90	[0.63: 1.28]	0.94	[0.70: 1.25]	0.66	[0.48: 0.90]	*
		BMI18.5未満(18.5以上25.0未満=1)	1.25	[0.70: 2.25]	1.47	[1.04: 2.06]	1.54	[1.03: 2.29]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.93	[0.59: 1.47]	1.00	[0.63: 1.56]	1.25	[0.81: 1.95]	
		毎日飲酒(有/無)	0.88	[0.62: 1.25]	0.58	[0.43: 0.79]	0.65	[0.47: 0.88]	*
	政府管掌・組合などの保険(国民健康保険=1)	0.75	[0.48: 1.17]	1.00	[0.74: 1.35]	0.79	[0.57: 1.10]		
	共済(国民健康保険=1)	0.72	[0.35: 1.50]	2.05	[1.24: 3.38]	0.65	[0.30: 1.42]	*	
	その他の保険(国民健康保険=1)	0.90	[0.28: 2.87]	-	-	-	-		
	女性	地区(都市/対照)	0.70	[0.48: 1.02]	1.08	[0.78: 1.50]	0.55	[0.41: 0.73]	*
		年齢(+1歳)	1.16	[1.14: 1.18]	1.17	[1.15: 1.18]	1.16	[1.14: 1.18]	*
		現在喫煙(非喫煙=1)	0.83	[0.40: 1.72]	1.76	[1.14: 2.71]	1.45	[0.98: 2.15]	*
		過去喫煙(非喫煙=1)	1.89	[0.96: 3.76]	1.64	[0.97: 2.76]	1.00	[0.53: 1.91]	
		危険職種(有/無)	1.16	[0.60: 2.23]	0.93	[0.59: 1.45]	1.04	[0.74: 1.48]	
		野菜毎日摂取(有/無)	0.70	[0.47: 1.05]	1.24	[0.90: 1.73]	0.94	[0.71: 1.26]	
		果物毎日摂取(有/無)	0.68	[0.46: 0.99]	0.80	[0.58: 1.09]	0.72	[0.54: 0.96]	*
BMI18.5未満(18.5以上25.0未満=1)		2.20	[1.36: 3.55]	1.34	[0.95: 1.91]	1.42	[1.01: 1.99]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.29	[0.85: 1.97]	1.22	[0.79: 1.86]	1.01	[0.69: 1.48]		
毎日飲酒(有/無)		0.19	[0.03: 1.39]	0.75	[0.38: 1.49]	0.84	[0.44: 1.59]		
政府管掌・組合などの保険(国民健康保険=1)	1.06	[0.67: 1.66]	0.92	[0.67: 1.25]	1.39	[1.04: 1.86]	*		
共済(国民健康保険=1)	1.16	[0.62: 2.14]	0.81	[0.43: 1.51]	1.20	[0.68: 2.12]			
その他の保険(国民健康保険=1)	0.90	[0.28: 2.86]	0.91	[0.29: 2.90]	1.72	[0.83: 3.57]			
脳血管疾患	男性	地区(都市/対照)	0.55	[0.42: 0.73]	0.66	[0.50: 0.87]	1.15	[0.89: 1.49]	*
		年齢(+1歳)	1.13	[1.11: 1.14]	1.14	[1.13: 1.16]	1.13	[1.12: 1.15]	*
		現在喫煙(非喫煙=1)	1.19	[0.85: 1.66]	1.42	[0.96: 2.11]	1.11	[0.80: 1.54]	
		過去喫煙(非喫煙=1)	1.07	[0.74: 1.54]	1.27	[0.85: 1.90]	0.82	[0.56: 1.19]	
		危険職種(有/無)	1.18	[0.89: 1.57]	0.95	[0.72: 1.25]	0.91	[0.70: 1.18]	
		野菜毎日摂取(有/無)	0.94	[0.69: 1.28]	0.96	[0.73: 1.27]	0.88	[0.68: 1.13]	
		果物毎日摂取(有/無)	0.90	[0.67: 1.19]	0.90	[0.67: 1.20]	1.02	[0.79: 1.31]	
		BMI18.5未満(18.5以上25.0未満=1)	0.99	[0.59: 1.66]	1.10	[0.76: 1.59]	1.38	[0.99: 1.94]	
		BMI25.0以上(18.5以上25.0未満=1)	0.97	[0.68: 1.38]	1.44	[0.99: 2.11]	1.23	[0.85: 1.77]	
		毎日飲酒(有/無)	0.90	[0.67: 1.20]	0.85	[0.64: 1.13]	0.80	[0.62: 1.04]	
	政府管掌・組合などの保険(国民健康保険=1)	0.97	[0.69: 1.35]	0.89	[0.65: 1.20]	0.95	[0.72: 1.24]		
	共済(国民健康保険=1)	0.62	[0.33: 1.19]	1.31	[0.73: 2.36]	0.59	[0.27: 1.26]		
	その他の保険(国民健康保険=1)	1.28	[0.60: 2.77]	2.38	[1.10: 5.12]	1.09	[0.40: 2.94]		
	女性	地区(都市/対照)	0.55	[0.41: 0.72]	0.80	[0.59: 1.10]	0.98	[0.75: 1.27]	*
		年齢(+1歳)	1.16	[1.14: 1.17]	1.15	[1.13: 1.16]	1.15	[1.14: 1.17]	*
		現在喫煙(非喫煙=1)	1.33	[0.85: 2.08]	1.54	[0.99: 2.42]	1.89	[1.35: 2.65]	*
		過去喫煙(非喫煙=1)	1.77	[1.04: 3.01]	1.35	[0.77: 2.39]	1.20	[0.69: 2.08]	
		危険職種(有/無)	0.87	[0.52: 1.49]	1.06	[0.71: 1.60]	0.68	[0.47: 0.99]	*
		野菜毎日摂取(有/無)	0.77	[0.57: 1.04]	1.02	[0.74: 1.41]	1.02	[0.79: 1.33]	
		果物毎日摂取(有/無)	0.71	[0.53: 0.95]	1.06	[0.77: 1.44]	1.01	[0.77: 1.32]	
BMI18.5未満(18.5以上25.0未満=1)		1.01	[0.65: 1.58]	0.83	[0.55: 1.25]	1.04	[0.74: 1.46]		
BMI25.0以上(18.5以上25.0未満=1)		1.15	[0.85: 1.56]	1.75	[1.22: 2.50]	0.91	[0.64: 1.30]		
毎日飲酒(有/無)		1.00	[0.52: 1.91]	0.42	[0.17: 1.03]	1.07	[0.62: 1.84]		
政府管掌・組合などの保険(国民健康保険=1)	0.89	[0.63: 1.25]	1.18	[0.87: 1.61]	0.85	[0.64: 1.12]			
共済(国民健康保険=1)	0.62	[0.34: 1.12]	1.37	[0.80: 2.34]	1.07	[0.64: 1.82]			
その他の保険(国民健康保険=1)	0.72	[0.30: 1.77]	0.70	[0.17: 2.87]	1.17	[0.57: 2.39]			

死因	性別	変数	宮城県		愛知県		大阪府	
			ハザード比 [95%信頼区間]		ハザード比 [95%信頼区間]		ハザード比 [95%信頼区間]	
くも膜下出血	男性	地区(都市/対照)	0.85 [0.28; 2.61]		1.21 [0.37; 3.99]		2.16 [0.87; 5.37]	
		年齢(+1歳)	1.01 [0.95; 1.06]		1.08 [1.03; 1.14]	*	1.05 [1.01; 1.09]	*
		現在喫煙(非喫煙=1)	5.27 [0.67; 41.56]		0.76 [0.19; 3.10]		1.56 [0.45; 5.42]	
		過去喫煙(非喫煙=1)	0.98 [0.08; 15.81]		0.61 [0.14; 2.78]		0.42 [0.07; 2.52]	
		危険職種(有/無)	0.72 [0.23; 2.19]		1.68 [0.57; 4.96]		1.23 [0.52; 2.91]	
		野菜毎日摂取(有/無)	0.48 [0.16; 1.45]		0.52 [0.17; 1.58]		0.61 [0.23; 1.59]	
		果物毎日摂取(有/無)	1.29 [0.42; 3.94]		2.07 [0.65; 6.56]		0.68 [0.26; 1.79]	
		BMI18.5未満(18.5以上25.0未満=1)	-		0.58 [0.07; 4.56]		0.88 [0.20; 3.85]	
		BMI25.0以上(18.5以上25.0未満=1)	2.05 [0.68; 6.18]		0.49 [0.06; 3.78]		0.27 [0.04; 2.01]	
		毎日飲酒(有/無)	1.29 [0.44; 3.80]		2.66 [0.86; 8.21]		0.62 [0.26; 1.48]	
	政府管掌・組合などの保険(国民健康保険=1)	0.95 [0.29; 3.15]		0.42 [0.10; 1.65]		1.11 [0.45; 2.73]		
	共済(国民健康保険=1)	0.45 [0.05; 3.73]		3.11 [0.72; 13.34]		2.33 [0.48; 11.37]		
	その他の保険(国民健康保険=1)	-		-		-		
	女性	地区(都市/対照)	0.29 [0.09; 0.94]	*	0.52 [0.24; 1.15]		0.61 [0.30; 1.25]	
		年齢(+1歳)	1.10 [1.05; 1.15]	*	1.10 [1.06; 1.14]	*	1.08 [1.05; 1.11]	*
		現在喫煙(非喫煙=1)	3.40 [0.91; 12.70]		1.54 [0.45; 5.26]		1.37 [0.47; 3.98]	
		過去喫煙(非喫煙=1)	-		2.28 [0.67; 7.76]		1.65 [0.39; 7.07]	
		危険職種(有/無)	1.43 [0.31; 6.51]		0.36 [0.08; 1.54]		0.40 [0.12; 1.32]	
		野菜毎日摂取(有/無)	1.76 [0.39; 8.03]		1.11 [0.45; 2.70]		1.22 [0.60; 2.50]	
		果物毎日摂取(有/無)	1.38 [0.38; 5.05]		2.51 [1.01; 6.23]	*	1.00 [0.48; 2.06]	
BMI18.5未満(18.5以上25.0未満=1)		-		1.08 [0.35; 3.34]		0.60 [0.18; 1.99]		
BMI25.0以上(18.5以上25.0未満=1)		1.15 [0.39; 3.40]		3.25 [1.40; 7.54]	*	0.41 [0.13; 1.37]		
毎日飲酒(有/無)		1.24 [0.15; 10.03]		1.09 [0.25; 4.70]		0.51 [0.07; 3.77]		
政府管掌・組合などの保険(国民健康保険=1)	1.30 [0.39; 4.30]		0.89 [0.39; 2.00]		0.71 [0.33; 1.52]			
共済(国民健康保険=1)	0.90 [0.11; 7.14]		1.00 [0.23; 4.45]		1.14 [0.33; 3.94]			
その他の保険(国民健康保険=1)	-		2.80 [0.36; 21.53]		-			
脳内出血	男性	地区(都市/対照)	1.00 [0.65; 1.80]		1.15 [0.55; 2.41]		1.19 [0.70; 2.04]	
		年齢(+1歳)	1.07 [1.04; 1.10]	*	1.10 [1.06; 1.13]	*	1.06 [1.03; 1.09]	*
		現在喫煙(非喫煙=1)	0.94 [0.48; 1.86]		1.33 [0.48; 3.70]		0.88 [0.43; 1.82]	
		過去喫煙(非喫煙=1)	0.60 [0.26; 1.39]		1.12 [0.39; 3.26]		0.93 [0.42; 2.07]	
		危険職種(有/無)	1.32 [0.74; 2.36]		0.83 [0.41; 1.67]		1.22 [0.72; 2.08]	
		野菜毎日摂取(有/無)	1.22 [0.63; 2.37]		1.24 [0.60; 2.54]		1.13 [0.66; 1.94]	
		果物毎日摂取(有/無)	1.08 [0.59; 1.97]		0.71 [0.34; 1.48]		1.64 [0.95; 2.83]	
		BMI18.5未満(18.5以上25.0未満=1)	0.68 [0.16; 2.85]		2.04 [0.84; 4.99]		1.92 [0.95; 3.88]	
		BMI25.0以上(18.5以上25.0未満=1)	0.64 [0.29; 1.44]		2.56 [1.11; 5.87]	*	0.48 [0.17; 1.34]	
		毎日飲酒(有/無)	1.38 [0.78; 2.44]		1.10 [0.55; 2.21]		1.08 [0.63; 1.84]	
	政府管掌・組合などの保険(国民健康保険=1)	1.10 [0.57; 2.13]		0.87 [0.42; 1.83]		0.73 [0.41; 1.29]		
	共済(国民健康保険=1)	0.21 [0.03; 1.55]		0.44 [0.06; 3.42]		-		
	その他の保険(国民健康保険=1)	4.30 [1.62; 11.41]	*	-		-		
	女性	地区(都市/対照)	0.69 [0.38; 1.25]		1.15 [0.46; 2.85]		1.51 [0.82; 2.81]	
		年齢(+1歳)	1.10 [1.07; 1.13]	*	1.11 [1.07; 1.15]	*	1.11 [1.08; 1.14]	*
		現在喫煙(非喫煙=1)	0.63 [0.19; 2.08]		1.89 [0.62; 5.78]		2.19 [1.03; 4.68]	*
		過去喫煙(非喫煙=1)	3.38 [1.41; 8.07]	*	2.36 [0.68; 8.16]		1.51 [0.46; 4.98]	
		危険職種(有/無)	0.62 [0.19; 2.01]		1.43 [0.51; 3.99]		0.77 [0.34; 1.75]	
		野菜毎日摂取(有/無)	0.42 [0.23; 0.76]	*	0.75 [0.32; 1.73]		1.48 [0.79; 2.76]	
		果物毎日摂取(有/無)	0.59 [0.32; 1.07]		0.94 [0.40; 2.19]		1.48 [0.76; 2.87]	
BMI18.5未満(18.5以上25.0未満=1)		2.18 [0.97; 4.93]		1.84 [0.70; 4.84]		0.67 [0.26; 1.73]		
BMI25.0以上(18.5以上25.0未満=1)		1.32 [0.70; 2.50]		1.94 [0.68; 5.54]		0.76 [0.34; 1.73]		
毎日飲酒(有/無)		1.12 [0.27; 4.70]		0.61 [0.08; 4.62]		1.55 [0.55; 4.42]		
政府管掌・組合などの保険(国民健康保険=1)	1.14 [0.60; 2.17]		0.99 [0.41; 2.40]		0.92 [0.49; 1.75]			
共済(国民健康保険=1)	-		1.75 [0.49; 6.33]		1.72 [0.58; 5.07]			
その他の保険(国民健康保険=1)	0.79 [0.11; 5.83]		2.50 [0.32; 19.57]		0.92 [0.12; 6.87]			
脳梗塞	男性	地区(都市/対照)	0.52 [0.36; 0.75]	*	0.67 [0.45; 0.99]	*	1.21 [0.84; 1.74]	
		年齢(+1歳)	1.16 [1.14; 1.19]	*	1.16 [1.14; 1.18]	*	1.18 [1.16; 1.20]	*
		現在喫煙(非喫煙=1)	1.34 [0.86; 2.10]		1.28 [0.76; 2.19]		1.14 [0.72; 1.81]	
		過去喫煙(非喫煙=1)	1.41 [0.89; 2.24]		1.16 [0.68; 1.99]		0.87 [0.52; 1.45]	
		危険職種(有/無)	1.32 [0.91; 1.92]		1.10 [0.75; 1.61]		0.81 [0.55; 1.19]	
		野菜毎日摂取(有/無)	0.91 [0.61; 1.36]		1.10 [0.74; 1.64]		0.75 [0.52; 1.08]	
		果物毎日摂取(有/無)	0.88 [0.61; 1.28]		0.92 [0.61; 1.39]		0.94 [0.65; 1.35]	
		BMI18.5未満(18.5以上25.0未満=1)	1.01 [0.54; 1.90]		1.25 [0.76; 2.06]		1.36 [0.85; 2.17]	
		BMI25.0以上(18.5以上25.0未満=1)	0.94 [0.59; 1.51]		1.69 [1.00; 2.85]	*	1.70 [1.03; 2.82]	*
		毎日飲酒(有/無)	0.66 [0.44; 0.99]	*	0.71 [0.47; 1.08]		0.82 [0.57; 1.20]	
	政府管掌・組合などの保険(国民健康保険=1)	0.96 [0.62; 1.49]		0.79 [0.51; 1.23]		0.83 [0.55; 1.23]		
	共済(国民健康保険=1)	0.89 [0.41; 1.94]		1.32 [0.56; 3.10]		0.49 [0.15; 1.55]		
	その他の保険(国民健康保険=1)	0.60 [0.15; 2.47]		1.67 [0.52; 5.36]		1.51 [0.47; 4.82]		
	女性	地区(都市/対照)	0.55 [0.37; 0.80]	*	0.80 [0.50; 1.27]		0.96 [0.65; 1.44]	
		年齢(+1歳)	1.18 [1.15; 1.20]	*	1.17 [1.15; 1.20]	*	1.18 [1.15; 1.20]	*
		現在喫煙(非喫煙=1)	1.44 [0.79; 2.60]		1.13 [0.53; 2.38]		2.04 [1.24; 3.37]	*
		過去喫煙(非喫煙=1)	1.30 [0.57; 2.98]		1.10 [0.44; 2.74]		0.99 [0.40; 2.46]	
		危険職種(有/無)	0.81 [0.37; 1.75]		1.23 [0.68; 2.26]		0.77 [0.44; 1.35]	
		野菜毎日摂取(有/無)	1.10 [0.71; 1.71]		1.26 [0.77; 2.07]		0.86 [0.57; 1.30]	
		果物毎日摂取(有/無)	0.72 [0.49; 1.07]		0.87 [0.54; 1.39]		0.91 [0.60; 1.37]	
BMI18.5未満(18.5以上25.0未満=1)		0.83 [0.44; 1.58]		0.88 [0.49; 1.60]		1.19 [0.72; 1.97]		
BMI25.0以上(18.5以上25.0未満=1)		1.28 [0.86; 1.92]		1.80 [1.05; 3.09]	*	1.23 [0.73; 2.06]		
毎日飲酒(有/無)		1.19 [0.55; 2.59]		0.43 [0.11; 1.78]		1.38 [0.63; 3.00]		
政府管掌・組合などの保険(国民健康保険=1)	0.78 [0.48; 1.27]		1.13 [0.72; 1.80]		0.63 [0.40; 1.01]			
共済(国民健康保険=1)	0.96 [0.49; 1.86]		1.11 [0.47; 2.65]		1.08 [0.49; 2.40]			
その他の保険(国民健康保険=1)	0.76 [0.24; 2.41]		-		2.21 [1.00; 4.86]	*		

死因	性別	変数	宮城県			愛知県			大阪府		
			ハザード比	[95%信頼区間]	*	ハザード比	[95%信頼区間]	*	ハザード比	[95%信頼区間]	*
呼吸器疾患	男性	地区(都市/対照)	0.90	[0.64:1.26]		1.39	[0.99:1.94]		0.90	[0.70:1.16]	
		年齢(+1歳)	1.16	[1.14:1.18]	*	1.16	[1.14:1.18]	*	1.15	[1.14:1.17]	*
		現在喫煙(非喫煙=1)	1.70	[1.09:2.66]	*	1.19	[0.77:1.85]		1.25	[0.88:1.77]	
		過去喫煙(非喫煙=1)	2.01	[1.30:3.11]	*	1.63	[1.07:2.47]	*	1.25	[0.87:1.82]	
		危険職種(有/無)	0.63	[0.42:0.94]	*	0.89	[0.66:1.20]		1.22	[0.94:1.58]	
		野菜毎日摂取(有/無)	0.77	[0.54:1.11]		0.96	[0.71:1.30]		1.11	[0.86:1.43]	
		果物毎日摂取(有/無)	1.23	[0.86:1.75]		0.80	[0.59:1.09]		0.95	[0.73:1.22]	
		BMI18.5未満(18.5以上25.0未満=1)	2.02	[1.29:3.16]	*	1.96	[1.39:2.76]	*	2.44	[1.83:3.25]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.96	[0.60:1.52]		0.88	[0.52:1.48]		1.24	[0.83:1.85]	
		毎日飲酒(有/無)	0.77	[0.53:1.10]		0.70	[0.51:0.97]	*	0.57	[0.43:0.75]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.21	[0.83:1.76]		1.06	[0.77:1.45]		0.92	[0.70:1.21]		
	共済(国民健康保険=1)	0.54	[0.22:1.33]		0.69	[0.28:1.71]		0.79	[0.41:1.51]		
	その他の保険(国民健康保険=1)	1.01	[0.32:3.23]		0.35	[0.05:2.50]		1.06	[0.43:2.62]		
	女性	地区(都市/対照)	1.36	[0.86:2.16]		0.83	[0.51:1.33]		1.36	[0.96:1.94]	
		年齢(+1歳)	1.16	[1.14:1.19]	*	1.14	[1.12:1.17]	*	1.17	[1.15:1.19]	*
		現在喫煙(非喫煙=1)	1.15	[0.54:2.42]		0.74	[0.32:1.72]		1.15	[0.69:1.92]	
		過去喫煙(非喫煙=1)	0.87	[0.27:2.76]		0.64	[0.20:2.03]		1.97	[1.16:3.36]	*
		危険職種(有/無)	1.15	[0.52:2.52]		1.78	[1.02:3.10]	*	1.19	[0.79:1.80]	
		野菜毎日摂取(有/無)	1.00	[0.59:1.69]		0.90	[0.55:1.46]		0.86	[0.61:1.21]	
		果物毎日摂取(有/無)	0.91	[0.55:1.50]		0.73	[0.45:1.18]		0.73	[0.51:1.03]	
BMI18.5未満(18.5以上25.0未満=1)		1.77	[0.98:3.19]		1.49	[0.86:2.58]		2.33	[1.61:3.36]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.16	[0.69:1.93]		1.13	[0.59:2.15]		0.81	[0.48:1.37]		
毎日飲酒(有/無)		0.26	[0.04:1.90]		0.22	[0.03:1.60]		0.88	[0.41:1.90]		
政府管掌・組合などの保険(国民健康保険=1)	1.26	[0.77:2.09]		1.34	[0.84:2.14]		0.68	[0.47:0.99]	*		
共済(国民健康保険=1)	1.04	[0.49:2.21]		0.88	[0.31:2.48]		0.68	[0.29:1.59]			
その他の保険(国民健康保険=1)	1.19	[0.37:3.85]		0.90	[0.12:6.60]		0.20	[0.03:1.47]			
非悪性呼吸器疾患	男性	地区(都市/対照)	0.93	[0.63:1.36]		1.37	[0.96:1.96]		0.88	[0.66:1.16]	
		年齢(+1歳)	1.18	[1.15:1.20]	*	1.16	[1.14:1.18]	*	1.17	[1.15:1.19]	*
		現在喫煙(非喫煙=1)	1.71	[1.04:2.81]	*	1.09	[0.68:1.74]		1.22	[0.84:1.77]	
		過去喫煙(非喫煙=1)	1.86	[1.14:3.02]	*	1.59	[1.02:2.47]	*	1.27	[0.85:1.88]	
		危険職種(有/無)	0.62	[0.39:0.98]	*	0.95	[0.69:1.32]		1.23	[0.92:1.63]	
		野菜毎日摂取(有/無)	0.72	[0.48:1.09]		0.88	[0.63:1.22]		1.05	[0.80:1.39]	
		果物毎日摂取(有/無)	1.23	[0.82:1.83]		0.73	[0.52:1.03]		0.88	[0.67:1.17]	
		BMI18.5未満(18.5以上25.0未満=1)	1.99	[1.22:3.25]	*	2.00	[1.39:2.88]	*	2.40	[1.76:3.27]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.91	[0.53:1.56]		0.70	[0.38:1.31]		1.16	[0.74:1.83]	
		毎日飲酒(有/無)	0.75	[0.50:1.14]		0.64	[0.44:0.91]	*	0.60	[0.45:0.81]	*
	政府管掌・組合などの保険(国民健康保険=1)	1.16	[0.76:1.78]		1.00	[0.71:1.42]		0.85	[0.63:1.15]		
	共済(国民健康保険=1)	0.57	[0.21:1.57]		0.85	[0.34:2.13]		0.71	[0.35:1.47]		
	その他の保険(国民健康保険=1)	0.83	[0.20:3.41]		0.38	[0.05:2.71]		1.16	[0.47:2.86]		
	女性	地区(都市/対照)	1.42	[0.85:2.37]		0.66	[0.39:1.10]		1.26	[0.87:1.84]	
		年齢(+1歳)	1.18	[1.15:1.22]	*	1.15	[1.12:1.18]	*	1.18	[1.16:1.21]	*
		現在喫煙(非喫煙=1)	1.08	[0.46:2.55]		0.42	[0.13:1.37]		1.06	[0.60:1.88]	
		過去喫煙(非喫煙=1)	0.68	[0.17:2.80]		0.47	[0.11:1.94]		1.84	[1.02:3.32]	*
		危険職種(有/無)	1.58	[0.71:3.52]		1.82	[0.99:3.34]		1.22	[0.78:1.91]	
		野菜毎日摂取(有/無)	0.92	[0.51:1.64]		0.78	[0.46:1.31]		0.91	[0.63:1.32]	
		果物毎日摂取(有/無)	0.97	[0.55:1.69]		0.85	[0.50:1.44]		0.77	[0.53:1.12]	
BMI18.5未満(18.5以上25.0未満=1)		1.69	[0.88:3.26]		1.44	[0.80:2.60]		2.21	[1.49:3.28]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.29	[0.74:2.28]		0.99	[0.48:2.05]		0.70	[0.39:1.26]		
毎日飲酒(有/無)		-	-		0.29	[0.04:2.08]		0.74	[0.30:1.82]		
政府管掌・組合などの保険(国民健康保険=1)	1.15	[0.65:2.03]		1.27	[0.76:2.13]		0.67	[0.45:0.99]	*		
共済(国民健康保険=1)	0.93	[0.39:2.22]		1.06	[0.37:3.02]		0.63	[0.25:1.59]			
その他の保険(国民健康保険=1)	1.34	[0.41:4.39]		1.07	[0.15:7.91]		0.23	[0.03:1.68]			
循環器および呼吸器疾患	男性	地区(都市/対照)	0.70	[0.60:0.83]	*	0.90	[0.77:1.05]		0.96	[0.83:1.10]	
		年齢(+1歳)	1.13	[1.12:1.14]	*	1.14	[1.13:1.15]	*	1.13	[1.13:1.14]	*
		現在喫煙(非喫煙=1)	1.58	[1.28:1.95]	*	1.51	[1.21:1.88]	*	1.32	[1.09:1.60]	*
		過去喫煙(非喫煙=1)	1.60	[1.29:1.99]	*	1.45	[1.16:1.80]	*	1.10	[0.89:1.36]	
		危険職種(有/無)	0.99	[0.84:1.18]		0.90	[0.78:1.05]		1.04	[0.90:1.20]	
		野菜毎日摂取(有/無)	0.90	[0.75:1.08]		0.99	[0.85:1.15]		0.95	[0.82:1.09]	
		果物毎日摂取(有/無)	1.00	[0.85:1.18]		0.92	[0.79:1.08]		0.91	[0.79:1.05]	
		BMI18.5未満(18.5以上25.0未満=1)	1.37	[1.06:1.78]	*	1.43	[1.19:1.72]	*	1.67	[1.40:1.99]	*
		BMI25.0以上(18.5以上25.0未満=1)	0.99	[0.80:1.23]		1.16	[0.93:1.46]		1.23	[1.00:1.51]	
		毎日飲酒(有/無)	0.81	[0.68:0.96]	*	0.68	[0.58:0.79]	*	0.68	[0.59:0.78]	*
	政府管掌・組合などの保険(国民健康保険=1)	0.93	[0.77:1.13]		0.97	[0.82:1.14]		0.85	[0.73:0.99]	*	
	共済(国民健康保険=1)	0.65	[0.44:0.94]	*	1.17	[0.84:1.64]		0.66	[0.45:0.97]	*	
	その他の保険(国民健康保険=1)	1.19	[0.74:1.92]		0.90	[0.46:1.74]		0.79	[0.44:1.45]		
	女性	地区(都市/対照)	0.69	[0.58:0.83]	*	0.95	[0.78:1.14]		0.94	[0.81:1.10]	
		年齢(+1歳)	1.15	[1.14:1.17]	*	1.15	[1.14:1.16]	*	1.16	[1.15:1.17]	*
		現在喫煙(非喫煙=1)	1.18	[0.87:1.61]		1.51	[1.16:1.97]	*	1.78	[1.47:2.17]	*
		過去喫煙(非喫煙=1)	1.89	[1.36:2.65]	*	1.33	[0.95:1.85]		1.41	[1.05:1.88]	*
		危険職種(有/無)	1.05	[0.76:1.46]		1.09	[0.85:1.40]		0.95	[0.78:1.15]	
		野菜毎日摂取(有/無)	0.81	[0.66:0.98]	*	1.04	[0.86:1.26]		0.90	[0.77:1.05]	
		果物毎日摂取(有/無)	0.72	[0.60:0.87]	*	0.83	[0.69:1.00]	*	0.84	[0.72:0.98]	*
BMI18.5未満(18.5以上25.0未満=1)		1.49	[1.16:1.93]	*	1.25	[1.01:1.55]	*	1.42	[1.18:1.70]	*	
BMI25.0以上(18.5以上25.0未満=1)		1.23	[1.00:1.50]	*	1.40	[1.10:1.77]	*	1.00	[0.81:1.22]		
毎日飲酒(有/無)		0.61	[0.36:1.04]		0.53	[0.33:0.86]	*	1.10	[0.81:1.50]		
政府管掌・組合などの保険(国民健康保険=1)	1.03	[0.83:1.27]		1.03	[0.86:1.24]		0.94	[0.81:1.11]			
共済(国民健康保険=1)	0.80	[0.57:1.13]		1.06	[0.75:1.48]		1.02	[0.74:1.40]			
その他の保険(国民健康保険=1)	0.83	[0.48:1.46]		0.67	[0.30:1.52]		0.96	[0.61:1.51]			

* 5%水準で有意

- 死亡数が少ないため算出不可