

付録

本業務に先立ち、首都大学東京・東京大学・国立環境研究所の共同研究グループにより、独自に本業務と同様な分析を行った。その結果を参考として示す。

核種分析を行なった測定局は下記の通りである。

福島県 古川局，南町局，森合局

茨城県 土浦保健所局，土浦中村南局，下妻局，つくば高野局

付表1a 福島県古川局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.04	< 0.06	< 0.06	< 0.03	< 0.04	< 0.06	< 0.05	< 0.04	< 0.06	< 0.07	< 0.07	< 0.08
2011/3/16	12.4 ± 0.5	8.0 ± 0.4	6.7 ± 0.3	0.82 ± 0.05	0.13 ± 0.03	0.42 ± 0.04	0.11 ± 0.03	0.27 ± 0.04	0.15 ± 0.02	< 0.02	< 0.04	< 0.04
2011/3/20	0.28 ± 0.04	< 0.07	0.084 ± 0.014	0.28 ± 0.04	0.19 ± 0.03	0.14 ± 0.02	< 0.07	0.11 ± 0.03	0.085 ± 0.029	0.13 ± 0.01	0.13 ± 0.02	0.29 ± 0.02
2011/3/21	21.9 ± 0.8	24.3 ± 0.9	26.9 ± 0.8	32.4 ± 1.1	31.3 ± 1.1	28.0 ± 1.0	4.7 ± 0.2	6.4 ± 0.3	1.4 ± 0.1	0.59 ± 0.06	0.28 ± 0.03	0.14 ± 0.04
2011/3/22	0.059±0.018	< 0.09	< 0.06	0.063±0.028	0.065±0.019	< 0.08	< 0.08	< 0.08	< 0.08	< 0.07	< 0.06	< 0.07
2011/3/23	< 0.04	< 0.07	< 0.07	< 0.07	< 0.04	< 0.07	< 0.07	< 0.08	< 0.07	< 0.06	< 0.07	< 0.07

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	< 0.08	< 0.04	< 0.04	0.028±0.016	0.030±0.014	1.6 ± 0.1	4.1 ± 0.2	6.4 ± 0.3	8.6 ± 0.3	13.4 ± 0.5	1.3 ± 0.1	1.4 ± 0.1
2011/3/16	< 0.04	< 0.03	0.19 ± 0.02	< 0.04	< 0.03	< 0.05	< 0.03	0.073 ± 0.021	0.11 ± 0.02	0.31 ± 0.03	< 0.02	< 0.04
2011/3/20	0.050±0.021	9.9 ± 0.4	51.4 ± 1.8	29.4 ± 1.0	12.8 ± 0.5	12.7 ± 0.5	13.4 ± 0.5	14.0 ± 0.5	13.4 ± 0.5	8.9 ± 0.3	12.4 ± 0.4	14.2 ± 0.6
2011/3/21	0.41 ± 0.05	0.66 ± 0.06	0.30 ± 0.03	0.60 ± 0.06	0.16 ± 0.04	< 0.07	0.061 ± 0.019	< 0.08	0.11 ± 0.03	0.17 ± 0.04	< 0.07	0.077±0.020
2011/3/22	< 0.08	< 0.05	< 0.04	< 0.06	< 0.06	< 0.06	< 0.04	< 0.08	< 0.07	< 0.05	< 0.05	< 0.06
2011/3/23	< 0.06	< 0.03	< 0.05	< 0.03	< 0.06	< 0.06	< 0.07	< 0.04	< 0.05	< 0.05	< 0.08	< 0.08

付表1b 福島県古川局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.06	< 0.1	< 0.1	< 0.04	< 0.06	< 0.1	< 0.09	< 0.06	< 0.1	< 0.1	< 0.1	< 0.1
2011/3/16	11.5 ± 0.5	8.1 ± 0.5	6.1 ± 0.6	0.84 ± 0.06	0.19 ± 0.03	0.34 ± 0.04	0.062 ± 0.022	0.26 ± 0.04	0.15 ± 0.02	< 0.03	< 0.04	< 0.05
2011/3/20	0.29 ± 0.04	< 0.1	< 0.06	0.21 ± 0.05	0.18 ± 0.05	0.13 ± 0.02	< 0.1	< 0.09	< 0.1	0.10 ± 0.02	0.13 ± 0.02	0.31 ± 0.03
2011/3/21	21.4 ± 0.8	23.0 ± 1.0	26.8 ± 0.9	31.0 ± 1.2	30.2 ± 1.1	27.3 ± 1.1	4.7 ± 0.3	6.1 ± 0.4	1.1 ± 0.2	0.69 ± 0.08	0.39 ± 0.05	0.25 ± 0.05
2011/3/22	0.046±0.023	< 0.1	< 0.1	0.085±0.038	0.060±0.024	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.08	< 0.1
2011/3/23	< 0.06	< 0.1	< 0.1	< 0.1	< 0.05	< 0.09	< 0.1	< 0.1	< 0.1	< 0.09	< 0.1	< 0.1

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	< 0.1	< 0.05	< 0.05	0.026±0.015	0.024±0.019	1.5 ± 0.1	3.6 ± 0.2	5.8 ± 0.2	8.2 ± 0.4	12.9 ± 0.5	1.2 ± 0.1	1.4 ± 0.1
2011/3/16	< 0.05	< 0.04	0.19 ± 0.02	< 0.05	< 0.04	< 0.06	< 0.04	0.091 ± 0.022	0.11 ± 0.02	0.41 ± 0.05	< 0.04	< 0.06
2011/3/20	< 0.05	9.4 ± 0.5	48.9 ± 1.9	28.4 ± 1.2	12.5 ± 0.6	11.6 ± 0.5	13.1 ± 0.7	13.5 ± 0.7	12.7 ± 0.5	8.4 ± 0.5	11.7 ± 0.5	14.2 ± 0.7
2011/3/21	0.30 ± 0.05	0.55 ± 0.07	0.32 ± 0.03	0.42 ± 0.05	0.17 ± 0.05	< 0.1	0.067 ± 0.018	< 0.1	0.11 ± 0.04	0.14 ± 0.04	< 0.09	0.066±0.019
2011/3/22	< 0.1	< 0.08	0.061 ± 0.025	< 0.1	< 0.09	< 0.09	< 0.06	< 0.1	< 0.1	< 0.08	< 0.07	< 0.09
2011/3/23	< 0.09	< 0.04	< 0.07	< 0.05	< 0.1	< 0.08	< 0.09	< 0.06	< 0.08	< 0.08	< 0.1	< 0.1

付表1c 福島県古川局でのブランク試料の放射性セシウム濃度 [Bq/m³]

	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	未測定		2011/3/20~21	0.16 ± 0.03	0.19 ± 0.04
2011/3/15~16	< 0.03	< 0.04	2011/3/21~22	0.071±0.025	0.14 ± 0.03
2011/3/16~17	< 0.04	< 0.05	2011/3/22~23	< 0.04	< 0.04
2011/3/19~20	0.039 ± 0.014	0.044 ± 0.010	2011/3/23~24	未測定	

付表2a 福島県南町局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.04	< 0.06	< 0.06	< 0.05	< 0.06	< 0.06	< 0.04	< 0.02	< 0.02	< 0.05	< 0.04	< 0.03
2011/3/16	9.1 ± 0.4	7.9 ± 0.3	2.7 ± 0.1	0.73 ± 0.04	0.17 ± 0.02	1.5 ± 0.1	0.42 ± 0.05	0.29 ± 0.03	0.57 ± 0.04	0.43 ± 0.05	2.3 ± 0.1	0.47 ± 0.03
2011/3/20	0.13 ± 0.01	0.24 ± 0.02	0.31 ± 0.02	0.17 ± 0.02	0.38 ± 0.03	0.34 ± 0.02	0.27 ± 0.02	0.24 ± 0.02	0.084±0.019	0.12 ± 0.02	0.053±0.012	0.042±0.011
2011/3/21	20.3 ± 0.7	27.6 ± 0.9	27.8 ± 0.9	31.9 ± 1.1	31.4 ± 1.1	32.2 ± 1.1	12.0 ± 0.4	2.8 ± 0.2	2.5 ± 0.2	2.6 ± 0.2	1.6 ± 0.2	1.3 ± 0.1
2011/3/22	0.42 ± 0.03	0.54 ± 0.03	0.57 ± 0.03	0.46 ± 0.04	0.31 ± 0.03	0.34 ± 0.04	0.32 ± 0.04	0.33 ± 0.02	0.43 ± 0.04	0.12 ± 0.03	0.059±0.025	0.11 ± 0.02
2011/3/23	0.081 ± 0.020	0.057 ± 0.023	0.27 ± 0.03	0.21 ± 0.03	0.10 ± 0.02	0.070 ± 0.025	0.11 ± 0.02	0.16 ± 0.02	0.065±0.014	0.052±0.021	0.088±0.019	0.10 ± 0.02

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	< 0.03	< 0.03	< 0.04	< 0.03	0.33 ± 0.03	4.9 ± 0.2	5.4 ± 0.3	9.3 ± 0.3	17.4 ± 0.6	32.9 ± 1.1	8.7 ± 0.4	1.8 ± 0.1
2011/3/16	0.29 ± 0.02	0.086 ± 0.020	0.38 ± 0.02	0.35 ± 0.02	0.16 ± 0.01	< 0.05	0.21 ± 0.03	< 0.05	0.063±0.023	0.084±0.030	0.10 ± 0.01	0.090±0.012
2011/3/20	0.19 ± 0.04	0.98 ± 0.09	44.9 ± 1.4	35.0 ± 1.2	16.2 ± 0.6	12.5 ± 0.5	21.3 ± 0.7	26.5 ± 1.0	19.8 ± 0.7	9.6 ± 0.4	12.1 ± 0.4	19.1 ± 1.2
2011/3/21	1.6 ± 0.1	0.85 ± 0.07	2.1 ± 0.1	1.6 ± 0.1	1.3 ± 0.1	1.6 ± 0.1	1.8 ± 0.1	1.9 ± 0.1	1.2 ± 0.1	0.61 ± 0.03	0.50 ± 0.04	0.57 ± 0.04
2011/3/22	0.11 ± 0.03	0.18 ± 0.02	0.33 ± 0.03	0.12 ± 0.03	0.13 ± 0.02	0.17 ± 0.02	0.080 ± 0.015	0.14 ± 0.03	0.17 ± 0.02	0.32 ± 0.03	0.076±0.013	0.13 ± 0.03
2011/3/23	0.10 ± 0.02	< 0.05	< 0.05	0.042±0.017	0.10 ± 0.02	0.12 ± 0.02	0.11 ± 0.02	0.11 ± 0.02	0.065±0.022	0.059±0.024	< 0.02	0.14 ± 0.02

付表2b 福島県南町局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.10	< 0.09	< 0.09	< 0.08	< 0.09	< 0.09	< 0.08	< 0.03	< 0.05	< 0.07	< 0.06	< 0.04
2011/3/16	8.8 ± 0.3	7.7 ± 0.3	2.4 ± 0.1	0.70 ± 0.04	0.16 ± 0.03	1.5 ± 0.1	0.47 ± 0.07	0.29 ± 0.03	0.52 ± 0.07	0.44 ± 0.05	2.4 ± 0.1	0.47 ± 0.03
2011/3/20	0.15 ± 0.02	0.21 ± 0.02	0.27 ± 0.03	0.12 ± 0.03	0.36 ± 0.03	0.32 ± 0.03	0.22 ± 0.03	0.21 ± 0.03	0.11 ± 0.03	0.078±0.028	0.063±0.020	0.032±0.020
2011/3/21	20.4 ± 0.6	27.6 ± 0.5	28.3 ± 0.7	31.3 ± 0.9	30.1 ± 0.7	31.7 ± 0.8	11.3 ± 0.4	3.0 ± 0.2	2.7 ± 0.1	2.6 ± 0.2	1.4 ± 0.1	1.4 ± 0.1
2011/3/22	0.43 ± 0.04	0.56 ± 0.05	0.61 ± 0.04	0.37 ± 0.05	0.33 ± 0.04	0.26 ± 0.05	0.40 ± 0.06	0.31 ± 0.03	0.40 ± 0.06	0.21 ± 0.04	0.084±0.041	0.11 ± 0.03
2011/3/23	0.081 ± 0.044	< 0.1	0.25 ± 0.04	0.16 ± 0.04	0.12 ± 0.04	< 0.1	< 0.1	0.13 ± 0.03	0.061±0.024	< 0.08	0.080±0.033	0.13 ± 0.04

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	< 0.05	< 0.05	< 0.06	< 0.04	0.26 ± 0.03	4.6 ± 0.2	5.7 ± 0.2	9.2 ± 0.3	17.4 ± 0.4	32.3 ± 0.7	9.4 ± 0.4	2.0 ± 0.1
2011/3/16	0.29 ± 0.04	0.10 ± 0.03	0.43 ± 0.03	0.44 ± 0.04	0.13 ± 0.02	< 0.08	0.18 ± 0.04	< 0.09	0.083±0.037	< 0.1	0.066±0.020	0.097±0.023
2011/3/20	0.22 ± 0.07	0.99 ± 0.13	44.1 ± 0.8	34.5 ± 0.9	16.9 ± 0.4	12.5 ± 0.4	21.1 ± 0.7	27.5 ± 0.7	19.9 ± 0.5	10.0 ± 0.3	12.6 ± 0.5	19.5 ± 0.6
2011/3/21	1.5 ± 0.1	0.72 ± 0.07	2.1 ± 0.1	1.6 ± 0.2	1.2 ± 0.1	1.7 ± 0.2	1.7 ± 0.1	1.9 ± 0.1	0.81 ± 0.12	0.64 ± 0.04	0.50 ± 0.06	0.64 ± 0.05
2011/3/22	0.059 ± 0.042	0.21 ± 0.02	0.36 ± 0.05	0.16 ± 0.03	0.13 ± 0.04	0.19 ± 0.02	0.064 ± 0.026	0.11 ± 0.05	0.16 ± 0.04	0.27 ± 0.04	0.067±0.022	0.10 ± 0.04
2011/3/23	0.081 ± 0.026	< 0.1	< 0.1	< 0.07	0.10 ± 0.02	0.13 ± 0.03	0.093 ± 0.035	0.084 ± 0.030	< 0.09	< 0.09	< 0.05	0.11 ± 0.04

付表2c 福島県南町局でのブランク試料の放射性セシウム濃度 [Bq/m³]

	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	< 0.02	< 0.04	2011/3/20~21	0.57 ± 0.03	0.61 ± 0.05
2011/3/15~16	0.14 ± 0.01	0.15 ± 0.02	2011/3/21~22	0.22 ± 0.03	0.26 ± 0.04
2011/3/16~17	< 0.02	< 0.03	2011/3/22~23	0.050 ± 0.011	0.025 ± 0.020
2011/3/19~20	< 0.01	< 0.02	2011/3/23~24	0.038 ± 0.012	< 0.05

付表3a 福島県森合局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.06	< 0.05	< 0.06	< 0.06	< 0.06	< 0.06	< 0.03	< 0.07	< 0.06	< 0.03	< 0.06	< 0.06
2011/3/16	10.3 ± 0.4	11.4 ± 0.4	4.3 ± 0.2	0.53 ± 0.06	< 0.07	< 0.07	< 0.08	0.11 ± 0.03	0.061 ± 0.018	< 0.05	< 0.04	< 0.04
2011/3/20	< 0.05	< 0.03	< 0.04	0.087 ± 0.022	0.10 ± 0.02	0.077 ± 0.013	< 0.07	< 0.07	< 0.07	< 0.05	< 0.04	0.069 ± 0.016
2011/3/21	30.8 ± 1.0	33.1 ± 1.1	37.2 ± 1.3	33.5 ± 1.2	31.2 ± 1.0	26.6 ± 0.9	0.49 ± 0.04	0.26 ± 0.02	0.41 ± 0.05	0.52 ± 0.05	0.42 ± 0.04	0.54 ± 0.05
2011/3/22	< 0.06	< 0.07	0.042 ± 0.015	< 0.07	< 0.07	< 0.06	< 0.06	< 0.06	< 0.07	< 0.06	< 0.06	< 0.05
2011/3/23	< 0.06	< 0.05	< 0.06	< 0.03	< 0.06	< 0.05	< 0.05	< 0.06	< 0.06	< 0.03	< 0.02	< 0.05

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	< 0.05	< 0.03	< 0.06	< 0.03	0.045 ± 0.016	7.0 ± 0.3	6.3 ± 0.3	8.8 ± 0.3	11.8 ± 0.4	27.3 ± 1.0	4.1 ± 0.6	0.28 ± 0.04
2011/3/16	< 0.06	< 0.05	< 0.06	0.055 ± 0.015	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	0.57 ± 0.05	< 0.07
2011/3/20	0.073 ± 0.029	1.5 ± 0.1	41.1 ± 1.3	37.2 ± 1.3	20.8 ± 0.7	19.9 ± 0.7	20.6 ± 0.8	16.3 ± 0.6	15.1 ± 0.6	15.3 ± 0.6	24.1 ± 0.8	27.8 ± 0.9
2011/3/21	0.10 ± 0.04	0.22 ± 0.04	0.084 ± 0.029	0.11 ± 0.02	< 0.03	< 0.05	0.14 ± 0.03	0.069 ± 0.019	< 0.03	< 0.03	< 0.03	< 0.03
2011/3/22	< 0.02	< 0.06	< 0.06	< 0.06	< 0.06	< 0.05	< 0.04	< 0.03	< 0.05	< 0.06	< 0.06	< 0.02
2011/3/23	< 0.05	< 0.03	< 0.05	< 0.06	< 0.05	< 0.03	< 0.06	< 0.06	< 0.06	< 0.07	< 0.03	< 0.05

付表3b 福島県森合局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.1	< 0.09	< 0.1	< 0.1	< 0.1	< 0.1	< 0.06	< 0.1	< 0.1	< 0.05	< 0.1	< 0.1
2011/3/16	9.3 ± 0.5	11.0 ± 0.4	4.0 ± 0.3	0.51 ± 0.07	< 0.1	< 0.09	< 0.1	0.14 ± 0.04	0.068 ± 0.021	< 0.07	< 0.07	< 0.05
2011/3/20	< 0.08	< 0.05	< 0.07	0.11 ± 0.04	0.13 ± 0.03	0.089 ± 0.023	0.18 ± 0.05	< 0.1	< 0.1	< 0.08	< 0.06	0.11 ± 0.02
2011/3/21	30.7 ± 1.2	31.8 ± 1.2	35.4 ± 1.4	32.8 ± 1.2	30.4 ± 1.0	27.0 ± 1.0	0.52 ± 0.06	0.28 ± 0.03	0.45 ± 0.06	0.45 ± 0.06	0.39 ± 0.05	0.62 ± 0.07
2011/3/22	< 0.1	< 0.1	0.11 ± 0.03	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.09
2011/3/23	< 0.1	< 0.09	< 0.1	< 0.06	< 0.1	< 0.1	< 0.08	< 0.1	< 0.1	< 0.06	< 0.04	< 0.09

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	< 0.07	< 0.04	< 0.07	< 0.05	0.078 ± 0.020	6.5 ± 0.4	6.4 ± 0.5	8.6 ± 0.4	12.2 ± 0.5	26.0 ± 1.0	3.8 ± 0.2	0.33 ± 0.05
2011/3/16	< 0.1	< 0.09	< 0.1	0.11 ± 0.03	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.63 ± 0.08	< 0.1
2011/3/20	0.82 ± 0.34	1.4 ± 0.2	39.2 ± 1.3	36.7 ± 1.4	20.3 ± 0.7	19.5 ± 0.8	19.1 ± 0.9	16.3 ± 0.7	14.3 ± 0.6	14.8 ± 0.7	22.8 ± 0.9	27.5 ± 1.0
2011/3/21	0.22 ± 0.05	0.36 ± 0.06	< 0.08	0.078 ± 0.017	0.047 ± 0.016	< 0.07	0.11 ± 0.03	0.058 ± 0.022	0.057 ± 0.020	< 0.05	< 0.05	< 0.05
2011/3/22	< 0.05	< 0.1	< 0.1	< 0.1	< 0.1	< 0.09	< 0.1	< 0.05	< 0.09	< 0.1	< 0.1	< 0.03
2011/3/23	< 0.09	< 0.05	< 0.09	< 0.1	< 0.09	< 0.06	< 0.1	< 0.1	< 0.1	< 0.1	< 0.06	< 0.09

付表3c 福島県森合局でのブランク試料の放射性セシウム濃度 [Bq/m³]

	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	< 0.03	< 0.06	2011/3/20~21	0.090 ± 0.022	0.087 ± 0.025
2011/3/15~16	0.029 ± 0.015	0.039 ± 0.013	2011/3/21~22	0.030 ± 0.016	< 0.04
2011/3/16~17	< 0.02	< 0.03	2011/3/22~23	< 0.03	< 0.06
2011/3/19~20	< 0.04	< 0.06	2011/3/23~24	< 0.02	< 0.03

付表4a 茨城県土浦保健所局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.07	< 0.06	3.5 ± 0.1	9.4 ± 0.3	6.4 ± 0.2	0.11 ± 0.03	< 0.05	14.2 ± 0.5	153 ± 5	5.0 ± 0.2	1.9 ± 0.1	-
2011/3/16	< 0.07	< 0.07	0.10 ± 0.02	0.067 ± 0.027	0.43 ± 0.04	0.32 ± 0.05	0.34 ± 0.04	7.0 ± 0.2	9.0 ± 0.3	5.3 ± 0.2	3.5 ± 0.2	0.10 ± 0.02
2011/3/20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
2011/3/21	1.8 ± 0.2	1.5 ± 0.2	1.8 ± 0.2	1.7 ± 0.2	1.2 ± 0.2	2.7 ± 0.2	127 ± 3	309 ± 6	153 ± 3	16.0 ± 0.6	2.6 ± 0.2	2.8 ± 0.2
2011/3/22	1.2 ± 0.2	0.57 ± 0.12	0.20 ± 0.09	0.27 ± 0.10	0.69 ± 0.13	0.68 ± 0.13	< 0.2	< 0.2	0.37 ± 0.11	0.71 ± 0.13	0.63 ± 0.13	< 0.2
2011/3/23	0.24 ± 0.10	0.19 ± 0.09	0.22 ± 0.10	< 0.2	< 0.2	< 0.2	< 0.2	0.20 ± 0.09	0.25 ± 0.11	< 0.2	< 0.2	0.35 ± 0.11

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	5.4 ± 0.2	12.5 ± 0.4	3.5 ± 0.1	5.1 ± 0.2	6.9 ± 0.2	2.6 ± 0.1	0.31 ± 0.03	0.39 ± 0.04	0.034 ± 0.013	< 0.05	0.11 ± 0.02	0.10 ± 0.04
2011/3/16	0.33 ± 0.04	0.082 ± 0.032	0.30 ± 0.04	< 0.07	0.091 ± 0.017	< 0.08	< 0.08	< 0.07	0.11 ± 0.03	< 0.07	< 0.07	0.046 ± 0.023
2011/3/20	11.7 ± 0.5	29.9 ± 0.9	9.3 ± 0.4	7.6 ± 0.4	3.0 ± 0.2	1.9 ± 0.2	2.0 ± 0.2	1.1 ± 0.2	1.1 ± 0.2	1.6 ± 0.2	1.4 ± 0.2	1.7 ± 0.2
2011/3/21	3.5 ± 0.3	4.3 ± 0.3	3.4 ± 0.3	1.1 ± 0.2	1.6 ± 0.2	0.82 ± 0.13	0.25 ± 0.1	0.26 ± 0.09	0.44 ± 0.11	0.48 ± 0.11	0.35 ± 0.11	0.23 ± 0.1
2011/3/22	0.22 ± 0.1	0.49 ± 0.12	0.54 ± 0.11	< 0.2	0.43 ± 0.11	0.63 ± 0.13	1.6 ± 0.2	0.53 ± 0.12	0.19 ± 0.09	0.65 ± 0.14	0.49 ± 0.11	0.30 ± 0.10
2011/3/23	< 0.2	< 0.2	0.20 ± 0.10	< 0.2	< 0.2	< 0.2	0.19 ± 0.09	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2

付表4b 茨城県土浦保健所局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.1	< 0.1	3.2 ± 0.1	9.4 ± 0.3	6.2 ± 0.3	< 0.1	< 0.08	13.9 ± 0.5	149 ± 4	4.6 ± 0.2	1.7 ± 0.1	-
2011/3/16	< 0.1	< 0.1	0.069 ± 0.022	0.12 ± 0.04	0.38 ± 0.04	0.17 ± 0.04	0.35 ± 0.05	6.7 ± 0.2	8.6 ± 0.3	4.8 ± 0.2	3.5 ± 0.2	0.085 ± 0.020
2011/3/20	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4
2011/3/21	1.4 ± 0.3	1.6 ± 0.3	1.8 ± 0.3	1.7 ± 0.3	1.3 ± 0.3	2.6 ± 0.3	133 ± 3	321 ± 7	157 ± 4	17.1 ± 0.8	3.1 ± 0.4	3.3 ± 0.4
2011/3/22	0.82 ± 0.22	0.79 ± 0.22	< 0.3	< 0.4	< 0.4	1.1 ± 0.2	0.41 ± 0.18	< 0.4	0.61 ± 0.21	0.83 ± 0.25	1.1 ± 0.2	0.50 ± 0.20
2011/3/23	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.5	< 0.3	0.39 ± 0.19	< 0.4

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	5.2 ± 0.2	12.0 ± 0.4	3.3 ± 0.1	4.8 ± 0.2	6.7 ± 0.3	2.5 ± 0.1	0.29 ± 0.03	0.37 ± 0.05	0.033 ± 0.012	< 0.07	0.084 ± 0.019	0.11 ± 0.05
2011/3/16	0.33 ± 0.05	< 0.1	0.29 ± 0.05	< 0.1	0.092 ± 0.022	< 0.1	< 0.1	< 0.1	0.053 ± 0.041	< 0.1	< 0.1	< 0.08
2011/3/20	12.6 ± 0.7	30.8 ± 1.2	9.9 ± 0.6	8.2 ± 0.6	3.3 ± 0.4	2.2 ± 0.3	2.0 ± 0.3	1.5 ± 0.3	1.2 ± 0.2	1.4 ± 0.3	1.1 ± 0.3	1.8 ± 0.3
2011/3/21	2.8 ± 0.4	3.9 ± 0.4	3.4 ± 0.4	1.0 ± 0.2	1.7 ± 0.3	0.83 ± 0.24	< 0.3	< 0.4	0.91 ± 0.24	0.50 ± 0.20	< 0.3	< 0.4
2011/3/22	< 0.3	0.99 ± 0.24	0.53 ± 0.21	< 0.4	< 0.3	0.47 ± 0.21	2.0 ± 0.3	0.38 ± 0.20	< 0.4	1.0 ± 0.3	< 0.4	< 0.4
2011/3/23	< 0.4	< 0.4	< 0.4	0.39 ± 0.2	0.36 ± 0.173	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4

付表4c 茨城県土浦保健所局でのブランク試料の放射性セシウム濃度 [Bq/m³]

	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	< 0.03	< 0.05	2011/3/20~21	< 0.2	< 0.4
2011/3/15~16	0.34 ± 0.02	0.38 ± 0.03	2011/3/21~22	0.44 ± 0.1	< 0.4
2011/3/16~17	< 0.03	< 0.05	2011/3/22~23	< 0.2	< 0.3
2011/3/19~20	< 0.2	< 0.4	2011/3/23~24	< 0.2	< 0.4

— : 欠測

付表5a 茨城県土浦中村南局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.2	< 0.2	1.8 ± 0.2	12.5 ± 0.5	6.5 ± 0.3	< 0.2	< 0.2	6.8 ± 0.4	141 ± 3	–	1.1 ± 0.2	2.9 ± 0.2
2011/3/16	0.55 ± 0.12	< 0.2	< 0.2	< 0.2	0.76 ± 0.13	0.66 ± 0.13	0.22 ± 0.10	3.9 ± 0.3	8.6 ± 0.4	5.2 ± 0.3	4.1 ± 0.3	< 0.2
2011/3/20	< 0.2	0.18 ± 0.09	< 0.2	0.21 ± 0.10	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0.18 ± 0.09	< 0.2
2011/3/21	1.2 ± 0.2	1.3 ± 0.2	1.3 ± 0.2	1.2 ± 0.2	1.6 ± 0.2	2.1 ± 0.2	71.3 ± 1.7	285 ± 6	175 ± 4	28.3 ± 0.9	3.4 ± 0.3	2.3 ± 0.2
2011/3/22	0.67 ± 0.13	3.3 ± 0.2	4.2 ± 0.3	2.1 ± 0.2	0.89 ± 0.14	0.27 ± 0.10	0.35 ± 0.11	0.21 ± 0.10	0.40 ± 0.11	0.71 ± 0.13	0.85 ± 0.14	0.59 ± 0.12
2011/3/23	0.33 ± 0.11	0.42 ± 0.11	0.27 ± 0.10	0.22 ± 0.09	< 0.2	< 0.2	< 0.2	< 0.2	0.24 ± 0.09	< 0.2	< 0.2	< 0.2

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	2.7 ± 0.2	11.4 ± 0.5	3.6 ± 0.3	4.9 ± 0.3	6.5 ± 0.3	3.6 ± 0.3	0.25 ± 0.10	0.84 ± 0.14	< 0.2	0.27 ± 0.10	< 0.2	0.38 ± 0.10
2011/3/16	0.82 ± 0.14	< 0.2	< 0.2	< 0.2	< 0.2	0.17 ± 0.09	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
2011/3/20	6.7 ± 0.4	39.7 ± 1.1	12.1 ± 0.5	7.5 ± 0.4	3.8 ± 0.3	1.9 ± 0.2	1.6 ± 0.2	0.90 ± 0.15	1.2 ± 0.2	1.0 ± 0.2	0.89 ± 0.14	1.1 ± 0.2
2011/3/21	2.6 ± 0.2	4.0 ± 0.3	3.4 ± 0.2	1.2 ± 0.2	1.2 ± 0.2	0.67 ± 0.12	0.66 ± 0.13	0.26 ± 0.09	0.26 ± 0.11	0.25 ± 0.10	0.26 ± 0.10	0.30 ± 0.10
2011/3/22	0.21 ± 0.10	< 0.2	0.72 ± 0.13	0.81 ± 0.13	< 0.2	0.45 ± 0.12	2.3 ± 0.2	0.59 ± 0.13	0.50 ± 0.12	1.1 ± 0.2	0.60 ± 0.12	0.45 ± 0.11
2011/3/23	0.79 ± 0.13	0.59 ± 0.12	< 0.2	< 0.2	< 0.2	< 0.2	0.21 ± 0.09	0.27 ± 0.09	< 0.2	0.24 ± 0.09	< 0.2	< 0.2

付表5b 茨城県土浦中村南局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.4	< 0.4	1.8 ± 0.3	12.9 ± 0.7	6.3 ± 0.5	< 0.4	< 0.4	6.8 ± 0.5	146 ± 4	–	0.63 ± 0.26	2.4 ± 0.3
2011/3/16	0.62 ± 0.22	< 0.4	< 0.4	< 0.4	0.83 ± 0.22	0.50 ± 0.21	< 0.4	2.7 ± 0.4	9.5 ± 0.6	5.2 ± 0.5	4.0 ± 0.4	< 0.4
2011/3/20	< 0.3	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.4	< 0.3
2011/3/21	1.3 ± 0.3	1.3 ± 0.3	1.4 ± 0.3	1.4 ± 0.3	0.91 ± 0.23	2.1 ± 0.3	73.2 ± 2.1	290 ± 6	180 ± 4	29.7 ± 1.2	3.0 ± 0.4	2.7 ± 0.3
2011/3/22	0.40 ± 0.20	4.0 ± 0.4	5.1 ± 0.5	1.9 ± 0.3	0.69 ± 0.23	0.47 ± 0.20	0.55 ± 0.21	0.47 ± 0.19	< 0.4	< 0.4	1.1 ± 0.2	0.43 ± 0.20
2011/3/23	< 0.4	0.54 ± 0.20	< 0.4	0.37 ± 0.19	< 0.4	< 0.4	< 0.5	< 0.5	< 0.3	< 0.4	< 0.4	< 0.4

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	2.2 ± 0.3	12.0 ± 0.7	3.7 ± 0.4	5.8 ± 0.5	6.5 ± 0.5	5.0 ± 0.4	< 0.4	0.58 ± 0.20	< 0.4	0.63 ± 0.21	< 0.4	< 0.4
2011/3/16	0.77 ± 0.23	0.34 ± 0.17	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.4
2011/3/20	6.9 ± 0.5	41.8 ± 1.4	13.7 ± 0.7	6.9 ± 0.5	4.5 ± 0.4	1.3 ± 0.3	1.7 ± 0.3	0.81 ± 0.23	0.79 ± 0.25	1.0 ± 0.2	0.83 ± 0.24	1.1 ± 0.2
2011/3/21	2.7 ± 0.3	4.6 ± 0.4	3.8 ± 0.4	1.2 ± 0.3	0.72 ± 0.24	1.0 ± 0.2	< 0.4	< 0.4	< 0.4	< 0.5	< 0.4	< 0.4
2011/3/22	0.43 ± 0.18	< 0.4	0.62 ± 0.22	0.64 ± 0.22	< 0.3	0.57 ± 0.20	2.1 ± 0.3	0.39 ± 0.20	0.56 ± 0.19	1.0 ± 0.2	0.66 ± 0.22	< 0.4
2011/3/23	0.92 ± 0.23	0.56 ± 0.20	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.3

付表5c 茨城県土浦中村南局でのブランク試料の放射性セシウム濃度 [Bq/m³]

	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	< 0.2	< 0.4	2011/3/20~21	< 0.2	< 0.4
2011/3/15~16	3.6 ± 0.3	3.7 ± 0.4	2011/3/21~22	< 0.2	< 0.4
2011/3/16~17	< 0.2	< 0.4	2011/3/22~23	< 0.2	< 0.4
2011/3/19~20	未測定		2011/3/23~24	< 0.2	< 0.4

— : 欠測

付表6a 茨城県下妻局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.2	< 0.3	< 0.2	< 0.2	0.40 ± 0.13	8.0 ± 0.4	6.2 ± 0.3	13.8 ± 0.5	56.0 ± 1.4	76.6 ± 1.8	25.7 ± 0.8	5.1 ± 0.3
2011/3/16	0.30 ± 0.12	0.52 ± 0.14	0.42 ± 0.13	1.3 ± 0.2	1.6 ± 0.2	0.24 ± 0.12	< 0.2	0.24 ± 0.12	0.73 ± 0.15	0.30 ± 0.13	0.91 ± 0.15	< 0.3
2011/3/20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0.27 ± 0.10	< 0.2
2011/3/21	2.2 ± 0.2	2.4 ± 0.2	2.4 ± 0.2	2.9 ± 0.2	3.5 ± 0.3	3.0 ± 0.2	4.0 ± 0.3	3.8 ± 0.3	3.6 ± 0.3	3.5 ± 0.3	2.8 ± 0.2	5.7 ± 0.3
2011/3/22	0.43 ± 0.11	< 0.2	0.29 ± 0.11	0.22 ± 0.10	< 0.2	< 0.2	< 0.2	< 0.2	0.30 ± 0.10	< 0.2	< 0.2	< 0.2
2011/3/23	0.16 ± 0.08	< 0.2	0.19 ± 0.09	< 0.2	0.66 ± 0.13	0.23 ± 0.09	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	3.9 ± 0.3	6.3 ± 0.4	8.5 ± 0.4	9.2 ± 0.4	8.6 ± 0.4	8.7 ± 0.4	7.9 ± 0.4	2.9 ± 0.2	< 0.3	0.76 ± 0.15	< 0.2	0.47 ± 0.13
2011/3/16	< 0.3	< 0.2	< 0.3	< 0.2	< 0.3	< 0.2	< 0.2	< 0.3	< 0.2	< 0.2	< 0.2	< 0.3
2011/3/20	< 0.2	16.9 ± 0.6	15.2 ± 0.6	9.1 ± 0.4	7.9 ± 0.4	6.0 ± 0.3	3.9 ± 0.3	1.7 ± 0.2	1.7 ± 0.2	1.7 ± 0.2	2.8 ± 0.2	2.2 ± 0.20
2011/3/21	2.3 ± 0.2	1.5 ± 0.2	2.5 ± 0.2	1.9 ± 0.2	0.77 ± 0.14	0.57 ± 0.12	0.39 ± 0.11	0.50 ± 0.12	0.33 ± 0.10	< 0.2	0.18 ± 0.09	0.19 ± 0.09
2011/3/22	< 0.2	0.23 ± 0.1	< 0.2	1.2 ± 0.2	0.29 ± 0.1	< 0.2	0.43 ± 0.11	0.28 ± 0.10	0.26 ± 0.10	0.30 ± 0.10	0.29 ± 0.10	0.29 ± 0.1
2011/3/23	< 0.2	< 0.2	< 0.2	0.18 ± 0.09	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2

付表6b 茨城県下妻局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	< 0.4	< 0.4	< 0.4	< 0.4	0.63 ± 0.21	9.2 ± 0.6	6.7 ± 0.5	15.4 ± 0.8	59.1 ± 1.8	79.2 ± 2.2	27.1 ± 1.1	6.2 ± 0.5
2011/3/16	0.41 ± 0.21	1.0 ± 0.2	0.49 ± 0.20	1.4 ± 0.3	2.1 ± 0.3	0.75 ± 0.2	0.40 ± 0.19	< 0.4	0.95 ± 0.23	0.53 ± 0.20	1.3 ± 0.3	< 0.4
2011/3/20	< 0.4	< 0.4	< 0.4	< 0.3	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4
2011/3/21	2.3 ± 0.3	2.5 ± 0.3	2.5 ± 0.3	3.5 ± 0.4	3.3 ± 0.4	3.5 ± 0.4	3.6 ± 0.4	3.5 ± 0.4	3.7 ± 0.4	3.5 ± 0.4	3.4 ± 0.4	5.0 ± 0.5
2011/3/22	< 0.5	< 0.5	< 0.4	0.45 ± 0.18	< 0.4	< 0.4	< 0.4	< 0.3	< 0.5	< 0.4	< 0.4	< 0.5
2011/3/23	< 0.4	< 0.4	< 0.4	< 0.4	< 0.5	< 0.4	< 0.5	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	4.4 ± 0.4	6.0 ± 0.5	10.3 ± 0.7	9.3 ± 0.6	9.8 ± 0.6	9.2 ± 0.6	8.1 ± 0.6	3.7 ± 0.4	0.54 ± 0.23	1.4 ± 0.3	< 0.4	0.50 ± 0.20
2011/3/16	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4
2011/3/20	0.34 ± 0.17	17.4 ± 0.9	15.7 ± 0.8	7.7 ± 0.6	9.2 ± 0.6	6.6 ± 0.5	4.0 ± 0.4	1.3 ± 0.3	1.7 ± 0.3	1.7 ± 0.3	2.7 ± 0.3	2.8 ± 0.4
2011/3/21	2.3 ± 0.3	1.3 ± 0.3	2.3 ± 0.3	1.8 ± 0.3	0.59 ± 0.22	< 0.3	< 0.4	0.65 ± 0.22	< 0.4	< 0.4	0.41 ± 0.18	< 0.3
2011/3/22	< 0.5	0.42 ± 0.21	< 0.4	1.0 ± 0.2	< 0.5	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	0.51 ± 0.20
2011/3/23	< 0.3	< 0.5	< 0.5	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.5	< 0.3	< 0.3	< 0.5

付表6c 茨城県下妻局でのblank試料の放射性セシウム濃度 [Bq/m³]

	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	< 0.2	< 0.4	2011/3/20~21	< 0.2	< 0.4
2011/3/15~16	0.33 ± 0.12	0.44 ± 0.18	2011/3/21~22	< 0.2	< 0.4
2011/3/16~17	< 0.2	< 0.5	2011/3/22~23	< 0.2	< 0.5
2011/3/19~20	未測定		2011/3/23~24	< 0.2	< 0.4

付表7a 茨城県つくば高野局での¹³⁷Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	*	*	*	*	*	*	*	*	*	*	*	*
2011/3/16	0.31 ± 0.11	< 0.2	0.59 ± 0.12	0.38 ± 0.11	0.53 ± 0.12	0.76 ± 0.13	0.60 ± 0.12	0.52 ± 0.12	5.5 ± 0.3	2.9 ± 0.2	0.39 ± 0.10	< 0.2
2011/3/20	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
2011/3/21	2.1 ± 0.2	2.1 ± 0.2	2.0 ± 0.2	2.2 ± 0.2	3.1 ± 0.2	2.4 ± 0.2	3.0 ± 0.2	3.1 ± 0.2	2.4 ± 0.2	3.0 ± 0.2	9.2 ± 0.4	2.9 ± 0.2
2011/3/22	0.26 ± 0.10	< 0.2	< 0.2	< 0.2	< 0.2	0.20 ± 0.09	< 0.2	< 0.2	< 0.2	0.22 ± 0.09	0.26 ± 0.11	< 0.2
2011/3/23	0.41 ± 0.10	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2

	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	*	*	*	-	4.9 ± 0.3	5.7 ± 0.3	1.9 ± 0.2	1.0 ± 0.2	< 0.2	< 0.2	0.21 ± 0.10	< 0.2
2011/3/16	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0.27 ± 0.11	< 0.2	< 0.2	0.20 ± 0.09
2011/3/20	0.36 ± 0.11	21.7 ± 0.7	16.8 ± 0.6	7.7 ± 0.4	5.0 ± 0.3	2.0 ± 0.2	1.7 ± 0.2	1.7 ± 0.2	1.4 ± 0.2	1.4 ± 0.2	1.6 ± 0.2	1.4 ± 0.2
2011/3/21	1.7 ± 0.2	2.2 ± 0.2	3.0 ± 0.2	1.5 ± 0.2	0.67 ± 0.12	0.31 ± 0.10	0.31 ± 0.11	< 0.2	0.32 ± 0.09	< 0.2	0.18 ± 0.09	0.37 ± 0.11
2011/3/22	< 0.2	0.47 ± 0.11	0.25 ± 0.10	0.22 ± 0.09	0.32 ± 0.10	< 0.2	0.25 ± 0.1	0.34 ± 0.11	0.48 ± 0.11	< 0.2	0.18 ± 0.09	0.60 ± 0.12
2011/3/23	< 0.2	< 0.2	< 0.2	< 0.2	0.24 ± 0.09	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2

付表7b 茨城県つくば高野局での¹³⁴Cs濃度 [Bq/m³]

	1	2	3	4	5	6	7	8	9	10	11	12
2011/3/15	*	*	*	*	*	*	*	*	*	*	*	*
2011/3/16	< 0.4	< 0.4	< 0.4	< 0.4	0.43 ± 0.20	0.77 ± 0.24	0.61 ± 0.21	0.54 ± 0.19	6.7 ± 0.5	2.8 ± 0.4	0.56 ± 0.21	< 0.3
2011/3/20	< 0.3	< 0.4	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.4	< 0.4
2011/3/21	2.0 ± 0.3	2.3 ± 0.3	1.7 ± 0.3	2.4 ± 0.3	2.9 ± 0.4	2.3 ± 0.3	3.0 ± 0.4	3.4 ± 0.4	2.9 ± 0.3	3.7 ± 0.4	10.1 ± 0.6	2.6 ± 0.4
2011/3/22	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3
2011/3/23	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.3	< 0.3	< 0.4	< 0.4	< 0.3	< 0.4	< 0.3


	13	14	15	16	17	18	19	20	21	22	23	24
2011/3/15	*	*	*	-	5.1 ± 0.5	5.5 ± 0.5	2.4 ± 0.3	0.93 ± 0.24	< 0.4	< 0.4	< 0.4	< 0.4
2011/3/16	< 0.4	< 0.3	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.4	< 0.4	< 0.3
2011/3/20	< 0.4	23.0 ± 1.0	15.4 ± 0.8	8.1 ± 0.6	4.8 ± 0.4	2.2 ± 0.3	1.7 ± 0.3	1.2 ± 0.3	1.3 ± 0.3	1.5 ± 0.3	2.1 ± 0.3	1.2 ± 0.2
2011/3/21	1.5 ± 0.3	2.3 ± 0.3	3.3 ± 0.4	0.92 ± 0.25	0.80 ± 0.22	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	0.42 ± 0.18
2011/3/22	< 0.4	< 0.4	< 0.3	0.40 ± 0.19	< 0.3	< 0.4	< 0.4	0.49 ± 0.20	0.46 ± 0.20	0.52 ± 0.20	< 0.4	< 0.4
2011/3/23	< 0.4	< 0.4	< 0.3	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.3	< 0.3	< 0.4	< 0.4

付表7c 茨城県つくば高野局でのブランク試料の放射性セシウム濃度 [Bq/m³]


	¹³⁷ Cs	¹³⁴ Cs		¹³⁷ Cs	¹³⁴ Cs
2011/3/14~15	*		2011/3/20~21	< 0.2	< 0.4
2011/3/15~16	< 0.2	< 0.5	2011/3/21~22	< 0.2	< 0.3
2011/3/16~17	< 0.2	< 0.4	2011/3/22~23	< 0.2	< 0.4
2011/3/19~20	未測定		2011/3/23~24	< 0.2	< 0.4

*3月15日15時までのろ紙はない。


— : 欠測




付図 1 福島県古川局. 横線(ー)は検出限界値を示す.




付図 2 福島県南町局. 横線(ー)は検出限界値を示す.




付図 3 福島県森合局. 横線(ー)は検出限界値を示す.




付図 4 茨城県土浦保健所局. 横線(—)は検出限界値を示す.



付図 5 茨城県土浦中村南局. 横線(—)は検出限界値を示す.



付図 6 茨城県下妻局. 横線(—)は検出限界値を示す.



付図 7 茨城県つくば高野局. 横線(—)は検出限界値を示す. 3月15日15時までのろ紙はない.