

POPs残留状況の高頻度監視分析機関報告データ

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1] 総PCB 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	---	---	---	0.30	0.82	---	---	HV
		5	---	---	---			---		HV
		6	---	---	---			---		HV
		7	---	---	---			---		HV
		8	---	---	---			---		HV
		9	---	---	---			---		HV
		10	---	---	---			---		HV
		11	---	---	---			---		HV
		12	---	---	---			---		HV
		1	26	18	17			20		HV
		2	---	---	---			---		HV
		3	---	---	---			---		HV
	H22	4	290	150	84	0.56	1.30	170	80	HV
		5	78	100	67			82		HV
		6	120	130	87			110		HV
		7	160	97	86			110		HV
		8	160	170	65			130		HV
		9	150	160	130			150		HV
		10	53	54	51			53		HV
		11	36	31	40			36		HV
		12	21	39	31			30		HV
		1	22	37	29			29		HV
		2	25	33	28			29		HV
		3	42	18	20			27		HV
	H23	4	35	36	38	0.91	2.30	36	46	HV
		5	42	44	59			48		HV
		6	51	54	61			55		HV
		7	75	64	45			61		HV
		8	77	58	72			69		HV
		9	88	60	55			68		HV
		10	47	37	48			44		HV
		11	39	44	41			41		HV
		12	33	41	30			35		HV
		1	32	32	31			32		HV
		2	24	17	20			20		HV
		3	53	31	35			40		HV
	H24	4	55	83	32	0.66	1.70	57	49	HV
		5	47	38	43			43		HV
		6	77	70	84			77		HV
		7	51	75	62			63		HV
		8	80	82	61			74		HV
		9	58	69	51			59		HV
		10	46	39	32			39		HV
		11	39	35	40			38		HV
		12	36	40	29			35		HV
		1	36	31	19			29		HV
		2	49	34	22			35		HV
		3	37	34	29			33		HV
	H25	4	41	100	52	0.31	0.85	64	47	HV
		5	50	44	23			39		HV
		6	76	51	36			54		HV
		7	85	72	56			71		HV
		8	80	65	69			71		HV
		9	50	60	65			58		HV
		10	66	49	40			52		HV
		11	50	43	42			45		HV
		12	31	25	33			30		HV
		1	34	43	14			30		HV
		2	20	24	24			23		HV
		3	31	20	19			23		HV
	H26	4	46	37	22	0.22	0.62	35	50	HV
		5	56	48	35			46		HV
		6	53	74	86			71		HV
		7	110	67	72			83		HV
		8	91	100	78			90		HV
		9	110	81	98			96		HV
		10	43	44	25			37		HV
		11	27	20	20			22		HV
		12	40	22	19			27		HV
		1	48	25	19			31		HV
		2	34	26	28			29		HV
		3	37	27	28			31		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	45	31	28	0.39	0.90	35	38	HV
		5	45	32	39			39		HV
		6	63	49	37			50		HV
		7	46	27	41			38		HV
		8	51	30	21			34		HV
		9	62	57	43			54		HV
		10	68	30	40			46		HV
		11	47	56	40			48		HV
		12	29	34	37			33		HV
		1	45	33	37			38		HV
		2	19	22	22			21		HV
		3	18	27	23			23		HV
	H28	4	53	49	55	0.6	1.7	52	56	HV
		5	45	41	50			45		HV
		6	80	77	65			74		HV
		7	86	43	45			58		HV
		8	120	82	190			130		HV
		9	60	50	78			63		HV
		10	77	49	31			52		HV
		11	51	35	27			38		HV
		12	32	33	28			31		HV
		1	25	29	26			27		HV
		2	49	67	48			55		HV
		3	34	53	50			46		HV

(注1) 定量[検出]下限値は同族体ごとの定量[検出]下限値の合計値とした。

(注2) 「―」は欠測であることを示す。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-1] モノクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	---	---	---	0.03	0.08	---	---	HV
		5	---	---	---			---		HV
		6	---	---	---			---		HV
		7	---	---	---			---		HV
		8	---	---	---			---		HV
		9	---	---	---			---		HV
		10	---	---	---			---		HV
		11	---	---	---			---		HV
		12	---	---	---			---		HV
		1	3.7	2.3	2.2			2.7		HV
		2	---	---	---			---		HV
		3	---	---	---			---		HV
	H22	4	3.5	2.8	4.5	0.03	0.07	3.6	5.2	HV
		5	6.6	8.2	4.0			6.3		HV
		6	6.6	6.9	5.0			6.2		HV
		7	10	7.4	6.7			8.0		HV
		8	7.7	6.7	4.4			6.3		HV
		9	6.8	6.6	5.9			6.4		HV
		10	6.5	4.4	3.9			4.9		HV
		11	4.8	3.8	3.4			4.0		HV
		12	3.5	8.3	2.7			4.8		HV
		1	3.5	4.7	7.0			5.1		HV
		2	2.6	2.7	2.4			2.6		HV
		3	6.6	2.1	3.5			4.1		HV
	H23	4	3.7	2.5	2.1	0.03	0.08	2.8	2.6	HV
		5	1.9	1.6	2.3			1.9		HV
		6	3.2	2.6	3.2			3.0		HV
		7	2.8	2.6	2.0			2.5		HV
		8	3.7	2.4	2.9			3.0		HV
		9	3.1	2.4	1.8			2.4		HV
		10	1.8	1.9	4.2			2.6		HV
		11	2.1	1.7	2.3			2.0		HV
		12	1.5	3.5	2.1			2.4		HV
		1	2.3	1.9	2.5			2.2		HV
		2	2.9	2.0	2.3			2.4		HV
		3	5.4	2.6	2.3			3.4		HV
	H24	4	2.3	9.7	1.7	0.04	0.10	4.6	2.4	HV
		5	1.2	1.4	1.2			1.3		HV
		6	1.6	1.6	1.8			1.7		HV
		7	1.4	1.5	1.2			1.4		HV
		8	1.5	1.6	1.3			1.5		HV
		9	1.3	1.6	1.2			1.4		HV
		10	1.6	1.6	1.2			1.5		HV
		11	5.3	3.5	1.7			3.5		HV
		12	3.1	4.8	2.5			3.5		HV
		1	2.8	3.0	1.8			2.5		HV
		2	5.5	3.8	2.4			3.9		HV
		3	2.4	1.7	1.2			1.8		HV
	H25	4	0.81	18	6.8	0.05	0.13	8.5	2.2	HV
		5	1.6	1.7	0.76			1.4		HV
		6	1.1	1.1	0.86			1.0		HV
		7	2.0	1.4	0.86			1.4		HV
		8	1.6	0.84	1.2			1.2		HV
		9	1.3	1.1	1.2			1.2		HV
		10	1.2	0.86	0.73			0.93		HV
		11	2.4	1.5	1.3			1.7		HV
		12	2.0	2.3	4.2			2.8		HV
		1	1.1	6.5	1.7			3.1		HV
		2	3.0	1.3	1.2			1.8		HV
		3	2.4	2.1	1.3			1.9		HV
	H26	4	1.8	1.3	0.75	0.03	0.07	1.3	2.4	HV
		5	2.2	1.9	1.2			1.8		HV
		6	1.5	4.4	3.5			3.1		HV
		7	2.6	1.7	1.5			1.9		HV
		8	2.0	2.2	1.6			1.9		HV
		9	2.6	1.6	2.2			2.1		HV
		10	1.0	1.1	0.85			0.98		HV
		11	0.97	0.79	0.89			0.88		HV
		12	6.9	3.4	1.2			3.8		HV
		1	6.5	3.5	1.8			3.9		HV
		2	3.3	4.4	4.8			4.2		HV
		3	3.8	3.5	2.1			3.1		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	1.8	0.95	0.88	0.03	0.07	1.2	1.8	HV
		5	1.5	1.4	1.2			1.4		HV
		6	1.5	1.1	1.1			1.2		HV
		7	0.96	0.65	0.87			0.83		HV
		8	1.0	0.45	0.56			0.67		HV
		9	1.2	0.87	0.76			0.94		HV
		10	8.4	1.8	1.2			3.8		HV
		11	0.93	3.2	1.8			2.0		HV
		12	1.0	4.6	7.0			4.2		HV
		1	0.97	3.1	5.2			3.1		HV
		2	1.6	1.3	1.1			1.3		HV
		3	0.91	0.79	0.61			0.77		HV
	H28	4	2.4	1.5	1.5	0.03	0.07	1.8	4.1	HV
		5	2.1	1.8	1.5			1.8		HV
		6	2.0	1.6	2.0			1.9		HV
		7	1.4	0.82	0.92			1.0		HV
		8	2.1	1.6	4.4			1.6		HV
		9	1.6	1.4	2.4			1.8		HV
		10	3.1	1.3	1.0			1.8		HV
		11	4.1	3.9	2.8			3.6		HV
		12	6.3	1.5	1.7			3.2		HV
		1	1.3	1.5	4.1			2.3		HV
		2	6.6	3.1	6.1			5.3		HV
		3	3.4	9.9	12			8.4		HV

(注1)「—」は欠測であることを示す。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-2] ジクロロフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	---	---	---	0.1	0.3	---	---	HV
		5	---	---	---			---		HV
		6	---	---	---			---		HV
		7	---	---	---			---		HV
		8	---	---	---			---		HV
		9	---	---	---			---		HV
		10	---	---	---			---		HV
		11	---	---	---			---		HV
		12	---	---	---			---		HV
		1	6.2	4.4	4.0			4.9		HV
		2	---	---	---			---		HV
		3	---	---	---			---		HV
	H22	4	27	20	16	0.2	0.5	21	15	HV
		5	10	15	9.9			12		HV
		6	16	20	13			16		HV
		7	26	20	16			21		HV
		8	26	29	12			22		HV
		9	29	29	27			28		HV
		10	15	16	17			16		HV
		11	9.8	8.6	10			9.5		HV
		12	5.9	11	7.5			8.1		HV
		1	6.3	11	7.5			8.3		HV
		2	7.4	11	8.2			8.9		HV
		3	11	4.4	5.4			6.9		HV
	H23	4	11	11	13	0.5	1.2	12	15	HV
		5	14	15	22			17		HV
		6	17	19	22			19		HV
		7	26	21	15			21		HV
		8	27	20	26			24		HV
		9	28	21	18			22		HV
		10	13	11	15			13		HV
		11	11	15	13			13		HV
		12	11	13	10			11		HV
		1	9.4	11	10			10		HV
		2	7.1	4.7	6.2			6.0		HV
		3	17	10	11			13		HV
	H24	4	18	33	9.4	0.4	1.0	20	18	HV
		5	16	13	16			15		HV
		6	29	26	32			29		HV
		7	19	29	23			24		HV
		8	31	32	21			28		HV
		9	23	27	20			23		HV
		10	15	13	9.8			13		HV
		11	13	12	17			14		HV
		12	11	13	8.5			11		HV
		1	13	9.8	5.4			9.4		HV
		2	17	12	6.6			12		HV
		3	13	13	12			13		HV
	H25	4	18	38	19	0.1	0.3	25	20	HV
		5	20	18	8.1			15		HV
		6	35	23	15			24		HV
		7	42	34	26			34		HV
		8	36	28	33			32		HV
		9	22	25	30			26		HV
		10	31	22	16			23		HV
		11	21	19	19			20		HV
		12	13	9.3	11			11		HV
		1	16	15	4.0			12		HV
		2	6.4	10	10			8.8		HV
		3	12	6.5	6.6			8.4		HV
	H26	4	22	17	10	0.08	0.22	16	25	HV
		5	26	25	19			23		HV
		6	27	35	47			36		HV
		7	63	40	42			48		HV
		8	51	60	46			52		HV
		9	64	48	58			57		HV
		10	20	21	12			18		HV
		11	12	7.6	7.5			9.0		HV
		12	16	7.2	6.3			9.8		HV
		1	17	8.1	6.7			11		HV
		2	13	9.4	9.2			11		HV
		3	16	10	12			13		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	22	15	13	0.2	0.4	17	19	HV
		5	21	14	20			18		HV
		6	30	23	19			24		HV
		7	24	14	23			20		HV
		8	26	16	11			18		HV
		9	32	30	22			28		HV
		10	32	14	22			23		HV
		11	24	26	19			23		HV
		12	15	15	14			15		HV
		1	25	15	15			18		HV
		2	6.4	9.4	11			8.9		HV
		3	6.8	13	12			11		HV
	H28	4	22	20	22	0.4	1.2	21	25	HV
		5	20	19	26			22		HV
		6	40	38	32			37		HV
		7	40	22	24			29		HV
		8	59	42	78			60		HV
		9	28	24	34			29		HV
		10	35	18	13			22		HV
		11	19	13	9.3			14		HV
		12	12	14	12			13		HV
		1	12	14	9.6			12		HV
		2	16	24	16			19		HV
		3	12	18	17			16		HV

(注1)「—」は欠測であることを示す。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-3]トリクロロフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	13	10	8.5	0.06	0.16	11	13	HV
		5	12	16	17			15		HV
		6	16	10	11			12		HV
		7	21	20	15			19		HV
		8	16	10	16			14		HV
		9	23	15	18			19		HV
		10	13	13	14			13		HV
		11	16	15	16			16		HV
		12	9.5	9.5	9.5			9.5		HV
		1	7.3	5.5	5.3			6.0		HV
		2	11	8.6	8.6			9.4		HV
		3	18	17	14			16		HV
	H22	4	39	27	21	0.2	0.4	29	19	HV
		5	14	19	14			16		HV
		6	23	28	19			23		HV
		7	37	27	22			29		HV
		8	43	41	17			34		HV
		9	39	41	33			38		HV
		10	17	18	17			17		HV
		11	11	10	13			11		HV
		12	6.2	9.7	9.9			8.6		HV
		1	6.6	11	7.2			8.3		HV
		2	8.0	9.8	9.6			9.1		HV
		3	12	5.0	5.4			7.5		HV
	H23	4	13	14	14	0.2	0.5	14	17	HV
		5	16	16	21			18		HV
		6	16	18	21			18		HV
		7	27	25	17			23		HV
		8	27	22	27			25		HV
		9	34	22	22			26		HV
		10	19	15	18			17		HV
		11	15	17	16			16		HV
		12	12	16	11			13		HV
		1	12	12	11			12		HV
		2	8.0	5.9	7.1			7.0		HV
		3	17	11	13			14		HV
	H24	4	19	25	14	0.1	0.3	19	18	HV
		5	19	15	17			17		HV
		6	28	27	35			30		HV
		7	19	29	24			24		HV
		8	29	30	23			27		HV
		9	20	27	20			22		HV
		10	21	16	13			17		HV
		11	13	12	14			13		HV
		12	14	13	11			13		HV
		1	12	11	7.3			10		HV
		2	15	11	7.9			11		HV
		3	13	12	10			12		HV
	H25	4	12	23	14	0.06	0.16	16	14	HV
		5	16	14	7.6			13		HV
		6	23	16	12			17		HV
		7	25	23	17			22		HV
		8	24	20	21			22		HV
		9	15	20	19			18		HV
		10	19	15	13			16		HV
		11	15	13	13			14		HV
		12	8.5	8.0	9.4			8.6		HV
		1	10	12	4.8			8.9		HV
		2	5.6	7.7	7.8			7.0		HV
		3	9.6	6.8	6.8			7.7		HV
	H26	4	12	12	6.6	0.02	0.06	10	13	HV
		5	15	13	8.9			12		HV
		6	13	20	21			18		HV
		7	26	15	18			20		HV
		8	23	26	20			23		HV
		9	25	19	24			23		HV
		10	13	13	7.7			11		HV
		11	8.3	6.2	6.6			7.0		HV
		12	9.3	6.4	7.2			7.6		HV
		1	11	7.2	6.0			8.1		HV
		2	9.8	7.5	8.0			8.4		HV
		3	9.8	7.7	8.8			8.8		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	12	8.8	7.4	0.07	0.18	9.4	10	HV
		5	13	9.6	11			11		HV
		6	17	14	9.7			14		HV
		7	13	7.7	9.6			10		HV
		8	14	7.4	5.9			9.1		HV
		9	16	17	13			15		HV
		10	13	8.2	10			10		HV
		11	13	15	11			13		HV
		12	7.9	8.3	9.4			8.5		HV
		1	11	8.8	10			9.9		HV
		2	6.0	7.0	6.2			6.4		HV
		3	6.3	8.5	6.1			7.0		HV
	H28	4	15	14	17	0.07	0.18	15	17	HV
		5	14	13	15			14		HV
		6	24	25	19			23		HV
		7	32	13	13			19		HV
		8	34	25	47			35		HV
		9	19	16	28			21		HV
		10	24	19	9.4			17		HV
		11	17	11	8.8			12		HV
		12	7.5	11	8.8			9.1		HV
		1	7.1	7.6	6.7			7.1		HV
		2	14	21	14			16		HV
		3	10	12	11			11		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-4] テトラクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	9.3	5.8	4.3	0.02	0.04	6.5	7.0	HV
		5	7.1	9.8	9.2			8.7		HV
		6	10	5.9	6.8			7.6		HV
		7	12	11	6.3			9.8		HV
		8	5.1	5.1	7.5			5.9		HV
		9	17	8.6	11			12		HV
		10	6.5	6.4	6.1			6.3		HV
		11	5.4	5.7	8.1			6.4		HV
		12	5.1	4.6	4.5			4.7		HV
		1	4.3	2.9	3.4			3.5		HV
		2	5.7	4.5	4.3			4.8		HV
		3	9.9	7.8	6.3			8.0		HV
	H22	4	68	35	17	0.02	0.05	40	18	HV
		5	14	23	15			17		HV
		6	26	33	22			27		HV
		7	35	20	19			25		HV
		8	35	43	16			31		HV
		9	40	43	37			40		HV
		10	7.9	8.7	7.8			8.1		HV
		11	5.7	5.2	8.4			6.4		HV
		12	2.7	4.8	4.7			4.1		HV
		1	3.1	5.3	3.5			4.0		HV
		2	4.3	5.7	4.7			4.9		HV
		3	7.0	3.5	3.4			4.6		HV
	H23	4	4.3	5.2	5.5	0.07	0.19	5.0	6.8	HV
		5	6.2	6.9	8.7			7.3		HV
		6	7.7	8.3	9.2			8.4		HV
		7	12	10	7.2			9.7		HV
		8	12	9.2	10			10		HV
		9	14	8.7	8.4			10		HV
		10	8.2	5.4	6.7			6.8		HV
		11	6.3	6.1	5.7			6.0		HV
		12	5.3	5.9	3.7			5.0		HV
		1	4.8	4.5	4.7			4.7		HV
		2	3.1	2.1	2.8			2.7		HV
		3	7.3	4.1	5.4			5.6		HV
	H24	4	9.3	8.9	4.2	0.03	0.09	7.5	6.4	HV
		5	6.4	5.3	5.6			5.8		HV
		6	11	9.8	10			10		HV
		7	7.2	10	9.1			8.8		HV
		8	12	12	10			11		HV
		9	9.0	8.7	7.0			8.2		HV
		10	5.2	4.9	4.7			4.9		HV
		11	4.3	3.8	4.6			4.2		HV
		12	4.4	4.7	3.6			4.2		HV
		1	4.5	3.9	2.6			3.7		HV
		2	6.7	4.0	2.9			4.5		HV
		3	4.6	4.1	3.8			4.2		HV
	H25	4	6.2	12	7.2	0.02	0.05	8.5	6.6	HV
		5	7.6	6.6	3.6			5.9		HV
		6	11	7.3	5.6			8.0		HV
		7	11	9.4	8.1			9.5		HV
		8	12	11	9.4			11		HV
		9	7.6	9.1	9.8			8.8		HV
		10	9.2	7.1	6.2			7.5		HV
		11	7.3	6.0	5.3			6.2		HV
		12	4.7	3.3	4.6			4.2		HV
		1	4.3	5.4	2.0			3.9		HV
		2	2.5	3.2	3.3			3.0		HV
		3	4.2	2.5	2.8			3.2		HV
	H26	4	5.5	3.6	2.6	0.02	0.05	3.9	5.5	HV
		5	7.5	4.6	3.4			5.2		HV
		6	6.4	8.8	8.9			8.0		HV
		7	12	6.9	7.2			8.7		HV
		8	10	9.5	7.9			9.1		HV
		9	11	8.1	9.5			9.5		HV
		10	5.6	5.2	2.7			4.5		HV
		11	3.4	2.8	3.1			3.1		HV
		12	3.8	2.7	2.7			3.1		HV
		1	6.4	3.3	2.3			4.0		HV
		2	4.3	2.8	3.0			3.4		HV
		3	4.1	3.2	3.3			3.5		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	5.5	3.8	3.8	0.02	0.05	4.4	4.6	HV
		5	5.3	3.8	4.0			4.4		HV
		6	7.8	6.7	4.5			6.3		HV
		7	5.7	3.5	5.1			4.8		HV
		8	6.7	3.8	2.4			4.3		HV
		9	8.0	6.4	5.1			6.5		HV
		10	7.9	3.6	4.2			5.2		HV
		11	5.9	7.3	5.3			6.2		HV
		12	2.9	3.6	3.6			3.4		HV
		1	5.0	3.7	3.8			4.2		HV
		2	2.5	2.3	2.3			2.4		HV
		3	2.4	3.1	2.5			2.7		HV
	H28	4	8.2	7.1	7.9	0.04	0.09	7.7	7.4	HV
		5	5.8	5.3	5.7			5.6		HV
		6	10	9.3	9.0			9.4		HV
		7	9.6	5.5	5.2			6.8		HV
		8	15	10	16			14		HV
		9	7.8	6.2	10			8.0		HV
		10	11	8.2	4.6			7.9		HV
		11	6.5	4.5	3.6			4.9		HV
		12	3.6	4.4	4.0			4.0		HV
		1	3.2	3.7	3.6			3.5		HV
		2	8.0	15	8.2			10		HV
		3	5.1	8.6	6.5			6.7		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-5] ペンタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	4.7	2.4	2.1	0.01	0.03	3.1	2.9	HV
		5	3.7	3.5	3.7			3.6		HV
		6	3.9	3.1	3.2			3.4		HV
		7	4.1	3.4	2.1			3.2		HV
		8	1.7	2.1	2.8			2.2		HV
		9	5.1	2.9	4.0			4.0		HV
		10	2.7	2.2	2.1			2.3		HV
		11	2.1	2.1	2.9			2.4		HV
		12	2.9	2.1	2.0			2.3		HV
		1	2.5	1.4	1.4			1.8		HV
		2	3.1	2.0	2.1			2.4		HV
		3	5.1	2.9	2.4			3.5		HV
	H22	4	89	38	14	0.02	0.04	47	13	HV
		5	14	18	11			14		HV
		6	22	23	14			20		HV
		7	24	12	12			16		HV
		8	22	26	8.9			19		HV
		9	22	23	20			22		HV
		10	4.5	4.7	3.4			4.2		HV
		11	2.7	2.2	3.7			2.9		HV
		12	1.6	2.5	4.2			2.8		HV
		1	1.7	2.9	2.0			2.2		HV
		2	2.0	2.3	1.9			2.1		HV
		3	3.1	1.8	1.6			2.2		HV
	H23	4	2.0	2.2	2.1	0.03	0.08	2.1	3.0	HV
		5	2.8	2.9	3.4			3.0		HV
		6	4.1	3.9	4.0			4.0		HV
		7	5.4	4.1	2.9			4.1		HV
		8	5.3	3.7	4.2			4.4		HV
		9	6.7	4.0	3.7			4.8		HV
		10	3.5	2.3	2.8			2.9		HV
		11	2.8	2.6	2.4			2.6		HV
		12	2.2	2.1	1.7			2.0		HV
		1	2.2	1.8	1.8			1.9		HV
		2	1.5	1.1	1.2			1.3		HV
		3	3.1	1.8	2.0			2.3		HV
	H24	4	4.2	3.5	1.9	0.02	0.06	3.2	2.7	HV
		5	2.9	2.3	2.3			2.5		HV
		6	5.2	4.0	4.0			4.4		HV
		7	2.9	4.3	3.7			3.6		HV
		8	4.5	4.6	3.8			4.3		HV
		9	3.8	3.3	2.5			3.2		HV
		10	2.1	2.0	2.0			2.0		HV
		11	1.9	1.8	1.9			1.9		HV
		12	2.2	2.3	1.7			2.1		HV
		1	1.9	1.6	1.2			1.6		HV
		2	2.8	1.6	1.2			1.9		HV
		3	2.0	1.8	1.4			1.7		HV
	H25	4	2.5	4.9	2.6	0.02	0.04	3.3	2.5	HV
		5	3.0	2.6	1.7			2.4		HV
		6	4.5	2.6	2.0			3.0		HV
		7	4.1	2.9	2.9			3.3		HV
		8	4.5	4.1	2.9			3.8		HV
		9	2.9	3.1	3.4			3.1		HV
		10	3.6	2.6	2.4			2.9		HV
		11	2.9	2.3	2.1			2.4		HV
		12	1.9	1.3	1.8			1.7		HV
		1	1.8	2.3	0.93			1.7		HV
		2	1.2	1.2	1.3			1.2		HV
		3	1.8	1.1	1.1			1.3		HV
	H26	4	2.7	1.7	1.4	0.02	0.05	1.9	2.1	HV
		5	3.5	1.9	1.5			2.3		HV
		6	2.9	3.4	3.1			3.1		HV
		7	4.0	2.1	2.0			2.7		HV
		8	3.3	2.6	2.1			2.7		HV
		9	4.3	2.8	3.3			3.5		HV
		10	2.3	2.2	1.2			1.9		HV
		11	1.4	1.3	1.1			1.3		HV
		12	1.8	1.3	1.2			1.4		HV
		1	3.3	1.6	1.2			2.0		HV
		2	1.9	1.2	1.4			1.5		HV
		3	1.7	1.3	1.3			1.4		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	2.4	1.7	1.9	0.02	0.05	2.0	1.7	HV
		5	2.5	1.7	1.6			1.9		HV
		6	3.6	2.5	1.7			2.6		HV
		7	1.7	0.94	1.4			1.3		HV
		8	2.1	1.3	0.61			1.3		HV
		9	2.9	2.1	1.6			2.2		HV
		10	3.6	1.5	1.5			2.2		HV
		11	2.1	2.6	1.8			2.2		HV
		12	1.5	1.4	1.3			1.4		HV
		1	1.7	1.5	1.4			1.5		HV
		2	1.2	0.96	0.96			1.0		HV
		3	1.2	1.1	1.0			1.1		HV
	H28	4	3.4	4.3	4.3	0.01	0.04	4.0	2.1	HV
		5	1.9	1.5	1.4			1.6		HV
		6	2.7	1.9	1.9			2.2		HV
		7	2.3	1.3	1.2			1.6		HV
		8	4.2	2.3	3.8			3.4		HV
		9	2.4	1.7	2.0			2.0		HV
		10	2.9	1.9	1.7			2.2		HV
		11	2.1	1.6	1.4			1.7		HV
		12	1.3	1.3	1.2			1.3		HV
		1	1.1	1.2	1.3			1.2		HV
		2	2.5	2.6	2.3			2.5		HV
		3	1.9	2.2	1.7			1.9		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-6] ヘキサクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	3.3	1.4	1.2	0.01	0.03	2.0	1.4	HV
		5	1.9	1.5	1.5			1.6		HV
		6	1.6	1.9	2.0			1.8		HV
		7	1.6	0.99	0.73			1.1		HV
		8	0.76	0.85	1.3			0.97		HV
		9	1.7	1.0	1.6			1.4		HV
		10	1.2	1.1	0.85			1.1		HV
		11	0.86	0.81	1.0			0.89		HV
		12	1.3	0.97	0.93			1.1		HV
		1	1.4	0.77	0.65			0.94		HV
		2	1.8	1.0	1.6			1.5		HV
		3	3.2	1.7	1.4			2.1		HV
	H22	4	53	22	7.8	0.01	0.03	28	7.2	HV
		5	12	13	7.9			11		HV
		6	14	14	8.5			12		HV
		7	15	6.5	5.9			9.1		HV
		8	13	13	4.2			10		HV
		9	11	8.8	7.7			9.2		HV
		10	1.9	1.6	1.1			1.5		HV
		11	1.1	0.86	1.0			0.99		HV
		12	0.84	1.6	1.8			1.4		HV
		1	0.81	1.2	1.1			1.0		HV
		2	0.81	0.90	0.82			0.84		HV
		3	1.7	0.84	0.69			1.1		HV
	H23	4	0.97	0.86	0.81	0.01	0.04	0.88	1.1	HV
		5	1.1	1.0	1.1			1.1		HV
		6	1.9	1.8	1.4			1.7		HV
		7	1.7	1.1	0.82			1.2		HV
		8	1.4	0.92	1.1			1.1		HV
		9	2.0	1.2	1.1			1.4		HV
		10	1.2	0.80	1.1			1.0		HV
		11	1.1	0.92	0.93			0.98		HV
		12	0.88	0.69	1.0			0.86		HV
		1	1.0	0.71	0.83			0.85		HV
		2	0.78	0.54	0.52			0.61		HV
		3	1.9	0.78	0.79			1.2		HV
	H24	4	1.8	1.9	0.68	0.01	0.03	1.5	1.0	HV
		5	1.0	0.72	0.70			0.81		HV
		6	1.6	1.0	1.0			1.2		HV
		7	1.0	1.3	0.92			1.1		HV
		8	1.3	1.2	1.1			1.2		HV
		9	1.1	0.82	0.62			0.85		HV
		10	0.91	0.85	0.75			0.84		HV
		11	1.2	1.2	0.76			1.1		HV
		12	1.0	1.1	0.95			1.0		HV
		1	1.1	0.84	0.62			0.85		HV
		2	1.3	0.73	0.57			0.87		HV
		3	1.2	0.96	0.60			0.92		HV
	H25	4	0.83	2.9	1.3	0.01	0.04	1.7	0.90	HV
		5	1.2	1.0	0.61			0.94		HV
		6	1.3	0.68	0.57			0.85		HV
		7	1.0	0.70	0.65			0.78		HV
		8	1.2	0.82	0.77			0.93		HV
		9	1.1	0.95	1.0			1.0		HV
		10	1.2	0.84	0.87			0.97		HV
		11	1.2	0.91	0.82			0.98		HV
		12	0.79	0.57	0.91			0.76		HV
		1	0.73	1.2	0.47			0.80		HV
		2	0.54	0.47	0.54			0.52		HV
		3	0.77	0.54	0.53			0.61		HV
	H26	4	1.2	0.77	0.63	0.01	0.04	0.87	0.89	HV
		5	1.6	0.83	0.66			1.0		HV
		6	1.5	1.8	1.5			1.6		HV
		7	1.2	0.64	0.64			0.83		HV
		8	1.1	0.72	0.59			0.80		HV
		9	1.4	0.80	0.82			1.0		HV
		10	0.99	0.76	0.44			0.73		HV
		11	0.65	0.60	0.51			0.59		HV
		12	1.1	0.69	0.56			0.78		HV
		1	1.9	0.69	0.51			1.0		HV
		2	0.94	0.65	0.76			0.78		HV
		3	0.89	0.64	0.49			0.67		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	1.1	0.70	0.80	0.01	0.03	0.87	0.76	HV
		5	1.1	0.77	0.58			0.82		HV
		6	1.8	1.2	0.75			1.3		HV
		7	0.64	0.30	0.42			0.45		HV
		8	0.79	0.45	0.21			0.48		HV
		9	0.96	0.70	0.52			0.73		HV
		10	1.8	0.62	0.60			1.0		HV
		11	0.81	1.3	0.83			0.98		HV
		12	0.72	0.80	0.73			0.75		HV
		1	0.75	0.73	0.76			0.75		HV
		2	0.61	0.45	0.42			0.49		HV
		3	0.56	0.48	0.45			0.50		HV
	H28	4	1.3	1.5	1.7	0.01	0.03	1.5	0.85	HV
		5	0.74	0.61	0.52			0.62		HV
		6	1.1	0.61	0.59			0.77		HV
		7	0.76	0.39	0.42			0.52		HV
		8	1.4	0.64	0.90			0.98		HV
		9	1.1	0.68	0.74			0.84		HV
		10	0.98	0.63	0.62			0.74		HV
		11	1.2	0.78	0.96			0.98		HV
		12	0.83	0.55	0.56			0.65		HV
		1	0.45	0.50	0.61			0.52		HV
		2	1.2	0.96	1.1			1.1		HV
		3	0.82	1.3	0.89			1.0		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-7] ヘプタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	2.1	0.82	0.73	0.01	0.03	1.2	0.52	HV
		5	0.95	0.64	0.52			0.70		HV
		6	0.68	0.83	0.62			0.71		HV
		7	0.58	0.42	0.31			0.44		HV
		8	0.30	0.24	0.52			0.35		HV
		9	0.50	0.30	0.57			0.46		HV
		10	0.30	0.47	0.24			0.34		HV
		11	0.19	0.19	0.21			0.20		HV
		12	0.29	0.27	0.27			0.28		HV
		1	0.34	0.21	0.18			0.24		HV
		2	0.47	0.35	0.75			0.52		HV
		3	1.2	0.71	0.60			0.84		HV
	H22	4	13	6.6	2.7	0.02	0.05	7.4	2.9	HV
		5	6.4	6.5	4.1			5.7		HV
		6	7.6	7.3	4.5			6.5		HV
		7	7.9	3.3	3.0			4.7		HV
		8	6.7	6.1	1.9			4.9		HV
		9	4.4	3.4	3.0			3.6		HV
		10	0.45	0.36	0.28			0.36		HV
		11	0.40	0.23	0.26			0.30		HV
		12	0.28	0.69	0.41			0.46		HV
		1	0.25	0.32	0.54			0.37		HV
		2	0.24	0.25	0.29			0.26		HV
		3	0.63	0.30	0.23			0.39		HV
	H23	4	0.28	0.25	0.23	0.02	0.04	0.25	0.33	HV
		5	0.26	0.26	0.27			0.26		HV
		6	0.66	0.73	0.48			0.62		HV
		7	0.48	0.27	0.22			0.32		HV
		8	0.28	0.22	0.31			0.27		HV
		9	0.40	0.29	0.27			0.32		HV
		10	0.32	0.22	0.41			0.32		HV
		11	0.30	0.28	0.35			0.31		HV
		12	0.26	0.21	0.42			0.30		HV
		1	0.30	0.24	0.32			0.29		HV
		2	0.25	0.18	0.20			0.21		HV
		3	0.80	0.29	0.30			0.46		HV
	H24	4	0.51	0.71	0.15	0.01	0.03	0.46	0.29	HV
		5	0.19	0.14	0.14			0.16		HV
		6	0.32	0.19	0.17			0.23		HV
		7	0.31	0.31	0.18			0.27		HV
		8	0.30	0.24	0.29			0.28		HV
		9	0.18	0.14	0.10			0.14		HV
		10	0.27	0.24	0.21			0.24		HV
		11	0.37	0.35	0.20			0.31		HV
		12	0.35	0.41	0.32			0.36		HV
		1	0.35	0.33	0.18			0.29		HV
		2	0.45	0.25	0.17			0.29		HV
		3	0.68	0.51	0.21			0.47		HV
	H25	4	0.21	1.5	0.57	0.01	0.03	0.76	0.29	HV
		5	0.41	0.42	0.17			0.33		HV
		6	0.26	0.16	0.17			0.20		HV
		7	0.22	0.12	0.13			0.16		HV
		8	0.28	0.13	0.21			0.21		HV
		9	0.32	0.24	0.25			0.27		HV
		10	0.28	0.25	0.25			0.26		HV
		11	0.37	0.27	0.28			0.31		HV
		12	0.25	0.21	0.41			0.29		HV
		1	0.21	0.60	0.15			0.32		HV
		2	0.18	0.14	0.18			0.17		HV
		3	0.27	0.19	0.17			0.21		HV
	H26	4	0.40	0.22	0.16	0.01	0.03	0.26	0.32	HV
		5	0.53	0.30	0.19			0.34		HV
		6	0.55	0.73	0.61			0.63		HV
		7	0.32	0.20	0.19			0.24		HV
		8	0.30	0.20	0.16			0.22		HV
		9	0.40	0.22	0.20			0.27		HV
		10	0.29	0.20	0.13			0.21		HV
		11	0.19	0.17	0.18			0.18		HV
		12	0.58	0.27	0.19			0.35		HV
		1	1.0	0.28	0.17			0.48		HV
		2	0.35	0.30	0.33			0.33		HV
		3	0.38	0.28	0.16			0.27		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.44	0.24	0.22	0.01	0.03	0.30	0.30	HV
		5	0.53	0.46	0.20			0.40		HV
		6	0.72	0.52	0.31			0.52		HV
		7	0.21	0.09	0.14			0.15		HV
		8	0.29	0.15	0.07			0.17		HV
		9	0.38	0.29	0.22			0.30		HV
		10	0.86	0.25	0.19			0.43		HV
		11	0.22	0.65	0.41			0.43		HV
		12	0.19	0.39	0.30			0.29		HV
		1	0.28	0.34	0.32			0.31		HV
		2	0.16	0.15	0.14			0.15		HV
		3	0.16	0.13	0.13			0.14		HV
	H28	4	0.36	0.30	0.36	0.01	0.03	0.34	0.28	HV
		5	0.24	0.20	0.15			0.20		HV
		6	0.39	0.23	0.19			0.27		HV
		7	0.24	0.12	0.11			0.16		HV
		8	0.37	0.17	0.25			0.26		HV
		9	0.40	0.26	0.27			0.31		HV
		10	0.27	0.17	0.15			0.20		HV
		11	0.55	0.36	0.34			0.42		HV
		12	0.32	0.17	0.19			0.23		HV
		1	0.13	0.15	0.22			0.17		HV
		2	0.47	0.27	0.39			0.38		HV
		3	0.24	0.60	0.38			0.41		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-8] オクタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.31	0.17	0.14	0.03	0.07	0.21	0.09	HV
		5	0.17	0.11	0.08			0.12		HV
		6	0.14	0.15	0.09			0.13		HV
		7	0.11	0.08	tr(0.06)			0.08		HV
		8	tr(0.06)	tr(0.04)	0.08			tr(0.06)		HV
		9	0.09	tr(0.06)	0.10			0.08		HV
		10	tr(0.05)	0.11	tr(0.05)			0.07		HV
		11	nd	tr(0.03)	tr(0.03)			tr(0.03)		HV
		12	tr(0.04)	tr(0.05)	tr(0.04)			tr(0.04)		HV
		1	tr(0.06)	tr(0.03)	nd			tr(0.04)		HV
		2	0.07	tr(0.06)	0.13			0.09		HV
		3	0.14	0.12	0.09			0.12		HV
	H22	4	1.8	1.1	0.44	0.02	0.06	1.1	0.64	HV
		5	1.2	1.4	0.91			1.2		HV
		6	1.7	1.7	1.1			1.5		HV
		7	1.9	0.92	0.89			1.2		HV
		8	1.5	1.7	0.55			1.3		HV
		9	1.1	0.91	0.80			0.94		HV
		10	0.07	0.06	tr(0.05)			0.06		HV
		11	0.09	tr(0.05)	tr(0.05)			0.06		HV
		12	tr(0.05)	0.11	0.06			0.07		HV
		1	tr(0.03)	tr(0.05)	0.17			0.08		HV
		2	tr(0.04)	tr(0.04)	tr(0.04)			tr(0.04)		HV
		3	0.10	0.06	tr(0.05)			0.07		HV
	H23	4	tr(0.05)	tr(0.05)	tr(0.03)	0.03	0.07	tr(0.04)	tr(0.05)	HV
		5	tr(0.04)	tr(0.04)	tr(0.05)			tr(0.04)		HV
		6	0.12	0.11	0.09			0.11		HV
		7	0.08	tr(0.04)	nd			tr(0.05)		HV
		8	tr(0.04)	nd	tr(0.04)			tr(0.03)		HV
		9	tr(0.05)	tr(0.04)	tr(0.04)			tr(0.04)		HV
		10	tr(0.05)	tr(0.04)	0.08			tr(0.06)		HV
		11	tr(0.03)	tr(0.04)	tr(0.06)			tr(0.04)		HV
		12	tr(0.04)	nd	tr(0.06)			tr(0.04)		HV
		1	tr(0.04)	tr(0.04)	tr(0.06)			tr(0.05)		HV
		2	tr(0.04)	tr(0.04)	tr(0.05)			tr(0.04)		HV
		3	0.07	tr(0.05)	tr(0.04)			tr(0.05)		HV
	H24	4	0.07	0.08	tr(0.03)	0.02	0.06	0.06	tr(0.05)	HV
		5	tr(0.03)	nd	tr(0.03)			tr(0.02)		HV
		6	tr(0.05)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		7	tr(0.05)	0.06	tr(0.02)			tr(0.04)		HV
		8	0.06	tr(0.04)	0.06			tr(0.05)		HV
		9	tr(0.03)	tr(0.02)	nd			tr(0.02)		HV
		10	tr(0.05)	0.06	tr(0.03)			tr(0.05)		HV
		11	0.07	0.06	tr(0.03)			tr(0.05)		HV
		12	0.10	0.09	0.09			0.09		HV
		1	0.08	0.08	tr(0.05)			0.07		HV
		2	0.07	0.07	nd			tr(0.05)		HV
		3	0.09	0.09	tr(0.04)			0.07		HV
	H25	4	tr(0.04)	0.16	0.09	0.02	0.05	0.10	0.05	HV
		5	0.06	0.06	tr(0.03)			0.05		HV
		6	tr(0.04)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		7	tr(0.02)	nd	nd			nd		HV
		8	0.05	nd	tr(0.04)			tr(0.03)		HV
		9	0.05	tr(0.04)	tr(0.04)			tr(0.04)		HV
		10	tr(0.03)	0.05	tr(0.04)			tr(0.04)		HV
		11	0.07	0.05	0.05			0.06		HV
		12	0.05	0.05	0.07			0.06		HV
		1	tr(0.04)	0.10	tr(0.03)			0.06		HV
		2	tr(0.04)	tr(0.03)	0.05			tr(0.04)		HV
		3	0.05	tr(0.04)	tr(0.03)			tr(0.04)		HV
	H26	4	0.07	tr(0.03)	tr(0.02)	0.01	0.04	0.04	0.06	HV
		5	0.09	0.05	tr(0.03)			0.06		HV
		6	0.10	0.09	0.10			0.10		HV
		7	0.05	tr(0.03)	tr(0.03)			0.04		HV
		8	0.05	tr(0.03)	tr(0.03)			0.04		HV
		9	0.07	0.05	tr(0.03)			0.05		HV
		10	0.09	0.06	0.04			0.06		HV
		11	tr(0.03)	0.04	0.04			0.04		HV
		12	0.17	0.08	0.04			0.10		HV
		1	0.19	0.05	0.04			0.09		HV
		2	0.06	0.06	0.09			0.07		HV
		3	0.06	0.05	0.04			0.05		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.05	0.04	0.04	0.01	0.03	0.04	0.05	HV
		5	0.08	0.07	0.03			0.06		HV
		6	0.12	0.09	0.06			0.09		HV
		7	0.04	tr(0.02)	tr(0.02)			0.03		HV
		8	0.06	0.03	tr(0.02)			0.04		HV
		9	0.07	0.06	0.04			0.06		HV
		10	0.11	0.05	0.05			0.07		HV
		11	0.03	0.09	0.05			0.06		HV
		12	0.03	0.06	0.06			0.05		HV
		1	0.05	0.06	0.08			0.06		HV
		2	0.03	tr(0.02)	0.03			0.03		HV
		3	tr(0.02)	tr(0.02)	tr(0.02)			tr(0.02)		HV
	H28	4	0.06	0.05	0.07	0.01	0.03	0.06	0.05	HV
		5	0.03	tr(0.02)	tr(0.02)			tr(0.02)		HV
		6	0.06	0.04	0.04			0.05		HV
		7	0.05	tr(0.02)	tr(0.01)			0.03		HV
		8	0.06	0.04	0.07			0.06		HV
		9	0.08	0.05	0.06			0.06		HV
		10	0.03	tr(0.02)	0.03			0.03		HV
		11	0.10	0.06	0.07			0.08		HV
		12	0.05	0.03	0.03			0.04		HV
		1	0.03	0.03	0.04			0.03		HV
		2	0.09	0.05	0.07			0.07		HV
		3	0.06	0.11	0.08			0.08		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-9] ノナクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.06	tr(0.04)	tr(0.03)	0.02	0.05	tr(0.04)	tr(0.02)	HV
		5	nd	tr(0.03)	tr(0.03)			tr(0.02)		HV
		6	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	tr(0.04)	tr(0.04)	tr(0.04)			tr(0.04)		HV
		10	nd	tr(0.04)	tr(0.03)			tr(0.03)		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	tr(0.02)	nd	nd			nd		HV
		2	tr(0.02)	tr(0.02)	tr(0.02)			tr(0.02)		HV
		3	0.05	tr(0.04)	tr(0.03)			tr(0.04)		HV
	H22	4	0.11	0.07	tr(0.04)	0.03	0.07	0.07	0.07	HV
		5	0.10	0.18	0.08			0.12		HV
		6	0.12	0.14	0.09			0.12		HV
		7	0.15	0.08	0.09			0.11		HV
		8	0.15	0.16	tr(0.06)			0.12		HV
		9	0.10	0.08	0.08			0.09		HV
		10	tr(0.04)	nd	nd			nd		HV
		11	tr(0.06)	nd	nd			tr(0.03)		HV
		12	nd	0.08	nd			tr(0.04)		HV
		1	nd	nd	tr(0.05)			tr(0.03)		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.04)	nd	tr(0.04)			tr(0.03)		HV
	H23	4	tr(0.02)	tr(0.02)	tr(0.01)	0.01	0.04	tr(0.02)	tr(0.02)	HV
		5	tr(0.01)	tr(0.01)	tr(0.02)			tr(0.01)		HV
		6	tr(0.02)	tr(0.02)	tr(0.02)			tr(0.02)		HV
		7	tr(0.02)	nd	nd			tr(0.01)		HV
		8	nd	tr(0.01)	tr(0.02)			tr(0.01)		HV
		9	tr(0.02)	tr(0.02)	tr(0.01)			tr(0.02)		HV
		10	tr(0.01)	tr(0.02)	0.06			tr(0.03)		HV
		11	tr(0.01)	tr(0.02)	tr(0.02)			tr(0.02)		HV
		12	tr(0.02)	tr(0.01)	tr(0.02)			tr(0.02)		HV
		1	tr(0.01)	tr(0.02)	tr(0.03)			tr(0.02)		HV
		2	tr(0.02)	tr(0.02)	tr(0.03)			tr(0.02)		HV
		3	tr(0.03)	tr(0.02)	tr(0.02)			tr(0.02)		HV
	H24	4	tr(0.03)	tr(0.04)	nd	0.02	0.05	tr(0.03)	tr(0.02)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	tr(0.03)	tr(0.03)	nd			tr(0.02)		HV
		12	0.07	0.05	tr(0.03)			0.05		HV
		1	tr(0.04)	0.05	nd			tr(0.03)		HV
		2	tr(0.04)	tr(0.03)	nd			tr(0.03)		HV
		3	0.05	0.05	tr(0.03)			tr(0.04)		HV
	H25	4	tr(0.01)	0.08	0.05	0.01	0.03	0.05	tr(0.02)	HV
		5	0.03	0.03	tr(0.01)			tr(0.02)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	tr(0.02)	tr(0.01)	tr(0.01)			tr(0.01)		HV
		10	tr(0.01)	tr(0.01)	tr(0.01)			tr(0.01)		HV
		11	0.04	tr(0.02)	0.03			0.03		HV
		12	0.04	0.03	0.05			0.04		HV
		1	nd	0.05	tr(0.01)			tr(0.02)		HV
		2	tr(0.02)	tr(0.01)	tr(0.02)			tr(0.02)		HV
		3	tr(0.01)	tr(0.02)	nd			tr(0.01)		HV
	H26	4	tr(0.02)	tr(0.02)	tr(0.01)	0.01	0.04	tr(0.02)	tr(0.03)	HV
		5	tr(0.02)	tr(0.03)	tr(0.02)			tr(0.02)		HV
		6	tr(0.02)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		7	nd	nd	tr(0.01)			tr(0.01)		HV
		8	nd	nd	nd			nd		HV
		9	tr(0.01)	tr(0.01)	tr(0.01)			tr(0.01)		HV
		10	tr(0.03)	tr(0.02)	tr(0.01)			tr(0.02)		HV
		11	nd	nd	tr(0.01)			tr(0.01)		HV
		12	0.14	0.06	tr(0.02)			0.07		HV
		1	0.11	tr(0.03)	tr(0.02)			0.05		HV
		2	tr(0.02)	0.04	0.07			0.04		HV
		3	tr(0.03)	tr(0.02)	nd			tr(0.02)		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	tr(0.02)	tr(0.02)	tr(0.01)	0.01	0.04	tr(0.02)	tr(0.02)	HV
		5	tr(0.03)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		6	tr(0.02)	tr(0.01)	tr(0.01)			tr(0.01)		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.03)	tr(0.02)	nd			tr(0.02)		HV
		9	tr(0.01)	tr(0.01)	tr(0.02)			tr(0.01)		HV
		10	0.04	tr(0.03)	tr(0.01)			tr(0.03)		HV
		11	tr(0.01)	tr(0.03)	tr(0.02)			tr(0.02)		HV
		12	nd	tr(0.03)	0.04			tr(0.03)		HV
		1	tr(0.02)	tr(0.03)	0.04			tr(0.03)		HV
		2	tr(0.01)	tr(0.01)	tr(0.01)			tr(0.01)		HV
		3	nd	nd	nd			nd		HV
	H28	4	tr(0.017)	tr(0.017)	tr(0.014)	0.008	0.021	tr(0.016)	tr(0.018)	HV
		5	0.027	tr(0.013)	nd			tr(0.015)		HV
		6	0.021	tr(0.014)	tr(0.013)			tr(0.016)		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.010)	nd	0.026			tr(0.013)		HV
		9	tr(0.012)	tr(0.016)	0.024			tr(0.017)		HV
		10	tr(0.012)	tr(0.008)	tr(0.010)			tr(0.010)		HV
		11	0.029	0.021	0.023			0.024		HV
		12	0.030	nd	tr(0.012)			tr(0.015)		HV
		1	nd	tr(0.008)	0.022			tr(0.011)		HV
		2	0.040	tr(0.018)	0.028			0.029		HV
		3	0.027	0.056	0.046			0.043		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[1-10] デカクロロビフェニル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.05	0.04	0.03	0.01	0.03	0.04	tr(0.02)	HV
		5	tr(0.01)	0.03	tr(0.02)			tr(0.02)		HV
		6	tr(0.02)	tr(0.02)	tr(0.02)			tr(0.02)		HV
		7	tr(0.01)	nd	nd			tr(0.01)		HV
		8	nd	nd	nd			nd		HV
		9	0.05	0.03	0.04			0.04		HV
		10	tr(0.02)	0.05	0.03			0.03		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.01)	tr(0.02)	tr(0.02)			tr(0.02)		HV
		1	0.04	0.03	0.04			0.04		HV
		2	tr(0.02)	tr(0.02)	0.03			tr(0.02)		HV
		3	0.05	0.04	tr(0.02)			0.04		HV
	H22	4	tr(0.02)	tr(0.01)	tr(0.02)	0.01	0.03	tr(0.02)	0.04	HV
		5	0.03	0.14	0.05			0.07		HV
		6	tr(0.01)	tr(0.01)	tr(0.01)			tr(0.01)		HV
		7	tr(0.01)	tr(0.01)	nd			tr(0.01)		HV
		8	0.04	tr(0.02)	nd			tr(0.02)		HV
		9	nd	nd	nd			nd		HV
		10	0.09	tr(0.02)	tr(0.02)			0.04		HV
		11	0.15	tr(0.01)	tr(0.02)			0.06		HV
		12	tr(0.01)	0.15	0.04			0.07		HV
		1	tr(0.01)	0.03	0.07			0.04		HV
		2	nd	tr(0.01)	tr(0.02)			tr(0.01)		HV
		3	0.03	tr(0.01)	0.16			0.07		HV
	H23	4	0.040	0.037	tr(0.020)	0.008	0.022	0.032	tr(0.021)	HV
		5	tr(0.015)	tr(0.013)	tr(0.013)			tr(0.014)		HV
		6	tr(0.009)	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.009)	nd	tr(0.012)			tr(0.008)		HV
		9	tr(0.016)	tr(0.017)	tr(0.012)			tr(0.015)		HV
		10	tr(0.016)	0.032	0.12			0.056		HV
		11	tr(0.012)	tr(0.009)	tr(0.010)			tr(0.010)		HV
		12	tr(0.008)	tr(0.011)	0.026			tr(0.015)		HV
		1	tr(0.016)	tr(0.014)	0.026			tr(0.019)		HV
		2	0.037	0.035	0.085			0.052		HV
		3	0.025	tr(0.020)	tr(0.017)			tr(0.021)		HV
	H24	4	0.034	0.037	0.045	0.008	0.021	0.039	0.032	HV
		5	tr(0.012)	tr(0.012)	tr(0.011)			tr(0.012)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.013)	nd	tr(0.010)			tr(0.009)		HV
		9	nd	nd	nd			nd		HV
		10	tr(0.010)	tr(0.012)	tr(0.010)			tr(0.011)		HV
		11	0.058	0.047	0.023			0.043		HV
		12	0.17	0.081	0.033			0.095		HV
		1	0.081	0.087	0.042			0.070		HV
		2	tr(0.020)	0.025	0.023			0.023		HV
		3	0.10	0.087	0.038			0.075		HV
	H25	4	tr(0.010)	0.067	0.044	0.007	0.019	0.040	0.023	HV
		5	0.023	0.023	tr(0.012)			0.019		HV
		6	tr(0.007)	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.008)	tr(0.007)	nd			nd		HV
		9	tr(0.017)	tr(0.016)	tr(0.011)			tr(0.015)		HV
		10	tr(0.007)	tr(0.010)	tr(0.011)			tr(0.009)		HV
		11	0.058	0.029	0.033			0.040		HV
		12	0.12	0.052	0.076			0.083		HV
		1	tr(0.011)	0.044	tr(0.012)			0.022		HV
		2	0.024	tr(0.009)	tr(0.014)			tr(0.016)		HV
		3	tr(0.011)	0.026	tr(0.015)			tr(0.017)		HV
	H26	4	0.025	0.029	tr(0.016)	0.008	0.020	0.023	0.030	HV
		5	0.023	0.020	tr(0.016)			0.020		HV
		6	tr(0.011)	0.035	0.024			0.023		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	tr(0.010)	tr(0.009)	nd			tr(0.008)		HV
		10	tr(0.009)	tr(0.008)	nd			nd		HV
		11	nd	nd	0.022			tr(0.010)		HV
		12	0.17	0.086	tr(0.011)			0.089		HV
		1	0.12	0.024	tr(0.019)			0.054		HV
		2	tr(0.016)	0.086	0.20			0.10		HV
		3	0.028	0.026	tr(0.010)			0.021		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	tr(0.011)	tr(0.011)	tr(0.009)	0.007	0.019	tr(0.010)	0.038	HV
		5	tr(0.014)	0.019	0.022			tr(0.018)		HV
		6	tr(0.010)	tr(0.007)	nd			tr(0.007)		HV
		7	nd	nd	nd			nd		HV
		8	0.023	tr(0.015)	nd			tr(0.014)		HV
		9	nd	tr(0.012)	tr(0.014)			tr(0.010)		HV
		10	0.13	0.094	tr(0.016)			0.080		HV
		11	tr(0.009)	0.019	tr(0.016)			tr(0.015)		HV
		12	tr(0.013)	0.24	0.49			0.25		HV
		1	tr(0.015)	0.028	0.069			0.037		HV
		2	tr(0.012)	tr(0.009)	tr(0.012)			tr(0.011)		HV
		3	nd	nd	nd			nd		HV
	H28	4	tr(0.017)	tr(0.012)	tr(0.008)	0.007	0.018	tr(0.012)	0.020	HV
		5	0.068	0.023	tr(0.009)			0.033		HV
		6	0.026	tr(0.014)	tr(0.010)			tr(0.017)		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	tr(0.012)			nd		HV
		9	tr(0.010)	tr(0.010)	0.030			tr(0.017)		HV
		10	tr(0.008)	nd	nd			nd		HV
		11	0.024	tr(0.017)	tr(0.017)			0.019		HV
		12	0.047	tr(0.008)	tr(0.007)			0.021		HV
		1	nd	tr(0.008)	0.021			tr(0.011)		HV
		2	0.035	tr(0.015)	0.023			0.024		HV
		3	0.047	0.092	0.081			0.073		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[2]HCB 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	180	170	150	0.08	0.22	170	120	HV
		5	84	170	170			140		HV
		6	130	100	150			130		HV
		7	87	90	80			86		HV
		8	80	65	57			67		HV
		9	210	190	210			200		HV
		10	100	150	120			120		HV
		11	79	81	83			81		HV
		12	73	74	81			76		HV
		1	91	75	72			79		HV
		2	74	74	82			77		HV
		3	380	230	130			250		HV
	H22	4	80	81	140	0.7	1.8	100	110	HV
		5	140	250	140			180		HV
		6	110	110	110			110		HV
		7	67	71	70			69		HV
		8	180	100	69			120		HV
		9	62	89	76			76		HV
		10	150	110	100			120		HV
		11	160	90	92			110		HV
		12	78	120	79			92		HV
		1	75	82	170			110		HV
		2	68	70	79			72		HV
		3	210	78	170			150		HV
	H23	4	120	140	100	0.2	0.6	120	110	HV
		5	110	99	110			110		HV
		6	88	84	76			83		HV
		7	87	72	66			75		HV
		8	100	96	100			99		HV
		9	130	120	120			120		HV
		10	95	120	230			150		HV
		11	110	100	130			110		HV
		12	75	92	83			83		HV
		1	67	84	110			87		HV
		2	140	99	160			130		HV
		3	140	140	130			140		HV
	H24	4	170	240	120	0.2	0.6	180	110	HV
		5	110	110	110			110		HV
		6	77	71	79			76		HV
		7	83	74	75			77		HV
		8	85	66	73			75		HV
		9	90	85	90			88		HV
		10	130	120	110			120		HV
		11	150	140	110			130		HV
		12	100	110	82			97		HV
		1	93	99	67			86		HV
		2	140	120	89			120		HV
		3	160	150	94			130		HV
	H25	4	82	310	200	0.2	0.5	200	110	HV
		5	140	170	99			140		HV
		6	73	68	57			66		HV
		7	74	75	71			73		HV
		8	86	68	65			73		HV
		9	130	100	94			110		HV
		10	92	84	84			87		HV
		11	130	120	120			120		HV
		12	100	91	98			96		HV
		1	67	130	70			89		HV
		2	110	81	120			100		HV
		3	150	110	81			110		HV
	H26	4	150	140	99	0.2	0.5	130	110	HV
		5	160	140	120			140		HV
		6	79	190	170			150		HV
		7	86	74	76			79		HV
		8	59	85	84			76		HV
		9	110	91	130			110		HV
		10	76	79	77			77		HV
		11	77	69	74			73		HV
		12	120	92	69			94		HV
		1	170	98	67			110		HV
		2	110	130	130			120		HV
		3	170	130	87			130		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	140	100	96	0.1	0.3	110	100	HV
		5	110	130	130			120		HV
		6	86	80	80			82		HV
		7	70	68	66			68		HV
		8	120	100	72			97		HV
		9	61	110	92			88		HV
		10	170	120	90			130		HV
		11	76	130	110			110		HV
		12	98	140	170			140		HV
		1	82	120	150			120		HV
		2	76	76	72			75		HV
		3	71	59	63			64		HV
	H28	4	160	130	99	0.1	0.3	130	110	HV
		5	150	140	110			130		HV
		6	150	98	59			100		HV
		7	83	69	74			75		HV
		8	75	80	99			85		HV
		9	110	100	180			130		HV
		10	98	96	99			98		HV
		11	150	130	100			130		HV
		12	130	90	92			100		HV
		1	67	79	120			89		HV
		2	160	110	150			140		HV
		3	110	150	150			140		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[3]アルドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.06	0.11	0.08	0.02	0.04	0.08	0.08	HV
		5	0.20	0.06	0.22			0.16		HV
		6	0.08	0.04	0.17			0.10		HV
		7	0.12	0.10	0.16			0.13		HV
		8	0.05	0.22	0.05			0.11		HV
		9	0.17	0.07	0.18			0.14		HV
		10	0.05	0.04	0.04			0.04		HV
		11	tr(0.02)	tr(0.03)	tr(0.02)			tr(0.02)		HV
		12	tr(0.02)	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	0.05	0.06	tr(0.03)			0.05		HV
		3	0.05	0.05	0.04			0.05		HV
	H22	4	0.06	tr(0.05)	tr(0.03)	0.02	0.06	tr(0.05)	0.10	HV
		5	tr(0.05)	0.10	tr(0.03)			0.06		HV
		6	tr(0.04)	tr(0.05)	0.07			tr(0.05)		HV
		7	0.27	0.07	0.17			0.17		HV
		8	0.12	0.22	0.09			0.14		HV
		9	0.11	0.16	0.17			0.15		HV
		10	0.14	0.22	0.09			0.15		HV
		11	0.11	0.09	0.10			0.10		HV
		12	tr(0.04)	0.09	0.10			0.08		HV
		1	0.08	0.10	0.13			0.10		HV
		2	tr(0.03)	0.07	tr(0.04)			tr(0.05)		HV
		3	0.08	tr(0.03)	nd			tr(0.04)		HV
	H23	4	0.14	0.08	0.08	0.02	0.05	0.10	0.18	HV
		5	0.15	0.13	tr(0.04)			0.11		HV
		6	0.53	0.37	0.34			0.41		HV
		7	0.33	0.15	0.14			0.21		HV
		8	0.23	0.11	0.26			0.20		HV
		9	0.13	0.14	0.06			0.11		HV
		10	tr(0.04)	0.49	0.63			0.39		HV
		11	0.10	0.20	0.07			0.12		HV
		12	tr(0.04)	0.15	0.11			0.10		HV
		1	0.09	0.12	0.06			0.09		HV
		2	0.10	tr(0.03)	0.05			0.06		HV
		3	0.49	0.11	0.18			0.26		HV
	H24	4	0.17	0.09	0.07	0.02	0.05	0.11	0.11	HV
		5	0.06	0.09	0.08			0.08		HV
		6	0.19	0.18	0.14			0.17		HV
		7	0.10	0.15	0.10			0.12		HV
		8	0.11	0.11	0.10			0.11		HV
		9	0.07	0.09	0.06			0.07		HV
		10	0.12	0.08	0.15			0.12		HV
		11	0.08	0.15	0.12			0.12		HV
		12	0.13	0.09	0.15			0.12		HV
		1	0.07	0.07	tr(0.02)			0.05		HV
		2	0.12	tr(0.04)	0.09			0.08		HV
		3	0.11	0.19	0.12			0.14		HV
	H25	4	0.11	0.08	0.09	0.02	0.04	0.09	0.10	HV
		5	0.11	0.08	0.04			0.08		HV
		6	0.14	0.13	tr(0.02)			0.10		HV
		7	0.27	0.17	0.17			0.20		HV
		8	0.06	nd	0.21			0.09		HV
		9	0.04	0.10	0.07			0.07		HV
		10	0.06	0.08	0.07			0.07		HV
		11	0.18	0.21	0.09			0.16		HV
		12	0.07	0.08	0.07			0.07		HV
		1	0.04	0.05	0.07			0.05		HV
		2	0.07	0.08	0.13			0.09		HV
		3	0.10	0.07	0.04			0.07		HV
	H26	4	tr(0.02)	0.07	tr(0.04)	0.02	0.05	tr(0.04)	0.08	HV
		5	tr(0.03)	0.07	tr(0.04)			0.05		HV
		6	0.07	tr(0.04)	0.05			0.05		HV
		7	0.14	0.06	0.07			0.09		HV
		8	0.15	0.11	0.09			0.12		HV
		9	0.11	0.12	0.12			0.12		HV
		10	0.07	0.19	tr(0.04)			0.10		HV
		11	0.05	tr(0.04)	0.08			0.06		HV
		12	0.07	0.06	tr(0.04)			0.06		HV
		1	0.08	tr(0.04)	tr(0.03)			0.05		HV
		2	0.11	0.06	tr(0.04)			0.07		HV
		3	0.11	0.11	0.11			0.11		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.13	0.20	0.09	0.02	0.05	0.14	0.15	HV
		5	0.12	0.14	0.39			0.22		HV
		6	0.55	0.35	0.17			0.36		HV
		7	0.05	nd	0.06			tr(0.04)		HV
		8	tr(0.03)	0.06	tr(0.03)			tr(0.04)		HV
		9	0.13	0.12	0.07			0.11		HV
		10	0.24	0.20	0.13			0.19		HV
		11	tr(0.04)	0.05	0.11			0.07		HV
		12	0.18	0.09	0.16			0.14		HV
		1	0.08	0.16	0.14			0.13		HV
		2	0.29	0.15	0.26			0.23		HV
		3	0.06	0.12	0.15			0.11		HV
	H28	4	0.29	0.57	0.21	0.02	0.06	0.36	0.11	HV
		5	0.14	0.12	0.23			0.16		HV
		6	0.17	0.12	0.09			0.13		HV
		7	0.12	0.08	0.10			0.10		HV
		8	0.14	0.12	0.21			0.16		HV
		9	0.13	0.08	0.06			0.09		HV
		10	0.06	0.07	tr(0.04)			0.06		HV
		11	tr(0.05)	0.06	tr(0.04)			tr(0.05)		HV
		12	0.06	tr(0.05)	tr(0.05)			tr(0.05)		HV
		1	tr(0.03)	tr(0.05)	tr(0.04)			tr(0.04)		HV
		2	tr(0.05)	0.12	tr(0.03)			0.07		HV
		3	tr(0.05)	tr(0.03)	tr(0.04)			tr(0.04)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[4]デイルドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.94	1.2	1.1	0.09	0.24	1.1	1.6	HV
		5	2.0	0.88	1.8			1.6		HV
		6	1.7	2.7	2.5			2.3		HV
		7	3.0	1.9	1.8			2.2		HV
		8	2.2	1.8	1.8			1.9		HV
		9	1.3	1.2	4.3			2.3		HV
		10	1.4	0.81	1.3			1.2		HV
		11	0.95	1.1	1.1			1.1		HV
		12	1.2	0.85	0.84			0.96		HV
		1	0.51	0.44	1.1			0.68		HV
		2	1.4	1.6	2.8			1.9		HV
		3	1.3	1.8	1.9			1.7		HV
	H22	4	2.0	1.2	1.1	0.04	0.10	1.4	1.4	HV
		5	0.69	0.77	0.90			0.79		HV
		6	1.2	1.6	1.4			1.4		HV
		7	7.9	3.9	3.0			4.9		HV
		8	2.6	3.2	1.3			2.4		HV
		9	1.8	1.8	1.4			1.7		HV
		10	0.90	0.93	1.0			0.94		HV
		11	0.79	0.62	1.0			0.80		HV
		12	0.55	0.54	0.44			0.51		HV
		1	0.39	0.46	0.34			0.40		HV
		2	0.63	0.72	0.66			0.67		HV
		3	0.51	0.32	0.36			0.40		HV
	H23	4	0.55	0.55	0.65	0.03	0.08	0.58	1.3	HV
		5	0.98	1.1	1.4			1.2		HV
		6	5.0	4.4	3.7			4.4		HV
		7	2.2	1.1	1.1			1.5		HV
		8	1.5	0.98	2.2			1.6		HV
		9	1.8	1.5	1.4			1.6		HV
		10	1.5	0.74	1.3			1.2		HV
		11	1.4	1.2	1.2			1.3		HV
		12	0.88	0.83	0.53			0.75		HV
		1	0.63	0.57	0.50			0.57		HV
		2	0.36	0.26	0.33			0.32		HV
		3	0.78	0.53	0.66			0.66		HV
	H24	4	1.2	1.0	0.36	0.02	0.06	0.85	0.98	HV
		5	0.92	0.80	0.84			0.85		HV
		6	1.9	1.2	1.1			1.4		HV
		7	1.2	2.4	1.4			1.7		HV
		8	1.7	1.6	2.4			1.9		HV
		9	1.4	0.98	0.93			1.1		HV
		10	0.77	1.6	1.1			1.2		HV
		11	0.56	0.46	0.68			0.57		HV
		12	0.65	0.66	0.46			0.59		HV
		1	0.59	0.39	0.36			0.45		HV
		2	1.1	0.35	0.35			0.60		HV
		3	0.58	0.47	0.50			0.52		HV
	H25	4	0.87	0.87	0.51	0.02	0.05	0.75	1.0	HV
		5	1.2	0.95	0.72			0.96		HV
		6	2.3	1.3	0.94			1.5		HV
		7	1.5	1.0	1.1			1.2		HV
		8	1.5	0.95	2.0			1.5		HV
		9	1.3	1.1	2.3			1.6		HV
		10	1.5	1.6	2.0			1.7		HV
		11	1.2	0.88	0.93			1.0		HV
		12	0.81	0.49	0.56			0.62		HV
		1	0.82	0.57	0.31			0.57		HV
		2	0.36	0.43	0.64			0.48		HV
		3	0.90	0.30	0.33			0.51		HV
	H26	4	1.3	1.1	0.92	0.02	0.05	1.1	1.1	HV
		5	1.6	1.3	1.2			1.4		HV
		6	3.7	1.2	1.8			2.2		HV
		7	2.0	1.2	1.1			1.4		HV
		8	2.0	1.2	1.3			1.5		HV
		9	3.1	1.4	1.9			2.1		HV
		10	1.1	0.90	0.65			0.88		HV
		11	1.0	0.81	0.68			0.83		HV
		12	0.44	0.45	0.57			0.49		HV
		1	1.3	0.45	0.51			0.75		HV
		2	0.97	0.30	0.32			0.53		HV
		3	1.1	0.30	0.40			0.60		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.88	0.52	0.94	0.02	0.06	0.78	1.2	HV
		5	1.1	0.48	0.63			0.74		HV
		6	6.7	5.8	2.3			4.9		HV
		7	0.98	0.77	1.2			0.98		HV
		8	1.3	0.95	0.60			0.95		HV
		9	2.7	2.1	1.3			2.0		HV
		10	1.0	0.55	0.72			0.76		HV
		11	1.6	0.85	0.61			1.0		HV
		12	1.4	0.79	0.51			0.90		HV
		1	0.82	0.46	0.38			0.55		HV
		2	0.90	0.50	0.46			0.62		HV
		3	0.66	0.51	0.52			0.56		HV
	H28	4	1.2	0.72	3.0	0.03	0.08	1.6	1.1	HV
		5	0.89	0.74	0.75			0.79		HV
		6	1.4	1.0	0.98			1.1		HV
		7	1.2	0.92	1.1			1.1		HV
		8	3.5	1.2	1.8			2.2		HV
		9	3.6	1.5	1.2			2.1		HV
		10	1.8	1.2	1.0			1.3		HV
		11	0.96	0.48	0.39			0.61		HV
		12	0.61	0.54	0.63			0.59		HV
		1	0.61	0.60	0.45			0.55		HV
		2	1.2	0.91	0.79			0.97		HV
		3	0.79	0.61	0.49			0.63		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[5]エンドリン 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	tr(0.07)	tr(0.05)	tr(0.05)	0.04	0.10	tr(0.06)	tr(0.08)	HV
		5	0.15	tr(0.04)	tr(0.06)			tr(0.08)		HV
		6	0.10	0.15	0.13			0.13		HV
		7	0.13	0.11	tr(0.07)			0.10		HV
		8	0.15	0.12	tr(0.09)			0.12		HV
		9	tr(0.05)	tr(0.08)	0.17			0.10		HV
		10	tr(0.06)	tr(0.04)	tr(0.09)			tr(0.06)		HV
		11	tr(0.05)	tr(0.04)	tr(0.08)			tr(0.06)		HV
		12	tr(0.06)	nd	tr(0.07)			tr(0.05)		HV
		1	nd	nd	nd			nd		HV
		2	tr(0.08)	tr(0.08)	0.13			0.10		HV
		3	tr(0.08)	0.10	0.11			0.10		HV
	H22	4	0.11	0.10	tr(0.07)	0.04	0.10	tr(0.09)	tr(0.08)	HV
		5	nd	tr(0.04)	tr(0.05)			tr(0.04)		HV
		6	tr(0.07)	0.11	0.24			0.14		HV
		7	0.32	0.19	0.16			0.22		HV
		8	tr(0.07)	0.17	0.28			0.17		HV
		9	0.12	0.16	0.12			0.13		HV
		10	nd	nd	0.10			tr(0.05)		HV
		11	nd	tr(0.06)	tr(0.05)			tr(0.04)		HV
		12	nd	tr(0.07)	nd			tr(0.04)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H23	4	nd	nd	nd	0.04	0.09	nd	tr(0.08)	HV
		5	tr(0.05)	0.10	0.11			0.09		HV
		6	0.20	0.23	0.21			0.21		HV
		7	0.20	0.13	tr(0.08)			0.14		HV
		8	0.12	0.09	0.20			0.14		HV
		9	0.09	0.13	tr(0.05)			0.09		HV
		10	tr(0.08)	tr(0.06)	0.09			tr(0.08)		HV
		11	tr(0.06)	0.09	0.11			0.09		HV
		12	tr(0.04)	tr(0.06)	nd			tr(0.04)		HV
		1	tr(0.04)	tr(0.04)	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.05)	tr(0.05)	tr(0.06)			tr(0.05)		HV
	H24	4	0.09	tr(0.06)	nd	0.03	0.07	tr(0.06)	tr(0.06)	HV
		5	tr(0.06)	tr(0.04)	tr(0.06)			tr(0.05)		HV
		6	0.13	0.08	0.09			0.10		HV
		7	0.08	0.14	0.10			0.11		HV
		8	0.19	0.12	0.13			0.15		HV
		9	0.10	0.11	0.07			0.09		HV
		10	tr(0.04)	tr(0.06)	tr(0.06)			tr(0.05)		HV
		11	nd	nd	tr(0.04)			nd		HV
		12	nd	tr(0.04)	nd			nd		HV
		1	tr(0.04)	nd	nd			nd		HV
		2	tr(0.06)	nd	nd			tr(0.03)		HV
		3	tr(0.03)	nd	tr(0.03)			tr(0.03)		HV
	H25	4	0.06	0.06	tr(0.03)	0.02	0.06	tr(0.05)	0.08	HV
		5	0.11	0.12	0.07			0.10		HV
		6	0.11	0.12	0.08			0.10		HV
		7	0.13	0.10	0.08			0.10		HV
		8	0.10	0.06	0.11			0.09		HV
		9	0.08	0.07	0.13			0.09		HV
		10	0.14	0.14	0.19			0.16		HV
		11	0.07	0.10	0.08			0.08		HV
		12	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		1	tr(0.04)	tr(0.03)	nd			tr(0.03)		HV
		2	tr(0.02)	tr(0.05)	0.06			tr(0.04)		HV
		3	tr(0.05)	tr(0.02)	tr(0.04)			tr(0.04)		HV
	H26	4	0.08	0.05	tr(0.04)	0.02	0.05	0.06	0.08	HV
		5	0.08	0.08	0.14			0.10		HV
		6	0.19	0.06	0.14			0.13		HV
		7	0.11	0.22	0.14			0.16		HV
		8	0.13	0.12	0.11			0.12		HV
		9	0.16	0.13	0.23			0.17		HV
		10	0.08	0.09	0.06			0.08		HV
		11	tr(0.04)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		12	tr(0.03)	tr(0.02)	tr(0.03)			tr(0.03)		HV
		1	0.05	tr(0.02)	tr(0.03)			tr(0.03)		HV
		2	tr(0.04)	tr(0.02)	tr(0.03)			tr(0.03)		HV
		3	0.05	tr(0.02)	tr(0.03)			tr(0.03)		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.06	0.06	tr(0.04)	0.02	0.06	tr(0.05)	0.07	HV
		5	0.07	tr(0.03)	0.09			0.06		HV
		6	0.24	0.23	0.11			0.19		HV
		7	0.07	tr(0.04)	0.08			0.06		HV
		8	0.07	0.07	0.06			0.07		HV
		9	0.14	0.12	0.10			0.12		HV
		10	tr(0.05)	tr(0.04)	tr(0.04)			tr(0.04)		HV
		11	0.08	tr(0.05)	tr(0.05)			0.06		HV
		12	0.07	tr(0.04)	tr(0.03)			tr(0.05)		HV
		1	tr(0.05)	tr(0.03)	tr(0.03)			tr(0.04)		HV
		2	tr(0.04)	tr(0.04)	tr(0.03)			tr(0.04)		HV
		3	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)		HV
	H28	4	0.06	0.07	0.10	0.02	0.06	0.08	0.07	HV
		5	tr(0.05)	0.06	0.08			0.06		HV
		6	0.11	0.07	0.08			0.09		HV
		7	0.11	0.10	0.06			0.09		HV
		8	0.14	0.08	0.10			0.11		HV
		9	0.15	0.09	0.08			0.11		HV
		10	0.09	0.12	0.08			0.10		HV
		11	tr(0.04)	tr(0.04)	tr(0.03)			tr(0.04)		HV
		12	tr(0.03)	tr(0.04)	tr(0.04)			tr(0.04)		HV
		1	tr(0.03)	tr(0.04)	tr(0.03)			tr(0.03)		HV
		2	0.06	tr(0.05)	0.07			0.06		HV
		3	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[6-1]p,p'-DDT 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	1.4	0.56	0.49	0.03	0.07	0.82	1.5	HV
		5	3.0	1.3	0.70			1.7		HV
		6	3.9	2.1	1.7			2.6		HV
		7	5.8	3.2	1.8			3.6		HV
		8	3.2	1.1	1.3			1.9		HV
		9	2.3	1.9	1.4			1.9		HV
		10	1.2	1.7	1.1			1.3		HV
		11	0.51	0.55	0.56			0.54		HV
		12	0.67	0.60	0.60			0.62		HV
		1	0.69	0.60	0.53			0.61		HV
		2	1.1	0.77	0.89			0.92		HV
		3	1.7	1.2	0.84			1.2		HV
	H22	4	1.5	1.1	1.1	0.03	0.08	1.2	0.82	HV
		5	0.80	0.98	0.53			0.77		HV
		6	0.75	0.62	0.58			0.65		HV
		7	1.7	1.3	0.69			1.2		HV
		8	1.4	0.80	0.45			0.88		HV
		9	0.96	0.67	0.51			0.71		HV
		10	2.0	1.3	0.83			1.4		HV
		11	1.1	0.45	0.40			0.65		HV
		12	0.85	1.1	0.66			0.87		HV
		1	0.53	0.61	0.53			0.56		HV
		2	0.30	0.40	0.43			0.38		HV
		3	0.67	0.44	0.47			0.53		HV
	H23	4	0.73	0.41	0.34	0.03	0.07	0.49	0.57	HV
		5	0.51	0.58	0.70			0.60		HV
		6	1.0	1.0	0.88			0.96		HV
		7	0.99	0.64	0.46			0.70		HV
		8	0.78	0.53	0.68			0.66		HV
		9	0.86	0.58	0.37			0.60		HV
		10	0.66	0.43	0.97			0.69		HV
		11	0.45	0.42	0.57			0.48		HV
		12	0.37	0.32	0.45			0.38		HV
		1	0.25	0.26	0.41			0.31		HV
		2	0.39	0.18	0.21			0.26		HV
		3	1.1	0.56	0.48			0.71		HV
	H24	4	0.85	1.9	0.64	0.03	0.08	1.1	0.54	HV
		5	0.43	0.29	0.31			0.34		HV
		6	0.96	0.66	0.58			0.73		HV
		7	0.60	0.73	0.50			0.61		HV
		8	0.77	0.65	0.66			0.69		HV
		9	0.78	0.55	0.35			0.56		HV
		10	0.33	0.28	0.27			0.29		HV
		11	0.60	0.56	0.51			0.56		HV
		12	0.89	0.52	0.40			0.60		HV
		1	0.36	0.35	0.21			0.31		HV
		2	0.62	0.28	0.22			0.37		HV
		3	0.36	0.24	0.23			0.28		HV
	H25	4	0.43	1.0	0.51	0.02	0.05	0.65	0.43	HV
		5	0.60	0.52	0.26			0.46		HV
		6	0.90	0.45	0.38			0.58		HV
		7	0.73	0.45	0.39			0.52		HV
		8	0.88	0.50	0.55			0.64		HV
		9	0.74	0.45	0.46			0.55		HV
		10	0.57	0.35	0.36			0.43		HV
		11	0.50	0.40	0.33			0.41		HV
		12	0.30	0.25	0.31			0.29		HV
		1	0.22	0.45	0.15			0.27		HV
		2	0.15	0.15	0.22			0.17		HV
		3	0.24	0.17	0.12			0.18		HV
	H26	4	0.72	0.34	0.29	0.02	0.05	0.45	0.51	HV
		5	1.0	0.39	0.32			0.57		HV
		6	1.1	1.0	1.0			1.0		HV
		7	1.1	0.55	0.55			0.73		HV
		8	1.0	0.80	0.56			0.79		HV
		9	1.2	1.0	0.63			0.94		HV
		10	0.46	0.34	0.20			0.33		HV
		11	0.24	0.15	0.21			0.20		HV
		12	0.32	0.19	0.13			0.21		HV
		1	0.47	0.23	0.15			0.28		HV
		2	0.36	0.30	0.21			0.29		HV
		3	0.39	0.28	0.18			0.28		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.38	0.23	0.21	0.02	0.05	0.27	0.38	HV
		5	0.72	0.37	0.40			0.50		HV
		6	1.0	0.89	0.64			0.84		HV
		7	0.37	0.19	0.33			0.30		HV
		8	0.44	0.22	0.15			0.27		HV
		9	0.78	0.54	0.42			0.58		HV
		10	0.77	0.31	0.29			0.46		HV
		11	0.39	0.49	0.29			0.39		HV
		12	0.25	0.38	0.31			0.31		HV
		1	0.31	0.24	0.22			0.26		HV
		2	0.15	0.14	0.15			0.15		HV
		3	0.12	0.13	0.35			0.20		HV
	H28	4	0.49	0.37	0.55	0.02	0.06	0.47	0.34	HV
		5	0.34	0.24	0.26			0.28		HV
		6	0.50	0.37	0.30			0.39		HV
		7	0.43	0.26	0.24			0.31		HV
		8	0.79	0.35	0.48			0.54		HV
		9	0.86	0.59	0.38			0.61		HV
		10	0.42	0.28	0.16			0.29		HV
		11	0.29	0.20	0.13			0.21		HV
		12	0.26	0.14	0.15			0.18		HV
		1	0.16	0.16	0.15			0.16		HV
		2	0.37	0.27	0.30			0.31		HV
		3	0.20	0.58	0.34			0.37		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[6-2]p,p'-DDE 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	2.6	0.72	0.53	0.02	0.04	1.3	1.4	HV
		5	1.4	0.78	0.68			0.95		HV
		6	1.2	2.4	3.3			2.3		HV
		7	1.9	1.2	0.98			1.4		HV
		8	1.7	1.1	0.78			1.2		HV
		9	1.2	0.86	1.2			1.1		HV
		10	0.98	2.1	1.4			1.5		HV
		11	0.91	1.2	1.1			1.1		HV
		12	1.0	0.83	1.0			0.94		HV
		1	1.8	1.3	1.1			1.4		HV
		2	1.1	0.87	2.0			1.3		HV
		3	4.3	1.7	1.3			2.4		HV
	H22	4	1.5	1.1	4.6	0.02	0.05	2.4	1.3	HV
		5	0.79	0.96	0.46			0.74		HV
		6	0.74	0.71	1.0			0.82		HV
		7	2.7	1.8	1.1			1.9		HV
		8	1.1	1.1	0.68			0.96		HV
		9	1.2	0.98	0.76			0.98		HV
		10	1.7	1.1	0.71			1.2		HV
		11	0.95	0.66	0.66			0.76		HV
		12	2.2	3.4	1.8			2.5		HV
		1	1.2	1.1	1.5			1.3		HV
		2	0.86	0.81	0.76			0.81		HV
		3	1.6	0.94	1.0			1.2		HV
	H23	4	1.1	0.55	0.51	0.03	0.08	0.72	0.98	HV
		5	0.69	1.7	0.96			1.1		HV
		6	1.9	1.7	1.7			1.8		HV
		7	1.6	1.3	0.63			1.2		HV
		8	1.0	0.78	1.1			0.96		HV
		9	1.2	0.78	0.56			0.85		HV
		10	0.77	0.59	1.7			1.0		HV
		11	0.53	0.63	0.92			0.69		HV
		12	0.48	0.46	1.6			0.85		HV
		1	0.56	0.48	0.80			0.61		HV
		2	1.1	0.92	0.67			0.90		HV
		3	1.7	0.89	0.69			1.1		HV
	H24	4	1.3	9.4	1.8	0.03	0.09	4.2	1.3	HV
		5	0.58	0.46	0.49			0.51		HV
		6	1.4	1.0	0.82			1.1		HV
		7	0.75	1.0	0.80			0.85		HV
		8	1.1	0.98	1.1			1.1		HV
		9	0.96	0.77	0.54			0.76		HV
		10	0.44	0.34	0.46			0.41		HV
		11	2.1	2.1	0.77			1.7		HV
		12	2.5	2.4	1.3			2.1		HV
		1	0.95	0.75	0.98			0.89		HV
		2	1.6	1.2	0.92			1.2		HV
		3	0.56	0.38	0.39			0.44		HV
	H25	4	0.53	4.6	1.3	0.02	0.04	2.1	0.92	HV
		5	0.88	0.73	0.39			0.67		HV
		6	1.2	0.64	0.53			0.79		HV
		7	0.99	0.67	0.58			0.75		HV
		8	1.5	1.2	1.4			1.4		HV
		9	0.93	0.88	0.80			0.87		HV
		10	1.1	0.77	0.89			0.92		HV
		11	1.2	0.67	0.62			0.83		HV
		12	0.78	0.67	0.99			0.81		HV
		1	0.42	1.5	0.75			0.89		HV
		2	0.78	0.44	0.42			0.55		HV
		3	0.50	0.39	0.31			0.40		HV
	H26	4	0.85	0.41	0.28	0.02	0.05	0.51	0.95	HV
		5	1.2	0.47	0.41			0.69		HV
		6	1.4	2.8	1.6			1.9		HV
		7	1.2	0.71	0.67			0.86		HV
		8	1.3	1.2	0.77			1.1		HV
		9	1.9	1.7	1.0			1.5		HV
		10	0.57	0.45	0.31			0.44		HV
		11	0.43	0.25	0.31			0.33		HV
		12	1.7	1.4	1.0			1.4		HV
		1	1.5	1.1	0.90			1.2		HV
		2	0.67	0.63	0.92			0.74		HV
		3	0.83	0.82	0.51			0.72		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.67	0.37	0.31	0.02	0.05	0.45	0.88	HV
		5	1.0	0.60	0.58			0.73		HV
		6	2.1	1.8	1.1			1.7		HV
		7	0.54	0.28	0.69			0.50		HV
		8	0.61	0.43	0.27			0.44		HV
		9	1.4	1.0	0.81			1.1		HV
		10	3.6	1.0	0.64			1.7		HV
		11	0.68	1.4	0.78			0.95		HV
		12	0.49	1.5	2.0			1.3		HV
		1	0.56	0.68	0.95			0.73		HV
		2	0.68	0.58	0.42			0.56		HV
		3	0.50	0.39	0.43			0.44		HV
	H28	4	0.72	0.53	1.2	0.02	0.06	0.82	0.77	HV
		5	0.71	0.42	0.44			0.52		HV
		6	0.78	0.62	0.55			0.65		HV
		7	0.63	0.50	0.43			0.52		HV
		8	1.2	0.62	1.2			1.0		HV
		9	1.5	0.94	0.87			1.1		HV
		10	0.73	0.94	0.38			0.68		HV
		11	0.77	1.4	0.91			1.0		HV
		12	1.0	0.85	0.76			0.87		HV
		1	0.35	0.39	0.58			0.44		HV
		2	1.1	0.76	1.0			0.95		HV
		3	0.55	0.86	0.50			0.64		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[6-3]p,p'-DDD 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.10	0.041	0.033	0.009	0.025	0.058	0.14	HV
		5	0.21	0.096	0.053			0.12		HV
		6	0.33	0.19	0.12			0.21		HV
		7	0.54	0.33	0.20			0.36		HV
		8	0.32	0.10	0.12			0.18		HV
		9	0.34	0.23	0.12			0.23		HV
		10	0.11	0.20	0.14			0.15		HV
		11	0.047	0.054	0.050			0.050		HV
		12	0.051	0.061	0.068			0.060		HV
		1	0.12	0.076	0.078			0.091		HV
		2	0.068	0.055	0.068			0.064		HV
		3	0.11	0.068	0.066			0.081		HV
	H22	4	0.12	0.082	0.13	0.009	0.024	0.11	0.098	HV
		5	0.075	0.084	0.046			0.068		HV
		6	0.076	0.062	0.064			0.067		HV
		7	0.16	0.19	0.070			0.14		HV
		8	0.20	0.097	0.045			0.11		HV
		9	0.084	0.075	0.047			0.069		HV
		10	0.25	0.12	0.065			0.15		HV
		11	0.16	0.061	0.048			0.090		HV
		12	0.19	0.27	0.11			0.19		HV
		1	0.070	0.067	0.10			0.079		HV
		2	0.032	0.042	0.043			0.039		HV
		3	0.068	0.052	0.063			0.061		HV
	H23	4	0.08	0.05	tr(0.03)	0.01	0.04	0.05	0.06	HV
		5	tr(0.03)	0.04	0.05			0.04		HV
		6	0.09	0.09	0.07			0.08		HV
		7	0.08	0.06	0.04			0.06		HV
		8	0.07	0.04	0.06			0.06		HV
		9	0.08	0.05	0.04			0.06		HV
		10	0.12	0.09	0.09			0.10		HV
		11	0.04	0.04	0.05			0.04		HV
		12	0.05	0.04	0.09			0.06		HV
		1	tr(0.03)	tr(0.03)	0.04			tr(0.03)		HV
		2	0.07	0.04	0.04			0.05		HV
		3	0.06	tr(0.03)	tr(0.03)			0.04		HV
	H24	4	0.05	0.16	0.05	0.01	0.04	0.09	0.06	HV
		5	tr(0.03)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		6	0.07	0.06	0.04			0.06		HV
		7	0.14	0.09	0.05			0.09		HV
		8	0.06	0.06	0.06			0.06		HV
		9	0.07	0.05	tr(0.03)			0.05		HV
		10	0.05	0.05	0.05			0.05		HV
		11	0.15	0.14	0.06			0.12		HV
		12	0.09	0.11	0.06			0.09		HV
		1	0.04	0.06	0.05			0.05		HV
		2	0.07	0.04	0.04			0.05		HV
		3	tr(0.03)	tr(0.03)	tr(0.02)			tr(0.03)		HV
	H25	4	0.029	0.10	0.056	0.007	0.018	0.062	0.058	HV
		5	0.042	0.038	0.020			0.033		HV
		6	0.065	0.037	0.033			0.045		HV
		7	0.11	0.089	0.095			0.098		HV
		8	0.12	0.080	0.065			0.088		HV
		9	0.22	0.094	0.062			0.13		HV
		10	0.058	0.040	0.041			0.046		HV
		11	0.048	0.034	0.039			0.040		HV
		12	0.056	0.033	0.043			0.044		HV
		1	0.024	0.062	0.031			0.039		HV
		2	0.029	0.033	0.036			0.033		HV
		3	0.082	0.029	0.019			0.043		HV
	H26	4	0.066	0.028	0.022	0.007	0.018	0.039	0.079	HV
		5	0.38	0.11	0.075			0.19		HV
		6	0.14	0.15	0.11			0.13		HV
		7	0.16	0.085	0.079			0.11		HV
		8	0.13	0.092	0.064			0.095		HV
		9	0.13	0.097	0.083			0.10		HV
		10	0.052	0.042	0.031			0.042		HV
		11	0.029	0.028	0.030			0.029		HV
		12	0.12	0.058	0.025			0.068		HV
		1	0.096	0.047	0.039			0.061		HV
		2	0.036	0.043	0.044			0.041		HV
		3	0.057	0.046	0.026			0.043		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.039	0.025	0.020	0.007	0.018	0.028	0.049	HV
		5	0.071	0.044	0.030			0.048		HV
		6	0.094	0.072	0.051			0.072		HV
		7	0.040	0.025	0.037			0.034		HV
		8	0.042	0.027	tr(0.017)			0.029		HV
		9	0.068	0.055	0.040			0.054		HV
		10	0.17	0.077	0.050			0.099		HV
		11	0.045	0.11	0.052			0.069		HV
		12	0.025	0.10	0.11			0.078		HV
		1	0.041	0.039	0.056			0.045		HV
		2	0.022	0.019	tr(0.013)			0.018		HV
		3	tr(0.014)	tr(0.013)	0.019			tr(0.015)		HV
	H28	4	0.032	0.027	0.040	0.007	0.017	0.033	0.037	HV
		5	0.029	0.023	0.027			0.026		HV
		6	0.044	0.036	0.030			0.037		HV
		7	0.044	0.030	0.022			0.032		HV
		8	0.069	0.039	0.055			0.054		HV
		9	0.076	0.054	0.036			0.055		HV
		10	0.046	0.026	0.022			0.031		HV
		11	0.050	0.048	0.031			0.043		HV
		12	0.037	0.019	0.017			0.024		HV
		1	0.018	0.019	0.029			0.022		HV
		2	0.053	0.019	0.036			0.036		HV
		3	0.025	0.065	0.049			0.046		HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[6-4]o,p'-DDT 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	2.1	0.77	0.65	0.01	0.03	1.2	1.1	HV
		5	1.3	1.4	0.78			1.2		HV
		6	1.6	1.2	2.1			1.6		HV
		7	2.0	0.93	0.58			1.2		HV
		8	1.1	0.42	0.62			0.71		HV
		9	2.5	1.8	1.4			1.9		HV
		10	0.86	1.7	1.1			1.2		HV
		11	0.43	0.55	0.53			0.50		HV
		12	0.64	0.52	0.59			0.58		HV
		1	0.89	0.60	0.61			0.70		HV
		2	0.72	0.48	0.53			0.58		HV
		3	2.4	1.7	1.0			1.7		HV
	H22	4	0.77	0.55	1.3	0.01	0.03	0.87	0.70	HV
		5	0.65	1.1	0.59			0.78		HV
		6	0.45	0.35	0.37			0.39		HV
		7	1.0	1.0	0.40			0.80		HV
		8	1.9	0.60	0.25			0.92		HV
		9	0.55	0.36	0.26			0.39		HV
		10	1.6	1.2	0.72			1.2		HV
		11	0.76	0.38	0.33			0.49		HV
		12	0.93	0.97	0.63			0.84		HV
		1	0.60	0.67	0.66			0.64		HV
		2	0.35	0.43	0.56			0.45		HV
		3	0.94	0.45	0.41			0.60		HV
	H23	4	0.63	0.42	0.28	0.01	0.04	0.44	0.54	HV
		5	0.45	0.68	0.54			0.56		HV
		6	0.54	0.63	0.49			0.55		HV
		7	0.54	0.33	0.22			0.36		HV
		8	0.45	0.27	0.35			0.36		HV
		9	0.64	0.39	0.28			0.44		HV
		10	0.49	0.46	1.3			0.75		HV
		11	0.45	0.44	0.52			0.47		HV
		12	0.31	0.27	0.60			0.39		HV
		1	0.36	0.36	0.61			0.44		HV
		2	0.48	0.33	0.31			0.37		HV
		3	1.8	1.2	0.96			1.3		HV
	H24	4	1.1	2.4	0.72	0.01	0.04	1.4	0.48	HV
		5	0.36	0.23	0.23			0.27		HV
		6	0.54	0.35	0.31			0.40		HV
		7	0.32	0.44	0.26			0.34		HV
		8	0.58	0.44	0.45			0.49		HV
		9	0.46	0.30	0.19			0.32		HV
		10	0.39	0.31	0.29			0.33		HV
		11	0.60	0.61	0.50			0.57		HV
		12	0.64	0.54	0.37			0.52		HV
		1	0.42	0.43	0.33			0.39		HV
		2	0.57	0.42	0.30			0.43		HV
		3	0.34	0.28	0.22			0.28		HV
	H25	4	0.41	1.4	0.78	0.007	0.018	0.86	0.40	HV
		5	0.78	0.63	0.39			0.60		HV
		6	0.59	0.24	0.23			0.35		HV
		7	0.43	0.24	0.21			0.29		HV
		8	0.47	0.27	0.31			0.35		HV
		9	0.47	0.31	0.30			0.36		HV
		10	0.36	0.26	0.25			0.29		HV
		11	0.64	0.49	0.46			0.53		HV
		12	0.35	0.29	0.37			0.34		HV
		1	0.26	0.53	0.22			0.34		HV
		2	0.22	0.19	0.23			0.21		HV
		3	0.34	0.24	0.16			0.25		HV
	H26	4	0.52	0.29	0.25	0.009	0.023	0.35	0.40	HV
		5	0.96	0.40	0.31			0.56		HV
		6	0.62	1.1	0.90			0.87		HV
		7	0.58	0.24	0.25			0.36		HV
		8	0.60	0.39	0.25			0.41		HV
		9	0.67	0.46	0.33			0.49		HV
		10	0.30	0.23	0.17			0.23		HV
		11	0.23	0.17	0.16			0.19		HV
		12	0.30	0.25	0.23			0.26		HV
		1	0.49	0.33	0.21			0.34		HV
		2	0.65	0.37	0.25			0.42		HV
		3	0.50	0.34	0.26			0.37		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.47	0.26	0.22	0.01	0.03	0.32	0.36	HV
		5	0.98	0.91	0.43			0.77		HV
		6	0.62	0.49	0.32			0.48		HV
		7	0.21	0.12	0.20			0.18		HV
		8	0.29	0.14	0.08			0.17		HV
		9	0.48	0.35	0.26			0.36		HV
		10	0.86	0.37	0.31			0.51		HV
		11	0.28	0.60	0.44			0.44		HV
		12	0.31	0.40	0.35			0.35		HV
		1	0.34	0.33	0.30			0.32		HV
		2	0.22	0.21	0.23			0.22		HV
		3	0.16	0.16	0.25			0.19		HV
	H28	4	0.54	0.47	0.41	0.01	0.03	0.47	0.30	HV
		5	0.35	0.27	0.25			0.29		HV
		6	0.43	0.25	0.21			0.30		HV
		7	0.24	0.14	0.13			0.17		HV
		8	0.52	0.20	0.25			0.32		HV
		9	0.55	0.48	0.46			0.50		HV
		10	0.27	0.20	0.16			0.21		HV
		11	0.37	0.30	0.22			0.30		HV
		12	0.25	0.19	0.19			0.21		HV
		1	0.19	0.19	0.22			0.20		HV
		2	0.40	0.29	0.33			0.34		HV
		3	0.23	0.36	0.27			0.29		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[6-5]o,p'-DDE 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	1.3	0.30	0.23	0.009	0.025	0.61	0.33	HV
		5	0.23	0.47	0.34			0.35		HV
		6	0.23	0.39	0.91			0.51		HV
		7	0.24	0.13	0.11			0.16		HV
		8	0.17	0.080	0.099			0.12		HV
		9	0.57	0.33	0.28			0.39		HV
		10	0.17	0.44	0.29			0.30		HV
		11	0.14	0.20	0.19			0.18		HV
		12	0.17	0.15	0.23			0.18		HV
		1	0.28	0.22	0.22			0.24		HV
		2	0.21	0.15	0.17			0.18		HV
		3	1.4	0.51	0.35			0.75		HV
	H22	4	0.21	0.17	2.1	0.01	0.03	0.83	0.28	HV
		5	0.24	0.52	0.17			0.31		HV
		6	0.13	0.14	0.13			0.13		HV
		7	0.29	0.27	0.13			0.23		HV
		8	0.40	0.19	0.08			0.22		HV
		9	0.20	0.14	0.11			0.15		HV
		10	0.35	0.21	0.15			0.24		HV
		11	0.21	0.11	0.11			0.14		HV
		12	0.29	0.81	0.29			0.46		HV
		1	0.18	0.21	0.26			0.22		HV
		2	0.16	0.16	0.15			0.16		HV
		3	0.54	0.13	0.15			0.27		HV
	H23	4	0.25	0.16	0.10	0.02	0.04	0.17	0.17	HV
		5	0.15	0.23	0.18			0.19		HV
		6	0.20	0.21	0.16			0.19		HV
		7	0.18	0.13	0.07			0.13		HV
		8	0.13	0.09	0.11			0.11		HV
		9	0.21	0.10	0.08			0.13		HV
		10	0.12	0.11	0.32			0.18		HV
		11	0.10	0.10	0.13			0.11		HV
		12	0.10	0.09	0.34			0.18		HV
		1	0.13	0.12	0.21			0.15		HV
		2	0.22	0.25	0.16			0.21		HV
		3	0.49	0.22	0.20			0.30		HV
	H24	4	0.40	2.0	0.27	0.01	0.04	0.89	0.23	HV
		5	0.09	0.07	0.07			0.08		HV
		6	0.15	0.12	0.10			0.12		HV
		7	0.09	0.12	0.08			0.10		HV
		8	0.13	0.12	0.12			0.12		HV
		9	0.13	0.10	0.07			0.10		HV
		10	0.11	0.09	0.08			0.09		HV
		11	0.32	0.31	0.16			0.26		HV
		12	0.26	0.40	0.17			0.28		HV
		1	0.28	0.22	0.19			0.23		HV
		2	0.38	0.29	0.20			0.29		HV
		3	0.23	0.17	0.10			0.17		HV
	H25	4	0.11	1.2	0.38	0.009	0.023	0.56	0.18	HV
		5	0.26	0.21	0.082			0.18		HV
		6	0.15	0.069	0.066			0.095		HV
		7	0.13	0.091	0.075			0.099		HV
		8	0.13	0.099	0.10			0.11		HV
		9	0.14	0.12	0.11			0.12		HV
		10	0.12	0.092	0.088			0.10		HV
		11	0.45	0.27	0.19			0.30		HV
		12	0.18	0.19	0.23			0.20		HV
		1	0.10	0.32	0.12			0.18		HV
		2	0.16	0.11	0.099			0.12		HV
		3	0.13	0.096	0.070			0.099		HV
	H26	4	0.13	0.072	0.063	0.009	0.023	0.088	0.15	HV
		5	0.26	0.084	0.070			0.14		HV
		6	0.16	0.70	0.33			0.40		HV
		7	0.15	0.082	0.074			0.10		HV
		8	0.15	0.11	0.077			0.11		HV
		9	0.18	0.14	0.11			0.14		HV
		10	0.085	0.068	0.035			0.063		HV
		11	0.071	0.052	0.066			0.063		HV
		12	0.23	0.18	0.13			0.18		HV
		1	0.29	0.17	0.11			0.19		HV
		2	0.19	0.17	0.16			0.17		HV
		3	0.20	0.18	0.10			0.16		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.14	0.079	0.070	0.007	0.019	0.096	0.13	HV
		5	0.18	0.16	0.12			0.15		HV
		6	0.23	0.17	0.12			0.17		HV
		7	0.069	0.035	0.070			0.058		HV
		8	0.079	0.042	0.027			0.049		HV
		9	0.15	0.12	0.075			0.12		HV
		10	0.45	0.18	0.12			0.25		HV
		11	0.092	0.29	0.19			0.19		HV
		12	0.090	0.20	0.24			0.18		HV
		1	0.089	0.16	0.19			0.15		HV
		2	0.13	0.12	0.10			0.12		HV
		3	0.087	0.077	0.072			0.079		HV
	H28	4	0.15	0.095	0.13	0.008	0.020	0.13	0.13	HV
		5	0.13	0.090	0.074			0.098		HV
		6	0.17	0.10	0.091			0.12		HV
		7	0.089	0.049	0.047			0.062		HV
		8	0.16	0.075	0.15			0.13		HV
		9	0.18	0.11	0.14			0.14		HV
		10	0.099	0.076	0.046			0.074		HV
		11	0.14	0.21	0.13			0.16		HV
		12	0.15	0.13	0.12			0.13		HV
		1	0.066	0.075	0.13			0.090		HV
		2	0.25	0.20	0.21			0.22		HV
		3	0.12	0.22	0.16			0.17		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[6-6]o,p'-DDD 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	0.16	0.05	0.04	0.01	0.04	0.08	0.14	HV
		5	0.22	0.10	0.06			0.13		HV
		6	0.27	0.15	0.15			0.19		HV
		7	0.44	0.21	0.12			0.26		HV
		8	0.22	0.07	0.07			0.12		HV
		9	0.37	0.27	0.14			0.26		HV
		10	0.12	0.27	0.16			0.18		HV
		11	0.07	0.06	0.05			0.06		HV
		12	0.06	0.06	0.06			0.06		HV
		1	0.12	0.09	0.10			0.10		HV
		2	0.09	0.06	0.07			0.07		HV
		3	0.18	0.10	0.09			0.12		HV
	H22	4	0.09	0.06	0.17	0.01	0.03	0.11	0.11	HV
		5	0.09	0.08	0.04			0.07		HV
		6	0.07	0.05	0.05			0.06		HV
		7	0.17	0.22	0.06			0.15		HV
		8	0.24	0.09	0.05			0.13		HV
		9	0.09	0.08	0.04			0.07		HV
		10	0.26	0.18	0.09			0.18		HV
		11	0.16	0.07	0.05			0.09		HV
		12	0.23	0.29	0.13			0.22		HV
		1	0.10	0.10	0.12			0.11		HV
		2	0.05	0.05	0.05			0.05		HV
		3	0.10	0.05	0.06			0.07		HV
	H23	4	0.08	tr(0.04)	tr(0.03)	0.02	0.05	0.05	0.06	HV
		5	0.05	tr(0.04)	0.06			0.05		HV
		6	0.09	0.08	0.07			0.08		HV
		7	0.07	0.05	tr(0.03)			0.05		HV
		8	0.06	tr(0.04)	0.05			0.05		HV
		9	0.08	0.06	tr(0.04)			0.06		HV
		10	0.12	0.10	0.12			0.11		HV
		11	0.05	tr(0.04)	0.05			0.05		HV
		12	tr(0.04)	tr(0.04)	0.13			0.07		HV
		1	tr(0.03)	tr(0.04)	0.07			0.05		HV
		2	0.09	0.07	0.05			0.07		HV
		3	0.09	tr(0.04)	0.05			0.06		HV
	H24	4	0.08	0.25	0.07	0.02	0.05	0.13	0.08	HV
		5	tr(0.04)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		6	0.08	0.06	0.05			0.06		HV
		7	0.11	0.10	tr(0.04)			0.08		HV
		8	0.07	0.06	0.06			0.06		HV
		9	0.07	tr(0.04)	tr(0.03)			0.05		HV
		10	0.07	0.06	0.07			0.07		HV
		11	0.20	0.18	0.09			0.16		HV
		12	0.11	0.14	0.07			0.11		HV
		1	0.05	0.07	0.06			0.06		HV
		2	0.10	0.06	0.05			0.07		HV
		3	0.05	tr(0.03)	tr(0.03)			tr(0.04)		HV
	H25	4	tr(0.04)	0.16	0.09	0.02	0.05	0.10	0.06	HV
		5	0.06	0.05	tr(0.02)			tr(0.04)		HV
		6	0.08	tr(0.04)	tr(0.03)			0.05		HV
		7	0.08	0.06	0.05			0.06		HV
		8	0.08	0.05	0.05			0.06		HV
		9	0.17	0.10	0.06			0.11		HV
		10	0.05	tr(0.03)	tr(0.04)			tr(0.04)		HV
		11	0.06	tr(0.04)	0.05			0.05		HV
		12	0.07	tr(0.04)	0.06			0.06		HV
		1	tr(0.03)	0.08	tr(0.04)			0.05		HV
		2	tr(0.04)	tr(0.03)	tr(0.04)			tr(0.04)		HV
		3	0.08	tr(0.03)	tr(0.02)			tr(0.04)		HV
	H26	4	0.07	tr(0.03)	tr(0.02)	0.02	0.05	tr(0.04)	0.08	HV
		5	0.33	0.08	0.05			0.15		HV
		6	0.10	0.20	0.11			0.14		HV
		7	0.13	0.06	0.06			0.08		HV
		8	0.12	0.08	0.05			0.08		HV
		9	0.12	0.08	0.06			0.09		HV
		10	tr(0.04)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		11	tr(0.04)	tr(0.03)	tr(0.04)			tr(0.04)		HV
		12	0.13	0.07	tr(0.03)			0.08		HV
		1	0.11	0.07	0.05			0.08		HV
		2	0.05	0.05	0.05			0.05		HV
		3	0.06	0.05	tr(0.03)			0.05		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.05	tr(0.03)	tr(0.02)	0.02	0.05	tr(0.03)	0.06	HV
		5	0.09	0.06	tr(0.04)			0.06		HV
		6	0.08	0.06	tr(0.04)			0.06		HV
		7	tr(0.04)	tr(0.02)	tr(0.03)			tr(0.03)		HV
		8	tr(0.04)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		9	0.08	0.05	tr(0.04)			0.06		HV
		10	0.21	0.12	0.07			0.13		HV
		11	0.05	0.15	0.07			0.09		HV
		12	tr(0.04)	0.10	0.12			0.09		HV
		1	0.05	0.05	0.06			0.05		HV
		2	tr(0.03)	tr(0.02)	tr(0.02)			tr(0.02)		HV
		3	tr(0.02)	nd	tr(0.02)			tr(0.02)		HV
	H28	4	tr(0.04)	tr(0.03)	0.05	0.02	0.05	tr(0.04)	tr(0.04)	HV
		5	tr(0.04)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		6	0.06	tr(0.04)	tr(0.04)			0.05		HV
		7	tr(0.04)	tr(0.03)	tr(0.02)			tr(0.03)		HV
		8	0.07	tr(0.03)	tr(0.04)			0.05		HV
		9	0.08	0.05	tr(0.04)			0.06		HV
		10	0.05	tr(0.03)	tr(0.02)			tr(0.03)		HV
		11	0.05	0.08	tr(0.04)			0.06		HV
		12	0.06	tr(0.02)	tr(0.03)			tr(0.04)		HV
		1	nd	tr(0.03)	tr(0.04)			tr(0.03)		HV
		2	0.06	tr(0.04)	0.05			0.05		HV
		3	tr(0.03)	0.06	tr(0.04)			tr(0.04)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[7-1]cis-クロルデン 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	3.9	3.5	2.7	0.05	0.14	3.4	4.5	HV
		5	5.1	2.7	5.9			4.6		HV
		6	5.5	14	8.7			9.4		HV
		7	5.5	4.5	4.1			4.7		HV
		8	8.7	4.0	5.0			5.9		HV
		9	3.9	5.1	15			8.0		HV
		10	4.7	2.7	3.4			3.6		HV
		11	2.1	2.3	3.0			2.5		HV
		12	1.9	1.8	2.4			2.0		HV
		1	0.71	0.66	1.0			0.79		HV
		2	2.7	4.2	9.1			5.3		HV
		3	2.7	3.0	4.7			3.5		HV
	H22	4	6.9	5.0	4.0	0.06	0.17	5.3	3.9	HV
		5	1.7	2.0	1.5			1.7		HV
		6	4.3	3.2	4.0			3.8		HV
		7	26	15	10			17		HV
		8	5.7	9.5	3.2			6.1		HV
		9	4.3	5.1	4.6			4.7		HV
		10	2.3	2.4	2.9			2.5		HV
		11	1.8	2.0	2.4			2.1		HV
		12	0.96	0.96	1.0			0.97		HV
		1	0.79	1.2	0.71			0.90		HV
		2	1.1	1.4	1.2			1.2		HV
		3	0.83	0.74	0.57			0.71		HV
	H23	4	1.0	1.3	2.0	0.09	0.24	1.4	4.2	HV
		5	2.0	2.4	3.3			2.6		HV
		6	17	16	14			16		HV
		7	8.7	4.0	3.2			5.3		HV
		8	4.2	3.1	8.8			5.4		HV
		9	6.0	5.5	5.6			5.7		HV
		10	4.0	2.3	3.7			3.3		HV
		11	3.6	4.0	6.6			4.7		HV
		12	1.6	1.9	1.1			1.5		HV
		1	1.4	1.4	1.3			1.4		HV
		2	0.66	0.50	0.81			0.66		HV
		3	2.4	1.7	2.4			2.2		HV
	H24	4	3.3	3.4	0.97	0.08	0.22	2.6	2.8	HV
		5	2.5	2.6	3.0			2.7		HV
		6	7.2	3.8	5.3			5.4		HV
		7	4.3	7.4	3.3			5.0		HV
		8	4.1	3.6	7.6			5.1		HV
		9	3.3	3.1	2.3			2.9		HV
		10	2.0	4.8	4.1			3.6		HV
		11	1.1	1.1	1.9			1.4		HV
		12	1.1	1.3	0.98			1.1		HV
		1	1.2	0.75	0.64			0.86		HV
		2	3.4	0.63	0.80			1.6		HV
		3	1.2	1.1	2.0			1.4		HV
	H25	4	2.5	3.3	1.4	0.05	0.12	2.4	3.1	HV
		5	3.1	3.1	1.8			2.7		HV
		6	4.2	2.6	3.2			3.3		HV
		7	3.7	3.0	3.6			3.4		HV
		8	7.5	2.8	7.4			5.9		HV
		9	3.6	4.2	8.6			5.5		HV
		10	5.2	7.0	9.3			7.2		HV
		11	2.8	2.8	2.3			2.6		HV
		12	1.2	0.93	0.92			1.0		HV
		1	1.3	1.2	0.59			1.0		HV
		2	0.59	0.94	1.0			0.84		HV
		3	1.5	0.65	0.86			1.0		HV
	H26	4	3.7	1.9	1.5	0.03	0.08	2.4	2.9	HV
		5	4.0	3.0	2.7			3.2		HV
		6	13	4.2	7.0			8.1		HV
		7	4.4	2.5	2.3			3.1		HV
		8	4.3	4.0	3.3			3.9		HV
		9	8.1	5.1	4.7			6.0		HV
		10	3.6	3.7	1.9			3.1		HV
		11	2.2	2.2	1.4			1.9		HV
		12	0.66	0.59	0.79			0.68		HV
		1	1.9	0.68	0.68			1.1		HV
		2	1.0	0.69	0.60			0.76		HV
		3	1.7	0.73	0.88			1.1		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	1.8	1.4	2.2	0.1	0.2	1.8	3.6	HV
		5	3.5	1.4	1.6			2.2		HV
		6	21	18	11			17		HV
		7	2.0	1.5	4.3			2.6		HV
		8	3.7	3.1	1.3			2.7		HV
		9	11	7.8	5.7			8.2		HV
		10	3.0	1.3	1.7			2.0		HV
		11	2.7	2.8	1.8			2.4		HV
		12	1.5	1.8	0.7			1.3		HV
		1	1.6	0.9	0.7			1.1		HV
		2	0.8	0.9	0.9			0.9		HV
		3	0.8	0.9	0.9			0.9		HV
	H28	4	1.9	2.1	9.7	0.1	0.3	4.6	3.1	HV
		5	1.8	1.9	2.2			2.0		HV
		6	3.5	2.5	2.4			2.8		HV
		7	2.2	2.0	2.0			2.1		HV
		8	8.9	3.7	5.2			5.9		HV
		9	13	6.0	3.8			7.6		HV
		10	5.3	5.9	4.2			5.1		HV
		11	2.6	1.2	0.8			1.5		HV
		12	0.8	1.2	1.3			1.1		HV
		1	1.1	1.4	0.8			1.1		HV
		2	3.5	2.3	2.3			2.7		HV
		3	1.0	1.0	1.0			1.0		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[7-2]trans-クロルデン 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	4.6	3.9	2.7	0.06	0.17	3.7	4.9	HV
		5	5.7	2.5	5.3			4.5		HV
		6	4.9	17	11			11		HV
		7	6.5	5.8	5.0			5.8		HV
		8	9.7	3.7	5.7			6.4		HV
		9	2.8	5.2	16			8.0		HV
		10	4.3	2.3	3.4			3.3		HV
		11	1.9	1.9	2.9			2.2		HV
		12	1.9	1.7	2.6			2.1		HV
		1	0.66	0.57	1.2			0.81		HV
		2	2.9	5.2	12			6.7		HV
		3	3.2	3.5	5.6			4.1		HV
	H22	4	8.4	6.1	4.7	0.09	0.23	6.4	4.3	HV
		5	1.5	1.8	1.4			1.6		HV
		6	3.1	2.9	3.9			3.3		HV
		7	34	20	13			22		HV
		8	4.9	6.7	3.2			4.9		HV
		9	5.1	5.5	5.3			5.3		HV
		10	1.9	2.2	2.7			2.3		HV
		11	1.4	1.5	2.0			1.6		HV
		12	0.77	0.87	0.96			0.87		HV
		1	0.73	1.2	0.60			0.84		HV
		2	1.1	1.5	1.2			1.3		HV
		3	0.90	0.64	0.49			0.68		HV
	H23	4	0.9	1.2	1.9	0.1	0.3	1.3	4.7	HV
		5	2.1	2.6	3.7			2.8		HV
		6	23	20	19			21		HV
		7	10	4.6	3.6			6.1		HV
		8	4.8	3.6	10			6.1		HV
		9	5.0	4.8	3.8			4.5		HV
		10	3.8	1.8	3.4			3.0		HV
		11	3.4	4.4	7.8			5.2		HV
		12	1.6	2.1	1.1			1.6		HV
		1	1.5	1.5	1.4			1.5		HV
		2	0.6	0.4	0.8			0.6		HV
		3	2.8	1.8	2.7			2.4		HV
	H24	4	3.7	4.2	1.0	0.1	0.4	3.0	3.1	HV
		5	2.4	2.2	2.6			2.4		HV
		6	8.5	4.6	7.3			6.8		HV
		7	5.3	8.1	3.8			5.7		HV
		8	4.8	4.2	8.9			6.0		HV
		9	3.8	3.5	2.4			3.2		HV
		10	1.6	3.9	3.2			2.9		HV
		11	0.9	1.0	2.3			1.4		HV
		12	1.0	1.4	0.9			1.1		HV
		1	1.3	0.7	0.5			0.8		HV
		2	4.1	0.6	0.8			1.8		HV
		3	1.4	1.1	2.3			1.6		HV
	H25	4	2.7	4.0	1.5	0.06	0.15	2.7	3.2	HV
		5	3.0	3.1	1.9			2.7		HV
		6	5.2	3.1	4.0			4.1		HV
		7	4.7	3.6	3.5			3.9		HV
		8	9.0	3.0	9.1			7.0		HV
		9	4.2	4.4	8.2			5.6		HV
		10	4.9	5.5	7.1			5.8		HV
		11	3.0	3.0	2.4			2.8		HV
		12	1.3	0.82	0.95			1.0		HV
		1	1.5	1.5	0.48			1.2		HV
		2	0.59	1.1	1.1			0.93		HV
		3	1.8	0.67	0.88			1.1		HV
	H26	4	4.0	2.0	1.5	0.04	0.11	2.5	3.2	HV
		5	4.7	2.9	2.8			3.5		HV
		6	16	4.4	8.5			9.6		HV
		7	5.3	2.7	2.6			3.5		HV
		8	5.3	4.7	4.0			4.7		HV
		9	8.5	5.7	5.6			6.6		HV
		10	3.4	3.2	1.6			2.7		HV
		11	2.0	1.9	1.1			1.7		HV
		12	0.63	0.48	0.65			0.59		HV
		1	2.2	0.70	0.73			1.2		HV
		2	1.2	0.72	0.72			0.88		HV
		3	2.1	0.86	1.0			1.3		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	2.1	1.5	2.1	0.1	0.3	1.9	4.2	HV
		5	4.2	1.4	1.8			2.5		HV
		6	27	25	14			22		HV
		7	2.3	1.6	5.0			3.0		HV
		8	2.7	2.0	1.1			1.9		HV
		9	13	9.4	7.0			9.8		HV
		10	2.8	1.1	1.6			1.8		HV
		11	3.1	3.2	1.6			2.6		HV
		12	1.4	2.0	0.7			1.4		HV
		1	1.9	1.0	0.8			1.2		HV
		2	0.9	0.9	0.9			0.9		HV
		3	0.9	1.1	1.0			1.0		HV
	H28	4	2.1	2.4	13	0.1	0.4	5.8	3.5	HV
		5	2.0	1.9	2.3			2.1		HV
		6	3.9	2.8	2.7			3.1		HV
		7	2.6	2.3	2.4			2.4		HV
		8	9.5	4.2	5.5			6.4		HV
		9	16	7.3	3.8			9.0		HV
		10	5.1	5.1	3.4			4.5		HV
		11	2.7	1.2	0.8			1.6		HV
		12	0.8	1.2	1.3			1.1		HV
		1	1.2	1.6	0.8			1.2		HV
		2	4.7	2.6	2.9			3.4		HV
		3	1.1	1.2	1.1			1.1		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[7-3]オキシクロルデン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.33	0.35	0.47	0.01	0.04	0.38	0.62	HV
		5	0.77	0.59	0.98			0.78		HV
		6	0.65	0.84	0.93			0.81		HV
		7	0.72	0.69	0.67			0.69		HV
		8	1.8	1.4	0.38			1.2		HV
		9	0.50	0.64	0.88			0.67		HV
		10	0.94	0.99	0.84			0.92		HV
		11	0.59	0.56	0.58			0.58		HV
		12	0.44	0.36	0.34			0.38		HV
		1	0.22	0.21	0.18			0.20		HV
		2	0.37	0.32	0.45			0.38		HV
		3	0.42	0.54	0.49			0.48		HV
	H22	4	0.40	0.35	0.32	0.01	0.03	0.36	0.49	HV
		5	0.44	0.72	0.63			0.60		HV
		6	0.73	0.62	0.65			0.67		HV
		7	0.87	0.64	0.47			0.66		HV
		8	0.89	1.5	0.66			1.0		HV
		9	0.41	0.65	0.53			0.53		HV
		10	0.56	0.55	0.58			0.56		HV
		11	0.51	0.63	0.67			0.60		HV
		12	0.29	0.27	0.23			0.26		HV
		1	0.19	0.20	0.20			0.20		HV
		2	0.24	0.29	0.29			0.27		HV
		3	0.16	0.17	0.16			0.16		HV
	H23	4	0.30	0.39	0.37	0.03	0.07	0.35	0.44	HV
		5	0.45	0.44	0.41			0.43		HV
		6	0.71	0.65	0.58			0.65		HV
		7	0.58	0.39	0.47			0.48		HV
		8	0.54	0.39	0.54			0.49		HV
		9	0.85	0.82	0.61			0.76		HV
		10	0.45	0.63	0.76			0.61		HV
		11	0.46	0.49	0.46			0.47		HV
		12	0.29	0.27	0.27			0.28		HV
		1	0.31	0.24	0.18			0.24		HV
		2	0.15	0.18	0.22			0.18		HV
		3	0.35	0.31	0.31			0.32		HV
	H24	4	0.39	0.32	0.28	0.03	0.08	0.33	0.37	HV
		5	0.50	0.45	0.45			0.47		HV
		6	0.50	0.47	0.43			0.47		HV
		7	0.34	0.66	0.47			0.49		HV
		8	0.39	0.44	0.52			0.45		HV
		9	0.43	0.43	0.40			0.42		HV
		10	0.47	0.45	0.69			0.54		HV
		11	0.28	0.27	0.33			0.29		HV
		12	0.30	0.26	0.38			0.31		HV
		1	0.23	0.20	0.20			0.21		HV
		2	0.25	0.14	0.26			0.22		HV
		3	0.21	0.20	0.21			0.21		HV
	H25	4	0.32	0.36	0.32	0.01	0.03	0.33	0.38	HV
		5	0.42	0.45	0.45			0.44		HV
		6	0.40	0.36	0.24			0.33		HV
		7	0.45	0.38	0.39			0.41		HV
		8	0.46	0.37	0.46			0.43		HV
		9	0.37	0.57	0.56			0.50		HV
		10	0.81	0.83	1.0			0.88		HV
		11	0.41	0.38	0.44			0.41		HV
		12	0.27	0.29	0.30			0.29		HV
		1	0.19	0.19	0.17			0.18		HV
		2	0.20	0.21	0.19			0.20		HV
		3	0.21	0.16	0.26			0.21		HV
	H26	4	0.34	0.35	0.32	0.02	0.06	0.34	0.37	HV
		5	0.28	0.43	0.40			0.37		HV
		6	0.57	0.39	0.51			0.49		HV
		7	0.44	0.37	0.40			0.40		HV
		8	0.40	0.43	0.49			0.44		HV
		9	0.65	0.51	0.79			0.65		HV
		10	0.64	0.74	0.56			0.65		HV
		11	0.45	0.29	0.28			0.34		HV
		12	0.17	0.20	0.26			0.21		HV
		1	0.21	0.18	0.17			0.19		HV
		2	0.12	0.13	0.16			0.14		HV
		3	0.17	0.17	0.22			0.19		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.26	0.35	0.33	0.02	0.06	0.31	0.36	HV
		5	0.22	0.36	0.51			0.36		HV
		6	0.77	0.66	0.47			0.63		HV
		7	0.44	0.19	0.39			0.34		HV
		8	0.56	0.64	0.33			0.51		HV
		9	0.55	0.62	0.49			0.55		HV
		10	0.32	0.37	0.40			0.36		HV
		11	0.24	0.25	0.43			0.31		HV
		12	0.34	0.25	0.23			0.27		HV
		1	0.26	0.21	0.22			0.23		HV
		2	0.18	0.26	0.27			0.24		HV
		3	0.17	0.19	0.17			0.18		HV
	H28	4	0.32	0.27	0.50	0.02	0.06	0.36	0.41	HV
		5	0.46	0.34	0.28			0.36		HV
		6	0.49	0.44	0.38			0.44		HV
		7	0.34	0.41	0.34			0.36		HV
		8	0.57	0.41	0.64			0.54		HV
		9	0.65	0.39	0.86			0.63		HV
		10	0.63	1.4	0.78			0.94		HV
		11	0.53	0.35	0.30			0.39		HV
		12	0.22	0.38	0.39			0.33		HV
		1	0.17	0.21	0.18			0.19		HV
		2	0.25	0.22	0.21			0.23		HV
		3	0.17	0.18	0.19			0.18		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[7-4]cis-ノナクロル 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	0.41	0.32	0.37	0.01	0.03	0.37	0.56	HV
		5	0.74	0.26	0.67			0.56		HV
		6	0.75	1.4	1.1			1.1		HV
		7	1.1	0.75	0.62			0.82		HV
		8	1.2	0.80	0.68			0.89		HV
		9	0.40	0.46	1.4			0.75		HV
		10	0.62	0.35	0.43			0.47		HV
		11	0.25	0.27	0.33			0.28		HV
		12	0.25	0.23	0.27			0.25		HV
		1	0.09	0.05	0.07			0.07		HV
		2	0.56	0.51	1.0			0.69		HV
		3	0.40	0.53	0.56			0.50		HV
	H22	4	1.0	0.68	0.43	0.008	0.021	0.70	0.47	HV
		5	0.27	0.28	0.23			0.26		HV
		6	0.51	0.47	0.55			0.51		HV
		7	2.7	1.6	1.2			1.8		HV
		8	0.86	1.3	0.51			0.89		HV
		9	0.66	0.63	0.54			0.61		HV
		10	0.28	0.29	0.32			0.30		HV
		11	0.17	0.17	0.25			0.20		HV
		12	0.082	0.060	0.077			0.073		HV
		1	0.059	0.095	0.049			0.068		HV
		2	0.079	0.13	0.13			0.11		HV
		3	0.082	0.065	0.039			0.062		HV
	H23	4	0.09	0.14	0.21	0.02	0.04	0.15	0.46	HV
		5	0.28	0.35	0.47			0.37		HV
		6	1.8	1.6	1.4			1.6		HV
		7	1.0	0.54	0.45			0.66		HV
		8	0.57	0.36	0.88			0.60		HV
		9	0.72	0.71	0.63			0.69		HV
		10	0.44	0.27	0.44			0.38		HV
		11	0.45	0.44	0.70			0.53		HV
		12	0.20	0.21	0.09			0.17		HV
		1	0.13	0.14	0.11			0.13		HV
		2	0.05	tr(0.02)	0.05			0.04		HV
		3	0.24	0.19	0.22			0.22		HV
	H24	4	0.41	0.33	tr(0.07)	0.05	0.12	0.27	0.31	HV
		5	0.29	0.29	0.31			0.30		HV
		6	0.84	0.46	0.53			0.61		HV
		7	0.53	0.88	0.52			0.64		HV
		8	0.60	0.49	0.82			0.64		HV
		9	0.39	0.37	0.28			0.35		HV
		10	0.21	0.54	0.50			0.42		HV
		11	tr(0.10)	tr(0.09)	0.16			0.12		HV
		12	tr(0.10)	tr(0.09)	tr(0.07)			tr(0.09)		HV
		1	tr(0.09)	nd	nd			tr(0.05)		HV
		2	0.31	nd	tr(0.06)			0.13		HV
		3	tr(0.09)	tr(0.10)	0.17			0.12		HV
	H25	4	0.28	0.30	0.12	0.02	0.04	0.23	0.35	HV
		5	0.32	0.33	0.24			0.30		HV
		6	0.50	0.37	0.36			0.41		HV
		7	0.47	0.35	0.45			0.42		HV
		8	0.82	0.36	0.80			0.66		HV
		9	0.48	0.48	1.0			0.65		HV
		10	0.64	0.78	1.1			0.84		HV
		11	0.35	0.31	0.29			0.32		HV
		12	0.09	0.08	0.07			0.08		HV
		1	0.12	0.09	tr(0.03)			0.08		HV
		2	0.05	0.08	0.12			0.08		HV
		3	0.14	0.04	0.07			0.08		HV
	H26	4	0.50	0.28	0.21	0.02	0.04	0.33	0.35	HV
		5	0.51	0.38	0.34			0.41		HV
		6	1.4	0.42	0.79			0.87		HV
		7	0.61	0.36	0.38			0.45		HV
		8	0.52	0.50	0.43			0.48		HV
		9	0.91	0.59	0.59			0.70		HV
		10	0.54	0.48	0.27			0.43		HV
		11	0.23	0.21	0.13			0.19		HV
		12	0.05	0.04	0.06			0.05		HV
		1	0.15	0.05	0.05			0.08		HV
		2	0.10	0.06	0.05			0.07		HV
		3	0.17	0.07	0.10			0.11		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.21	0.18	0.25	0.02	0.06	0.21	0.39	HV
		5	0.37	0.15	0.20			0.24		HV
		6	2.0	1.8	1.2			1.7		HV
		7	0.34	0.20	0.48			0.34		HV
		8	0.54	0.46	0.20			0.40		HV
		9	1.2	0.90	0.64			0.91		HV
		10	0.33	0.13	0.17			0.21		HV
		11	0.35	0.28	0.22			0.28		HV
		12	0.20	0.20	0.06			0.15		HV
		1	0.18	0.09	0.06			0.11		HV
		2	0.06	0.08	0.08			0.07		HV
		3	0.07	0.08	0.08			0.08		HV
	H28	4	0.21	0.28	0.96	0.02	0.06	0.48	0.35	HV
		5	0.22	0.20	0.23			0.22		HV
		6	0.41	0.31	0.30			0.34		HV
		7	0.28	0.26	0.26			0.27		HV
		8	0.94	0.43	0.58			0.65		HV
		9	1.3	0.69	0.52			0.84		HV
		10	0.61	0.78	0.49			0.63		HV
		11	0.33	0.12	0.09			0.18		HV
		12	0.09	0.12	0.14			0.12		HV
		1	0.10	0.14	0.07			0.10		HV
		2	0.30	0.22	0.22			0.25		HV
		3	0.07	0.06	0.07			0.07		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[7-5]trans-ノナクロル 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	3.1	2.8	3.1	0.03	0.09	3.0	4.3	HV
		5	5.5	2.7	6.4			4.9		HV
		6	5.3	12	9.0			8.8		HV
		7	5.7	4.7	4.3			4.9		HV
		8	9.3	6.1	4.3			6.6		HV
		9	2.6	4.2	11			5.9		HV
		10	4.8	3.1	3.7			3.9		HV
		11	2.1	2.4	2.9			2.5		HV
		12	2.0	1.8	2.1			2.0		HV
		1	0.66	0.57	0.80			0.68		HV
		2	2.9	3.3	7.4			4.5		HV
		3	2.8	4.0	4.6			3.8		HV
	H22	4	5.9	4.2	3.1	0.05	0.12	4.4	3.5	HV
		5	1.7	2.4	2.3			2.1		HV
		6	4.1	3.7	3.8			3.9		HV
		7	19	12	7.8			13		HV
		8	6.1	10	3.4			6.5		HV
		9	3.8	4.8	4.2			4.3		HV
		10	2.1	2.3	2.7			2.4		HV
		11	1.7	2.0	2.4			2.0		HV
		12	0.80	0.74	0.85			0.80		HV
		1	0.60	1.0	0.55			0.72		HV
		2	0.93	1.3	1.3			1.2		HV
		3	0.66	0.65	0.49			0.60		HV
	H23	4	0.95	1.4	2.0	0.07	0.18	1.5	3.7	HV
		5	2.3	2.7	3.4			2.8		HV
		6	14	12	11			12		HV
		7	7.5	3.7	3.6			4.9		HV
		8	4.4	3.0	7.1			4.8		HV
		9	5.5	5.4	4.8			5.2		HV
		10	3.3	2.5	4.0			3.3		HV
		11	3.7	3.8	5.5			4.3		HV
		12	1.6	1.8	0.99			1.5		HV
		1	1.4	1.3	1.1			1.3		HV
		2	0.54	0.43	0.75			0.57		HV
		3	2.3	1.7	2.1			2.0		HV
	H24	4	3.0	2.7	0.95	0.09	0.24	2.2	2.5	HV
		5	2.8	3.0	3.0			2.9		HV
		6	6.5	3.6	4.9			5.0		HV
		7	3.6	6.5	3.5			4.5		HV
		8	3.8	3.6	6.5			4.6		HV
		9	2.9	2.9	2.2			2.7		HV
		10	1.8	3.9	3.9			3.2		HV
		11	0.90	0.92	1.7			1.2		HV
		12	0.92	1.0	0.97			0.96		HV
		1	1.0	0.61	0.52			0.71		HV
		2	2.7	0.46	0.80			1.3		HV
		3	1.0	1.0	1.7			1.2		HV
	H25	4	2.3	2.7	1.3	0.04	0.11	2.1	2.8	HV
		5	2.8	2.8	2.2			2.6		HV
		6	3.9	2.8	2.6			3.1		HV
		7	3.8	2.9	3.3			3.3		HV
		8	6.4	2.8	6.3			5.2		HV
		9	3.0	3.8	7.0			4.6		HV
		10	5.3	6.2	8.9			6.8		HV
		11	2.8	2.5	2.5			2.6		HV
		12	1.1	0.92	0.83			0.95		HV
		1	1.2	0.99	0.48			0.89		HV
		2	0.58	0.91	1.1			0.86		HV
		3	1.5	0.56	0.94			1.0		HV
	H26	4	3.4	2.3	1.7	0.04	0.10	2.5	2.7	HV
		5	3.4	3.1	2.8			3.1		HV
		6	9.8	3.5	5.9			6.4		HV
		7	4.0	2.5	2.5			3.0		HV
		8	3.8	3.5	3.3			3.5		HV
		9	6.8	4.4	4.6			5.3		HV
		10	3.8	4.1	2.4			3.4		HV
		11	2.1	1.8	1.2			1.7		HV
		12	0.51	0.50	0.80			0.60		HV
		1	1.5	0.55	0.59			0.88		HV
		2	0.80	0.50	0.56			0.62		HV
		3	1.4	0.75	0.97			1.0		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	1.6	1.6	2.3	0.08	0.21	1.8	3.1	HV
		5	2.9	1.4	1.9			2.1		HV
		6	16	14	8.9			13		HV
		7	2.4	1.4	3.9			2.6		HV
		8	3.7	3.4	1.4			2.8		HV
		9	8.8	6.7	5.0			6.8		HV
		10	2.5	1.2	1.6			1.8		HV
		11	2.3	2.2	1.9			2.1		HV
		12	1.4	1.6	0.63			1.2		HV
		1	1.6	0.87	0.79			1.1		HV
		2	0.72	0.95	1.0			0.89		HV
		3	0.73	0.93	0.91			0.86		HV
	H28	4	1.9	2.1	7.9	0.09	0.22	4.0	2.9	HV
		5	2.0	1.9	2.1			2.0		HV
		6	3.2	2.6	2.4			2.7		HV
		7	2.2	2.1	1.9			2.1		HV
		8	7.4	3.3	5.0			5.2		HV
		9	9.6	4.9	4.1			6.2		HV
		10	4.9	7.2	4.6			5.6		HV
		11	2.9	1.2	0.90			1.7		HV
		12	0.81	1.3	1.6			1.2		HV
		1	0.95	1.2	0.72			0.96		HV
		2	2.7	2.0	1.9			2.2		HV
		3	0.83	0.86	0.88			0.86		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[8-1]ヘプタクロル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.81	1.1	0.45	0.02	0.06	0.79	0.84	HV
		5	0.87	0.30	0.60			0.59		HV
		6	0.85	2.9	1.9			1.9		HV
		7	1.0	1.0	0.96			0.99		HV
		8	1.0	0.50	0.90			0.80		HV
		9	0.50	1.6	3.2			1.8		HV
		10	0.46	0.48	0.60			0.51		HV
		11	0.36	0.41	0.60			0.46		HV
		12	0.38	0.32	0.56			0.42		HV
		1	0.10	0.08	0.14			0.11		HV
		2	0.54	1.0	1.6			1.0		HV
		3	0.53	0.69	0.97			0.73		HV
	H22	4	1.8	1.6	0.87	0.03	0.08	1.4	0.82	HV
		5	0.24	0.39	0.55			0.39		HV
		6	0.36	0.60	0.69			0.55		HV
		7	5.0	3.2	1.8			3.3		HV
		8	0.74	1.1	0.54			0.79		HV
		9	0.90	1.3	1.2			1.1		HV
		10	0.69	1.0	1.1			0.93		HV
		11	0.38	0.45	0.66			0.50		HV
		12	0.15	0.18	0.23			0.19		HV
		1	0.18	0.50	0.08			0.25		HV
		2	0.28	0.44	0.37			0.36		HV
		3	0.12	0.13	0.09			0.11		HV
	H23	4	0.17	0.43	0.74	0.04	0.09	0.45	0.92	HV
		5	0.49	0.71	0.89			0.70		HV
		6	4.0	3.7	3.3			3.7		HV
		7	1.7	1.1	0.83			1.2		HV
		8	1.1	0.92	2.1			1.4		HV
		9	1.1	1.1	0.68			0.96		HV
		10	0.42	0.46	0.61			0.50		HV
		11	0.39	0.84	1.1			0.78		HV
		12	0.26	0.63	0.17			0.35		HV
		1	0.33	0.35	0.32			0.33		HV
		2	0.11	tr(0.08)	0.26			0.15		HV
		3	0.51	0.37	0.59			0.49		HV
	H24	4	0.58	0.70	0.38	0.03	0.09	0.55	0.61	HV
		5	0.53	0.45	0.70			0.56		HV
		6	1.4	1.0	1.2			1.2		HV
		7	0.92	1.1	0.92			0.98		HV
		8	0.84	1.2	1.3			1.1		HV
		9	0.89	0.94	0.74			0.86		HV
		10	0.38	0.33	0.36			0.36		HV
		11	0.15	0.14	0.75			0.35		HV
		12	0.21	0.26	0.22			0.23		HV
		1	0.28	0.16	tr(0.08)			0.17		HV
		2	0.89	0.16	0.13			0.39		HV
		3	0.42	0.40	0.82			0.55		HV
	H25	4	0.50	0.80	0.34	0.03	0.07	0.55	0.65	HV
		5	0.49	0.46	0.32			0.42		HV
		6	0.80	0.64	0.80			0.75		HV
		7	1.1	1.0	0.89			1.0		HV
		8	2.3	0.79	2.0			1.7		HV
		9	0.73	0.88	1.1			0.90		HV
		10	1.1	0.81	0.70			0.87		HV
		11	0.61	0.58	0.60			0.60		HV
		12	0.33	0.23	0.26			0.27		HV
		1	0.36	0.39	0.09			0.28		HV
		2	0.10	0.29	0.24			0.21		HV
		3	0.30	0.11	0.17			0.19		HV
	H26	4	0.54	0.39	0.20	0.03	0.07	0.38	0.52	HV
		5	0.58	0.56	0.45			0.53		HV
		6	1.5	0.69	1.2			1.1		HV
		7	1.0	0.59	0.52			0.70		HV
		8	0.92	1.2	0.84			0.99		HV
		9	1.2	0.97	1.2			1.1		HV
		10	0.52	0.56	0.31			0.46		HV
		11	0.31	0.20	0.15			0.22		HV
		12	0.18	0.08	0.12			0.13		HV
		1	0.43	0.11	0.12			0.22		HV
		2	0.20	0.11	0.11			0.14		HV
		3	0.42	0.12	0.20			0.25		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.34	0.29	0.29	0.03	0.08	0.31	0.71	HV
		5	0.69	0.25	0.55			0.50		HV
		6	5.0	4.4	2.1			3.8		HV
		7	0.53	0.25	0.88			0.55		HV
		8	0.46	0.33	0.23			0.34		HV
		9	1.6	1.3	1.2			1.4		HV
		10	0.29	0.26	0.41			0.32		HV
		11	0.54	0.51	0.31			0.45		HV
		12	0.24	0.36	0.19			0.26		HV
		1	0.36	0.24	0.25			0.28		HV
		2	0.12	0.17	0.18			0.16		HV
		3	0.14	0.22	0.20			0.19		HV
	H28	4	0.37	0.43	2.1	0.03	0.09	0.97	0.66	HV
		5	0.44	0.39	0.44			0.42		HV
		6	0.74	0.76	0.54			0.68		HV
		7	0.67	0.47	0.45			0.53		HV
		8	1.4	0.97	1.2			1.2		HV
		9	2.0	1.2	0.86			1.4		HV
		10	0.72	0.63	0.53			0.63		HV
		11	0.35	0.29	0.19			0.28		HV
		12	0.18	0.32	0.31			0.27		HV
		1	0.39	0.39	0.17			0.32		HV
		2	1.3	0.79	0.64			0.91		HV
		3	0.25	0.31	0.32			0.29		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[8-2]cis-ヘプタクロルヘポキシド 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4	0.38	0.41	0.56	0.008	0.022	0.45	0.59	HV
		5	0.74	0.46	0.75			0.65		HV
		6	0.66	0.66	0.99			0.77		HV
		7	0.76	0.73	0.69			0.73		HV
		8	0.78	0.78	0.41			0.66		HV
		9	0.65	0.73	0.85			0.74		HV
		10	0.68	0.64	0.73			0.68		HV
		11	0.62	0.71	0.73			0.69		HV
		12	0.54	0.46	0.41			0.47		HV
		1	0.34	0.35	0.32			0.34		HV
		2	0.51	0.35	0.43			0.43		HV
		3	0.36	0.63	0.50			0.50		HV
	H22	4	0.43	0.41	0.37	0.009	0.024	0.40	0.54	HV
		5	0.47	0.48	0.61			0.52		HV
		6	0.56	0.69	0.81			0.69		HV
		7	0.89	0.67	0.57			0.71		HV
		8	0.79	1.2	0.84			0.94		HV
		9	0.50	0.75	0.60			0.62		HV
		10	0.72	0.62	0.72			0.69		HV
		11	0.59	0.58	0.60			0.59		HV
		12	0.44	0.44	0.40			0.43		HV
		1	0.26	0.28	0.29			0.28		HV
		2	0.37	0.39	0.41			0.39		HV
		3	0.22	0.28	0.29			0.26		HV
	H23	4	0.41	0.40	0.44	0.01	0.04	0.42	0.48	HV
		5	0.50	0.52	0.57			0.53		HV
		6	0.59	0.60	0.53			0.57		HV
		7	0.55	0.44	0.53			0.51		HV
		8	0.60	0.45	0.56			0.54		HV
		9	0.87	1.0	0.72			0.86		HV
		10	0.51	0.59	0.64			0.58		HV
		11	0.46	0.44	0.47			0.46		HV
		12	0.38	0.39	0.33			0.37		HV
		1	0.34	0.35	0.27			0.32		HV
		2	0.23	0.26	0.27			0.25		HV
		3	0.30	0.29	0.35			0.31		HV
	H24	4	0.50	0.39	0.34	0.02	0.05	0.41	0.45	HV
		5	0.55	0.52	0.51			0.53		HV
		6	0.47	0.47	0.54			0.49		HV
		7	0.42	0.61	0.63			0.55		HV
		8	0.48	0.54	0.54			0.52		HV
		9	0.54	0.55	0.45			0.51		HV
		10	0.60	0.63	0.61			0.61		HV
		11	0.43	0.41	0.48			0.44		HV
		12	0.46	0.43	0.52			0.47		HV
		1	0.37	0.29	0.32			0.33		HV
		2	0.29	0.23	0.27			0.26		HV
		3	0.24	0.26	0.26			0.25		HV
	H25	4	0.39	0.33	0.33	0.01	0.03	0.35	0.42	HV
		5	0.48	0.47	0.37			0.44		HV
		6	0.52	0.52	0.32			0.45		HV
		7	0.57	0.47	0.47			0.50		HV
		8	0.37	0.25	0.34			0.32		HV
		9	0.46	0.51	0.56			0.51		HV
		10	0.70	0.66	0.70			0.69		HV
		11	0.54	0.53	0.49			0.52		HV
		12	0.41	0.35	0.42			0.39		HV
		1	0.33	0.28	0.31			0.31		HV
		2	0.22	0.23	0.32			0.26		HV
		3	0.31	0.25	0.29			0.28		HV
	H26	4	0.33	0.53	0.55	0.01	0.03	0.47	0.42	HV
		5	0.32	0.52	0.59			0.48		HV
		6	0.59	0.40	0.48			0.49		HV
		7	0.52	0.53	0.53			0.53		HV
		8	0.44	0.44	0.51			0.46		HV
		9	0.53	0.44	0.90			0.62		HV
		10	0.53	0.55	0.44			0.51		HV
		11	0.45	0.43	0.39			0.42		HV
		12	0.28	0.35	0.41			0.35		HV
		1	0.28	0.27	0.28			0.28		HV
		2	0.20	0.21	0.27			0.23		HV
		3	0.22	0.21	0.24			0.22		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.31	0.35	0.43	0.01	0.03	0.36	0.35	HV
		5	0.26	0.28	0.49			0.34		HV
		6	0.60	0.55	0.43			0.53		HV
		7	0.38	0.25	0.34			0.32		HV
		8	0.39	0.45	0.37			0.40		HV
		9	0.45	0.50	0.42			0.46		HV
		10	0.38	0.38	0.47			0.41		HV
		11	0.31	0.28	0.30			0.30		HV
		12	0.42	0.34	0.34			0.37		HV
		1	0.27	0.24	0.25			0.25		HV
		2	0.25	0.25	0.27			0.26		HV
		3	0.24	0.25	0.25			0.25		HV
	H28	4	0.33	0.32	0.42	0.01	0.03	0.36	0.37	HV
		5	0.40	0.36	0.33			0.36		HV
		6	0.40	0.34	0.33			0.36		HV
		7	0.38	0.46	0.44			0.43		HV
		8	0.50	0.32	0.45			0.42		HV
		9	0.55	0.38	0.48			0.47		HV
		10	0.43	0.60	0.57			0.53		HV
		11	0.29	0.30	0.34			0.31		HV
		12	0.29	0.36	0.37			0.34		HV
		1	0.24	0.24	0.21			0.23		HV
		2	0.29	0.29	0.27			0.28		HV
		3	0.30	0.32	0.28			0.30		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[8-3] <i>trans</i> -ヘブタクロルエボキシド 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	nd	nd	nd	0.06	0.16	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H22	4	nd	nd	nd	0.06	0.16	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H23	4	nd	nd	nd	0.05	0.13	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.05	0.12	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.05	0.12	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.04	0.11	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.04	0.10	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.04	0.10	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[9-1] Parlar-26 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	tr(0.16)	tr(0.16)	tr(0.15)	0.08	0.22	tr(0.16)	tr(0.16)	HV
		5	tr(0.21)	tr(0.15)	tr(0.19)			tr(0.18)		HV
		6	tr(0.20)	tr(0.19)	tr(0.21)			tr(0.20)		HV
		7	tr(0.14)	tr(0.18)	tr(0.12)			tr(0.15)		HV
		8	tr(0.17)	tr(0.16)	tr(0.14)			tr(0.16)		HV
		9	tr(0.19)	tr(0.20)	tr(0.18)			tr(0.19)		HV
		10	tr(0.16)	tr(0.14)	tr(0.19)			tr(0.16)		HV
		11	tr(0.15)	tr(0.21)	0.22			tr(0.19)		HV
		12	tr(0.17)	tr(0.13)	tr(0.14)			tr(0.15)		HV
		1	tr(0.10)	tr(0.13)	tr(0.13)			tr(0.12)		HV
		2	tr(0.14)	tr(0.14)	tr(0.18)			tr(0.15)		HV
		3	tr(0.13)	tr(0.13)	tr(0.13)			tr(0.13)		HV
	H22	4	tr(0.14)	tr(0.16)	tr(0.13)	0.09	0.23	tr(0.14)	tr(0.17)	HV
		5	tr(0.13)	tr(0.14)	tr(0.13)			tr(0.13)		HV
		6	tr(0.19)	tr(0.17)	tr(0.18)			tr(0.18)		HV
		7	tr(0.14)	tr(0.13)	tr(0.14)			tr(0.14)		HV
		8	tr(0.19)	tr(0.18)	tr(0.14)			tr(0.17)		HV
		9	tr(0.18)	tr(0.18)	tr(0.22)			tr(0.19)		HV
		10	0.26	0.25	tr(0.20)			0.24		HV
		11	0.23	tr(0.21)	0.24			0.23		HV
		12	tr(0.18)	tr(0.20)	tr(0.15)			tr(0.18)		HV
		1	tr(0.09)	tr(0.11)	tr(0.12)			tr(0.11)		HV
		2	tr(0.13)	tr(0.11)	tr(0.11)			tr(0.12)		HV
		3	tr(0.14)	tr(0.16)	tr(0.14)			tr(0.15)		HV
	H23	4	tr(0.11)	tr(0.17)	tr(0.16)	0.08	0.22	tr(0.15)	tr(0.13)	HV
		5	tr(0.19)	tr(0.16)	tr(0.16)			tr(0.17)		HV
		6	nd	nd	tr(0.20)			tr(0.09)		HV
		7	tr(0.20)	tr(0.18)	nd			tr(0.14)		HV
		8	tr(0.17)	tr(0.11)	tr(0.19)			tr(0.16)		HV
		9	tr(0.19)	tr(0.18)	tr(0.16)			tr(0.18)		HV
		10	tr(0.18)	tr(0.17)	tr(0.15)			tr(0.17)		HV
		11	tr(0.15)	tr(0.11)	tr(0.11)			tr(0.12)		HV
		12	tr(0.14)	tr(0.12)	tr(0.14)			tr(0.13)		HV
		1	tr(0.14)	tr(0.13)	tr(0.09)			tr(0.12)		HV
		2	tr(0.12)	tr(0.09)	nd			tr(0.08)		HV
		3	tr(0.11)	tr(0.09)	tr(0.11)			tr(0.10)		HV
	H24	4	nd	nd	nd	0.2	0.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	tr(0.2)	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.2)	nd	nd			nd		HV
		1	tr(0.3)	nd	nd			tr(0.2)		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	tr(0.2)	nd	tr(0.2)	0.1	0.3	tr(0.2)	tr(0.2)	HV
		5	tr(0.1)	tr(0.1)	tr(0.2)			tr(0.1)		HV
		6	tr(0.1)	tr(0.2)	tr(0.1)			tr(0.1)		HV
		7	tr(0.2)	tr(0.2)	tr(0.2)			tr(0.2)		HV
		8	tr(0.2)	tr(0.1)	nd			tr(0.1)		HV
		9	tr(0.2)	0.3	tr(0.2)			tr(0.2)		HV
		10	0.3	0.3	0.3			0.3		HV
		11	0.3	tr(0.2)	nd			tr(0.2)		HV
		12	tr(0.2)	0.3	tr(0.2)			tr(0.2)		HV
		1	tr(0.2)	tr(0.1)	tr(0.2)			tr(0.2)		HV
		2	tr(0.2)	tr(0.2)	tr(0.1)			tr(0.2)		HV
		3	tr(0.2)	tr(0.2)	0.3			tr(0.2)		HV
	H26	4	tr(0.2)	tr(0.2)	nd	0.2	0.4	tr(0.2)	nd	HV
		5	tr(0.3)	nd	tr(0.3)			tr(0.2)		HV
		6	tr(0.2)	tr(0.3)	nd			tr(0.2)		HV
		7	nd	tr(0.3)	tr(0.2)			tr(0.2)		HV
		8	nd	nd	nd			nd		HV
		9	tr(0.2)	nd	nd			nd		HV
		10	nd	nd	tr(0.2)			nd		HV
		11	nd	tr(0.3)	tr(0.2)			tr(0.2)		HV
		12	nd	nd	tr(0.2)			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.2	0.5	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	tr(0.2)			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.2	0.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	tr(0.2)			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.2)	tr(0.2)	nd			tr(0.2)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[9-2] Parlar-50 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	nd	nd	nd	0.09	0.25	nd	nd	HV
		5	tr(0.09)	nd	nd			nd		HV
		6	nd	tr(0.10)	nd			nd		HV
		7	nd	tr(0.11)	tr(0.09)			nd		HV
		8	tr(0.14)	tr(0.14)	nd			tr(0.11)		HV
		9	nd	tr(0.12)	tr(0.09)			tr(0.09)		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H22	4	tr(0.07)	tr(0.09)	tr(0.07)	0.06	0.15	tr(0.08)	tr(0.08)	HV
		5	tr(0.08)	nd	nd			nd		HV
		6	tr(0.09)	tr(0.09)	tr(0.08)			tr(0.09)		HV
		7	tr(0.13)	tr(0.11)	tr(0.11)			tr(0.12)		HV
		8	tr(0.13)	0.16	0.15			0.15		HV
		9	0.17	tr(0.11)	tr(0.13)			tr(0.14)		HV
		10	tr(0.11)	tr(0.10)	tr(0.08)			tr(0.10)		HV
		11	tr(0.10)	tr(0.08)	tr(0.08)			tr(0.09)		HV
		12	tr(0.08)	tr(0.07)	nd			tr(0.06)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H23	4	tr(0.06)	nd	nd	0.06	0.15	nd	tr(0.06)	HV
		5	tr(0.09)	tr(0.09)	tr(0.09)			tr(0.09)		HV
		6	nd	nd	tr(0.11)			tr(0.06)		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.12)	tr(0.09)	nd			tr(0.08)		HV
		9	tr(0.08)	tr(0.08)	tr(0.11)			tr(0.09)		HV
		10	tr(0.10)	tr(0.08)	tr(0.10)			tr(0.09)		HV
		11	tr(0.09)	tr(0.08)	tr(0.11)			tr(0.09)		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	tr(0.1)	nd	nd			tr(0.1)		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	tr(0.1)	nd	nd			tr(0.1)		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	tr(0.1)	tr(0.2)			tr(0.1)		HV
	H25	4	nd	nd	nd	0.2	0.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	tr(0.1)	tr(0.1)	0.1	0.4	tr(0.1)	tr(0.1)	HV
		5	nd	nd	tr(0.1)			tr(0.1)		HV
		6	nd	nd	tr(0.1)			tr(0.1)		HV
		7	tr(0.1)	tr(0.1)	nd			tr(0.1)		HV
		8	tr(0.1)	tr(0.2)	tr(0.2)			tr(0.2)		HV
		9	tr(0.2)	tr(0.1)	nd			tr(0.1)		HV
		10	tr(0.1)	tr(0.1)	tr(0.2)			tr(0.1)		HV
		11	nd	nd	tr(0.1)			tr(0.1)		HV
		12	nd	nd	nd			nd		HV
		1	nd	tr(0.1)	nd			tr(0.1)		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.4	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	tr(0.2)			tr(0.1)		HV
		7	tr(0.1)	tr(0.1)	tr(0.1)			tr(0.1)		HV
		8	tr(0.1)	tr(0.2)	tr(0.2)			tr(0.2)		HV
		9	nd	nd	nd			nd		HV
		10	nd	tr(0.1)	tr(0.1)			tr(0.1)		HV
		11	nd	tr(0.1)	nd			tr(0.1)		HV
		12	tr(0.1)	nd	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.09	0.22	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	tr(0.10)	tr(0.11)	tr(0.15)			tr(0.12)		HV
		8	tr(0.12)	tr(0.18)	tr(0.17)			tr(0.16)		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	tr(0.09)	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	tr(0.11)	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[9-3] Parlar-62 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	nd	nd	nd	0.6	1.6	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H22	4	nd	nd	nd	0.5	1.2	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H23	4	nd	nd	nd	0.5	1.3	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	2	4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.6	1.6	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.8	2.1	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.9	2.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.5	1.2	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[10]マイレックス 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.24	0.14	0.13	0.01	0.03	0.17	0.20	HV
		5	0.20	0.47	0.32			0.33		HV
		6	0.22	0.22	0.37			0.27		HV
		7	0.16	0.14	0.13			0.14		HV
		8	0.17	0.13	0.10			0.13		HV
		9	0.86	0.35	0.51			0.57		HV
		10	0.14	0.28	0.18			0.20		HV
		11	0.08	0.08	0.09			0.08		HV
		12	0.08	0.08	0.10			0.09		HV
		1	0.07	0.06	0.07			0.07		HV
		2	0.09	0.12	0.14			0.12		HV
		3	0.36	0.19	0.16			0.24		HV
	H22	4	0.076	0.079	0.16	0.008	0.020	0.11	0.17	HV
		5	0.14	0.38	0.12			0.21		HV
		6	0.10	0.097	0.10			0.099		HV
		7	0.16	0.21	0.11			0.16		HV
		8	1.0	0.33	0.15			0.49		HV
		9	0.15	0.18	0.15			0.16		HV
		10	0.28	0.17	0.17			0.21		HV
		11	0.12	0.10	0.11			0.11		HV
		12	0.084	0.18	0.099			0.12		HV
		1	0.070	0.084	0.082			0.079		HV
		2	0.064	0.081	0.085			0.077		HV
		3	0.39	0.058	0.054			0.17		HV
	H23	4	0.15	0.16	0.11	0.01	0.04	0.14	0.14	HV
		5	0.13	0.14	0.17			0.15		HV
		6	0.13	0.15	0.12			0.13		HV
		7	0.15	0.13	0.13			0.14		HV
		8	0.15	0.14	0.15			0.15		HV
		9	0.20	0.17	0.16			0.18		HV
		10	0.13	0.15	0.30			0.19		HV
		11	0.16	0.15	0.16			0.16		HV
		12	0.10	0.10	0.14			0.11		HV
		1	0.06	0.07	0.11			0.08		HV
		2	0.08	0.05	0.05			0.06		HV
		3	0.20	0.12	0.13			0.15		HV
	H24	4	0.31	0.65	0.064	0.008	0.021	0.34	0.16	HV
		5	0.086	0.080	0.085			0.084		HV
		6	0.11	0.11	0.11			0.11		HV
		7	0.14	0.15	0.12			0.14		HV
		8	0.18	0.15	0.15			0.16		HV
		9	0.18	0.14	0.19			0.17		HV
		10	0.16	0.17	0.16			0.16		HV
		11	0.80	0.18	0.11			0.36		HV
		12	0.081	0.11	0.067			0.086		HV
		1	0.11	0.10	0.065			0.092		HV
		2	0.20	0.12	0.066			0.13		HV
		3	0.13	0.15	0.096			0.13		HV
	H25	4	0.072	0.85	0.34	0.008	0.020	0.42	0.18	HV
		5	0.64	0.68	0.24			0.52		HV
		6	0.13	0.11	0.11			0.12		HV
		7	0.11	0.094	0.11			0.10		HV
		8	0.21	0.15	0.13			0.16		HV
		9	0.26	0.15	0.13			0.18		HV
		10	0.14	0.14	0.17			0.15		HV
		11	0.14	0.13	0.14			0.14		HV
		12	0.11	0.095	0.14			0.12		HV
		1	0.072	0.13	0.062			0.088		HV
		2	0.068	0.058	0.11			0.079		HV
		3	0.094	0.071	0.047			0.071		HV
	H26	4	0.13	0.087	0.074	0.007	0.017	0.097	0.14	HV
		5	0.23	0.12	0.13			0.16		HV
		6	0.16	0.60	0.46			0.41		HV
		7	0.12	0.11	0.15			0.13		HV
		8	0.11	0.14	0.14			0.13		HV
		9	0.22	0.18	0.23			0.21		HV
		10	0.099	0.12	0.15			0.12		HV
		11	0.081	0.079	0.079			0.080		HV
		12	0.10	0.087	0.065			0.084		HV
		1	0.18	0.070	0.058			0.10		HV
		2	0.10	0.085	0.062			0.082		HV
		3	0.11	0.088	0.053			0.084		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.10	0.061	0.059	0.009	0.023	0.073	0.14	HV
		5	0.16	0.25	0.098			0.17		HV
		6	0.13	0.11	0.097			0.11		HV
		7	0.11	0.13	0.12			0.12		HV
		8	0.50	0.30	0.15			0.32		HV
		9	0.14	0.29	0.31			0.25		HV
		10	0.26	0.099	0.098			0.15		HV
		11	0.12	0.23	0.15			0.17		HV
		12	0.089	0.14	0.11			0.11		HV
		1	0.12	0.12	0.091			0.11		HV
		2	0.052	0.058	0.060			0.057		HV
		3	0.046	0.056	0.060			0.054		HV
	H28	4	0.11	0.11	0.087	0.007	0.019	0.10	0.13	HV
		5	0.076	0.095	0.075			0.082		HV
		6	0.24	0.17	0.14			0.18		HV
		7	0.13	0.11	0.12			0.12		HV
		8	0.13	0.12	0.15			0.13		HV
		9	0.24	0.22	0.38			0.28		HV
		10	0.10	0.087	0.10			0.096		HV
		11	0.22	0.14	0.082			0.15		HV
		12	0.094	0.066	0.070			0.077		HV
		1	0.053	0.073	0.079			0.068		HV
		2	0.12	0.071	0.12			0.10		HV
		3	0.086	0.11	0.16			0.12		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[11-1] α -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	19	22	19	0.04	0.10	20	15	HV
		5	10	17	29			19		HV
		6	21	16	28			22		HV
		7	12	11	9.5			11		HV
		8	11	6.9	8.4			8.8		HV
		9	33	30	29			31		HV
		10	25	25	19			23		HV
		11	13	11	11			12		HV
		12	7.9	7.1	6.7			7.2		HV
		1	14	7.2	4.9			8.7		HV
		2	5.4	3.4	3.2			4.0		HV
		3	13	11	6.4			10		HV
	H22	4	16	13	13	0.06	0.17	14	11	HV
		5	14	27	22			21		HV
		6	15	14	15			15		HV
		7	11	11	7.5			9.8		HV
		8	16	10	4.5			10		HV
		9	7.2	10	8.2			8.5		HV
		10	20	20	18			19		HV
		11	12	10	11			11		HV
		12	6.8	7.1	5.9			6.6		HV
		1	5.3	7.9	5.5			6.2		HV
		2	5.0	6.1	5.9			5.7		HV
		3	14	9.9	9.4			11		HV
	H23	4	21	17	15	0.09	0.24	18	15	HV
		5	20	19	23			21		HV
		6	15	20	16			17		HV
		7	18	23	14			18		HV
		8	20	16	17			18		HV
		9	29	25	23			26		HV
		10	17	16	21			18		HV
		11	12	11	12			12		HV
		12	9.0	6.4	9.6			8.3		HV
		1	6.6	6.8	7.6			7.0		HV
		2	6.9	4.9	5.4			5.7		HV
		3	9.9	11	11			11		HV
	H24	4	14	28	13	0.06	0.16	18	13	HV
		5	18	15	13			15		HV
		6	14	17	19			17		HV
		7	16	19	17			17		HV
		8	18	18	16			17		HV
		9	17	16	19			17		HV
		10	20	17	16			18		HV
		11	11	13	11			12		HV
		12	9.2	7.3	6.8			7.8		HV
		1	5.7	5.6	5.0			5.4		HV
		2	7.2	6.7	4.8			6.2		HV
		3	7.6	6.9	5.5			6.7		HV
	H25	4	11	15	13	0.08	0.21	13	11	HV
		5	15	11	11			12		HV
		6	12	10	9.1			10		HV
		7	14	13	10			12		HV
		8	19	13	13			15		HV
		9	17	19	21			19		HV
		10	13	11	11			12		HV
		11	10	19	19			16		HV
		12	5.6	5.3	5.9			5.6		HV
		1	5.4	6.2	3.7			5.1		HV
		2	4.3	5.6	5.8			5.2		HV
		3	6.5	4.1	5.1			5.2		HV
	H26	4	8.8	11	7.7	0.04	0.10	9.2	7.9	HV
		5	11	12	13			12		HV
		6	9.2	21	13			14		HV
		7	11	6.8	10			9.3		HV
		8	10	11	9.9			10		HV
		9	9.3	9.5	10			9.6		HV
		10	14	9.0	7.1			10		HV
		11	4.5	4.3	3.5			4.1		HV
		12	4.7	3.2	2.5			3.5		HV
		1	4.7	4.3	2.8			3.9		HV
		2	4.7	4.0	3.6			4.1		HV
		3	6.8	4.6	3.7			5.0		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	7.9	6.6	6.8	0.1	0.3	7.1	8.1	HV
		5	11	12	17			13		HV
		6	7.5	5.3	3.8			5.5		HV
		7	14	2.9	7.5			8.1		HV
		8	24	15	8.3			16		HV
		9	11	9.0	16			12		HV
		10	9.4	5.4	6.6			7.1		HV
		11	4.1	6.3	5.8			5.4		HV
		12	13	5.0	4.9			7.6		HV
		1	20	3.8	3.8			9.2		HV
		2	2.6	2.7	5.1			3.5		HV
		3	2.6	3.3	3.8			3.2		HV
	H28	4	10	5.9	4.2	0.08	0.20	6.7	8.9	HV
		5	8.2	7.4	11			8.9		HV
		6	14	35	25			25		HV
		7	6.7	6.8	7.0			6.8		HV
		8	6.8	6.1	14			9.0		HV
		9	7.3	6.3	11			8.2		HV
		10	17	18	9.9			15		HV
		11	7.3	7.9	6.1			7.1		HV
		12	6.5	4.2	5.0			5.2		HV
		1	3.0	3.5	4.0			3.5		HV
		2	5.4	5.8	6.8			6.0		HV
		3	4.9	6.3	6.3			5.8		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[11-2] β -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.74	0.61	0.53	0.01	0.04	0.63	0.94	HV
		5	1.5	0.79	1.2			1.2		HV
		6	1.1	1.0	1.1			1.1		HV
		7	1.6	1.3	1.0			1.3		HV
		8	1.4	1.0	0.81			1.1		HV
		9	1.5	1.1	1.0			1.2		HV
		10	1.1	1.0	1.0			1.0		HV
		11	0.59	0.67	0.72			0.66		HV
		12	0.58	0.77	0.67			0.67		HV
		1	0.69	0.42	0.43			0.51		HV
		2	1.1	0.80	1.3			1.1		HV
		3	0.86	0.98	0.72			0.85		HV
	H22	4	1.6	1.2	0.72	0.03	0.07	1.2	0.84	HV
		5	1.0	1.0	0.72			0.91		HV
		6	0.77	0.88	1.1			0.92		HV
		7	1.5	1.1	0.93			1.2		HV
		8	1.4	1.5	1.0			1.3		HV
		9	1.2	1.0	0.87			1.0		HV
		10	0.95	0.86	0.71			0.84		HV
		11	0.80	0.50	0.46			0.59		HV
		12	0.56	0.63	0.47			0.55		HV
		1	0.38	0.52	0.42			0.44		HV
		2	0.36	0.53	0.57			0.49		HV
		3	0.76	0.58	0.44			0.59		HV
	H23	4	0.91	0.84	0.79	0.02	0.06	0.85	0.80	HV
		5	0.74	0.90	1.0			0.88		HV
		6	1.1	1.0	1.1			1.1		HV
		7	1.3	0.94	0.85			1.0		HV
		8	1.3	0.93	1.0			1.1		HV
		9	1.3	1.1	0.80			1.1		HV
		10	0.95	0.62	1.1			0.89		HV
		11	0.70	0.78	0.82			0.77		HV
		12	0.57	0.69	0.50			0.59		HV
		1	0.38	0.43	0.41			0.41		HV
		2	0.39	0.30	0.30			0.33		HV
		3	0.68	0.50	0.50			0.56		HV
	H24	4	1.0	1.2	0.96	0.03	0.07	1.1	0.78	HV
		5	0.64	0.50	0.52			0.55		HV
		6	1.3	1.2	1.2			1.2		HV
		7	1.0	1.1	1.2			1.1		HV
		8	1.3	1.2	0.95			1.2		HV
		9	1.4	1.2	0.89			1.2		HV
		10	0.73	0.78	0.68			0.73		HV
		11	0.72	0.68	0.54			0.65		HV
		12	0.53	0.54	0.37			0.48		HV
		1	0.40	0.38	0.30			0.36		HV
		2	0.62	0.34	0.29			0.42		HV
		3	0.44	0.39	0.39			0.41		HV
	H25	4	0.78	0.66	0.64	0.02	0.06	0.69	0.81	HV
		5	0.82	0.75	0.47			0.68		HV
		6	1.3	1.0	0.74			1.0		HV
		7	1.5	1.1	0.97			1.2		HV
		8	1.1	0.94	0.96			1.0		HV
		9	1.4	1.3	1.5			1.4		HV
		10	1.5	0.99	1.1			1.2		HV
		11	0.99	0.90	0.76			0.88		HV
		12	0.47	0.39	0.43			0.43		HV
		1	0.46	0.49	0.25			0.40		HV
		2	0.31	0.38	0.52			0.40		HV
		3	0.50	0.31	0.32			0.38		HV
	H26	4	0.86	0.76	0.67	0.02	0.05	0.76	0.70	HV
		5	0.88	0.56	0.53			0.66		HV
		6	1.1	1.0	0.86			0.99		HV
		7	1.2	1.0	1.1			1.1		HV
		8	1.3	1.3	0.91			1.2		HV
		9	1.0	1.0	1.4			1.1		HV
		10	0.82	0.78	0.69			0.76		HV
		11	0.42	0.41	0.32			0.38		HV
		12	0.53	0.32	0.25			0.37		HV
		1	0.46	0.34	0.29			0.36		HV
		2	0.36	0.40	0.45			0.40		HV
		3	0.43	0.31	0.30			0.35		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.54	0.40	0.44	0.02	0.06	0.46	0.59	HV
		5	0.73	0.47	0.64			0.61		HV
		6	1.1	1.0	0.78			0.96		HV
		7	0.95	0.52	0.58			0.68		HV
		8	0.76	0.71	0.63			0.70		HV
		9	0.99	0.80	0.72			0.84		HV
		10	0.98	0.52	0.48			0.66		HV
		11	0.78	0.60	0.46			0.61		HV
		12	0.51	0.55	0.52			0.53		HV
		1	0.51	0.30	0.36			0.39		HV
		2	0.36	0.28	0.33			0.32		HV
		3	0.26	0.30	0.27			0.28		HV
	H28	4	0.90	0.60	0.64	0.03	0.07	0.71	0.63	HV
		5	0.65	0.57	0.67			0.63		HV
		6	0.93	1.3	0.75			0.99		HV
		7	0.98	0.85	0.67			0.83		HV
		8	1.2	0.76	0.73			0.90		HV
		9	0.83	0.62	0.71			0.72		HV
		10	0.86	0.91	0.64			0.80		HV
		11	0.53	0.46	0.28			0.42		HV
		12	0.49	0.34	0.35			0.39		HV
		1	0.28	0.34	0.29			0.30		HV
		2	0.56	0.52	0.44			0.51		HV
		3	0.32	0.49	0.35			0.39		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[11-3] γ -HCH(別名:リンデン) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	4.1	4.4	3.9	0.03	0.07	4.1	3.3	HV
		5	2.2	3.4	6.0			3.9		HV
		6	3.7	3.1	6.5			4.4		HV
		7	2.3	2.4	2.0			2.2		HV
		8	2.7	1.3	2.1			2.0		HV
		9	8.4	6.4	6.3			7.0		HV
		10	6.9	5.0	3.9			5.3		HV
		11	2.6	2.2	2.2			2.3		HV
		12	1.9	1.7	1.5			1.7		HV
		1	4.2	1.9	1.3			2.5		HV
		2	1.4	1.1	1.2			1.2		HV
		3	3.2	3.1	1.9			2.7		HV
	H22	4	3.5	2.6	2.4	0.04	0.11	2.8	2.1	HV
		5	2.7	5.1	3.8			3.9		HV
		6	1.8	1.8	1.8			1.8		HV
		7	2.2	2.0	1.4			1.9		HV
		8	3.5	2.8	1.0			2.4		HV
		9	1.8	2.0	1.8			1.9		HV
		10	4.0	3.7	3.3			3.7		HV
		11	2.2	1.8	2.1			2.0		HV
		12	0.94	1.2	1.1			1.1		HV
		1	0.90	1.4	0.90			1.1		HV
		2	1.1	1.4	1.4			1.3		HV
		3	2.1	1.1	1.3			1.5		HV
	H23	4	3.6	3.4	3.0	0.08	0.21	3.3	2.8	HV
		5	3.1	3.1	3.8			3.3		HV
		6	2.7	3.5	3.1			3.1		HV
		7	3.7	5.6	3.1			4.1		HV
		8	3.9	3.2	3.7			3.6		HV
		9	5.4	4.3	4.0			4.6		HV
		10	2.6	2.8	4.8			3.4		HV
		11	2.0	2.4	2.4			2.3		HV
		12	1.5	2.4	1.1			1.7		HV
		1	1.4	1.3	1.3			1.3		HV
		2	1.0	0.82	1.0			0.94		HV
		3	2.1	1.7	1.7			1.8		HV
	H24	4	3.0	4.6	2.8	0.05	0.14	3.5	2.5	HV
		5	3.1	2.4	2.3			2.6		HV
		6	3.2	3.3	4.5			3.7		HV
		7	2.9	3.9	3.5			3.4		HV
		8	3.6	3.7	3.1			3.5		HV
		9	3.1	3.0	2.9			3.0		HV
		10	3.7	3.1	2.5			3.1		HV
		11	2.1	2.0	2.1			2.1		HV
		12	1.6	1.5	1.6			1.6		HV
		1	1.3	1.2	0.90			1.1		HV
		2	1.5	1.1	0.95			1.2		HV
		3	1.7	1.6	1.4			1.6		HV
	H25	4	2.1	2.8	2.9	0.06	0.15	2.6	2.4	HV
		5	3.0	2.2	1.6			2.3		HV
		6	2.8	2.2	2.0			2.3		HV
		7	3.3	3.4	2.7			3.1		HV
		8	4.1	3.3	3.1			3.5		HV
		9	3.3	4.0	4.7			4.0		HV
		10	3.1	2.7	2.6			2.8		HV
		11	2.9	2.7	2.7			2.8		HV
		12	1.2	1.2	1.4			1.3		HV
		1	1.3	1.3	0.89			1.2		HV
		2	0.89	1.1	1.1			1.0		HV
		3	1.2	1.1	2.0			1.4		HV
	H26	4	1.9	2.2	1.8	0.02	0.06	2.0	1.8	HV
		5	2.6	1.9	2.1			2.2		HV
		6	2.2	3.8	3.0			3.0		HV
		7	3.2	1.9	2.4			2.5		HV
		8	2.9	3.0	2.5			2.8		HV
		9	2.8	2.8	2.8			2.8		HV
		10	2.2	2.3	1.3			1.9		HV
		11	0.98	0.93	0.81			0.91		HV
		12	1.1	0.67	0.53			0.77		HV
		1	1.0	0.78	0.61			0.80		HV
		2	0.84	0.94	0.95			0.91		HV
		3	1.3	0.91	0.80			1.0		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	1.6	1.4	1.5	0.07	0.18	1.5	1.7	HV
		5	1.9	2.3	2.8			2.3		HV
		6	2.1	1.9	1.4			1.8		HV
		7	3.3	0.94	1.8			2.0		HV
		8	3.3	2.9	1.6			2.6		HV
		9	2.7	2.6	3.9			3.1		HV
		10	2.0	1.3	1.9			1.7		HV
		11	1.2	1.4	1.2			1.3		HV
		12	1.4	1.1	1.3			1.3		HV
		1	1.8	0.92	1.1			1.3		HV
		2	0.69	0.71	0.83			0.74		HV
		3	0.73	0.92	0.76			0.80		HV
	H28	4	2.8	1.3	1.2	0.06	0.16	1.8	2.0	HV
		5	1.8	1.5	2.2			1.8		HV
		6	2.6	4.6	3.8			3.7		HV
		7	1.7	1.9	1.7			1.8		HV
		8	2.8	2.1	3.6			2.8		HV
		9	2.1	2.2	2.6			2.3		HV
		10	3.6	6.3	1.7			3.9		HV
		11	1.7	1.4	1.2			1.4		HV
		12	1.2	0.93	0.84			0.99		HV
		1	0.69	0.78	0.75			0.74		HV
		2	1.3	1.5	1.2			1.3		HV
		3	1.3	1.8	1.5			1.5		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[11-4] δ -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4	0.12	0.08	0.05	0.02	0.04	0.08	0.10	HV
		5	0.14	0.08	0.09			0.10		HV
		6	0.09	0.12	0.18			0.13		HV
		7	0.09	0.08	0.09			0.09		HV
		8	0.10	0.05	0.08			0.08		HV
		9	0.17	0.07	0.08			0.11		HV
		10	0.15	0.17	0.11			0.14		HV
		11	0.04	0.05	0.06			0.05		HV
		12	0.06	0.05	0.05			0.05		HV
		1	0.37	0.11	0.05			0.18		HV
		2	0.12	0.08	0.08			0.09		HV
		3	0.14	0.10	0.06			0.10		HV
	H22	4	0.18	0.13	0.10	0.02	0.05	0.14	0.11	HV
		5	0.07	0.12	0.07			0.09		HV
		6	0.08	0.10	0.07			0.08		HV
		7	0.19	0.14	0.12			0.15		HV
		8	0.16	0.16	0.06			0.13		HV
		9	0.23	0.11	0.12			0.15		HV
		10	0.13	0.11	0.10			0.11		HV
		11	0.10	tr(0.04)	0.06			0.07		HV
		12	0.05	0.09	0.05			0.06		HV
		1	0.05	0.06	0.05			0.05		HV
		2	tr(0.04)	0.07	0.11			0.07		HV
		3	0.33	0.06	0.08			0.16		HV
	H23	4	0.18	0.14	0.11	0.02	0.05	0.14	0.10	HV
		5	0.11	0.11	0.12			0.11		HV
		6	0.12	0.11	0.14			0.12		HV
		7	0.15	0.14	0.06			0.12		HV
		8	0.20	0.11	0.14			0.15		HV
		9	0.18	0.13	0.10			0.14		HV
		10	0.14	0.06	0.18			0.13		HV
		11	0.08	0.06	0.07			0.07		HV
		12	0.06	0.07	0.05			0.06		HV
		1	0.05	0.05	tr(0.04)			0.05		HV
		2	tr(0.04)	nd	nd			tr(0.02)		HV
		3	0.06	tr(0.03)	tr(0.04)			tr(0.04)		HV
	H24	4	0.11	0.22	0.25	0.03	0.07	0.19	0.09	HV
		5	0.11	tr(0.06)	tr(0.05)			0.07		HV
		6	0.17	0.13	0.13			0.14		HV
		7	0.11	0.13	0.10			0.11		HV
		8	0.13	0.13	0.10			0.12		HV
		9	0.13	0.09	0.07			0.10		HV
		10	0.08	0.07	tr(0.06)			0.07		HV
		11	0.08	0.09	tr(0.06)			0.08		HV
		12	tr(0.05)	0.07	tr(0.04)			tr(0.05)		HV
		1	tr(0.04)	tr(0.05)	nd			tr(0.04)		HV
		2	0.07	tr(0.05)	nd			tr(0.05)		HV
		3	0.09	tr(0.05)	tr(0.05)			tr(0.06)		HV
	H25	4	0.09	0.12	0.10	0.02	0.05	0.10	0.10	HV
		5	0.12	0.07	0.06			0.08		HV
		6	0.16	0.10	0.07			0.11		HV
		7	0.16	0.14	0.11			0.14		HV
		8	0.15	0.09	0.11			0.12		HV
		9	0.15	0.15	0.16			0.15		HV
		10	0.13	0.09	0.08			0.10		HV
		11	0.09	0.08	0.06			0.08		HV
		12	0.06	tr(0.04)	tr(0.04)			0.05		HV
		1	0.05	0.05	tr(0.04)			0.05		HV
		2	0.05	tr(0.04)	0.05			0.05		HV
		3	tr(0.04)	tr(0.04)	0.30			0.13		HV
	H26	4	0.09	0.08	0.05	0.02	0.04	0.07	0.07	HV
		5	0.12	0.05	0.05			0.07		HV
		6	0.10	0.13	0.11			0.11		HV
		7	0.16	0.07	0.08			0.10		HV
		8	0.12	0.20	0.12			0.15		HV
		9	0.12	0.10	0.11			0.11		HV
		10	0.08	0.08	0.04			0.07		HV
		11	0.04	0.05	tr(0.03)			0.04		HV
		12	0.07	tr(0.03)	nd			0.04		HV
		1	0.07	tr(0.03)	tr(0.03)			0.04		HV
		2	0.04	0.04	0.07			0.05		HV
		3	0.06	0.04	tr(0.03)			0.04		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.07	0.04	0.04	0.02	0.04	0.05	0.06	HV
		5	0.05	0.05	0.07			0.06		HV
		6	0.09	0.10	0.06			0.08		HV
		7	0.09	0.04	0.05			0.06		HV
		8	0.09	0.05	tr(0.03)			0.06		HV
		9	0.11	0.14	0.16			0.14		HV
		10	0.11	tr(0.03)	0.10			0.08		HV
		11	0.07	0.06	0.04			0.06		HV
		12	0.04	0.05	0.06			0.05		HV
		1	0.06	0.04	0.06			0.05		HV
		2	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)		HV
		3	0.04	0.04	tr(0.02)			tr(0.03)		HV
	H28	4	tr(0.10)	tr(0.05)	tr(0.05)	0.04	0.11	tr(0.07)	tr(0.10)	HV
		5	tr(0.07)	nd	tr(0.06)			tr(0.05)		HV
		6	0.14	0.31	0.11			0.19		HV
		7	0.12	0.15	0.11			0.13		HV
		8	0.19	0.17	0.25			0.20		HV
		9	0.14	0.13	0.17			0.15		HV
		10	0.11	0.16	tr(0.08)			0.12		HV
		11	tr(0.07)	tr(0.07)	nd			tr(0.05)		HV
		12	tr(0.10)	tr(0.05)	tr(0.05)			tr(0.07)		HV
		1	nd	nd	nd			nd		HV
		2	tr(0.09)	tr(0.08)	tr(0.06)			tr(0.08)		HV
		3	tr(0.06)	tr(0.08)	tr(0.07)			tr(0.07)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[12] クロルデコン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	nd	nd	nd	0.02	0.04	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H23	4	nd	nd	nd	0.02	0.04	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.01	0.03	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.01	0.03	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.01	0.03	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.01	0.03	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.01	0.03	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[13]ヘキサブロモビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	tr(0.2)	nd			tr(0.1)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	tr(0.2)	nd			tr(0.1)		HV
		9	nd	tr(0.1)	tr(0.2)			tr(0.1)		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H23	4	nd	nd	nd	0.1	0.3	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.1	0.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.07	0.19	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.07	0.19	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.07	0.19	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.07	0.19	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-1] テトラブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	0.88	0.44	0.19	0.05	0.12	0.50	0.33	HV
		5	0.33	0.34	0.16			0.28		HV
		6	0.52	0.47	0.30			0.43		HV
		7	0.89	0.45	0.36			0.57		HV
		8	0.78	0.57	0.27			0.54		HV
		9	0.87	0.68	0.57			0.71		HV
		10	0.27	0.28	0.34			0.30		HV
		11	0.17	tr(0.08)	tr(0.11)			0.12		HV
		12	tr(0.10)	0.20	tr(0.11)			0.14		HV
		1	tr(0.08)	tr(0.11)	tr(0.10)			tr(0.10)		HV
		2	0.12	0.14	0.17			0.14		HV
		3	0.27	tr(0.08)	tr(0.07)			0.14		HV
	H23	4	tr(0.12)	tr(0.10)	tr(0.11)	0.07	0.18	tr(0.11)	0.21	HV
		5	0.18	0.18	0.34			0.23		HV
		6	0.30	0.30	0.33			0.31		HV
		7	0.37	0.23	0.19			0.26		HV
		8	0.24	tr(0.17)	0.21			0.21		HV
		9	0.98	0.54	0.32			0.61		HV
		10	0.31	tr(0.13)	0.21			0.22		HV
		11	0.22	0.18	0.19			0.20		HV
		12	tr(0.15)	tr(0.11)	nd			tr(0.10)		HV
		1	tr(0.09)	tr(0.08)	tr(0.08)			tr(0.08)		HV
		2	tr(0.13)	nd	tr(0.07)			tr(0.08)		HV
		3	tr(0.17)	tr(0.10)	tr(0.11)			tr(0.13)		HV
	H24	4	0.3	tr(0.2)	nd	0.1	0.3	tr(0.2)	tr(0.2)	HV
		5	tr(0.2)	tr(0.1)	tr(0.1)			tr(0.1)		HV
		6	0.4	0.3	tr(0.2)			0.3		HV
		7	tr(0.2)	tr(0.2)	tr(0.2)			tr(0.2)		HV
		8	tr(0.2)	tr(0.2)	tr(0.2)			tr(0.2)		HV
		9	tr(0.2)	tr(0.2)	tr(0.2)			tr(0.2)		HV
		10	0.5	tr(0.2)	tr(0.1)			0.3		HV
		11	tr(0.1)	tr(0.1)	tr(0.1)			tr(0.1)		HV
		12	tr(0.1)	tr(0.2)	nd			tr(0.1)		HV
		1	tr(0.1)	nd	nd			tr(0.1)		HV
		2	tr(0.2)	nd	nd			tr(0.1)		HV
		3	nd	nd	nd			nd		HV
	H25	4	tr(0.1)	tr(0.2)	nd	0.1	0.3	tr(0.1)	0.5	HV
		5	tr(0.2)	nd	nd			tr(0.1)		HV
		6	0.3	tr(0.1)	nd			tr(0.2)		HV
		7	6.7	1.5	1.0			3.1		HV
		8	1.1	0.4	0.4			0.6		HV
		9	0.5	0.3	0.3			0.4		HV
		10	0.6	0.3	tr(0.2)			0.4		HV
		11	0.4	tr(0.2)	tr(0.2)			0.3		HV
		12	tr(0.2)	tr(0.1)	tr(0.1)			tr(0.1)		HV
		1	0.3	tr(0.2)	nd			tr(0.2)		HV
		2	tr(0.2)	nd	tr(0.1)			tr(0.1)		HV
		3	tr(0.2)	nd	nd			tr(0.1)		HV
	H26	4	tr(0.2)	tr(0.1)	nd	0.1	0.3	tr(0.1)	0.7	HV
		5	1.2	tr(0.2)	tr(0.1)			0.5		HV
		6	0.9	tr(0.2)	0.3			0.5		HV
		7	1.1	0.3	tr(0.2)			0.5		HV
		8	1.0	0.4	0.3			0.6		HV
		9	1.0	0.3	0.4			0.6		HV
		10	11	1.8	0.9			4.6		HV
		11	0.8	tr(0.2)	tr(0.1)			0.4		HV
		12	0.5	nd	nd			tr(0.2)		HV
		1	0.4	nd	nd			tr(0.2)		HV
		2	0.3	tr(0.2)	tr(0.2)			tr(0.2)		HV
		3	0.6	nd	nd			tr(0.2)		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.7	0.3	tr(0.2)	0.1	0.3	0.4	0.5	HV
		5	0.7	tr(0.2)	tr(0.1)			0.3		HV
		6	0.9	0.3	tr(0.2)			0.5		HV
		7	1.0	tr(0.2)	0.5			0.6		HV
		8	1.4	tr(0.2)	tr(0.1)			0.6		HV
		9	1.2	1.5	1.3			1.3		HV
		10	0.5	nd	tr(0.1)			tr(0.2)		HV
		11	1.1	0.3	tr(0.1)			0.5		HV
		12	0.7	tr(0.2)	tr(0.1)			0.3		HV
		1	0.5	nd	nd			tr(0.2)		HV
		2	0.4	tr(0.1)	tr(0.2)			tr(0.2)		HV
		3	0.5	tr(0.2)	tr(0.2)			0.3		HV
	H28	4	0.5	0.3	tr(0.2)	0.1	0.3	0.3	0.3	HV
		5	0.7	tr(0.2)	tr(0.1)			0.3		HV
		6	0.8	tr(0.2)	tr(0.2)			0.4		HV
		7	1.0	tr(0.2)	tr(0.1)			0.4		HV
		8	0.7	tr(0.2)	tr(0.2)			0.4		HV
		9	0.7	tr(0.2)	tr(0.2)			0.4		HV
		10	0.8	tr(0.2)	nd			0.4		HV
		11	0.3	nd	nd			tr(0.1)		HV
		12	0.7	tr(0.2)	tr(0.1)			0.3		HV
		1	0.6	0.3	tr(0.1)			0.3		HV
		2	0.5	tr(0.2)	tr(0.2)			0.3		HV
		3	0.4	0.3	tr(0.2)			0.3		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-2] ペンタブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	0.15	tr(0.08)	nd	0.05	0.12	tr(0.09)	tr(0.09)	HV
		5	tr(0.06)	tr(0.08)	nd			tr(0.06)		HV
		6	0.29	tr(0.10)	tr(0.09)			0.16		HV
		7	0.16	tr(0.11)	tr(0.08)			0.12		HV
		8	0.15	0.16	tr(0.07)			0.13		HV
		9	0.22	0.17	0.15			0.18		HV
		10	tr(0.07)	tr(0.06)	tr(0.07)			tr(0.07)		HV
		11	tr(0.05)	nd	nd			nd		HV
		12	nd	0.27	nd			tr(0.11)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.06)	nd	tr(0.09)			tr(0.06)		HV
	H23	4	nd	nd	nd	0.06	0.16	nd	tr(0.07)	HV
		5	tr(0.07)	nd	tr(0.09)			tr(0.06)		HV
		6	tr(0.12)	tr(0.07)	tr(0.09)			tr(0.09)		HV
		7	tr(0.09)	tr(0.06)	nd			tr(0.06)		HV
		8	tr(0.07)	nd	tr(0.09)			tr(0.06)		HV
		9	0.35	0.19	0.20			0.25		HV
		10	tr(0.11)	tr(0.06)	tr(0.07)			tr(0.08)		HV
		11	nd	nd	tr(0.07)			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	tr(0.06)	tr(0.07)	nd	0.06	0.14	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	tr(0.09)	tr(0.08)	nd			tr(0.07)		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	tr(0.07)			nd		HV
		9	tr(0.09)	tr(0.09)	tr(0.07)			tr(0.08)		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.13)	0.18	tr(0.09)			tr(0.13)		HV
		1	tr(0.06)	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.07	0.18	nd	0.24	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	4.1	1.1	0.63			1.9		HV
		8	0.64	0.29	tr(0.12)			0.35		HV
		9	0.18	tr(0.13)	tr(0.09)			tr(0.13)		HV
		10	0.18	tr(0.10)	nd			tr(0.11)		HV
		11	tr(0.12)	nd	nd			nd		HV
		12	nd	nd	tr(0.13)			tr(0.07)		HV
		1	tr(0.10)	tr(0.10)	nd			tr(0.08)		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	tr(0.08)	nd	nd	0.07	0.18	nd	0.40	HV
		5	0.29	tr(0.09)	nd			tr(0.14)		HV
		6	0.28	tr(0.09)	tr(0.07)			tr(0.15)		HV
		7	0.35	tr(0.12)	nd			tr(0.17)		HV
		8	0.32	tr(0.13)	tr(0.10)			0.18		HV
		9	0.35	tr(0.15)	tr(0.13)			0.21		HV
		10	6.1	2.5	0.98			3.2		HV
		11	0.36	0.25	tr(0.10)			0.24		HV
		12	0.30	tr(0.10)	nd			tr(0.15)		HV
		1	0.30	nd	nd			tr(0.12)		HV
		2	tr(0.07)	tr(0.11)	tr(0.17)			tr(0.12)		HV
		3	tr(0.12)	tr(0.07)	nd			tr(0.08)		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	0.21	tr(0.12)	tr(0.09)	0.07	0.18	tr(0.14)	tr(0.17)	HV
		5	0.20	tr(0.08)	tr(0.09)			tr(0.12)		HV
		6	0.37	tr(0.12)	tr(0.09)			0.19		HV
		7	0.30	tr(0.10)	tr(0.11)			tr(0.17)		HV
		8	0.66	nd	tr(0.08)			0.26		HV
		9	0.60	0.30	0.26			0.39		HV
		10	0.18	nd	nd			tr(0.08)		HV
		11	0.42	tr(0.15)	nd			0.20		HV
		12	0.24	tr(0.14)	tr(0.07)			tr(0.15)		HV
		1	tr(0.15)	nd	nd			tr(0.07)		HV
		2	tr(0.09)	nd	tr(0.16)			tr(0.10)		HV
		3	tr(0.12)	tr(0.10)	tr(0.11)			tr(0.11)		HV
	H28	4	0.37	0.21	tr(0.13)	0.07	0.19	0.24	0.22	HV
		5	0.22	tr(0.16)	tr(0.12)			tr(0.17)		HV
		6	0.43	tr(0.16)	tr(0.09)			0.23		HV
		7	0.98	tr(0.13)	tr(0.11)			0.41		HV
		8	0.38	tr(0.11)	tr(0.08)			0.19		HV
		9	0.41	tr(0.14)	tr(0.10)			0.22		HV
		10	1.0	0.23	tr(0.14)			0.46		HV
		11	tr(0.16)	nd	nd			tr(0.08)		HV
		12	0.24	tr(0.13)	tr(0.09)			tr(0.15)		HV
		1	0.22	0.36	tr(0.18)			0.25		HV
		2	tr(0.14)	tr(0.08)	tr(0.07)			tr(0.10)		HV
		3	tr(0.07)	tr(0.14)	tr(0.09)			tr(0.10)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-3] ヘキサブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	nd	nd	nd	0.06	0.16	nd	tr(0.06)	HV
		5	nd	tr(0.10)	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	tr(0.11)	nd	nd			tr(0.06)		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	tr(0.08)	nd	nd			nd		HV
		12	nd	0.60	tr(0.13)			0.25		HV
		1	nd	nd	tr(0.09)			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.06)	nd	0.17			tr(0.09)		HV
	H23	4	0.17	nd	nd	0.05	0.14	tr(0.07)	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	tr(0.05)	nd	nd			nd		HV
		10	nd	nd	tr(0.08)			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	tr(0.07)			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.2)	0.3	nd			tr(0.2)		HV
		1	nd	tr(0.1)	nd			tr(0.1)		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.2)	tr(0.1)	nd			tr(0.1)		HV
	H25	4	nd	nd	nd	0.1	0.4	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	tr(0.1)	nd	nd			tr(0.1)		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(0.2)			tr(0.1)		HV
		1	nd	tr(0.1)	nd			tr(0.1)		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.2	0.5	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	0.6	nd	nd			tr(0.3)		HV
		1	0.5	nd	nd			tr(0.2)		HV
		2	nd	tr(0.2)	tr(0.3)			tr(0.2)		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.4	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(0.1)			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	tr(0.2)			tr(0.1)		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.2)	nd	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	tr(0.2)	tr(0.2)			tr(0.2)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-4] ヘプタブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	nd	nd	nd	0.10	0.26	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	tr(0.10)	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	tr(0.10)	nd	nd			nd		HV
		12	nd	0.60	tr(0.20)			0.28		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	tr(0.20)			tr(0.10)		HV
	H23	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	0.3	nd	nd			tr(0.1)		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	tr(0.1)			tr(0.1)		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.2	0.5	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	tr(0.3)	nd			tr(0.2)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.3)	nd	nd			tr(0.2)		HV
	H25	4	nd	nd	nd	0.2	0.5	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	0.3	nd	nd			tr(0.1)		HV
		1	0.5	nd	nd			tr(0.2)		HV
		2	nd	tr(0.1)	tr(0.2)			tr(0.1)		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(0.1)			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	0.4	0.4	0.6			0.5		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.1)	nd	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.1)	0.3	tr(0.2)			tr(0.2)		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-5] オクタブロモジフェニルエーテル類 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	nd	nd	nd	0.06	0.15	nd	tr(0.12)	HV
		5	0.42	0.27	nd			0.24		HV
		6	nd	nd	0.65			0.24		HV
		7	0.32	nd	tr(0.07)			tr(0.14)		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	0.15	tr(0.12)	nd			tr(0.10)		HV
		11	0.15	tr(0.11)	0.16			tr(0.14)		HV
		12	nd	0.66	0.25			0.31		HV
		1	nd	tr(0.07)	0.16			tr(0.09)		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.08)	nd	0.16			tr(0.09)		HV
	H23	4	tr(0.16)	nd	nd	0.08	0.20	tr(0.08)	tr(0.08)	HV
		5	nd	nd	nd			nd		HV
		6	0.95	nd	nd			0.34		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	0.20			tr(0.09)		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	0.20			tr(0.09)		HV
		2	tr(0.09)	tr(0.12)	tr(0.10)			tr(0.10)		HV
		3	tr(0.08)	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	0.3	0.4	tr(0.2)			0.3		HV
		1	0.3	tr(0.2)	nd			tr(0.2)		HV
		2	nd	nd	nd			nd		HV
		3	0.3	0.3	nd			tr(0.2)		HV
	H25	4	nd	nd	tr(0.1)	0.1	0.3	tr(0.1)	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	tr(0.1)	tr(0.2)			tr(0.1)		HV
		1	nd	0.3	nd			tr(0.1)		HV
		2	nd	nd	nd			nd		HV
		3	nd	tr(0.2)	tr(0.1)			tr(0.1)		HV
	H26	4	nd	nd	nd	0.1	0.4	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	tr(0.3)	tr(0.1)	nd			tr(0.2)		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	tr(0.2)			tr(0.1)		HV
		12	0.7	tr(0.2)	nd			tr(0.3)		HV
		1	0.7	nd	nd			tr(0.3)		HV
		2	nd	tr(0.3)	0.4			tr(0.3)		HV
		3	tr(0.1)	tr(0.1)	nd			tr(0.1)		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	tr(0.1)			tr(0.1)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	0.3	0.3			tr(0.2)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	0.5	0.4	0.6			0.5		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	0.3	nd	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	tr(0.1)	tr(0.1)	tr(0.1)			tr(0.1)		HV
		3	tr(0.2)	0.4	0.3			0.3		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-6] ノブプロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	nd	nd	nd	0.3	0.7	nd	tr(0.5)	HV
		5	2.7	1.1	nd			1.3		HV
		6	nd	tr(0.5)	4.0			1.6		HV
		7	tr(0.6)	nd	tr(0.3)			tr(0.4)		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	0.7	tr(0.6)	tr(0.3)			tr(0.5)		HV
		11	tr(0.6)	tr(0.5)	tr(0.6)			tr(0.6)		HV
		12	nd	1.1	tr(0.5)			tr(0.6)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	tr(0.5)			tr(0.3)		HV
		3	nd	nd	tr(0.3)			nd		HV
	H23	4	tr(0.5)	nd	tr(0.4)	0.4	0.9	tr(0.4)	nd	HV
		5	nd	tr(0.5)	nd			nd		HV
		6	1.3	nd	nd			tr(0.6)		HV
		7	nd	tr(0.5)	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	tr(0.4)			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	nd	0.3	0.7	nd	tr(0.3)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	0.7	0.9	tr(0.4)			0.7		HV
		12	tr(0.4)	tr(0.5)	tr(0.4)			tr(0.4)		HV
		1	tr(0.4)	tr(0.3)	nd			tr(0.3)		HV
		2	nd	nd	nd			nd		HV
		3	tr(0.5)	tr(0.4)	nd			tr(0.4)		HV
	H25	4	nd	tr(0.4)	nd	0.4	1.0	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(0.4)			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	tr(0.9)	nd			tr(0.4)		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.4	0.9	nd	tr(0.5)	HV
		5	nd	nd	tr(0.5)			nd		HV
		6	tr(0.6)	tr(0.6)	nd			tr(0.5)		HV
		7	3.0	1.5	tr(0.5)			1.7		HV
		8	tr(0.6)	tr(0.7)	nd			tr(0.5)		HV
		9	nd	nd	1.6			tr(0.7)		HV
		10	nd	tr(0.5)	nd			nd		HV
		11	nd	nd	tr(0.6)			nd		HV
		12	0.9	nd	nd			tr(0.4)		HV
		1	tr(0.7)	nd	nd			tr(0.4)		HV
		2	nd	nd	tr(0.7)			tr(0.4)		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	tr(1.0)	nd	0.5	1.3	tr(0.5)	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	tr(1.0)	tr(1.0)			tr(0.8)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	tr(0.7)	tr(0.6)	nd	0.4	1.1	tr(0.5)	tr(0.5)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.7)	tr(0.7)	1.7			tr(1.0)		HV
		1	nd	nd	tr(0.7)			tr(0.4)		HV
		2	tr(0.5)	1.3	1.8			1.2		HV
		3	1.1	1.4	tr(1.0)			1.2		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[14-7] デカブロモジフェニルエーテル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	tr(3)	nd	tr(2)	2	6	tr(2)	tr(4)	HV
		5	19	15	tr(5)			13		HV
		6	tr(2)	10	16			9		HV
		7	6	tr(2)	tr(5)			tr(4)		HV
		8	tr(4)	nd	nd			tr(2)		HV
		9	nd	tr(4)	nd			tr(2)		HV
		10	tr(4)	tr(3)	nd			tr(3)		HV
		11	tr(3)	nd	tr(2)			tr(2)		HV
		12	tr(4)	8	tr(4)			tr(5)		HV
		1	nd	nd	nd			nd		HV
		2	tr(2)	nd	tr(5)			tr(3)		HV
		3	nd	nd	tr(3)			tr(2)		HV
	H23	4	8	tr(4)	7	3	7	tr(6)	nd	HV
		5	tr(4)	tr(5)	nd			tr(4)		HV
		6	tr(3)	nd	nd			nd		HV
		7	nd	7	tr(4)			tr(4)		HV
		8	nd	nd	nd			nd		HV
		9	tr(3)	nd	nd			nd		HV
		10	nd	nd	tr(4)			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H24	4	nd	nd	tr(4)	3	8	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	tr(3)			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	15	tr(7)			8		HV
		12	tr(5)	tr(3)	8			tr(5)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(4)	tr(4)	nd			tr(3)		HV
	H25	4	nd	nd	nd	3	8	nd	tr(3)	HV
		5	nd	nd	nd			nd		HV
		6	9	nd	nd			tr(4)		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	tr(5)	nd	nd			tr(3)		HV
		10	tr(4)	nd	nd			nd		HV
		11	tr(3)	tr(3)	nd			tr(3)		HV
		12	nd	nd	tr(4)			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	21	nd			8		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	3	8	nd	tr(3)	HV
		5	nd	nd	tr(4)			nd		HV
		6	tr(5)	tr(5)	nd			tr(4)		HV
		7	16	15	tr(3)			11		HV
		8	nd	tr(3)	nd			nd		HV
		9	nd	nd	18			tr(7)		HV
		10	tr(3)	nd	nd			nd		HV
		11	nd	nd	tr(4)			nd		HV
		12	tr(4)	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	tr(5)			tr(3)		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	16	nd	4	11	tr(7)	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	tr(5)	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(6)			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	tr(5)	nd	nd			nd		HV
	H28	4	tr(6)	10	nd	4	10	tr(6)	tr(5)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(6)	tr(6)	tr(8)			tr(7)		HV
		1	nd	nd	14			tr(6)		HV
		2	tr(7)	14	18			13		HV
		3	tr(9)	13	12			11		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[15]ペルフルオロオクタンスルホン酸 (PFOS) 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	5.5	5.9	4.6	0.1	0.4	5.3	4.8	HV
		5	5.1	0.7	0.7			2.2		HV
		6	7.7	7.3	8.0			7.7		HV
		7	8.3	8.7	9.3			8.8		HV
		8	15	8.5	6.9			10		HV
		9	6.3	8.0	7.3			7.2		HV
		10	1.4	1.2	0.9			1.2		HV
		11	0.9	2.1	0.7			1.2		HV
		12	6.2	2.0	0.9			3.0		HV
		1	1.1	1.9	5.7			2.9		HV
		2	2.2	2.9	4.7			3.3		HV
		3	4.7	6.3	3.7			4.9		HV
	H23	4	1.2	1.8	1.9	0.2	0.5	1.6	5.5	HV
		5	4.5	3.2	6.9			4.9		HV
		6	8.0	6.0	7.1			7.0		HV
		7	6.6	6.9	6.4			6.6		HV
		8	7.5	7.7	7.5			7.6		HV
		9	6.2	6.8	6.6			6.5		HV
		10	6.1	4.7	3.9			4.9		HV
		11	6.0	5.4	5.5			5.6		HV
		12	5.8	6.5	5.7			6.0		HV
		1	2.4	2.2	9.1			4.6		HV
		2	6.0	4.9	1.8			4.2		HV
		3	4.7	7.0	6.0			5.9		HV
	H24	4	5.6	5.9	3.1	0.2	0.5	4.9	3.9	HV
		5	4.3	4.0	4.9			4.4		HV
		6	5.0	5.9	5.4			5.4		HV
		7	5.1	5.5	5.6			5.4		HV
		8	5.3	5.2	5.4			5.3		HV
		9	5.2	5.5	5.4			5.4		HV
		10	1.5	5.1	4.0			3.5		HV
		11	1.6	1.3	1.7			1.5		HV
		12	1.2	2.6	1.7			1.8		HV
		1	0.9	3.6	3.8			2.8		HV
		2	7.0	6.6	3.3			5.6		HV
		3	0.7	1.6	1.3			1.2		HV
	H25	4	2.8	4.7	6.6	0.1	0.3	4.7	5.1	HV
		5	6.3	7.3	6.5			6.7		HV
		6	6.5	6.8	6.3			6.5		HV
		7	7.4	8.0	6.8			7.4		HV
		8	5.4	6.5	6.1			6.0		HV
		9	6.9	5.0	1.4			4.4		HV
		10	5.9	1.7	4.4			4.0		HV
		11	1.7	6.9	6.8			5.1		HV
		12	1.4	1.4	1.4			1.4		HV
		1	2.2	7.3	5.7			5.1		HV
		2	5.0	2.1	6.1			4.4		HV
		3	7.7	5.4	2.2			5.1		HV
	H26	4	5.5	6.1	5.0	0.1	0.3	5.5	6.0	HV
		5	7.4	5.7	5.5			6.2		HV
		6	7.4	9.1	8.0			8.2		HV
		7	6.8	6.4	7.0			6.7		HV
		8	6.1	7.1	6.5			6.6		HV
		9	7.4	6.6	10			8.0		HV
		10	4.8	4.7	6.0			5.2		HV
		11	1.4	4.0	4.3			3.2		HV
		12	6.0	4.5	4.2			4.9		HV
		1	11	6.9	4.6			7.5		HV
		2	7.5	4.3	1.7			4.5		HV
		3	5.8	5.6	6.5			6.0		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	3.9	3.2	0.5	0.1	0.3	2.5	4.8	HV
		5	5.9	5.0	1.1			4.0		HV
		6	6.8	5.4	5.8			6.0		HV
		7	5.8	5.2	5.3			5.4		HV
		8	8.7	7.3	6.7			7.6		HV
		9	6.0	6.1	5.8			6.0		HV
		10	4.0	5.7	2.2			4.0		HV
		11	5.8	6.6	8.0			6.8		HV
		12	6.4	8.0	2.9			5.8		HV
		1	5.2	6.4	2.7			4.8		HV
		2	4.8	4.4	1.5			3.6		HV
		3	0.9	1.2	1.3			1.1		HV
	H28	4	2.6	5.7	7.1	0.1	0.3	5.1	5.2	HV
		5	3.7	3.4	5.8			4.3		HV
		6	6.6	5.5	4.0			5.4		HV
		7	5.6	5.4	6.0			5.7		HV
		8	4.5	5.5	6.8			5.6		HV
		9	7.0	7.8	5.1			6.6		HV
		10	6.3	6.4	6.7			6.5		HV
		11	9.1	8.0	6.5			7.9		HV
		12	1.7	1.9	5.2			2.9		HV
		1	2.1	5.6	8.6			5.4		HV
		2	8.1	1.2	8.4			5.9		HV
		3	1.0	1.1	0.8			1.0		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[16] ペルフルオロオクタン酸 (PFOA) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	43	13	18	0.2	0.5	25	23	HV
		5	46	19	12			26		HV
		6	130	25	20			58		HV
		7	110	25	12			49		HV
		8	97	23	11			44		HV
		9	39	11	8.4			19		HV
		10	19	7.4	6.8			11		HV
		11	11	6.3	5.1			7.5		HV
		12	9.1	10	7.6			8.9		HV
		1	6.2	8.4	4.6			6.4		HV
		2	15	9.2	10			11		HV
		3	12	12	6.7			10		HV
	H23	4	11	11	20	0.2	0.6	14	7.1	HV
		5	13	4.6	12			9.9		HV
		6	3.5	2.8	8.1			4.8		HV
		7	4.3	5.0	3.7			4.3		HV
		8	4.4	4.1	4.6			4.4		HV
		9	11	9.0	8.1			9.4		HV
		10	6.5	6.4	18			10		HV
		11	7.1	4.8	6.0			6.0		HV
		12	4.1	4.5	5.0			4.5		HV
		1	7.7	5.1	11			7.9		HV
		2	5.3	5.8	4.9			5.3		HV
		3	5.9	4.4	4.0			4.8		HV
	H24	4	8.1	7.2	4.5	0.3	0.7	6.6	4.5	HV
		5	3.7	5.2	4.5			4.5		HV
		6	1.9	1.8	3.4			2.4		HV
		7	1.8	3.2	1.9			2.3		HV
		8	2.4	2.8	2.7			2.6		HV
		9	2.1	2.2	1.7			2.0		HV
		10	5.3	5.1	3.6			4.7		HV
		11	7.1	8.2	7.8			7.7		HV
		12	7.7	6.3	6.1			6.7		HV
		1	4.6	5.8	5.6			5.3		HV
		2	4.2	5.5	3.4			4.4		HV
		3	4.7	6.3	5.0			5.3		HV
	H25	4	9.7	5.0	13	0.1	0.4	9.2	11	HV
		5	7.6	7.2	3.9			6.2		HV
		6	3.2	2.4	2.6			2.7		HV
		7	8.7	5.7	5.4			6.6		HV
		8	6.8	5.0	5.0			5.6		HV
		9	23	17	7.5			16		HV
		10	28	8.3	11			16		HV
		11	30	25	11			22		HV
		12	23	13	19			18		HV
		1	21	19	5.2			15		HV
		2	15	7.0	4.7			8.9		HV
		3	12	6.8	7.4			8.7		HV
	H26	4	16	12	6.4	0.1	0.4	11	7.6	HV
		5	10	8.4	5.8			8.1		HV
		6	3.1	11	9.1			7.7		HV
		7	2.4	2.0	2.6			2.3		HV
		8	2.1	2.4	2.4			2.3		HV
		9	4.2	2.9	3.2			3.4		HV
		10	3.8	4.7	2.1			3.5		HV
		11	3.9	4.1	12			6.7		HV
		12	30	12	5.6			16		HV
		1	14	11	11			12		HV
		2	7.7	9.1	21			13		HV
		3	6.7	7.2	3.3			5.7		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	16	8.7	5.9	0.2	0.4	10	5.9	HV
		5	3.8	7.3	4.7			5.3		HV
		6	3.9	2.9	2.2			3.0		HV
		7	2.3	1.6	2.0			2.0		HV
		8	7.3	4.7	2.4			4.8		HV
		9	2.8	4.1	4.0			3.6		HV
		10	15	12	6.3			11		HV
		11	2.2	6.8	8.0			5.7		HV
		12	3.7	15	12			10		HV
		1	3.3	6.3	7.4			5.7		HV
		2	4.3	4.7	3.7			4.2		HV
		3	6.0	5.3	5.1			5.5		HV
	H28	4	5.4	4.3	2.5	0.2	0.4	4.1	6.8	HV
		5	5.2	3.7	3.4			4.1		HV
		6	6.5	3.9	2.6			4.3		HV
		7	2.3	2.0	1.9			2.1		HV
		8	3.1	1.7	4.2			3.0		HV
		9	4.0	4.4	7.5			5.3		HV
		10	5.3	4.3	4.3			4.6		HV
		11	18	11	7.4			12		HV
		12	12	4.0	5.5			7.2		HV
		1	8.0	4.0	8.2			6.7		HV
		2	12	10	10			11		HV
		3	9.4	28	15			17		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[17] ペンタクロロベンゼン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4	38	35	88	0.1	0.3	54	48	HV
		5	67	110	63			80		HV
		6	48	45	44			46		HV
		7	30	31	26			29		HV
		8	110	36	22			56		HV
		9	19	28	23			23		HV
		10	51	43	37			44		HV
		11	67	36	40			48		HV
		12	36	73	38			49		HV
		1	36	47	84			56		HV
		2	31	35	40			35		HV
		3	100	35	49			61		HV
	H23	4	61	67	48	0.2	0.6	59	51	HV
		5	52	45	50			49		HV
		6	40	37	34			37		HV
		7	36	29	25			30		HV
		8	37	31	34			34		HV
		9	52	46	45			48		HV
		10	36	61	140			79		HV
		11	52	48	70			57		HV
		12	31	56	31			39		HV
		1	33	45	67			48		HV
		2	49	36	47			44		HV
		3	120	79	73			91		HV
	H24	4	110	160	55	0.1	0.3	110	52	HV
		5	44	45	42			44		HV
		6	30	26	30			29		HV
		7	30	28	25			28		HV
		8	33	24	28			28		HV
		9	26	25	25			25		HV
		10	51	49	44			48		HV
		11	84	73	50			69		HV
		12	58	67	45			57		HV
		1	59	66	31			52		HV
		2	92	68	39			66		HV
		3	69	79	40			63		HV
	H25	4	38	260	140	0.2	0.5	150	54	HV
		5	78	100	49			76		HV
		6	26	25	22			24		HV
		7	25	22	21			23		HV
		8	25	20	20			22		HV
		9	46	33	31			37		HV
		10	31	28	30			30		HV
		11	80	71	65			72		HV
		12	44	48	60			51		HV
		1	30	110	33			58		HV
		2	49	36	45			43		HV
		3	84	54	36			58		HV
	H26	4	75	69	42	0.08	0.21	62	53	HV
		5	86	67	52			68		HV
		6	31	110	96			79		HV
		7	26	21	26			24		HV
		8	17	23	22			21		HV
		9	39	28	36			34		HV
		10	29	30	27			29		HV
		11	29	25	28			27		HV
		12	88	53	32			58		HV
		1	160	60	35			85		HV
		2	90	82	75			82		HV
		3	79	68	44			64		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	73	48	45	0.07	0.17	55	48	HV
		5	57	77	68			67		HV
		6	31	28	26			28		HV
		7	23	21	21			22		HV
		8	55	42	22			40		HV
		9	22	45	36			34		HV
		10	110	54	40			68		HV
		11	29	85	69			61		HV
		12	44	78	81			68		HV
		1	41	71	89			67		HV
		2	38	34	34			35		HV
		3	33	25	26			28		HV
	H28	4	94	72	40	0.2	0.5	69	56	HV
		5	72	68	45			62		HV
		6	78	41	22			47		HV
		7	27	22	23			24		HV
		8	27	25	45			32		HV
		9	43	38	86			56		HV
		10	41	37	35			38		HV
		11	100	82	50			77		HV
		12	71	40	40			50		HV
		1	31	40	79			50		HV
		2	95	61	92			83		HV
		3	65	98	100			88		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[18-1] α -エンドスルファン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4	30	27	22	0.8	2.2	26	30	HV
		5	18	22	20			20		HV
		6	4.4	16	6.2			8.9		HV
		7	7.0	8.7	10			8.6		HV
		8	6.4	6.3	7.2			6.6		HV
		9	300	160	54			170		HV
		10	45	46	81			57		HV
		11	22	16	17			18		HV
		12	8.9	7.3	11			9.1		HV
		1	5.4	5.0	12			7.5		HV
		2	8.6	4.1	5.6			6.1		HV
		3	22	18	15			18		HV
	H24	4	34	61	16	0.7	1.7	37	13	HV
		5	9.5	8.3	7.4			8.4		HV
		6	5.5	5.2	8.0			6.2		HV
		7	9.0	14	5.0			9.3		HV
		8	29	14	14			19		HV
		9	7.2	5.3	7.6			6.7		HV
		10	47	20	15			27		HV
		11	17	18	11			15		HV
		12	6.4	6.5	6.1			6.3		HV
		1	8.9	6.7	4.0			6.5		HV
		2	8.3	7.1	4.7			6.7		HV
		3	11	9.4	7.4			9.3		HV
	H25	4	8.0	56	41	0.8	2.1	35	14	HV
		5	47	26	14			29		HV
		6	5.7	6.9	9.4			7.3		HV
		7	4.6	4.7	8.3			5.9		HV
		8	11	7.4	6.6			8.3		HV
		9	34	38	24			32		HV
		10	5.0	7.8	18			10		HV
		11	13	10	11			11		HV
		12	7.3	7.0	9.0			7.8		HV
		1	4.0	8.7	2.9			5.2		HV
		2	4.3	2.8	5.6			4.2		HV
		3	9.0	6.9	5.8			7.2		HV
	H26	4	27	18	13	0.5	1.4	19	13	HV
		5	34	37	42			38		HV
		6	17	52	43			37		HV
		7	3.7	3.5	9.9			5.7		HV
		8	4.5	4.8	4.2			4.5		HV
		9	14	9.3	8.6			11		HV
		10	4.6	5.0	6.6			5.4		HV
		11	4.8	3.2	8.2			5.4		HV
		12	7.0	3.9	2.5			4.5		HV
		1	12	5.0	2.8			6.6		HV
		2	9.5	9.7	8.2			9.1		HV
		3	13	7.6	5.0			8.5		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	24	11	8.3	0.7	1.7	14	11	HV
		5	18	41	50			36		HV
		6	4.2	3.1	2.5			3.3		HV
		7	3.2	2.8	3.8			3.3		HV
		8	33	14	3.4			17		HV
		9	8.1	20	20			16		HV
		10	26	8.0	6.6			14		HV
		11	3.7	15	10			9.6		HV
		12	3.2	5.8	6.5			5.2		HV
		1	4.7	6.7	5.0			5.5		HV
		2	2.5	2.0	2.0			2.2		HV
		3	tr(1.6)	2.0	tr(1.4)			1.7		HV
	H28	4	20	10	2.9	0.5	1.2	11	8.5	HV
		5	22	13	4.7			13		HV
		6	17	9.5	6.2			11		HV
		7	3.7	3.2	4.3			3.7		HV
		8	3.9	4.0	7.5			5.1		HV
		9	12	16	37			22		HV
		10	4.0	2.6	2.4			3.0		HV
		11	11	9.2	3.5			7.9		HV
		12	5.5	2.5	2.4			3.5		HV
		1	1.9	2.5	4.0			2.8		HV
		2	10	6.2	8.3			8.2		HV
		3	6.4	13	14			11		HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[18-2] β -エンドスルファン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4	2.4	2.1	1.4	0.1	0.4	2.0	1.6	HV
		5	1.3	0.8	0.9			1.0		HV
		6	0.7	1.2	0.6			0.8		HV
		7	0.6	0.5	0.5			0.5		HV
		8	0.6	0.5	0.5			0.5		HV
		9	1.3	5.8	1.5			6.8		HV
		10	2.9	3.9	8.4			5.1		HV
		11	0.7	0.6	0.5			0.6		HV
		12	0.6	0.4	0.5			0.5		HV
		1	tr(0.3)	tr(0.3)	0.7			0.4		HV
		2	0.8	tr(0.2)	tr(0.3)			0.4		HV
		3	1.1	0.4	0.5			0.7		HV
	H24	4	2.4	4.2	1.6	0.2	0.6	2.7	0.8	HV
		5	tr(0.5)	tr(0.3)	tr(0.3)			tr(0.4)		HV
		6	0.7	tr(0.5)	0.6			0.6		HV
		7	tr(0.5)	0.7	tr(0.4)			tr(0.5)		HV
		8	0.7	tr(0.4)	tr(0.4)			tr(0.5)		HV
		9	0.6	tr(0.3)	tr(0.2)			tr(0.4)		HV
		10	2.1	0.6	tr(0.3)			1.0		HV
		11	1.3	0.9	tr(0.4)			0.9		HV
		12	0.8	1.0	0.7			0.8		HV
		1	0.8	tr(0.5)	tr(0.3)			tr(0.5)		HV
		2	0.9	0.6	tr(0.4)			0.6		HV
		3	1.1	0.8	tr(0.5)			0.8		HV
	H25	4	0.7	4.3	2.8	0.2	0.6	2.6	0.9	HV
		5	1.7	1.0	tr(0.4)			1.0		HV
		6	0.6	0.6	0.8			0.7		HV
		7	0.7	tr(0.4)	tr(0.4)			tr(0.5)		HV
		8	0.6	tr(0.4)	tr(0.5)			tr(0.5)		HV
		9	1.4	1.6	0.8			1.3		HV
		10	tr(0.5)	tr(0.4)	0.6			tr(0.5)		HV
		11	1.1	0.6	tr(0.5)			0.7		HV
		12	0.8	0.8	0.9			0.8		HV
		1	tr(0.5)	0.7	tr(0.3)			tr(0.5)		HV
		2	tr(0.5)	tr(0.5)	tr(0.5)			tr(0.5)		HV
		3	0.6	0.6	0.7			0.6		HV
	H26	4	1.8	1.0	0.5	0.1	0.3	1.1	1.0	HV
		5	1.4	1.4	2.7			1.8		HV
		6	1.4	3.8	1.9			2.4		HV
		7	0.6	0.4	0.4			0.5		HV
		8	0.6	0.5	0.3			0.5		HV
		9	0.5	0.4	0.5			0.5		HV
		10	0.5	0.4	0.4			0.4		HV
		11	0.6	0.4	0.8			0.6		HV
		12	1.4	0.6	0.3			0.8		HV
		1	1.4	0.5	0.6			0.8		HV
		2	0.6	1.0	1.6			1.1		HV
		3	1.2	1.1	0.8			1.0		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	1.4	1.3	0.7	0.2	0.5	1.1	0.8	HV
		5	1.7	2.3	2.8			2.3		HV
		6	0.5	tr(0.4)	tr(0.3)			tr(0.4)		HV
		7	tr(0.3)	tr(0.2)	tr(0.3)			tr(0.3)		HV
		8	tr(0.4)	tr(0.3)	nd			tr(0.3)		HV
		9	0.6	tr(0.4)	tr(0.4)			0.5		HV
		10	2.9	0.8	0.7			1.5		HV
		11	0.6	1.7	0.6			1.0		HV
		12	0.6	0.7	0.8			0.7		HV
		1	0.5	0.5	0.6			0.5		HV
		2	0.6	tr(0.3)	tr(0.3)			tr(0.4)		HV
		3	tr(0.4)	tr(0.3)	tr(0.3)			tr(0.3)		HV
	H28	4	0.9	0.6	tr(0.4)	0.2	0.5	0.6	0.5	HV
		5	1.2	tr(0.4)	tr(0.3)			0.6		HV
		6	0.7	0.5	tr(0.3)			0.5		HV
		7	tr(0.4)	tr(0.3)	tr(0.3)			tr(0.3)		HV
		8	0.5	tr(0.4)	0.5			0.5		HV
		9	0.6	0.8	1.5			1.0		HV
		10	tr(0.4)	tr(0.2)	nd			tr(0.2)		HV
		11	0.7	0.5	tr(0.2)			0.5		HV
		12	0.6	tr(0.3)	tr(0.3)			tr(0.4)		HV
		1	tr(0.4)	tr(0.3)	tr(0.2)			tr(0.3)		HV
		2	0.9	0.5	0.5			0.6		HV
		3	0.6	0.9	0.9			0.8		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[19-1] α -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4	2.0	0.6	8.5	0.2	0.6	3.7	1.8	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	3.4	nd	nd			1.2		HV
		9	nd	nd	nd			nd		HV
		10	nd	tr(0.3)	nd			tr(0.2)		HV
		11	1.6	0.6	tr(0.4)			0.9		HV
		12	3.7	1.7	6.1			3.8		HV
		1	1.3	23	0.8			8.4		HV
		2	nd	nd	nd			nd		HV
		3	3.9	2.4	1.2			2.5		HV
	H25	4	nd	nd	0.5	0.1	0.3	tr(0.2)	tr(0.2)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	0.3	nd			tr(0.1)		HV
		10	nd	nd	nd			nd		HV
		11	0.7	tr(0.2)	tr(0.1)			0.3		HV
		12	1.0	0.5	0.7			0.7		HV
		1	0.3	tr(0.2)	nd			tr(0.2)		HV
		2	tr(0.1)	nd	nd			tr(0.1)		HV
		3	nd	0.4	0.4			0.3		HV
	H26	4	0.3	tr(0.2)	tr(0.1)	0.1	0.3	tr(0.2)	0.3	HV
		5	nd	0.9	tr(0.2)			0.4		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	tr(0.2)	nd			tr(0.1)		HV
		9	nd	nd	nd			nd		HV
		10	tr(0.1)	nd	nd			tr(0.1)		HV
		11	tr(0.1)	tr(0.2)	0.5			0.3		HV
		12	2.4	0.8	nd			1.1		HV
		1	0.6	nd	tr(0.1)			0.3		HV
		2	nd	0.6	1.5			0.7		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	tr(0.1)	0.4	tr(0.1)	0.1	0.3	tr(0.2)	0.3	HV
		5	nd	0.4	2.0			0.8		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	0.6	1.7	tr(0.2)			0.8		HV
		11	nd	nd	nd			nd		HV
		12	nd	0.5	1.3			0.6		HV
		1	nd	0.3	0.8			0.4		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	1.5	0.3	nd	0.1	0.3	0.6	0.4	HV
		5	0.8	0.3	nd			0.4		HV
		6	nd	nd	nd			nd		HV
		7	nd	tr(0.2)	nd			tr(0.1)		HV
		8	tr(0.1)	tr(0.1)	nd			tr(0.1)		HV
		9	nd	nd	0.3			tr(0.1)		HV
		10	nd	nd	tr(0.1)			tr(0.1)		HV
		11	tr(0.1)	nd	tr(0.1)			tr(0.1)		HV
		12	0.5	nd	0.3			0.3		HV
		1	tr(0.1)	tr(0.1)	tr(0.2)			tr(0.1)		HV
		2	0.4	0.6	tr(0.1)			0.4		HV
		3	2.3	3.0	2.2			2.5		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[19-2] β -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4	2.0	0.3	4.4	0.1	0.3	2.2	0.6	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	0.8	nd	nd			0.3		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	0.7	tr(0.1)	nd			0.3		HV
		12	1.8	0.5	2.6			1.6		HV
		1	0.4	4.7	0.4			1.8		HV
		2	nd	nd	nd			nd		HV
		3	1.6	1.0	0.5			1.0		HV
	H25	4	nd	nd	tr(0.2)	0.1	0.3	tr(0.1)	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	0.3	nd	nd			tr(0.1)		HV
		12	0.4	tr(0.2)	0.3			0.3		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	tr(0.1)			tr(0.1)		HV
	H26	4	nd	nd	nd	0.09	0.22	nd	tr(0.10)	HV
		5	nd	0.25	nd			tr(0.11)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	tr(0.17)			tr(0.09)		HV
		12	0.89	0.23	nd			0.39		HV
		1	tr(0.12)	nd	nd			nd		HV
		2	nd	tr(0.17)	0.62			0.28		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	tr(0.1)	0.6			0.3		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	tr(0.1)	0.4	nd			tr(0.2)		HV
		11	nd	nd	nd			nd		HV
		12	nd	0.3	0.5			0.3		HV
		1	nd	nd	0.4			tr(0.2)		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	0.5	nd	nd	0.1	0.3	tr(0.2)	tr(0.2)	HV
		5	tr(0.2)	tr(0.2)	nd			tr(0.2)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.2)	nd	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	tr(0.2)	tr(0.2)	nd			tr(0.2)		HV
		3	1.1	1.5	1.2			1.3		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[19-3] γ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4	8.6	1.0	14	0.1	0.3	7.9	1.6	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	0.4	nd	nd			tr(0.2)		HV
		9	nd	nd	nd			nd		HV
		10	nd	0.3	tr(0.2)			tr(0.2)		HV
		11	2.3	tr(0.2)	tr(0.2)			0.9		HV
		12	4.5	1.3	6.8			4.2		HV
		1	1.3	4.4	1.4			2.4		HV
		2	nd	nd	nd			nd		HV
		3	4.7	4.2	2.3			3.7		HV
	H25	4	nd	nd	0.5	0.1	0.3	tr(0.2)	tr(0.2)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	0.3	tr(0.1)			tr(0.2)		HV
		10	nd	tr(0.2)	nd			tr(0.1)		HV
		11	0.8	tr(0.1)	0.3			0.4		HV
		12	1.2	0.4	1.1			0.9		HV
		1	0.3	tr(0.1)	nd			tr(0.2)		HV
		2	nd	nd	nd			nd		HV
		3	nd	tr(0.2)	0.4			tr(0.2)		HV
	H26	4	tr(0.14)	tr(0.17)	tr(0.10)	0.09	0.22	tr(0.14)	0.28	HV
		5	nd	1.3	0.31			0.55		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	tr(0.19)	tr(0.21)	0.70			0.37		HV
		12	2.7	tr(0.21)	nd			0.99		HV
		1	0.24	nd	nd			tr(0.11)		HV
		2	nd	1.0	1.7			0.92		HV
		3	nd	tr(0.12)	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	0.8	nd	0.1	0.3	0.3	0.3	HV
		5	nd	0.7	1.7			0.8		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	0.5	0.9	0.3			0.6		HV
		11	nd	nd	nd			nd		HV
		12	nd	0.8	2.7			1.2		HV
		1	nd	tr(0.2)	1.3			0.5		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	2.4	0.4	0.4	0.1	0.3	1.1	0.7	HV
		5	1.1	0.3	nd			0.5		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	0.4			tr(0.2)		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	0.6	nd	tr(0.1)			0.3		HV
		1	tr(0.1)	tr(0.1)	tr(0.2)			tr(0.1)		HV
		2	0.5	2.9	tr(0.2)			1.2		HV
		3	2.9	5.8	3.9			4.2		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[19-4] δ-1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: pg/m³) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4	nd	nd	nd	0.2	0.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	0.8			tr(0.3)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.2)	tr(0.1)	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.09	0.23	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	0.27	tr(0.10)	nd			tr(0.14)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	tr(0.14)			nd		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	tr(0.2)			tr(0.1)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	tr(0.2)	nd			tr(0.1)		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(0.2)			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.1	0.3	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[19-5] ε-1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: pg/m ³) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4	nd	nd	tr(0.4)	0.2	0.6	tr(0.2)	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	tr(0.4)			tr(0.2)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H25	4	nd	nd	nd	0.2	0.4	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H26	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.2)	nd	nd			tr(0.1)		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	tr(0.1)			tr(0.1)		HV
		3	nd	nd	nd			nd		HV

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4	nd	nd	nd	0.1	0.3	nd	tr(0.1)	HV
		5	nd	nd	tr(0.2)			tr(0.1)		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	tr(0.1)	nd			tr(0.1)		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	nd	nd			nd		HV
	H28	4	nd	nd	nd	0.2	0.6	nd	nd	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	nd	nd	nd			nd		HV
		1	nd	nd	nd			nd		HV
		2	nd	nd	nd			nd		HV
		3	nd	tr(0.2)	nd			nd		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20] 総ポリ塩化ナフタレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	9.4	10	23	0.41	1.00	14	17	HV
		5	9.7	9.9	11			10		HV
		6	14	11	15			13		HV
		7	13	9.0	9.2			10		HV
		8	16	12	100			43		HV
		9	24	17	13			18		HV
		10	17	13	11			14		HV
		11	18	20	15			18		HV
		12	22	10	9.1			14		HV
		1	8.9	10	20			13		HV
		2	27	16	23			22		HV
		3	11	20	10			14		HV

(注1) 定量[検出]下限値は同族体ごとの定量[検出]下限値の合計値とした。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-1] モノ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	4.3	5.6	15	0.2	0.5	8.3	10	HV
		5	5.2	5.9	6.2			5.8		HV
		6	6.7	4.9	8.6			6.7		HV
		7	6.4	5.1	5.5			5.7		HV
		8	5.5	5.5	7.3			28		HV
		9	16	11	6.1			11		HV
		10	7.0	7.8	7.2			7.3		HV
		11	9.8	13	9.8			11		HV
		12	15	6.1	5.6			8.9		HV
		1	5.6	6.0	14			8.5		HV
		2	17	9.4	15			14		HV
		3	6.1	11	5.3			7.5		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-2] ジ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	2.2	2.1	4.5	0.07	0.17	2.9	3.1	HV
		5	1.9	1.7	2.0			1.9		HV
		6	2.4	1.9	2.0			2.1		HV
		7	1.6	1.1	1.2			1.3		HV
		8	4.0	1.6	11			5.5		HV
		9	3.0	2.0	3.0			2.7		HV
		10	5.8	2.9	2.2			3.6		HV
		11	4.6	3.9	3.0			3.8		HV
		12	4.1	2.3	1.8			2.7		HV
		1	1.9	2.4	2.8			2.4		HV
		2	6.2	4.1	5.1			5.1		HV
		3	2.7	4.8	2.5			3.3		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-3] トリ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	1.5	1.3	1.7	0.03	0.08	1.5	1.9	HV
		5	1.5	1.3	1.7			1.5		HV
		6	2.4	2.3	1.9			2.2		HV
		7	2.4	1.2	1.3			1.6		HV
		8	2.9	2.2	9.9			5.0		HV
		9	2.1	1.6	1.9			1.9		HV
		10	2.2	1.3	1.0			1.5		HV
		11	2.0	1.9	1.5			1.8		HV
		12	1.5	0.89	0.94			1.1		HV
		1	0.77	1.2	2.0			1.3		HV
		2	2.3	1.3	1.8			1.8		HV
		3	0.97	1.8	1.2			1.3		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-4] テトラ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	1.2	1.0	1.9	0.03	0.07	1.4	1.6	HV
		5	1.0	0.89	1.3			1.1		HV
		6	2.3	2.1	2.0			2.1		HV
		7	2.1	1.5	1.1			1.6		HV
		8	3.3	2.3	7.6			4.4		HV
		9	2.4	1.9	1.9			2.1		HV
		10	1.8	1.1	0.76			1.2		HV
		11	1.2	1.0	0.67			0.96		HV
		12	0.84	0.72	0.64			0.73		HV
		1	0.55	0.74	1.1			0.80		HV
		2	1.5	1.1	1.2			1.3		HV
		3	0.71	1.4	0.93			1.0		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-5] ペンタ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	0.14	0.09	0.17	0.02	0.05	0.13	0.16	HV
		5	0.11	0.09	0.19			0.13		HV
		6	0.17	0.13	0.17			0.16		HV
		7	0.14	0.10	0.08			0.11		HV
		8	0.27	0.16	0.58			0.34		HV
		9	0.19	0.14	0.14			0.16		HV
		10	0.13	0.10	0.06			0.10		HV
		11	0.13	0.15	0.09			0.12		HV
		12	0.17	0.07	0.07			0.10		HV
		1	0.05	0.08	0.20			0.11		HV
		2	0.31	0.15	0.24			0.23		HV
		3	0.15	0.33	0.22			0.23		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-6] ヘキサ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	tr(0.03)	nd	tr(0.03)	0.02	0.04	tr(0.02)	tr(0.03)	HV
		5	tr(0.03)	nd	nd			tr(0.02)		HV
		6	nd	nd	tr(0.03)			tr(0.02)		HV
		7	nd	nd	nd			nd		HV
		8	tr(0.03)	nd	0.11			0.05		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	0.04	0.04	tr(0.03)			0.04		HV
		12	0.06	nd	nd			tr(0.03)		HV
		1	nd	nd	0.06			tr(0.03)		HV
		2	0.10	0.04	0.06			0.07		HV
		3	0.05	0.13	0.09			0.09		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-7] ヘプタ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	nd	nd	nd	0.02	0.04	nd	tr(0.02)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	tr(0.02)			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.03)	nd	nd			tr(0.02)		HV
		1	nd	nd	nd			nd		HV
		2	tr(0.03)	nd	nd			tr(0.02)		HV
		3	tr(0.03)	0.07	0.07			0.06		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[20-8] オクタ塩化ナフタレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	nd	nd	nd	0.02	0.05	nd	tr(0.02)	HV
		5	nd	nd	nd			nd		HV
		6	nd	nd	nd			nd		HV
		7	nd	nd	nd			nd		HV
		8	nd	nd	nd			nd		HV
		9	nd	nd	nd			nd		HV
		10	nd	nd	nd			nd		HV
		11	nd	nd	nd			nd		HV
		12	tr(0.04)	nd	nd			tr(0.02)		HV
		1	nd	nd	nd			nd		HV
		2	tr(0.03)	nd	nd			tr(0.02)		HV
		3	tr(0.04)	0.10	0.09			0.08		HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[21] ヘキサクロブタ-1,3-ジエン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	1,100	850	530	20	50	830	890	HV
		5	1,300	1,300	860			1,200		HV
		6	1,100	590	480			720		HV
		7	460	500	430			460		HV
		8	300	360	440			370		HV
		9	640	580	1,300			840		HV
		10	520	550	520			530		HV
		11	1,400	1,000	740			1,000		HV
		12	1,100	650	740			830		HV
		1	520	600	1,000			710		HV
		2	1,200	770	1,400			1,100		HV
		3	900	2,500	2,900			2,100		HV

(注) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[22-1] ペンタクロロフェノール 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	1.3	tr(0.7)	1.2	0.3	0.8	1.1	1.0	HV
		5	1.0	0.8	tr(0.6)			0.8		HV
		6	1.1	0.9	tr(0.7)			0.9		HV
		7	0.8	tr(0.6)	tr(0.6)			tr(0.7)		HV
		8	1.4	0.8	2.2			1.5		HV
		9	1.4	tr(0.6)	1.5			1.2		HV
		10	0.9	0.8	tr(0.5)			tr(0.7)		HV
		11	1.0	1.1	1.0			1.0		HV
		12	0.9	tr(0.4)	tr(0.7)			tr(0.7)		HV
		1	tr(0.5)	tr(0.4)	tr(0.7)			tr(0.5)		HV
		2	1.5	tr(0.6)	tr(0.5)			0.9		HV
		3	0.9	1.8	2.1			1.6		HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[22-2] ペンタクロロアニソール 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 沖縄県辺戸岬	H21	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H22	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H23	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H24	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H25	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	8	6	8	2	6	7	8	HV
		5	6	7	9					HV
		6	10	14	7					HV
		7	12	11	7					HV
		8	22	16	22					HV
		9	13	10	13					HV
		10	8	7	6					HV
		11	7	7	tr(4)					HV
		12	tr(5)	tr(4)	tr(3)					HV
		1	tr(4)	tr(4)	tr(4)					HV
		2	6	6	6					HV
		3	tr(4)	tr(4)	tr(5)					HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1] 総PCB 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	37	0.22	0.62	37	MV
		5	35				MV
		6	35				MV
		7	52				MV
		8	41				MV
		9	43				MV
		10	40				MV
		11	27				MV
		12	26				MV
		1	38				MV
		2	29				MV
		3	46				MV
	H27	4	40	0.39	0.90	42	MV
		5	49				MV
		6	40				MV
		7	44				MV
		8	64				MV
		9	58				MV
		10	52				MV
		11	51				MV
		12	26				MV
		1	24				MV
		2	23				MV
		3	30				MV
	H28	4	35	0.6	1.7	50	MV
		5	60				MV
		6	59				MV
		7	73				MV
		8	110				MV
		9	62				MV
		10	56				MV
		11	42				MV
		12	22				MV
		1	23				MV
		2	27				MV
		3	33				MV

(注1) 定量[検出]下限値は同族体ごとの定量[検出]下限値の合計値とした。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-1] モノクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	3.0	0.03	0.07	3.6	MV
		5	3.5				MV
		6	2.3				MV
		7	2.5				MV
		8	1.8				MV
		9	2.4				MV
		10	3.1				MV
		11	3.3				MV
		12	4.8				MV
		1	5.6				MV
		2	5.4				MV
		3	6.0				MV
	H27	4	5.6	0.03	0.07	3.2	MV
		5	2.7				MV
		6	2.1				MV
		7	1.0				MV
		8	1.8				MV
		9	1.7				MV
		10	2.1				MV
		11	5.8				MV
		12	3.9				MV
		1	5.4				MV
		2	2.7				MV
		3	3.4				MV
	H28	4	3.2	0.03	0.07	3.7	MV
		5	3.6				MV
		6	3.3				MV
		7	3.1				MV
		8	2.6				MV
		9	1.6				MV
		10	4.1				MV
		11	6.9				MV
		12	2.1				MV
		1	4.5				MV
		2	3.8				MV
		3	5.7				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-2] ジクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	15	0.08	0.22	16	MV
		5	14				MV
		6	15				MV
		7	28				MV
		8	19				MV
		9	17				MV
		10	17				MV
		11	9.3				MV
		12	8.7				MV
		1	13				MV
		2	10				MV
		3	21				MV
	H27	4	15	0.2	0.4	19	MV
		5	24				MV
		6	18				MV
		7	23				MV
		8	37				MV
		9	23				MV
		10	28				MV
		11	22				MV
		12	9.9				MV
		1	7.7				MV
		2	8.3				MV
		3	12				MV
	H28	4	13	0.4	1.2	23	MV
		5	27				MV
		6	29				MV
		7	36				MV
		8	57				MV
		9	32				MV
		10	26				MV
		11	16				MV
		12	7.3				MV
		1	7.2				MV
		2	10				MV
		3	13				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-3]トリクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	11	0.02	0.06	9.6	MV
		5	9.2				MV
		6	8.6				MV
		7	11				MV
		8	11				MV
		9	13				MV
		10	10				MV
		11	8.0				MV
		12	6.5				MV
		1	10				MV
		2	7.1				MV
		3	10				MV
	H27	4	9.8	0.07	0.18	10	MV
		5	12				MV
		6	10				MV
		7	9.5				MV
		8	12				MV
		9	18				MV
		10	12				MV
		11	14				MV
		12	5.7				MV
		1	4.6				MV
		2	5.8				MV
		3	8.3				MV
	H28	4	11	0.07	0.18	14	MV
		5	18				MV
		6	16				MV
		7	21				MV
		8	28				MV
		9	19				MV
		10	16				MV
		11	10				MV
		12	6.6				MV
		1	5.4				MV
		2	6.3				MV
		3	7.4				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-4] テトラクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	4.1	0.02	0.05	4.6	MV
		5	4.3				MV
		6	4.8				MV
		7	6.4				MV
		8	5.7				MV
		9	6.0				MV
		10	5.0				MV
		11	3.4				MV
		12	3.0				MV
		1	4.2				MV
		2	3.5				MV
		3	4.7				MV
	H27	4	4.7	0.02	0.05	5.3	MV
		5	5.5				MV
		6	5.6				MV
		7	5.9				MV
		8	8.4				MV
		9	10				MV
		10	5.6				MV
		11	5.6				MV
		12	3.5				MV
		1	3.0				MV
		2	2.8				MV
		3	3.3				MV
	H28	4	4.6	0.04	0.09	6.0	MV
		5	7.4				MV
		6	6.4				MV
		7	8.2				MV
		8	13				MV
		9	6.4				MV
		10	6.5				MV
		11	5.2				MV
		12	3.0				MV
		1	3.2				MV
		2	3.8				MV
		3	3.8				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-5] ペンタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	2.2	0.02	0.05	2.4	MV
		5	2.3				MV
		6	2.4				MV
		7	2.9				MV
		8	2.3				MV
		9	2.9				MV
		10	2.7				MV
		11	1.8				MV
		12	1.8				MV
		1	2.8				MV
		2	1.8				MV
		3	2.3				MV
	H27	4	2.4	0.02	0.05	2.4	MV
		5	2.6				MV
		6	2.4				MV
		7	2.6				MV
		8	3.3				MV
		9	3.6				MV
		10	2.8				MV
		11	2.1				MV
		12	2.0				MV
		1	1.8				MV
		2	1.7				MV
		3	1.7				MV
	H28	4	1.9	0.01	0.04	2.2	MV
		5	2.5				MV
		6	2.1				MV
		7	2.6				MV
		8	3.7				MV
		9	2.0				MV
		10	2.2				MV
		11	2.3				MV
		12	1.6				MV
		1	1.5				MV
		2	1.7				MV
		3	1.8				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-6] ヘキサクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	1.1	0.01	0.04	1.1	MV
		5	1.0				MV
		6	1.0				MV
		7	0.94				MV
		8	0.97				MV
		9	1.2				MV
		10	1.4				MV
		11	0.90				MV
		12	0.87				MV
		1	1.5				MV
		2	0.85				MV
		3	1.3				MV
	H27	4	1.3	0.01	0.03	1.1	MV
		5	1.4				MV
		6	1.1				MV
		7	1.3				MV
		8	1.1				MV
		9	1.1				MV
		10	0.97				MV
		11	1.1				MV
		12	0.93				MV
		1	0.84				MV
		2	0.82				MV
		3	0.76				MV
	H28	4	0.85	0.01	0.03	1.0	MV
		5	1.0				MV
		6	1.1				MV
		7	1.4				MV
		8	1.3				MV
		9	0.85				MV
		10	1.1				MV
		11	1.3				MV
		12	0.80				MV
		1	0.85				MV
		2	0.87				MV
		3	0.82				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-7] ヘブタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.33	0.01	0.03	0.42	MV
		5	0.31				MV
		6	0.34				MV
		7	0.33				MV
		8	0.46				MV
		9	0.37				MV
		10	0.60				MV
		11	0.33				MV
		12	0.35				MV
		1	0.62				MV
		2	0.29				MV
		3	0.65				MV
	H27	4	0.62	0.01	0.03	0.42	MV
		5	0.75				MV
		6	0.43				MV
		7	0.55				MV
		8	0.40				MV
		9	0.34				MV
		10	0.32				MV
		11	0.43				MV
		12	0.31				MV
		1	0.31				MV
		2	0.26				MV
		3	0.26				MV
	H28	4	0.33	0.01	0.03	0.37	MV
		5	0.30				MV
		6	0.49				MV
		7	0.59				MV
		8	0.36				MV
		9	0.25				MV
		10	0.50				MV
		11	0.60				MV
		12	0.21				MV
		1	0.24				MV
		2	0.31				MV
		3	0.24				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-8] オクタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.06	0.01	0.04	0.07	MV
		5	0.06				MV
		6	0.06				MV
		7	0.05				MV
		8	0.06				MV
		9	0.05				MV
		10	0.09				MV
		11	0.06				MV
		12	0.09				MV
		1	0.10				MV
		2	0.06				MV
		3	0.09				MV
	H27	4	0.09	0.01	0.03	0.07	MV
		5	0.10				MV
		6	0.07				MV
		7	0.07				MV
		8	0.06				MV
		9	0.05				MV
		10	0.04				MV
		11	0.05				MV
		12	0.06				MV
		1	0.07				MV
		2	0.07				MV
		3	0.05				MV
	H28	4	0.05	0.01	0.03	0.06	MV
		5	0.05				MV
		6	0.07				MV
		7	0.07				MV
		8	0.07				MV
		9	0.04				MV
		10	0.04				MV
		11	0.10				MV
		12	0.05				MV
		1	0.06				MV
		2	0.06				MV
		3	0.05				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-9] ノナクロロビフェニル類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	tr(0.02)	0.01	0.04	tr(0.03)	MV
		5	tr(0.03)				MV
		6	tr(0.03)				MV
		7	tr(0.02)				MV
		8	tr(0.03)				MV
		9	tr(0.02)				MV
		10	tr(0.03)				MV
		11	tr(0.03)				MV
		12	0.06				MV
		1	0.05				MV
		2	tr(0.02)				MV
		3	0.05				MV
	H27	4	0.04	0.01	0.04	tr(0.03)	MV
		5	0.04				MV
		6	tr(0.03)				MV
		7	tr(0.02)				MV
		8	tr(0.03)				MV
		9	tr(0.02)				MV
		10	tr(0.03)				MV
		11	tr(0.02)				MV
		12	tr(0.03)				MV
		1	tr(0.03)				MV
		2	0.07				MV
		3	tr(0.02)				MV
	H28	4	0.025	0.008	0.021	0.024	MV
		5	0.025				MV
		6	0.031				MV
		7	0.024				MV
		8	0.024				MV
		9	tr(0.015)				MV
		10	0.023				MV
		11	0.037				MV
		12	tr(0.013)				MV
		1	0.026				MV
		2	0.023				MV
		3	0.022				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[1-10] デカクロロビフェニル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.030	0.008	0.020	0.042	MV
		5	0.034				MV
		6	0.036				MV
		7	tr(0.011)				MV
		8	0.024				MV
		9	tr(0.018)				MV
		10	0.024				MV
		11	0.049				MV
		12	0.085				MV
		1	0.059				MV
		2	0.049				MV
		3	0.080				MV
	H27	4	0.050	0.007	0.019	0.081	MV
		5	0.043				MV
		6	0.035				MV
		7	0.021				MV
		8	0.041				MV
		9	0.021				MV
		10	0.028				MV
		11	tr(0.016)				MV
		12	0.031				MV
		1	0.050				MV
		2	0.60				MV
		3	0.041				MV
	H28	4	0.031	0.007	0.018	0.034	MV
		5	0.098				MV
		6	0.046				MV
		7	0.028				MV
		8	0.030				MV
		9	tr(0.012)				MV
		10	0.018				MV
		11	0.034				MV
		12	tr(0.014)				MV
		1	0.032				MV
		2	0.037				MV
		3	0.023				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[2]HCB 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	150	0.2	0.5	140	MV
		5	140				MV
		6	160				MV
		7	63				MV
		8	140				MV
		9	97				MV
		10	97				MV
		11	140				MV
		12	110				MV
		1	120				MV
		2	190				MV
		3	220				MV
	H27	4	190	0.1	0.3	140	MV
		5	190				MV
		6	190				MV
		7	100				MV
		8	180				MV
		9	110				MV
		10	110				MV
		11	150				MV
		12	91				MV
		1	120				MV
		2	120				MV
		3	160				MV
	H28	4	170	0.1	0.3	150	MV
		5	170				MV
		6	210				MV
		7	180				MV
		8	220				MV
		9	130				MV
		10	160				MV
		11	170				MV
		12	92				MV
		1	97				MV
		2	110				MV
		3	120				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[3]アルドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.28	0.02	0.05	0.27	MV
		5	0.33				MV
		6	0.70				MV
		7	0.06				MV
		8	0.49				MV
		9	0.43				MV
		10	0.24				MV
		11	0.07				MV
		12	0.07				MV
		1	0.09				MV
		2	0.20				MV
		3	0.31				MV
	H27	4	0.78	0.02	0.05	0.60	MV
		5	1.4				MV
		6	0.36				MV
		7	0.53				MV
		8	1.6				MV
		9	0.41				MV
		10	0.42				MV
		11	0.28				MV
		12	0.26				MV
		1	0.30				MV
		2	0.39				MV
		3	0.44				MV
	H28	4	0.28	0.02	0.06	0.15	MV
		5	0.14				MV
		6	0.15				MV
		7	0.46				MV
		8	nd				MV
		9	0.25				MV
		10	0.10				MV
		11	0.16				MV
		12	tr(0.04)				MV
		1	tr(0.05)				MV
		2	0.08				MV
		3	0.13				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[4]ディルドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	1.1	0.02	0.05	1.3	MV
		5	1.2				MV
		6	1.4				MV
		7	1.4				MV
		8	1.2				MV
		9	3.0				MV
		10	1.2				MV
		11	0.92				MV
		12	0.95				MV
		1	0.88				MV
		2	1.2				MV
		3	1.4				MV
	H27	4	1.3	0.02	0.06	1.8	MV
		5	1.2				MV
		6	2.2				MV
		7	2.8				MV
		8	3.7				MV
		9	2.6				MV
		10	1.5				MV
		11	1.8				MV
		12	1.2				MV
		1	0.99				MV
		2	1.4				MV
		3	1.2				MV
	H28	4	1.0	0.03	0.08	1.6	MV
		5	2.1				MV
		6	1.1				MV
		7	1.3				MV
		8	3.9				MV
		9	2.4				MV
		10	2.0				MV
		11	1.7				MV
		12	0.92				MV
		1	0.76				MV
		2	0.73				MV
		3	0.83				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[5]エンドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.05	0.02	0.05	0.06	MV
		5	tr(0.04)				MV
		6	0.06				MV
		7	0.08				MV
		8	0.07				MV
		9	0.09				MV
		10	0.05				MV
		11	tr(0.03)				MV
		12	tr(0.04)				MV
		1	tr(0.04)				MV
		2	0.05				MV
		3	0.06				MV
	H27	4	0.06	0.02	0.06	0.07	MV
		5	0.06				MV
		6	0.07				MV
		7	0.10				MV
		8	0.13				MV
		9	0.08				MV
		10	0.06				MV
		11	0.07				MV
		12	tr(0.05)				MV
		1	tr(0.04)				MV
		2	tr(0.05)				MV
		3	tr(0.04)				MV
	H28	4	tr(0.05)	0.02	0.06	0.06	MV
		5	0.06				MV
		6	tr(0.05)				MV
		7	0.07				MV
		8	0.11				MV
		9	0.08				MV
		10	0.06				MV
		11	tr(0.05)				MV
		12	tr(0.04)				MV
		1	tr(0.04)				MV
		2	tr(0.04)				MV
		3	tr(0.03)				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[6-1]p,p'-DDT 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	0.35	0.02	0.05	0.44	MV
		5	0.46				MV
		6	0.75				MV
		7	0.56				MV
		8	0.70				MV
		9	0.42				MV
		10	0.51				MV
		11	0.36				MV
		12	0.26				MV
		1	0.24				MV
		2	0.25				MV
		3	0.46				MV
	H27	4	0.45	0.02	0.06	0.44	MV
		5	0.64				MV
		6	0.62				MV
		7	0.49				MV
		8	0.75				MV
		9	0.53				MV
		10	0.43				MV
		11	0.40				MV
		12	0.26				MV
		1	0.27				MV
		2	0.26				MV
		3	0.20				MV
	H28	4	0.42	0.02	0.06	0.45	MV
		5	0.51				MV
		6	0.88				MV
		7	0.88				MV
		8	0.70				MV
		9	0.45				MV
		10	0.34				MV
		11	0.39				MV
		12	0.21				MV
		1	0.16				MV
		2	0.22				MV
		3	0.18				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[6-2] <i>p,p'</i> -DDE 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.64	0.02	0.05	1.0	MV
		5	0.95				MV
		6	0.77				MV
		7	0.87				MV
		8	0.98				MV
		9	0.62				MV
		10	1.8				MV
		11	1.2				MV
		12	1.3				MV
		1	0.84				MV
		2	0.88				MV
		3	1.3				MV
	H27	4	1.3	0.02	0.05	1.0	MV
		5	1.2				MV
		6	0.82				MV
		7	0.92				MV
		8	1.2				MV
		9	1.1				MV
		10	0.67				MV
		11	1.4				MV
		12	1.1				MV
		1	0.92				MV
		2	1.2				MV
		3	0.52				MV
	H28	4	1.2	0.02	0.06	1.0	MV
		5	0.95				MV
		6	1.9				MV
		7	1.6				MV
		8	0.82				MV
		9	0.77				MV
		10	0.73				MV
		11	1.5				MV
		12	1.3				MV
		1	0.68				MV
		2	0.68				MV
		3	0.40				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[6-3]p,p'-DDD 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	0.042	0.007	0.018	0.085	MV
		5	0.055				MV
		6	0.10				MV
		7	0.11				MV
		8	0.19				MV
		9	0.075				MV
		10	0.11				MV
		11	0.098				MV
		12	0.079				MV
		1	0.046				MV
		2	0.050				MV
		3	0.066				MV
	H27	4	0.063	0.007	0.018	0.074	MV
		5	0.11				MV
		6	0.059				MV
		7	0.077				MV
		8	0.12				MV
		9	0.10				MV
		10	0.085				MV
		11	0.087				MV
		12	0.067				MV
		1	0.055				MV
		2	0.036				MV
		3	0.029				MV
	H28	4	0.041	0.007	0.017	0.072	MV
		5	0.038				MV
		6	0.12				MV
		7	0.22				MV
		8	0.12				MV
		9	0.090				MV
		10	0.053				MV
		11	0.057				MV
		12	0.036				MV
		1	0.024				MV
		2	0.040				MV
		3	0.019				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[6-4]o,p'-DDT 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	0.32	0.009	0.023	0.46	MV
		5	0.56				MV
		6	0.95				MV
		7	0.38				MV
		8	0.73				MV
		9	0.37				MV
		10	0.51				MV
		11	0.35				MV
		12	0.27				MV
		1	0.29				MV
		2	0.29				MV
		3	0.46				MV
	H27	4	0.56	0.01	0.03	0.48	MV
		5	0.78				MV
		6	0.64				MV
		7	0.45				MV
		8	0.83				MV
		9	0.49				MV
		10	0.32				MV
		11	0.52				MV
		12	0.30				MV
		1	0.27				MV
		2	0.32				MV
		3	0.25				MV
	H28	4	0.44	0.01	0.03	0.44	MV
		5	0.45				MV
		6	0.98				MV
		7	0.95				MV
		8	0.55				MV
		9	0.32				MV
		10	0.31				MV
		11	0.41				MV
		12	0.30				MV
		1	0.17				MV
		2	0.23				MV
		3	0.21				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[6-5] <i>o,p'</i> -DDE 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.13	0.009	0.023	0.19	MV
		5	0.20				MV
		6	0.24				MV
		7	0.12				MV
		8	0.24				MV
		9	0.084				MV
		10	0.30				MV
		11	0.17				MV
		12	0.18				MV
		1	0.17				MV
		2	0.16				MV
		3	0.23				MV
	H27	4	0.31	0.007	0.019	0.18	MV
		5	0.32				MV
		6	0.17				MV
		7	0.12				MV
		8	0.23				MV
		9	0.15				MV
		10	0.11				MV
		11	0.24				MV
		12	0.15				MV
		1	0.14				MV
		2	0.15				MV
		3	0.10				MV
	H28	4	0.17	0.008	0.020	0.17	MV
		5	0.14				MV
		6	0.40				MV
		7	0.30				MV
		8	0.12				MV
		9	0.090				MV
		10	0.12				MV
		11	0.22				MV
		12	0.15				MV
		1	0.11				MV
		2	0.15				MV
		3	0.083				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[6-6] <i>o,p'</i> -DDD 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	0.06	0.02	0.05	0.10	MV
		5	0.07				MV
		6	0.15				MV
		7	0.11				MV
		8	0.20				MV
		9	0.08				MV
		10	0.12				MV
		11	0.12				MV
		12	0.10				MV
		1	0.06				MV
		2	0.06				MV
		3	0.07				MV
	H27	4	0.09	0.02	0.05	0.09	MV
		5	0.14				MV
		6	0.07				MV
		7	0.09				MV
		8	0.15				MV
		9	0.12				MV
		10	0.09				MV
		11	0.11				MV
		12	0.08				MV
		1	0.06				MV
		2	tr(0.04)				MV
		3	tr(0.03)				MV
	H28	4	0.05	0.02	0.05	0.09	MV
		5	0.05				MV
		6	0.19				MV
		7	0.29				MV
		8	0.12				MV
		9	0.09				MV
		10	0.08				MV
		11	0.08				MV
		12	0.05				MV
		1	tr(0.04)				MV
		2	0.05				MV
		3	tr(0.03)				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[7-1]cis-クロルデン 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	2.6	0.03	0.08	2.9	MV
		5	3.2				MV
		6	4.8				MV
		7	4.0				MV
		8	3.4				MV
		9	8.8				MV
		10	3.0				MV
		11	0.91				MV
		12	0.83				MV
		1	0.92				MV
		2	0.79				MV
		3	1.9				MV
	H27	4	1.5	0.1	0.2	4.1	MV
		5	2.2				MV
		6	7.5				MV
		7	6.7				MV
		8	11				MV
		9	7.9				MV
		10	3.7				MV
		11	3.8				MV
		12	1.2				MV
		1	1.1				MV
		2	0.9				MV
		3	1.2				MV
	H28	4	1.7	0.1	0.3	4.0	MV
		5	6.1				MV
		6	3.0				MV
		7	4.1				MV
		8	14				MV
		9	7.1				MV
		10	5.4				MV
		11	2.6				MV
		12	1.1				MV
		1	0.8				MV
		2	1.1				MV
		3	1.5				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[7-2]trans-クロルデン 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	2.8	0.04	0.11	3.0	MV
		5	3.5				MV
		6	4.6				MV
		7	4.2				MV
		8	3.5				MV
		9	8.7				MV
		10	2.8				MV
		11	0.72				MV
		12	0.79				MV
		1	1.0				MV
		2	0.95				MV
		3	2.2				MV
	H27	4	1.7	0.1	0.3	4.1	MV
		5	2.2				MV
		6	7.3				MV
		7	6.7				MV
		8	11				MV
		9	8.1				MV
		10	3.6				MV
		11	4.4				MV
		12	1.2				MV
		1	1.1				MV
		2	1.0				MV
		3	1.3				MV
	H28	4	1.8	0.1	0.4	3.9	MV
		5	5.9				MV
		6	2.9				MV
		7	4.5				MV
		8	11				MV
		9	7.0				MV
		10	6.0				MV
		11	3.0				MV
		12	1.2				MV
		1	0.8				MV
		2	1.1				MV
		3	1.6				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[7-3]オキシクロルデン 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	0.25	0.02	0.06	0.29	MV
		5	0.31				MV
		6	0.40				MV
		7	0.21				MV
		8	0.33				MV
		9	0.54				MV
		10	0.36				MV
		11	0.27				MV
		12	0.23				MV
		1	0.17				MV
		2	0.18				MV
		3	0.20				MV
	H27	4	0.17	0.02	0.06	0.32	MV
		5	0.25				MV
		6	0.51				MV
		7	0.36				MV
		8	0.52				MV
		9	0.53				MV
		10	0.36				MV
		11	0.34				MV
		12	0.23				MV
		1	0.23				MV
		2	0.18				MV
		3	0.20				MV
	H28	4	0.23	0.02	0.06	0.32	MV
		5	0.39				MV
		6	0.33				MV
		7	0.35				MV
		8	0.64				MV
		9	0.44				MV
		10	0.41				MV
		11	0.26				MV
		12	0.24				MV
		1	0.16				MV
		2	0.15				MV
		3	0.21				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[7-4]cis-ノナタクロル 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	0.30	0.02	0.04	0.35	MV
		5	0.34				MV
		6	0.50				MV
		7	0.57				MV
		8	0.50				MV
		9	1.1				MV
		10	0.39				MV
		11	0.08				MV
		12	0.07				MV
		1	0.10				MV
		2	0.09				MV
		3	0.20				MV
	H27	4	0.18	0.02	0.06	0.47	MV
		5	0.26				MV
		6	0.79				MV
		7	0.91				MV
		8	1.4				MV
		9	0.85				MV
		10	0.47				MV
		11	0.41				MV
		12	0.12				MV
		1	0.11				MV
		2	0.08				MV
		3	0.11				MV
	H28	4	0.18	0.02	0.06	0.49	MV
		5	0.65				MV
		6	0.39				MV
		7	0.60				MV
		8	1.8				MV
		9	0.94				MV
		10	0.59				MV
		11	0.30				MV
		12	0.11				MV
		1	0.08				MV
		2	0.10				MV
		3	0.13				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[7-5]trans-ノナクロル 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	2.3	0.04	0.10	2.4	MV
		5	2.7				MV
		6	3.9				MV
		7	3.2				MV
		8	2.7				MV
		9	7.0				MV
		10	2.4				MV
		11	0.75				MV
		12	0.74				MV
		1	0.76				MV
		2	0.72				MV
		3	1.6				MV
	H27	4	1.2	0.08	0.21	3.3	MV
		5	1.8				MV
		6	6.2				MV
		7	5.5				MV
		8	8.9				MV
		9	6.2				MV
		10	3.0				MV
		11	3.2				MV
		12	0.93				MV
		1	0.91				MV
		2	0.77				MV
		3	0.97				MV
	H28	4	1.5	0.09	0.22	3.3	MV
		5	5.2				MV
		6	2.4				MV
		7	3.3				MV
		8	11				MV
		9	5.9				MV
		10	4.3				MV
		11	2.1				MV
		12	0.95				MV
		1	0.66				MV
		2	0.83				MV
		3	1.2				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[8-1]ヘブタクロル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.46	0.03	0.07	0.40	MV
		5	0.59				MV
		6	0.57				MV
		7	0.46				MV
		8	0.41				MV
		9	1.2				MV
		10	0.37				MV
		11	0.11				MV
		12	0.10				MV
		1	0.13				MV
		2	0.09				MV
		3	0.28				MV
	H27	4	0.18	0.03	0.08	0.49	MV
		5	0.31				MV
		6	0.72				MV
		7	0.71				MV
		8	1.0				MV
		9	1.1				MV
		10	0.49				MV
		11	0.77				MV
		12	0.19				MV
		1	0.15				MV
		2	0.12				MV
		3	0.15				MV
	H28	4	0.27	0.03	0.09	0.54	MV
		5	0.98				MV
		6	0.44				MV
		7	0.61				MV
		8	1.2				MV
		9	0.75				MV
		10	1.0				MV
		11	0.52				MV
		12	0.17				MV
		1	0.10				MV
		2	0.17				MV
		3	0.28				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[8-2]cis-ヘブタクロルヘボキシド 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	0.36	0.01	0.03	0.43	MV
		5	0.42				MV
		6	0.57				MV
		7	0.36				MV
		8	0.44				MV
		9	0.73				MV
		10	0.52				MV
		11	0.52				MV
		12	0.37				MV
		1	0.32				MV
		2	0.26				MV
		3	0.29				MV
	H27	4	0.27	0.01	0.03	0.44	MV
		5	0.36				MV
		6	0.66				MV
		7	0.49				MV
		8	0.64				MV
		9	0.71				MV
		10	0.50				MV
		11	0.40				MV
		12	0.35				MV
		1	0.32				MV
		2	0.31				MV
		3	0.30				MV
	H28	4	0.34	0.01	0.03	0.41	MV
		5	0.47				MV
		6	0.41				MV
		7	0.50				MV
		8	0.73				MV
		9	0.50				MV
		10	0.47				MV
		11	0.33				MV
		12	0.38				MV
		1	0.24				MV
		2	0.25				MV
		3	0.32				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[8-3] <i>trans</i> -ヘプタクロルエボキシド 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	nd	0.04	0.11	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.04	0.10	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.04	0.10	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[9-1] Parlar-26 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	nd	0.2	0.4	tr(0.2)	MV
		5	nd				MV
		6	tr(0.2)				MV
		7	nd				MV
		8	tr(0.2)				MV
		9	tr(0.2)				MV
		10	tr(0.3)				MV
		11	tr(0.2)				MV
		12	tr(0.2)				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.2	0.5	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	tr(0.2)				MV
		10	tr(0.2)				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.2	0.4	nd	MV
		5	nd				MV
		6	tr(0.2)				MV
		7	tr(0.2)				MV
		8	tr(0.2)				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[9-2] Parlar-50 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	nd	0.1	0.4	tr(0.1)	MV
		5	tr(0.1)				MV
		6	tr(0.1)				MV
		7	tr(0.1)				MV
		8	tr(0.2)				MV
		9	tr(0.1)				MV
		10	tr(0.1)				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.1	0.4	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	tr(0.1)				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.09	0.22	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[9-3] Parlar-62 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	nd	0.8	2.1	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.9	2.4	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.5	1.2	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[10]マイレックス 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.12	0.007	0.017	0.17	MV
		5	0.31				MV
		6	0.28				MV
		7	0.16				MV
		8	0.39				MV
		9	0.12				MV
		10	0.21				MV
		11	0.074				MV
		12	0.064				MV
		1	0.076				MV
		2	0.076				MV
		3	0.14				MV
	H27	4	0.15	0.009	0.023	0.16	MV
		5	0.21				MV
		6	0.33				MV
		7	0.23				MV
		8	0.32				MV
		9	0.14				MV
		10	0.094				MV
		11	0.15				MV
		12	0.061				MV
		1	0.051				MV
		2	0.065				MV
		3	0.060				MV
	H28	4	0.096	0.007	0.019	0.16	MV
		5	0.11				MV
		6	0.30				MV
		7	0.34				MV
		8	0.30				MV
		9	0.17				MV
		10	0.16				MV
		11	0.19				MV
		12	0.058				MV
		1	0.043				MV
		2	0.056				MV
		3	0.051				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[11-1] α -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	14	0.04	0.10	13	MV
		5	14				MV
		6	32				MV
		7	6.7				MV
		8	27				MV
		9	21				MV
		10	13				MV
		11	7.1				MV
		12	3.8				MV
		1	4.6				MV
		2	6.2				MV
		3	7.4				MV
	H27	4	7.9	0.1	0.3	14	MV
		5	15				MV
		6	40				MV
		7	16				MV
		8	25				MV
		9	22				MV
		10	9.9				MV
		11	11				MV
		12	4.6				MV
		1	4.0				MV
		2	3.2				MV
		3	5.9				MV
	H28	4	10	0.08	0.20	14	MV
		5	13				MV
		6	21				MV
		7	26				MV
		8	30				MV
		9	24				MV
		10	14				MV
		11	13				MV
		12	4.3				MV
		1	3.8				MV
		2	3.9				MV
		3	5.8				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[11-2] β -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.78	0.02	0.05	0.77	MV
		5	0.76				MV
		6	1.1				MV
		7	1.1				MV
		8	1.1				MV
		9	1.2				MV
		10	0.80				MV
		11	0.45				MV
		12	0.27				MV
		1	0.31				MV
		2	0.44				MV
		3	0.89				MV
	H27	4	0.58	0.02	0.06	0.78	MV
		5	0.71				MV
		6	0.84				MV
		7	1.2				MV
		8	1.7				MV
		9	1.3				MV
		10	0.84				MV
		11	0.81				MV
		12	0.33				MV
		1	0.29				MV
		2	0.34				MV
		3	0.37				MV
	H28	4	0.56	0.03	0.07	0.81	MV
		5	0.91				MV
		6	1.2				MV
		7	1.5				MV
		8	1.8				MV
		9	1.1				MV
		10	0.83				MV
		11	0.61				MV
		12	0.32				MV
		1	0.25				MV
		2	0.32				MV
		3	0.33				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[11-3] γ -HCH(別名:リンデン) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	2.5	0.02	0.06	2.4	MV
		5	3.0				MV
		6	4.5				MV
		7	2.2				MV
		8	4.0				MV
		9	4.4				MV
		10	1.9				MV
		11	1.5				MV
		12	0.80				MV
		1	1.2				MV
		2	1.1				MV
		3	1.8				MV
	H27	4	1.5	0.07	0.18	2.5	MV
		5	2.8				MV
		6	3.6				MV
		7	3.5				MV
		8	5.8				MV
		9	4.9				MV
		10	2.0				MV
		11	2.0				MV
		12	1.0				MV
		1	0.77				MV
		2	0.94				MV
		3	1.3				MV
	H28	4	1.9	0.06	0.16	2.5	MV
		5	2.8				MV
		6	3.5				MV
		7	4.3				MV
		8	5.8				MV
		9	3.5				MV
		10	2.2				MV
		11	1.7				MV
		12	0.96				MV
		1	0.71				MV
		2	1.0				MV
		3	1.3				MV

(注) サンプラーの「MV」はミドルボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[11-4] δ -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.09	0.02	0.04	0.10	MV
		5	0.11				MV
		6	0.20				MV
		7	0.12				MV
		8	0.13				MV
		9	0.15				MV
		10	0.09				MV
		11	0.06				MV
		12	tr(0.03)				MV
		1	0.05				MV
		2	0.06				MV
		3	0.08				MV
	H27	4	0.10	0.02	0.04	0.11	MV
		5	0.10				MV
		6	0.11				MV
		7	0.20				MV
		8	0.17				MV
		9	0.18				MV
		10	0.09				MV
		11	0.10				MV
		12	0.05				MV
		1	0.05				MV
		2	0.05				MV
		3	0.06				MV
	H28	4	tr(0.06)	0.04	0.11	0.12	MV
		5	0.13				MV
		6	0.13				MV
		7	0.25				MV
		8	0.25				MV
		9	0.17				MV
		10	0.12				MV
		11	0.12				MV
		12	nd				MV
		1	tr(0.05)				MV
		2	tr(0.07)				MV
		3	tr(0.06)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[12] クロルデコン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	nd	0.01	0.03	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.01	0.03	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.01	0.03	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[13]ヘキサブロモビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	nd	0.07	0.19	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.07	0.19	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.07	0.19	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-1] テトラブロモジフェニルエーテル類 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	0.3	0.1	0.3	0.6	MV
		5	tr(0.1)				MV
		6	1.5				MV
		7	1.3				MV
		8	0.6				MV
		9	0.7				MV
		10	0.5				MV
		11	0.6				MV
		12	0.6				MV
		1	0.4				MV
		2	0.3				MV
		3	0.4				MV
	H27	4	0.8	0.1	0.3	0.6	MV
		5	1.0				MV
		6	0.7				MV
		7	0.8				MV
		8	0.7				MV
		9	0.5				MV
		10	0.7				MV
		11	0.5				MV
		12	0.6				MV
		1	0.3				MV
		2	0.3				MV
		3	0.6				MV
	H28	4	0.5	0.1	0.3	0.7	MV
		5	1.1				MV
		6	1.0				MV
		7	0.8				MV
		8	0.7				MV
		9	0.5				MV
		10	0.7				MV
		11	0.7				MV
		12	0.5				MV
		1	0.8				MV
		2	0.3				MV
		3	0.6				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-2] ペンタブロモジフェニルエーテル類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	tr(0.10)	0.07	0.18	0.26	MV
		5	nd				MV
		6	0.85				MV
		7	0.63				MV
		8	0.25				MV
		9	0.24				MV
		10	0.23				MV
		11	tr(0.16)				MV
		12	tr(0.15)				MV
		1	0.18				MV
		2	tr(0.10)				MV
		3	tr(0.17)				MV
	H27	4	0.19	0.07	0.18	0.25	MV
		5	0.51				MV
		6	0.31				MV
		7	0.42				MV
		8	0.33				MV
		9	0.21				MV
		10	0.37				MV
		11	0.21				MV
		12	tr(0.15)				MV
		1	tr(0.09)				MV
		2	nd				MV
		3	0.20				MV
	H28	4	0.22	0.07	0.19	0.41	MV
		5	0.77				MV
		6	0.62				MV
		7	0.89				MV
		8	0.44				MV
		9	0.48				MV
		10	0.53				MV
		11	0.37				MV
		12	tr(0.12)				MV
		1	tr(0.16)				MV
		2	0.22				MV
		3	tr(0.15)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-3] ヘキサブロモジフェニルエーテル類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	nd	0.2	0.5	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	tr(0.2)				MV
		2	nd				MV
		3	nd				MV
	H27	4	nd	0.1	0.4	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	tr(0.2)				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-4] ヘプタブロモジフェニルエーテル類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	nd	0.1	0.3	tr(0.1)	MV
		5	tr(0.1)				MV
		6	nd				MV
		7	tr(0.1)				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(0.2)				MV
		12	tr(0.2)				MV
		1	0.3				MV
		2	nd				MV
		3	tr(0.1)				MV
	H27	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	tr(0.2)				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	tr(0.1)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-5] オクタブロモジフェニルエーテル類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	tr(0.2)	0.1	0.4	tr(0.3)	MV
		5	tr(0.3)				MV
		6	tr(0.1)				MV
		7	0.4				MV
		8	nd				MV
		9	tr(0.2)				MV
		10	nd				MV
		11	0.4				MV
		12	0.7				MV
		1	0.9				MV
		2	tr(0.2)				MV
		3	0.4				MV
	H27	4	tr(0.2)	0.1	0.3	tr(0.2)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	tr(0.2)				MV
		11	nd				MV
		12	tr(0.2)				MV
		1	0.4				MV
		2	tr(0.1)				MV
		3	nd				MV
	H28	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(0.2)				MV
		12	tr(0.1)				MV
		1	tr(0.2)				MV
		2	tr(0.2)				MV
		3	tr(0.2)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-6] ノブプロモジフェニルエーテル類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	nd	0.4	0.9	tr(0.8)	MV
		5	nd				MV
		6	nd				MV
		7	tr(0.6)				MV
		8	nd				MV
		9	2.4				MV
		10	tr(0.6)				MV
		11	0.9				MV
		12	2.7				MV
		1	1.1				MV
		2	nd				MV
		3	tr(0.8)				MV
	H27	4	tr(0.5)	0.5	1.3	nd	MV
		5	tr(0.7)				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	tr(0.6)				MV
		11	nd				MV
		12	nd				MV
		1	tr(0.6)				MV
		2	nd				MV
		3	nd				MV
	H28	4	tr(0.5)	0.4	1.1	tr(0.5)	MV
		5	tr(0.5)				MV
		6	tr(0.9)				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(0.9)				MV
		12	tr(0.6)				MV
		1	tr(0.5)				MV
		2	tr(0.4)				MV
		3	tr(0.5)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[14-7] デカブロモジフェニルエーテル 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	nd	3	8	tr(4)	MV
		5	10				MV
		6	11				MV
		7	8				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	11				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV
	H27	4	tr(4)	4	11	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	tr(4)				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	4	10	tr(5)	MV
		5	10				MV
		6	11				MV
		7	tr(8)				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	11				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[15]ペルフルオロオクタンスルホン酸 (PFOS) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	7.0	0.1	0.3	8.1	MV
		5	5.5				MV
		6	11				MV
		7	8.6				MV
		8	9.0				MV
		9	8.1				MV
		10	8.1				MV
		11	12				MV
		12	7.7				MV
		1	6.8				MV
		2	6.5				MV
		3	6.3				MV
	H27	4	6.8	0.1	0.3	6.0	MV
		5	7.3				MV
		6	8.1				MV
		7	5.8				MV
		8	8.8				MV
		9	5.9				MV
		10	5.5				MV
		11	6.6				MV
		12	2.7				MV
		1	5.6				MV
		2	4.4				MV
		3	5.0				MV
	H28	4	7.0	0.1	0.3	8.1	MV
		5	5.5				MV
		6	11				MV
		7	8.6				MV
		8	9.0				MV
		9	8.1				MV
		10	8.1				MV
		11	12				MV
		12	7.7				MV
		1	6.8				MV
		2	6.5				MV
		3	6.3				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[16] ペルフルオロオクタン酸 (PFOA) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	33	0.1	0.4	15	MV
		5	13				MV
		6	13				MV
		7	12				MV
		8	13				MV
		9	18				MV
		10	11				MV
		11	14				MV
		12	12				MV
		1	13				MV
		2	9.0				MV
		3	17				MV
	H27	4	13	0.2	0.4	15	MV
		5	17				MV
		6	17				MV
		7	11				MV
		8	12				MV
		9	19				MV
		10	25				MV
		11	14				MV
		12	15				MV
		1	15				MV
		2	8.4				MV
		3	19				MV
	H28	4	21	0.2	0.4	17	MV
		5	11				MV
		6	16				MV
		7	15				MV
		8	14				MV
		9	5.0				MV
		10	24				MV
		11	37				MV
		12	9.4				MV
		1	23				MV
		2	12				MV
		3	17				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[17] ペンタクロロベンゼン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	75	0.08	0.21	67	MV
		5	74				MV
		6	79				MV
		7	21				MV
		8	70				MV
		9	39				MV
		10	52				MV
		11	63				MV
		12	67				MV
		1	74				MV
		2	80				MV
		3	110				MV
	H27	4	110	0.07	0.17	73	MV
		5	110				MV
		6	100				MV
		7	52				MV
		8	100				MV
		9	47				MV
		10	47				MV
		11	91				MV
		12	41				MV
		1	63				MV
		2	42				MV
		3	78				MV
	H28	4	93	0.2	0.5	82	MV
		5	87				MV
		6	120				MV
		7	110				MV
		8	85				MV
		9	52				MV
		10	95				MV
		11	130				MV
		12	44				MV
		1	50				MV
		2	56				MV
		3	65				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[18-1] α -エンドスルファン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	28	0.5	1.4	32	MV
		5	80				MV
		6	79				MV
		7	19				MV
		8	67				MV
		9	38				MV
		10	19				MV
		11	14				MV
		12	5.1				MV
		1	7.2				MV
		2	8.3				MV
		3	24				MV
	H27	4	28	0.7	1.7	27	MV
		5	81				MV
		6	63				MV
		7	36				MV
		8	47				MV
		9	29				MV
		10	12				MV
		11	8.5				MV
		12	4.0				MV
		1	3.4				MV
		2	4.4				MV
		3	6.2				MV
	H28	4	17	0.5	1.2	20	MV
		5	39				MV
		6	60				MV
		7	55				MV
		8	23				MV
		9	9.6				MV
		10	12				MV
		11	14				MV
		12	2.8				MV
		1	2.2				MV
		2	4.3				MV
		3	6.2				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[18-2] β -エンドスルファン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	2.0	0.1	0.3	2.8	MV
		5	6.3				MV
		6	3.9				MV
		7	1.6				MV
		8	4.3				MV
		9	3.6				MV
		10	2.7				MV
		11	2.2				MV
		12	0.9				MV
		1	1.1				MV
		2	1.2				MV
		3	3.4				MV
	H27	4	2.7	0.2	0.5	2.1	MV
		5	5.7				MV
		6	3.4				MV
		7	1.7				MV
		8	2.9				MV
		9	2.7				MV
		10	1.7				MV
		11	0.8				MV
		12	0.7				MV
		1	0.8				MV
		2	0.8				MV
		3	0.8				MV
	H28	4	1.4	0.2	0.5	1.4	MV
		5	2.5				MV
		6	3.1				MV
		7	3.3				MV
		8	1.3				MV
		9	0.7				MV
		10	0.9				MV
		11	1.4				MV
		12	tr(0.4)				MV
		1	tr(0.4)				MV
		2	0.7				MV
		3	0.6				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[19-1] α -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.5	0.1	0.3	1.1	MV
		5	2.7				MV
		6	0.8				MV
		7	tr(0.1)				MV
		8	nd				MV
		9	0.5				MV
		10	0.5				MV
		11	2.7				MV
		12	1.1				MV
		1	0.7				MV
		2	tr(0.2)				MV
		3	2.7				MV
	H27	4	1.1	0.1	0.3	0.8	MV
		5	0.6				MV
		6	tr(0.2)				MV
		7	tr(0.2)				MV
		8	0.8				MV
		9	0.4				MV
		10	1.9				MV
		11	tr(0.2)				MV
		12	1.2				MV
		1	1.7				MV
		2	0.4				MV
		3	0.8				MV
	H28	4	1.4	0.1	0.3	0.7	MV
		5	1.9				MV
		6	tr(0.1)				MV
		7	0.9				MV
		8	tr(0.2)				MV
		9	tr(0.1)				MV
		10	1.2				MV
		11	0.5				MV
		12	1.1				MV
		1	0.3				MV
		2	0.8				MV
		3	0.4				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[19-2] β -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.28	0.09	0.22	0.39	MV
		5	0.98				MV
		6	0.35				MV
		7	nd				MV
		8	nd				MV
		9	tr(0.16)				MV
		10	tr(0.16)				MV
		11	1.0				MV
		12	0.41				MV
		1	tr(0.21)				MV
		2	nd				MV
		3	1.0				MV
	H27	4	0.6	0.1	0.3	0.3	MV
		5	tr(0.2)				MV
		6	nd				MV
		7	nd				MV
		8	0.3				MV
		9	nd				MV
		10	0.5				MV
		11	nd				MV
		12	0.4				MV
		1	0.6				MV
		2	tr(0.1)				MV
		3	0.3				MV
	H28	4	0.6	0.1	0.3	0.3	MV
		5	0.6				MV
		6	nd				MV
		7	0.7				MV
		8	nd				MV
		9	nd				MV
		10	0.5				MV
		11	tr(0.2)				MV
		12	0.6				MV
		1	tr(0.1)				MV
		2	0.3				MV
		3	tr(0.1)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[19-3] γ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	0.93	0.09	0.22	1.1	MV
		5	2.1				MV
		6	1.6				MV
		7	nd				MV
		8	tr(0.20)				MV
		9	0.64				MV
		10	0.63				MV
		11	2.7				MV
		12	0.71				MV
		1	0.72				MV
		2	tr(0.14)				MV
		3	3.2				MV
	H27	4	1.5	0.1	0.3	1.0	MV
		5	1.2				MV
		6	0.3				MV
		7	0.6				MV
		8	2.1				MV
		9	0.3				MV
		10	1.6				MV
		11	tr(0.2)				MV
		12	0.7				MV
		1	1.3				MV
		2	0.5				MV
		3	1.2				MV
	H28	4	2.0	0.1	0.3	1.3	MV
		5	2.4				MV
		6	0.3				MV
		7	3.1				MV
		8	tr(0.2)				MV
		9	nd				MV
		10	2.6				MV
		11	0.4				MV
		12	2.5				MV
		1	0.4				MV
		2	1.2				MV
		3	tr(0.2)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[19-4] δ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	nd	0.09	0.23	tr(0.11)	MV
		5	0.27				MV
		6	tr(0.09)				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	0.31				MV
		12	tr(0.10)				MV
		1	nd				MV
		2	nd				MV
		3	0.25				MV
	H27	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	tr(0.2)				MV
		11	nd				MV
		12	nd				MV
		1	tr(0.1)				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[19-5] ϵ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	nd	0.1	0.3	tr(0.1)	MV
		5	0.3				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(0.2)				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	tr(0.2)				MV
	H27	4	nd	0.1	0.3	tr(0.1)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	tr(0.2)				MV
		11	nd				MV
		12	nd				MV
		1	tr(0.1)				MV
		2	nd				MV
		3	nd				MV
	H28	4	nd	0.2	0.6	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	nd				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20] 総ポリ塩化ナフタレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	13	0.41	1.00	21	MV
		5	14				MV
		6	19				MV
		7	21				MV
		8	24				MV
		9	18				MV
		10	24				MV
		11	27				MV
		12	20				MV
		1	39				MV
		2	20				MV
		3	18				MV

(注) 定量[検出]下限値は同族体ごとの定量[検出]下限値の合計値とした。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-1] モノ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	7.7	0.2	0.5	14	MV
		5	7.6				MV
		6	12				MV
		7	15				MV
		8	15				MV
		9	11				MV
		10	16				MV
		11	16				MV
		12	15				MV
		1	31				MV
		2	14				MV
		3	12				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-2] ジ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	2.9	0.07	0.17	3.8	MV
		5	2.8				MV
		6	3.2				MV
		7	3.0				MV
		8	4.0				MV
		9	3.4				MV
		10	3.9				MV
		11	6.4				MV
		12	3.8				MV
		1	5.2				MV
		2	3.2				MV
		3	3.6				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-3]トリ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	1.7	0.03	0.08	1.8	MV
		5	1.7				MV
		6	2.3				MV
		7	1.5				MV
		8	2.4				MV
		9	1.6				MV
		10	2.5				MV
		11	2.6				MV
		12	0.92				MV
		1	1.4				MV
		2	1.5				MV
		3	1.2				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-4] テトラ塩化ナフタレン類 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	0.79	0.03	0.07	1.2	MV
		5	1.2				MV
		6	1.3				MV
		7	1.5				MV
		8	2.2				MV
		9	1.4				MV
		10	1.4				MV
		11	1.4				MV
		12	0.51				MV
		1	0.67				MV
		2	1.0				MV
		3	0.76				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-5] ペンタ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	0.13	0.02	0.05	0.17	MV
		5	0.14				MV
		6	0.17				MV
		7	0.16				MV
		8	0.20				MV
		9	0.12				MV
		10	0.15				MV
		11	0.30				MV
		12	0.12				MV
		1	0.18				MV
		2	0.27				MV
		3	0.15				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-6] ヘキサ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	0.04	0.02	0.04	0.05	MV
		5	0.04				MV
		6	0.04				MV
		7	tr(0.03)				MV
		8	tr(0.03)				MV
		9	tr(0.02)				MV
		10	0.04				MV
		11	0.09				MV
		12	0.04				MV
		1	0.07				MV
		2	0.07				MV
		3	0.04				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-7] ヘプタ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	nd	0.02	0.04	tr(0.02)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(0.03)				MV
		12	nd				MV
		1	tr(0.03)				MV
		2	tr(0.03)				MV
		3	tr(0.02)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[20-8] オクタ塩化ナフタレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	tr(0.02)	0.02	0.05	tr(0.02)	MV
		5	tr(0.02)				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(0.03)				MV
		12	nd				MV
		1	tr(0.03)				MV
		2	tr(0.02)				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[22-1] ペンタクロロフェノール 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	1.1	0.3	0.8	1.2	MV
		5	1.3				MV
		6	1.4				MV
		7	1.1				MV
		8	1.4				MV
		9	0.9				MV
		10	1.2				MV
		11	1.5				MV
		12	0.9				MV
		1	1.3				MV
		2	1.3				MV
		3	tr(0.7)				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[22-2] ペンタクロロアニソール 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H27	4		---	---		---
		5					---
		6					---
		7					---
		8					---
		9					---
		10					---
		11					---
		12					---
		1					---
		2					---
		3					---
	H28	4	8	2	6	10	MV
		5	13				MV
		6	13				MV
		7	9				MV
		8	21				MV
		9	25				MV
		10	8				MV
		11	7				MV
		12	tr(4)				MV
		1	tr(3)				MV
		2	tr(3)				MV
		3	tr(4)				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-1] ビレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	190	10	30	310	MV
		5	130				MV
		6	130				MV
		7	1,100				MV
		8	140				MV
		9	210				MV
		10	130				MV
		11	270				MV
		12	470				MV
		1	270				MV
		2	330				MV
		3	300				MV
	H27	4	96	8	21	180	MV
		5	110				MV
		6	80				MV
		7	98				MV
		8	160				MV
		9	190				MV
		10	170				MV
		11	200				MV
		12	220				MV
		1	480				MV
		2	220				MV
		3	130				MV
	H28	4	130	10	30	190	MV
		5	200				MV
		6	110				MV
		7	150				MV
		8	330				MV
		9	130				MV
		10	190				MV
		11	280				MV
		12	100				MV
		1	270				MV
		2	230				MV
		3	150				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-2] フルオランテン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	320	9	22	410	MV
		5	190				MV
		6	160				MV
		7	750				MV
		8	90				MV
		9	260				MV
		10	160				MV
		11	430				MV
		12	960				MV
		1	530				MV
		2	600				MV
		3	490				MV
	H27	4	140	8	21	290	MV
		5	140				MV
		6	78				MV
		7	72				MV
		8	170				MV
		9	270				MV
		10	240				MV
		11	290				MV
		12	430				MV
		1	980				MV
		2	460				MV
		3	240				MV
	H28	4	200	9	24	270	MV
		5	260				MV
		6	110				MV
		7	130				MV
		8	320				MV
		9	120				MV
		10	250				MV
		11	400				MV
		12	270				MV
		1	540				MV
		2	410				MV
		3	260				MV

(注) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-3] ベンゾ[a]アントラセン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	50	10	30	50	MV
		5	tr(20)				MV
		6	tr(20)				MV
		7	90				MV
		8	nd				MV
		9	40				MV
		10	tr(20)				MV
		11	50				MV
		12	100				MV
		1	60				MV
		2	60				MV
		3	60				MV
	H27	4	nd	8	20	25	MV
		5	nd				MV
		6	nd				MV
		7	tr(16)				MV
		8	tr(16)				MV
		9	33				MV
		10	25				MV
		11	27				MV
		12	35				MV
		1	88				MV
		2	35				MV
		3	tr(16)				MV
	H28	4	nd	10	30	tr(20)	MV
		5	tr(20)				MV
		6	nd				MV
		7	nd				MV
		8	30				MV
		9	nd				MV
		10	tr(20)				MV
		11	30				MV
		12	tr(10)				MV
		1	50				MV
		2	30				MV
		3	tr(20)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-4] クリセン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4	150	10	40	190	MV
		5	120				MV
		6	70				MV
		7	270				MV
		8	tr(20)				MV
		9	180				MV
		10	80				MV
		11	210				MV
		12	380				MV
		1	240				MV
		2	260				MV
		3	290				MV
	H27	4	83	8	21	130	MV
		5	79				MV
		6	tr(18)				MV
		7	35				MV
		8	60				MV
		9	140				MV
		10	140				MV
		11	150				MV
		12	170				MV
		1	390				MV
		2	190				MV
		3	91				MV
	H28	4	82	9	24	110	MV
		5	160				MV
		6	29				MV
		7	32				MV
		8	140				MV
		9	31				MV
		10	85				MV
		11	190				MV
		12	68				MV
		1	220				MV
		2	160				MV
		3	86				MV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-5] ベンゾ[a]ピレン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	80	10	30	70	MV
		5	40				MV
		6	30				MV
		7	nd				MV
		8	nd				MV
		9	70				MV
		10	40				MV
		11	100				MV
		12	160				MV
		1	110				MV
		2	100				MV
		3	130				MV
	H27	4	nd	8	20	24	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	tr(19)				MV
		9	46				MV
		10	49				MV
		11	tr(8)				MV
		12	23				MV
		1	95				MV
		2	32				MV
		3	nd				MV
	H28	4	nd	10	30	30	MV
		5	60				MV
		6	nd				MV
		7	nd				MV
		8	50				MV
		9	nd				MV
		10	40				MV
		11	50				MV
		12	tr(10)				MV
		1	70				MV
		2	30				MV
		3	30				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-6] ベンゾ[e]ピレン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	80	10	30	100	MV
		5	50				MV
		6	40				MV
		7	tr(20)				MV
		8	tr(10)				MV
		9	80				MV
		10	50				MV
		11	140				MV
		12	220				MV
		1	130				MV
		2	130				MV
		3	190				MV
	H27	4	29	7	19	56	MV
		5	30				MV
		6	nd				MV
		7	tr(9)				MV
		8	30				MV
		9	60				MV
		10	70				MV
		11	86				MV
		12	82				MV
		1	160				MV
		2	93				MV
		3	25				MV
	H28	4	50	10	30	60	MV
		5	70				MV
		6	tr(10)				MV
		7	tr(20)				MV
		8	70				MV
		9	tr(10)				MV
		10	40				MV
		11	180				MV
		12	30				MV
		1	110				MV
		2	60				MV
		3	40				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-7] ベンゾ[b]フルオランテン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	130	10	30	160	MV
		5	80				MV
		6	60				MV
		7	70				MV
		8	tr(20)				MV
		9	140				MV
		10	70				MV
		11	210				MV
		12	370				MV
		1	230				MV
		2	260				MV
		3	290				MV
	H27	4	41	8	20	110	MV
		5	41				MV
		6	nd				MV
		7	tr(14)				MV
		8	44				MV
		9	95				MV
		10	110				MV
		11	130				MV
		12	180				MV
		1	370				MV
		2	170				MV
		3	83				MV
	H28	4	76	9	24	94	MV
		5	130				MV
		6	tr(19)				MV
		7	31				MV
		8	120				MV
		9	tr(20)				MV
		10	71				MV
		11	150				MV
		12	69				MV
		1	220				MV
		2	140				MV
		3	78				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-8] ベンゾ[k]フルオランテン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	50	10	30	60	MV
		5	30				MV
		6	tr(20)				MV
		7	tr(20)				MV
		8	nd				MV
		9	50				MV
		10	tr(20)				MV
		11	70				MV
		12	140				MV
		1	80				MV
		2	80				MV
		3	100				MV
	H27	4	tr(15)	8	19	34	MV
		5	tr(18)				MV
		6	nd				MV
		7	nd				MV
		8	tr(15)				MV
		9	33				MV
		10	35				MV
		11	45				MV
		12	47				MV
		1	110				MV
		2	55				MV
		3	27				MV
	H28	4	tr(20)	10	30	30	MV
		5	40				MV
		6	nd				MV
		7	nd				MV
		8	40				MV
		9	nd				MV
		10	30				MV
		11	50				MV
		12	tr(20)				MV
		1	50				MV
		2	40				MV
		3	tr(20)				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-9] ベンゾ[g,h,i]ピレン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	70	10	30	90	MV
		5	60				MV
		6	40				MV
		7	nd				MV
		8	tr(20)				MV
		9	90				MV
		10	50				MV
		11	120				MV
		12	200				MV
		1	130				MV
		2	130				MV
		3	180				MV
	H27	4	40	8	21	55	MV
		5	35				MV
		6	nd				MV
		7	tr(10)				MV
		8	22				MV
		9	49				MV
		10	54				MV
		11	62				MV
		12	83				MV
		1	170				MV
		2	80				MV
		3	47				MV
	H28	4	40	10	30	50	MV
		5	70				MV
		6	tr(10)				MV
		7	tr(20)				MV
		8	50				MV
		9	nd				MV
		10	40				MV
		11	80				MV
		12	40				MV
		1	110				MV
		2	80				MV
		3	40				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-10] インデノ[1,2,3-c,d]ピレン 大気(単位: pg/m ³) 調査地点: 長崎県五島福江島	H26	4	90	10	30	110	MV
		5	70				MV
		6	50				MV
		7	nd				MV
		8	tr(20)				MV
		9	100				MV
		10	50				MV
		11	130				MV
		12	230				MV
		1	150				MV
		2	160				MV
		3	210				MV
	H27	4	38	8	20	70	MV
		5	36				MV
		6	nd				MV
		7	tr(11)				MV
		8	29				MV
		9	61				MV
		10	67				MV
		11	82				MV
		12	110				MV
		1	230				MV
		2	110				MV
		3	62				MV
	H28	4	40	10	30	50	MV
		5	70				MV
		6	tr(10)				MV
		7	tr(20)				MV
		8	50				MV
		9	nd				MV
		10	40				MV
		11	80				MV
		12	40				MV
		1	100				MV
		2	70				MV
		3	40				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-11] ジベンゾ[a,c]アントラセン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	nd	10	30	tr(20)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(20)				MV
		12	30				MV
		1	tr(20)				MV
		2	tr(20)				MV
		3	tr(20)				MV
	H27	4	nd	8	21	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(9)				MV
		12	tr(11)				MV
		1	23				MV
		2	tr(9)				MV
		3	nd				MV
	H28	4	nd	10	30	tr(10)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	nd				MV
		12	nd				MV
		1	tr(20)				MV
		2	tr(10)				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値	検出下限値	定量下限値	年平均値	サンプラー
[23-12] ジベンゾ[a,h]アントラセン 大気(単位：pg/m ³) 調査地点：長崎県五島福江島	H26	4	tr(10)	10	30	tr(20)	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	tr(10)				MV
		10	nd				MV
		11	tr(20)				MV
		12	30				MV
		1	tr(20)				MV
		2	tr(20)				MV
		3	tr(20)				MV
	H27	4	nd	8	20	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(10)				MV
		12	tr(10)				MV
		1	20				MV
		2	tr(10)				MV
		3	nd				MV
	H28	4	nd	9	22	nd	MV
		5	nd				MV
		6	nd				MV
		7	nd				MV
		8	nd				MV
		9	nd				MV
		10	nd				MV
		11	tr(9)				MV
		12	nd				MV
		1	tr(12)				MV
		2	nd				MV
		3	nd				MV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「MV」はミドルボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[1] 総PCB 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	51	76	20	0.22	0.62	49	HV
		11	21	21	26			23	HV
		12	33	23	22			26	HV
		1	34	33	23			30	HV
		2	34	29	26			30	HV
		3	48	31	48			42	HV
	H27	10	71	74	52	0.39	0.90	66	HV
		11	65	38	48			50	HV
		12	30	24	19			24	HV
		1	19	26	23			23	HV
		2	25	23	25			24	HV
		3	30	32	25			29	HV
	H28	10	130	78	78	0.6	1.7	95	HV
		11	49	47	53			50	HV
		12	28	22	16			22	HV
		1	24	24	34			27	HV
		2	41	28	37			35	HV
		3	32	26	32			30	HV
[1-1] モノクロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	1.4	11	1.3	0.03	0.07	4.6	HV
		11	2.3	2.1	2.6			2.3	HV
		12	4.3	4.5	4.1			4.3	HV
		1	5.2	7.9	3.2			5.4	HV
		2	6.4	7.7	4.7			6.3	HV
		3	3.7	2.0	5.8			3.8	HV
	H27	10	2.4	2.3	3.3	0.03	0.07	2.7	HV
		11	7.7	3.3	3.3			4.8	HV
		12	6.4	3.6	2.1			4.0	HV
		1	2.5	6.4	5.1			4.7	HV
		2	4.3	2.1	2.4			2.9	HV
		3	3.4	1.9	1.3			2.2	HV
	H28	10	6.5	2.3	2.9	0.03	0.07	3.9	HV
		11	3.3	2.2	5.3			3.6	HV
		12	3.9	2.3	2.3			2.8	HV
		1	2.2	2.0	6.5			3.6	HV
		2	2.5	1.6	5.0			3.0	HV
		3	3.2	2.7	3.9			3.3	HV
[1-2] ジクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	25	29	7.2	0.08	0.22	20	HV
		11	7.2	6.6	9.9			7.9	HV
		12	15	6.9	6.6			9.5	HV
		1	13	11	8.0			11	HV
		2	12	10	10			11	HV
		3	23	16	21			20	HV
	H27	10	37	39	25	0.2	0.4	34	HV
		11	29	17	24			23	HV
		12	10	7.3	5.9			7.7	HV
		1	5.7	8.3	8.5			7.5	HV
		2	9.4	8.7	11			9.7	HV
		3	12	15	12			13	HV
	H28	10	39	25	28	0.4	1.2	31	HV
		11	18	17	18			18	HV
		12	8.7	5.1	4.4			6.1	HV
		1	8.3	8.4	12			9.6	HV
		2	16	10	12			13	HV
		3	13	9.5	12			12	HV
[1-3] トリクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	12	17	6.0	0.02	0.06	12	HV
		11	6.0	6.7	7.1			6.6	HV
		12	6.9	5.9	6.5			6.4	HV
		1	7.7	7.5	5.9			7.0	HV
		2	9.2	6.3	6.3			7.3	HV
		3	11	6.6	10			9.2	HV
	H27	10	18	18	13	0.07	0.18	16	HV
		11	15	9.8	12			12	HV
		12	6.7	7.6	5.9			6.7	HV
		1	5.0	5.6	5.1			5.2	HV
		2	5.8	6.6	5.7			6.0	HV
		3	7.8	8.8	6.6			7.7	HV
	H28	10	28	19	19	0.07	0.18	22	HV
		11	11	12	14			12	HV
		12	7.8	8.5	4.7			7.0	HV
		1	6.6	6.7	7.8			7.0	HV
		2	8.7	6.3	8.7			7.9	HV
		3	7.6	7.0	7.8			7.5	HV

(注1) 「」は定量[検出]下限値が同族体ごとの定量[検出]下限値の合計値であることを示す。

(注2) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[1-4] テトラクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	6.9	8.8	3.0	0.02	0.05	6.2	HV
		11	2.7	2.8	3.2			2.9	HV
		12	3.7	2.5	2.6			2.9	HV
		1	4.1	3.4	2.8			3.4	HV
		2	3.6	2.8	2.9			3.1	HV
		3	5.9	3.8	5.1			4.9	HV
	H27	10	8.1	8.7	6.3	0.02	0.05	7.7	HV
		11	7.3	4.4	5.3			5.7	HV
		12	3.6	3.1	2.7			3.1	HV
		1	2.7	2.5	2.3			2.5	HV
		2	2.9	2.9	2.8			2.9	HV
		3	3.5	3.7	2.8			3.3	HV
	H28	10	48	25	22	0.04	0.09	32	HV
		11	13	12	12			12	HV
		12	4.7	4.2	2.4			3.8	HV
		1	4.8	4.8	5.2			4.9	HV
		2	11	6.8	7.3			8.4	HV
		3	5.5	5.0	5.5			5.3	HV
[1-5] ペンタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	3.7	4.8	1.5	0.02	0.05	3.3	HV
		11	1.6	1.6	1.6			1.6	HV
		12	2.0	1.5	1.4			1.6	HV
		1	2.4	1.9	1.5			1.9	HV
		2	1.7	1.3	1.3			1.4	HV
		3	3.0	1.9	2.6			2.5	HV
	H27	10	3.7	4.0	3.1	0.02	0.05	3.6	HV
		11	3.3	2.1	2.3			2.6	HV
		12	2.0	1.6	1.4			1.7	HV
		1	1.7	1.7	1.3			1.6	HV
		2	1.7	1.6	1.6			1.6	HV
		3	1.7	1.7	1.4			1.6	HV
	H28	10	8.4	4.9	4.2	0.01	0.04	5.8	HV
		11	2.6	2.3	2.5			2.5	HV
		12	1.9	1.3	1.1			1.4	HV
		1	1.4	1.3	1.6			1.4	HV
		2	2.2	2.0	2.2			2.1	HV
		3	2.0	1.5	1.6			1.7	HV
[1-6] ヘキサクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	1.4	3.2	0.70	0.01	0.04	1.8	HV
		11	0.75	0.70	0.76			0.74	HV
		12	0.90	0.71	0.67			0.76	HV
		1	1.2	1.0	0.73			0.98	HV
		2	0.70	0.57	0.51			0.59	HV
		3	1.2	0.80	1.8			1.3	HV
	H27	10	1.0	1.1	0.96	0.01	0.03	1.0	HV
		11	1.8	0.80	0.88			1.2	HV
		12	0.96	0.76	0.58			0.77	HV
		1	0.73	0.78	0.60			0.70	HV
		2	0.80	0.72	0.77			0.76	HV
		3	0.80	0.76	0.61			0.72	HV
	H28	10	2.7	1.5	1.4	0.01	0.03	1.9	HV
		11	0.97	0.79	0.90			0.89	HV
		12	1.0	0.51	0.50			0.67	HV
		1	0.57	0.60	0.77			0.65	HV
		2	0.76	0.71	1.1			0.86	HV
		3	0.80	0.59	0.63			0.67	HV
[1-7] ヘプタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.36	1.7	0.29	0.01	0.03	0.78	HV
		11	0.22	0.20	0.26			0.23	HV
		12	0.31	0.34	0.26			0.30	HV
		1	0.46	0.49	0.26			0.40	HV
		2	0.23	0.21	0.18			0.21	HV
		3	0.44	0.29	1.2			0.64	HV
	H27	10	0.28	0.38	0.35	0.01	0.03	0.34	HV
		11	0.87	0.28	0.31			0.49	HV
		12	0.32	0.34	0.14			0.27	HV
		1	0.17	0.30	0.25			0.24	HV
		2	0.24	0.21	0.26			0.24	HV
		3	0.28	0.26	0.23			0.26	HV
	H28	10	0.74	0.42	0.37	0.01	0.03	0.51	HV
		11	0.30	0.24	0.27			0.27	HV
		12	0.31	0.14	0.13			0.19	HV
		1	0.14	0.15	0.27			0.19	HV
		2	0.21	0.22	0.39			0.27	HV
		3	0.24	0.16	0.17			0.19	HV

(注) サンプラーの「HV」はハイボリュウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[1-8] オクタクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.06	0.18	0.08	0.01	0.04	0.11	HV
		11	0.04	tr(0.03)	0.06			0.04	HV
		12	0.06	0.14	0.10			0.10	HV
		1	0.10	0.08	0.06			0.08	HV
		2	0.06	0.06	0.04			0.05	HV
		3	0.06	0.06	0.10			0.07	HV
	H27	10	0.05	0.06	0.04	0.01	0.03	0.05	HV
		11	0.07	0.04	0.04			0.05	HV
		12	0.08	0.04	tr(0.02)			0.05	HV
		1	0.03	0.07	0.06			0.05	HV
		2	0.04	0.05	0.07			0.05	HV
		3	0.05	0.05	0.03			0.04	HV
	H28	10	0.10	0.07	0.06	0.01	0.03	0.08	HV
		11	0.05	0.05	0.05			0.05	HV
		12	0.06	0.03	tr(0.02)			0.04	HV
		1	0.03	0.04	0.08			0.05	HV
		2	0.04	0.05	0.07			0.05	HV
		3	0.05	tr(0.02)	0.03			0.03	HV
[1-9] ノナクロロビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(0.01)	0.07	tr(0.03)	0.01	0.04	0.04	HV
		11	tr(0.01)	nd	tr(0.03)			tr(0.02)	HV
		12	tr(0.03)	0.10	0.07			0.07	HV
		1	0.07	tr(0.03)	tr(0.02)			0.04	HV
		2	tr(0.03)	tr(0.03)	tr(0.02)			tr(0.03)	HV
		3	tr(0.03)	tr(0.02)	tr(0.03)			tr(0.03)	HV
	H27	10	tr(0.02)	tr(0.03)	tr(0.03)	0.01	0.04	tr(0.03)	HV
		11	tr(0.02)	tr(0.01)	tr(0.02)			tr(0.02)	HV
		12	0.04	nd	nd			tr(0.02)	HV
		1	nd	0.04	tr(0.03)			tr(0.03)	HV
		2	tr(0.02)	tr(0.02)	0.07			0.04	HV
		3	0.04	tr(0.02)	tr(0.02)			tr(0.03)	HV
	H28	10	0.032	0.036	0.024	0.008	0.021	0.031	HV
		11	0.021	tr(0.019)	0.021			tr(0.020)	HV
		12	tr(0.020)	tr(0.009)	nd			tr(0.011)	HV
		1	tr(0.012)	tr(0.014)	0.031			tr(0.019)	HV
		2	0.022	tr(0.012)	0.033			0.022	HV
		3	tr(0.017)	tr(0.008)	tr(0.013)			tr(0.013)	HV
[1-10] デカクロロビフェニル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(0.010)	0.062	tr(0.010)	0.008	0.020	0.027	HV
		11	tr(0.017)	tr(0.010)	0.034			0.020	HV
		12	0.034	0.10	0.12			0.085	HV
		1	0.21	0.055	0.038			0.10	HV
		2	0.064	0.12	tr(0.019)			0.068	HV
		3	0.020	tr(0.018)	0.034			0.024	HV
	H27	10	0.039	0.050	0.040	0.007	0.019	0.043	HV
		11	0.021	tr(0.010)	tr(0.013)			tr(0.015)	HV
		12	0.13	tr(0.016)	nd			0.050	HV
		1	tr(0.013)	0.066	0.092			0.057	HV
		2	0.12	0.032	0.60			0.25	HV
		3	0.046	0.030	0.019			0.032	HV
	H28	10	0.028	0.041	0.035	0.007	0.018	0.035	HV
		11	0.034	0.024	0.060			0.039	HV
		12	0.036	nd	nd			tr(0.014)	HV
		1	tr(0.010)	nd	0.053			0.022	HV
		2	0.042	0.026	0.037			0.035	HV
		3	0.024	tr(0.013)	0.019			0.019	HV
[2]HCB 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	90	190	81	0.2	0.5	120	HV
		11	87	77	86			83	HV
		12	98	110	110			110	HV
		1	160	150	99			140	HV
		2	140	120	90			120	HV
		3	140	110	170			140	HV
	H27	10	110	130	110	0.1	0.3	120	HV
		11	230	120	140			160	HV
		12	190	100	110			130	HV
		1	85	120	120			110	HV
		2	150	80	110			110	HV
		3	150	120	110			130	HV
	H28	10	220	160	170	0.1	0.3	180	HV
		11	130	110	120			120	HV
		12	120	79	77			92	HV
		1	72	67	130			90	HV
		2	110	89	130			110	HV
		3	100	90	91			94	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[3]アルドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.12	0.11	tr(0.03)	0.02	0.05	0.09	HV
		11	tr(0.02)	tr(0.02)	0.05			tr(0.03)	HV
		12	0.06	tr(0.03)	nd			tr(0.03)	HV
		1	tr(0.03)	tr(0.03)	0.06			tr(0.04)	HV
		2	0.07	tr(0.04)	0.05			0.05	HV
		3	0.10	0.12	0.17			0.13	HV
	H27	10	0.12	0.16	0.17	0.02	0.05	0.15	HV
		11	0.22	0.10	0.09			0.14	HV
		12	0.19	0.08	0.11			0.13	HV
		1	0.07	0.12	0.13			0.11	HV
		2	0.11	0.10	0.13			0.11	HV
		3	0.18	0.25	0.36			0.26	HV
	H28	10	0.10	0.06	0.07	0.02	0.06	0.08	HV
		11	0.07	nd	nd			tr(0.03)	HV
		12	tr(0.02)	tr(0.02)	nd			tr(0.02)	HV
		1	nd	tr(0.02)	nd			nd	HV
		2	tr(0.04)	tr(0.03)	tr(0.05)			tr(0.04)	HV
		3	tr(0.04)	nd	tr(0.02)			tr(0.02)	HV
[4]ディルドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	1.5	1.1	0.71	0.02	0.05	1.1	HV
		11	1.0	0.58	0.59			0.72	HV
		12	0.99	0.45	0.59			0.68	HV
		1	1.7	0.43	0.36			0.83	HV
		2	0.85	0.26	0.32			0.48	HV
		3	2.5	1.5	0.55			1.5	HV
	H27	10	0.80	1.2	1.9	0.02	0.06	1.3	HV
		11	1.7	1.0	0.92			1.2	HV
		12	1.0	0.46	0.45			0.64	HV
		1	0.82	0.36	0.39			0.52	HV
		2	1.0	0.56	0.72			0.76	HV
		3	1.1	0.71	0.61			0.81	HV
	H28	10	1.8	1.6	1.3	0.03	0.08	1.6	HV
		11	1.1	0.89	1.7			1.2	HV
		12	0.81	0.44	0.43			0.56	HV
		1	0.56	0.56	0.56			0.56	HV
		2	0.67	0.74	0.73			0.71	HV
		3	0.73	0.54	0.53			0.60	HV
[5]エンドリン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.07	0.06	tr(0.03)	0.02	0.05	0.05	HV
		11	tr(0.03)	tr(0.02)	nd			tr(0.02)	HV
		12	tr(0.04)	tr(0.02)	tr(0.03)			tr(0.03)	HV
		1	0.05	tr(0.03)	nd			tr(0.03)	HV
		2	tr(0.03)	nd	tr(0.03)			tr(0.02)	HV
		3	0.09	0.07	0.06			0.07	HV
	H27	10	tr(0.03)	tr(0.04)	tr(0.04)	0.02	0.06	tr(0.04)	HV
		11	0.06	tr(0.05)	tr(0.05)			tr(0.05)	HV
		12	tr(0.04)	tr(0.02)	tr(0.02)			tr(0.03)	HV
		1	tr(0.04)	tr(0.02)	tr(0.03)			tr(0.03)	HV
		2	tr(0.03)	tr(0.02)	tr(0.04)			tr(0.03)	HV
		3	tr(0.04)	tr(0.03)	tr(0.04)			tr(0.04)	HV
	H28	10	0.07	0.06	tr(0.05)	0.02	0.06	0.06	HV
		11	tr(0.04)	tr(0.04)	0.06			tr(0.05)	HV
		12	tr(0.04)	tr(0.02)	tr(0.02)			tr(0.03)	HV
		1	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)	HV
		2	tr(0.04)	tr(0.04)	tr(0.05)			tr(0.04)	HV
		3	tr(0.03)	tr(0.03)	tr(0.03)			tr(0.03)	HV
[6-1]p,p'-DDT 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.44	1.2	0.24	0.02	0.05	0.63	HV
		11	0.46	0.25	0.38			0.36	HV
		12	0.27	0.24	0.20			0.24	HV
		1	0.27	0.15	0.16			0.19	HV
		2	0.20	0.14	0.12			0.15	HV
		3	0.46	0.32	0.54			0.44	HV
	H27	10	0.50	0.48	0.41	0.02	0.06	0.46	HV
		11	0.65	0.32	0.36			0.44	HV
		12	0.36	0.18	0.12			0.22	HV
		1	0.16	0.24	0.23			0.21	HV
		2	0.22	0.20	0.30			0.24	HV
		3	0.15	0.18	0.15			0.16	HV
	H28	10	0.58	0.34	0.29	0.02	0.06	0.40	HV
		11	0.27	0.19	0.25			0.24	HV
		12	0.23	0.11	0.11			0.15	HV
		1	0.12	0.12	0.16			0.13	HV
		2	0.21	0.25	0.31			0.26	HV
		3	0.22	0.12	0.15			0.16	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[6-2] <i>p,p'</i> -DDE 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.57	5.7	0.71	0.02	0.05	2.3	HV
		11	1.6	1.4	1.1			1.4	HV
		12	1.2	1.3	1.3			1.3	HV
		1	0.83	0.65	0.58			0.69	HV
		2	0.81	0.51	0.43			0.58	HV
		3	1.0	0.91	2.6			1.5	HV
	H27	10	1.0	0.87	0.69	0.02	0.05	0.85	HV
		11	2.5	1.3	1.3			1.7	HV
		12	1.8	1.3	0.78			1.3	HV
		1	0.81	1.2	0.82			0.94	HV
		2	2.0	1.4	1.0			1.5	HV
		3	0.44	0.55	0.44			0.48	HV
	H28	10	1.2	0.67	0.59	0.02	0.06	0.82	HV
		11	0.66	0.48	0.62			0.59	HV
		12	0.80	0.85	0.96			0.87	HV
		1	0.41	0.46	0.56			0.48	HV
		2	0.40	0.57	0.88			0.62	HV
		3	0.53	0.30	0.29			0.37	HV
[6-3] <i>p,p'</i> -DDD 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.069	0.23	0.071	0.007	0.018	0.12	HV
		11	0.18	0.088	0.10			0.12	HV
		12	0.072	0.066	0.078			0.072	HV
		1	0.044	0.029	0.031			0.035	HV
		2	0.049	0.029	0.024			0.034	HV
		3	0.052	0.040	0.095			0.062	HV
	H27	10	0.11	0.081	0.073	0.007	0.018	0.088	HV
		11	0.12	0.087	0.074			0.094	HV
		12	0.098	0.061	0.034			0.064	HV
		1	0.036	0.076	0.060			0.057	HV
		2	0.028	0.025	0.052			0.035	HV
		3	tr(0.015)	0.022	0.027			0.021	HV
	H28	10	0.076	0.067	0.061	0.007	0.017	0.068	HV
		11	0.045	0.026	0.039			0.037	HV
		12	0.036	0.036	0.027			0.033	HV
		1	0.018	0.018	0.029			0.022	HV
		2	0.023	0.032	0.062			0.039	HV
		3	0.021	tr(0.014)	0.017			0.017	HV
[6-4] <i>o,p'</i> -DDT 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.35	1.1	0.29	0.009	0.023	0.58	HV
		11	0.35	0.31	0.33			0.33	HV
		12	0.30	0.27	0.24			0.27	HV
		1	0.31	0.20	0.19			0.23	HV
		2	0.24	0.17	0.15			0.19	HV
		3	0.44	0.37	0.58			0.46	HV
	H27	10	0.36	0.36	0.32	0.01	0.03	0.35	HV
		11	0.67	0.35	0.40			0.47	HV
		12	0.38	0.22	0.15			0.25	HV
		1	0.21	0.27	0.22			0.23	HV
		2	0.28	0.29	0.30			0.29	HV
		3	0.20	0.26	0.21			0.22	HV
	H28	10	0.49	0.31	0.26	0.01	0.03	0.35	HV
		11	0.23	0.17	0.23			0.21	HV
		12	0.21	0.16	0.16			0.18	HV
		1	0.12	0.13	0.16			0.14	HV
		2	0.18	0.26	0.32			0.25	HV
		3	0.20	0.14	0.15			0.16	HV
[6-5] <i>o,p'</i> -DDE 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.11	1.1	0.12	0.009	0.023	0.44	HV
		11	0.19	0.15	0.16			0.17	HV
		12	0.21	0.19	0.16			0.19	HV
		1	0.15	0.12	0.097			0.12	HV
		2	0.14	0.11	0.082			0.11	HV
		3	0.18	0.12	0.50			0.27	HV
	H27	10	0.18	0.15	0.11	0.007	0.019	0.15	HV
		11	0.40	0.18	0.20			0.26	HV
		12	0.23	0.17	0.11			0.17	HV
		1	0.12	0.16	0.13			0.14	HV
		2	0.15	0.14	0.15			0.15	HV
		3	0.096	0.097	0.093			0.095	HV
	H28	10	0.26	0.12	0.10	0.008	0.020	0.16	HV
		11	0.10	0.074	0.090			0.088	HV
		12	0.13	0.13	0.14			0.13	HV
		1	0.075	0.084	0.096			0.085	HV
		2	0.11	0.14	0.18			0.14	HV
		3	0.085	0.068	0.064			0.072	HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[6-6] <i>o,p'</i> -DDD 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.07	0.28	0.08	0.02	0.05	0.14	HV
		11	0.18	0.11	0.13			0.14	HV
		12	0.10	0.07	0.10			0.09	HV
		1	0.06	tr(0.04)	tr(0.04)			0.05	HV
		2	0.06	tr(0.04)	tr(0.03)			tr(0.04)	HV
		3	0.06	0.05	0.14			0.08	HV
	H27	10	0.13	0.10	0.09	0.02	0.05	0.11	HV
		11	0.17	0.11	0.10			0.13	HV
		12	0.13	0.09	tr(0.04)			0.09	HV
		1	0.05	0.08	0.06			0.06	HV
		2	tr(0.04)	tr(0.04)	0.06			0.05	HV
		3	tr(0.02)	tr(0.03)	tr(0.03)			tr(0.03)	HV
	H28	10	0.10	0.08	0.08	0.02	0.05	0.09	HV
		11	0.05	tr(0.04)	0.05			0.05	HV
		12	0.05	tr(0.04)	tr(0.04)			tr(0.04)	HV
		1	tr(0.03)	tr(0.03)	tr(0.04)			tr(0.03)	HV
		2	tr(0.04)	0.05	0.08			0.06	HV
		3	tr(0.03)	tr(0.02)	tr(0.03)			tr(0.03)	HV
[7-1] <i>cis</i> -クロルデン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	3.6	3.7	1.4	0.03	0.08	2.9	HV
		11	0.87	0.87	0.90			0.88	HV
		12	1.2	0.65	0.60			0.82	HV
		1	1.2	0.52	0.49			0.74	HV
		2	0.59	0.42	0.60			0.54	HV
		3	4.1	3.0	1.5			2.9	HV
	H27	10	1.8	3.4	5.4	0.1	0.2	3.5	HV
		11	4.4	2.4	2.6			3.1	HV
		12	0.7	0.6	0.6			0.6	HV
		1	0.8	0.7	0.7			0.7	HV
		2	0.8	0.7	1.0			0.8	HV
		3	0.9	1.6	1.4			1.3	HV
	H28	10	3.3	3.8	2.7	0.1	0.3	3.3	HV
		11	1.4	1.7	3.7			2.3	HV
		12	1.2	0.8	0.5			0.8	HV
		1	0.7	0.9	1.0			0.9	HV
		2	1.0	1.5	1.6			1.4	HV
		3	1.0	0.9	1.0			1.0	HV
[7-2] <i>trans</i> -クロルデン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	3.2	3.8	1.1	0.04	0.11	2.7	HV
		11	0.76	0.73	0.73			0.74	HV
		12	1.3	0.59	0.54			0.81	HV
		1	1.4	0.49	0.46			0.78	HV
		2	0.68	0.45	0.68			0.60	HV
		3	5.2	3.6	1.8			3.5	HV
	H27	10	1.8	3.6	5.5	0.1	0.3	3.6	HV
		11	5.6	2.7	2.8			3.7	HV
		12	0.7	0.5	0.5			0.6	HV
		1	0.7	0.6	0.7			0.7	HV
		2	0.9	0.7	1.0			0.9	HV
		3	1.0	1.7	1.4			1.4	HV
	H28	10	3.4	3.8	2.6	0.1	0.4	3.3	HV
		11	1.5	1.8	4.5			2.6	HV
		12	1.4	0.9	0.5			0.9	HV
		1	0.7	0.9	1.0			0.9	HV
		2	1.1	1.6	1.8			1.5	HV
		3	1.1	0.9	0.9			1.0	HV
[7-3]オキシクロルデン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.35	0.36	0.29	0.02	0.06	0.33	HV
		11	0.23	0.22	0.27			0.24	HV
		12	0.24	0.21	0.20			0.22	HV
		1	0.19	0.19	0.16			0.18	HV
		2	0.15	0.15	0.16			0.15	HV
		3	0.27	0.24	0.14			0.22	HV
	H27	10	0.27	0.31	0.37	0.02	0.06	0.32	HV
		11	0.30	0.27	0.26			0.28	HV
		12	0.19	0.19	0.19			0.19	HV
		1	0.20	0.21	0.18			0.20	HV
		2	0.17	0.17	0.19			0.18	HV
		3	0.18	0.18	0.20			0.19	HV
	H28	10	0.35	0.35	0.32	0.02	0.06	0.34	HV
		11	0.23	0.22	0.29			0.25	HV
		12	0.22	0.20	0.19			0.20	HV
		1	0.17	0.16	0.16			0.16	HV
		2	0.16	0.15	0.17			0.16	HV
		3	0.20	0.20	0.19			0.20	HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[7-4]cis-ノナクロル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.50	0.51	0.16	0.02	0.04	0.39	HV
		11	0.08	0.06	0.06			0.07	HV
		12	0.12	0.04	0.04			0.07	HV
		1	0.13	0.04	0.04			0.07	HV
		2	0.06	0.04	0.05			0.05	HV
		3	0.42	0.35	0.16			0.31	HV
	H27	10	0.30	0.47	0.63	0.02	0.06	0.47	HV
		11	0.56	0.31	0.32			0.40	HV
		12	0.08	tr(0.05)	tr(0.05)			0.06	HV
		1	0.07	0.06	tr(0.05)			0.06	HV
		2	0.06	0.06	0.08			0.07	HV
		3	0.09	0.15	0.13			0.12	HV
	H28	10	0.43	0.47	0.35	0.02	0.06	0.42	HV
		11	0.19	0.20	0.41			0.27	HV
		12	0.13	tr(0.05)	tr(0.04)			0.07	HV
		1	0.06	0.08	0.10			0.08	HV
		2	0.10	0.13	0.16			0.13	HV
		3	0.08	0.07	0.08			0.08	HV
[7-5]trans-ノナクロル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	3.0	2.9	1.0	0.04	0.10	2.3	HV
		11	0.75	0.71	0.70			0.72	HV
		12	1.0	0.55	0.52			0.69	HV
		1	1.1	0.48	0.42			0.67	HV
		2	0.53	0.39	0.54			0.49	HV
		3	3.5	2.8	1.2			2.5	HV
	H27	10	1.5	2.7	4.4	0.08	0.21	2.9	HV
		11	3.8	2.1	2.1			2.7	HV
		12	0.65	0.49	0.50			0.55	HV
		1	0.65	0.60	0.60			0.62	HV
		2	0.67	0.60	0.80			0.69	HV
		3	0.77	1.2	1.1			1.0	HV
	H28	10	2.6	3.1	2.2	0.09	0.22	2.6	HV
		11	1.2	1.4	3.2			1.9	HV
		12	1.0	0.63	0.46			0.70	HV
		1	0.60	0.73	0.76			0.70	HV
		2	0.87	1.2	1.3			1.1	HV
		3	0.80	0.77	0.81			0.79	HV
[8-1]ヘプタクロル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.42	0.47	0.16	0.03	0.07	0.35	HV
		11	0.11	0.09	0.12			0.11	HV
		12	0.17	tr(0.06)	0.08			0.10	HV
		1	0.23	tr(0.06)	0.09			0.13	HV
		2	0.08	tr(0.05)	0.12			0.08	HV
		3	0.83	0.48	0.26			0.52	HV
	H27	10	0.51	0.94	0.71	0.03	0.08	0.72	HV
		11	1.1	0.47	0.57			0.71	HV
		12	0.10	0.08	0.09			0.09	HV
		1	0.09	0.08	0.10			0.09	HV
		2	0.09	0.11	0.17			0.12	HV
		3	0.17	0.29	0.21			0.22	HV
	H28	10	0.69	0.44	0.40	0.03	0.09	0.51	HV
		11	0.26	0.30	0.80			0.45	HV
		12	0.30	0.26	tr(0.06)			0.21	HV
		1	0.09	0.17	0.19			0.15	HV
		2	0.17	0.21	0.24			0.21	HV
		3	0.11	0.16	0.15			0.14	HV
[8-2]cis-ヘプタクロルヘボキシド 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.52	0.45	0.47	0.01	0.03	0.48	HV
		11	0.44	0.45	0.46			0.45	HV
		12	0.37	0.39	0.34			0.37	HV
		1	0.35	0.37	0.32			0.35	HV
		2	0.23	0.20	0.21			0.21	HV
		3	0.33	0.30	0.24			0.29	HV
	H27	10	0.43	0.44	0.50	0.01	0.03	0.46	HV
		11	0.34	0.40	0.36			0.37	HV
		12	0.30	0.32	0.35			0.32	HV
		1	0.29	0.31	0.30			0.30	HV
		2	0.31	0.32	0.35			0.33	HV
		3	0.27	0.31	0.30			0.29	HV
	H28	10	0.38	0.41	0.46	0.01	0.03	0.42	HV
		11	0.32	0.34	0.38			0.35	HV
		12	0.32	0.30	0.30			0.31	HV
		1	0.19	0.21	0.21			0.20	HV
		2	0.22	0.25	0.27			0.25	HV
		3	0.33	0.29	0.28			0.30	HV

(注1) 「tr()」は検出下限以上定量下限未満を意味する。

(注2) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[8-3] <i>trans</i> -ヘブタクロルエポキシド 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.04	0.11	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	0.04	0.10	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.04	0.10	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[9-1] Parlar-26 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	tr(0.2)	nd	0.2	0.4	nd	HV
		11	nd	tr(0.2)	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	tr(0.2)	tr(0.2)			tr(0.2)	HV
	H27	10	nd	nd	nd	0.2	0.5	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.2	0.4	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	tr(0.2)			nd	HV
		3	nd	nd	nd			nd	HV
[9-2] Parlar-50 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.1	0.4	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	0.1	0.4	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	tr(0.12)	nd	nd	0.09	0.22	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[9-3] Parlar-62 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.8	2.1	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	0.9	2.4	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.5	1.2	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[10]マイレックス 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.096	0.52	0.11	0.007	0.017	0.24	HV
		11	0.056	0.056	0.060			0.057	HV
		12	0.075	0.058	0.053			0.062	HV
		1	0.068	0.054	0.049			0.057	HV
		2	0.060	0.061	0.048			0.056	HV
		3	0.084	0.095	0.22			0.13	HV
	H27	10	0.085	0.093	0.087	0.009	0.023	0.088	HV
		11	0.26	0.095	0.11			0.16	HV
		12	0.060	0.038	0.040			0.046	HV
		1	0.038	0.049	0.046			0.044	HV
		2	0.054	0.043	0.072			0.056	HV
		3	0.049	0.053	0.062			0.055	HV
	H28	10	0.40	0.17	0.13	0.007	0.019	0.23	HV
		11	0.082	0.068	0.080			0.077	HV
		12	0.067	0.051	0.042			0.053	HV
		1	0.034	0.033	0.042			0.036	HV
		2	0.044	0.056	0.093			0.064	HV
		3	0.044	0.046	0.045			0.045	HV
[11-1] α -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	8.2	12	8.6	0.04	0.10	9.6	HV
		11	6.4	5.6	5.9			6.0	HV
		12	4.5	5.2	4.3			4.7	HV
		1	4.1	4.1	3.5			3.9	HV
		2	7.0	6.2	6.1			6.4	HV
		3	7.5	4.6	7.2			6.4	HV
	H27	10	9.6	11	12	0.1	0.3	11	HV
		11	10	6.7	9.6			8.8	HV
		12	5.2	4.6	3.7			4.5	HV
		1	4.6	4.3	3.6			4.2	HV
		2	3.6	3.3	3.1			3.3	HV
		3	4.5	4.1	6.0			4.9	HV
	H28	10	15	15	10	0.08	0.20	13	HV
		11	6.0	5.6	7.4			6.3	HV
		12	4.1	3.4	3.5			3.7	HV
		1	4.1	4.3	4.2			4.2	HV
		2	3.9	2.8	3.4			3.4	HV
		3	5.4	5.2	5.2			5.3	HV
[11-2] β -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.87	1.1	0.47	0.02	0.05	0.81	HV
		11	0.44	0.30	0.36			0.37	HV
		12	0.39	0.36	0.36			0.37	HV
		1	0.34	0.22	0.20			0.25	HV
		2	0.50	0.38	0.33			0.40	HV
		3	0.99	0.52	0.54			0.68	HV
	H27	10	0.95	1.1	0.87	0.02	0.06	0.97	HV
		11	0.76	0.57	0.79			0.71	HV
		12	0.44	0.30	0.20			0.31	HV
		1	0.28	0.33	0.27			0.29	HV
		2	0.31	0.27	0.27			0.28	HV
		3	0.28	0.34	0.39			0.34	HV
	H28	10	0.99	0.87	0.79	0.03	0.07	0.88	HV
		11	0.52	0.44	0.66			0.54	HV
		12	0.33	0.27	0.24			0.28	HV
		1	0.20	0.22	0.30			0.24	HV
		2	0.27	0.26	0.40			0.31	HV
		3	0.33	0.28	0.26			0.29	HV
[11-3] γ -HCH(別名: リンデン) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	1.6	2.4	1.4	0.02	0.06	1.8	HV
		11	1.3	1.0	1.1			1.1	HV
		12	0.83	0.89	0.71			0.81	HV
		1	0.99	1.1	0.92			1.0	HV
		2	1.4	1.1	1.3			1.3	HV
		3	1.9	1.3	1.5			1.6	HV
	H27	10	1.9	2.3	2.1	0.07	0.18	2.1	HV
		11	1.5	1.3	1.4			1.4	HV
		12	1.2	0.83	0.77			0.93	HV
		1	0.75	0.78	0.70			0.74	HV
		2	1.1	0.96	0.86			0.97	HV
		3	1.1	1.1	0.96			1.1	HV
	H28	10	2.7	2.3	2.4	0.06	0.16	2.5	HV
		11	1.3	1.1	1.6			1.3	HV
		12	0.82	0.56	0.60			0.66	HV
		1	0.59	0.65	0.79			0.68	HV
		2	0.88	0.63	0.87			0.79	HV
		3	1.3	1.1	1.0			1.1	HV

(注) サンプラーの「HV」はハイボリウムエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[11-4] δ -HCH 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.14	0.15	0.04	0.02	0.04	0.11	HV
		11	0.06	tr(0.03)	0.04			0.04	HV
		12	0.06	0.05	0.04			0.05	HV
		1	0.06	0.04	0.04			0.05	HV
		2	0.09	0.08	0.07			0.08	HV
		3	0.11	0.08	0.07			0.09	HV
	H27	10	0.11	0.13	0.10	0.02	0.04	0.11	HV
		11	0.09	0.05	0.06			0.07	HV
		12	0.08	0.04	nd			0.04	HV
		1	tr(0.03)	0.04	0.05			0.04	HV
		2	0.06	0.04	0.05			0.05	HV
		3	0.05	tr(0.03)	0.04			0.04	HV
	H28	10	0.13	0.11	tr(0.10)	0.04	0.11	0.11	HV
		11	tr(0.07)	tr(0.07)	0.14			tr(0.09)	HV
		12	tr(0.06)	nd	nd			nd	HV
		1	nd	tr(0.04)	tr(0.06)			tr(0.04)	HV
		2	tr(0.07)	tr(0.05)	tr(0.06)			tr(0.06)	HV
		3	tr(0.07)	tr(0.05)	tr(0.04)			tr(0.05)	HV
[12] クロルデコン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.01	0.03	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	0.01	0.03	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.01	0.03	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[13] ヘキサブロモビフェニル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.07	0.19	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	0.07	0.19	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.07	0.19	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[14-1] テトラブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.7	0.3	nd	0.1	0.3	0.4	HV
		11	0.5	tr(0.2)	tr(0.2)			0.3	HV
		12	0.4	tr(0.1)	tr(0.1)			tr(0.2)	HV
		1	0.6	tr(0.2)	tr(0.1)			0.3	HV
		2	0.3	tr(0.2)	tr(0.1)			tr(0.2)	HV
		3	0.6	tr(0.2)	tr(0.2)			0.3	HV
	H27	10	0.3	0.3	tr(0.2)	0.1	0.3	0.3	HV
		11	0.4	tr(0.1)	tr(0.2)			tr(0.2)	HV
		12	0.3	nd	nd			tr(0.1)	HV
		1	tr(0.2)	0.3	tr(0.2)			tr(0.2)	HV
		2	0.3	tr(0.2)	tr(0.2)			tr(0.2)	HV
		3	0.4	tr(0.2)	tr(0.1)			tr(0.2)	HV
	H28	10	0.5	tr(0.2)	tr(0.2)	0.1	0.3	0.3	HV
		11	0.5	tr(0.2)	tr(0.2)			0.3	HV
		12	0.6	tr(0.1)	nd			0.3	HV
		1	tr(0.2)	tr(0.2)	0.3			tr(0.2)	HV
		2	0.8	0.5	0.4			0.6	HV
		3	0.3	tr(0.1)	tr(0.1)			tr(0.2)	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[14-2] ペンタブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.21	tr(0.15)	nd	0.07	0.18	tr(0.13)	HV
		11	nd	nd	tr(0.10)			nd	HV
		12	tr(0.09)	tr(0.13)	nd			tr(0.09)	HV
		1	tr(0.16)	tr(0.15)	tr(0.07)			tr(0.13)	HV
		2	tr(0.09)	tr(0.13)	nd			tr(0.09)	HV
		3	tr(0.15)	tr(0.10)	nd			tr(0.10)	HV
	H27	10	tr(0.09)	tr(0.09)	nd	0.07	0.18	tr(0.07)	HV
		11	tr(0.17)	tr(0.08)	nd			tr(0.10)	HV
		12	tr(0.08)	nd	nd			nd	HV
		1	nd	0.24	tr(0.08)			tr(0.12)	HV
		2	nd	nd	tr(0.08)			nd	HV
		3	tr(0.12)	tr(0.08)	tr(0.10)			tr(0.10)	HV
	H28	10	tr(0.12)	nd	nd	0.07	0.19	nd	HV
		11	tr(0.16)	tr(0.10)	tr(0.11)			tr(0.12)	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	tr(0.11)			nd	HV
		2	tr(0.14)	tr(0.17)	0.22			tr(0.18)	HV
		3	nd	nd	nd			nd	HV
[14-3] ヘキサブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	tr(0.2)	nd	0.2	0.5	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	tr(0.2)	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	tr(0.2)	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	0.1	0.4	nd	HV
		11	nd	nd	nd			nd	HV
		12	tr(0.1)	nd	nd			tr(0.1)	HV
		1	nd	tr(0.3)	tr(0.2)			tr(0.2)	HV
		2	nd	nd	tr(0.1)			tr(0.1)	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.1	0.3	nd	HV
		11	nd	nd	tr(0.1)			tr(0.1)	HV
		12	tr(0.2)	nd	nd			tr(0.1)	HV
		1	nd	nd	tr(0.2)			tr(0.1)	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[14-4] ヘプタブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	tr(0.2)	nd	0.1	0.3	tr(0.1)	HV
		11	nd	nd	tr(0.1)			tr(0.1)	HV
		12	nd	tr(0.2)	nd			tr(0.1)	HV
		1	tr(0.2)	0.3	nd			tr(0.2)	HV
		2	tr(0.1)	tr(0.1)	nd			tr(0.1)	HV
		3	nd	nd	tr(0.1)			tr(0.1)	HV
	H27	10	nd	nd	nd	0.1	0.3	nd	HV
		11	nd	nd	nd			nd	HV
		12	tr(0.2)	nd	nd			tr(0.1)	HV
		1	nd	tr(0.2)	tr(0.1)			tr(0.1)	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.1	0.3	nd	HV
		11	nd	nd	tr(0.1)			tr(0.1)	HV
		12	tr(0.1)	nd	nd			tr(0.1)	HV
		1	nd	nd	tr(0.2)			tr(0.1)	HV
		2	nd	nd	nd			nd	HV
		3	tr(0.2)	nd	nd			tr(0.1)	HV
[14-5] オクタブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	0.6	nd	0.1	0.4	tr(0.2)	HV
		11	tr(0.1)	tr(0.1)	0.4			tr(0.2)	HV
		12	0.4	0.6	tr(0.2)			0.4	HV
		1	0.7	0.9	tr(0.3)			0.6	HV
		2	tr(0.3)	tr(0.3)	tr(0.1)			tr(0.2)	HV
		3	tr(0.3)	nd	tr(0.2)			tr(0.2)	HV
	H27	10	0.3	0.3	tr(0.2)	0.1	0.3	0.3	HV
		11	nd	nd	nd			nd	HV
		12	0.5	nd	tr(0.2)			0.3	HV
		1	tr(0.2)	0.5	0.4			0.4	HV
		2	nd	tr(0.1)	tr(0.2)			tr(0.1)	HV
		3	tr(0.2)	nd	nd			tr(0.1)	HV
	H28	10	tr(0.1)	tr(0.1)	tr(0.2)	0.1	0.3	tr(0.1)	HV
		11	tr(0.1)	tr(0.1)	0.3			tr(0.2)	HV
		12	0.4	nd	tr(0.2)			tr(0.2)	HV
		1	nd	nd	0.4			tr(0.2)	HV
		2	0.3	nd	tr(0.1)			tr(0.2)	HV
		3	0.4	nd	nd			tr(0.2)	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[14-6] ノナブロモジフェニルエーテル類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	tr(0.8)	nd	0.4	0.9	tr(0.4)	HV
		11	tr(0.6)	nd	0.9			tr(0.6)	HV
		12	tr(0.7)	1.3	tr(0.6)			0.9	HV
		1	1.1	1.3	tr(0.5)			1.0	HV
		2	nd	tr(0.5)	nd			nd	HV
		3	tr(0.5)	nd	nd			nd	HV
	H27	10	tr(0.7)	tr(0.8)	tr(0.6)	0.5	1.3	tr(0.7)	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	tr(0.6)	tr(1.2)	1.3			tr(1.0)	HV
		2	nd	nd	tr(0.6)			nd	HV
		3	tr(1.1)	nd	nd			tr(0.5)	HV
	H28	10	tr(0.7)	tr(0.7)	tr(0.8)	0.4	1.1	tr(0.7)	HV
		11	tr(0.7)	tr(0.4)	tr(0.6)			tr(0.6)	HV
		12	tr(0.8)	nd	tr(0.8)			tr(0.6)	HV
		1	tr(0.4)	nd	tr(0.8)			tr(0.5)	HV
		2	tr(0.6)	nd	nd			nd	HV
		3	tr(0.9)	nd	nd			tr(0.4)	HV
[14-7] デカブロモジフェニルエーテル 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(7)	12	tr(7)	3	8	9	HV
		11	tr(7)	tr(4)	tr(5)			tr(5)	HV
		12	tr(7)	tr(4)	13			8	HV
		1	nd	tr(4)	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	tr(5)	nd	nd			tr(3)	HV
	H27	10	nd	nd	tr(5)	4	11	nd	HV
		11	tr(5)	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	tr(8)	15			tr(8)	HV
		2	nd	nd	tr(6)			nd	HV
		3	18	nd	nd			tr(7)	HV
	H28	10	tr(7)	12	tr(7)	4	10	tr(9)	HV
		11	tr(7)	tr(4)	tr(5)			tr(5)	HV
		12	tr(7)	tr(4)	13			tr(8)	HV
		1	nd	tr(4)	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	tr(5)	nd	nd			nd	HV
[15] ペルフルオロオクタンスルホン酸 (PFOS) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	3.6	5.7	5.3	0.1	0.3	4.9	HV
		11	4.2	4.8	4.8			4.6	HV
		12	5.4	1.6	3.5			3.5	HV
		1	0.9	4.3	5.6			3.6	HV
		2	0.7	0.9	4.0			1.9	HV
		3	1.4	0.3	0.8			0.8	HV
	H27	10	2.4	1.6	2.1	0.1	0.3	2.0	HV
		11	8.6	7.5	7.7			7.9	HV
		12	5.5	1.1	1.2			2.6	HV
		1	1.5	1.9	0.6			1.3	HV
		2	1.2	1.3	0.8			1.1	HV
		3	0.6	0.5	2.9			1.3	HV
	H28	10	3.6	5.7	5.3	0.1	0.3	4.9	HV
		11	4.2	4.8	4.8			4.6	HV
		12	5.4	1.6	3.5			3.5	HV
		1	0.9	4.3	5.6			3.6	HV
		2	0.7	0.9	4.0			1.9	HV
		3	1.4	0.3	0.8			0.8	HV
[16] ペルフルオロオクタンスルホン酸 (PFOA) 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	6.0	20	6.8	0.1	0.4	11	HV
		11	12	8.1	15			12	HV
		12	8.2	8.9	16			11	HV
		1	7.2	29	10			15	HV
		2	8.9	13	12			11	HV
		3	7.0	4.3	8.3			6.5	HV
	H27	10	19	32	22	0.2	0.4	24	HV
		11	13	9.7	15			13	HV
		12	14	11	4.7			9.9	HV
		1	6.3	23	22			17	HV
		2	5.5	6.5	9.8			7.3	HV
		3	11	7.4	4.9			7.8	HV
	H28	10	12	22	29	0.2	0.4	21	HV
		11	28	11	18			19	HV
		12	17	8.8	2.7			9.5	HV
		1	9.0	6.0	24			13	HV
		2	5.3	4.5	8.1			6.0	HV
		3	9.2	5.8	9.5			8.2	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[17] ペンタクロロベンゼン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	37	150	34	0.08	0.21	74	HV
		11	43	35	51			43	HV
		12	68	77	58			68	HV
		1	95	88	55			79	HV
		2	80	78	54			71	HV
		3	78	57	110			82	HV
	H27	10	46	70	62	0.07	0.17	59	HV
		11	180	62	86			110	HV
		12	83	50	47			60	HV
		1	42	72	63			59	HV
		2	58	38	51			49	HV
		3	73	59	53			62	HV
	H28	10	220	87	86	0.2	0.5	130	HV
		11	74	53	66			64	HV
		12	60	37	33			43	HV
		1	33	32	64			43	HV
		2	48	36	68			51	HV
		3	48	44	47			46	HV
[18-1] α -エンドスルファン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	5.3	38	8.4	0.5	1.4	17	HV
		11	8.9	9.3	15			11	HV
		12	6.1	6.0	3.6			5.2	HV
		1	6.1	7.0	3.8			5.6	HV
		2	10	9.5	5.5			8.3	HV
		3	8.1	6.6	13			9.2	HV
	H27	10	19	17	11	0.7	1.7	16	HV
		11	14	4.7	6.6			8.4	HV
		12	4.8	2.7	2.0			3.2	HV
		1	2.6	2.8	3.5			3.0	HV
		2	4.2	3.0	4.0			3.7	HV
		3	5.8	3.4	2.3			3.8	HV
	H28	10	25	12	13	0.5	1.2	17	HV
		11	6.2	3.3	3.9			4.5	HV
		12	4.3	3.0	2.2			3.2	HV
		1	1.2	1.3	1.8			1.4	HV
		2	3.5	4.4	5.0			4.3	HV
		3	6.0	3.8	4.5			4.8	HV
[18-2] β -エンドスルファン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.7	6.8	1.1	0.1	0.3	2.9	HV
		11	1.5	1.6	2.5			1.9	HV
		12	0.9	1.0	0.6			0.8	HV
		1	1.0	0.9	0.5			0.8	HV
		2	1.7	1.2	0.6			1.2	HV
		3	1.2	0.9	2.1			1.4	HV
	H27	10	2.8	2.3	1.4	0.2	0.5	2.2	HV
		11	1.4	0.7	0.7			0.9	HV
		12	0.8	0.5	0.5			0.6	HV
		1	0.7	0.8	0.8			0.8	HV
		2	0.6	0.5	0.9			0.7	HV
		3	0.7	0.5	tr(0.4)			0.5	HV
	H28	10	1.2	0.8	0.9	0.2	0.5	1.0	HV
		11	0.8	0.6	0.5			0.6	HV
		12	0.6	tr(0.3)	tr(0.3)			tr(0.4)	HV
		1	tr(0.2)	tr(0.2)	tr(0.3)			tr(0.2)	HV
		2	0.5	0.6	0.7			0.6	HV
		3	0.9	0.5	0.6			0.7	HV
[19-1] α -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.4	0.5	nd	0.1	0.3	0.3	HV
		11	1.4	0.5	3.5			1.8	HV
		12	0.7	1.0	0.7			0.8	HV
		1	1.1	1.8	0.6			1.2	HV
		2	0.3	0.3	tr(0.1)			tr(0.2)	HV
		3	tr(0.2)	nd	tr(0.2)			tr(0.2)	HV
	H27	10	2.8	3.9	1.5	0.1	0.3	2.7	HV
		11	tr(0.1)	nd	nd			tr(0.1)	HV
		12	2.5	0.8	tr(0.2)			1.2	HV
		1	tr(0.2)	4.2	3.1			2.5	HV
		2	tr(0.2)	tr(0.2)	0.9			0.4	HV
		3	1.0	tr(0.2)	nd			0.4	HV
	H28	10	0.5	tr(0.2)	1.2	0.1	0.3	0.6	HV
		11	1.4	0.9	1.8			1.4	HV
		12	0.8	tr(0.2)	nd			0.4	HV
		1	tr(0.1)	nd	1.0			0.4	HV
		2	0.4	0.5	tr(0.2)			0.4	HV
		3	2.0	0.5	tr(0.2)			0.9	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[19-2] β -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(0.13)	tr(0.13)	nd	0.09	0.22	tr(0.10)	HV
		11	0.45	tr(0.20)	1.6			0.75	HV
		12	tr(0.20)	0.31	0.30			0.27	HV
		1	0.31	0.52	tr(0.18)			0.34	HV
		2	tr(0.10)	tr(0.13)	nd			tr(0.09)	HV
		3	nd	nd	nd			nd	HV
	H27	10	0.7	1.1	0.5	0.1	0.3	0.8	HV
		11	nd	nd	nd			nd	HV
		12	0.8	0.3	nd			0.4	HV
		1	nd	1.7	1.1			1.0	HV
		2	tr(0.1)	nd	0.3			tr(0.2)	HV
		3	0.3	nd	nd			tr(0.1)	HV
	H28	10	tr(0.2)	nd	0.6	0.1	0.3	0.3	HV
		11	0.6	0.4	0.7			0.6	HV
		12	tr(0.2)	nd	nd			tr(0.1)	HV
		1	nd	nd	0.4			tr(0.2)	HV
		2	tr(0.2)	tr(0.2)	nd			tr(0.2)	HV
		3	0.6	tr(0.2)	nd			0.3	HV
[19-3] γ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	0.81	0.48	nd	0.09	0.22	0.45	HV
		11	1.6	0.71	2.7			1.7	HV
		12	0.72	0.41	0.84			0.66	HV
		1	1.0	1.9	0.64			1.2	HV
		2	tr(0.16)	tr(0.19)	nd			tr(0.13)	HV
		3	tr(0.19)	nd	0.36			tr(0.20)	HV
	H27	10	1.7	3.3	2.0	0.1	0.3	2.3	HV
		11	tr(0.1)	nd	nd			tr(0.1)	HV
		12	1.2	0.7	tr(0.2)			0.7	HV
		1	tr(0.2)	4.4	3.6			2.7	HV
		2	0.6	nd	1.2			0.6	HV
		3	1.1	tr(0.2)	nd			0.5	HV
	H28	10	0.9	tr(0.2)	2.4	0.1	0.3	1.2	HV
		11	1.7	1.6	3.8			2.4	HV
		12	0.7	tr(0.1)	nd			0.3	HV
		1	tr(0.1)	nd	1.0			0.4	HV
		2	0.6	0.7	0.3			0.5	HV
		3	1.1	0.6	tr(0.1)			0.6	HV
[19-4] δ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.09	0.23	nd	HV
		11	tr(0.12)	nd	0.30			tr(0.16)	HV
		12	nd	tr(0.09)	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	0.4	0.4	tr(0.1)	0.1	0.3	0.3	HV
		11	nd	nd	nd			nd	HV
		12	tr(0.2)	nd	nd			tr(0.1)	HV
		1	nd	0.3	nd			tr(0.1)	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.1	0.3	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[19-5] ϵ -1,2,5,6,9,10-ヘキサブロモシクロデカン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	0.1	0.3	nd	HV
		11	nd	nd	0.3			tr(0.1)	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H27	10	0.3	0.3	tr(0.1)	0.1	0.3	tr(0.2)	HV
		11	nd	nd	nd			nd	HV
		12	tr(0.2)	nd	nd			tr(0.1)	HV
		1	nd	0.4	tr(0.2)			tr(0.2)	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	0.2	0.6	nd	HV
		11	nd	nd	nd			nd	HV
		12	nd	nd	nd			nd	HV
		1	nd	nd	nd			nd	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[20] 総ポリ塩化ナフタレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	16	14	14	0.41	1.00	15	HV
		11	15	12	33			20	HV
		12	32	19	22			24	HV
		1	16	13	59			29	HV
		2	14	10	21			15	HV
		3	20	12	8.9			14	HV
[20-1] モノ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	8.5	8.8	8.5	0.2	0.5	8.6	HV
		11	10	7.5	25			14	HV
		12	26	15	19			20	HV
		1	12	9.8	50			24	HV
		2	10	6.7	13			9.9	HV
		3	15	7.8	5.3			9.4	HV
[20-2] ジ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	3.1	2.4	2.4	0.07	0.17	2.6	HV
		11	2.7	2.6	4.8			3.4	HV
		12	3.6	2.6	2.3			2.8	HV
		1	2.7	2.2	5.9			3.6	HV
		2	2.0	1.9	4.4			2.8	HV
		3	2.7	2.1	1.9			2.2	HV
[20-3] トリ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	2.0	1.3	1.5	0.03	0.08	1.6	HV
		11	1.1	0.99	1.4			1.2	HV
		12	1.3	0.67	0.68			0.88	HV
		1	0.81	0.80	1.9			1.2	HV
		2	0.89	0.70	1.8			1.1	HV
		3	1.0	0.81	0.89			0.90	HV

(注1) 「」は定量[検出]下限値が同族体ごとの定量[検出]下限値の合計値であることを示す。

(注2) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[20-4] テトラ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	1.7	1.0	1.0	0.03	0.07	1.2	HV
		11	0.76	0.68	1.1			0.85	HV
		12	0.81	0.56	0.35			0.57	HV
		1	0.48	0.48	1.0			0.65	HV
		2	0.74	0.57	1.1			0.80	HV
		3	0.87	0.67	0.66			0.73	HV
[20-5] ペンタ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	0.22	0.13	0.14	0.02	0.05	0.16	HV
		11	0.15	0.12	0.17			0.15	HV
		12	0.21	0.11	0.08			0.13	HV
		1	0.08	0.10	0.24			0.14	HV
		2	0.15	0.12	0.27			0.18	HV
		3	0.19	0.11	0.10			0.13	HV
[20-6] ヘキサ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	0.05	tr(0.03)	0.04	0.02	0.04	0.04	HV
		11	0.05	0.04	0.06			0.05	HV
		12	0.07	tr(0.02)	nd			tr(0.03)	HV
		1	tr(0.03)	tr(0.03)	0.10			0.05	HV
		2	0.04	0.04	0.08			0.05	HV
		3	0.06	tr(0.03)	tr(0.03)			0.04	HV
[20-7] ヘプタ塩化ナフタレン類 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	nd	nd	tr(0.03)	0.02	0.04	tr(0.02)	HV
		11	tr(0.03)	nd	tr(0.03)			tr(0.02)	HV
		12	0.04	nd	nd			tr(0.02)	HV
		1	nd	nd	0.05			tr(0.02)	HV
		2	nd	nd	tr(0.02)			nd	HV
		3	tr(0.03)	nd	nd			tr(0.02)	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[20-8] オクタ塩化ナフタレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	tr(0.03)	nd	tr(0.03)	0.02	0.05	tr(0.02)	HV
		11	0.06	nd	tr(0.04)			tr(0.04)	HV
		12	tr(0.04)	nd	nd			tr(0.02)	HV
		1	tr(0.03)	nd	0.07			tr(0.04)	HV
		2	nd	nd	nd			nd	HV
		3	tr(0.03)	nd	nd			tr(0.02)	HV
[22-1] ペンタクロロフェノール 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	1.3	1.0	1.4	0.3	0.8	1.2	HV
		11	1.2	0.8	1.0			1.0	HV
		12	tr(0.6)	tr(0.3)	1.4			0.8	HV
		1	nd	nd	0.8			tr(0.4)	HV
		2	tr(0.6)	tr(0.5)	0.8			tr(0.6)	HV
		3	tr(0.4)	tr(0.4)	tr(0.5)			tr(0.4)	HV
[22-2] ペンタクロロアニソール 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H27	10				---	---		---
		11							---
		12							---
		1							---
		2							---
		3							---
	H28	10	12	10	10	2	6	11	HV
		11	6	tr(5)	6			6	HV
		12	tr(4)	tr(4)	tr(2)			tr(3)	HV
		1	tr(2)	tr(3)	tr(4)			tr(3)	HV
		2	tr(4)	tr(3)	tr(4)			tr(4)	HV
		3	tr(4)	tr(3)	tr(4)			tr(4)	HV
[23-1] ビレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	340	300	100	10	30	250	HV
		11	180	100	280			190	HV
		12	250	700	490			480	HV
		1	310	210	290			270	HV
		2	610	610	320			510	HV
		3	290	130	110			180	HV
	H27	10	260	290	470	8	21	340	HV
		11	200	190	300			230	HV
		12	590	190	120			300	HV
		1	200	920	1100			740	HV
		2	200	160	650			340	HV
		3	190	160	86			150	HV
	H28	10	260	220	250	10	30	240	HV
		11	260	370	650			430	HV
		12	250	210	110			190	HV
		1	80	70	560			240	HV
		2	260	170	130			190	HV
		3	210	160	180			180	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[23-2] フルオランテン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	290	310	110	9	22	240	HV
		11	290	160	390			280	HV
		12	450	1200	970			870	HV
		1	560	460	470			500	HV
		2	1000	1200	510			900	HV
		3	380	170	160			240	HV
	H27	10	250	300	600	8	21	380	HV
		11	230	180	210			210	HV
		12	1000	420	270			560	HV
		1	430	1600	1800			1300	HV
		2	430	270	970			560	HV
		3	280	200	110			200	HV
	H28	10	200	190	250	9	24	210	HV
		11	350	490	910			580	HV
		12	430	380	260			360	HV
		1	140	120	860			370	HV
		2	390	250	190			280	HV
		3	350	220	240			270	HV
[23-3] ベンゾ[a]アントラセン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(20)	40	tr(10)	10	30	tr(20)	HV
		11	40	tr(20)	50			40	HV
		12	40	160	130			110	HV
		1	60	50	50			50	HV
		2	140	160	80			130	HV
		3	30	nd	tr(10)			tr(20)	HV
	H27	10	24	26	59	8	20	36	HV
		11	nd	nd	nd			nd	HV
		12	160	43	21			75	HV
		1	36	220	210			160	HV
		2	30	21	120			57	HV
		3	24	tr(10)	nd			tr(13)	HV
	H28	10	tr(10)	tr(10)	30	10	30	tr(20)	HV
		11	tr(20)	40	70			40	HV
		12	50	40	tr(20)			40	HV
		1	nd	nd	100			40	HV
		2	30	tr(10)	nd			tr(20)	HV
		3	30	tr(20)	tr(20)			tr(20)	HV
[23-4] クリゼン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	40	120	tr(30)	10	40	60	HV
		11	130	70	220			140	HV
		12	170	590	460			410	HV
		1	240	170	220			210	HV
		2	520	530	230			430	HV
		3	170	60	50			90	HV
	H27	10	88	93	390	8	21	190	HV
		11	28	24	21			24	HV
		12	560	170	100			280	HV
		1	160	840	880			630	HV
		2	150	100	500			250	HV
		3	110	65	tr(20)			65	HV
	H28	10	75	80	130	9	24	95	HV
		11	170	250	470			300	HV
		12	190	150	90			140	HV
		1	44	34	360			150	HV
		2	160	76	65			100	HV
		3	140	91	95			110	HV
[23-5] ベンゾ[a]ピレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(10)	80	tr(20)	10	30	40	HV
		11	70	30	100			70	HV
		12	70	260	170			170	HV
		1	100	80	90			90	HV
		2	220	220	100			180	HV
		3	70	tr(10)	tr(20)			30	HV
	H27	10	35	38	140	8	20	71	HV
		11	nd	nd	nd			nd	HV
		12	180	49	25			85	HV
		1	46	230	310			200	HV
		2	43	34	170			82	HV
		3	41	22	nd			22	HV
	H28	10	tr(20)	tr(20)	40	10	30	30	HV
		11	70	80	170			110	HV
		12	80	60	tr(20)			50	HV
		1	tr(10)	tr(10)	130			50	HV
		2	50	tr(20)	nd			30	HV
		3	50	40	40			40	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[23-6] ベンゾ[e]ピレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(20)	80	tr(20)	10	30	40	HV
		11	80	40	110			80	HV
		12	90	290	200			190	HV
		1	120	80	110			100	HV
		2	240	250	100			200	HV
		3	80	tr(20)	tr(20)			40	HV
	H27	10	46	55	190	7	19	97	HV
		11	tr(15)	tr(9)	tr(9)			tr(11)	HV
		12	270	83	52			140	HV
		1	76	360	440			290	HV
		2	71	51	260			130	HV
		3	60	33	tr(7)			33	HV
	H28	10	tr(20)	30	50	10	30	30	HV
		11	90	100	210			130	HV
		12	80	70	30			60	HV
		1	tr(20)	tr(20)	180			70	HV
		2	80	40	40			50	HV
		3	60	40	50			50	HV
[23-7] ベンゾ[b]フルオランテン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	30	110	30	10	30	60	HV
		11	150	70	220			150	HV
		12	180	630	450			420	HV
		1	230	180	240			220	HV
		2	570	560	230			450	HV
		3	140	30	40			70	HV
	H27	10	74	83	280	8	20	150	HV
		11	26	tr(17)	tr(17)			20	HV
		12	650	170	100			310	HV
		1	150	790	840			590	HV
		2	150	100	490			250	HV
		3	110	59	tr(15)			61	HV
	H28	10	45	58	110	9	24	71	HV
		11	200	200	390			260	HV
		12	170	140	67			130	HV
		1	34	27	310			120	HV
		2	140	72	66			93	HV
		3	140	82	83			100	HV
[23-8] ベンゾ[k]フルオランテン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	50	tr(10)	10	30	tr(20)	HV
		11	50	tr(20)	70			50	HV
		12	50	200	130			130	HV
		1	70	50	70			60	HV
		2	180	170	80			140	HV
		3	40	tr(10)	tr(10)			tr(20)	HV
	H27	10	26	33	95	8	19	51	HV
		11	tr(9)	nd	nd			nd	HV
		12	180	53	34			89	HV
		1	50	250	280			190	HV
		2	44	33	160			79	HV
		3	47	23	nd			25	HV
	H28	10	tr(20)	tr(20)	40	10	30	30	HV
		11	60	70	130			90	HV
		12	60	50	tr(20)			40	HV
		1	tr(10)	nd	100			40	HV
		2	50	tr(20)	tr(20)			30	HV
		3	40	tr(20)	30			30	HV
[23-9] ベンゾ[g,h,i]ピレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(20)	110	tr(20)	10	30	50	HV
		11	80	30	120			80	HV
		12	80	280	200			190	HV
		1	120	90	100			100	HV
		2	240	240	110			200	HV
		3	70	tr(20)	30			40	HV
	H27	10	48	58	130	8	21	79	HV
		11	tr(16)	tr(9)	tr(10)			tr(12)	HV
		12	290	85	54			140	HV
		1	70	340	420			280	HV
		2	75	48	220			110	HV
		3	59	33	tr(10)			34	HV
	H28	10	30	30	50	10	30	40	HV
		11	100	100	190			130	HV
		12	100	70	30			70	HV
		1	tr(20)	tr(10)	160			60	HV
		2	70	40	40			50	HV
		3	70	40	40			50	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	サンプラー
			1日目	2日目	3日目				
[23-10] インデノ[1,2,3-c,d]ピレン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	tr(20)	110	tr(20)	10	30	50	HV
		11	90	40	140			90	HV
		12	110	340	230			230	HV
		1	150	120	140			140	HV
		2	310	330	150			260	HV
		3	80	tr(20)	30			40	HV
	H27	10	65	71	170	8	20	100	HV
		11	tr(18)	tr(11)	tr(15)			tr(15)	HV
		12	380	110	75			190	HV
		1	110	460	520			360	HV
		2	110	68	290			160	HV
		3	82	46	tr(14)			47	HV
	H28	10	30	30	60	10	30	40	HV
		11	90	100	200			130	HV
		12	100	80	30			70	HV
		1	tr(20)	tr(10)	150			60	HV
		2	70	40	30			50	HV
		3	70	40	40			50	HV
[23-11] ジベンゾ[a,c]アントラセン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	nd	nd	10	30	nd	HV
		11	nd	nd	tr(10)			tr(10)	HV
		12	tr(10)	40	30			30	HV
		1	tr(20)	tr(10)	tr(10)			tr(10)	HV
		2	30	30	tr(20)			30	HV
		3	nd	nd	nd			nd	HV
	H27	10	nd	nd	nd	8	21	nd	HV
		11	nd	nd	nd			nd	HV
		12	43	tr(11)	nd			tr(19)	HV
		1	tr(10)	49	57			39	HV
		2	tr(9)	nd	30			tr(14)	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	10	30	nd	HV
		11	nd	nd	tr(20)			tr(10)	HV
		12	tr(10)	nd	nd			tr(10)	HV
		1	nd	nd	tr(20)			tr(10)	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV
[23-12] ジベンゾ[a,h]アントラセン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	10	nd	tr(20)	nd	10	30	tr(10)	HV
		11	tr(10)	nd	tr(20)			tr(10)	HV
		12	tr(10)	40	30			30	HV
		1	tr(20)	tr(10)	tr(10)			tr(10)	HV
		2	30	40	tr(20)			30	HV
		3	tr(10)	nd	nd			tr(10)	HV
	H27	10	nd	nd	tr(18)	8	20	tr(9)	HV
		11	nd	nd	nd			nd	HV
		12	38	tr(12)	tr(8)			tr(19)	HV
		1	tr(10)	44	51			35	HV
		2	tr(8)	nd	29			tr(14)	HV
		3	nd	nd	nd			nd	HV
	H28	10	nd	nd	nd	9	22	nd	HV
		11	tr(13)	tr(11)	22			tr(15)	HV
		12	tr(9)	nd	nd			nd	HV
		1	nd	nd	tr(21)			tr(10)	HV
		2	nd	nd	nd			nd	HV
		3	nd	nd	nd			nd	HV

(注1) 「nd」は不検出を意味する。

(注2) 「tr()」は検出下限以上定量下限未満を意味する。

(注3) サンプラーの「HV」はハイボリュームエアサンプラーにより採取されたことを意味する。

調査対象物質	年度	月	測定値			検出下限値	定量下限値	月平均値	年平均値	サンプラー
			1日目	2日目	3日目					
[21] ヘキサクロブタ-1,3-ジエン 大気(単位: $\mu\text{g}/\text{m}^3$) 調査地点: 長崎県五島福江島	H26	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H27	4				---	---			---
		5								---
		6								---
		7								---
		8								---
		9								---
		10								---
		11								---
		12								---
		1								---
		2								---
		3								---
	H28	4	770	890	940	20	50	870	1,000	LV
		5	1,200	2,400	1,100			1,600		LV
		6	1,400	1,300	1,900			1,500		LV
		7	420	1,100	940			820		LV
		8	1,200	1,100	1,100			1,100		LV
		9	1,000	970	650			870		LV
		10	2,200	1,200	1,100			1,500		LV
		11	1,100	760	880			910		LV
		12	1,100	630	620			780		LV
		1	580	540	660			590		LV
		2	640	580	960			730		LV
		3	690	750	740			730		LV

(注) サンプラーの「LV」はローボリュームエアサンプラーにより採取されたことを意味する。