

表B-1 脈拍数

症例	プラセボ				8ppb				40ppb			
	前	後	傾向	差	前	後	傾向	差	前	後	傾向	差
1	79	79		0	86	78	↓	-8	77	81		4
2	81	75	↓	-6	82	77	↓	-5	73	73		0
3	68	70		2	69	70		1	76	74	↓	-2
4	90	82	↓	-8	83	80	↓	-3	75	81		6
5	77	73		-4	84	81	↓	-3	80	74	↓	-6
6	86	74	↓	-12	77	78		1	84	79	↓	-5
7	90	94		4	102	92	↓	-10	87	84	↓	-3
8	72	64	↓	-8	70	70		0	72	66	↓	-6
9	61	65		4	61	65		4	62	68		6
10	76	71	↓	-5	71	65	↓	-6	71	65	↓	-6
11	118	101	↓	-17	80	80		0	97	85	↓	-12
12	67	64	↓	-3	71	74		3	67	78		11
13	80	78	↓	-2	79	71	↓	-8	76	76		0
14	80	82		2	76	78		2	80	76	↓	-4
15	104	98	↓	-6	92	89	↓	-3	107	103	↓	-4
平均	81.933	78		-3.933	78.867	76.533		-2.333	78.933	77.533		-1.4
SD	14.553	11.778		5.9458	10.155	7.717		4.3534	11.398	9.2726		5.9857
p								0.4075				0.2547

↓は減少
差は負荷後－負荷前

表B-2 血圧

	プラセボ						8ppb						40ppb					
	最高 前	後	差	最低 前	後	差	最高 前	後	差	最低 前	後	差	最高 前	後	差	最低 前	後	差
1	86	104	18	54	86	32	100	88 ↓	-12	70	64 ↓	-6	96	90 ↓	-6	72	62 ↓	-10
2	112	102 ↓	-10	80	78 ↓	-2	114	100 ↓	-14	82	82	0	120	126	6	82	82	0
3	88	90	2	58	58	0	82	84	2	60	54 ↓	-6	92	82 ↓	-10	60	44 ↓	-16
4	118	112 ↓	-6	92	80 ↓	-12	128	122 ↓	-6	88	90	2	132	118 ↓	-14	94	90 ↓	-4
5	106	102 ↓	-4	66	74	8	104	88 ↓	-16	70	58 ↓	-12	102	100 ↓	-2	78	74 ↓	-4
6	106	104 ↓	-2	70	78	8	114	126	12	84	82 ↓	-2	126	124 ↓	-2	78	74 ↓	-4
7	120	118 ↓	-2	90	94	4	136	126 ↓	-10	82	88	6	124	120 ↓	-4	78	90	12
8	108	94 ↓	-14	60	56 ↓	-4	104	102 ↓	-2	70	64 ↓	-6	102	100 ↓	-2	58	56 ↓	-2
9	94	88 ↓	-6	66	64 ↓	-2	94	92 ↓	-2	62	62	0	96	94 ↓	-2	66	62 ↓	-4
10	92	94	2	60	58 ↓	-2	96	96	0	60	62	2	96	94 ↓	-2	58	55 ↓	-3
11	134	136	2	94	94	0	138	122 ↓	-16	98	80 ↓	-18	130	124 ↓	-6	98	88 ↓	-10
12	98	92 ↓	-6	54	60	6	94	98	4	56	58	2	94	92 ↓	-2	54	64	10
13	114	120	6	84	68 ↓	-16	122	104 ↓	-18	92	82 ↓	-10	128	124 ↓	-4	74	100	26
14	106	102 ↓	-4	54	58	4	106	102 ↓	-4	68	70	2	102	106	4	58	66	8
15	100	98 ↓	-2	64	58 ↓	-6	97	100	3	68	62 ↓	-6	104	98 ↓	-6	62	58 ↓	-4
平均	105	104	-2	70	71	1.2	109	103	-5	74	71	-3	110	106	-3	71	71	-0
SD	13	13	7.4	14	13	11	16	14	8.8	13	12	6.5	15	15	4.9	14	16	10
p									0.2			0.2			0.5			0.7

↓は血圧低下
差は負荷後－負荷前

表B-3 体温

症例	プラセボ				8ppb				40ppb			
	前	後	傾向	差	前	後	傾向	差	前	後	傾向	差
1	36.6	36.8		0.2	36.6	36.7		0.1	36.6	37		0.4
2	36.6	36.5	↓	-0.1	36.7	36.5	↓	-0.2	36.4	36.5		0.1
3	35.5	35.8		0.3	35.4	35.7		0.3	35.4	35.5		0.1
4	35.9	36.2		0.3	36.4	36.2	↓	-0.2	35.7	35.9		0.2
5	36.1	36	↓	-0.1	35.8	36.1		0.3	36.2	36.1	↓	-0.1
6	35.9	35.6	↓	-0.3	35.9	35.9		0	36.2	36	↓	-0.2
7	36.1	36	↓	-0.1	36	35.9	↓	-0.1	36	36.3		0.3
8	36.2	36.4		0.2	36.6	36.7		0.1	36.1	36.4		0.3
9	36.5	36.3	↓	-0.2	36	36.5		0.5	36.3	36.3		0
10	36.6	36.4	↓	-0.2	36.7	36.7		0	36.6	36.9		0.3
11	36.4	36.4		0	36	35.8	↓	-0.2	36.3	35.8	↓	-0.5
12	36.1	36.2		0.1	36.1	36.1		0	36	35.8	↓	-0.2
13	37	36.8	↓	-0.2	37.1	36.8	↓	-0.3	36.9	37.3		0.4
14	35.9	36		0.1	35.9	36		0.1	35.8	36		0.2
15	36.1	36.3		0.2	36	36.5		0.5	34.7	34.7		0
平均	36.2	36.2		0.01	36.2	36.3		0.06	36.1	36.2		0.09
SD	0.38	0.33		0.2	0.45	0.37		0.25	0.54	0.64		0.25
p								0.58				0.39

↓は体温低下
差は負荷後－負荷前