

エチレングリコールモノエチルエーテル (CAS no. 110-80-5)

文献信頼性評価結果

示唆された作用							
エストロゲン	抗エストロゲン	アンドロゲン	抗アンドロゲン	甲状腺ホルモン	抗甲状腺ホルモン	脱皮ホルモン	その他*
-	-	-	-	○	○	-	○

○：既存知見から示唆された作用

-：既存知見から示唆されなかった作用

*その他：視床下部一下垂体—生殖腺軸への作用等

エチレングリコールモノエチルエーテルの内分泌かく乱作用に関する報告として、動物試験の報告において、視床下部一下垂体—生殖腺軸への作用、視床下部一下垂体—甲状腺軸への作用、視床下部一下垂体軸への作用を示すことが示唆された。

(1) 生殖影響

- Adedara と Farombi(2013)によって、エチレングリコールモノエチルエーテル 200mg/kg/day を 14 日間経口投与した成熟雄 Wistar ラットへの影響が検討されている。その結果として、血漿中テストステロン濃度、血漿中プロラクチン濃度、血漿中黄体形成ホルモン濃度、血漿中トリヨードサイロニン濃度、血漿中サイロキシン濃度、精巣中アンドロゲン蛋白質相対発現量、精巣中 StAR 蛋白質相対発現量、精巣中 3β -ヒドロキシステロイドデヒドロゲナーゼ比活性、精巣中 17β -ヒドロキシステロイドデヒドロゲナーゼ比活性の低値、血漿中卵胞刺激ホルモン濃度、精巣中シアル酸濃度(過酸化脂質濃度指標)の高値が認められた。

想定される作用メカニズム：視床下部一下垂体—生殖腺軸への作用、視床下部一下垂体—甲状腺軸への作用、視床下部一下垂体(プロラクチン)軸への作用

参考文献

- Yoon CY, Hong CM, Song JY, Cho YY, Choi KS, Lee BJ and Kim CK (2001) Effect of ethylene glycol monoethyl ether on the spermatogenesis in pubertal and adult rats. *Journal of Veterinary Science*, 2 (1), 47-51.
- Adedara IA and Farombi EO (2010) Induction of oxidative damage in the testes and spermatozoa and hematotoxicity in rats exposed to multiple doses of ethylene glycol monoethyl ether. *Human and Experimental Toxicology*, 29 (10), 801-812.
- Yoon CY, Hong CM, Cho YY, Chung YH, Min HK, Yun YW, Lee BJ, Yang KH, Lee YS and Kim CK (2003) Flow cytometric assessment of ethylene glycol monoethyl ether on spermatogenesis in rats. *Journal of Veterinary Medical Science*, 65 (2), 207-212.
- Hurtt ME and Zenick H (1986) Decreasing epididymal sperm reserves enhances the detection of ethoxyethanol-induced spermatotoxicity. *Fundamental and Applied Toxicology*, 7 (2), 348-353.
- Adedara IA, Mathur PP and Farombi EO (2013) Kolaviron prevents ethylene glycol monoethyl ether-induced testicular apoptosis via down-regulation of stress proteins, Fas/Fas-L and caspases expressions in rats. *Toxicology Mechanisms and Methods*, 23 (9), 689-696.
- Adedara IA and Farombi EO (2013) Chemoprotective effects of kolaviron on ethylene glycol monoethyl ether-induced pituitary-thyroid axis toxicity in male rats. *Andrologia*, 45 (2), 111-119.
- Tonkin EG, Cooper M, Lollini LO, Day-Lollini PA, Allard J, Kolaja KL, Platz SJ and Chanda SM (2009) Testicular gene expression profiling following 2-methoxyethanol and 2-ethoxyethanol exposure in male rats reveals abnormal expression of the actin binding protein cortactin in degenerating spermatocytes. *Toxicology Letters*, 190 (2), 193-201.
- Horimoto M, Isobe Y, Isogai Y and Tachibana M (2000) Rat epididymal sperm motion changes induced by ethylene glycol monoethyl ether, sulfasalazine, and 2,5-hexandione. *Reproductive Toxicology*, 14 (1), 55-63.
- Wang RS, Ohtani K, Suda M and Nakajima T (2006) Inhibitory effect of ethylene glycol monoethyl ether on rat sperm motion. *Industrial Health*, 44 (4), 665-668.
- Oudiz DJ, Zenick H, Niewenhuis RJ and McGinnis PM (1984) Male reproductive toxicity and recovery associated with acute ethoxyethanol exposure in rats. *Journal of Toxicology and Environmental Health*, 13 (4-6), 763-775.
- Zenick H, Oudiz D and Niewenhuis RJ (1984) Spermatotoxicity associated with acute and subchronic ethoxyethanol treatment. *Environmental Health Perspectives*, 57, 225-231.

Lamb JC IV, Gulati DK, Russell VS, Hommel L and Sabharwal PS (1984) Reproductive toxicity of ethylene glycol monoethyl ether tested by continuous breeding of CD-1 mice. Environmental Health Perspectives, 57, 85-90.

Barbee SJ, Terrill JB, DeSousa DJ and Conaway CC (1984) Subchronic inhalation toxicology of ethylene glycol monoethyl ether in the rat and rabbit. Environmental Health Perspectives, 57, 157-163.

Hardin BD, Goad PT and Burg JR (1984) Developmental toxicity of four glycol ethers applied cutaneously to rats. Environmental Health Perspectives, 57, 69-74.

Andrew FD and Hardin BD (1984) Developmental effects after inhalation exposure of gravid rabbits and rats to ethylene glycol monoethyl ether. Environmental Health Perspectives, 57, 13-23.

Nelson BK, Brightwell WS, Setzer JV, Taylor BJ, Hornung RW and O'Donohue TL (1981) Ethoxyethanol behavioral teratology in rats. Neurotoxicology, 2 (2), 231-249.

Nelson BK, Brightwell WS and Setzer JV (1982a) Prenatal interactions between ethanol and the industrial solvent 2-ethoxyethanol in rats: maternal and behavioral teratogenic effects. Neurobehavioral Toxicology and Teratology, 4 (3), 387-394.

Nelson BK, Brightwell WS, Setzer JV and O'Donohue TL (1982b) Prenatal interactions between ethanol and the industrial solvent 2-ethoxyethanol in rats: neurochemical effects in the offspring. Neurobehavioral Toxicology and Teratology, 4 (3), 395-401.

Ratcliffe JM, Schrader SM, Clapp DE, Halperin WE, Turner TW and Hornung RW (1989) Semen quality in workers exposed to 2-ethoxyethanol. British Journal of Industrial Medicine, 46 (6), 399-406.

Welch LS, Schrader SM, Turner TW and Cullen MR (1988) Effects of exposure to ethylene glycol ethers on shipyard painters: II. Male reproduction. American Journal of Industrial Medicine, 14 (5), 509-526.

Veulemans H, Steeno O, Masschelein R and Groeseneken D (1993) Exposure to ethylene glycol ethers and spermatogenic disorders in man: a case-control study. British Journal of Industrial Medicine, 50 (1), 71-78.

(平成 28 年度第 2 回 EXTEND2016 化学物質の内分泌かく乱作用に関する検討会 資料 1 より抜粋)