OResults of Radioactive Material Monitoring of Aquatic Organisms (Location F along the Ota River)

<Location F along the Ota River: Samples collected>

Items	Genera	al items		Radioactive materials								
Locations	Water	Sediment	Water (Cs)	Water (Sr)	Sediment (Cs)	Sediment (Sr)						
F-1	0	0	0	0	0	0						

<Location F along the Ota River: Site measurement item>

	Items		ongitude of the		Survey date and time		Water		Sedi	ment		Ot	ier	
Locations		Latitude	Latitude Longitude		Date Time (water) Time (sediment)		Water temperature (degrees C)	Sediment temperature (degrees C) Property		Color Contaminants		Water depth (m)	Transparency (cm)	
	F-1	37.5975°	140.9252°	2023/12/6	09:20	09:42	10.2	10.3	Sand	2.5Y3/3	None	0.20	>50	

<Location F along the Ota River: General survey items/Analysis of radioactive materials Water>

Items	Latitude and longitude of the location		Survey da	te and time	pH BOD		COD	DO	Electric conductivity	Salinity	TOC	SS	Turbidity	Cs-134	Cs-137	Sr-90
Locations	Latitude	Longitude	Date	Time (water)		(mg/L)	(mg/L)	(mg/L)	(mS/m)		(mg/L)	(mg/L)	(FNU)	(Bq/L)	(Bq/L)	(Bq/L)
F-1	37.5975°	140.9252°	2023/12/6	09:20	7.2	0.8	3.6	11.3	7.4	0.04	1.7	1	1.5	N.D.(0.0016)	0.077	0.0037

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location F along the Ota River: General survey items/Analysis of radioactive materials Sediment>

Itome	Latitude and longitude of the		Survey date and time									Grain size distribution									
itens	loca	location		Survey date and time		Redox potential	Water content	IL	TOC	Soil particle	Gravel	Coarse sand	Medium sand	Fine sand	Silt	Clay	Median grain	Maximum	Cs-134	Cs-137	Sr-90
Locations	Latitude	Longitudo	Date	Time (sediment)		$E_{N.H.E}$				density	(2-75mm)	(0.85-2mm)	(0.25-0.85mm)	(0.075-0.25mm)	(0.005-0.075mm)	(Less than 0.005mm)	diameter	grain diameter			1
Locations	Latitude	Longitude	Date			(mV)	(%)	(%)	(mg/g-dry)	(g/cm ³)	(%)	(%)	(%)	(%)	(%)	(%)	(mm)	(mm)	(Bq/kg-dry)	(Bq/kg-dry)	(Bq/kg-dry)
F-1	37.5975°	140.9252°	2023/12/6	09:42	7.0	426	21.1	1.1	1.7	2.670	16.1	22.6	40.7	9.8	5.6	5.2	0.63	4.8	4.6	230	0.31

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location F along the Ota River: Analysis items Aquatic organisms>

Cocation F along the	Ota River: Analysis item																		-
Locations	Sampling point	Latitude and longitude of the location		Sampling date	Division	Class	Order	Family	Scientific name	English name	Population	Sample weight	Note			R	adioactive cesium (Bq/kg-we	et)	Sr-90
		Latitude	Longitude					-				(kg-wet)	Growth stage	Stomach contents	Measurement site	Total	Cs-134	Cs-137	(Bq/kg-wet)
					Algae/plant	-	-	-	-	Sediment deposited on riverbed (Including algae)	-	0.021	-	-	=	250	N.D.(11)	250	-
			1		Arthropoda	Insecta	Plecoptera	Perlidae	Oyamia lugubris	Stonefly		0 0.0081 Larva	/						
					Arthropoda	Insecta	Plecoptera	Perlidae	Kamimuria tibialis	Stonefly	80		Larva	-	-	11	N.D.(3.8)	11	-
			140.9252°		Arthropoda	Insecta	Plecoptera	Perlidae	Neoperla sp.	Stonefly									
F-1	The main stream of the Ota River	37.5975°		2023/12/2	Arthropoda	Insecta	Trichoptera	Stenopsychidae	Stenopsyche marmorata	Caddisfly	85	0.013	Larva	-	-	96	N.D.(15)	96	-
	tile Ota Kivei				Vertebrata	Osteichthyes	Anguilliformes	Anguillidae	Anguilla japonica	Japanese eel	3	0.20	Immature fish	Empty stomach	Viscera removed	36	N.D.(1.8)	36	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	Pseudaspius hakonensis	Japanese dace	1	0.093	Mature fish	Obscure digesta	Viscera removed	83	N.D.(3.4)	83	-
					Coarse Particulate Organic Matter	-	-	-	-	Water-bottom leaf litter	-	0.21	-	-	-	25	N.D.(1.5)	25	-

*1: Organisms were collected in or around the targeted water areas.

*2: When multiple types of aquatic organisms were collected, a sample was prepared by mixing them.

*3: For a sample made of multiple types of aquatic organisms, the English name of the dominant one largest in number is underlined.

*4: Basically, measurement was conducted for all organism samples. Viscera (stomach and bowels) were removed for the measurement when possible so that undigested food and sediments, etc. in the digestive system would be excluded.

 $*5: Plankton (suspended algae) is the residue remaining after the filtration of lake water or seawater with a plankton net (40 \mum-mesh).$

*6: River bottom materials (incl. algae) are algae, etc. that were scratched off stones with a brush, etc. and may include very fine particles such as inorganic silt and clay.

*7: N.D. means to be below the detection limit and figures in parentheses show the detection limit.
*8: Activity concentrations include counting errors, but the details are omitted here.