

Results of Radioactive Material Monitoring of Aquatic Organisms (Location C along the Uda River)

<Location C along the Uda River: Samples collected>

Locations	Items	General items		Radioactive materials			
		Water	Sediment	Water (Cs)	Water (Sr)	Sediment (Cs)	Sediment (Sr)
C-6		○	○	○	○	○	○

<Location C along the Uda River: Site measurement item>

Locations	Items	Latitude and longitude of the location		Survey date and time			Water				Sediment		Other	
		Latitude	Longitude	Date	Time (water)	Time (sediment)	Water temperature (degrees C)	Sediment temperature (degrees C)	Property	Color	Contaminants	Water depth (m)	Transparency (cm)	
C-6		37.7764°	140.8877°	2024/6/26	10:21	10:34	18.9	19.6	Sand	10YR4/2	None	0.31	>50	

<Location C along the Uda River: General survey items/Analysis of radioactive materials Water>

Locations	Items	Latitude and longitude of the location		Survey date and time		pH	BOD (mg/L)	COD (mg/L)	DO (mg/L)	Electric conductivity (mS/m)	Salinity	TOC (mg/L)	SS (mg/L)	Turbidity (FNU)	Cs-134 (Bq/L)	Cs-137 (Bq/L)	Sr-90 (Bq/L)
		Latitude	Longitude	Date	Time (water)												
C-6		37.7764°	140.8877°	2024/6/26	10:21	7.8	0.6	2.7	9.3	12.0	0.06	1.2	1	1.4	N.D.(0.0016)	0.0037	0.00096

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location C along the Uda River: General survey items/Analysis of radioactive materials Sediment>

Locations	Items	Latitude and longitude of the location		Survey date and time		pH	Redox potential E _{NHE} (mV)	Water content (%)	IL (%)	TOC (mg/g-dry)	Soil particle density (g/cm ³)	Grain size distribution							Cs-134 (Bq/kg-dry)	Cs-137 (Bq/kg-dry)	Sr-90 (Bq/kg-dry)	
		Latitude	Longitude	Date	Time (sediment)							Gravel (2-75mm) (%)	Coarse sand (0.85-2mm) (%)	Medium sand (0.25-0.85mm) (%)	Fine sand (0.075-0.25mm) (%)	Silt (0.005-0.075mm) (%)	Clay (Less than 0.005mm) (%)	Median grain diameter (mm)				Maximum grain diameter (mm)
C-6		37.7764°	140.8877°	2024/6/26	10:34	7.6	465	22.4	1.1	0.7	2.680	18.2	52.4	27.3	1.4	0.7	1.2	4.8	0.49	36	0.25	

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location C along the Uda River: Analysis items Aquatic organisms>

Locations	Sampling point	Latitude and longitude of the location		Sampling date	Division	Class	Order	Family	Scientific name	English name	Population	Sample weight (kg-wet)	Note			Radioactive cesium (Bq/kg-wet)			Sr-90 (Bq/kg-wet)
		Latitude	Longitude										Growth stage	Stomach contents	Measurement site	Total	Cs-134	Cs-137	
C-6	The main stream of the Uda River	37.7764°	140.8877°	2024/6/22	Algae/plant	-	-	-	-	Riverbed Deposits (Include algae)	-	0.0036	-	-	-	21	N.D.(8.3)	21	-
					Algae/plant	Zygnematophyceae	Zygnematales	Zygnemataceae	<i>Spirogyra</i> sp.	Spirogyra	-	0.20	-	-	1.1	N.D.(0.26)	1.1	-	
					Arthropoda	Insecta	Trichoptera	Stenopsychidae	<i>Stenopsyche marmorata</i>	<i>Stenopsyche marmorata</i>	166	0.028	Larva	-	-	9.8	N.D.(1.9)	9.8	-
					Arthropoda	Insecta	Odonata	Corduliidae	<i>Macromia amphigena amphigena</i>	<i>Macromia amphigena</i>	137	0.026	Larva (Dragonfly larva)	-	-	2.7	N.D.(1.4)	2.7	-
					Arthropoda	Insecta	Odonata	Cordulegastriidae	<i>Anotogaster sieboldii</i>	<i>Anotogaster sieboldii</i>									
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Nihonogomphus viridis</i>	<i>Nihonogomphus viridis</i>									
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Melligomphus viridicostus</i>	<i>Melligomphus viridicostus</i>									
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Sieboldius albardae</i>	<i>Sieboldius albardae</i>									
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Davidius</i> sp.	<i>Davidius</i>									
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Anisogomphus maacki</i>	<i>Anisogomphus maacki</i>									
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Asiagomphus melaeonops</i>	<i>Asiagomphus melaeonops</i>									
					Arthropoda	Insecta	Odonata	Libellulidae	<i>Sympetrum</i> sp.	<i>Sympetrum</i>									
					Arthropoda	Insecta	Odonata	Aeshnidae	<i>Boyeria maclachlani</i>	<i>Boyeria maclachlani</i>									
					Arthropoda	Insecta	Megaloptera	Corydalidae	<i>Protohermes grandis</i>	<i>Protohermes grandis</i>									
					Arthropoda	Malacostraca	Decapoda	Cambaridae	<i>Procambarus clarkii</i>	Red swamp crawfish									
					Arthropoda	Malacostraca	Decapoda	Atyidae	<i>Paratya improvisa</i>	Freshwater shrimp									
					Arthropoda	Malacostraca	Decapoda	Varunidae	<i>Eriocheir japonica</i>	Japanese mitten crab									
					Vertebrata	Osteichthyes	Anguilliformes	Anguillidae	<i>Anguilla japonica</i>	Japanese eel									
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Opsarichthys platypus</i>	Pale chub									
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Pseudogobio esocinus esocinus</i>	<i>Pseudogobio esocinus esocinus</i>									
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Candidia temminckii</i>	Dark chub									
					Vertebrata	Osteichthyes	Cypriniformes	Cobitidae	<i>Misgurnus anguillicaudatus</i>	Oriental weatherfish									
					Vertebrata	Osteichthyes	Salmoniformes	Osmeridae	<i>Plecoglossus altivelis altivelis</i>	Sweetfish									
					Vertebrata	Osteichthyes	Salmoniformes	Salmonidae	<i>Oncorhynchus masou</i>	Yamame trout									
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	<i>Rhinogobius fluviatilis</i>	<i>Rhinogobius fluviatilis</i>									
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	<i>Rhinogobius nagoyae</i>	<i>Rhinogobius nagoyae</i>									
						Coarse Particulate Organic Matter	-	-	-	-	-	-	-	Bottom fallen leaves	-	0.25	-	-	-

*1: Organisms were collected in or around the targeted water areas.

*2: When multiple types of aquatic organisms were collected, a sample was prepared by mixing them.

*3: For a sample made of multiple types of aquatic organisms, the English name of the dominant one largest in number is underlined.

*4: Basically, measurement was conducted for all organism samples. Viscera (stomach and bowels) were removed for the measurement when possible so that undigested food and sediments, etc. in the digestive system would be excluded.

*5: Plankton (suspended algae) is the residue remaining after the filtration of lake water or seawater with a plankton net (40µm-mesh).

*6: River bottom materials (incl. algae) are algae, etc. that were scratched off stones with a brush, and may include very fine particles such as inorganic silt and clay.

*7: N.D. means to be below the detection limit and figures in parentheses show the detection limit.

*8: Activity concentrations include counting errors, but the details are omitted here.