

OResults of Radioactive Material Monitoring of Aquatic Organisms (Location F along the Ota River)

<Location F along the Ota River: Samples collected>

Locations	Items	General items		Radioactive materials			
		Water	Sediment	Water (Cs)	Water (Sr)	Sediment (Cs)	Sediment (Sr)
F-1		○	○	○	○	○	○

<Location F along the Ota River: Site measurement item>

Locations	Items	Latitude and longitude of the location		Survey date and time			Water				Sediment		Other	
		Latitude	Longitude	Date	Time (water)	Time (sediment)	Water temperature (degrees C)	Sediment temperature (degrees C)	Property	Color	Contaminants	Water depth (m)	Transparency (cm)	
F-1		37.5975°	140.9252°	2024/8/26	08:50	09:00	24.5	24.8	Sand	10Y4/3	None	0.40	39	

<Location F along the Ota River: General survey items/Analysis of radioactive materials Water>

Locations	Items	Latitude and longitude of the location		Survey date and time		pH	BOD (mg/L)	COD (mg/L)	DO (mg/L)	Electric conductivity (mS/m)	Salinity	TOC (mg/L)	SS (mg/L)	Turbidity (FNU)	Cs-134 (Bq/L)	Cs-137 (Bq/L)	Sr-90 (Bq/L)
		Latitude	Longitude	Date	Time (water)												
F-1		37.5975°	140.9252°	2024/8/26	08:50	7.2	1.6	3.7	8.6	7.1	0.04	2.1	4	1.4	N.D.(0.0017)	0.13	0.0045

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location F along the Ota River: General survey items/Analysis of radioactive materials Sediment>

Locations	Items	Latitude and longitude of the location		Survey date and time		pH	Redox potential E _{NHE} (mV)	Water content (%)	IL (%)	TOC (mg/g-dry)	Soil particle density (g/cm ³)	Grain size distribution							Cs-134 (Bq/kg-dry)	Cs-137 (Bq/kg-dry)	Sr-90 (Bq/kg-dry)	
		Latitude	Longitude	Date	Time (sediment)							Gravel (2-75mm) (%)	Coarse sand (0.85-2mm) (%)	Medium sand (0.25-0.85mm) (%)	Fine sand (0.075-0.25mm) (%)	Silt (0.005-0.075mm) (%)	Clay (Less than 0.005mm) (%)	Median grain diameter (mm)				Maximum grain diameter (mm)
F-1		37.5975°	140.9252°	2024/8/26	09:00	7.3	439	23.2	1.4	2.2	2.640	25.3	30.2	36.0	5.4	3.1	0.99	4.8	6.0	400	0.78	

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location F along the Ota River: Analysis items Aquatic organisms>

Locations	Sampling point	Latitude and longitude of the location		Sampling date	Division	Class	Order	Family	Scientific name	English name	Population	Sample weight (kg-wet)	Note			Radioactive cesium (Bq/kg-wet)			Sr-90 (Bq/kg-wet)	
		Latitude	Longitude										Growth stage	Stomach contents	Measurement site	Total	Cs-134	Cs-137		
F-1	The main stream of the Ota River	37.5975°	140.9252°	2024/8/23	Algae/plant	-	-	-	-	Riverbed Deposits (Include algae)	-	0.0038	-	-	-	130	N.D.(31)	130	-	
					Arthropoda	Insecta	Trichoptera	Stenopsychidae	<i>Stenopsyche marmorata</i>	<i>Stenopsyche marmorata</i>	59	0.014	Larva	-	-	-	110	N.D.(14)	110	-
					Arthropoda	Insecta	Odonata	Corduliidae	<i>Macromia amphigena amphigena</i>	<i>Macromia amphigena</i>	41	0.010	Larva (Dragonfly larva)	-	-	-	25	N.D.(4.7)	25	-
					Arthropoda	Insecta	Odonata	Cordulegastridae	<i>Anotogaster sieboldii</i>	<i>Anotogaster sieboldii</i>										
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Sylogomphus suzukii</i>	<i>Sylogomphus suzukii</i>										
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Melligomphus viridicostus</i>	<i>Melligomphus viridicostus</i>										
					Arthropoda	Insecta	Odonata	Gomphidae	<i>Sieboldius albardae</i>	<i>Sieboldius albardae</i>										
					Arthropoda	Insecta	Megaloptera	Corydalidae	<i>Protohermes grandis</i>	<i>Protohermes grandis</i>	20	0.011	Larva	-	-	-	27	N.D.(3.2)	27	-
					Arthropoda	Malacostraca	Decapoda	Palaemonidae	<i>Palaemon paucidens</i>	Common prawn	82	0.11	Imago	-	-	-	90	N.D.(2.4)	90	-
					Arthropoda	Malacostraca	Decapoda	Atyidae	<i>Paratya improvisa</i>	Freshwater shrimp	270	0.062	Juvenile	-	-	-	71	N.D.(4.8)	71	-
					Arthropoda	Malacostraca	Decapoda	Varunidae	<i>Eriocheir japonica</i>	Japanese mitten crab	13	0.098	Juvenile	-	-	-	88	N.D.(2.7)	88	-
					Mollusca	Gastropoda	Discopoda	Pleuroceridae	<i>Semisulcospira libertina</i>	<i>Semisulcospira libertina</i>	30	0.028	Imago	-	-	-	76	N.D.(6.8)	76	-
					Vertebrata	Osteichthyes	Anguilliformes	Anguillidae	<i>Anguilla japonica</i>	Japanese eel	4	0.38	Immature fish	Empty stomach	-	-	64	N.D.(1.6)	64	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Opsarichthys platypus</i>	Pale chub	100	0.23	Immature fish	-	-	-	57	N.D.(1.8)	57	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Candidia temminckii</i>	Dark chub	275	1.1	Immature fish, Mature fish	-	-	-	41	N.D.(1.7)	41	1.6
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Carassius auratus</i>	<i>Carassius auratus langsdorfi</i>	3	0.14	Mature fish	Obscure digesta	-	-	54	N.D.(2.2)	54	-
					Vertebrata	Osteichthyes	Salmoniformes	Osmeridae	<i>Plecoglossus altivelis altivelis</i>	Sweetfish	15	0.74	Mature fish	-	-	-	142.6	2.6	140	-
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	<i>Rhinogobius fluviatilis</i>	<i>Rhinogobius fluviatilis</i>	32	0.10	Immature fish, Mature fish	-	-	-	130	N.D.(2.5)	130	-
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	<i>Rhinogobius nagoyae</i>	<i>Rhinogobius nagoyae</i>										
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	<i>Rhinogobius</i> sp.	<i>Rhinogobius</i>										
	Coarse Particulate Organic Matter	-	-	-	-	-	-	-	Bottom fallen leaves	-	-	0.22	-	-	-	88.5	1.5	87	-	

*1: Organisms were collected in or around the targeted water areas.

*2: When multiple types of aquatic organisms were collected, a sample was prepared by mixing them.

*3: For a sample made of multiple types of aquatic organisms, the English name of the dominant one largest in number is underlined.

*4: Basically, measurement was conducted for all organism samples. Viscera (stomach and bowels) were removed for the measurement when possible so that undigested food and sediments, etc. in the digestive system would be excluded.

*5: Plankton (suspended algae) is the residue remaining after the filtration of lake water or seawater with a plankton net (40µm-mesh).

*6: River bottom materials (incl. algae) are algae, etc. that were scratched off stones with a brush, etc. and may include very fine particles such as inorganic silt and clay.

*7: N.D. means to be below the detection limit and figures in parentheses show the detection limit.

*8: Activity concentrations include counting errors, but the details are omitted here.