

表1 地下水DPAA分析結果一覧(時期別) (2)

単位: µg-As/L

地点番号	地区	2006年春季採取			2006年夏季採取			2006年秋季採取			2007年冬季採取			2007年春季採取			地点番号	
		10m	20m	30m	10m	20m	30m	10m	20m	30m	10m	20m	30m	10m	20m	30m		
65	B	ND	ND	ND(1)	ND	ND	ND(3)	ND	ND	ND(2)	ND	ND	ND(N.D.)	ND	ND	ND(2)	65	
66	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	66	
57	B	ND	1	9	21	160	170	ND	9	270	ND	ND	ND	ND	ND	57		
64	B	ND	ND	57	ND	ND	50	ND	ND	38	ND	ND	22	ND	ND	24	64	
173	B	ND	46	760	ND	54	520	ND	ND	3	ND	ND	ND	ND	ND	27	173	
190	B	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	190	
172	B	ND	ND	51	ND	ND	120	11	12	67	1	1	53	ND	ND	ND	172	
188	B	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	188	
169	B	ND	ND	57	ND	1	140	ND	1	16	ND	ND	9	ND	ND	ND	169	
189	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	189	
67	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	67	
170	B	ND	ND	ND	ND	ND	16	ND	1.0	17	ND	ND	33	ND	ND	ND	170	
166	B	170	210	340	230	270	350	ND	ND	110	ND	ND	140	ND	1	89	166	
187	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	187	
58	B	ND	ND	44	ND	ND	300	ND	ND	ND	ND	ND	160	ND	ND	ND	58	
171	B	ND	2	340	ND	1	330	ND	70	330	ND	ND	200	ND	ND	ND	171	
B地区中心	54	B	1	2	44	43	67	120	150	150	160	3	2	24	1	1	1	54
191	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	191	
168	B	ND	ND	200	ND	ND	120	ND	ND	4	ND	ND	110	ND	ND	150	168	
165	B	ND	ND	32	ND	ND	53	2	4	53	ND	ND	13	ND	ND	96	165	
167	B	ND	ND	350	ND	ND	7	20	63	270	2	3	200	ND	ND	230	167	
162	B	47	70	270	52	62	230	27	46	94	ND	ND	23	ND	ND	18	162	
63	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	63	
192	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	192	
163	B	1	ND	430	ND	ND	290	4	ND	220	ND	ND	110	ND	ND	83	163	
164	B	ND	ND	350	ND	ND	240	8	13	290	ND	ND	200	ND	ND	160	164	
62	B	ND	ND	250	ND	ND	200	ND	ND	ND	-	-	-	ND	ND	91	62	
60	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	60	
59	B	ND	ND	63	ND	ND	65	ND	ND	1	ND	ND	ND	ND	ND	8	59	
195	B	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	195	
196	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	196	
61	B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	61	
193	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	193	
174	AB	ND	ND	31	ND	ND	45	ND	ND	17	ND	ND	1	ND	ND	11	174	
175	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	175	
55	AB	ND	ND	3(3)	ND	ND	16(3)	ND	ND	3(15)	ND	ND	ND(N.D.)	ND	ND	26(N.D.)	55	
194	AB	ND	ND	2(6)	ND	ND	ND(1)	ND	1	7(7)	ND	ND	ND(1)	ND	ND	ND(8.7)	194	
178	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	178	
177	AB	ND	ND	41	ND	ND	88	ND	ND	19	ND	ND	180	ND	ND	30	177	
176	AB	ND	ND	7	ND	ND	6	ND	ND	ND	ND	ND	38	ND	ND	51	176	
179	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	179	
56	AB	ND	ND	16	ND	ND	300	ND	ND	33	ND	ND	ND	ND	ND	1	56	
197	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	197	
199	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	199	
181	AB	ND	42	180	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9	181	
180	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	180	
198	AB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	198	
51	A	ND	ND	ND(9)	ND	ND	14(150)	ND	ND	54(200)	-	-	-(-)	ND	ND	ND	51	
48	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	48	
50	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50	
30	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	30	
28	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	28	
グランド北西角	27	A	4	190	1900(3100)	N.D.	N.D.	760(1200)	7	16	270(670)	2	2	9(71)	2	5	1200(1800)	27
155	A	8	10	5700	8	9	5400	1	5	110	34	60	810	7	15	1800	155	
47	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	47	
49	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	49	
31	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	31	
156	A	ND	ND	37	ND	ND	110	ND	ND	14	ND	ND	1	ND	ND	15	156	
40	A	ND	ND	11	ND	ND	4	36	34	37	3	3	3	ND	ND	8	40	
41	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	41	
75	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	75	
76	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	76	
29	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	29	
78	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	78	
79	A	6	8	3300	3	6	2600	2	6	1500	4	6	740	ND	ND	800	79	
157	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	157	
80	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	80	
A井戸南西10m	39	A	4	180	17000	2	230	12000	5	300	6100	N.D.	97	6700	N.D.	23	1900	39
90	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	90	
77	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	77	
158	A	ND	1	3	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	158	
1	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	
5	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	
9	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9	
14	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	14	
81	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	81	
2	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	
6	A	1	ND	ND	ND	ND	380	ND	ND	ND	ND	ND	10	ND	ND	13	6	
10	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	
15	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15	
159	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	159	
A井戸直近	34	A	4	7800	15000	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	16	170	98	700	980	34
16	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	16	
19	A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	19	

- 1 A : A井戸周辺
- B : B地区
- AB : AB間
- G : 掘削調査地点周辺
- 外周 : ABトラック外周部 をあわす。
- 2 代表10m,20m,30mの深度をあらわし、代表深度に濃度が無いものについては近傍の値を用いた。
- 3 30m以上の測定値については()値で示す。具体的な深度については地下水分析結果一覧表に示す。
- 4 同一時期、同一深度で2回以上測定された場合については最高濃度を示す。
- 5 単位は µg-As/L




表1 地下水DPAA分析結果一覧(時期別) (4)

単位: µg-As/L

地点番号	地区	2006年春季採取			2006年夏季採取			2006年秋季採取			2007年冬季採取			2007年春季採取			地点番号		
		10m	20m	30m	10m	20m	30m	10m	20m	30m	10m	20m	30m	10m	20m	30m			
42	A	N.D.	13	590	N.D.	2	230	N.D.	1	100	N.D.	110	580	N.D.	200	450	42		
3	A																3		
11	A																11		
26	A																26		
7	A	N.D.	N.D.	230	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7		
38	A	N.D.	N.D.	560	N.D.	N.D.	10	N.D.	N.D.	N.D.	N.D.	65	2100	2	1300	11000	38		
24	A	31	650	1200	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	27	780	5400	24		
20	A	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	20		
70	A	N.D.	N.D.	360	N.D.	N.D.	110	N.D.	N.D.	N.D.	N.D.	N.D.	22	6	1900	7000	70		
4	A																4		
8	A	N.D.	N.D.	180	N.D.	N.D.	220	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	37	820	8		
12	A																12		
17	A																17		
22	A																22		
89	A	75	340	4700	N.D.	N.D.	3600	N.D.	N.D.	8	N.D.	N.D.	320	N.D.	170	2400	89		
25	A	35	2		N.D.	N.D.		N.D.	N.D.		N.D.	N.D.		1	N.D.		25		
68	A	3	N.D.	680	N.D.	3	730	N.D.	N.D.	81	N.D.	N.D.	570	N.D.	490	3500	68		
13	A	N.D.	N.D.	1200	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	250	220	3900	11000	13		
18	A																18		
21	A																21		
23	A																23		
A井戸直近湧水井戸		B-1				10000	11000		6200	5700		9300	15000		5300	19000	B-1		
74	A	N.D.	1	1000	N.D.	N.D.	1200	N.D.	N.D.	160	N.D.	N.D.	940	N.D.	49	650	74		
160	A	N.D.	N.D.	640	N.D.	N.D.	11	N.D.	N.D.	N.D.	N.D.	N.D.	9	2	8	800	160		
35	A	N.D.	N.D.	13	N.D.	N.D.	57	N.D.	N.D.	2000	N.D.	N.D.	930	1500	84	2100	35		
A井戸南東10m		37	A	N.D.	1	3200	5	79	1400	N.D.	5	87	N.D.	4	600	54	5800	13000	37
71	A	N.D.	N.D.	1900	N.D.	11	2800	N.D.	N.D.	790	N.D.	N.D.	790	N.D.	94	5400	71		
72	A	N.D.	N.D.	2400	N.D.	3	640	N.D.	N.D.	360	N.D.	5	2400	1	4200	12000	72		
73	A	N.D.	N.D.	1900	1	2	510	N.D.	N.D.	390	N.D.	N.D.	1300	8	4500	14000	73		
36	A	N.D.	320	1200	N.D.	2	140	N.D.	N.D.	11	N.D.	33	1800	1800	3100	4600	36		
69	A	N.D.	N.D.	1000	N.D.	N.D.	1700	N.D.	N.D.	600	N.D.	N.D.	110	N.D.	3	4700	69		
43	A	1	N.D.	1	N.D.	N.D.	N.D.	2	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	5	43		
161	A	N.D.	N.D.	N.D.	N.D.	1	1	2	5	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	161		
44	A	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	44		
45	A	1	3	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	45		
182	A	34	35	52	-	-	-	-	-	-	-	-	-	-	-	-	182		
200	A	2	1	2	N.D.	N.D.	N.D.	2	1	N.D.	1	2	N.D.	N.D.	N.D.	N.D.	200		
52	A	N.D.	1	2	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.	5	8	N.D.	N.D.	3	52		
53	A	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	53		
92	G																92		
91	G																91		
33	G	N.D.	35	160	13	15	17	9	11	11	7	7	21	7	20	210	33		
93	G																93		
94	G																94		
96	G																96		
95	G																95		
88	G	1	1	1	1	1	1	2	1	1	N.D.	N.D.	30	4	3	36	88		
97	G																97		
98	G																98		
102	G																102		
101	G																101		
183	G																183		
100	G																100		
103	G																103		
184	G																184		
99	G																99		
104	G																104		
109	G																109		
185	G																185		
84	G																84		
85	G																85		
87	G	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	1	N.D.	87		
105	G																105		
108	G																108		
186	G																186		
107	G																107		
110	G																110		
46	G	23	41	96	36	40	40	17	19	120	N.D.	15	20	18	17	18	46		
106	G																106		
111	G																111		
116	G																116		
112	G																112		
115	G																115		
86	G																86		
114	G																114		
117	G																117		
113	G																113		
118	G																118		
123	G																123		
119	G																119		
122	G																122		
121	G																121		
コンクリート擁壁直下		124	G														124		
83	G																83		
120	G																120		

- 1 A : A井戸周辺
- B : B地区
- AB : AB間
- G : 掘削調査地点周辺
- 外周 : ABトラック外周部 をあわす。
- 2 代表10m,20m,30mの深度をあらわし、代表深度に濃度が無いものについては近傍の値を用いた。
- 3 30m以深の測定値については()値で示す。具体的な深度については地下水分析結果一覧表に示す。
- 4 同一時期、同一深度で2回以上測定された場合については最高濃度を示す。
- 5 単位は µg-As/L




表1 地下水DPAA分析結果一覧(時期別) (6)

単位: μg-As/L

地点番号	地区	2006年春季採取			2006年夏季採取			2006年秋季採取			2007年冬季採取			2007年春季採取			地点番号	
		10m	20m	30m	10m	20m	30m	10m	20m	30m	10m	20m	30m	10m	20m	30m		
125	G																125	
130	G																130	
K2	G	4			3			4			6			2			K2	
126	G																126	
129	G																129	
128	G																128	
131	G																131	
127	G																127	
137	G																137	
132	G																132	
133	G																133	
136	G																136	
135	G																135	
138	G																138	
134	G																134	
139	G																139	
143	G																143	
82	G	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	2	1	1	82	
142	G																142	
141	G																141	
144	G																144	
140	G																140	
145	G																145	
150	G																150	
146	G																146	
149	G																149	
148	G																148	
147	G																147	
151	G																151	
152	G																152	
32	G	4	12	12	12	15	12	10	12	12	8	12	9	12	11	9	32	
154	G																154	
153	G																153	
F-2	G	6500			2300			2000			14000			8500			F-2	
F-3	G		5500			3900			3500			9000			11000		F-3	
F-4	G			920			510			220			220			220	F-4	
F-7	G		470			780			220			350			450		F-7	
F-8	G	1700			1900			1200			2100			6200			F-8	
F-9	G			440			830			210			210			440	F-9	
F-10	G	7700			7500			6800			9200			8200			F-10	
F-11	G		2100			3800			1300			1500			8700		F-11	
F-12	G			250			220			66			540			550	F-12	
F-13	G												1800			1500	F-13	
F-14	G									140				20			F-14	
F-15	G										2800				3400		F-15	
M-1	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-1	
M-2	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-2	
南西端	M-3	外周	N.D.	8	8	11	13	12	5	10	11	9	15	7	24	27	30	M-3
M-4	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-4
M-5	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-5
M-6	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-6
M-7	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-7
M-8	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-8
M-9	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	M-9
M-10	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-10
M-11	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-11
M-12	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-12
M-13	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-13
M-14	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-14
M-15	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-15
M-16	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-16
M-17	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-17
M-18	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-18
M-19	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-19
南西端	M-20	外周	N.D.	140	280(170)	1	62	180(180)	12	180	240(190)	N.D.	300	390(380)	N.D.	390	430(410)	M-20
M-21	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-21
M-22	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-22
M-23	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	M-23
M-24	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-24
M-25	外周	N.D.	N.D.	N.D.	N.D.	N.D.		N.D.	N.D.	N.D.		N.D.	N.D.	1	2	2	2	M-25
M-26	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-26
M-27	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	5	4	5(4)	6	7	5(5)	3	3	3(3.3)	3	M-27
M-28	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-28
M-29	外周	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-29
M-30	外周										2	3	3	N.D.	N.D.	N.D.	N.D.	M-30
M-31	外周										7	4	4	3.1	3	3.2	3.2	M-31
M-32	外周										N.D.	N.D.	N.D.(N.D.)	N.D.	N.D.	N.D.(N.D.)	N.D.	M-32

- 1 A : A井戸周辺
- B : B地区
- AB : AB間
- G : 掘削調査地点周辺
- 外周 : ABトラック外周部 をあわす。
- 2 代表10m,20m,30mの深度の濃度をあわす、代表深度に濃度が無いものについては近傍の値を用いた。
- 3 30m以深の測定値については()値で示す。具体的な深度については地下水分析結果一覧表に示す。
- 4 同一時期、同一深度で2回以上測定された場合については最高濃度を示す。
- 5 単位は μg-As/L

