

Survey point's No.	Names of species	Specimen collection site	Gender (M:Male, F:Female)	Age (A:Adult, S:Sub-adult, Jv:Jvenile, Ck:Chick)	Specimen	Lipid (%)	No.	SPEED '98 No.	object substance-1	object substance-2	data	unit
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	16	-	-	Monobutyltin	<2,000	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	16	-	-	Monobutyltin	<2,000	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	16	-	-	Monobutyltin	<2,000	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	16	-	-	Monobutyltin	<2,000	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	16	-	-	Monobutyltin	<2,000	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	16	-	-	Monobutyltin	<2,000	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	16	-	-	Monobutyltin	<2,000	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	16	-	-	Monobutyltin	<2,000	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	16	-	-	Monobutyltin	<2,000	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	16	-	-	Monobutyltin	<2,000	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	16	-	-	Monobutyltin	<2,000	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	16	-	-	Monobutyltin	<2,000	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	16	-	-	Monobutyltin	<2,000	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	16	-	-	Monobutyltin	<2,000	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	16	-	-	Monobutyltin	<2,000	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	15	-	-	Dibutyltin	<1,000	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	15	-	-	Dibutyltin	<1,000	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	15	-	-	Dibutyltin	<1,000	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	15	-	-	Dibutyltin	<1,000	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	15	-	-	Dibutyltin	<1,000	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet

9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	15	-	-	Dibutyltin	<1,000	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	15	-	-	Dibutyltin	<1,000	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	15	-	-	Dibutyltin	<1,000	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	15	-	-	Dibutyltin	<1,000	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	15	-	-	Dibutyltin	<1,000	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	15	-	-	Dibutyltin	<1,000	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	15	-	-	Dibutyltin	<1,000	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	15	-	-	Dibutyltin	<1,000	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	15	-	-	Dibutyltin	<1,000	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	15	-	-	Dibutyltin	<1,000	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	14	34	-	Triphenyltin	<200	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	14	34	-	Triphenyltin	<200	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	14	34	-	Triphenyltin	<200	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	14	34	-	Triphenyltin	<200	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	14	34	-	Triphenyltin	<200	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	14	34	-	Triphenyltin	<200	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	14	34	-	Triphenyltin	<200	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	14	34	-	Triphenyltin	<200	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	14	34	-	Triphenyltin	<200	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	14	34	-	Triphenyltin	<200	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	14	34	-	Triphenyltin	<200	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	14	34	-	Triphenyltin	<200	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	14	34	-	Triphenyltin	<200	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	14	34	-	Triphenyltin	<200	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	14	34	-	Triphenyltin	<200	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	14	34	-	Triphenyltin	<200	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	14	34	-	Triphenyltin	<200	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	14	34	-	Triphenyltin	<200	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	14	34	-	Triphenyltin	<200	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	14	34	-	Triphenyltin	<200	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	14	34	-	Triphenyltin	<200	ug/kg-wet

22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	14	34	-	Triphenyltin	<200	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	14	34	-	Triphenyltin	<200	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	14	34	-	Triphenyltin	<200	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	14	34	-	Triphenyltin	<200	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	14	34	-	Triphenyltin	<200	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	14	34	-	Triphenyltin	<200	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	14	34	-	Triphenyltin	<200	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	14	34	-	Triphenyltin	<200	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	14	34	-	Triphenyltin	<200	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	13	33	-	Tributyltin	<200	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	13	33	-	Tributyltin	<200	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	13	33	-	Tributyltin	<200	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	13	33	-	Tributyltin	<200	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	13	33	-	Tributyltin	<200	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	13	33	-	Tributyltin	<200	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	13	33	-	Tributyltin	<200	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	13	33	-	Tributyltin	<200	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	13	33	-	Tributyltin	<200	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	13	33	-	Tributyltin	<200	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	13	33	-	Tributyltin	<200	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	13	33	-	Tributyltin	<200	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	13	33	-	Tributyltin	<200	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	13	33	-	Tributyltin	<200	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	13	33	-	Tributyltin	<200	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	13	33	-	Tributyltin	<200	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	13	33	-	Tributyltin	<200	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	13	33	-	Tributyltin	<200	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	13	33	-	Tributyltin	<200	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	13	33	-	Tributyltin	<200	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	13	33	-	Tributyltin	<200	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	13	33	-	Tributyltin	<200	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	13	33	-	Tributyltin	<200	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	13	33	-	Tributyltin	<200	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	13	33	-	Tributyltin	<200	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	13	33	-	Tributyltin	<200	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	13	33	-	Tributyltin	<200	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	13	33	-	Tributyltin	<200	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	13	33	-	Tributyltin	<200	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	13	33	-	Tributyltin	<200	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet

5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	12	43	-	Benzo(a)pyrene	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	12	43	-	Benzo(a)pyrene	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	12	43	-	Benzo(a)pyrene	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	11	26	-	Heptachlor epoxide	34	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	11	26	-	Heptachlor epoxide	20	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	11	26	-	Heptachlor epoxide	23	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	11	26	-	Heptachlor epoxide	5	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	11	26	-	Heptachlor epoxide	34	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	11	26	-	Heptachlor epoxide	43	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	11	26	-	Heptachlor epoxide	20	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	11	26	-	Heptachlor epoxide	4	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	11	26	-	Heptachlor epoxide	34	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	11	26	-	Heptachlor epoxide	38	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	11	26	-	Heptachlor epoxide	170	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	11	26	-	Heptachlor epoxide	93	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	11	26	-	Heptachlor epoxide	51	ug/kg-wet

18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	11	26	-	Heptachlor epoxide	6	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	11	26	-	Heptachlor epoxide	50	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	11	26	-	Heptachlor epoxide	66	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	11	26	-	Heptachlor epoxide	103	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	11	26	-	Heptachlor epoxide	2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	11	26	-	Heptachlor epoxide	3	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	11	26	-	Heptachlor epoxide	10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	11	26	-	Heptachlor epoxide	9	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	11	26	-	Heptachlor epoxide	18	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	11	26	-	Heptachlor epoxide	100	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	11	26	-	Heptachlor epoxide	75	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	11	26	-	Heptachlor epoxide	6	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	11	26	-	Heptachlor epoxide	21	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	10	25	-	Heptachlor	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	10	25	-	Heptachlor	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	10	25	-	Heptachlor	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	10	25	-	Heptachlor	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	10	25	-	Heptachlor	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	10	25	-	Heptachlor	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	10	25	-	Heptachlor	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	10	25	-	Heptachlor	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	10	25	-	Heptachlor	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	10	25	-	Heptachlor	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	10	25	-	Heptachlor	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	10	25	-	Heptachlor	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	10	25	-	Heptachlor	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	10	25	-	Heptachlor	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	10	25	-	Heptachlor	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	10	25	-	Heptachlor	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	10	25	-	Heptachlor	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	10	25	-	Heptachlor	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	10	25	-	Heptachlor	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	10	25	-	Heptachlor	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	10	25	-	Heptachlor	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	10	25	-	Heptachlor	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	10	25	-	Heptachlor	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	10	25	-	Heptachlor	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	10	25	-	Heptachlor	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	10	25	-	Heptachlor	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	10	25	-	Heptachlor	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	10	25	-	Heptachlor	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	10	25	-	Heptachlor	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	10	25	-	Heptachlor	<4	ug/kg-wet

1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	9	23	-	Dieldrin	48	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	9	23	-	Dieldrin	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	9	23	-	Dieldrin	39	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	9	23	-	Dieldrin	22	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	9	23	-	Dieldrin	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	9	23	-	Dieldrin	52	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	9	23	-	Dieldrin	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	9	23	-	Dieldrin	26	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	9	23	-	Dieldrin	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	9	23	-	Dieldrin	18	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	9	23	-	Dieldrin	14	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	9	23	-	Dieldrin	76	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	9	23	-	Dieldrin	189	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	9	23	-	Dieldrin	506	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	9	23	-	Dieldrin	55	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	9	23	-	Dieldrin	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	9	23	-	Dieldrin	19	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	9	23	-	Dieldrin	7	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	9	23	-	Dieldrin	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	9	23	-	Dieldrin	26	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	9	23	-	Dieldrin	25	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	9	23	-	Dieldrin	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	9	23	-	Dieldrin	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	9	23	-	Dieldrin	10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	9	23	-	Dieldrin	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	9	23	-	Dieldrin	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	9	23	-	Dieldrin	30	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	9	23	-	Dieldrin	10	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	9	23	-	Dieldrin	11	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	9	23	-	Dieldrin	25	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	8	19	DDE and DDD	p,p'-DDD	32	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	8	19	DDE and DDD	p,p'-DDD	8	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	8	19	DDE and DDD	p,p'-DDD	9	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	8	19	DDE and DDD	p,p'-DDD	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	8	19	DDE and DDD	p,p'-DDD	27	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	8	19	DDE and DDD	p,p'-DDD	41	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	8	19	DDE and DDD	p,p'-DDD	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	8	19	DDE and DDD	p,p'-DDD	82	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	8	19	DDE and DDD	p,p'-DDD	20	ug/kg-wet

14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	8	19	DDE and DDD	p,p'-DDD	28	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	8	19	DDE and DDD	p,p'-DDD	2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	8	19	DDE and DDD	p,p'-DDD	3	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	8	19	DDE and DDD	p,p'-DDD	5	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	8	19	DDE and DDD	p,p'-DDD	10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	8	19	DDE and DDD	p,p'-DDD	6	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	8	19	DDE and DDD	p,p'-DDD	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	8	19	DDE and DDD	p,p'-DDD	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	8	19	DDE and DDD	p,p'-DDD	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	8	19	DDE and DDD	p,p'-DDD	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	8	19	DDE and DDD	p,p'-DDD	20	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	8	19	DDE and DDD	p,p'-DDD	19	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	8	19	DDE and DDD	o,p'-DDD	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	8	19	DDE and DDD	o,p'-DDD	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet

27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	8	19	DDE and DDD	o,p'-DDD	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	8	19	DDE and DDD	p,p'-DDE	5,940	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	8	19	DDE and DDD	p,p'-DDE	15	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	8	19	DDE and DDD	p,p'-DDE	572	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	8	19	DDE and DDD	p,p'-DDE	393	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	8	19	DDE and DDD	p,p'-DDE	136	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	8	19	DDE and DDD	p,p'-DDE	2,250	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	8	19	DDE and DDD	p,p'-DDE	12	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	8	19	DDE and DDD	p,p'-DDE	2,090	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	8	19	DDE and DDD	p,p'-DDE	18	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	8	19	DDE and DDD	p,p'-DDE	228	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	8	19	DDE and DDD	p,p'-DDE	26	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	8	19	DDE and DDD	p,p'-DDE	4,820	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	8	19	DDE and DDD	p,p'-DDE	1,330	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	8	19	DDE and DDD	p,p'-DDE	3,990	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	8	19	DDE and DDD	p,p'-DDE	1,350	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	8	19	DDE and DDD	p,p'-DDE	12	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	8	19	DDE and DDD	p,p'-DDE	233	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	8	19	DDE and DDD	p,p'-DDE	284	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	8	19	DDE and DDD	p,p'-DDE	1,070	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	8	19	DDE and DDD	p,p'-DDE	3,650	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	8	19	DDE and DDD	p,p'-DDE	1,490	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	8	19	DDE and DDD	p,p'-DDE	12	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	8	19	DDE and DDD	p,p'-DDE	14	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	8	19	DDE and DDD	p,p'-DDE	200	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	8	19	DDE and DDD	p,p'-DDE	59	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	8	19	DDE and DDD	p,p'-DDE	125	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	8	19	DDE and DDD	p,p'-DDE	1,510	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	8	19	DDE and DDD	p,p'-DDE	1,030	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	8	19	DDE and DDD	p,p'-DDE	679	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	8	19	DDE and DDD	p,p'-DDE	466	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet

10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	8	19	DDE and DDD	o,p'-DDE	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	8	19	DDE and DDD	o,p'-DDE	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	8	19	DDE and DDD	o,p'-DDE	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	7	18	DDT	p,p'-DDT	3	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	7	18	DDT	p,p'-DDT	4	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	7	18	DDT	p,p'-DDT	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	7	18	DDT	p,p'-DDT	3	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet

23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	7	18	DDT	p,p'-DDT	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	7	18	DDT	p,p'-DDT	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	7	18	DDT	o,p'-DDT	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	7	18	DDT	o,p'-DDT	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	7	18	DDT	o,p'-DDT	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	6	16	-	cis-Nonachlor	118	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	6	16	-	cis-Nonachlor	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	6	16	-	cis-Nonachlor	17	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	6	16	-	cis-Nonachlor	15	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	6	16	-	cis-Nonachlor	<4	ug/kg-wet

6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	6	16	-	cis-Nonachlor	19	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	6	16	-	cis-Nonachlor	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	6	16	-	cis-Nonachlor	35	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	6	16	-	cis-Nonachlor	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	6	16	-	cis-Nonachlor	25	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	6	16	-	cis-Nonachlor	3	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	6	16	-	cis-Nonachlor	18	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	6	16	-	cis-Nonachlor	43	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	6	16	-	cis-Nonachlor	224	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	6	16	-	cis-Nonachlor	103	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	6	16	-	cis-Nonachlor	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	6	16	-	cis-Nonachlor	14	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	6	16	-	cis-Nonachlor	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	6	16	-	cis-Nonachlor	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	6	16	-	cis-Nonachlor	3	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	6	16	-	cis-Nonachlor	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	6	16	-	cis-Nonachlor	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	6	16	-	cis-Nonachlor	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	6	16	-	cis-Nonachlor	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	6	16	-	cis-Nonachlor	5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	6	16	-	cis-Nonachlor	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	6	16	-	cis-Nonachlor	20	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	6	16	-	cis-Nonachlor	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	6	16	-	cis-Nonachlor	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	6	16	-	cis-Nonachlor	8	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	6	16	-	trans-Nonachlor	420	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	6	16	-	trans-Nonachlor	3	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	6	16	-	trans-Nonachlor	94	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	6	16	-	trans-Nonachlor	73	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	6	16	-	trans-Nonachlor	8	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	6	16	-	trans-Nonachlor	84	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	6	16	-	trans-Nonachlor	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	6	16	-	trans-Nonachlor	148	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	6	16	-	trans-Nonachlor	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	6	16	-	trans-Nonachlor	133	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	6	16	-	trans-Nonachlor	14	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	6	16	-	trans-Nonachlor	105	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	6	16	-	trans-Nonachlor	212	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	6	16	-	trans-Nonachlor	761	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	6	16	-	trans-Nonachlor	365	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	6	16	-	trans-Nonachlor	4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	6	16	-	trans-Nonachlor	77	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	6	16	-	trans-Nonachlor	<4	ug/kg-wet

19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	6	16	-	trans-Nonachlor	40	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	6	16	-	trans-Nonachlor	55	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	6	16	-	trans-Nonachlor	10	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	6	16	-	trans-Nonachlor	4	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	6	16	-	trans-Nonachlor	4	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	6	16	-	trans-Nonachlor	30	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	6	16	-	trans-Nonachlor	13	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	6	16	-	trans-Nonachlor	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	6	16	-	trans-Nonachlor	90	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	6	16	-	trans-Nonachlor	6	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	6	16	-	trans-Nonachlor	8	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	6	16	-	trans-Nonachlor	30	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	5	15	-	Oxychlordane	323	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	5	15	-	Oxychlordane	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	5	15	-	Oxychlordane	78	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	5	15	-	Oxychlordane	72	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	5	15	-	Oxychlordane	9	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	5	15	-	Oxychlordane	92	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	5	15	-	Oxychlordane	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	5	15	-	Oxychlordane	95	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	5	15	-	Oxychlordane	3	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	5	15	-	Oxychlordane	76	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	5	15	-	Oxychlordane	11	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	5	15	-	Oxychlordane	151	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	5	15	-	Oxychlordane	153	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	5	15	-	Oxychlordane	510	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	5	15	-	Oxychlordane	261	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	5	15	-	Oxychlordane	6	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	5	15	-	Oxychlordane	122	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	5	15	-	Oxychlordane	10	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	5	15	-	Oxychlordane	80	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	5	15	-	Oxychlordane	271	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	5	15	-	Oxychlordane	255	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	5	15	-	Oxychlordane	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	5	15	-	Oxychlordane	2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	5	15	-	Oxychlordane	20	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	5	15	-	Oxychlordane	15	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	5	15	-	Oxychlordane	23	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	5	15	-	Oxychlordane	320	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	5	15	-	Oxychlordane	85	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	5	15	-	Oxychlordane	29	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	5	15	-	Oxychlordane	235	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet

2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	4	14	Chlordane	trans-Chlordane	5	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	4	14	Chlordane	trans-Chlordane	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	4	14	Chlordane	trans-Chlordane	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	4	14	Chlordane	trans-Chlordane	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	4	14	Chlordane	cis-Chlordane	14	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	4	14	Chlordane	cis-Chlordane	3	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	4	14	Chlordane	cis-Chlordane	16	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	4	14	Chlordane	cis-Chlordane	3	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	4	14	Chlordane	cis-Chlordane	74	ug/kg-wet

15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	4	14	Chlordane	cis-Chlordane	22	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	4	14	Chlordane	cis-Chlordane	2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	4	14	Chlordane	cis-Chlordane	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	4	14	Chlordane	cis-Chlordane	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	4	14	Chlordane	cis-Chlordane	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	3	12	Hexachlorocyclohexane	HCH total*	57	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	3	12	Hexachlorocyclohexane	HCH total*	51	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	3	12	Hexachlorocyclohexane	HCH total*	57	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	3	12	Hexachlorocyclohexane	HCH total*	41	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	3	12	Hexachlorocyclohexane	HCH total*	89	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	3	12	Hexachlorocyclohexane	HCH total*	96	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	3	12	Hexachlorocyclohexane	HCH total*	5	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	3	12	Hexachlorocyclohexane	HCH total*	51	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	3	12	Hexachlorocyclohexane	HCH total*	103	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	3	12	Hexachlorocyclohexane	HCH total*	73	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	3	12	Hexachlorocyclohexane	HCH total*	297	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	3	12	Hexachlorocyclohexane	HCH total*	92	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	3	12	Hexachlorocyclohexane	HCH total*	17	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	3	12	Hexachlorocyclohexane	HCH total*	18	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	3	12	Hexachlorocyclohexane	HCH total*	70	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	3	12	Hexachlorocyclohexane	HCH total*	181	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	3	12	Hexachlorocyclohexane	HCH total*	104	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	3	12	Hexachlorocyclohexane	HCH total*	12	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	3	12	Hexachlorocyclohexane	HCH total*	8	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	3	12	Hexachlorocyclohexane	HCH total*	110	ug/kg-wet

28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	3	12	Hexachlorocyclohexane	HCH total*	22	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	3	12	Hexachlorocyclohexane	HCH total*	17	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	3	12	Hexachlorocyclohexane	HCH total*	45	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet

11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	3	12	Hexachlorocyclohexane	-HCH	57	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	51	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	3	12	Hexachlorocyclohexane	-HCH	57	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	3	12	Hexachlorocyclohexane	-HCH	41	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	3	12	Hexachlorocyclohexane	-HCH	89	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	3	12	Hexachlorocyclohexane	-HCH	96	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	5	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	3	12	Hexachlorocyclohexane	-HCH	51	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	3	12	Hexachlorocyclohexane	-HCH	103	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	3	12	Hexachlorocyclohexane	-HCH	73	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	297	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	92	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	3	12	Hexachlorocyclohexane	-HCH	17	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	3	12	Hexachlorocyclohexane	-HCH	18	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	3	12	Hexachlorocyclohexane	-HCH	70	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	181	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	3	12	Hexachlorocyclohexane	-HCH	104	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet

24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	12	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	8	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	3	12	Hexachlorocyclohexane	-HCH	110	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	22	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	3	12	Hexachlorocyclohexane	-HCH	17	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	45	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	2	4	Hexachlorobenzene (HCB)		12	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	2	4	Hexachlorobenzene (HCB)		<2	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	2	4	Hexachlorobenzene (HCB)		15	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	2	4	Hexachlorobenzene (HCB)		6	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	2	4	Hexachlorobenzene (HCB)		<4	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	2	4	Hexachlorobenzene (HCB)		10	ug/kg-wet

7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	2	4	Hexachlorobenzene (HCB)	<2	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	2	4	Hexachlorobenzene (HCB)	46	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	2	4	Hexachlorobenzene (HCB)	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	2	4	Hexachlorobenzene (HCB)	5	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	2	4	Hexachlorobenzene (HCB)	<2	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	2	4	Hexachlorobenzene (HCB)	33	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	2	4	Hexachlorobenzene (HCB)	13	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	2	4	Hexachlorobenzene (HCB)	62	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	2	4	Hexachlorobenzene (HCB)	6	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	2	4	Hexachlorobenzene (HCB)	<2	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	2	4	Hexachlorobenzene (HCB)	3	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	2	4	Hexachlorobenzene (HCB)	9	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	2	4	Hexachlorobenzene (HCB)	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	2	4	Hexachlorobenzene (HCB)	65	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	2	4	Hexachlorobenzene (HCB)	17	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	2	4	Hexachlorobenzene (HCB)	<2	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	2	4	Hexachlorobenzene (HCB)	<2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	2	4	Hexachlorobenzene (HCB)	<10	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	2	4	Hexachlorobenzene (HCB)	<5	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	2	4	Hexachlorobenzene (HCB)	<4	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	2	4	Hexachlorobenzene (HCB)	20	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	2	4	Hexachlorobenzene (HCB)	43	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	2	4	Hexachlorobenzene (HCB)	4	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	2	4	Hexachlorobenzene (HCB)	5	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) PCB total*	1,451	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) PCB total*	14	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) PCB total*	408	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) PCB total*	290	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) PCB total*	13	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) PCB total*	889	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) PCB total*	0	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) PCB total*	1,588	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) PCB total*	0	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) PCB total*	230	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) PCB total*	0	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) PCB total*	1,140	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) PCB total*	480	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) PCB total*	14,255	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) PCB total*	3,229	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) PCB total*	40	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) PCB total*	379	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) PCB total*	32	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) PCB total*	390	ug/kg-wet

20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) PCB total*	4,340	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) PCB total*	7,745	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) PCB total*	14	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) PCB total*	11	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) PCB total*	0	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) PCB total*	10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) PCB total*	159	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) PCB total*	1,070	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) PCB total*	570	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) PCB total*	10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) PCB total*	280	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	5	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	3	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	8	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<5	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	6	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	51	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	35	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	3	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	30	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	10	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<5	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Decichloro biphenyl	<10	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	9	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<4	ug/kg-wet

3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	3	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	16	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	17	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	17	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	93	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	76	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<2.5	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	50	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	22	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<5	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Nonachloro biphenyl	<10	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	51	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	16	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	60	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	89	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	90	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	419	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	235	ug/kg-wet

16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	27	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	30	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	235	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	172	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	6	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	80	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Octachloro biphenyl	<10	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	252	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	72	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	70	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	166	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	362	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	40	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	301	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	110	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	2,560	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	416	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	10	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	104	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	5	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	110	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	909	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	1,010	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	3	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	34	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	260	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	150	ug/kg-wet

29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Heptachloro biphenyl	30	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	670	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	7	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	190	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	170	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	9	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	445	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	695	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	150	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	541	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	280	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	6,160	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	1,650	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	23	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	199	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	23	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	200	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	2,170	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	3,890	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	8	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	7	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	88	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	540	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	330	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Hexachloro biphenyl	160	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	332	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	7	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	85	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	40	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	177	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	265	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	40	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<5	ug/kg-wet

12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	168	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	90	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	3,310	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	683	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	7	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	46	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	50	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	767	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	2,340	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	3	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	2	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	31	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	150	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	90	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Pentachloro biphenyl	70	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	112	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	32	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	14	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	96	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	17	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	1,460	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	120	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<2.5	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	158	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	231	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<50	ug/kg-wet

25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	30	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Tetrachloro biphenyl	20	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	20	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	7	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	3	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	64	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<5	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	202	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	14	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<2.5	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	21	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	70	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<5	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Trichloro biphenyl	<10	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<4	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<2.5	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<4	ug/kg-wet

8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<5	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<5	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<1	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<1	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<2.5	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<2	ug/kg-wet
21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<5	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<5	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (PCBs) Dichloro biphenyl	<10	ug/kg-wet
1	Northern goshawk	Hokkaido	F	Jv	Liver	0.080	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<4	ug/kg-wet
2	Northern goshawk	Ishikawa Pref.	M	Jv	Liver	0.30	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<4	ug/kg-wet
3	Northern goshawk	Fukui Pref.	M	A	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<2	ug/kg-wet
4	Northern goshawk	Tochigi Pref.	M	Jv	Liver	2.0	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<10	ug/kg-wet
5	Northern goshawk	Tochigi Pref.	M	Jv	Liver	0.90	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<2	ug/kg-wet
6	Northern goshawk	Tochigi Pref.	M	Jv	Liver	1.5	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<2.5	ug/kg-wet
7	Northern goshawk	Tochigi Pref.	M	Ck	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<4	ug/kg-wet
8	Northern goshawk	Tochigi Pref.	Unknown	Jv	Liver	1.1	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<5	ug/kg-wet
9	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<2	ug/kg-wet
10	Northern goshawk	Tochigi Pref.	Unknown	Ck	Liver	-	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<10	ug/kg-wet
11	Northern goshawk	Saitama Pref.	Unknown	Jv	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<5	ug/kg-wet
12	Northern goshawk	Nagano Pref.	M	S	Liver	0.020	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<5	ug/kg-wet
13	Northern goshawk	Shizuoka Pref.	Unknown	Unknown	Liver	3.6	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<10	ug/kg-wet
14	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.50	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<1	ug/kg-wet
15	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	0.20	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<1	ug/kg-wet
16	Hodgson	Fukui Pref.	Unknown	Unknown	Liver	1.4	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<4	ug/kg-wet
17	Hodgson	Gunma Pref.	Unknown	Unknown	Liver	7.1	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<2.5	ug/kg-wet
18	Sparrow hawk	Fukui Pref.	F	Unknown	Liver	6.2	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<4	ug/kg-wet
19	Sparrow hawk	Tochigi Pref.	F	Unknown	Liver	8.8	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<10	ug/kg-wet
20	Peregrine falcon	Fukui Pref.	F	Jv	Liver	0.10	1	2	Polychlorinated biphenyls (PCBs) Chlorinated biphenyl	<2	ug/kg-wet

21	Peregrine falcon	Fukui Pref.	Unknown	Unknown	Liver	3.0	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<5	ug/kg-wet
22	Marsh harrier	Ishikawa Pref.	F	Ck	Liver	1.9	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<1	ug/kg-wet
23	Marsh harrier	Ishikawa Pref.	Unknown	Ck	Liver	2.3	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<1	ug/kg-wet
24	Japanese lesser sparrow hawk	Tochigi Pref.	M	Jv	Liver	6.9	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<50	ug/kg-wet
25	Japanese lesser sparrow hawk	Tochigi Pref.	F	A	Liver	4.5	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<10	ug/kg-wet
26	Owl	Fukui Pref.	F	Jv	Liver	2.3	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<5	ug/kg-wet
27	Owl	Fukui Pref.	Unknown	Unknown	Liver	4.1	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<10	ug/kg-wet
28	Ezo owl	Hokkaido	Unknown	Unknown	Liver	0.10	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<20	ug/kg-wet
29	Brown hawk owl	Fukui Pref.	Unknown	Unknown	Liver	3.4	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<10	ug/kg-wet
30	Brown hawk owl	Shiga Pref.	Unknown	Unknown	Liver	5.1	1	2	Polychlorinated biphenyls (P CBs) Chlorinated biphenyl	<10	ug/kg-wet