

Survey point's No.	Specimen collection site	Gender (M:Male, F:Female)	Age (A:Adult, Y:Young bird)	Specimen	Lipid (%)	No.	SPEED'9 8 No.	object substance-1	object substance-2	data	Unit
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	16	-	-	Monobutyltin	<20	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	16	-	-	Monobutyltin	<20	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	16	-	-	Monobutyltin	<2,000	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	16	-	-	Monobutyltin	<20	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	16	-	-	Monobutyltin	<2,000	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	16	-	-	Monobutyltin	<2,000	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	16	-	-	Monobutyltin	<2,000	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	15	-	-	Dibutyltin	<10	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	15	-	-	Dibutyltin	<10	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	15	-	-	Dibutyltin	<1,000	ug/kg-wet

11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	15	-	-	Dibutyltin	<10	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	15	-	-	Dibutyltin	<1,000	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	15	-	-	Dibutyltin	<1,000	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	15	-	-	Dibutyltin	<1,000	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	14	34	-	Triphenyltin	<200	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	14	34	-	Triphenyltin	10	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	14	34	-	Triphenyltin	<200	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	14	34	-	Triphenyltin	<200	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	14	34	-	Triphenyltin	<200	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	14	34	-	Triphenyltin	<200	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	14	34	-	Triphenyltin	<200	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	14	34	-	Triphenyltin	<200	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	14	34	-	Triphenyltin	4	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	14	34	-	Triphenyltin	<200	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	14	34	-	Triphenyltin	7	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	14	34	-	Triphenyltin	<200	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	14	34	-	Triphenyltin	<200	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	14	34	-	Triphenyltin	<200	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	14	34	-	Triphenyltin	<200	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	14	34	-	Triphenyltin	<200	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	14	34	-	Triphenyltin	<200	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	14	34	-	Triphenyltin	<200	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	14	34	-	Triphenyltin	<200	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	14	34	-	Triphenyltin	<200	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	14	34	-	Triphenyltin	<200	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	14	34	-	Triphenyltin	<200	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	14	34	-	Triphenyltin	<200	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	14	34	-	Triphenyltin	<200	ug/kg-wet

25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	14	34	-	Triphenyltin	<200	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	14	34	-	Triphenyltin	<200	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	13	33	-	Tributyltin	<200	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	13	33	-	Tributyltin	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	13	33	-	Tributyltin	<200	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	13	33	-	Tributyltin	<200	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	13	33	-	Tributyltin	<200	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	13	33	-	Tributyltin	<200	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	13	33	-	Tributyltin	<200	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	13	33	-	Tributyltin	<200	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	13	33	-	Tributyltin	8	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	13	33	-	Tributyltin	<200	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	13	33	-	Tributyltin	5	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	13	33	-	Tributyltin	<200	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	13	33	-	Tributyltin	<200	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	13	33	-	Tributyltin	<200	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	13	33	-	Tributyltin	<200	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	13	33	-	Tributyltin	<200	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	13	33	-	Tributyltin	<200	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	13	33	-	Tributyltin	<200	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	13	33	-	Tributyltin	<200	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	13	33	-	Tributyltin	<200	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	13	33	-	Tributyltin	<200	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	13	33	-	Tributyltin	<200	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	13	33	-	Tributyltin	<200	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	13	33	-	Tributyltin	<200	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	13	33	-	Tributyltin	<200	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	13	33	-	Tributyltin	<200	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet

13	Ehime Pref.	M	Unknown	Muscle, li 4.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li 6.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	11	26	Heptachlor epoxide	2	ug/kg-wet	
2	Miyagi Pref.	M	Jv	Muscle 6.2	11	26	Heptachlor epoxide	3	ug/kg-wet	
3	Miyagi Pref.	M	Unknown	Muscle, li 3.6	11	26	Heptachlor epoxide	3	ug/kg-wet	
4	Kanagawa Pref.	M	Unknown	Muscle, li 4.2	11	26	Heptachlor epoxide	<2	ug/kg-wet	
5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	11	26	Heptachlor epoxide	3	ug/kg-wet	
6	Kanagawa Pref.	M	A	Muscle, li 1.5	11	26	Heptachlor epoxide	7	ug/kg-wet	
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	11	26	Heptachlor epoxide	<2	ug/kg-wet	
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	11	26	Heptachlor epoxide	<2	ug/kg-wet	
9	Kanagawa Pref.	F	Jv	Muscle 12	11	26	Heptachlor epoxide	7	ug/kg-wet	
10	Kanagawa Pref.	F	Jv	Muscle, li 11	11	26	Heptachlor epoxide	<2	ug/kg-wet	
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	11	26	Heptachlor epoxide	<2	ug/kg-wet	
12	Ehime Pref.	M	Jv	Muscle, li 5.7	11	26	Heptachlor epoxide	<2	ug/kg-wet	
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	11	26	Heptachlor epoxide	<2	ug/kg-wet	
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	11	26	Heptachlor epoxide	<2	ug/kg-wet	
15	Ehime Pref.	F	Jv	Muscle, li 6.9	11	26	Heptachlor epoxide	2	ug/kg-wet	
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	11	26	Heptachlor epoxide	<2	ug/kg-wet	
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	11	26	Heptachlor epoxide	<2	ug/kg-wet	
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	11	26	Heptachlor epoxide	2	ug/kg-wet	
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	11	26	Heptachlor epoxide	<2	ug/kg-wet	
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	11	26	Heptachlor epoxide	<2	ug/kg-wet	
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	11	26	Heptachlor epoxide	<2	ug/kg-wet	
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	11	26	Heptachlor epoxide	<2	ug/kg-wet	
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	11	26	Heptachlor epoxide	<2	ug/kg-wet	
24	Nagasaki Pref.	F	A	Muscle, li 8.8	11	26	Heptachlor epoxide	<2	ug/kg-wet	
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	11	26	Heptachlor epoxide	4	ug/kg-wet	
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	11	26	Heptachlor epoxide	<2	ug/kg-wet	

1	Miyagi Pref.	M	Jv	Muscle, li	4.9	10	25	-	Heptachlor	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	10	25	-	Heptachlor	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	10	25	-	Heptachlor	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	10	25	-	Heptachlor	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	10	25	-	Heptachlor	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	10	25	-	Heptachlor	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	10	25	-	Heptachlor	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	10	25	-	Heptachlor	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	10	25	-	Heptachlor	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	10	25	-	Heptachlor	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	10	25	-	Heptachlor	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	10	25	-	Heptachlor	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	10	25	-	Heptachlor	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	10	25	-	Heptachlor	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	10	25	-	Heptachlor	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	10	25	-	Heptachlor	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	10	25	-	Heptachlor	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	10	25	-	Heptachlor	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	10	25	-	Heptachlor	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	10	25	-	Heptachlor	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	10	25	-	Heptachlor	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	10	25	-	Heptachlor	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	10	25	-	Heptachlor	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	10	25	-	Heptachlor	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	10	25	-	Heptachlor	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	10	25	-	Heptachlor	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	9	23	-	Dieldrin	28	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	9	23	-	Dieldrin	18	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	9	23	-	Dieldrin	17	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	9	23	-	Dieldrin	4	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	9	23	-	Dieldrin	6	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	9	23	-	Dieldrin	124	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	9	23	-	Dieldrin	6	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	9	23	-	Dieldrin	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	9	23	-	Dieldrin	41	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	9	23	-	Dieldrin	5	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	9	23	-	Dieldrin	2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	9	23	-	Dieldrin	5	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	9	23	-	Dieldrin	3	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	9	23	-	Dieldrin	6	ug/kg-wet

15	Ehime Pref.	F	Jv	Muscle, li 6.9	9	23	-	Dieldrin	10	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	9	23	-	Dieldrin	6	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	9	23	-	Dieldrin	8	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	9	23	-	Dieldrin	20	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	9	23	-	Dieldrin	6	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	9	23	-	Dieldrin	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	9	23	-	Dieldrin	9	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	9	23	-	Dieldrin	4	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	9	23	-	Dieldrin	4	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	9	23	-	Dieldrin	6	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	9	23	-	Dieldrin	25	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	9	23	-	Dieldrin	4	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	8	19	DDE and DDD	p,p'-DDD	16	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	8	19	DDE and DDD	p,p'-DDD	8	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li 3.6	8	19	DDE and DDD	p,p'-DDD	7	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li 4.2	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	8	19	DDE and DDD	p,p'-DDD	3	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li 1.5	8	19	DDE and DDD	p,p'-DDD	8	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle 12	8	19	DDE and DDD	p,p'-DDD	4	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li 11	8	19	DDE and DDD	p,p'-DDD	9	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	8	19	DDE and DDD	p,p'-DDD	3	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li 5.7	8	19	DDE and DDD	p,p'-DDD	11	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	8	19	DDE and DDD	p,p'-DDD	6	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	8	19	DDE and DDD	p,p'-DDD	11	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li 6.9	8	19	DDE and DDD	p,p'-DDD	5	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	8	19	DDE and DDD	p,p'-DDD	11	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	8	19	DDE and DDD	p,p'-DDD	5	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	8	19	DDE and DDD	p,p'-DDD	13	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	8	19	DDE and DDD	p,p'-DDD	10	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	8	19	DDE and DDD	p,p'-DDD	11	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	8	19	DDE and DDD	p,p'-DDD	9	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	8	19	DDE and DDD	p,p'-DDD	12	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	8	19	DDE and DDD	p,p'-DDD	6	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	8	19	DDE and DDD	p,p'-DDD	5	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	8	19	DDE and DDD	p,p'-DDD	9	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	8	19	DDE and DDD	p,p'-DDD	18	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet

3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	8	19	DDE and DDD	p,p'-DDE	95	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	8	19	DDE and DDD	p,p'-DDE	76	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	8	19	DDE and DDD	p,p'-DDE	54	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	8	19	DDE and DDD	p,p'-DDE	11	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	8	19	DDE and DDD	p,p'-DDE	31	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	8	19	DDE and DDD	p,p'-DDE	230	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	8	19	DDE and DDD	p,p'-DDE	41	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	8	19	DDE and DDD	p,p'-DDE	5	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	8	19	DDE and DDD	p,p'-DDE	37	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	8	19	DDE and DDD	p,p'-DDE	72	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	8	19	DDE and DDD	p,p'-DDE	20	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	8	19	DDE and DDD	p,p'-DDE	58	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	8	19	DDE and DDD	p,p'-DDE	28	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	8	19	DDE and DDD	p,p'-DDE	101	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	8	19	DDE and DDD	p,p'-DDE	37	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	8	19	DDE and DDD	p,p'-DDE	43	ug/kg-wet

17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	8	19	DDE and DDD	p,p'-DDE	26	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	8	19	DDE and DDD	p,p'-DDE	61	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	8	19	DDE and DDD	p,p'-DDE	58	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	8	19	DDE and DDD	p,p'-DDE	41	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	8	19	DDE and DDD	p,p'-DDE	36	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	8	19	DDE and DDD	p,p'-DDE	36	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	8	19	DDE and DDD	p,p'-DDE	32	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	8	19	DDE and DDD	p,p'-DDE	53	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	8	19	DDE and DDD	p,p'-DDE	50	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	8	19	DDE and DDD	p,p'-DDE	44	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	7	18	DDT	p,p'-DDT	3	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	7	18	DDT	p,p'-DDT	<2	ug/kg-wet

5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	7	18	DDT	p,p'-DDT	2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	7	18	DDT	p,p'-DDT	4	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	7	18	DDT	p,p'-DDT	3	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	7	18	DDT	p,p'-DDT	4	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	7	18	DDT	p,p'-DDT	4	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	7	18	DDT	p,p'-DDT	3	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	7	18	DDT	p,p'-DDT	6	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	7	18	DDT	p,p'-DDT	3	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	7	18	DDT	p,p'-DDT	7	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	7	18	DDT	p,p'-DDT	4	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	7	18	DDT	p,p'-DDT	5	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	7	18	DDT	p,p'-DDT	3	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	7	18	DDT	p,p'-DDT	4	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	7	18	DDT	p,p'-DDT	4	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	7	18	DDT	p,p'-DDT	8	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	7	18	DDT	o,p'-DDT	<2	ug/kg-wet

19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	6	16	-	cis-Nonachlor	12	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	6	16	-	cis-Nonachlor	11	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	6	16	-	cis-Nonachlor	8	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	6	16	-	cis-Nonachlor	4	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	6	16	-	cis-Nonachlor	13	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	6	16	-	cis-Nonachlor	89	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	6	16	-	cis-Nonachlor	6	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	6	16	-	cis-Nonachlor	3	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	6	16	-	cis-Nonachlor	28	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	6	16	-	cis-Nonachlor	15	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	6	16	-	cis-Nonachlor	8	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	6	16	-	cis-Nonachlor	7	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	6	16	-	cis-Nonachlor	8	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	6	16	-	cis-Nonachlor	6	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	6	16	-	cis-Nonachlor	10	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	6	16	-	cis-Nonachlor	11	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	6	16	-	cis-Nonachlor	10	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	6	16	-	cis-Nonachlor	27	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	6	16	-	cis-Nonachlor	23	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	6	16	-	cis-Nonachlor	6	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	6	16	-	cis-Nonachlor	12	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	6	16	-	cis-Nonachlor	5	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	6	16	-	cis-Nonachlor	11	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	6	16	-	cis-Nonachlor	10	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	6	16	-	cis-Nonachlor	94	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	6	16	-	cis-Nonachlor	6	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	6	16	-	trans-Nonachlor	46	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	6	16	-	trans-Nonachlor	60	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	6	16	-	trans-Nonachlor	31	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	6	16	-	trans-Nonachlor	23	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	6	16	-	trans-Nonachlor	71	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	6	16	-	trans-Nonachlor	322	ug/kg-wet

7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	6	16	-	trans-Nonachlor	57	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	6	16	-	trans-Nonachlor	10	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	6	16	-	trans-Nonachlor	79	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	6	16	-	trans-Nonachlor	40	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	6	16	-	trans-Nonachlor	26	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	6	16	-	trans-Nonachlor	19	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	6	16	-	trans-Nonachlor	19	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	6	16	-	trans-Nonachlor	17	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	6	16	-	trans-Nonachlor	29	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	6	16	-	trans-Nonachlor	25	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	6	16	-	trans-Nonachlor	23	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	6	16	-	trans-Nonachlor	77	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	6	16	-	trans-Nonachlor	50	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	6	16	-	trans-Nonachlor	14	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	6	16	-	trans-Nonachlor	25	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	6	16	-	trans-Nonachlor	12	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	6	16	-	trans-Nonachlor	25	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	6	16	-	trans-Nonachlor	21	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	6	16	-	trans-Nonachlor	274	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	6	16	-	trans-Nonachlor	15	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	5	15	-	Oxychlordane	13	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	5	15	-	Oxychlordane	19	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	5	15	-	Oxychlordane	15	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	5	15	-	Oxychlordane	12	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	5	15	-	Oxychlordane	12	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	5	15	-	Oxychlordane	80	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	5	15	-	Oxychlordane	13	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	5	15	-	Oxychlordane	8	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	5	15	-	Oxychlordane	45	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	5	15	-	Oxychlordane	13	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	5	15	-	Oxychlordane	8	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	5	15	-	Oxychlordane	4	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	5	15	-	Oxychlordane	4	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	5	15	-	Oxychlordane	5	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	5	15	-	Oxychlordane	9	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	5	15	-	Oxychlordane	7	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	5	15	-	Oxychlordane	9	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	5	15	-	Oxychlordane	19	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	5	15	-	Oxychlordane	9	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	5	15	-	Oxychlordane	3	ug/kg-wet

21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	5	15	-	Oxychlordane	5	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	5	15	-	Oxychlordane	3	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	5	15	-	Oxychlordane	5	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	5	15	-	Oxychlordane	5	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	5	15	-	Oxychlordane	25	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	5	15	-	Oxychlordane	5	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	4	14	Chlordane	trans-Chlordane	3	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	4	14	Chlordane	trans-Chlordane	3	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	4	14	Chlordane	trans-Chlordane	2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	4	14	Chlordane	trans-Chlordane	3	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	4	14	Chlordane	trans-Chlordane	7	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	4	14	Chlordane	trans-Chlordane	3	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	4	14	Chlordane	trans-Chlordane	3	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	4	14	Chlordane	trans-Chlordane	2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	4	14	Chlordane	trans-Chlordane	13	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	4	14	Chlordane	cis-Chlordane	11	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	4	14	Chlordane	cis-Chlordane	6	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	4	14	Chlordane	cis-Chlordane	7	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	4	14	Chlordane	cis-Chlordane	19	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	4	14	Chlordane	cis-Chlordane	13	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet

9	Kanagawa Pref.	F	Jv	Muscle	12	4	14	Chlordane	cis-Chlordane	11	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	4	14	Chlordane	cis-Chlordane	11	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	4	14	Chlordane	cis-Chlordane	6	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	4	14	Chlordane	cis-Chlordane	5	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	4	14	Chlordane	cis-Chlordane	7	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	4	14	Chlordane	cis-Chlordane	7	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	4	14	Chlordane	cis-Chlordane	16	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	4	14	Chlordane	cis-Chlordane	10	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	4	14	Chlordane	cis-Chlordane	7	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	4	14	Chlordane	cis-Chlordane	20	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	4	14	Chlordane	cis-Chlordane	10	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	4	14	Chlordane	cis-Chlordane	7	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	4	14	Chlordane	cis-Chlordane	10	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	4	14	Chlordane	cis-Chlordane	5	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	4	14	Chlordane	cis-Chlordane	9	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	4	14	Chlordane	cis-Chlordane	7	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	4	14	Chlordane	cis-Chlordane	119	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	4	14	Chlordane	cis-Chlordane	5	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	3	12	Hexachlorocyclohexane	HCH total*	18	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	3	12	Hexachlorocyclohexane	HCH total*	35	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	3	12	Hexachlorocyclohexane	HCH total*	19	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	3	12	Hexachlorocyclohexane	HCH total*	5	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	3	12	Hexachlorocyclohexane	HCH total*	20	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	3	12	Hexachlorocyclohexane	HCH total*	7	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	3	12	Hexachlorocyclohexane	HCH total*	7	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	3	12	Hexachlorocyclohexane	HCH total*	11	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet

23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	3	12	Hexachlorocyclohexane	HCH total*	4	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet

11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	3	12	Hexachlorocyclohexane	-HCH	18	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	35	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	19	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	3	12	Hexachlorocyclohexane	-HCH	5	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	3	12	Hexachlorocyclohexane	-HCH	20	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	3	12	Hexachlorocyclohexane	-HCH	7	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	3	12	Hexachlorocyclohexane	-HCH	7	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	3	12	Hexachlorocyclohexane	-HCH	11	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet

25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	3	12	Hexachlorocyclohexane	-HCH	4	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	2	4	-	Hexachlorobenzene (HCB	12	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	2	4	-	Hexachlorobenzene (HCB	7	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	2	4	-	Hexachlorobenzene (HCB	4	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	2	4	-	Hexachlorobenzene (HCB	5	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	2	4	-	Hexachlorobenzene (HCB	7	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	2	4	-	Hexachlorobenzene (HCB	5	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet

13	Ehime Pref.	M	Unknown	Muscle, li	4.6	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	2	4	-	Hexachlorobenzene (HCB	2	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	2	4	-	Hexachlorobenzene (HCB	<2	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	1	2	Polychlorinated biphenys (P Cl PCB total*	329	ug/kg-wet	
2	Miyagi Pref.	M	Jv	Muscle	6.2	1	2	Polychlorinated biphenys (P Cl PCB total*	614	ug/kg-wet	
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl PCB total*	213	ug/kg-wet	
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P Cl PCB total*	230	ug/kg-wet	
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	1	2	Polychlorinated biphenys (P Cl PCB total*	355	ug/kg-wet	
6	Kanagawa Pref.	M	A	Muscle, li	1.5	1	2	Polychlorinated biphenys (P Cl PCB total*	8,871	ug/kg-wet	
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	1	2	Polychlorinated biphenys (P Cl PCB total*	1,535	ug/kg-wet	
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl PCB total*	48	ug/kg-wet	
9	Kanagawa Pref.	F	Jv	Muscle	12	1	2	Polychlorinated biphenys (P Cl PCB total*	203	ug/kg-wet	
10	Kanagawa Pref.	F	Jv	Muscle, li	11	1	2	Polychlorinated biphenys (P Cl PCB total*	662	ug/kg-wet	
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	1	2	Polychlorinated biphenys (P Cl PCB total*	149	ug/kg-wet	
12	Ehime Pref.	M	Jv	Muscle, li	5.7	1	2	Polychlorinated biphenys (P Cl PCB total*	223	ug/kg-wet	
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	1	2	Polychlorinated biphenys (P Cl PCB total*	185	ug/kg-wet	
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl PCB total*	209	ug/kg-wet	
15	Ehime Pref.	F	Jv	Muscle, li	6.9	1	2	Polychlorinated biphenys (P Cl PCB total*	422	ug/kg-wet	
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	1	2	Polychlorinated biphenys (P Cl PCB total*	137	ug/kg-wet	
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	1	2	Polychlorinated biphenys (P Cl PCB total*	124	ug/kg-wet	
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	1	2	Polychlorinated biphenys (P Cl PCB total*	602	ug/kg-wet	
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl PCB total*	394	ug/kg-wet	
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	1	2	Polychlorinated biphenys (P Cl PCB total*	166	ug/kg-wet	
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	1	2	Polychlorinated biphenys (P Cl PCB total*	212	ug/kg-wet	
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	1	2	Polychlorinated biphenys (P Cl PCB total*	67	ug/kg-wet	
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	1	2	Polychlorinated biphenys (P Cl PCB total*	198	ug/kg-wet	
24	Nagasaki Pref.	F	A	Muscle, li	8.8	1	2	Polychlorinated biphenys (P Cl PCB total*	90	ug/kg-wet	
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	1	2	Polychlorinated biphenys (P Cl PCB total*	498	ug/kg-wet	
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	1	2	Polychlorinated biphenys (P Cl PCB total*	100	ug/kg-wet	

1	Miyagi Pref.	M	Jv	Muscle, li 4.9	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li 3.6	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li 4.2	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li 1.5	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	21	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	2	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle 12	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li 11	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	1	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li 5.7	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li 6.9	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	1	2	Polychlorinated biphenys (P ClDecichloro biphenyl	<1	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	2	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li 3.6	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li 4.2	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li 1.5	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	38	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	3	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle 12	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li 11	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	1	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li 5.7	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	1	2	Polychlorinated biphenys (P ClNonachloro biphenyl	<1	ug/kg-wet

15	Ehime Pref.	F	Jv	Muscle, li 6.9	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	2	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	1	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	1	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	1	2	Polychlorinated biphenys (P Cl Nonachloro biphenyl	<1	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	5	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	17	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li 3.6	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	4	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li 4.2	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	8	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	6	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li 1.5	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	346	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	74	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	<1	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle 12	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	4	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li 11	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	13	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	<1	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li 5.7	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	15	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	6	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	6	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li 6.9	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	8	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	7	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	5	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	23	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	29	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	7	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	11	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	2	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	11	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	4	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	14	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	1	2	Polychlorinated biphenys (P Cl Octachloro biphenyl	1	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	1	2	Polychlorinated biphenys (P Cl Heptachloro biphenyl	35	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	1	2	Polychlorinated biphenys (P Cl Heptachloro biphenyl	86	ug/kg-wet

3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	24	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	50	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	45	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	1,760	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	335	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	4	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	18	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	78	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	15	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	72	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	38	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	37	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	55	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	34	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	26	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	126	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	117	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	34	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	52	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	14	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	52	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	18	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	77	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	1	2	Polychlorinated biphenys (P Cl	Heptachloro biphenyl	17	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	139	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	246	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	91	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	114	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	129	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	3,940	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	664	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	20	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	71	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	233	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	58	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	89	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	89	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	77	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	124	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	1	2	Polychlorinated biphenys (P Cl	Hexachloro biphenyl	56	ug/kg-wet

17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	57	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	282	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	173	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	58	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	95	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	29	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	87	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	42	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	218	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	1	2	Polychlorinated biphenys (P CI Hexachloro biphenyl	41	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	102	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	177	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	59	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	48	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	117	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	2,230	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	366	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	16	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	68	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	215	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	51	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	36	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	35	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	29	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	83	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	25	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	25	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	132	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	55	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	32	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	39	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	14	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	32	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	17	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	149	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	1	2	Polychlorinated biphenys (P CI Pentachloro biphenyl	22	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	1	2	Polychlorinated biphenys (P CI Tetrachloro biphenyl	39	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	1	2	Polychlorinated biphenys (P CI Tetrachloro biphenyl	74	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P CI Tetrachloro biphenyl	28	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P CI Tetrachloro biphenyl	8	ug/kg-wet

5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	51	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li 1.5	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	494	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	85	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	6	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle 12	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	37	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li 11	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	107	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	21	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li 5.7	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	8	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	14	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	29	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li 6.9	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	85	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	11	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	11	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	32	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	15	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li 9.0	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	27	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li 6.4	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	11	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li 6.7	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	5	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li 7.2	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	11	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li 8.8	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	6	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li 9.1	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	33	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li 7.3	1	2	Polychlorinated biphenys (P Cl Tetrachloro biphenyl	14	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li 4.9	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	9	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle 6.2	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	10	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li 3.6	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	7	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li 4.2	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	2	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li 6.8	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	7	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li 1.5	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	42	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li 3.1	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	6	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li 3.6	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	2	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle 12	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	5	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li 11	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	14	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle 6.9	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	4	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li 5.7	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	3	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li 4.6	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	3	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	31	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li 6.9	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	67	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li 6.2	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	4	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li 7.0	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	<1	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li 7.8	1	2	Polychlorinated biphenys (P Cl Trichloro biphenyl	7	ug/kg-wet

19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	3	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	8	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	3	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	3	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	5	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	3	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	6	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	1	2	Polychlorinated biphenys (P Cl	Trichloro biphenyl	5	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
7	Kanagawa Pref.	F	Unknown	Muscle, li	3.1	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
8	Kanagawa Pref.	F	Jv	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
9	Kanagawa Pref.	F	Jv	Muscle	12	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
10	Kanagawa Pref.	F	Jv	Muscle, li	11	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
11	Kanagawa Pref.	Unknown	Jv	Muscle	6.9	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
12	Ehime Pref.	M	Jv	Muscle, li	5.7	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
13	Ehime Pref.	M	Unknown	Muscle, li	4.6	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
14	Ehime Pref.	M	Unknown	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
15	Ehime Pref.	F	Jv	Muscle, li	6.9	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
16	Ehime Pref.	F	Unknown	Muscle, li	6.2	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
17	Nagasaki Pref.	M	Jv	Muscle, li	7.0	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
18	Nagasaki Pref.	M	Jv	Muscle, li	7.8	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
19	Nagasaki Pref.	M	Jv	Muscle, li	5.9	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
20	Nagasaki Pref.	M	Jv	Muscle, li	9.0	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
21	Nagasaki Pref.	M	Jv	Muscle, li	6.4	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
22	Nagasaki Pref.	M	Unknown	Muscle, li	6.7	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
23	Nagasaki Pref.	M	Unknown	Muscle, li	7.2	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
24	Nagasaki Pref.	F	A	Muscle, li	8.8	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
25	Nagasaki Pref.	F	Jv	Muscle, li	9.1	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
26	Nagasaki Pref.	F	Jv	Muscle, li	7.3	1	2	Polychlorinated biphenys (P Cl	Dichloro biphenyl	<1	ug/kg-wet
1	Miyagi Pref.	M	Jv	Muscle, li	4.9	1	2	Polychlorinated biphenys (P Cl	Chlorinated biphenyl	<1	ug/kg-wet
2	Miyagi Pref.	M	Jv	Muscle	6.2	1	2	Polychlorinated biphenys (P Cl	Chlorinated biphenyl	<1	ug/kg-wet
3	Miyagi Pref.	M	Unknown	Muscle, li	3.6	1	2	Polychlorinated biphenys (P Cl	Chlorinated biphenyl	<1	ug/kg-wet
4	Kanagawa Pref.	M	Unknown	Muscle, li	4.2	1	2	Polychlorinated biphenys (P Cl	Chlorinated biphenyl	<1	ug/kg-wet
5	Kanagawa Pref.	M	Unknown	Muscle, li	6.8	1	2	Polychlorinated biphenys (P Cl	Chlorinated biphenyl	<1	ug/kg-wet
6	Kanagawa Pref.	M	A	Muscle, li	1.5	1	2	Polychlorinated biphenys (P Cl	Chlorinated biphenyl	<1	ug/kg-wet

7	Kanagawa Pref. F	Unknown	Muscle, li 3.1	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
8	Kanagawa Pref. F	Jv	Muscle, li 3.6	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
9	Kanagawa Pref. F	Jv	Muscle 12	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
10	Kanagawa Pref. F	Jv	Muscle, li 11	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
11	Kanagawa Pref. Unknown	Jv	Muscle 6.9	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
12	Ehime Pref. M	Jv	Muscle, li 5.7	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
13	Ehime Pref. M	Unknown	Muscle, li 4.6	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
14	Ehime Pref. M	Unknown	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
15	Ehime Pref. F	Jv	Muscle, li 6.9	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
16	Ehime Pref. F	Unknown	Muscle, li 6.2	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
17	Nagasaki Pref. M	Jv	Muscle, li 7.0	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
18	Nagasaki Pref. M	Jv	Muscle, li 7.8	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
19	Nagasaki Pref. M	Jv	Muscle, li 5.9	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
20	Nagasaki Pref. M	Jv	Muscle, li 9.0	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
21	Nagasaki Pref. M	Jv	Muscle, li 6.4	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
22	Nagasaki Pref. M	Unknown	Muscle, li 6.7	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
23	Nagasaki Pref. M	Unknown	Muscle, li 7.2	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
24	Nagasaki Pref. F	A	Muscle, li 8.8	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
25	Nagasaki Pref. F	Jv	Muscle, li 9.1	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet
26	Nagasaki Pref. F	Jv	Muscle, li 7.3	1	2	Polychlorinated biphenys (P Cl Chlorinated biphenyl	<1	ug/kg-wet