

Specimen	Survey point's No.	Specimen collection site	No.	SPEED'98 No.	Specimen'name-1	Specimen'name-2	data	unit
water	1	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	2	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	3	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	4	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	5	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	6	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	7	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	8	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	9	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	10	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	11	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	12	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	13	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	14	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	15	Yamada Ryokuchi	32	-	Ethynyl estradiol		<0.002	µ g/L
water	16	Place selected for comparison purposes	32	-	Ethynyl estradiol		<0.002	µ g/L
water	17	Place selected for comparison purposes	32	-	Ethynyl estradiol		<0.002	µ g/L
water	18	Place selected for comparison purposes	32	-	Ethynyl estradiol		<0.002	µ g/L
water	19	Place selected for comparison purposes	32	-	Ethynyl estradiol		<0.002	µ g/L
water	1	Yamada Ryokuchi	30	-	17 -estradiol		0.003	µ g/L
water	2	Yamada Ryokuchi	30	-	17 -estradiol		0.007	µ g/L
water	3	Yamada Ryokuchi	30	-	17 -estradiol		0.005	µ g/L
water	4	Yamada Ryokuchi	30	-	17 -estradiol		0.004	µ g/L
water	5	Yamada Ryokuchi	30	-	17 -estradiol		0.005	µ g/L
water	6	Yamada Ryokuchi	30	-	17 -estradiol		0.008	µ g/L
water	7	Yamada Ryokuchi	30	-	17 -estradiol		0.009	µ g/L
water	8	Yamada Ryokuchi	30	-	17 -estradiol		<0.003	µ g/L
water	9	Yamada Ryokuchi	30	-	17 -estradiol		<0.003	µ g/L
water	10	Yamada Ryokuchi	30	-	17 -estradiol		0.003	µ g/L
water	11	Yamada Ryokuchi	30	-	17 -estradiol		0.007	µ g/L
water	12	Yamada Ryokuchi	30	-	17 -estradiol		<0.003	µ g/L
water	13	Yamada Ryokuchi	30	-	17 -estradiol		<0.003	µ g/L
water	14	Yamada Ryokuchi	30	-	17 -estradiol		0.007	µ g/L
water	15	Yamada Ryokuchi	30	-	17 -estradiol		<0.003	µ g/L
water	16	Place selected for comparison purposes	30	-	17 -estradiol		<0.003	µ g/L
water	17	Place selected for comparison purposes	30	-	17 -estradiol		0.005	µ g/L
water	18	Place selected for comparison purposes	30	-	17 -estradiol		0.003	µ g/L

water	12	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	13	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	14	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	15	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	16	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	17	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	18	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	19	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	µ g/L
water	1	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	2	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	3	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	4	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	5	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	6	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	7	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	8	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	9	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	10	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	11	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	12	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	13	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	14	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	15	Yamada Ryokuchi	27			Styrene monomer	<0.01	µ g/L
water	16	Place selected for comparison purposes	27			Styrene monomer	<0.01	µ g/L
water	17	Place selected for comparison purposes	27			Styrene monomer	<0.01	µ g/L
water	18	Place selected for comparison purposes	27			Styrene monomer	<0.01	µ g/L
water	19	Place selected for comparison purposes	27			Styrene monomer	<0.01	µ g/L
water	1	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	2	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	3	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	4	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	5	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	6	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	7	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	8	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	9	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	0.33	µ g/L
water	10	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	11	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	12	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L
water	13	Yamada Ryokuchi	26	45		Di-2-entylhexyl adipate	<0.01	µ g/L

water	14	Yamada Ryokuchi	26	45	Di-2-enthyhexyl adipate	<0.01	µ g/L
water	15	Yamada Ryokuchi	26	45	Di-2-enthyhexyl adipate	<0.01	µ g/L
water	16	Place selected for comparison purposes	26	45	Di-2-enthyhexyl adipate	<0.01	µ g/L
water	17	Place selected for comparison purposes	26	45	Di-2-enthyhexyl adipate	<0.01	µ g/L
water	18	Place selected for comparison purposes	26	45	Di-2-enthyhexyl adipate	<0.01	µ g/L
water	19	Place selected for comparison purposes	26	45	Di-2-enthyhexyl adipate	<0.01	µ g/L
water	1	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	2	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	3	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	4	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	5	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	6	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	7	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	8	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	9	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	10	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	11	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	12	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	13	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	14	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	15	Yamada Ryokuchi	25	42	Diethyle phthalate	<0.2	µ g/L
water	16	Place selected for comparison purposes	25	42	Diethyle phthalate	<0.2	µ g/L
water	17	Place selected for comparison purposes	25	42	Diethyle phthalate	<0.2	µ g/L
water	18	Place selected for comparison purposes	25	42	Diethyle phthalate	<0.2	µ g/L
water	19	Place selected for comparison purposes	25	42	Diethyle phthalate	<0.2	µ g/L
water	1	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	2	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	3	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	4	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	5	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	6	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	7	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	8	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	9	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	10	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	11	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	12	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	13	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	14	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L
water	15	Yamada Ryokuchi	24	40	Di-n-butyl-phthalate	<0.5	µ g/L

water	18	Place selected for comparison purposes	22	38		Di-(2-entylhexyl) phthalate	<0.5	µ g/L
water	19	Place selected for comparison purposes	22	38		Di-(2-entylhexyl) phthalate	<0.5	µ g/L
water	1	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	2	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	3	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	4	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	5	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	6	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	7	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	8	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	9	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	10	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	11	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	12	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	13	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	14	Yamada Ryokuchi	21	37		Bisphenol A	0.02	µ g/L
water	15	Yamada Ryokuchi	21	37		Bisphenol A	<0.01	µ g/L
water	16	Place selected for comparison purposes	21	37		Bisphenol A	<0.01	µ g/L
water	17	Place selected for comparison purposes	21	37		Bisphenol A	0.03	µ g/L
water	18	Place selected for comparison purposes	21	37		Bisphenol A	0.01	µ g/L
water	19	Place selected for comparison purposes	21	37		Bisphenol A	<0.01	µ g/L
water	1	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	2	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	3	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	4	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	5	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	6	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	7	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	8	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	9	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	10	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	11	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	12	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	13	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	14	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	15	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	16	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	17	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	18	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L
water	19	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - n-Octyl phenol	<0.01	µ g/L

water	1	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	2	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	3	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	4	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	5	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	6	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	7	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	8	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	9	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	10	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	11	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	12	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	13	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	14	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	15	Yamada Ryokuchi	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	16	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	17	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	18	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	19	Place selected for comparison purposes	20	36	Alkyl Phenol	4 - t-Octyle phenol	<0.01	µ g/L
water	1	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	2	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.2	µ g/L
water	3	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.1	µ g/L
water	4	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	5	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	6	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.2	µ g/L
water	7	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.1	µ g/L
water	8	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	9	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.2	µ g/L
water	10	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	11	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	12	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	13	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.2	µ g/L
water	14	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	0.2	µ g/L
water	15	Yamada Ryokuchi	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	16	Place selected for comparison purposes	20	36	Alkyl Phenol	Nonyl phenol	0.1	µ g/L
water	17	Place selected for comparison purposes	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	18	Place selected for comparison purposes	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	19	Place selected for comparison purposes	20	36	Alkyl Phenol	Nonyl phenol	<0.1	µ g/L
water	1	Yamada Ryokuchi	19	35		Trifluralin	<0.01	µ g/L
water	2	Yamada Ryokuchi	19	35		Trifluralin	<0.01	µ g/L

water	3	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	4	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	5	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	6	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	7	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	8	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	9	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	10	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	11	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	12	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	13	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	14	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	15	Yamada Ryokuchi	19	35	Trifluralin	<0.01	µ g/L
water	16	Place selected for comparison purposes	19	35	Trifluralin	<0.01	µ g/L
water	17	Place selected for comparison purposes	19	35	Trifluralin	<0.01	µ g/L
water	18	Place selected for comparison purposes	19	35	Trifluralin	<0.01	µ g/L
water	19	Place selected for comparison purposes	19	35	Trifluralin	<0.01	µ g/L
water	1	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	2	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	3	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	4	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	5	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	6	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	7	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	8	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	9	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	10	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	11	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	12	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	13	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	14	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	15	Yamada Ryokuchi	18	11	CAT (Simazine)	<0.02	µ g/L
water	16	Place selected for comparison purposes	18	11	CAT (Simazine)	<0.02	µ g/L
water	17	Place selected for comparison purposes	18	11	CAT (Simazine)	<0.02	µ g/L
water	18	Place selected for comparison purposes	18	11	CAT (Simazine)	<0.02	µ g/L
water	19	Place selected for comparison purposes	18	11	CAT (Simazine)	<0.02	µ g/L
water	1	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	2	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	3	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	4	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L

water	5	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	6	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	7	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	8	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	9	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	10	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	11	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	12	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	13	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	14	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	15	Yamada Ryokuchi	17	9	Atrazine	<0.02	µ g/L
water	16	Place selected for comparison purposes	17	9	Atrazine	<0.02	µ g/L
water	17	Place selected for comparison purposes	17	9	Atrazine	<0.02	µ g/L
water	18	Place selected for comparison purposes	17	9	Atrazine	<0.02	µ g/L
water	19	Place selected for comparison purposes	17	9	Atrazine	<0.02	µ g/L
water	1	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	2	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	3	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	4	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	5	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	6	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	7	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	8	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	9	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	10	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	11	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	12	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	13	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	14	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	15	Yamada Ryokuchi	16		Monobutyltin	<0.02	µ g/L
water	16	Place selected for comparison purposes	16		Monobutyltin	<0.02	µ g/L
water	17	Place selected for comparison purposes	16		Monobutyltin	<0.02	µ g/L
water	18	Place selected for comparison purposes	16		Monobutyltin	<0.02	µ g/L
water	19	Place selected for comparison purposes	16		Monobutyltin	<0.02	µ g/L
water	1	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	2	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	3	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	4	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	5	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	6	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L

water	7	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	8	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	9	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	10	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	11	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	12	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	13	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	14	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	15	Yamada Ryokuchi	15		Dibutyltin	<0.004	µ g/L
water	16	Place selected for comparison purposes	15		Dibutyltin	<0.004	µ g/L
water	17	Place selected for comparison purposes	15		Dibutyltin	<0.004	µ g/L
water	18	Place selected for comparison purposes	15		Dibutyltin	<0.004	µ g/L
water	19	Place selected for comparison purposes	15		Dibutyltin	<0.004	µ g/L
water	1	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	2	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	3	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	4	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	5	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	6	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	7	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	8	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	9	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	10	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	11	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	12	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	13	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	14	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	15	Yamada Ryokuchi	14	34	Triphenyltin	<0.002	µ g/L
water	16	Place selected for comparison purposes	14	34	Triphenyltin	<0.002	µ g/L
water	17	Place selected for comparison purposes	14	34	Triphenyltin	<0.002	µ g/L
water	18	Place selected for comparison purposes	14	34	Triphenyltin	<0.002	µ g/L
water	19	Place selected for comparison purposes	14	34	Triphenyltin	<0.002	µ g/L
water	1	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	2	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	3	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	4	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	5	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	6	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	7	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	8	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L

water	9	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	10	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	11	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	12	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	13	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	14	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	15	Yamada Ryokuchi	13	33	Tributyltin	<0.001	µ g/L
water	16	Place selected for comparison purposes	13	33	Tributyltin	<0.001	µ g/L
water	17	Place selected for comparison purposes	13	33	Tributyltin	<0.001	µ g/L
water	18	Place selected for comparison purposes	13	33	Tributyltin	<0.001	µ g/L
water	19	Place selected for comparison purposes	13	33	Tributyltin	<0.001	µ g/L
water	1	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	2	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	3	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	4	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	5	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	6	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	7	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	8	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	9	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	10	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	11	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	12	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	13	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	14	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	15	Yamada Ryokuchi	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	16	Place selected for comparison purposes	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	17	Place selected for comparison purposes	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	18	Place selected for comparison purposes	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	19	Place selected for comparison purposes	12	43	Benzo(a)epoxide	<0.01	µ g/L
water	1	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	2	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	3	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	4	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	5	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	6	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	7	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	8	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	9	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L
water	10	Yamada Ryokuchi	11	26	Heptachlor epoxide	<0.03	µ g/L

water	11	Yamada Ryokuchi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	12	Yamada Ryokuchi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	13	Yamada Ryokuchi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	14	Yamada Ryokuchi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	15	Yamada Ryokuchi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	16	Place selected for comparison purposes	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	17	Place selected for comparison purposes	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	18	Place selected for comparison purposes	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	19	Place selected for comparison purposes	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.03	µ g/L
water	1	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	2	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	3	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	4	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	5	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	6	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	7	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	8	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	9	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	10	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	11	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	12	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	13	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	14	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	15	Yamada Ryokuchi	10	25		Heptachlor	<0.03	µ g/L
water	16	Place selected for comparison purposes	10	25		Heptachlor	<0.03	µ g/L
water	17	Place selected for comparison purposes	10	25		Heptachlor	<0.03	µ g/L
water	18	Place selected for comparison purposes	10	25		Heptachlor	<0.03	µ g/L
water	19	Place selected for comparison purposes	10	25		Heptachlor	<0.03	µ g/L
water	1	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	2	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	3	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	4	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	5	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	6	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	7	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	8	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	9	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	10	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	11	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L
water	12	Yamada Ryokuchi	9	23		Dieldrin	<0.03	µ g/L

water	13	Yamada Ryokuchi	9	23		Dieldrin	<0.03	μ g/L
water	14	Yamada Ryokuchi	9	23		Dieldrin	<0.03	μ g/L
water	15	Yamada Ryokuchi	9	23		Dieldrin	<0.03	μ g/L
water	16	Place selected for comparison purposes	9	23		Dieldrin	<0.03	μ g/L
water	17	Place selected for comparison purposes	9	23		Dieldrin	<0.03	μ g/L
water	18	Place selected for comparison purposes	9	23		Dieldrin	<0.03	μ g/L
water	19	Place selected for comparison purposes	9	23		Dieldrin	<0.03	μ g/L
water	1	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	2	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	3	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	4	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	5	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	6	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	7	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	8	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	9	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	10	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	11	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	12	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	13	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	14	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	15	Yamada Ryokuchi	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	16	Place selected for comparison purposes	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	17	Place selected for comparison purposes	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	18	Place selected for comparison purposes	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	19	Place selected for comparison purposes	8	19	DDE and DDD	p,p'-DDD	<0.03	μ g/L
water	1	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	2	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	3	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	4	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	5	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	6	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	7	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	8	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	9	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	10	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	11	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	12	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	13	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L
water	14	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDD	<0.03	μ g/L

water	17	Place selected for comparison purposes	8	19	DDE and DDD	o,p'-DDE	<0.03	μg/L
water	18	Place selected for comparison purposes	8	19	DDE and DDD	o,p'-DDE	<0.03	μg/L
water	19	Place selected for comparison purposes	8	19	DDE and DDD	o,p'-DDE	<0.03	μg/L
water	1	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	2	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	3	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	4	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	5	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	6	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	7	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	8	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	9	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	10	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	11	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	12	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	13	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	14	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	15	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	16	Place selected for comparison purposes	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	17	Place selected for comparison purposes	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	18	Place selected for comparison purposes	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	19	Place selected for comparison purposes	7	18	DDT	p,p'-DDT	<0.03	μg/L
water	1	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	2	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	3	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	4	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	5	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	6	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	7	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	8	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	9	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	10	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	11	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	12	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	13	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	14	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	15	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	16	Place selected for comparison purposes	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	17	Place selected for comparison purposes	7	18	DDT	o,p'-DDT	<0.03	μg/L
water	18	Place selected for comparison purposes	7	18	DDT	o,p'-DDT	<0.03	μg/L

water	19	Place selected for comparison purposes	7	18	DDT	o,p'-DDT	<0.03	µ g/L
water	1	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	2	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	3	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	4	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	5	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	6	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	7	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	8	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	9	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	10	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	11	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	12	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	13	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	14	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	15	Yamada Ryokuchi	-	-		cis-Nonachlor	<0.03	µ g/L
water	16	Place selected for comparison purposes	-	-		cis-Nonachlor	<0.03	µ g/L
water	17	Place selected for comparison purposes	-	-		cis-Nonachlor	<0.03	µ g/L
water	18	Place selected for comparison purposes	-	-		cis-Nonachlor	<0.03	µ g/L
water	19	Place selected for comparison purposes	-	-		cis-Nonachlor	<0.03	µ g/L
water	1	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	2	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	3	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	4	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	5	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	6	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	7	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	8	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	9	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	10	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	11	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	12	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	13	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	14	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	15	Yamada Ryokuchi	6	16		trans-Nonachlor	<0.03	µ g/L
water	16	Place selected for comparison purposes	6	16		trans-Nonachlor	<0.03	µ g/L
water	17	Place selected for comparison purposes	6	16		trans-Nonachlor	<0.03	µ g/L
water	18	Place selected for comparison purposes	6	16		trans-Nonachlor	<0.03	µ g/L
water	19	Place selected for comparison purposes	6	16		trans-Nonachlor	<0.03	µ g/L
water	1	Yamada Ryokuchi	5	15		Oxychlordan	<0.03	µ g/L

water	2	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	3	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	4	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	5	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	6	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	7	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	8	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	9	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	10	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	11	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	12	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	13	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	14	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	15	Yamada Ryokuchi	5	15		Oxychlordane	<0.03	µ g/L
water	16	Place selected for comparison purposes	5	15		Oxychlordane	<0.03	µ g/L
water	17	Place selected for comparison purposes	5	15		Oxychlordane	<0.03	µ g/L
water	18	Place selected for comparison purposes	5	15		Oxychlordane	<0.03	µ g/L
water	19	Place selected for comparison purposes	5	15		Oxychlordane	<0.03	µ g/L
water	1	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	2	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	3	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	4	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	5	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	6	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	7	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	8	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	9	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	10	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	11	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	12	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	13	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	14	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	15	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	16	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	17	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	18	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	19	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<0.03	µ g/L
water	1	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	2	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	3	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L

water	4	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	5	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	6	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	7	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	8	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	9	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	10	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	11	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	12	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	13	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	14	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	15	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	16	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	17	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	18	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	19	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<0.03	µ g/L
water	1	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	2	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	3	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	4	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	5	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	6	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	7	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	8	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	9	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	10	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	11	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	12	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	13	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	14	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	15	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	16	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	17	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	18	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	19	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	HCH total*	0	µ g/L
water	1	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<0.03	µ g/L
water	2	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<0.03	µ g/L
water	3	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<0.03	µ g/L
water	4	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<0.03	µ g/L
water	5	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<0.03	µ g/L

water	1	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	2	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	3	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	4	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	5	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	6	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	7	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	8	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	9	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	10	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	11	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	12	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	13	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	14	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	15	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	16	Place selected for comparison purposes	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	17	Place selected for comparison purposes	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	18	Place selected for comparison purposes	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
water	19	Place selected for comparison purposes	1	2	Polychlorinated biphenyls (P CBs Chlorinated biphenyl	<0.01	µ g/L
Soil	1	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	2	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	3	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	4	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	5	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	6	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	7	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	32		Ethynyl estradiol	<0.5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	32		Ethynyl estradiol	<0.5	ug/kg-dry
Soil	1	Yamada Ryokuchi	30		17 -estradiol	2.5	ug/kg-dry
Soil	2	Yamada Ryokuchi	30		17 -estradiol	0.9	ug/kg-dry

Soil	3	Yamada Ryokuchi	30		17	-estradiol	0.7	ug/kg-dry	
Soil	4	Yamada Ryokuchi	30		17	-estradiol	0.4	ug/kg-dry	
Soil	5	Yamada Ryokuchi	30		17	-estradiol	2.1	ug/kg-dry	
Soil	6	Yamada Ryokuchi	30		17	-estradiol	0.5	ug/kg-dry	
Soil	7	Yamada Ryokuchi	30		17	-estradiol	0.5	ug/kg-dry	
Sediment	1	Yamada Ryokuchi	30		17	-estradiol	2.3	ug/kg-dry	
Sediment	2	Yamada Ryokuchi	30		17	-estradiol	9.0	ug/kg-dry	
Sediment	3	Yamada Ryokuchi	30		17	-estradiol	1.7	ug/kg-dry	
Sediment	4	Yamada Ryokuchi	30		17	-estradiol	1.2	ug/kg-dry	
Sediment	5	Yamada Ryokuchi	30		17	-estradiol	1.7	ug/kg-dry	
Sediment	6	Yamada Ryokuchi	30		17	-estradiol	3.1	ug/kg-dry	
Sediment	7	Yamada Ryokuchi	30		17	-estradiol	0.6	ug/kg-dry	
Sediment	8	Yamada Ryokuchi	30		17	-estradiol	4.1	ug/kg-dry	
Sediment	9	Place selected for	comparision purposes	30	17	-estradiol	0.9	ug/kg-dry	
Sediment	10	Place selected for	comparision purposes	30	17	-estradiol	4.2	ug/kg-dry	
Sediment	11	Place selected for	comparision purposes	30	17	-estradiol	1.6	ug/kg-dry	
Sediment	12	Place selected for	comparision purposes	30	17	-estradiol	<0.2	ug/kg-dry	
Soil	1	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	2	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	3	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	4	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	5	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	6	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	7	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	1	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	2	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	3	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	4	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	5	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	6	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	7	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	8	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry	
Sediment	9	Place selected for	comparision purposes	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry
Sediment	10	Place selected for	comparision purposes	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry
Sediment	11	Place selected for	comparision purposes	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry
Sediment	12	Place selected for	comparision purposes	28	66	Styrene dimers and trimers	1e,3e,5e- Triphenylcyclohexane	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	2	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	3	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<5	ug/kg-dry	
Soil	4	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1e,3e,5a- Triphenylcyclohexane	<5	ug/kg-dry	

Sediment	8	Yamada Ryokuchi	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	28	66	Styrene dimers and trimers	1,3-Diphenylpropane	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	2	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	3	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	4	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	5	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	6	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	7	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	1	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	2	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	3	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	4	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	5	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	6	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	7	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	8	Yamada Ryokuchi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	9	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	10	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	11	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	12	Place selected for comparison purposes	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Soil	1	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Soil	2	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Soil	3	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Soil	4	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Soil	5	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Soil	6	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Soil	7	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Sediment	1	Yamada Ryokuchi	27		Styrene monomer		<3	ug/kg-dry
Sediment	2	Yamada Ryokuchi	27		Styrene monomer		<3	ug/kg-dry
Sediment	3	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Sediment	4	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Sediment	5	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Sediment	6	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Sediment	7	Yamada Ryokuchi	27		Styrene monomer		<1	ug/kg-dry
Sediment	8	Yamada Ryokuchi	27		Styrene monomer		<2	ug/kg-dry
Sediment	9	Place selected for comparison purposes	27		Styrene monomer		<1	ug/kg-dry

Sediment	10	Place selected for comparison purposes	27	
Sediment	11	Place selected for comparison purposes	27	
Sediment	12	Place selected for comparison purposes	27	
Soil	1	Yamada Ryokuchi	26	45
Soil	2	Yamada Ryokuchi	26	45
Soil	3	Yamada Ryokuchi	26	45
Soil	4	Yamada Ryokuchi	26	45
Soil	5	Yamada Ryokuchi	26	45
Soil	6	Yamada Ryokuchi	26	45
Soil	7	Yamada Ryokuchi	26	45
Sediment	1	Yamada Ryokuchi	26	45
Sediment	2	Yamada Ryokuchi	26	45
Sediment	3	Yamada Ryokuchi	26	45
Sediment	4	Yamada Ryokuchi	26	45
Sediment	5	Yamada Ryokuchi	26	45
Sediment	6	Yamada Ryokuchi	26	45
Sediment	7	Yamada Ryokuchi	26	45
Sediment	8	Yamada Ryokuchi	26	45
Sediment	9	Place selected for comparison purposes	26	45
Sediment	10	Place selected for comparison purposes	26	45
Sediment	11	Place selected for comparison purposes	26	45
Sediment	12	Place selected for comparison purposes	26	45
Soil	1	Yamada Ryokuchi	25	42
Soil	2	Yamada Ryokuchi	25	42
Soil	3	Yamada Ryokuchi	25	42
Soil	4	Yamada Ryokuchi	25	42
Soil	5	Yamada Ryokuchi	25	42
Soil	6	Yamada Ryokuchi	25	42
Soil	7	Yamada Ryokuchi	25	42
Sediment	1	Yamada Ryokuchi	25	42
Sediment	2	Yamada Ryokuchi	25	42
Sediment	3	Yamada Ryokuchi	25	42
Sediment	4	Yamada Ryokuchi	25	42
Sediment	5	Yamada Ryokuchi	25	42
Sediment	6	Yamada Ryokuchi	25	42
Sediment	7	Yamada Ryokuchi	25	42
Sediment	8	Yamada Ryokuchi	25	42
Sediment	9	Place selected for comparison purposes	25	42
Sediment	10	Place selected for comparison purposes	25	42
Sediment	11	Place selected for comparison purposes	25	42

Styrene monomer	<2	ug/kg-dry
Styrene monomer	<1	ug/kg-dry
Styrene monomer	<1	ug/kg-dry
Di-2-ethylhexyl adipate	<24	ug/kg-dry
Di-2-ethylhexyl adipate	<15	ug/kg-dry
Di-2-ethylhexyl adipate	<17	ug/kg-dry
Di-2-ethylhexyl adipate	<15	ug/kg-dry
Di-2-ethylhexyl adipate	<20	ug/kg-dry
Di-2-ethylhexyl adipate	<15	ug/kg-dry
Di-2-ethylhexyl adipate	<16	ug/kg-dry
Di-2-ethylhexyl adipate	<58	ug/kg-dry
Di-2-ethylhexyl adipate	<70	ug/kg-dry
Di-2-ethylhexyl adipate	<20	ug/kg-dry
Di-2-ethylhexyl adipate	<23	ug/kg-dry
Di-2-ethylhexyl adipate	<19	ug/kg-dry
Di-2-ethylhexyl adipate	<24	ug/kg-dry
Di-2-ethylhexyl adipate	<18	ug/kg-dry
Di-2-ethylhexyl adipate	<30	ug/kg-dry
Di-2-ethylhexyl adipate	<18	ug/kg-dry
Di-2-ethylhexyl adipate	<25	ug/kg-dry
Di-2-ethylhexyl adipate	<16	ug/kg-dry
Di-2-ethylhexyl adipate	<13	ug/kg-dry
Diethyl phthalate	<24	ug/kg-dry
Diethyl phthalate	<15	ug/kg-dry
Diethyl phthalate	<17	ug/kg-dry
Diethyl phthalate	<15	ug/kg-dry
Diethyl phthalate	<20	ug/kg-dry
Diethyl phthalate	<15	ug/kg-dry
Diethyl phthalate	<16	ug/kg-dry
Diethyl phthalate	<58	ug/kg-dry
Diethyl phthalate	<70	ug/kg-dry
Diethyl phthalate	<20	ug/kg-dry
Diethyl phthalate	<23	ug/kg-dry
Diethyl phthalate	<19	ug/kg-dry
Diethyl phthalate	<24	ug/kg-dry
Diethyl phthalate	<18	ug/kg-dry
Diethyl phthalate	<30	ug/kg-dry
Diethyl phthalate	<18	ug/kg-dry
Diethyl phthalate	<25	ug/kg-dry
Diethyl phthalate	<16	ug/kg-dry

Sediment	12	Place selected for comparison purposes	25	42	Diethyl phthalate	<13	ug/kg-dry
Soil	1	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<60	ug/kg-dry
Soil	2	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<39	ug/kg-dry
Soil	3	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<42	ug/kg-dry
Soil	4	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<37	ug/kg-dry
Soil	5	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<50	ug/kg-dry
Soil	6	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	99	ug/kg-dry
Soil	7	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<39	ug/kg-dry
Sediment	1	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<145	ug/kg-dry
Sediment	2	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<175	ug/kg-dry
Sediment	3	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<51	ug/kg-dry
Sediment	4	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<56	ug/kg-dry
Sediment	5	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<48	ug/kg-dry
Sediment	6	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<59	ug/kg-dry
Sediment	7	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<45	ug/kg-dry
Sediment	8	Yamada Ryokuchi	24	40	Di-n-butyl- phthalate	<76	ug/kg-dry
Sediment	9	Place selected for comparison purposes	24	40	Di-n-butyl- phthalate	<44	ug/kg-dry
Sediment	10	Place selected for comparison purposes	24	40	Di-n-butyl- phthalate	<63	ug/kg-dry
Sediment	11	Place selected for comparison purposes	24	40	Di-n-butyl- phthalate	<41	ug/kg-dry
Sediment	12	Place selected for comparison purposes	24	40	Di-n-butyl- phthalate	<33	ug/kg-dry
Soil	1	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<24	ug/kg-dry
Soil	2	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<15	ug/kg-dry
Soil	3	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<17	ug/kg-dry
Soil	4	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<15	ug/kg-dry
Soil	5	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<20	ug/kg-dry
Soil	6	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<15	ug/kg-dry
Soil	7	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<16	ug/kg-dry
Sediment	1	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<58	ug/kg-dry
Sediment	2	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<70	ug/kg-dry
Sediment	3	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<20	ug/kg-dry
Sediment	4	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<23	ug/kg-dry
Sediment	5	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<19	ug/kg-dry
Sediment	6	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<24	ug/kg-dry
Sediment	7	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<18	ug/kg-dry
Sediment	8	Yamada Ryokuchi	23	39	Butyl benzyl phthalate	<30	ug/kg-dry
Sediment	9	Place selected for comparison purposes	23	39	Butyl benzyl phthalate	<18	ug/kg-dry
Sediment	10	Place selected for comparison purposes	23	39	Butyl benzyl phthalate	<25	ug/kg-dry
Sediment	11	Place selected for comparison purposes	23	39	Butyl benzyl phthalate	<16	ug/kg-dry
Sediment	12	Place selected for comparison purposes	23	39	Butyl benzyl phthalate	<13	ug/kg-dry
Soil	1	Yamada Ryokuchi	22	38	Di-(2-ethylhexyl) phthalate	<60	ug/kg-dry

Soil	2	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<39	ug/kg-dry
Soil	3	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<42	ug/kg-dry
Soil	4	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<37	ug/kg-dry
Soil	5	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	929	ug/kg-dry
Soil	6	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	108	ug/kg-dry
Soil	7	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<39	ug/kg-dry
Sediment	1	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<145	ug/kg-dry
Sediment	2	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	259	ug/kg-dry
Sediment	3	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<51	ug/kg-dry
Sediment	4	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	1,586	ug/kg-dry
Sediment	5	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	210	ug/kg-dry
Sediment	6	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	630	ug/kg-dry
Sediment	7	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	<45	ug/kg-dry
Sediment	8	Yamada Ryokuchi	22	38		Di-(2-ethylhexyl) phthalate	450	ug/kg-dry
Sediment	9	Place selected for comparision purposes	22	38		Di-(2-ethylhexyl) phthalate	837	ug/kg-dry
Sediment	10	Place selected for comparision purposes	22	38		Di-(2-ethylhexyl) phthalate	1,766	ug/kg-dry
Sediment	11	Place selected for comparision purposes	22	38		Di-(2-ethylhexyl) phthalate	1,344	ug/kg-dry
Sediment	12	Place selected for comparision purposes	22	38		Di-(2-ethylhexyl) phthalate	226	ug/kg-dry
Soil	1	Yamada Ryokuchi	21	37		Bisphenol A	<15	ug/kg-dry
Soil	2	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Soil	3	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Soil	4	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Soil	5	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Soil	6	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Soil	7	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Sediment	1	Yamada Ryokuchi	21	37		Bisphenol A	<30	ug/kg-dry
Sediment	2	Yamada Ryokuchi	21	37		Bisphenol A	<35	ug/kg-dry
Sediment	3	Yamada Ryokuchi	21	37		Bisphenol A	<15	ug/kg-dry
Sediment	4	Yamada Ryokuchi	21	37		Bisphenol A	152	ug/kg-dry
Sediment	5	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Sediment	6	Yamada Ryokuchi	21	37		Bisphenol A	54	ug/kg-dry
Sediment	7	Yamada Ryokuchi	21	37		Bisphenol A	<10	ug/kg-dry
Sediment	8	Yamada Ryokuchi	21	37		Bisphenol A	<20	ug/kg-dry
Sediment	9	Place selected for comparision purposes	21	37		Bisphenol A	32	ug/kg-dry
Sediment	10	Place selected for comparision purposes	21	37		Bisphenol A	128	ug/kg-dry
Sediment	11	Place selected for comparision purposes	21	37		Bisphenol A	<10	ug/kg-dry
Sediment	12	Place selected for comparision purposes	21	37		Bisphenol A	<10	ug/kg-dry
Soil	1	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<3.6	ug/kg-dry
Soil	2	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.3	ug/kg-dry
Soil	3	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.5	ug/kg-dry

Soil	4	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.3	ug/kg-dry
Soil	5	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<3.0	ug/kg-dry
Soil	6	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.2	ug/kg-dry
Soil	7	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.4	ug/kg-dry
Sediment	1	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<8.7	ug/kg-dry
Sediment	2	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<10.5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.3	ug/kg-dry
Sediment	4	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<3.4	ug/kg-dry
Sediment	5	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.9	ug/kg-dry
Sediment	6	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<3.5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.7	ug/kg-dry
Sediment	8	Yamada Ryokuchi	20	36	Alkyl phenol	4 - n-Octyl phenol	<4.5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.6	ug/kg-dry
Sediment	10	Place selected for comparison purposes	20	36	Alkyl phenol	4 - n-Octyl phenol	<3.8	ug/kg-dry
Sediment	11	Place selected for comparison purposes	20	36	Alkyl phenol	4 - n-Octyl phenol	<2.5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.9	ug/kg-dry
Soil	1	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<3.6	ug/kg-dry
Soil	2	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.3	ug/kg-dry
Soil	3	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.5	ug/kg-dry
Soil	4	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.3	ug/kg-dry
Soil	5	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<3.0	ug/kg-dry
Soil	6	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.2	ug/kg-dry
Soil	7	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.4	ug/kg-dry
Sediment	1	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<8.7	ug/kg-dry
Sediment	2	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<10.5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.3	ug/kg-dry
Sediment	4	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<3.4	ug/kg-dry
Sediment	5	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.9	ug/kg-dry
Sediment	6	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<3.5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.7	ug/kg-dry
Sediment	8	Yamada Ryokuchi	20	36	Alkyl phenol	4 - t-Octyl phenol	<4.5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.6	ug/kg-dry
Sediment	10	Place selected for comparison purposes	20	36	Alkyl phenol	4 - t-Octyl phenol	<3.8	ug/kg-dry
Sediment	11	Place selected for comparison purposes	20	36	Alkyl phenol	4 - t-Octyl phenol	<2.5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.9	ug/kg-dry
Soil	1	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<36	ug/kg-dry
Soil	2	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<23	ug/kg-dry
Soil	3	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<25	ug/kg-dry
Soil	4	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<23	ug/kg-dry
Soil	5	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<30	ug/kg-dry

Soil	6	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<22	ug/kg-dry
Soil	7	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<24	ug/kg-dry
Sediment	1	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<87	ug/kg-dry
Sediment	2	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	692	ug/kg-dry
Sediment	3	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<23	ug/kg-dry
Sediment	4	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<34	ug/kg-dry
Sediment	5	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<29	ug/kg-dry
Sediment	6	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<35	ug/kg-dry
Sediment	7	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	<27	ug/kg-dry
Sediment	8	Yamada Ryokuchi	20	36	Alkyl phenol	Nonyl phenol	674	ug/kg-dry
Sediment	9	Place selected for comparision purposes	20	36	Alkyl phenol	Nonyl phenol	<26	ug/kg-dry
Sediment	10	Place selected for comparision purposes	20	36	Alkyl phenol	Nonyl phenol	<38	ug/kg-dry
Sediment	11	Place selected for comparision purposes	20	36	Alkyl phenol	Nonyl phenol	<25	ug/kg-dry
Sediment	12	Place selected for comparision purposes	20	36	Alkyl phenol	Nonyl phenol	<19	ug/kg-dry
Soil	1	Yamada Ryokuchi	19	35	-	Trifluralin	<1.2	ug/kg-dry
Soil	2	Yamada Ryokuchi	19	35	-	Trifluralin	<0.8	ug/kg-dry
Soil	3	Yamada Ryokuchi	19	35	-	Trifluralin	<0.8	ug/kg-dry
Soil	4	Yamada Ryokuchi	19	35	-	Trifluralin	<0.7	ug/kg-dry
Soil	5	Yamada Ryokuchi	19	35	-	Trifluralin	<1.0	ug/kg-dry
Soil	6	Yamada Ryokuchi	19	35	-	Trifluralin	<0.7	ug/kg-dry
Soil	7	Yamada Ryokuchi	19	35	-	Trifluralin	<0.8	ug/kg-dry
Sediment	1	Yamada Ryokuchi	19	35	-	Trifluralin	<2.9	ug/kg-dry
Sediment	2	Yamada Ryokuchi	19	35	-	Trifluralin	<3.5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	19	35	-	Trifluralin	<1.0	ug/kg-dry
Sediment	4	Yamada Ryokuchi	19	35	-	Trifluralin	<1.1	ug/kg-dry
Sediment	5	Yamada Ryokuchi	19	35	-	Trifluralin	<1.0	ug/kg-dry
Sediment	6	Yamada Ryokuchi	19	35	-	Trifluralin	<1.2	ug/kg-dry
Sediment	7	Yamada Ryokuchi	19	35	-	Trifluralin	<0.9	ug/kg-dry
Sediment	8	Yamada Ryokuchi	19	35	-	Trifluralin	<1.5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	19	35	-	Trifluralin	<0.9	ug/kg-dry
Sediment	10	Place selected for comparision purposes	19	35	-	Trifluralin	<1.3	ug/kg-dry
Sediment	11	Place selected for comparision purposes	19	35	-	Trifluralin	<0.8	ug/kg-dry
Sediment	12	Place selected for comparision purposes	19	35	-	Trifluralin	<0.7	ug/kg-dry
Soil	1	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.2	ug/kg-dry
Soil	2	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<0.8	ug/kg-dry
Soil	3	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<0.8	ug/kg-dry
Soil	4	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<0.7	ug/kg-dry
Soil	5	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.0	ug/kg-dry
Soil	6	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<0.7	ug/kg-dry
Soil	7	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<0.8	ug/kg-dry

Sediment	1	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<2.9	ug/kg-dry
Sediment	2	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<3.5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.0	ug/kg-dry
Sediment	4	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.1	ug/kg-dry
Sediment	5	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.0	ug/kg-dry
Sediment	6	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.2	ug/kg-dry
Sediment	7	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<0.9	ug/kg-dry
Sediment	8	Yamada Ryokuchi	18	11	-	CAT (Simazine)	<1.5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	18	11	-	CAT (Simazine)	<0.9	ug/kg-dry
Sediment	10	Place selected for comparision purposes	18	11	-	CAT (Simazine)	<1.3	ug/kg-dry
Sediment	11	Place selected for comparision purposes	18	11	-	CAT (Simazine)	<0.8	ug/kg-dry
Sediment	12	Place selected for comparision purposes	18	11	-	CAT (Simazine)	<0.7	ug/kg-dry
Soil	1	Yamada Ryokuchi	17	9	-	Atrazine	<1.2	ug/kg-dry
Soil	2	Yamada Ryokuchi	17	9	-	Atrazine	<0.8	ug/kg-dry
Soil	3	Yamada Ryokuchi	17	9	-	Atrazine	<0.8	ug/kg-dry
Soil	4	Yamada Ryokuchi	17	9	-	Atrazine	<0.7	ug/kg-dry
Soil	5	Yamada Ryokuchi	17	9	-	Atrazine	<1.0	ug/kg-dry
Soil	6	Yamada Ryokuchi	17	9	-	Atrazine	<0.7	ug/kg-dry
Soil	7	Yamada Ryokuchi	17	9	-	Atrazine	<0.8	ug/kg-dry
Sediment	1	Yamada Ryokuchi	17	9	-	Atrazine	<2.9	ug/kg-dry
Sediment	2	Yamada Ryokuchi	17	9	-	Atrazine	<3.5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	17	9	-	Atrazine	<1.0	ug/kg-dry
Sediment	4	Yamada Ryokuchi	17	9	-	Atrazine	<1.1	ug/kg-dry
Sediment	5	Yamada Ryokuchi	17	9	-	Atrazine	<1.0	ug/kg-dry
Sediment	6	Yamada Ryokuchi	17	9	-	Atrazine	<1.2	ug/kg-dry
Sediment	7	Yamada Ryokuchi	17	9	-	Atrazine	<0.9	ug/kg-dry
Sediment	8	Yamada Ryokuchi	17	9	-	Atrazine	<1.5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	17	9	-	Atrazine	<0.9	ug/kg-dry
Sediment	10	Place selected for comparision purposes	17	9	-	Atrazine	<1.3	ug/kg-dry
Sediment	11	Place selected for comparision purposes	17	9	-	Atrazine	<0.8	ug/kg-dry
Sediment	12	Place selected for comparision purposes	17	9	-	Atrazine	<0.7	ug/kg-dry
Soil	1	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	2	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	3	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	4	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	5	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	6	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	7	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	1	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	2	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry

Sediment	3	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	4	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	5	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	6	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	7	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	8	Yamada Ryokuchi	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	9	Place selected for comparison purposes	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	10	Place selected for comparison purposes	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	11	Place selected for comparison purposes	16	-	-	Monobutyltin	<200	ug/kg-dry
Sediment	12	Place selected for comparison purposes	16	-	-	Monobutyltin	<200	ug/kg-dry
Soil	1	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	2	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	3	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	4	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	5	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	6	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	7	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	1	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	2	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	3	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	4	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	5	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	6	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	7	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	8	Yamada Ryokuchi	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	9	Place selected for comparison purposes	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	10	Place selected for comparison purposes	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	11	Place selected for comparison purposes	15	-	-	Dibutyltin	<100	ug/kg-dry
Sediment	12	Place selected for comparison purposes	15	-	-	Dibutyltin	<100	ug/kg-dry
Soil	1	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	2	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	3	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	4	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	5	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	6	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	7	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	1	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	2	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	3	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	4	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry

Sediment	5	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	6	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	7	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	8	Yamada Ryokuchi	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	9	Place selected for comparison purposes	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	10	Place selected for comparison purposes	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	11	Place selected for comparison purposes	14	34	-	Triphenyltin	<20	ug/kg-dry
Sediment	12	Place selected for comparison purposes	14	34	-	Triphenyltin	<20	ug/kg-dry
Soil	1	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	2	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	3	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	4	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	5	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	6	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	7	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	1	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	2	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	3	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	4	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	5	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	6	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	7	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	8	Yamada Ryokuchi	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	9	Place selected for comparison purposes	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	10	Place selected for comparison purposes	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	11	Place selected for comparison purposes	13	33	-	Tributyltin	<20	ug/kg-dry
Sediment	12	Place selected for comparison purposes	13	33	-	Tributyltin	<20	ug/kg-dry
Soil	1	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	187	ug/kg-dry
Soil	2	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	215	ug/kg-dry
Soil	3	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	81	ug/kg-dry
Soil	4	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	70	ug/kg-dry
Soil	5	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	185	ug/kg-dry
Soil	6	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	258	ug/kg-dry
Soil	7	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	108	ug/kg-dry
Sediment	1	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	119	ug/kg-dry
Sediment	2	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	341	ug/kg-dry
Sediment	3	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	75	ug/kg-dry
Sediment	4	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	75	ug/kg-dry
Sediment	5	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	25	ug/kg-dry
Sediment	6	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	52	ug/kg-dry

Sediment	7	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	45	ug/kg-dry
Sediment	8	Yamada Ryokuchi	12	43	-	Benzo(a)pyrene	97	ug/kg-dry
Sediment	9	Place selected for comparison purposes	12	43	-	Benzo(a)pyrene	15	ug/kg-dry
Sediment	10	Place selected for comparison purposes	12	43	-	Benzo(a)pyrene	56	ug/kg-dry
Sediment	11	Place selected for comparison purposes	12	43	-	Benzo(a)pyrene	21	ug/kg-dry
Sediment	12	Place selected for comparison purposes	12	43	-	Benzo(a)pyrene	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	11	26	Heptachlor epoxide		<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	11	26	Heptachlor epoxide		<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	10	25	Heptachlor		<5	ug/kg-dry

Sediment	9	Place selected for	comparision purposes	10	25		Heptachlor	<5	ug/kg-dry
Sediment	10	Place selected for	comparision purposes	10	25		Heptachlor	<5	ug/kg-dry
Sediment	11	Place selected for	comparision purposes	10	25		Heptachlor	<5	ug/kg-dry
Sediment	12	Place selected for	comparision purposes	10	25		Heptachlor	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi		9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	9	Place selected for	comparision purposes	9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	10	Place selected for	comparision purposes	9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	11	Place selected for	comparision purposes	9	23	-	Dieldrin	<5	ug/kg-dry
Sediment	12	Place selected for	comparision purposes	9	23	-	Dieldrin	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	36	ug/kg-dry
Soil	3	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	9	ug/kg-dry
Soil	6	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	7	ug/kg-dry
Soil	7	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	425	ug/kg-dry
Sediment	3	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	15	ug/kg-dry
Sediment	5	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	9	ug/kg-dry
Sediment	7	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	9	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	10	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry

Sediment	11	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	12	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	14	ug/kg-dry
Soil	3	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	122	ug/kg-dry
Sediment	3	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi		8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	9	Place selected for	comparision purposes	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	10	Place selected for	comparision purposes	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	11	Place selected for	comparision purposes	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	12	Place selected for	comparision purposes	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	13	ug/kg-dry
Soil	2	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	84	ug/kg-dry
Soil	3	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	19	ug/kg-dry
Soil	5	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	7	ug/kg-dry
Soil	6	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	11	ug/kg-dry
Soil	7	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	154	ug/kg-dry
Sediment	3	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	32	ug/kg-dry
Sediment	5	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	12	ug/kg-dry
Sediment	7	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi		8	19	DDE and DDD	p,p'-DDE	8	ug/kg-dry
Sediment	9	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	10	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	11	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	12	Place selected for	comparision purposes	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry

Soil	1	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	24	ug/kg-dry
Sediment	3	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	10	Place selected for comparision purposes	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	11	Place selected for comparision purposes	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	12	Place selected for comparision purposes	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	67	ug/kg-dry
Soil	3	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	26	ug/kg-dry
Soil	5	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	9	ug/kg-dry
Soil	6	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	37	ug/kg-dry
Soil	7	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	93	ug/kg-dry
Sediment	3	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	27	ug/kg-dry
Sediment	5	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	10	Place selected for comparision purposes	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	11	Place selected for comparision purposes	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	12	Place selected for comparision purposes	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	9	ug/kg-dry

Soil	3	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	9	ug/kg-dry
Soil	7	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	10	Place selected for comparision purposes	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	11	Place selected for comparision purposes	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	12	Place selected for comparision purposes	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	9	Place selected for comparision purposes	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	10	Place selected for comparision purposes	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	11	Place selected for comparision purposes	6	16		cis-Nonachlor	<5	ug/kg-dry
Sediment	12	Place selected for comparision purposes	6	16		cis-Nonachlor	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	6	16		trans-Nonachlor	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	6	16		trans-Nonachlor	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	6	16		trans-Nonachlor	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	6	16		trans-Nonachlor	<5	ug/kg-dry

Soil	5	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	6	16	trans-Nonachlor	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	6	16	trans-Nonachlor	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	5	15	Oxychlordane	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	5	15	Oxychlordane	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	4	14	Chlordane	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	4	14	Chlordane	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	4	14	Chlordane	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	4	14	Chlordane	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	4	14	Chlordane	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	4	14	Chlordane	<5	ug/kg-dry

Soil	7	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Soil	2	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Soil	3	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Soil	4	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Soil	5	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Soil	6	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Soil	7	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry
Sediment	1	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-dry

Sediment	6	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	2	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	3	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	4	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	5	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	6	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	7	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	1	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	2	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	3	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	4	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	5	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	6	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	7	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	8	Yamada Ryokuchi	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	9	Place selected for comparison purposes	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	10	Place selected for comparison purposes	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	11	Place selected for comparison purposes	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	12	Place selected for comparison purposes	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Soil	1	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Soil	2	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Soil	3	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Soil	4	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Soil	5	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Soil	6	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Soil	7	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Sediment	1	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		61	ug/kg-dry
Sediment	2	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Sediment	3	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Sediment	4	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Sediment	5	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Sediment	6	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry
Sediment	7	Yamada Ryokuchi	1	2	Polychlorinated biphenyls (P CBs) PCB total*		0	ug/kg-dry

