

## japanese macaque

Survey point's No.	Specimen collection site	Gender (M:Male, F:Female)	Age	Specimen	Lipid (%)	No.	SPEED'98 No.	object substance-1	object substance-2	data	unit
			(A : Adult S : Sub-adult y : Years old (Age))								
1	Naqano Pre	M	A	Liver	4.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	16	-	-	Monobutyltin	<2,000	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	16	-	-	Monobutyltin	<2,000	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	16	-	-	Monobutyltin	<2,000	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	16	-	-	Monobutyltin	<2,000	ug/kg-wet
17	Naqano Pre	F	2.5	Liver	4.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
18	Naqano Pre	F	0.5	Liver	4.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
19	Niiqata Pref	F	A	Liver	7.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
20	Niiqata Pref	F	1.5	Liver	5.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	16	-	-	Monobutyltin	<2,000	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	16	-	-	Monobutyltin	<2,000	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	16	-	-	Monobutyltin	<2,000	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	16	-	-	Monobutyltin	<2,000	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
33	Tokyo	M	A	liver	3.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
34	Tokyo	M	A	liver	7.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	16	-	-	Monobutyltin	<2,000	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet

37	Tokyo	M	4	Fat, liver	3.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
38	Tokyo	M	3	liver	4.1	16	-	-	Monobutyltin	<2,000	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	16	-	-	Monobutyltin	<2,000	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	16	-	-	Monobutyltin	<2,000	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	16	-	-	Monobutyltin	<2,000	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	16	-	-	Monobutyltin	<2,000	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	16	-	-	Monobutyltin	<2,000	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	16	-	-	Monobutyltin	<2,000	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	16	-	-	Monobutyltin	<2,000	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	16	-	-	Monobutyltin	<2,000	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	16	-	-	Monobutyltin	<2,000	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	16	-	-	Monobutyltin	<2,000	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	16	-	-	Monobutyltin	<2,000	ug/kg-wet
50	Experiment	M	A	Blood	0.22	16	-	-	Monobutyltin	<2,000	ug/kg-wet
51	Experiment	F	A	Blood	0.29	16	-	-	Monobutyltin	<2,000	ug/kg-wet
52	Experiment	F	A	Blood	0.19	16	-	-	Monobutyltin	<2,000	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
9	Nagano Pref	M	0.5	Liver	5.0	15	-	-	Dibutyltin	<1,000	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	15	-	-	Dibutyltin	<1,000	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	15	-	-	Dibutyltin	<1,000	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	15	-	-	Dibutyltin	<1,000	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
21	Fukui Pref.	M	A	Liver, muscle	1.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
22	Fukui Pref.	M	A	Liver, muscle	1.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
23	Fukui Pref.	M	S	Liver, muscle	9.7	15	-	-	Dibutyltin	<1,000	ug/kg-wet
24	Fukui Pref.	F	A	Liver, muscle	6.2	15	-	-	Dibutyltin	<1,000	ug/kg-wet
25	Fukui Pref.	F	A	Liver, muscle	4.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
26	Fukui Pref.	F	A	Liver, muscle	4.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
27	Fukui Pref.	F	A	Liver, muscle	1.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet

28	Fukui Pref.	F	S	Liver , muscle	13	15	-	-	Dibutyltin	<1,000	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	15	-	-	Dibutyltin	<1,000	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
33	Tokyo	M	A	liver	3.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
34	Tokyo	M	A	liver	7.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	15	-	-	Dibutyltin	<1,000	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
38	Tokyo	M	3	liver	4.1	15	-	-	Dibutyltin	<1,000	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	15	-	-	Dibutyltin	<1,000	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	15	-	-	Dibutyltin	<1,000	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	15	-	-	Dibutyltin	<1,000	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	15	-	-	Dibutyltin	<1,000	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	15	-	-	Dibutyltin	<1,000	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	15	-	-	Dibutyltin	<1,000	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	15	-	-	Dibutyltin	<1,000	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	15	-	-	Dibutyltin	<1,000	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	15	-	-	Dibutyltin	<1,000	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	15	-	-	Dibutyltin	<1,000	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	15	-	-	Dibutyltin	<1,000	ug/kg-wet
50	Experiment	M	A	Blood	0.22	15	-	-	Dibutyltin	<1,000	ug/kg-wet
51	Experiment	F	A	Blood	0.29	15	-	-	Dibutyltin	<1,000	ug/kg-wet
52	Experiment	F	A	Blood	0.19	15	-	-	Dibutyltin	<1,000	ug/kg-wet
1	Nagano Pre	M	A	Liver	4.5	14	34	-	Triphenyltin	<200	ug/kg-wet
2	Nagano Pre	M	A	Liver	9.2	14	34	-	Triphenyltin	<200	ug/kg-wet
3	Nagano Pre	M	A	Liver	4.6	14	34	-	Triphenyltin	<200	ug/kg-wet
4	Nagano Pre	M	4.5	Liver	5.6	14	34	-	Triphenyltin	<200	ug/kg-wet
5	Nagano Pre	M	3.5	Liver	8.0	14	34	-	Triphenyltin	<200	ug/kg-wet
6	Nagano Pre	M	3.5	Liver	4.8	14	34	-	Triphenyltin	<200	ug/kg-wet
7	Nagano Pre	M	2.5	Liver	5.0	14	34	-	Triphenyltin	<200	ug/kg-wet
8	Nagano Pre	M	2.5	Liver	4.3	14	34	-	Triphenyltin	<200	ug/kg-wet
9	Nagano Pre	M	0.5	Liver	5.0	14	34	-	Triphenyltin	<200	ug/kg-wet
10	Nagano Pre	M	0.5	Liver	4.3	14	34	-	Triphenyltin	<200	ug/kg-wet
11	Nagano Pre	F	A	Liver	5.5	14	34	-	Triphenyltin	<200	ug/kg-wet
12	Nagano Pre	F	A	Liver	13	14	34	-	Triphenyltin	<200	ug/kg-wet
13	Nagano Pre	F	A	Liver	5.5	14	34	-	Triphenyltin	<200	ug/kg-wet
14	Nagano Pre	F	A	Liver	7.7	14	34	-	Triphenyltin	<200	ug/kg-wet
15	Nagano Pre	F	3.5	Liver	7.2	14	34	-	Triphenyltin	<200	ug/kg-wet
16	Nagano Pre	F	2.5	Liver	4.7	14	34	-	Triphenyltin	<200	ug/kg-wet
17	Nagano Pre	F	2.5	Liver	4.6	14	34	-	Triphenyltin	<200	ug/kg-wet
18	Nagano Pre	F	0.5	Liver	4.3	14	34	-	Triphenyltin	<200	ug/kg-wet

19	Niigata Pref	F	A	Liver	7.3	14	34	-	Triphenyltin	<200	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	14	34	-	Triphenyltin	<200	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	14	34	-	Triphenyltin	<200	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	14	34	-	Triphenyltin	<200	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	14	34	-	Triphenyltin	<200	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	14	34	-	Triphenyltin	<200	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	14	34	-	Triphenyltin	<200	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	14	34	-	Triphenyltin	<200	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	14	34	-	Triphenyltin	<200	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	14	34	-	Triphenyltin	<200	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	14	34	-	Triphenyltin	<200	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	14	34	-	Triphenyltin	<200	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	14	34	-	Triphenyltin	<200	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	14	34	-	Triphenyltin	<200	ug/kg-wet
33	Tokyo	M	A	liver	3.5	14	34	-	Triphenyltin	<200	ug/kg-wet
34	Tokyo	M	A	liver	7.1	14	34	-	Triphenyltin	<200	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	14	34	-	Triphenyltin	<200	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	14	34	-	Triphenyltin	<200	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	14	34	-	Triphenyltin	<200	ug/kg-wet
38	Tokyo	M	3	liver	4.1	14	34	-	Triphenyltin	<200	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	14	34	-	Triphenyltin	<200	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	14	34	-	Triphenyltin	<200	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	14	34	-	Triphenyltin	<200	ug/kg-wet
42	Hyoogo Pref.	F	A	Blood	0.41	14	34	-	Triphenyltin	<200	ug/kg-wet
43	Hyoogo Pref.	F	A	Blood	0.34	14	34	-	Triphenyltin	<200	ug/kg-wet
44	Hyoogo Pref.	F	A	Blood	0.35	14	34	-	Triphenyltin	<200	ug/kg-wet
45	Hyoogo Pref.	F	A	Blood	0.44	14	34	-	Triphenyltin	<200	ug/kg-wet
46	Hyoogo Pref.	F	A	Blood	0.30	14	34	-	Triphenyltin	<200	ug/kg-wet
47	Hyoogo Pref.	F	A	Blood	0.32	14	34	-	Triphenyltin	<200	ug/kg-wet
48	Hyoogo Pref.	M	A	Blood	0.18	14	34	-	Triphenyltin	<200	ug/kg-wet
49	Hyoogo Pref.	M	A	Blood	0.26	14	34	-	Triphenyltin	<200	ug/kg-wet
50	Experimentz	M	A	Blood	0.22	14	34	-	Triphenyltin	<200	ug/kg-wet
51	Experimentz	F	A	Blood	0.29	14	34	-	Triphenyltin	<200	ug/kg-wet
52	Experimentz	F	A	Blood	0.19	14	34	-	Triphenyltin	<200	ug/kg-wet
1	Naqano Prei	M	A	Liver	4.5	13	33	-	Tributyltin	<200	ug/kg-wet
2	Naqano Prei	M	A	Liver	9.2	13	33	-	Tributyltin	<200	ug/kg-wet
3	Naqano Prei	M	A	Liver	4.6	13	33	-	Tributyltin	<200	ug/kg-wet
4	Naqano Prei	M	4.5	Liver	5.6	13	33	-	Tributyltin	<200	ug/kg-wet
5	Naqano Prei	M	3.5	Liver	8.0	13	33	-	Tributyltin	<200	ug/kg-wet
6	Naqano Prei	M	3.5	Liver	4.8	13	33	-	Tributyltin	<200	ug/kg-wet
7	Naqano Prei	M	2.5	Liver	5.0	13	33	-	Tributyltin	<200	ug/kg-wet
8	Naqano Prei	M	2.5	Liver	4.3	13	33	-	Tributyltin	<200	ug/kg-wet
9	Naqano Prei	M	0.5	Liver	5.0	13	33	-	Tributyltin	<200	ug/kg-wet

10	Nagano Pref	M	0.5	Liver	4.3	13	33	-	Tributyltin	<200	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	13	33	-	Tributyltin	<200	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	13	33	-	Tributyltin	<200	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	13	33	-	Tributyltin	<200	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	13	33	-	Tributyltin	<200	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	13	33	-	Tributyltin	<200	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	13	33	-	Tributyltin	<200	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	13	33	-	Tributyltin	<200	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	13	33	-	Tributyltin	<200	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	13	33	-	Tributyltin	<200	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	13	33	-	Tributyltin	<200	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	13	33	-	Tributyltin	<200	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	13	33	-	Tributyltin	<200	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	13	33	-	Tributyltin	<200	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	13	33	-	Tributyltin	<200	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	13	33	-	Tributyltin	<200	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	13	33	-	Tributyltin	<200	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	13	33	-	Tributyltin	<200	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	13	33	-	Tributyltin	<200	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	13	33	-	Tributyltin	<200	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	13	33	-	Tributyltin	<200	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	13	33	-	Tributyltin	<200	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	13	33	-	Tributyltin	<200	ug/kg-wet
33	Tokyo	M	A	liver	3.5	13	33	-	Tributyltin	<200	ug/kg-wet
34	Tokyo	M	A	liver	7.1	13	33	-	Tributyltin	<200	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	13	33	-	Tributyltin	<200	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	13	33	-	Tributyltin	<200	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	13	33	-	Tributyltin	<200	ug/kg-wet
38	Tokyo	M	3	liver	4.1	13	33	-	Tributyltin	<200	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	13	33	-	Tributyltin	<200	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	13	33	-	Tributyltin	<200	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	13	33	-	Tributyltin	<200	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	13	33	-	Tributyltin	<200	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	13	33	-	Tributyltin	<200	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	13	33	-	Tributyltin	<200	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	13	33	-	Tributyltin	<200	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	13	33	-	Tributyltin	<200	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	13	33	-	Tributyltin	<200	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	13	33	-	Tributyltin	<200	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	13	33	-	Tributyltin	<200	ug/kg-wet
50	Experiment	M	A	Blood	0.22	13	33	-	Tributyltin	<200	ug/kg-wet
51	Experiment	F	A	Blood	0.29	13	33	-	Tributyltin	<200	ug/kg-wet
52	Experiment	F	A	Blood	0.19	13	33	-	Tributyltin	<200	ug/kg-wet

1	Nagano Pref M	A	Liver	4.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
2	Nagano Pref M	A	Liver	9.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
3	Nagano Pref M	A	Liver	4.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
4	Nagano Pref M	4.5	Liver	5.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
5	Nagano Pref M	3.5	Liver	8.0	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
6	Nagano Pref M	3.5	Liver	4.8	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
7	Nagano Pref M	2.5	Liver	5.0	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
8	Nagano Pref M	2.5	Liver	4.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
9	Nagano Pref M	0.5	Liver	5.0	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
10	Nagano Pref M	0.5	Liver	4.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
11	Nagano Pref F	A	Liver	5.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
12	Nagano Pref F	A	Liver	13	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
13	Nagano Pref F	A	Liver	5.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
14	Nagano Pref F	A	Liver	7.7	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
15	Nagano Pref F	3.5	Liver	7.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
16	Nagano Pref F	2.5	Liver	4.7	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
17	Nagano Pref F	2.5	Liver	4.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
18	Nagano Pref F	0.5	Liver	4.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
19	Niiigata Pref F	A	Liver	7.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
20	Niiigata Pref F	1.5	Liver	5.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	12	43	-	Benzo(a)pyrene	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	12	43	-	Benzo(a)pyrene	<2	ug/kg-wet
42	Hyoogo Pref. F	A	Blood	0.41	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
43	Hyoogo Pref. F	A	Blood	0.34	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet

44	Hyogo Pref. F	A	Blood	0.35	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
45	Hyogo Pref. F	A	Blood	0.44	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
46	Hyogo Pref. F	A	Blood	0.30	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
47	Hyogo Pref. F	A	Blood	0.32	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
50	Experiment: M	A	Blood	0.22	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
51	Experiment: F	A	Blood	0.29	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
52	Experiment: F	A	Blood	0.19	12	43	-	Benzo(a)pyrene	<5	ug/kg-wet
1	Naqano Pre: M	A	Liver	4.5	11	26	-	Heptachlor epoxide	5	ug/kg-wet
2	Naqano Pre: M	A	Liver	9.2	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
3	Naqano Pre: M	A	Liver	4.6	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
4	Naqano Pre: M	4.5	Liver	5.6	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
5	Naqano Pre: M	3.5	Liver	8.0	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
6	Naqano Pre: M	3.5	Liver	4.8	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
7	Naqano Pre: M	2.5	Liver	5.0	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
8	Naqano Pre: M	2.5	Liver	4.3	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
9	Naqano Pre: M	0.5	Liver	5.0	11	26	-	Heptachlor epoxide	10	ug/kg-wet
10	Naqano Pre: M	0.5	Liver	4.3	11	26	-	Heptachlor epoxide	5	ug/kg-wet
11	Naqano Pre: F	A	Liver	5.5	11	26	-	Heptachlor epoxide	2	ug/kg-wet
12	Naqano Pre: F	A	Liver	13	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
13	Naqano Pre: F	A	Liver	5.5	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
14	Naqano Pre: F	A	Liver	7.7	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
15	Naqano Pre: F	3.5	Liver	7.2	11	26	-	Heptachlor epoxide	3	ug/kg-wet
16	Naqano Pre: F	2.5	Liver	4.7	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
17	Naqano Pre: F	2.5	Liver	4.6	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
18	Naqano Pre: F	0.5	Liver	4.3	11	26	-	Heptachlor epoxide	4	ug/kg-wet
19	Niiqata Pre: F	A	Liver	7.3	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
20	Niiqata Pre: F	1.5	Liver	5.1	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	11	26	-	Heptachlor epoxide	5	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	11	26	-	Heptachlor epoxide	178	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	11	26	-	Heptachlor epoxide	3	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	11	26	-	Heptachlor epoxide	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	11	26	-	Heptachlor epoxide	3	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	11	26	-	Heptachlor epoxide	4	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	11	26	-	Heptachlor epoxide	8	ug/kg-wet
34	Tokyo M	A	liver	7.1	11	26	-	Heptachlor epoxide	<2	ug/kg-wet

35	Tokyo	M	S	Fat, liver	4.5	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	11	26	-	Heptachlor epoxide	2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	11	26	-	Heptachlor epoxide	3	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	11	26	-	Heptachlor epoxide	2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	11	26	-	Heptachlor epoxide	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	11	26	-	Heptachlor epoxide	4	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
50	Experimenta	M	A	Blood	0.22	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
51	Experimenta	F	A	Blood	0.29	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
52	Experimenta	F	A	Blood	0.19	11	26	-	Heptachlor epoxide	<5	ug/kg-wet
1	Nagano Pre	M	A	Liver	4.5	10	25	-	Heptachlor	<2	ug/kg-wet
2	Nagano Pre	M	A	Liver	9.2	10	25	-	Heptachlor	<2	ug/kg-wet
3	Nagano Pre	M	A	Liver	4.6	10	25	-	Heptachlor	<2	ug/kg-wet
4	Nagano Pre	M	4.5	Liver	5.6	10	25	-	Heptachlor	<2	ug/kg-wet
5	Nagano Pre	M	3.5	Liver	8.0	10	25	-	Heptachlor	<2	ug/kg-wet
6	Nagano Pre	M	3.5	Liver	4.8	10	25	-	Heptachlor	<2	ug/kg-wet
7	Nagano Pre	M	2.5	Liver	5.0	10	25	-	Heptachlor	<2	ug/kg-wet
8	Nagano Pre	M	2.5	Liver	4.3	10	25	-	Heptachlor	<2	ug/kg-wet
9	Nagano Pre	M	0.5	Liver	5.0	10	25	-	Heptachlor	<2	ug/kg-wet
10	Nagano Pre	M	0.5	Liver	4.3	10	25	-	Heptachlor	<2	ug/kg-wet
11	Nagano Pre	F	A	Liver	5.5	10	25	-	Heptachlor	<2	ug/kg-wet
12	Nagano Pre	F	A	Liver	13	10	25	-	Heptachlor	<2	ug/kg-wet
13	Nagano Pre	F	A	Liver	5.5	10	25	-	Heptachlor	<2	ug/kg-wet
14	Nagano Pre	F	A	Liver	7.7	10	25	-	Heptachlor	<2	ug/kg-wet
15	Nagano Pre	F	3.5	Liver	7.2	10	25	-	Heptachlor	<2	ug/kg-wet
16	Nagano Pre	F	2.5	Liver	4.7	10	25	-	Heptachlor	<2	ug/kg-wet
17	Nagano Pre	F	2.5	Liver	4.6	10	25	-	Heptachlor	<2	ug/kg-wet
18	Nagano Pre	F	0.5	Liver	4.3	10	25	-	Heptachlor	<2	ug/kg-wet
19	Niiigata Pref	F	A	Liver	7.3	10	25	-	Heptachlor	<2	ug/kg-wet
20	Niiigata Pref	F	1.5	Liver	5.1	10	25	-	Heptachlor	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	10	25	-	Heptachlor	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	10	25	-	Heptachlor	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	10	25	-	Heptachlor	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	10	25	-	Heptachlor	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	10	25	-	Heptachlor	<2	ug/kg-wet



26	Fukui Pref.	F	A	Liver , muscle	4.6	10	25	-	Heptachlor	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	10	25	-	Heptachlor	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	10	25	-	Heptachlor	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	10	25	-	Heptachlor	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	10	25	-	Heptachlor	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	10	25	-	Heptachlor	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	10	25	-	Heptachlor	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	10	25	-	Heptachlor	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	10	25	-	Heptachlor	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	10	25	-	Heptachlor	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	10	25	-	Heptachlor	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	10	25	-	Heptachlor	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	10	25	-	Heptachlor	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	10	25	-	Heptachlor	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	10	25	-	Heptachlor	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	10	25	-	Heptachlor	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	10	25	-	Heptachlor	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	10	25	-	Heptachlor	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	10	25	-	Heptachlor	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	10	25	-	Heptachlor	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	10	25	-	Heptachlor	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	10	25	-	Heptachlor	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	10	25	-	Heptachlor	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	10	25	-	Heptachlor	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	10	25	-	Heptachlor	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	10	25	-	Heptachlor	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	10	25	-	Heptachlor	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	9	23	-	Dieldrin	115	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	9	23	-	Dieldrin	56	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	9	23	-	Dieldrin	99	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	9	23	-	Dieldrin	4	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	9	23	-	Dieldrin	20	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	9	23	-	Dieldrin	4	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	9	23	-	Dieldrin	4	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	9	23	-	Dieldrin	32	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	9	23	-	Dieldrin	18	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	9	23	-	Dieldrin	8	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	9	23	-	Dieldrin	33	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	9	23	-	Dieldrin	18	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	9	23	-	Dieldrin	47	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	9	23	-	Dieldrin	41	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	9	23	-	Dieldrin	17	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	9	23	-	Dieldrin	38	ug/kg-wet

17	Nagano Pref	F	2.5	Liver	4.6	9	23	-	Dieldrin	22	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	9	23	-	Dieldrin	6	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	9	23	-	Dieldrin	<2	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	9	23	-	Dieldrin	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	9	23	-	Dieldrin	4	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	9	23	-	Dieldrin	2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	9	23	-	Dieldrin	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	9	23	-	Dieldrin	3	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	9	23	-	Dieldrin	4	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	9	23	-	Dieldrin	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	9	23	-	Dieldrin	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	9	23	-	Dieldrin	9	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	9	23	-	Dieldrin	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	9	23	-	Dieldrin	3	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	9	23	-	Dieldrin	4	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	9	23	-	Dieldrin	3	ug/kg-wet
33	Tokyo	M	A	liver	3.5	9	23	-	Dieldrin	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	9	23	-	Dieldrin	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	9	23	-	Dieldrin	2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	9	23	-	Dieldrin	3	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	9	23	-	Dieldrin	3	ug/kg-wet
38	Tokyo	M	3	liver	4.1	9	23	-	Dieldrin	4	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	9	23	-	Dieldrin	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	9	23	-	Dieldrin	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	9	23	-	Dieldrin	4	ug/kg-wet
42	Hyoogo Pref.	F	A	Blood	0.41	9	23	-	Dieldrin	<5	ug/kg-wet
43	Hyoogo Pref.	F	A	Blood	0.34	9	23	-	Dieldrin	<5	ug/kg-wet
44	Hyoogo Pref.	F	A	Blood	0.35	9	23	-	Dieldrin	<5	ug/kg-wet
45	Hyoogo Pref.	F	A	Blood	0.44	9	23	-	Dieldrin	<5	ug/kg-wet
46	Hyoogo Pref.	F	A	Blood	0.30	9	23	-	Dieldrin	<5	ug/kg-wet
47	Hyoogo Pref.	F	A	Blood	0.32	9	23	-	Dieldrin	<5	ug/kg-wet
48	Hyoogo Pref.	M	A	Blood	0.18	9	23	-	Dieldrin	<5	ug/kg-wet
49	Hyoogo Pref.	M	A	Blood	0.26	9	23	-	Dieldrin	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	9	23	-	Dieldrin	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	9	23	-	Dieldrin	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	9	23	-	Dieldrin	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	8	19	DDE and DDD	p,p'-DDD	3	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet

8	Nagano Prei M	2.5	Liver	4.3	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
9	Nagano Prei M	0.5	Liver	5.0	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
10	Nagano Prei M	0.5	Liver	4.3	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
11	Nagano Prei F	A	Liver	5.5	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
12	Nagano Prei F	A	Liver	13	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
13	Nagano Prei F	A	Liver	5.5	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
14	Nagano Prei F	A	Liver	7.7	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
15	Nagano Prei F	3.5	Liver	7.2	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
16	Nagano Prei F	2.5	Liver	4.7	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
17	Nagano Prei F	2.5	Liver	4.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
18	Nagano Prei F	0.5	Liver	4.3	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
19	Niigata Pref F	A	Liver	7.3	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
20	Niigata Pref F	1.5	Liver	5.1	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	8	19	DDE and DDD	p,p'-DDD	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	8	19	DDE and DDD	p,p'-DDD	<2	ug/kg-wet
42	Hyogo Pref. F	A	Blood	0.41	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
43	Hyogo Pref. F	A	Blood	0.34	8	19	DDE and DDD	p,p'-DDD	13	ug/kg-wet
44	Hyogo Pref. F	A	Blood	0.35	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
45	Hyogo Pref. F	A	Blood	0.44	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
46	Hyogo Pref. F	A	Blood	0.30	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
47	Hyogo Pref. F	A	Blood	0.32	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
50	Experiment: M	A	Blood	0.22	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet

51	Experiment: F	A	Blood	0.29	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
52	Experiment: F	A	Blood	0.19	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-wet
1	Nagano Pre: M	A	Liver	4.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
2	Nagano Pre: M	A	Liver	9.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
3	Nagano Pre: M	A	Liver	4.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
4	Nagano Pre: M	4.5	Liver	5.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
5	Nagano Pre: M	3.5	Liver	8.0	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
6	Nagano Pre: M	3.5	Liver	4.8	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
7	Nagano Pre: M	2.5	Liver	5.0	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
8	Nagano Pre: M	2.5	Liver	4.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
9	Nagano Pre: M	0.5	Liver	5.0	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
10	Nagano Pre: M	0.5	Liver	4.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
11	Nagano Pre: F	A	Liver	5.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
12	Nagano Pre: F	A	Liver	13	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
13	Nagano Pre: F	A	Liver	5.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
14	Nagano Pre: F	A	Liver	7.7	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
15	Nagano Pre: F	3.5	Liver	7.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
16	Nagano Pre: F	2.5	Liver	4.7	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
17	Nagano Pre: F	2.5	Liver	4.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
18	Nagano Pre: F	0.5	Liver	4.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
19	Niigata Pre: F	A	Liver	7.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
20	Niigata Pre: F	1.5	Liver	5.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	8	19	DDE and DDD	o,p'-DDD	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	8	19	DDE and DDD	o,p'-DDD	<2	ug/kg-wet

42	Hyogo Pref. F	A	Blood	0.41	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
43	Hyogo Pref. F	A	Blood	0.34	8	19	DDE and DDD	o,p'-DDD	6	ug/kg-wet
44	Hyogo Pref. F	A	Blood	0.35	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
45	Hyogo Pref. F	A	Blood	0.44	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
46	Hyogo Pref. F	A	Blood	0.30	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
47	Hyogo Pref. F	A	Blood	0.32	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
50	Experiment: M	A	Blood	0.22	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
51	Experiment: F	A	Blood	0.29	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
52	Experiment: F	A	Blood	0.19	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-wet
1	Naqano Pre: M	A	Liver	4.5	8	19	DDE and DDD	p,p'-DDE	10	ug/kg-wet
2	Naqano Pre: M	A	Liver	9.2	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
3	Naqano Pre: M	A	Liver	4.6	8	19	DDE and DDD	p,p'-DDE	4	ug/kg-wet
4	Naqano Pre: M	4.5	Liver	5.6	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
5	Naqano Pre: M	3.5	Liver	8.0	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
6	Naqano Pre: M	3.5	Liver	4.8	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
7	Naqano Pre: M	2.5	Liver	5.0	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
8	Naqano Pre: M	2.5	Liver	4.3	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
9	Naqano Pre: M	0.5	Liver	5.0	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
10	Naqano Pre: M	0.5	Liver	4.3	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
11	Naqano Pre: F	A	Liver	5.5	8	19	DDE and DDD	p,p'-DDE	5	ug/kg-wet
12	Naqano Pre: F	A	Liver	13	8	19	DDE and DDD	p,p'-DDE	10	ug/kg-wet
13	Naqano Pre: F	A	Liver	5.5	8	19	DDE and DDD	p,p'-DDE	2	ug/kg-wet
14	Naqano Pre: F	A	Liver	7.7	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
15	Naqano Pre: F	3.5	Liver	7.2	8	19	DDE and DDD	p,p'-DDE	8	ug/kg-wet
16	Naqano Pre: F	2.5	Liver	4.7	8	19	DDE and DDD	p,p'-DDE	2	ug/kg-wet
17	Naqano Pre: F	2.5	Liver	4.6	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
18	Naqano Pre: F	0.5	Liver	4.3	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
19	Niiqata Pref: F	A	Liver	7.3	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
20	Niiqata Pref: F	1.5	Liver	5.1	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	8	19	DDE and DDD	p,p'-DDE	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet

33	Tokyo	M	A	liver	3.5	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	8	19	DDE and DDD	p,p'-DDE	<2	ug/kg-wet
42	Hyoogo Pref.	F	A	Blood	0.41	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
43	Hyoogo Pref.	F	A	Blood	0.34	8	19	DDE and DDD	p,p'-DDE	9	ug/kg-wet
44	Hyoogo Pref.	F	A	Blood	0.35	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
45	Hyoogo Pref.	F	A	Blood	0.44	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
46	Hyoogo Pref.	F	A	Blood	0.30	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
47	Hyoogo Pref.	F	A	Blood	0.32	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
48	Hyoogo Pref.	M	A	Blood	0.18	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
49	Hyoogo Pref.	M	A	Blood	0.26	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
17	Naqano Pre	F	2.5	Liver	4.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
18	Naqano Pre	F	0.5	Liver	4.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
19	Niiqata Pref	F	A	Liver	7.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
20	Niiqata Pref	F	1.5	Liver	5.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver, muscle	1.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver, muscle	1.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver, muscle	9.7	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet

24	Fukui Pref.	F	A	Liver , muscle	6.2	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	8	19	DDE and DDD	o,p'-DDE	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	8	19	DDE and DDD	o,p'-DDE	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	7	18	DDT	p,p'-DDT	<2	ug/kg-wet

15	Nagano Prei F	3.5	Liver	7.2	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
16	Nagano Prei F	2.5	Liver	4.7	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
17	Nagano Prei F	2.5	Liver	4.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
18	Nagano Prei F	0.5	Liver	4.3	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
19	Niigata Pref F	A	Liver	7.3	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
20	Niigata Pref F	1.5	Liver	5.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	7	18	DDT	p,p'-DDT	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	7	18	DDT	p,p'-DDT	<2	ug/kg-wet
42	Hyogo Pref. F	A	Blood	0.41	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
43	Hyogo Pref. F	A	Blood	0.34	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
44	Hyogo Pref. F	A	Blood	0.35	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
45	Hyogo Pref. F	A	Blood	0.44	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
46	Hyogo Pref. F	A	Blood	0.30	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
47	Hyogo Pref. F	A	Blood	0.32	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
50	Experimente M	A	Blood	0.22	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
51	Experimente F	A	Blood	0.29	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
52	Experimente F	A	Blood	0.19	7	18	DDT	p,p'-DDT	<5	ug/kg-wet
1	Nagano Prei M	A	Liver	4.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
2	Nagano Prei M	A	Liver	9.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
3	Nagano Prei M	A	Liver	4.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
4	Nagano Prei M	4.5	Liver	5.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
5	Nagano Prei M	3.5	Liver	8.0	7	18	DDT	o,p'-DDT	<2	ug/kg-wet



6	Nagano Pref	M	3.5	Liver	4.8	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
9	Nagano Pref	M	0.5	Liver	5.0	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	7	18	DDT	o,p'-DDT	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	7	18	DDT	o,p'-DDT	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	7	18	DDT	o,p'-DDT	<5	ug/kg-wet

49	Hyogo Pref. M	A	Blood	0.26	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
50	Experiment: M	A	Blood	0.22	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
51	Experiment: F	A	Blood	0.29	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
52	Experiment: F	A	Blood	0.19	7	18	DDT	o,p'-DDT	<5	ug/kg-wet
1	Nagano Pre: M	A	Liver	4.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
2	Nagano Pre: M	A	Liver	9.2	6	16	-	cis-Nonachlor	<2	ug/kg-wet
3	Nagano Pre: M	A	Liver	4.6	6	16	-	cis-Nonachlor	<2	ug/kg-wet
4	Nagano Pre: M	4.5	Liver	5.6	6	16	-	cis-Nonachlor	<2	ug/kg-wet
5	Nagano Pre: M	3.5	Liver	8.0	6	16	-	cis-Nonachlor	<2	ug/kg-wet
6	Nagano Pre: M	3.5	Liver	4.8	6	16	-	cis-Nonachlor	<2	ug/kg-wet
7	Nagano Pre: M	2.5	Liver	5.0	6	16	-	cis-Nonachlor	<2	ug/kg-wet
8	Nagano Pre: M	2.5	Liver	4.3	6	16	-	cis-Nonachlor	<2	ug/kg-wet
9	Nagano Pre: M	0.5	Liver	5.0	6	16	-	cis-Nonachlor	<2	ug/kg-wet
10	Nagano Pre: M	0.5	Liver	4.3	6	16	-	cis-Nonachlor	<2	ug/kg-wet
11	Nagano Pre: F	A	Liver	5.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
12	Nagano Pre: F	A	Liver	13	6	16	-	cis-Nonachlor	<2	ug/kg-wet
13	Nagano Pre: F	A	Liver	5.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
14	Nagano Pre: F	A	Liver	7.7	6	16	-	cis-Nonachlor	<2	ug/kg-wet
15	Nagano Pre: F	3.5	Liver	7.2	6	16	-	cis-Nonachlor	<2	ug/kg-wet
16	Nagano Pre: F	2.5	Liver	4.7	6	16	-	cis-Nonachlor	<2	ug/kg-wet
17	Nagano Pre: F	2.5	Liver	4.6	6	16	-	cis-Nonachlor	<2	ug/kg-wet
18	Nagano Pre: F	0.5	Liver	4.3	6	16	-	cis-Nonachlor	<2	ug/kg-wet
19	Niigata Pref: F	A	Liver	7.3	6	16	-	cis-Nonachlor	<2	ug/kg-wet
20	Niigata Pref: F	1.5	Liver	5.1	6	16	-	cis-Nonachlor	<2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	6	16	-	cis-Nonachlor	<2	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	6	16	-	cis-Nonachlor	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	6	16	-	cis-Nonachlor	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	6	16	-	cis-Nonachlor	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	6	16	-	cis-Nonachlor	<2	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	6	16	-	cis-Nonachlor	<2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	6	16	-	cis-Nonachlor	<4	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	6	16	-	cis-Nonachlor	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	6	16	-	cis-Nonachlor	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	6	16	-	cis-Nonachlor	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	6	16	-	cis-Nonachlor	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	6	16	-	cis-Nonachlor	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	6	16	-	cis-Nonachlor	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	6	16	-	cis-Nonachlor	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	6	16	-	cis-Nonachlor	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	6	16	-	cis-Nonachlor	<2	ug/kg-wet

40	Tokyo	F	20	Fat, liver	4.8	6	16	-	cis-Nonachlor	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	6	16	-	cis-Nonachlor	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	6	16	-	cis-Nonachlor	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	6	16	-	cis-Nonachlor	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	6	16	-	cis-Nonachlor	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	6	16	-	cis-Nonachlor	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	6	16	-	cis-Nonachlor	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	6	16	-	cis-Nonachlor	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	6	16	-	cis-Nonachlor	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	6	16	-	cis-Nonachlor	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	6	16	-	cis-Nonachlor	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	6	16	-	cis-Nonachlor	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	6	16	-	cis-Nonachlor	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	6	16	-	trans-Nonachlor	<2	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	6	16	-	trans-Nonachlor	<2	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	6	16	-	trans-Nonachlor	<2	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	6	16	-	trans-Nonachlor	<2	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	6	16	-	trans-Nonachlor	<2	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	6	16	-	trans-Nonachlor	<2	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	6	16	-	trans-Nonachlor	<2	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	6	16	-	trans-Nonachlor	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	6	16	-	trans-Nonachlor	12	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	6	16	-	trans-Nonachlor	10	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	6	16	-	trans-Nonachlor	<2	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	6	16	-	trans-Nonachlor	<2	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	6	16	-	trans-Nonachlor	<2	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	6	16	-	trans-Nonachlor	<2	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	6	16	-	trans-Nonachlor	<2	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	6	16	-	trans-Nonachlor	<2	ug/kg-wet
17	Naqano Pre	F	2.5	Liver	4.6	6	16	-	trans-Nonachlor	<2	ug/kg-wet
18	Naqano Pre	F	0.5	Liver	4.3	6	16	-	trans-Nonachlor	6	ug/kg-wet
19	Niiqata Pre	F	A	Liver	7.3	6	16	-	trans-Nonachlor	<2	ug/kg-wet
20	Niiqata Pre	F	1.5	Liver	5.1	6	16	-	trans-Nonachlor	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	6	16	-	trans-Nonachlor	4	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	6	16	-	trans-Nonachlor	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	6	16	-	trans-Nonachlor	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	6	16	-	trans-Nonachlor	6	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	6	16	-	trans-Nonachlor	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	6	16	-	trans-Nonachlor	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	6	16	-	trans-Nonachlor	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	6	16	-	trans-Nonachlor	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	6	16	-	trans-Nonachlor	3	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	6	16	-	trans-Nonachlor	4	ug/kg-wet

31	Tokyo	M	A	Fat, liver, muscle	4.1	6	16	-	trans-Nonachlor	4	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	6	16	-	trans-Nonachlor	4	ug/kg-wet
33	Tokyo	M	A	liver	3.5	6	16	-	trans-Nonachlor	7	ug/kg-wet
34	Tokyo	M	A	liver	7.1	6	16	-	trans-Nonachlor	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	6	16	-	trans-Nonachlor	3	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	6	16	-	trans-Nonachlor	3	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	6	16	-	trans-Nonachlor	3	ug/kg-wet
38	Tokyo	M	3	liver	4.1	6	16	-	trans-Nonachlor	4	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	6	16	-	trans-Nonachlor	3	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	6	16	-	trans-Nonachlor	3	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	6	16	-	trans-Nonachlor	4	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	6	16	-	trans-Nonachlor	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	6	16	-	trans-Nonachlor	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	6	16	-	trans-Nonachlor	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	6	16	-	trans-Nonachlor	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	6	16	-	trans-Nonachlor	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	6	16	-	trans-Nonachlor	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	6	16	-	trans-Nonachlor	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	6	16	-	trans-Nonachlor	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	6	16	-	trans-Nonachlor	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	6	16	-	trans-Nonachlor	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	6	16	-	trans-Nonachlor	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	5	15	-	Oxychlordane	3	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	5	15	-	Oxychlordane	<2	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	5	15	-	Oxychlordane	4	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	5	15	-	Oxychlordane	2	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	5	15	-	Oxychlordane	3	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	5	15	-	Oxychlordane	2	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	5	15	-	Oxychlordane	4	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	5	15	-	Oxychlordane	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	5	15	-	Oxychlordane	28	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	5	15	-	Oxychlordane	18	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	5	15	-	Oxychlordane	<2	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	5	15	-	Oxychlordane	<2	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	5	15	-	Oxychlordane	<2	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	5	15	-	Oxychlordane	<2	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	5	15	-	Oxychlordane	<2	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	5	15	-	Oxychlordane	<2	ug/kg-wet
17	Naqano Pre	F	2.5	Liver	4.6	5	15	-	Oxychlordane	2	ug/kg-wet
18	Naqano Pre	F	0.5	Liver	4.3	5	15	-	Oxychlordane	11	ug/kg-wet
19	Niiqata Pref	F	A	Liver	7.3	5	15	-	Oxychlordane	<2	ug/kg-wet
20	Niiqata Pref	F	1.5	Liver	5.1	5	15	-	Oxychlordane	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver, muscle	1.9	5	15	-	Oxychlordane	8	ug/kg-wet

22	Fukui Pref.	M	A	Liver , muscle	1.6	5	15	-	Oxychlordane	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	5	15	-	Oxychlordane	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	5	15	-	Oxychlordane	27	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	5	15	-	Oxychlordane	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	5	15	-	Oxychlordane	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	5	15	-	Oxychlordane	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	5	15	-	Oxychlordane	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	5	15	-	Oxychlordane	6	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	5	15	-	Oxychlordane	12	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	5	15	-	Oxychlordane	9	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	5	15	-	Oxychlordane	10	ug/kg-wet
33	Tokyo	M	A	liver	3.5	5	15	-	Oxychlordane	12	ug/kg-wet
34	Tokyo	M	A	liver	7.1	5	15	-	Oxychlordane	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	5	15	-	Oxychlordane	6	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	5	15	-	Oxychlordane	7	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	5	15	-	Oxychlordane	5	ug/kg-wet
38	Tokyo	M	3	liver	4.1	5	15	-	Oxychlordane	8	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	5	15	-	Oxychlordane	6	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	5	15	-	Oxychlordane	5	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	5	15	-	Oxychlordane	9	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	5	15	-	Oxychlordane	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	5	15	-	Oxychlordane	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	5	15	-	Oxychlordane	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	5	15	-	Oxychlordane	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	5	15	-	Oxychlordane	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	5	15	-	Oxychlordane	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	5	15	-	Oxychlordane	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	5	15	-	Oxychlordane	<5	ug/kg-wet
50	Experiment:	M	A	Blood	0.22	5	15	-	Oxychlordane	<5	ug/kg-wet
51	Experiment:	F	A	Blood	0.29	5	15	-	Oxychlordane	<5	ug/kg-wet
52	Experiment:	F	A	Blood	0.19	5	15	-	Oxychlordane	<5	ug/kg-wet
1	Naqano Pre:	M	A	Liver	4.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
2	Naqano Pre:	M	A	Liver	9.2	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
3	Naqano Pre:	M	A	Liver	4.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
4	Naqano Pre:	M	4.5	Liver	5.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
5	Naqano Pre:	M	3.5	Liver	8.0	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
6	Naqano Pre:	M	3.5	Liver	4.8	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
7	Naqano Pre:	M	2.5	Liver	5.0	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
8	Naqano Pre:	M	2.5	Liver	4.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
9	Naqano Pre:	M	0.5	Liver	5.0	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
10	Naqano Pre:	M	0.5	Liver	4.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
11	Naqano Pre:	F	A	Liver	5.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
12	Naqano Pre:	F	A	Liver	13	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet

13	Nagano Pref	F	A	Liver	5.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	4	14	Chlordane	trans-Chlordane	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	4	14	Chlordane	trans-Chlordane	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	4	14	Chlordane	trans-Chlordane	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet

4	Nagano Pre: M	4.5	Liver	5.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
5	Nagano Pre: M	3.5	Liver	8.0	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
6	Nagano Pre: M	3.5	Liver	4.8	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
7	Nagano Pre: M	2.5	Liver	5.0	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
8	Nagano Pre: M	2.5	Liver	4.3	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
9	Nagano Pre: M	0.5	Liver	5.0	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
10	Nagano Pre: M	0.5	Liver	4.3	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
11	Nagano Pre: F	A	Liver	5.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
12	Nagano Pre: F	A	Liver	13	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
13	Nagano Pre: F	A	Liver	5.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
14	Nagano Pre: F	A	Liver	7.7	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
15	Nagano Pre: F	3.5	Liver	7.2	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
16	Nagano Pre: F	2.5	Liver	4.7	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
17	Nagano Pre: F	2.5	Liver	4.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
18	Nagano Pre: F	0.5	Liver	4.3	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
19	Niiqata Pref: F	A	Liver	7.3	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
20	Niiqata Pref: F	1.5	Liver	5.1	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
21	Fukui Pref: M	A	Liver , muscle	1.9	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
22	Fukui Pref: M	A	Liver , muscle	1.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
23	Fukui Pref: M	S	Liver , muscle	9.7	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
24	Fukui Pref: F	A	Liver , muscle	6.2	4	14	Chlordane	cis-Chlordane	3	ug/kg-wet
25	Fukui Pref: F	A	Liver , muscle	4.8	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
26	Fukui Pref: F	A	Liver , muscle	4.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
27	Fukui Pref: F	A	Liver , muscle	1.9	4	14	Chlordane	cis-Chlordane	<4	ug/kg-wet
28	Fukui Pref: F	S	Liver , muscle	13	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	4	14	Chlordane	cis-Chlordane	<2	ug/kg-wet
42	Hyoqo Pref: F	A	Blood	0.41	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
43	Hyoqo Pref: F	A	Blood	0.34	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
44	Hyoqo Pref: F	A	Blood	0.35	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
45	Hyoqo Pref: F	A	Blood	0.44	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
46	Hyoqo Pref: F	A	Blood	0.30	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet

47	Hyogo Pref. F	A	Blood	0.32	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
50	Experiment F	A	Blood	0.22	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
51	Experiment F	A	Blood	0.29	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
52	Experiment F	A	Blood	0.19	4	14	Chlordane	cis-Chlordane	<5	ug/kg-wet
1	Naqano Pre M	A	Liver	4.5	3	12	Hexachlorocyclohexane	HCH total*	16	ug/kg-wet
2	Naqano Pre M	A	Liver	9.2	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
3	Naqano Pre M	A	Liver	4.6	3	12	Hexachlorocyclohexane	HCH total*	7	ug/kg-wet
4	Naqano Pre M	4.5	Liver	5.6	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
5	Naqano Pre M	3.5	Liver	8.0	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
6	Naqano Pre M	3.5	Liver	4.8	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
7	Naqano Pre M	2.5	Liver	5.0	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
8	Naqano Pre M	2.5	Liver	4.3	3	12	Hexachlorocyclohexane	HCH total*	8	ug/kg-wet
9	Naqano Pre M	0.5	Liver	5.0	3	12	Hexachlorocyclohexane	HCH total*	5	ug/kg-wet
10	Naqano Pre M	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
11	Naqano Pre F	A	Liver	5.5	3	12	Hexachlorocyclohexane	HCH total*	15	ug/kg-wet
12	Naqano Pre F	A	Liver	13	3	12	Hexachlorocyclohexane	HCH total*	20	ug/kg-wet
13	Naqano Pre F	A	Liver	5.5	3	12	Hexachlorocyclohexane	HCH total*	8	ug/kg-wet
14	Naqano Pre F	A	Liver	7.7	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
15	Naqano Pre F	3.5	Liver	7.2	3	12	Hexachlorocyclohexane	HCH total*	17	ug/kg-wet
16	Naqano Pre F	2.5	Liver	4.7	3	12	Hexachlorocyclohexane	HCH total*	9	ug/kg-wet
17	Naqano Pre F	2.5	Liver	4.6	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
18	Naqano Pre F	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	HCH total*	5	ug/kg-wet
19	Niiqata Pref F	A	Liver	7.3	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
20	Niiqata Pref F	1.5	Liver	5.1	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	3	12	Hexachlorocyclohexane	HCH total*	6	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	3	12	Hexachlorocyclohexane	HCH total*	5	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	3	12	Hexachlorocyclohexane	HCH total*	2	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
33	Tokyo M	A	liver	3.5	3	12	Hexachlorocyclohexane	HCH total*	3	ug/kg-wet
34	Tokyo M	A	liver	7.1	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet



38	Tokyo	M	3	liver	4.1	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
50	Experiment	M	A	Blood	0.22	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
51	Experiment	F	A	Blood	0.29	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
52	Experiment	F	A	Blood	0.19	3	12	Hexachlorocyclohexane	HCH total*	0	ug/kg-wet
1	Nagano Pre	M	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Nagano Pre	M	A	Liver	9.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Nagano Pre	M	A	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Nagano Pre	M	4.5	Liver	5.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
5	Nagano Pre	M	3.5	Liver	8.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Nagano Pre	M	3.5	Liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Nagano Pre	M	2.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Nagano Pre	M	2.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Nagano Pre	M	0.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Nagano Pre	M	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
11	Nagano Pre	F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Nagano Pre	F	A	Liver	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Nagano Pre	F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
14	Nagano Pre	F	A	Liver	7.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Nagano Pre	F	3.5	Liver	7.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Nagano Pre	F	2.5	Liver	4.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Nagano Pre	F	2.5	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Nagano Pre	F	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
19	Niiigata Pref	F	A	Liver	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
20	Niiigata Pref	F	1.5	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver, muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver, muscle	1.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver, muscle	9.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver, muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver, muscle	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver, muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver, muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver, muscle	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet

29	Tokyo	M	20	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Nagano Pref	M	0.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet

20	Niigata Pref	F	1.5	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
42	Hyoogo Pref.	F	A	Blood	0.41	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
43	Hyoogo Pref.	F	A	Blood	0.34	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
44	Hyoogo Pref.	F	A	Blood	0.35	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
45	Hyoogo Pref.	F	A	Blood	0.44	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
46	Hyoogo Pref.	F	A	Blood	0.30	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
47	Hyoogo Pref.	F	A	Blood	0.32	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
48	Hyoogo Pref.	M	A	Blood	0.18	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
49	Hyoogo Pref.	M	A	Blood	0.26	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	16	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	7	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	8	ug/kg-wet
9	Nagano Pref	M	0.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	5	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet

11	Nagano Pref	F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	15	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	3	12	Hexachlorocyclohexane	-HCH	20	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	8	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	3	12	Hexachlorocyclohexane	-HCH	17	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	3	12	Hexachlorocyclohexane	-HCH	9	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	5	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	3	12	Hexachlorocyclohexane	-HCH	6	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	5	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	3	12	Hexachlorocyclohexane	-HCH	3	ug/kg-wet
34	Tokyo	M	A	liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet

2	Nagano Pre: M	A	Liver	9.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
3	Nagano Pre: M	A	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
4	Nagano Pre: M	4.5	Liver	5.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
5	Nagano Pre: M	3.5	Liver	8.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
6	Nagano Pre: M	3.5	Liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
7	Nagano Pre: M	2.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
8	Nagano Pre: M	2.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
9	Nagano Pre: M	0.5	Liver	5.0	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
10	Nagano Pre: M	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
11	Nagano Pre: F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
12	Nagano Pre: F	A	Liver	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
13	Nagano Pre: F	A	Liver	5.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
14	Nagano Pre: F	A	Liver	7.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
15	Nagano Pre: F	3.5	Liver	7.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
16	Nagano Pre: F	2.5	Liver	4.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
17	Nagano Pre: F	2.5	Liver	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
18	Nagano Pre: F	0.5	Liver	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
19	Niigata Pref: F	A	Liver	7.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
20	Niigata Pref: F	1.5	Liver	5.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
21	Fukui Pref: M	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
22	Fukui Pref: M	A	Liver , muscle	1.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
23	Fukui Pref: M	S	Liver , muscle	9.7	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
24	Fukui Pref: F	A	Liver , muscle	6.2	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
25	Fukui Pref: F	A	Liver , muscle	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
26	Fukui Pref: F	A	Liver , muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
27	Fukui Pref: F	A	Liver , muscle	1.9	3	12	Hexachlorocyclohexane	-HCH	<4	ug/kg-wet
28	Fukui Pref: F	S	Liver , muscle	13	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
33	Tokyo M	A	liver	3.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
34	Tokyo M	A	liver	7.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
38	Tokyo M	3	liver	4.1	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	3	12	Hexachlorocyclohexane	-HCH	<2	ug/kg-wet
42	Hyoogo Pref: F	A	Blood	0.41	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
43	Hyoogo Pref: F	A	Blood	0.34	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
44	Hyoogo Pref: F	A	Blood	0.35	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet

45	Hyogo Pref.	F	A	Blood	0.44	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
17	Naqano Pre	F	2.5	Liver	4.6	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
18	Naqano Pre	F	0.5	Liver	4.3	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
19	Niiqata Pref	F	A	Liver	7.3	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
20	Niiqata Pref	F	1.5	Liver	5.1	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	2	4	-	Hexachlorobenzene (HCB)	<4	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
33	Tokyo	M	A	liver	3.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
34	Tokyo	M	A	liver	7.1	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet

36	Tokyo	M	S	Fat, liver	3.9	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
38	Tokyo	M	3	liver	4.1	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	2	4	-	Hexachlorobenzene (HCB)	<2	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
50	Experiment: M		A	Blood	0.22	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
51	Experiment: F		A	Blood	0.29	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
52	Experiment: F		A	Blood	0.19	2	4	-	Hexachlorobenzene (HCB)	<5	ug/kg-wet
1	Naqano Pre: M		A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
2	Naqano Pre: M		A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
3	Naqano Pre: M		A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
4	Naqano Pre: M		4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
5	Naqano Pre: M		3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
6	Naqano Pre: M		3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
7	Naqano Pre: M		2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
8	Naqano Pre: M		2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
9	Naqano Pre: M		0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
10	Naqano Pre: M		0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
11	Naqano Pre: F		A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
12	Naqano Pre: F		A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
13	Naqano Pre: F		A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
14	Naqano Pre: F		A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
15	Naqano Pre: F		3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
16	Naqano Pre: F		2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
17	Naqano Pre: F		2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
18	Naqano Pre: F		0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
19	Niiqata Pref: F		A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
20	Niiqata Pref: F		1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
21	Fukui Pref.: M		A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
22	Fukui Pref.: M		A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
23	Fukui Pref.: M		S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
24	Fukui Pref.: F		A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
25	Fukui Pref.: F		A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet
26	Fukui Pref.: F		A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs)	PCB total*	0	ug/kg-wet

27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
52	Experiment	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) PCB total*	0	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
9	Nagano Pref	M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet



18	Nagano Pref	F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<10	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<1	ug/kg-wet
42	Hyoogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
43	Hyoogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<4	ug/kg-wet
44	Hyoogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<4	ug/kg-wet
45	Hyoogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
46	Hyoogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
47	Hyoogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
48	Hyoogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<10	ug/kg-wet
49	Hyoogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Decichloro biphenyl	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet

9	Nagano Pref	M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<10	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<1	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet

52	Experiment: F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Nonachloro biphenyl	<5	ug/kg-wet
1	Nagano Pref: M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
2	Nagano Pref: M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
3	Nagano Pref: M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
4	Nagano Pref: M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
5	Nagano Pref: M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
6	Nagano Pref: M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
7	Nagano Pref: M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
8	Nagano Pref: M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
9	Nagano Pref: M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
10	Nagano Pref: M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
11	Nagano Pref: F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
12	Nagano Pref: F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
13	Nagano Pref: F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
14	Nagano Pref: F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
15	Nagano Pref: F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
16	Nagano Pref: F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
17	Nagano Pref: F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
18	Nagano Pref: F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
19	Niiigata Pref: F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
20	Niiigata Pref: F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
21	Fukui Pref: M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
22	Fukui Pref: M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
23	Fukui Pref: M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
24	Fukui Pref: F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
25	Fukui Pref: F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
26	Fukui Pref: F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
27	Fukui Pref: F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<10	ug/kg-wet
28	Fukui Pref: F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
33	Tokyo M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
34	Tokyo M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
38	Tokyo M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<1	ug/kg-wet
42	Hyoogo Pref: F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet

43	Hyogo Pref. F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref. F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref. F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref. F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref. F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
50	Experiment: M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
51	Experiment: F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
52	Experiment: F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Octachloro biphenyl	<5	ug/kg-wet
1	Naqano Pre: M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
2	Naqano Pre: M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
3	Naqano Pre: M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
4	Naqano Pre: M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
5	Naqano Pre: M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
6	Naqano Pre: M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
7	Naqano Pre: M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
8	Naqano Pre: M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
9	Naqano Pre: M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
10	Naqano Pre: M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
11	Naqano Pre: F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
12	Naqano Pre: F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
13	Naqano Pre: F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
14	Naqano Pre: F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
15	Naqano Pre: F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
16	Naqano Pre: F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
17	Naqano Pre: F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
18	Naqano Pre: F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
19	Niiigata Pref: F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
20	Niiigata Pref: F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<10	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
33	Tokyo M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet

34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<1	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Heptachloro biphenyl	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
7	Nagano Pref	M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
8	Nagano Pref	M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
9	Nagano Pref	M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
10	Nagano Pref	M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
11	Nagano Pref	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
12	Nagano Pref	F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
13	Nagano Pref	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
14	Nagano Pref	F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
15	Nagano Pref	F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
16	Nagano Pref	F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet

25	Fukui Pref.	F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<10	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<1	ug/kg-wet
42	Hyoqo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
43	Hyoqo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<4	ug/kg-wet
44	Hyoqo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<4	ug/kg-wet
45	Hyoqo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
46	Hyoqo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
47	Hyoqo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
48	Hyoqo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<10	ug/kg-wet
49	Hyoqo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Hexachloro biphenyl	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet

16	Nagano Pref	F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
17	Nagano Pref	F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
18	Nagano Pref	F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
19	Niigata Pref	F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
20	Niigata Pref	F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<10	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<1	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Pentachloro biphenyl	<5	ug/kg-wet
1	Nagano Pref	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
2	Nagano Pref	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
3	Nagano Pref	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
4	Nagano Pref	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
5	Nagano Pref	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
6	Nagano Pref	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet

7	Nagano Prei M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
8	Nagano Prei M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
9	Nagano Prei M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
10	Nagano Prei M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
11	Nagano Prei F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
12	Nagano Prei F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
13	Nagano Prei F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
14	Nagano Prei F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
15	Nagano Prei F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
16	Nagano Prei F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
17	Nagano Prei F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
18	Nagano Prei F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
19	Niiigata Pref F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
20	Niiigata Pref F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
21	Fukui Pref. M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
22	Fukui Pref. M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
23	Fukui Pref. M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
24	Fukui Pref. F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
25	Fukui Pref. F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
26	Fukui Pref. F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
27	Fukui Pref. F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
28	Fukui Pref. F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
33	Tokyo M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
34	Tokyo M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
38	Tokyo M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
41	Tokyo Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<1	ug/kg-wet
42	Hyogo Pref. F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
43	Hyogo Pref. F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref. F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref. F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref. F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref. F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref. M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref. M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet



50	Experiment: M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
51	Experiment: F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
52	Experiment: F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Tetrachloro biphenyl	<5	ug/kg-wet
1	Nagano Pre: M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
2	Nagano Pre: M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
3	Nagano Pre: M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
4	Nagano Pre: M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
5	Nagano Pre: M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
6	Nagano Pre: M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
7	Nagano Pre: M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
8	Nagano Pre: M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
9	Nagano Pre: M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
10	Nagano Pre: M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
11	Nagano Pre: F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
12	Nagano Pre: F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
13	Nagano Pre: F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
14	Nagano Pre: F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
15	Nagano Pre: F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
16	Nagano Pre: F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
17	Nagano Pre: F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
18	Nagano Pre: F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
19	Niigata Pref: F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
20	Niigata Pref: F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
21	Fukui Pref: M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
22	Fukui Pref: M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
23	Fukui Pref: M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
24	Fukui Pref: F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
25	Fukui Pref: F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
26	Fukui Pref: F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
27	Fukui Pref: F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<10	ug/kg-wet
28	Fukui Pref: F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<2	ug/kg-wet
29	Tokyo M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
30	Tokyo M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
31	Tokyo M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
32	Tokyo M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
33	Tokyo M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
34	Tokyo M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
35	Tokyo M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
36	Tokyo M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
37	Tokyo M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
38	Tokyo M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
39	Tokyo M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
40	Tokyo F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet

41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<1	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
50	Experiment:	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
51	Experiment:	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
52	Experiment:	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Tyichloro biphenyl	<5	ug/kg-wet
1	Naqano Pre:	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
2	Naqano Pre:	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
3	Naqano Pre:	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
4	Naqano Pre:	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
5	Naqano Pre:	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
6	Naqano Pre:	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
7	Naqano Pre:	M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
8	Naqano Pre:	M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
9	Naqano Pre:	M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
10	Naqano Pre:	M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
11	Naqano Pre:	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
12	Naqano Pre:	F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
13	Naqano Pre:	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
14	Naqano Pre:	F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
15	Naqano Pre:	F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
16	Naqano Pre:	F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
17	Naqano Pre:	F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
18	Naqano Pre:	F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
19	Niiqata Pref:	F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
20	Niiqata Pref:	F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
23	Fukui Pref.	M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<10	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet

32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<1	ug/kg-wet
42	Hyogo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
43	Hyogo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<4	ug/kg-wet
44	Hyogo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<4	ug/kg-wet
45	Hyogo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
46	Hyogo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
47	Hyogo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
48	Hyogo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<10	ug/kg-wet
49	Hyogo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
50	Experiment	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
51	Experiment	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
52	Experiment	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( PCBs) Dichloro biphenyl	<5	ug/kg-wet
1	Naqano Pre	M	A	Liver	4.5	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
2	Naqano Pre	M	A	Liver	9.2	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
3	Naqano Pre	M	A	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
4	Naqano Pre	M	4.5	Liver	5.6	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
5	Naqano Pre	M	3.5	Liver	8.0	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
6	Naqano Pre	M	3.5	Liver	4.8	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
7	Naqano Pre	M	2.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
8	Naqano Pre	M	2.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<2	ug/kg-wet
9	Naqano Pre	M	0.5	Liver	5.0	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<2	ug/kg-wet
10	Naqano Pre	M	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<2	ug/kg-wet
11	Naqano Pre	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
12	Naqano Pre	F	A	Liver	13	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
13	Naqano Pre	F	A	Liver	5.5	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
14	Naqano Pre	F	A	Liver	7.7	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
15	Naqano Pre	F	3.5	Liver	7.2	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
16	Naqano Pre	F	2.5	Liver	4.7	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
17	Naqano Pre	F	2.5	Liver	4.6	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
18	Naqano Pre	F	0.5	Liver	4.3	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<2	ug/kg-wet
19	Niiqata Pref	F	A	Liver	7.3	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
20	Niiqata Pref	F	1.5	Liver	5.1	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
21	Fukui Pref.	M	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<1	ug/kg-wet
22	Fukui Pref.	M	A	Liver , muscle	1.6	1	2	Polychlorinated biphenyls ( PCBs) Chlorinated biphenyl	<2	ug/kg-wet

23	Fukui Pref.	M	S	Liver , muscle	9.7	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<2	ug/kg-wet
24	Fukui Pref.	F	A	Liver , muscle	6.2	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<2	ug/kg-wet
25	Fukui Pref.	F	A	Liver , muscle	4.8	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
26	Fukui Pref.	F	A	Liver , muscle	4.6	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
27	Fukui Pref.	F	A	Liver , muscle	1.9	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<10	ug/kg-wet
28	Fukui Pref.	F	S	Liver , muscle	13	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<2	ug/kg-wet
29	Tokyo	M	20	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
30	Tokyo	M	A	Fat, liver, muscle	4.3	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
31	Tokyo	M	A	Fat, liver, muscle	4.1	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
32	Tokyo	M	A	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
33	Tokyo	M	A	liver	3.5	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
34	Tokyo	M	A	liver	7.1	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
35	Tokyo	M	S	Fat, liver	4.5	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
36	Tokyo	M	S	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
37	Tokyo	M	4	Fat, liver	3.9	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
38	Tokyo	M	3	liver	4.1	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
39	Tokyo	M	1.5	Fat, liver, muscle	4.6	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
40	Tokyo	F	20	Fat, liver	4.8	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
41	Tokyo	Unknown	Unknown	liver	5.9	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<1	ug/kg-wet
42	Hyoqo Pref.	F	A	Blood	0.41	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
43	Hyoqo Pref.	F	A	Blood	0.34	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<4	ug/kg-wet
44	Hyoqo Pref.	F	A	Blood	0.35	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<4	ug/kg-wet
45	Hyoqo Pref.	F	A	Blood	0.44	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
46	Hyoqo Pref.	F	A	Blood	0.30	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
47	Hyoqo Pref.	F	A	Blood	0.32	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
48	Hyoqo Pref.	M	A	Blood	0.18	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<10	ug/kg-wet
49	Hyoqo Pref.	M	A	Blood	0.26	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
50	Experiment:	M	A	Blood	0.22	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
51	Experiment:	F	A	Blood	0.29	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet
52	Experiment:	F	A	Blood	0.19	1	2	Polychlorinated biphenyls ( P CBs) Chlorinated biphenyl	<5	ug/kg-wet