

environment class	area class	Measurement site(prefecture etc.)	Measurement site(city etc.)	Measurement year	Measurement date	Total quantity of airflow	unit	Dust concentration	unit	substance name	Atmospheric humidity	unit	the source
general environment	Industrial district	Hokkaido	Muroran City	1998	10/22	2136	(m ³)	59	(μg/m ³)	B[a]P	0.47	(ng/m ³)	Table 1-3
general environment	Industrial district	Sapporo City	Nishi Ward	1998	10/29	1407	(m ³)	102	(μg/m ³)	B[a]P	1.0	(ng/m ³)	Table 1-3
general environment	Industrial district	Aomori Pref.	Hachinohe City	1998	10/12	1513	(m ³)	78	(μg/m ³)	B[a]P	0.98	(ng/m ³)	Table 1-3
general environment	Industrial district	Iwate Pref.	Kitakami City	1998	10/29	1192	(m ³)	82	(μg/m ³)	B[a]P	1.6	(ng/m ³)	Table 1-3
general environment	Industrial district	Miyagi Pref.	Iwanuma City	1998	10/29	1310	(m ³)	72	(μg/m ³)	B[a]P	0.79	(ng/m ³)	Table 1-3
general environment	Industrial district	Sendai City	Miyagino City	1998	10/13	1539	(m ³)	102	(μg/m ³)	B[a]P	0.74	(ng/m ³)	Table 1-3
general environment	Industrial district	Akita Pref.	Akita City	1998	10/22	1440	(m ³)	45	(μg/m ³)	B[a]P	0.28	(ng/m ³)	Table 1-3
general environment	Industrial district	Yamagata Pref.	Tsuruoka City	1998	10/21	1482	(m ³)	37	(μg/m ³)	B[a]P	0.46	(ng/m ³)	Table 1-3
general environment	Industrial district	Fukushima Pref.	Iwasaki City	1998	10/27	1033	(m ³)	54	(μg/m ³)	B[a]P	0.31	(ng/m ³)	Table 1-3
general environment	Industrial district	Ibaragi Pref.	Kashima County	1998	10/26	1338	(m ³)	65	(μg/m ³)	B[a]P	0.86	(ng/m ³)	Table 1-3
general environment	Industrial district	Tochigi Pref.	Mako City	1998	10/22	1412	(m ³)	24	(μg/m ³)	B[a]P	0.097	(ng/m ³)	Table 1-3
general environment	Industrial district	Gunma Pref.	Isezaki City	1998	10/22	1362	(m ³)	54	(μg/m ³)	B[a]P	0.54	(ng/m ³)	Table 1-3
general environment	Industrial district	Saitama Pref.	Soka City	1998	10/20	1467	(m ³)	106	(μg/m ³)	B[a]P	2.1	(ng/m ³)	Table 1-3
general environment	Industrial district	Chiba Pref.	Ichihara City	1998	10/26	1445	(m ³)	85	(μg/m ³)	B[a]P	0.94	(ng/m ³)	Table 1-3
general environment	Industrial district	Chiba City	Chuo Ward	1998	10/28	1525	(m ³)	134	(μg/m ³)	B[a]P	1.0	(ng/m ³)	Table 1-3
general environment	Industrial district	Tokyo	Araki Ward	1998	10/27	1437	(m ³)	71	(μg/m ³)	B[a]P	1.1	(ng/m ³)	Table 1-3
general environment	Industrial district	Kanagawa Pref.	Atsugi City	1998	10/19	1873	(m ³)	80	(μg/m ³)	B[a]P	0.46	(ng/m ³)	Table 1-3
general environment	Industrial district	Yokohama City	Turumi Ward	1998	10/27	30.8	(m ³)	86	(μg/m ³)	B[a]P	1.6	(ng/m ³)	Table 1-3
general environment	Industrial district	Kawasaki City	Kawasaki Ward	1998	10/15	1716	(m ³)	92	(μg/m ³)	B[a]P	0.15	(ng/m ³)	Table 1-3
general environment	Industrial district	Nigata Pref.	Nakakubiki County	1998	10/22	1683	(m ³)	44	(μg/m ³)	B[a]P	0.056	(ng/m ³)	Table 1-3
general environment	Industrial district	Toyama Pref.	Takaoka City	1998	10/27	1890	(m ³)	66	(μg/m ³)	B[a]P	0.70	(ng/m ³)	Table 1-3
general environment	Industrial district	Isikawa Pref.	Kaga City	1998	10/ 8	2163	(m ³)	29	(μg/m ³)	B[a]P	0.11	(ng/m ³)	Table 1-3
general environment	Industrial district	Fukui Pref.	Mikuni Town	1998	10/27	1371	(m ³)	18	(μg/m ³)	B[a]P	0.13	(ng/m ³)	Table 1-3
general environment	Industrial district	Yamanashi Pref.	Nakakoma County	1998	10/27	1256	(m ³)	42	(μg/m ³)	B[a]P	0.30	(ng/m ³)	Table 1-3
general environment	Industrial district	Nagano Pref.	Suwa City	1998	10/21	1910	(m ³)	42	(μg/m ³)	B[a]P	0.44	(ng/m ³)	Table 1-3
general environment	Industrial district	Gifu Pref.	Ogaki City	1998	10/19	1006	(m ³)	32	(μg/m ³)	B[a]P	0.14	(ng/m ³)	Table 1-3
general environment	Industrial district	Sizuoka Pref.	Fuji City	1998	10/26	1167	(m ³)	64	(μg/m ³)	B[a]P	0.90	(ng/m ³)	Table 1-3
general environment	Industrial district	Aichi Pref.	Handa City	1998	11/12	2052	(m ³)	71	(μg/m ³)	B[a]P	2.4	(ng/m ³)	Table 1-3
general environment	Industrial district	Nagoya City	Minami Ward	1998	10/22	1983	(m ³)	75	(μg/m ³)	B[a]P	2.3	(ng/m ³)	Table 1-3
general environment	Industrial district	Mie Pref.	Yokkaichi City	1998	10/20	1945	(m ³)	49	(μg/m ³)	B[a]P	1.7	(ng/m ³)	Table 1-3
general environment	Industrial district	Shiga Pref.	Koga County	1998	10/27	2234	(m ³)	34	(μg/m ³)	B[a]P	0.48	(ng/m ³)	Table 1-3
general environment	Industrial district	Kyoto Pref.	Uji City	1998	10/26	2155	(m ³)	74	(μg/m ³)	B[a]P	0.91	(ng/m ³)	Table 1-3
general environment	Industrial district	Kyoto City	Minami Ward	1998	10/28	1939	(m ³)	46	(μg/m ³)	B[a]P	0.48	(ng/m ³)	Table 1-3
general environment	Industrial district	Osaka Pref.	Takashi City	1998	10/27	1447	(m ³)	84	(μg/m ³)	B[a]P	0.86	(ng/m ³)	Table 1-3
general environment	Industrial district	Osaka City	Nishiyodogawa Ward	1998	10/27	1852	(m ³)	37	(μg/m ³)	B[a]P	0.66	(ng/m ³)	Table 1-3
general environment	Industrial district	Hyogo Pref.	Amagasaki City	1998	10/19	1465	(m ³)	40	(μg/m ³)	B[a]P	0.18	(ng/m ³)	Table 1-3
general environment	Industrial district	Kobe City	Nada Ward	1998	10/19	1413	(m ³)	27	(μg/m ³)	B[a]P	0.16	(ng/m ³)	Table 1-3
general environment	Industrial district	Nara Pref.	Yamatokoriyama City	1998	10/19	990	(m ³)	111	(μg/m ³)	B[a]P	0.74	(ng/m ³)	Table 1-3
general environment	Industrial district	Wakayama Pref.	Wakayama City	1998	10/27	1847	(m ³)	51	(μg/m ³)	B[a]P	0.78	(ng/m ³)	Table 1-3

general environment Industrial district	Tottori Pref.	Kurayoshi City	1998	10/13	1453	(m ³) 27	(μg/m ³) B[a]P	0.20	(ng/m ³) Table 1-3
general environment Industrial district	Shimane Pref.	Izumo City	1998	10/20	1490	(m ³) 26	(μg/m ³) B[a]P	0.24	(ng/m ³) Table 1-3
general environment Industrial district	Okayama Pref.	Kurasihiki City	1998	10/26	2090	(m ³) 58	(μg/m ³) B[a]P	0.78	(ng/m ³) Table 1-3
general environment Industrial district	Hiroshima Pref.	Fukuyama City	1998	10/28	1425	(m ³) 83	(μg/m ³) B[a]P	1.3	(ng/m ³) Table 1-3
general environment Industrial district	Hiroshima City	Minami Ward	1998	10/28	1308	(m ³) 90	(μg/m ³) B[a]P	0.71	(ng/m ³) Table 1-3
general environment Industrial district	Yamaguchi Pref.	Ube City	1998	10/28	1275	(m ³) 71	(μg/m ³) B[a]P	0.77	(ng/m ³) Table 1-3
general environment Industrial district	Tokushima Pref.	Anan City	1998	10/19	1442	(m ³) 34	(μg/m ³) B[a]P	0.22	(ng/m ³) Table 1-3
general environment Industrial district	Kagawa Pref.	Maruyama City	1998	10/19	40.4	(m ³) 92	(μg/m ³) B[a]P	1.5	(ng/m ³) Table 1-3
general environment Industrial district	Ehime Pref.	Nihama City	1998	11/ 4	1440	(m ³) 117	(μg/m ³) B[a]P	0.72	(ng/m ³) Table 1-3
general environment Industrial district	Kochi Pref.	Kochi City	1998	10/20	1868	(m ³) 34	(μg/m ³) B[a]P	0.38	(ng/m ³) Table 1-3
general environment Industrial district	Fukuoka Pref.	Omuta City	1998	10/26	2137	(m ³) 207	(μg/m ³) B[a]P	1.0	(ng/m ³) Table 1-3
general environment Industrial district	Kitakyushu City	Wakamatsu Ward	1998	10/22	1451	(m ³) 65	(μg/m ³) B[a]P	0.49	(ng/m ³) Table 1-3
general environment Industrial district	Fukuoka Pref.	Higashi Ward	1998	11/ 4	1442	(m ³) 153	(μg/m ³) B[a]P	0.77	(ng/m ³) Table 1-3
general environment Industrial district	Saga Pref.	Imari City	1998	10/26	1425	(m ³) 95	(μg/m ³) B[a]P	1.3	(ng/m ³) Table 1-3
general environment Industrial district	Nagasaki Pref.	Isahaya City	1998	10/15	1456	(m ³) 26	(μg/m ³) B[a]P	0.12	(ng/m ³) Table 1-3
general environment Industrial district	Kumamoto Pref.	Yashiro City	1998	10/21	2294	(m ³) 78	(μg/m ³) B[a]P	0.56	(ng/m ³) Table 1-3
general environment Industrial district	Oita Pref.	Oita City	1998	10/14	1275	(m ³) 62	(μg/m ³) B[a]P	2.1	(ng/m ³) Table 1-3
general environment Industrial district	Miyazaki Pref.	Nobeoka City	1998	10/15	1460	(m ³) 17	(μg/m ³) B[a]P	0.074	(ng/m ³) Table 1-3
general environment Industrial district	Kagoshima Pref.	Sendai City	1998	10/21	1451	(m ³) 64	(μg/m ³) B[a]P	0.49	(ng/m ³) Table 1-3
general environment Industrial district	Okinawa Pref.	Itoman City	1998	10/27	1783	(m ³) 51	(μg/m ³) B[a]P	0.075	(ng/m ³) Table 1-3
general environment Residential district		Ishikara City	1998	10/20	2180	(m ³) 34	(μg/m ³) B[a]P	0.27	(ng/m ³) Table 1-3
general environment Residential district		Minami Ward	1998	10/29	1419	(m ³) 41	(μg/m ³) B[a]P	0.31	(ng/m ³) Table 1-3
general environment Residential district		Aomori City	1998	10/12	1197	(m ³) 52	(μg/m ³) B[a]P	0.42	(ng/m ³) Table 1-3
general environment Residential district		Morioka City	1998	10/22	1087	(m ³) 32	(μg/m ³) B[a]P	0.23	(ng/m ³) Table 1-3
general environment Residential district		Naruse Town	1998	10/26	1504	(m ³) 22	(μg/m ³) B[a]P	0.14	(ng/m ³) Table 1-3
general environment Residential district		Wakabayashi Ward	1998	10/13	1653	(m ³) 51	(μg/m ³) B[a]P	0.30	(ng/m ³) Table 1-3
general environment Residential district		Odate City	1998	10/20	1452	(m ³) 50	(μg/m ³) B[a]P	0.60	(ng/m ³) Table 1-3
general environment Residential district		Tsuruoka City	1998	10/21	1495	(m ³) 33	(μg/m ³) B[a]P	0.58	(ng/m ³) Table 1-3
general environment Residential district		Fukusima City	1998	10/21	1040	(m ³) 45	(μg/m ³) B[a]P	1.9	(ng/m ³) Table 1-3
general environment Residential district		Mito City	1998	10/26	1108	(m ³) 29	(μg/m ³) B[a]P	0.33	(ng/m ³) Table 1-3
general environment Residential district		Utsunomiya City	1998	10/22	1348	(m ³) 19	(μg/m ³) B[a]P	0.29	(ng/m ³) Table 1-3
general environment Residential district		Shibukawa City	1998	10/20	1441	(m ³) 18	(μg/m ³) B[a]P	0.44	(ng/m ³) Table 1-3
general environment Residential district		Shiki City	1998	10/20	1457	(m ³) 61	(μg/m ³) B[a]P	0.95	(ng/m ³) Table 1-3
general environment Residential district		Sakura City	1998	10/28	1445	(m ³) 70	(μg/m ³) B[a]P	0.61	(ng/m ³) Table 1-3
general environment Residential district		Chuo Ward	1998	10/28	1525	(m ³) 99	(μg/m ³) B[a]P	0.96	(ng/m ³) Table 1-3
general environment Residential district		Meguro Ward	1998	10/27	1428	(m ³) 58	(μg/m ³) B[a]P	0.76	(ng/m ³) Table 1-3
general environment Residential district		Ayase City	1998	10/19	2146	(m ³) 62	(μg/m ³) B[a]P	0.30	(ng/m ³) Table 1-3
general environment Residential district		Hodogaya Ward	1998	10/27	32.3	(m ³) 81	(μg/m ³) B[a]P	1.1	(ng/m ³) Table 1-3
general environment Residential district		Nakahara Ward	1998	10/15	1694	(m ³) 62	(μg/m ³) B[a]P	0.076	(ng/m ³) Table 1-3
general environment Residential district		Nagaoka Ward	1998	10/19	1702	(m ³) 34	(μg/m ³) B[a]P	0.17	(ng/m ³) Table 1-3
general environment Residential district		Toyama City	1998	10/27	1840	(m ³) 59	(μg/m ³) B[a]P	0.53	(ng/m ³) Table 1-3
general environment Residential district		Kanazawa City	1998	10/ 8	1873	(m ³) 36	(μg/m ³) B[a]P	0.24	(ng/m ³) Table 1-3

general environment Residential district	Fukui City	1998	10/27	1341	(m ³) 26	(μg/m ³) B[a]P	0.43	(ng/m ³) Table 1-3
general environment Residential district	Otsuki City	1998	10/29	1159	(m ³) 47	(μg/m ³) B[a]P	0.23	(ng/m ³) Table 1-3
general environment Residential district	Matsumoto City	1998	10/20	2419	(m ³) 18	(μg/m ³) B[a]P	0.26	(ng/m ³) Table 1-3
general environment Residential district	Kakamigahara City	1998	10/19	1001	(m ³) 36	(μg/m ³) B[a]P	0.23	(ng/m ³) Table 1-3
general environment Residential district	Shizuoka City	1998	10/20	1146	(m ³) 58	(μg/m ³) B[a]P	0.48	(ng/m ³) Table 1-3
general environment Residential district	Anjo City	1998	11/12	2208	(m ³) 58	(μg/m ³) B[a]P	0.86	(ng/m ³) Table 1-3
general environment Residential district	Chikusa Ward	1998	10/22	2051	(m ³) 56	(μg/m ³) B[a]P	0.85	(ng/m ³) Table 1-3
general environment Residential district	Tsu City	1998	10/21	1840	(m ³) 22	(μg/m ³) B[a]P	0.39	(ng/m ³) Table 1-3
general environment Residential district	Yokaichi City	1998	10/27	1956	(m ³) 37	(μg/m ³) B[a]P	0.65	(ng/m ³) Table 1-3
general environment Residential district	Yawata City	1998	10/26	2183	(m ³) 54	(μg/m ³) B[a]P	0.61	(ng/m ³) Table 1-3
general environment Residential district	Saikyo Ward	1998	10/28	1981	(m ³) 45	(μg/m ³) B[a]P	0.22	(ng/m ³) Table 1-3
general environment Residential district	Hirakata City	1998	10/27	1368	(m ³) 66	(μg/m ³) B[a]P	1.1	(ng/m ³) Table 1-3
general environment Residential district	Joto Ward	1998	10/27	1655	(m ³) 64	(μg/m ³) B[a]P	0.83	(ng/m ³) Table 1-3
general environment Residential district	Akashi City	1998	10/19	1407	(m ³) 43	(μg/m ³) B[a]P	0.30	(ng/m ³) Table 1-3
general environment Residential district	Himeji City	1998	10/21	1471	(m ³) 43	(μg/m ³) B[a]P	0.73	(ng/m ³) Table 1-3
general environment Residential district	Tarumi Ward	1998	10/19	1417	(m ³) 27	(μg/m ³) B[a]P	0.10	(ng/m ³) Table 1-3
general environment Residential district	Kashihara City	1998	10/20	999	(m ³) 114	(μg/m ³) B[a]P	1.2	(ng/m ³) Table 1-3
general environment Residential district	Wakayama City	1998	10/27	1847	(m ³) 48	(μg/m ³) B[a]P	0.50	(ng/m ³) Table 1-3
general environment Residential district	Tottori City	1998	10/13	1455	(m ³) 24	(μg/m ³) B[a]P	0.15	(ng/m ³) Table 1-3
general environment Residential district	Hamada City	1998	10/20	1463	(m ³) 13	(μg/m ³) B[a]P	0.10	(ng/m ³) Table 1-3
general environment Residential district	Okayama City	1998	10/26	2290	(m ³) 43	(μg/m ³) B[a]P	0.45	(ng/m ³) Table 1-3
general environment Residential district	Higashi-hiroshima City	1998	10/27	1456	(m ³) 27	(μg/m ³) B[a]P	0.48	(ng/m ³) Table 1-3
general environment Residential district	Asakita Ward	1998	10/28	1075	(m ³) 55	(μg/m ³) B[a]P	0.30	(ng/m ³) Table 1-3
general environment Residential district	Iwakuni City	1998	10/19	1464	(m ³) 26	(μg/m ³) B[a]P	0.40	(ng/m ³) Table 1-3
general environment Residential district	Komatsushima City	1998	10/19	1537	(m ³) 27	(μg/m ³) B[a]P	0.19	(ng/m ³) Table 1-3
general environment Residential district	Takamatsu City	1998	10/19	44.9	(m ³) 105	(μg/m ³) B[a]P	0.26	(ng/m ³) Table 1-3
general environment Residential district	Matsuyama City	1998	11/ 4	1445	(m ³) 126	(μg/m ³) B[a]P	1.0	(ng/m ³) Table 1-3
general environment Residential district	Nangoku City	1998	10/20	1862	(m ³) 28	(μg/m ³) B[a]P	0.66	(ng/m ³) Table 1-3
general environment Residential district	Nogata City	1998	10/28	2150	(m ³) 93	(μg/m ³) B[a]P	1.2	(ng/m ³) Table 1-3
general environment Residential district	Kokurakita Ward	1998	10/22	1455	(m ³) 38	(μg/m ³) B[a]P	0.23	(ng/m ³) Table 1-3
general environment Residential district	Jonann Ward	1998	11/ 4	1439	(m ³) 151	(μg/m ³) B[a]P	0.56	(ng/m ³) Table 1-3
general environment Residential district	Saga City	1998	10/28	1441	(m ³) 60	(μg/m ³) B[a]P	0.49	(ng/m ³) Table 1-3
general environment Residential district	Isahaya City	1998	10/15	1423	(m ³) 45	(μg/m ³) B[a]P	0.29	(ng/m ³) Table 1-3
general environment Residential district	Kumamoto City	1998	10/20	2328	(m ³) 48	(μg/m ³) B[a]P	0.49	(ng/m ³) Table 1-3
general environment Residential district	Usa City	1998	10/ 8	1332	(m ³) 53	(μg/m ³) B[a]P	0.22	(ng/m ³) Table 1-3
general environment Residential district	Miyazaki City	1998	10/14	1422	(m ³) 28	(μg/m ³) B[a]P	0.14	(ng/m ³) Table 1-3
general environment Residential district	Kokubu City	1998	10/21	1424	(m ³) 50	(μg/m ³) B[a]P	0.20	(ng/m ³) Table 1-3
general environment Residential district	Naha City	1998	10/28	1992	(m ³) 46	(μg/m ³) B[a]P	0.048	(ng/m ³) Table 1-3
general environment Suburban district	Ebetsu City	1998	10/19	2204	(m ³) 14	(μg/m ³) B[a]P	0.032	(ng/m ³) Table 1-3
general environment Suburban district	Kita Ward	1998	10/29	1394	(m ³) 41	(μg/m ³) B[a]P	0.35	(ng/m ³) Table 1-3
general environment Suburban district	Hachinohe City	1998	10/12	1506	(m ³) 75	(μg/m ³) B[a]P	0.86	(ng/m ³) Table 1-3
general environment Suburban district	Ninohe City	1998	10/27	1159	(m ³) 50	(μg/m ³) B[a]P	0.41	(ng/m ³) Table 1-3
general environment Suburban district	Wakuya Town	1998	10/26	1265	(m ³) 18	(μg/m ³) B[a]P	0.076	(ng/m ³) Table 1-3

general environment Suburban district	Wakabayashi Ward	1998	10/13	1665	(m ³) 48	($\mu\text{g}/\text{m}^3$) B[a]P	0.26	(ng/m ³) Table 1-3
general environment Suburban district	Akita City	1998	10/22	1452	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[a]P	0.15	(ng/m ³) Table 1-3
general environment Suburban district	Yamagata City	1998	10/19	1447	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[a]P	0.093	(ng/m ³) Table 1-3
general environment Suburban district	Koriyama City	1998	10/27	1029	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[a]P	0.15	(ng/m ³) Table 1-3
general environment Suburban district	Tsukuba City	1998	10/26	735	(m ³) 60	($\mu\text{g}/\text{m}^3$) B[a]P	0.91	(ng/m ³) Table 1-3
general environment Suburban district	Kuroba Town	1998	10/22	1376	(m ³) 49	($\mu\text{g}/\text{m}^3$) B[a]P	0.047	(ng/m ³) Table 1-3
general environment Suburban district	Azuma County	1998	10/19	1372	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[a]P	0.18	(ng/m ³) Table 1-3
general environment Suburban district	Hiki County	1998	10/20	1461	(m ³) 56	($\mu\text{g}/\text{m}^3$) B[a]P	0.87	(ng/m ³) Table 1-3
general environment Suburban district	Katsuura City	1998	10/26	1375	(m ³) 37	($\mu\text{g}/\text{m}^3$) B[a]P	0.39	(ng/m ³) Table 1-3
general environment Suburban district	Wakaba Ward	1998	10/28	1525	(m ³) 69	($\mu\text{g}/\text{m}^3$) B[a]P	0.47	(ng/m ³) Table 1-3
general environment Suburban district	Tama City	1998	10/27	1469	(m ³) 56	($\mu\text{g}/\text{m}^3$) B[a]P	0.81	(ng/m ³) Table 1-3
general environment Suburban district	Yamakita Town	1998	10/19	2102	(m ³) 50	($\mu\text{g}/\text{m}^3$) B[a]P	0.71	(ng/m ³) Table 1-3
general environment Suburban district	Midori Ward	1998	10/27	41.8	(m ³) 74	($\mu\text{g}/\text{m}^3$) B[a]P	2.4	(ng/m ³) Table 1-3
general environment Suburban district	Miyamae Ward	1998	10/15	1684	(m ³) 50	($\mu\text{g}/\text{m}^3$) B[a]P	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Kitakanbara County	1998	10/20	1786	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[a]P	0.35	(ng/m ³) Table 1-3
general environment Suburban district	Tominami City	1998	10/27	1878	(m ³) 63	($\mu\text{g}/\text{m}^3$) B[a]P	0.82	(ng/m ³) Table 1-3
general environment Suburban district	Wajima City	1998	10/ 8	1731	(m ³) 21	($\mu\text{g}/\text{m}^3$) B[a]P	(0.021)	(ng/m ³) Table 1-3
general environment Suburban district	Tsuruga City	1998	10/27	1350	(m ³) 24	($\mu\text{g}/\text{m}^3$) B[a]P	0.21	(ng/m ³) Table 1-3
general environment Suburban district	Yamanashi City	1998	10/26	1126	(m ³) 32	($\mu\text{g}/\text{m}^3$) B[a]P	0.34	(ng/m ³) Table 1-3
general environment Suburban district	Iida City	1998	10/22	1853	(m ³) 18	($\mu\text{g}/\text{m}^3$) B[a]P	0.18	(ng/m ³) Table 1-3
general environment Suburban district	Mino City	1998	10/19	1009	(m ³) 40	($\mu\text{g}/\text{m}^3$) B[a]P	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Daito Town	1998	10/22	1159	(m ³) 33	($\mu\text{g}/\text{m}^3$) B[a]P	0.15	(ng/m ³) Table 1-3
general environment Suburban district	Toyokawa City	1998	11/12	2167	(m ³) 40	($\mu\text{g}/\text{m}^3$) B[a]P	0.42	(ng/m ³) Table 1-3
general environment Suburban district	Minato Ward	1998	10/22	2073	(m ³) 90	($\mu\text{g}/\text{m}^3$) B[a]P	1.2	(ng/m ³) Table 1-3
general environment Suburban district	Kuwana City	1998	10/20	2196	(m ³) 46	($\mu\text{g}/\text{m}^3$) B[a]P	0.73	(ng/m ³) Table 1-3
general environment Suburban district	Kusatsu City	1998	10/27	1971	(m ³) 41	($\mu\text{g}/\text{m}^3$) B[a]P	0.58	(ng/m ³) Table 1-3
general environment Suburban district	Miyama Town	1998	10/28	2145	(m ³) 31	($\mu\text{g}/\text{m}^3$) B[a]P	0.12	(ng/m ³) Table 1-3
general environment Suburban district	Sakyo Ward	1998	10/28	2004	(m ³) 45	($\mu\text{g}/\text{m}^3$) B[a]P	0.15	(ng/m ³) Table 1-3
general environment Suburban district	Fujiidera City	1998	10/27	1486	(m ³) 63	($\mu\text{g}/\text{m}^3$) B[a]P	0.73	(ng/m ³) Table 1-3
general environment Suburban district	Hirano Ward	1998	10/27	1734	(m ³) 72	($\mu\text{g}/\text{m}^3$) B[a]P	1.2	(ng/m ³) Table 1-3
general environment Suburban district	Ono City	1998	10/21	1509	(m ³) 45	($\mu\text{g}/\text{m}^3$) B[a]P	0.58	(ng/m ³) Table 1-3
general environment Suburban district		1998			(m ³)	($\mu\text{g}/\text{m}^3$) B[a]P	(ng/m ³)	Table 1-3
general environment Suburban district	Kita Ward	1998	10/20	1393	(m ³) 34	($\mu\text{g}/\text{m}^3$) B[a]P	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Oyodo Town	1998	10/22	963	(m ³) 105	($\mu\text{g}/\text{m}^3$) B[a]P	1.8	(ng/m ³) Table 1-3
general environment Suburban district	Wakayama City	1998	10/27	1841	(m ³) 35	($\mu\text{g}/\text{m}^3$) B[a]P	0.41	(ng/m ³) Table 1-3
general environment Suburban district	Yonago City	1998	10/14	1427	(m ³) 24	($\mu\text{g}/\text{m}^3$) B[a]P	0.24	(ng/m ³) Table 1-3
general environment Suburban district	Ota City	1998	10/20	1503	(m ³) 15	($\mu\text{g}/\text{m}^3$) B[a]P	0.063	(ng/m ³) Table 1-3
general environment Suburban district	Soja City	1998	10/26	1870	(m ³) 6	($\mu\text{g}/\text{m}^3$) B[a]P	0.085	(ng/m ³) Table 1-3
general environment Suburban district	Yamagata County	1998	10/28	1436	(m ³) 48	($\mu\text{g}/\text{m}^3$) B[a]P	0.22	(ng/m ³) Table 1-3
general environment Suburban district	Asakita Ward	1998	10/28	1205	(m ³) 29	($\mu\text{g}/\text{m}^3$) B[a]P	0.074	(ng/m ³) Table 1-3
general environment Suburban district	Ube City	1998	10/28	1447	(m ³) 31	($\mu\text{g}/\text{m}^3$) B[a]P	0.40	(ng/m ³) Table 1-3
general environment Suburban district	Itano County	1998	10/19	1425	(m ³) 19	($\mu\text{g}/\text{m}^3$) B[a]P	0.16	(ng/m ³) Table 1-3
general environment Suburban district	Nakatado County	1998	10/19	40.7	(m ³) 172	($\mu\text{g}/\text{m}^3$) B[a]P	0.31	(ng/m ³) Table 1-3

general environment Suburban district	Kitauwa County	1998	11/ 4	1414	(m ³) 86	(μg/m ³) B[a]P	0.47	(ng/m ³) Table 1-3	
general environment Suburban district	Kami County	1998	10/20	1868	(m ³) 32	(μg/m ³) B[a]P	0.28	(ng/m ³) Table 1-3	
general environment Suburban district	Chikushino City	1998	10/28	2153	(m ³) 61	(μg/m ³) B[a]P	0.61	(ng/m ³) Table 1-3	
general environment Suburban district	Kokura-minami Ward	1998	10/22	1451	(m ³) 75	(μg/m ³) B[a]P	0.34	(ng/m ³) Table 1-3	
general environment Suburban district	Nishi Ward	1998	11/ 4	1452	(m ³) 139	(μg/m ³) B[a]P	0.53	(ng/m ³) Table 1-3	
general environment Suburban district	Karatsu City	1998	10/27	1441	(m ³) 30	(μg/m ³) B[a]P	0.25	(ng/m ³) Table 1-3	
general environment Suburban district	Nagasaki City	1998	10/15	1435	(m ³) 19	(μg/m ³) B[a]P	0.13	(ng/m ³) Table 1-3	
general environment Suburban district	Tamana County	1998	10/19	2275	(m ³) 35	(μg/m ³) B[a]P	0.39	(ng/m ³) Table 1-3	
general environment Suburban district	Usuki City	1998	10/28	1149	(m ³) 35	(μg/m ³) B[a]P	0.54	(ng/m ³) Table 1-3	
general environment Suburban district	Takajo Town	1998	10/13	1355	(m ³) 36	(μg/m ³) B[a]P	0.072	(ng/m ³) Table 1-3	
general environment Suburban district	Ibusuki City	1998	10/19	1428	(m ³) 39	(μg/m ³) B[a]P	0.12	(ng/m ³) Table 1-3	
general environment Suburban district	Osato village	1998	10/29	1833	(m ³) 42	(μg/m ³) B[a]P	0.032	(ng/m ³) Table 1-3	
general environment Industrial district	Hokkaido	Muroran City	1998	10/22	2136	(m ³) 59	(μg/m ³) B[k]F	0.28	(ng/m ³) Table 1-3
general environment Industrial district	Sapporo City	Nishi Ward	1998	10/29	1407	(m ³) 102	(μg/m ³) B[k]F	0.54	(ng/m ³) Table 1-3
general environment Industrial district	Aomori Pref.	Hachinohe City	1998	10/12	1513	(m ³) 78	(μg/m ³) B[k]F	0.46	(ng/m ³) Table 1-3
general environment Industrial district	Iwate Pref.	Kitakami City	1998	10/29	1192	(m ³) 82	(μg/m ³) B[k]F	0.70	(ng/m ³) Table 1-3
general environment Industrial district	Miyagi Pref.	Iwanuma City	1998	10/29	1310	(m ³) 72	(μg/m ³) B[k]F	0.43	(ng/m ³) Table 1-3
general environment Industrial district	Sendai City	Miyagino City	1998	10/13	1539	(m ³) 102	(μg/m ³) B[k]F	0.41	(ng/m ³) Table 1-3
general environment Industrial district	Akita Pref.	Akita City	1998	10/22	1440	(m ³) 45	(μg/m ³) B[k]F	0.15	(ng/m ³) Table 1-3
general environment Industrial district	Yamagata Pref.	Tsuruoka City	1998	10/21	1482	(m ³) 37	(μg/m ³) B[k]F	0.29	(ng/m ³) Table 1-3
general environment Industrial district	Fukushima Pref.	Iwasaki City	1998	10/27	1033	(m ³) 54	(μg/m ³) B[k]F	0.21	(ng/m ³) Table 1-3
general environment Industrial district	Ibaragi Pref.	Kashima County	1998	10/26	1338	(m ³) 65	(μg/m ³) B[k]F	0.53	(ng/m ³) Table 1-3
general environment Industrial district	Tochigi Pref.	Mako City	1998	10/22	1412	(m ³) 24	(μg/m ³) B[k]F	0.069	(ng/m ³) Table 1-3
general environment Industrial district	Gunma Pref.	Isezaki City	1998	10/22	1362	(m ³) 54	(μg/m ³) B[k]F	0.34	(ng/m ³) Table 1-3
general environment Industrial district	Saitama Pref.	Soka City	1998	10/20	1467	(m ³) 106	(μg/m ³) B[k]F	0.73	(ng/m ³) Table 1-3
general environment Industrial district	Chiba Pref.	Ichihara City	1998	10/26	1445	(m ³) 85	(μg/m ³) B[k]F	0.51	(ng/m ³) Table 1-3
general environment Industrial district	Chiba City	Chuo Ward	1998	10/28	1525	(m ³) 134	(μg/m ³) B[k]F	0.56	(ng/m ³) Table 1-3
general environment Industrial district	Tokyo	Araki Ward	1998	10/27	1437	(m ³) 71	(μg/m ³) B[k]F	0.56	(ng/m ³) Table 1-3
general environment Industrial district	Kanagawa Pref.	Atsugi City	1998	10/19	1873	(m ³) 80	(μg/m ³) B[k]F	0.28	(ng/m ³) Table 1-3
general environment Industrial district	Yokohama City	Turumi Ward	1998	10/27	30.8	(m ³) 86	(μg/m ³) B[k]F	0.91	(ng/m ³) Table 1-3
general environment Industrial district	Kawasaki City	Kawasaki Ward	1998	10/15	1716	(m ³) 92	(μg/m ³) B[k]F	0.091	(ng/m ³) Table 1-3
general environment Industrial district	Nigata Pref.	Nakakubiki County	1998	10/22	1683	(m ³) 44	(μg/m ³) B[k]F	0.052	(ng/m ³) Table 1-3
general environment Industrial district	Toyama Pref.	Takaoka City	1998	10/27	1890	(m ³) 66	(μg/m ³) B[k]F	0.47	(ng/m ³) Table 1-3
general environment Industrial district	Isikawa Pref.	Kaga City	1998	10/ 8	2163	(m ³) 29	(μg/m ³) B[k]F	0.058	(ng/m ³) Table 1-3
general environment Industrial district	Fukui Pref.	Mikuni Town	1998	10/27	1371	(m ³) 18	(μg/m ³) B[k]F	0.088	(ng/m ³) Table 1-3
general environment Industrial district	Yamanashi Pref.	Nakakoma County	1998	10/27	1256	(m ³) 42	(μg/m ³) B[k]F	0.14	(ng/m ³) Table 1-3
general environment Industrial district	Nagano Pref.	Suwa City	1998	10/21	1910	(m ³) 42	(μg/m ³) B[k]F	0.25	(ng/m ³) Table 1-3
general environment Industrial district	Gifu Pref.	Ogaki City	1998	10/19	1006	(m ³) 32	(μg/m ³) B[k]F	0.084	(ng/m ³) Table 1-3
general environment Industrial district	Sizuoka Pref.	Fuji City	1998	10/26	1167	(m ³) 64	(μg/m ³) B[k]F	0.67	(ng/m ³) Table 1-3
general environment Industrial district	Aichi Pref.	Handa City	1998	11/12	2052	(m ³) 71	(μg/m ³) B[k]F	1.2	(ng/m ³) Table 1-3
general environment Industrial district	Nagoya City	Minami Ward	1998	10/22	1983	(m ³) 75	(μg/m ³) B[k]F	1.4	(ng/m ³) Table 1-3
general environment Industrial district	Mie Pref.	Yokkaichi City	1998	10/20	1945	(m ³) 49	(μg/m ³) B[k]F	0.67	(ng/m ³) Table 1-3
general environment Industrial district	Shiga Pref.	Koga County	1998	10/27	2234	(m ³) 34	(μg/m ³) B[k]F	0.33	(ng/m ³) Table 1-3

general environment Industrial district	Kyoto Pref.	Uji City	1998	10/26	2155	(m ³) 74	(μg/m ³) B[k]F	0.49	(ng/m ³) Table 1-3
general environment Industrial district	Kyoto City	Minami Ward	1998	10/28	1939	(m ³) 46	(μg/m ³) B[k]F	0.25	(ng/m ³) Table 1-3
general environment Industrial district	Osaka Pref.	Takashi City	1998	10/27	1447	(m ³) 84	(μg/m ³) B[k]F	0.56	(ng/m ³) Table 1-3
general environment Industrial district	Osaka City	Nishiyodogawa Ward	1998	10/27	1852	(m ³) 37	(μg/m ³) B[k]F	0.44	(ng/m ³) Table 1-3
general environment Industrial district	Hyogo Pref.	Amagasaki City	1998	10/19	1465	(m ³) 40	(μg/m ³) B[k]F	0.11	(ng/m ³) Table 1-3
general environment Industrial district			1998			(m ³)	(μg/m ³) B[k]F		(ng/m ³) Table 1-3
general environment Industrial district	Kobe City	Nada Ward	1998	10/19	1413	(m ³) 27	(μg/m ³) B[k]F	0.084	(ng/m ³) Table 1-3
general environment Industrial district	Nara Pref.	Yamatokoriyama City	1998	10/19	990	(m ³) 111	(μg/m ³) B[k]F	0.42	(ng/m ³) Table 1-3
general environment Industrial district	Wakayama Pref.	Wakayama City	1998	10/27	1847	(m ³) 51	(μg/m ³) B[k]F	0.46	(ng/m ³) Table 1-3
general environment Industrial district	Tottori Pref.	Kurayoshi City	1998	10/13	1453	(m ³) 27	(μg/m ³) B[k]F	0.12	(ng/m ³) Table 1-3
general environment Industrial district	Shimane Pref.	Izumo City	1998	10/20	1490	(m ³) 26	(μg/m ³) B[k]F	0.13	(ng/m ³) Table 1-3
general environment Industrial district	Okayama Pref.	Kurasihiki City	1998	10/26	2090	(m ³) 58	(μg/m ³) B[k]F	0.45	(ng/m ³) Table 1-3
general environment Industrial district	Hiroshima Pref.	Fukuyama City	1998	10/28	1425	(m ³) 83	(μg/m ³) B[k]F	0.59	(ng/m ³) Table 1-3
general environment Industrial district	Hiroshima City	Minami Ward	1998	10/28	1308	(m ³) 90	(μg/m ³) B[k]F	0.42	(ng/m ³) Table 1-3
general environment Industrial district	Yamaguchi Pref.	Ube City	1998	10/28	1275	(m ³) 71	(μg/m ³) B[k]F	0.48	(ng/m ³) Table 1-3
general environment Industrial district	Tokushima Pref.	Anan City	1998	10/19	1442	(m ³) 34	(μg/m ³) B[k]F	0.11	(ng/m ³) Table 1-3
general environment Industrial district	Kagawa Pref.	Maruyama City	1998	10/19	40.4	(m ³) 92	(μg/m ³) B[k]F	0.72	(ng/m ³) Table 1-3
general environment Industrial district	Ehime Pref.	Niihama City	1998	11/ 4	1440	(m ³) 117	(μg/m ³) B[k]F	0.45	(ng/m ³) Table 1-3
general environment Industrial district	Kochi Pref.	Kochi City	1998	10/20	1868	(m ³) 34	(μg/m ³) B[k]F	0.20	(ng/m ³) Table 1-3
general environment Industrial district	Fukuoka Pref.	Omuta City	1998	10/26	2137	(m ³) 207	(μg/m ³) B[k]F	0.58	(ng/m ³) Table 1-3
general environment Industrial district	Kitakyushu City	Wakamatsu Ward	1998	10/22	1451	(m ³) 65	(μg/m ³) B[k]F	0.28	(ng/m ³) Table 1-3
general environment Industrial district	Fukuoka Pref.	Higashi Ward	1998	11/ 4	1442	(m ³) 153	(μg/m ³) B[k]F	0.48	(ng/m ³) Table 1-3
general environment Industrial district	Saga Pref.	Imari City	1998	10/26	1425	(m ³) 95	(μg/m ³) B[k]F	0.68	(ng/m ³) Table 1-3
general environment Industrial district	Nagasaki Pref.	Isahaya City	1998	10/15	1456	(m ³) 26	(μg/m ³) B[k]F	0.077	(ng/m ³) Table 1-3
general environment Industrial district	Kumamoto Pref.	Yashiro City	1998	10/21	2294	(m ³) 78	(μg/m ³) B[k]F	0.36	(ng/m ³) Table 1-3
general environment Industrial district	Oita Pref.	Oita City	1998	10/14	1275	(m ³) 62	(μg/m ³) B[k]F	1.2	(ng/m ³) Table 1-3
general environment Industrial district	Miyazaki Pref.	Nobekoa City	1998	10/15	1460	(m ³) 17	(μg/m ³) B[k]F	0.037	(ng/m ³) Table 1-3
general environment Industrial district	Kagoshima Pref.	Sendai City	1998	10/21	1451	(m ³) 64	(μg/m ³) B[k]F	0.29	(ng/m ³) Table 1-3
general environment Industrial district	Okinawa Pref.	Itoman City	1998	10/27	1783	(m ³) 51	(μg/m ³) B[k]F	0.039	(ng/m ³) Table 1-3
general environment Residential district	Ishikara City		1998	10/20	2180	(m ³) 34	(μg/m ³) B[k]F	0.18	(ng/m ³) Table 1-3
general environment Residential district	Minami Ward		1998	10/29	1419	(m ³) 41	(μg/m ³) B[k]F	0.14	(ng/m ³) Table 1-3
general environment Residential district	Aomori City		1998	10/12	1197	(m ³) 52	(μg/m ³) B[k]F	0.17	(ng/m ³) Table 1-3
general environment Residential district	Morioka City		1998	10/22	1087	(m ³) 32	(μg/m ³) B[k]F	0.12	(ng/m ³) Table 1-3
general environment Residential district	Naruse Town		1998	10/26	1504	(m ³) 22	(μg/m ³) B[k]F	0.070	(ng/m ³) Table 1-3
general environment Residential district	Wakabayashi Ward		1998	10/13	1653	(m ³) 51	(μg/m ³) B[k]F	0.15	(ng/m ³) Table 1-3
general environment Residential district	Odate City		1998	10/20	1452	(m ³) 50	(μg/m ³) B[k]F	0.33	(ng/m ³) Table 1-3
general environment Residential district	Tsuruoka City		1998	10/21	1495	(m ³) 33	(μg/m ³) B[k]F	0.30	(ng/m ³) Table 1-3
general environment Residential district	Fukusima City		1998	10/21	1040	(m ³) 45	(μg/m ³) B[k]F	0.90	(ng/m ³) Table 1-3
general environment Residential district	Mito City		1998	10/26	1108	(m ³) 29	(μg/m ³) B[k]F	0.18	(ng/m ³) Table 1-3
general environment Residential district	Utsunomiya City		1998	10/22	1348	(m ³) 19	(μg/m ³) B[k]F	0.16	(ng/m ³) Table 1-3
general environment Residential district	Shibukawa City		1998	10/20	1441	(m ³) 18	(μg/m ³) B[k]F	0.20	(ng/m ³) Table 1-3
general environment Residential district	Shiki City		1998	10/20	1457	(m ³) 61	(μg/m ³) B[k]F	0.47	(ng/m ³) Table 1-3

general environment Residential district	Sakura City	1998	10/28	1445	(m ³) 70	($\mu\text{g}/\text{m}^3$) B[k]F	0.38	(ng/m ³) Table 1-3
general environment Residential district	Chuo Ward	1998	10/28	1525	(m ³) 99	($\mu\text{g}/\text{m}^3$) B[k]F	0.45	(ng/m ³) Table 1-3
general environment Residential district	Meguro Ward	1998	10/27	1428	(m ³) 58	($\mu\text{g}/\text{m}^3$) B[k]F	0.41	(ng/m ³) Table 1-3
general environment Residential district	Ayase City	1998	10/19	2146	(m ³) 62	($\mu\text{g}/\text{m}^3$) B[k]F	0.13	(ng/m ³) Table 1-3
general environment Residential district	Hodogaya Ward	1998	10/27	32.3	(m ³) 81	($\mu\text{g}/\text{m}^3$) B[k]F	0.80	(ng/m ³) Table 1-3
general environment Residential district	Nakahara Ward	1998	10/15	1694	(m ³) 62	($\mu\text{g}/\text{m}^3$) B[k]F	0.048	(ng/m ³) Table 1-3
general environment Residential district	Nagaoka Ward	1998	10/19	1702	(m ³) 34	($\mu\text{g}/\text{m}^3$) B[k]F	0.12	(ng/m ³) Table 1-3
general environment Residential district	Toyama City	1998	10/27	1840	(m ³) 59	($\mu\text{g}/\text{m}^3$) B[k]F	0.33	(ng/m ³) Table 1-3
general environment Residential district	Kanazawa City	1998	10/ 8	1873	(m ³) 36	($\mu\text{g}/\text{m}^3$) B[k]F	0.16	(ng/m ³) Table 1-3
general environment Residential district	Fukui City	1998	10/27	1341	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[k]F	0.27	(ng/m ³) Table 1-3
general environment Residential district	Otsuki City	1998	10/29	1159	(m ³) 47	($\mu\text{g}/\text{m}^3$) B[k]F	0.16	(ng/m ³) Table 1-3
general environment Residential district	Matsumoto City	1998	10/20	2419	(m ³) 18	($\mu\text{g}/\text{m}^3$) B[k]F	0.21	(ng/m ³) Table 1-3
general environment Residential district	Kakamigahara City	1998	10/19	1001	(m ³) 36	($\mu\text{g}/\text{m}^3$) B[k]F	0.15	(ng/m ³) Table 1-3
general environment Residential district	Shizuoka City	1998	10/20	1146	(m ³) 58	($\mu\text{g}/\text{m}^3$) B[k]F	0.30	(ng/m ³) Table 1-3
general environment Residential district	Anjo City	1998	11/12	2208	(m ³) 58	($\mu\text{g}/\text{m}^3$) B[k]F	0.45	(ng/m ³) Table 1-3
general environment Residential district	Chikusa Ward	1998	10/22	2051	(m ³) 56	($\mu\text{g}/\text{m}^3$) B[k]F	0.40	(ng/m ³) Table 1-3
general environment Residential district	Tsu City	1998	10/21	1840	(m ³) 22	($\mu\text{g}/\text{m}^3$) B[k]F	0.25	(ng/m ³) Table 1-3
general environment Residential district	Yokaichi City	1998	10/27	1956	(m ³) 37	($\mu\text{g}/\text{m}^3$) B[k]F	0.39	(ng/m ³) Table 1-3
general environment Residential district	Yawata City	1998	10/26	2183	(m ³) 54	($\mu\text{g}/\text{m}^3$) B[k]F	0.30	(ng/m ³) Table 1-3
general environment Residential district	Saikyo Ward	1998	10/28	1981	(m ³) 45	($\mu\text{g}/\text{m}^3$) B[k]F	0.14	(ng/m ³) Table 1-3
general environment Residential district	Hirakata City	1998	10/27	1368	(m ³) 66	($\mu\text{g}/\text{m}^3$) B[k]F	0.73	(ng/m ³) Table 1-3
general environment Residential district	Joto Ward	1998	10/27	1655	(m ³) 64	($\mu\text{g}/\text{m}^3$) B[k]F	0.50	(ng/m ³) Table 1-3
general environment Residential district	Akashi City	1998	10/19	1407	(m ³) 43	($\mu\text{g}/\text{m}^3$) B[k]F	0.20	(ng/m ³) Table 1-3
general environment Residential district	Himeji City	1998	10/21	1471	(m ³) 43	($\mu\text{g}/\text{m}^3$) B[k]F	0.46	(ng/m ³) Table 1-3
general environment Residential district	Tarumi Ward	1998	10/19	1417	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[k]F	0.058	(ng/m ³) Table 1-3
general environment Residential district	Kashihara City	1998	10/20	999	(m ³) 114	($\mu\text{g}/\text{m}^3$) B[k]F	0.68	(ng/m ³) Table 1-3
general environment Residential district	Wakayama City	1998	10/27	1847	(m ³) 48	($\mu\text{g}/\text{m}^3$) B[k]F	0.32	(ng/m ³) Table 1-3
general environment Residential district	Tottori City	1998	10/13	1455	(m ³) 24	($\mu\text{g}/\text{m}^3$) B[k]F	0.084	(ng/m ³) Table 1-3
general environment Residential district	Hamada City	1998	10/20	1463	(m ³) 13	($\mu\text{g}/\text{m}^3$) B[k]F	0.054	(ng/m ³) Table 1-3
general environment Residential district	Okayama City	1998	10/26	2290	(m ³) 43	($\mu\text{g}/\text{m}^3$) B[k]F	0.28	(ng/m ³) Table 1-3
general environment Residential district	Higashi-hiroshima City	1998	10/27	1456	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[k]F	0.27	(ng/m ³) Table 1-3
general environment Residential district	Asakita Ward	1998	10/28	1075	(m ³) 55	($\mu\text{g}/\text{m}^3$) B[k]F	0.18	(ng/m ³) Table 1-3
general environment Residential district	Iwakuni City	1998	10/19	1464	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[k]F	0.24	(ng/m ³) Table 1-3
general environment Residential district	Komatsushima City	1998	10/19	1537	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[k]F	0.11	(ng/m ³) Table 1-3
general environment Residential district	Takamatsu City	1998	10/19	44.9	(m ³) 105	($\mu\text{g}/\text{m}^3$) B[k]F	0.17	(ng/m ³) Table 1-3
general environment Residential district	Matsuyama City	1998	11/ 4	1445	(m ³) 126	($\mu\text{g}/\text{m}^3$) B[k]F	0.57	(ng/m ³) Table 1-3
general environment Residential district	Nangoku City	1998	10/20	1862	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[k]F	0.35	(ng/m ³) Table 1-3
general environment Residential district	Nogata City	1998	10/28	2150	(m ³) 93	($\mu\text{g}/\text{m}^3$) B[k]F	0.56	(ng/m ³) Table 1-3
general environment Residential district	Kokurakita Ward	1998	10/22	1455	(m ³) 38	($\mu\text{g}/\text{m}^3$) B[k]F	0.14	(ng/m ³) Table 1-3
general environment Residential district	Jonann Ward	1998	11/ 4	1439	(m ³) 151	($\mu\text{g}/\text{m}^3$) B[k]F	0.38	(ng/m ³) Table 1-3
general environment Residential district	Saga City	1998	10/28	1441	(m ³) 60	($\mu\text{g}/\text{m}^3$) B[k]F	0.20	(ng/m ³) Table 1-3
general environment Residential district	Isahaya City	1998	10/15	1423	(m ³) 45	($\mu\text{g}/\text{m}^3$) B[k]F	0.18	(ng/m ³) Table 1-3

general environment Residential district	Kumamoto City	1998	10/20	2328	(m ³) 48	(μg/m ³) B[k]F	0.27	(ng/m ³) Table 1-3
general environment Residential district	Usa City	1998	10/ 8	1332	(m ³) 53	(μg/m ³) B[k]F	0.12	(ng/m ³) Table 1-3
general environment Residential district	Miyazaki City	1998	10/14	1422	(m ³) 28	(μg/m ³) B[k]F	0.079	(ng/m ³) Table 1-3
general environment Residential district	Kokubu City	1998	10/21	1424	(m ³) 50	(μg/m ³) B[k]F	0.13	(ng/m ³) Table 1-3
general environment Residential district	Naha City	1998	10/28	1992	(m ³) 46	(μg/m ³) B[k]F	0.026	(ng/m ³) Table 1-3
general environment Suburban district	Ebetsu City	1998	10/19	2204	(m ³) 14	(μg/m ³) B[k]F	0.024	(ng/m ³) Table 1-3
general environment Suburban district	Kita Ward	1998	10/29	1394	(m ³) 41	(μg/m ³) B[k]F	0.20	(ng/m ³) Table 1-3
general environment Suburban district	Hachinohe City	1998	10/12	1506	(m ³) 75	(μg/m ³) B[k]F	0.41	(ng/m ³) Table 1-3
general environment Suburban district	Ninohe City	1998	10/27	1159	(m ³) 50	(μg/m ³) B[k]F	0.21	(ng/m ³) Table 1-3
general environment Suburban district	Wakuya Town	1998	10/26	1265	(m ³) 18	(μg/m ³) B[k]F	0.046	(ng/m ³) Table 1-3
general environment Suburban district	Wakabayashi Ward	1998	10/13	1665	(m ³) 48	(μg/m ³) B[k]F	0.15	(ng/m ³) Table 1-3
general environment Suburban district	Akita City	1998	10/22	1452	(m ³) 26	(μg/m ³) B[k]F	0.054	(ng/m ³) Table 1-3
general environment Suburban district	Yamagata City	1998	10/19	1447	(m ³) 26	(μg/m ³) B[k]F	0.060	(ng/m ³) Table 1-3
general environment Suburban district	Koriyama City	1998	10/27	1029	(m ³) 28	(μg/m ³) B[k]F	0.070	(ng/m ³) Table 1-3
general environment Suburban district	Tsukuba City	1998	10/26	735	(m ³) 60	(μg/m ³) B[k]F	0.50	(ng/m ³) Table 1-3
general environment Suburban district	Kuroba Town	1998	10/22	1376	(m ³) 49	(μg/m ³) B[k]F	0.041	(ng/m ³) Table 1-3
general environment Suburban district	Azuma County	1998	10/19	1372	(m ³) 27	(μg/m ³) B[k]F	0.094	(ng/m ³) Table 1-3
general environment Suburban district	Hiki County	1998	10/20	1461	(m ³) 56	(μg/m ³) B[k]F	0.41	(ng/m ³) Table 1-3
general environment Suburban district	Katsuura City	1998	10/26	1375	(m ³) 37	(μg/m ³) B[k]F	0.20	(ng/m ³) Table 1-3
general environment Suburban district	Wakaba Ward	1998	10/28	1525	(m ³) 69	(μg/m ³) B[k]F	0.28	(ng/m ³) Table 1-3
general environment Suburban district	Tama City	1998	10/27	1469	(m ³) 56	(μg/m ³) B[k]F	0.41	(ng/m ³) Table 1-3
general environment Suburban district	Yamakita Town	1998	10/19	2102	(m ³) 50	(μg/m ³) B[k]F	0.37	(ng/m ³) Table 1-3
general environment Suburban district	Midori Ward	1998	10/27	41.8	(m ³) 74	(μg/m ³) B[k]F	1.3	(ng/m ³) Table 1-3
general environment Suburban district	Miyamae Ward	1998	10/15	1684	(m ³) 50	(μg/m ³) B[k]F	0.084	(ng/m ³) Table 1-3
general environment Suburban district	Kitakanbara County	1998	10/20	1786	(m ³) 28	(μg/m ³) B[k]F	0.21	(ng/m ³) Table 1-3
general environment Suburban district	Tominami City	1998	10/27	1878	(m ³) 63	(μg/m ³) B[k]F	0.48	(ng/m ³) Table 1-3
general environment Suburban district	Wajima City	1998	10/ 8	1731	(m ³) 21	(μg/m ³) B[k]F	(0.015)	(ng/m ³) Table 1-3
general environment Suburban district	Tsuruga City	1998	10/27	1350	(m ³) 24	(μg/m ³) B[k]F	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Yamanashi City	1998	10/26	1126	(m ³) 32	(μg/m ³) B[k]F	0.23	(ng/m ³) Table 1-3
general environment Suburban district	Iida City	1998	10/22	1853	(m ³) 18	(μg/m ³) B[k]F	0.12	(ng/m ³) Table 1-3
general environment Suburban district	Mino City	1998	10/19	1009	(m ³) 40	(μg/m ³) B[k]F	0.083	(ng/m ³) Table 1-3
general environment Suburban district	Daito Town	1998	10/22	1159	(m ³) 33	(μg/m ³) B[k]F	0.12	(ng/m ³) Table 1-3
general environment Suburban district	Toyokawa City	1998	11/12	2167	(m ³) 40	(μg/m ³) B[k]F	0.21	(ng/m ³) Table 1-3
general environment Suburban district	Minato Ward	1998	10/22	2073	(m ³) 90	(μg/m ³) B[k]F	0.61	(ng/m ³) Table 1-3
general environment Suburban district	Kuwana City	1998	10/20	2196	(m ³) 46	(μg/m ³) B[k]F	0.37	(ng/m ³) Table 1-3
general environment Suburban district	Kusatsu City	1998	10/27	1971	(m ³) 41	(μg/m ³) B[k]F	0.37	(ng/m ³) Table 1-3
general environment Suburban district	Miyama Town	1998	10/28	2145	(m ³) 31	(μg/m ³) B[k]F	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Sakyo Ward	1998	10/28	2004	(m ³) 45	(μg/m ³) B[k]F	0.079	(ng/m ³) Table 1-3
general environment Suburban district	Fujidera City	1998	10/27	1486	(m ³) 63	(μg/m ³) B[k]F	0.45	(ng/m ³) Table 1-3
general environment Suburban district	Hirano Ward	1998	10/27	1734	(m ³) 72	(μg/m ³) B[k]F	0.63	(ng/m ³) Table 1-3
general environment Suburban district	Ono City	1998	10/21	1509	(m ³) 45	(μg/m ³) B[k]F	0.32	(ng/m ³) Table 1-3
general environment Suburban district		1998			(m ³)	(μg/m ³) B[k]F		(ng/m ³) Table 1-3

general environment Suburban district	Kita Ward	1998	10/20	1393	(m ³) 34	(μg/m ³) B[k]F	0.080	(ng/m ³) Table 1-3	
general environment Suburban district	Oyodo Town	1998	10/22	963	(m ³) 105	(μg/m ³) B[k]F	0.91	(ng/m ³) Table 1-3	
general environment Suburban district	Wakayama City	1998	10/27	1841	(m ³) 35	(μg/m ³) B[k]F	0.26	(ng/m ³) Table 1-3	
general environment Suburban district	Yonago City	1998	10/14	1427	(m ³) 24	(μg/m ³) B[k]F	0.13	(ng/m ³) Table 1-3	
general environment Suburban district	Ota City	1998	10/20	1503	(m ³) 15	(μg/m ³) B[k]F	0.028	(ng/m ³) Table 1-3	
general environment Suburban district	Soja City	1998	10/26	1870	(m ³) 6	(μg/m ³) B[k]F	0.039	(ng/m ³) Table 1-3	
general environment Suburban district	Yamagata County	1998	10/28	1436	(m ³) 48	(μg/m ³) B[k]F	0.12	(ng/m ³) Table 1-3	
general environment Suburban district	Asakita Ward	1998	10/28	1205	(m ³) 29	(μg/m ³) B[k]F	0.045	(ng/m ³) Table 1-3	
general environment Suburban district	Ube City	1998	10/28	1447	(m ³) 31	(μg/m ³) B[k]F	0.24	(ng/m ³) Table 1-3	
general environment Suburban district	Itano County	1998	10/19	1425	(m ³) 19	(μg/m ³) B[k]F	0.084	(ng/m ³) Table 1-3	
general environment Suburban district	Nakatado County	1998	10/19	40.7	(m ³) 172	(μg/m ³) B[k]F	0.14	(ng/m ³) Table 1-3	
general environment Suburban district	Kitauwa County	1998	11/ 4	1414	(m ³) 86	(μg/m ³) B[k]F	0.27	(ng/m ³) Table 1-3	
general environment Suburban district	Kami County	1998	10/20	1868	(m ³) 32	(μg/m ³) B[k]F	0.17	(ng/m ³) Table 1-3	
general environment Suburban district	Chikushino City	1998	10/28	2153	(m ³) 61	(μg/m ³) B[k]F	0.31	(ng/m ³) Table 1-3	
general environment Suburban district	Kokura-minami Ward	1998	10/22	1451	(m ³) 75	(μg/m ³) B[k]F	0.16	(ng/m ³) Table 1-3	
general environment Suburban district	Nishi Ward	1998	11/ 4	1452	(m ³) 139	(μg/m ³) B[k]F	0.35	(ng/m ³) Table 1-3	
general environment Suburban district	Karatsu City	1998	10/27	1441	(m ³) 30	(μg/m ³) B[k]F	0.18	(ng/m ³) Table 1-3	
general environment Suburban district	Nagasaki City	1998	10/15	1435	(m ³) 19	(μg/m ³) B[k]F	0.049	(ng/m ³) Table 1-3	
general environment Suburban district	Tamana County	1998	10/19	2275	(m ³) 35	(μg/m ³) B[k]F	0.19	(ng/m ³) Table 1-3	
general environment Suburban district	Usuki City	1998	10/28	1149	(m ³) 35	(μg/m ³) B[k]F	0.32	(ng/m ³) Table 1-3	
general environment Suburban district	Takajo Town	1998	10/13	1355	(m ³) 36	(μg/m ³) B[k]F	0.036	(ng/m ³) Table 1-3	
general environment Suburban district	Ibusuki City	1998	10/19	1428	(m ³) 39	(μg/m ³) B[k]F	0.054	(ng/m ³) Table 1-3	
general environment Suburban district	Osato village	1998	10/29	1833	(m ³) 42	(μg/m ³) B[k]F	0.021	(ng/m ³) Table 1-3	
general environment Industrial district	Hokkaido	Muroran City	1998	10/22	2136	(m ³) 59	(μg/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Industrial district	Sapporo City	Nishi Ward	1998	10/29	1407	(m ³) 102	(μg/m ³) B[ghi]P	1.9	(ng/m ³) Table 1-3
general environment Industrial district	Aomori Pref.	Hachinohe City	1998	10/12	1513	(m ³) 78	(μg/m ³) B[ghi]P	1.9	(ng/m ³) Table 1-3
general environment Industrial district	Iwate Pref.	Kitakami City	1998	10/29	1192	(m ³) 82	(μg/m ³) B[ghi]P	3.1	(ng/m ³) Table 1-3
general environment Industrial district	Miyagi Pref.	Iwanuma City	1998	10/29	1310	(m ³) 72	(μg/m ³) B[ghi]P	1.55	(ng/m ³) Table 1-3
general environment Industrial district	Sendai City	Miyagino City	1998	10/13	1539	(m ³) 102	(μg/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Industrial district	Akita Pref.	Akita City	1998	10/22	1440	(m ³) 45	(μg/m ³) B[ghi]P	0.51	(ng/m ³) Table 1-3
general environment Industrial district	Yamagata Pref.	Tsuruoka City	1998	10/21	1482	(m ³) 37	(μg/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Industrial district	Fukushima Pref.	Iwasaki City	1998	10/27	1033	(m ³) 54	(μg/m ³) B[ghi]P	0.68	(ng/m ³) Table 1-3
general environment Industrial district	Ibaragi Pref.	Kashima County	1998	10/26	1338	(m ³) 65	(μg/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Industrial district	Tochigi Pref.	Mako City	1998	10/22	1412	(m ³) 24	(μg/m ³) B[ghi]P	0.22	(ng/m ³) Table 1-3
general environment Industrial district	Gunma Pref.	Isezaki City	1998	10/22	1362	(m ³) 54	(μg/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Industrial district	Saitama Pref.	Soka City	1998	10/20	1467	(m ³) 106	(μg/m ³) B[ghi]P	3.7	(ng/m ³) Table 1-3
general environment Industrial district	Chiba Pref.	Ichihara City	1998	10/26	1445	(m ³) 85	(μg/m ³) B[ghi]P	1.6	(ng/m ³) Table 1-3
general environment Industrial district	Chiba City	Chuo Ward	1998	10/28	1525	(m ³) 134	(μg/m ³) B[ghi]P	2.1	(ng/m ³) Table 1-3
general environment Industrial district	Tokyo	Araki Ward	1998	10/27	1437	(m ³) 71	(μg/m ³) B[ghi]P	2.1	(ng/m ³) Table 1-3
general environment Industrial district	Kanagawa Pref.	Atsugi City	1998	10/19	1873	(m ³) 80	(μg/m ³) B[ghi]P	1.2	(ng/m ³) Table 1-3
general environment Industrial district	Yokohama City	Turumi Ward	1998	10/27	30.8	(m ³) 86	(μg/m ³) B[ghi]P	3.5	(ng/m ³) Table 1-3
general environment Industrial district	Kawasaki City	Kawasaki Ward	1998	10/15	1716	(m ³) 92	(μg/m ³) B[ghi]P	*1 0.20	(ng/m ³) Table 1-3

general environment Industrial district	Nigata Pref.	Nakakubiki County	1998	10/22	1683	(m ³) 44	(μg/m ³) B[ghi]P	0.18	(ng/m ³) Table 1-3
general environment Industrial district	Toyama Pref.	Takaoka City	1998	10/27	1890	(m ³) 66	(μg/m ³) B[ghi]P	1.4	(ng/m ³) Table 1-3
general environment Industrial district	Isikawa Pref.	Kaga City	1998	10/ 8	2163	(m ³) 29	(μg/m ³) B[ghi]P	0.29	(ng/m ³) Table 1-3
general environment Industrial district	Fukui Pref.	Mikuni Town	1998	10/27	1371	(m ³) 18	(μg/m ³) B[ghi]P	0.26	(ng/m ³) Table 1-3
general environment Industrial district	Yamanashi Pref.	Nakakoma County	1998	10/27	1256	(m ³) 42	(μg/m ³) B[ghi]P	0.48	(ng/m ³) Table 1-3
general environment Industrial district	Nagano Pref.	Suwa City	1998	10/21	1910	(m ³) 42	(μg/m ³) B[ghi]P	0.95	(ng/m ³) Table 1-3
general environment Industrial district	Gifu Pref.	Ogaki City	1998	10/19	1006	(m ³) 32	(μg/m ³) B[ghi]P	0.29	(ng/m ³) Table 1-3
general environment Industrial district	Sizuoka Pref.	Fuji City	1998	10/26	1167	(m ³) 64	(μg/m ³) B[ghi]P	1.8	(ng/m ³) Table 1-3
general environment Industrial district	Aichi Pref.	Handa City	1998	11/12	2052	(m ³) 71	(μg/m ³) B[ghi]P	3.7	(ng/m ³) Table 1-3
general environment Industrial district	Nagoya City	Minami Ward	1998	10/22	1983	(m ³) 75	(μg/m ³) B[ghi]P	3.1	(ng/m ³) Table 1-3
general environment Industrial district	Mie Pref.	Yokkaichi City	1998	10/20	1945	(m ³) 49	(μg/m ³) B[ghi]P	2.2	(ng/m ³) Table 1-3
general environment Industrial district	Shiga Pref.	Koga County	1998	10/27	2234	(m ³) 34	(μg/m ³) B[ghi]P	0.99	(ng/m ³) Table 1-3
general environment Industrial district	Kyoto Pref.	Uji City	1998	10/26	2155	(m ³) 74	(μg/m ³) B[ghi]P	1.53	(ng/m ³) Table 1-3
general environment Industrial district	Kyoto City	Minami Ward	1998	10/28	1939	(m ³) 46	(μg/m ³) B[ghi]P	0.88	(ng/m ³) Table 1-3
general environment Industrial district	Osaka Pref.	Takashi City	1998	10/27	1447	(m ³) 84	(μg/m ³) B[ghi]P	2.1	(ng/m ³) Table 1-3
general environment Industrial district	Osaka City	Nishiyodogawa Ward	1998	10/27	1852	(m ³) 37	(μg/m ³) B[ghi]P	1.3	(ng/m ³) Table 1-3
general environment Industrial district	Hyogo Pref.	Amagasaki City	1998	10/19	1465	(m ³) 40	(μg/m ³) B[ghi]P	0.35	(ng/m ³) Table 1-3
general environment Industrial district			1998			(m ³)	(μg/m ³) B[ghi]P		(ng/m ³) Table 1-3
general environment Industrial district	Kobe City	Nada Ward	1998	10/19	1413	(m ³) 27	(μg/m ³) B[ghi]P	0.28	(ng/m ³) Table 1-3
general environment Industrial district	Nara Pref.	Yamatokoriyama City	1998	10/19	990	(m ³) 111	(μg/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Industrial district	Wakayama Pref.	Wakayama City	1998	10/27	1847	(m ³) 51	(μg/m ³) B[ghi]P	2.0	(ng/m ³) Table 1-3
general environment Industrial district	Tottori Pref.	Kurayoshi City	1998	10/13	1453	(m ³) 27	(μg/m ³) B[ghi]P	0.45	(ng/m ³) Table 1-3
general environment Industrial district	Shimane Pref.	Izumo City	1998	10/20	1490	(m ³) 26	(μg/m ³) B[ghi]P	0.38	(ng/m ³) Table 1-3
general environment Industrial district	Okayama Pref.	Kurasihiki City	1998	10/26	2090	(m ³) 58	(μg/m ³) B[ghi]P	1.7	(ng/m ³) Table 1-3
general environment Industrial district	Hiroshima Pref.	Fukuyama City	1998	10/28	1425	(m ³) 83	(μg/m ³) B[ghi]P	2.4	(ng/m ³) Table 1-3
general environment Industrial district	Hiroshima City	Minami Ward	1998	10/28	1308	(m ³) 90	(μg/m ³) B[ghi]P	1.4	(ng/m ³) Table 1-3
general environment Industrial district	Yamaguchi Pref.	Ube City	1998	10/28	1275	(m ³) 71	(μg/m ³) B[ghi]P	1.7	(ng/m ³) Table 1-3
general environment Industrial district	Tokushima Pref.	Anan City	1998	10/19	1442	(m ³) 34	(μg/m ³) B[ghi]P	0.40	(ng/m ³) Table 1-3
general environment Industrial district	Kagawa Pref.	Maruyama City	1998	10/19	40.4	(m ³) 92	(μg/m ³) B[ghi]P	1.7	(ng/m ³) Table 1-3
general environment Industrial district	Ehime Pref.	Niihama City	1998	11/ 4	1440	(m ³) 117	(μg/m ³) B[ghi]P	1.6	(ng/m ³) Table 1-3
general environment Industrial district	Kochi Pref.	Kochi City	1998	10/20	1868	(m ³) 34	(μg/m ³) B[ghi]P	0.68	(ng/m ³) Table 1-3
general environment Industrial district	Fukuoka Pref.	Omura City	1998	10/26	2137	(m ³) 207	(μg/m ³) B[ghi]P	2.5	(ng/m ³) Table 1-3
general environment Industrial district	Kitakyushu City	Wakamatsu Ward	1998	10/22	1451	(m ³) 65	(μg/m ³) B[ghi]P	0.70	(ng/m ³) Table 1-3
general environment Industrial district	Fukuoka Pref.	Higashi Ward	1998	11/ 4	1442	(m ³) 153	(μg/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Industrial district	Saga Pref.	Imari City	1998	10/26	1425	(m ³) 95	(μg/m ³) B[ghi]P	2.5	(ng/m ³) Table 1-3
general environment Industrial district	Nagasaki Pref.	Isahaya City	1998	10/15	1456	(m ³) 26	(μg/m ³) B[ghi]P	0.23	(ng/m ³) Table 1-3
general environment Industrial district	Kumamoto Pref.	Yashiro City	1998	10/21	2294	(m ³) 78	(μg/m ³) B[ghi]P	1.3	(ng/m ³) Table 1-3
general environment Industrial district	Oita Pref.	Oita City	1998	10/14	1275	(m ³) 62	(μg/m ³) B[ghi]P	2.8	(ng/m ³) Table 1-3
general environment Industrial district	Miyazaki Pref.	Nobeoka City	1998	10/15	1460	(m ³) 17	(μg/m ³) B[ghi]P	0.19	(ng/m ³) Table 1-3
general environment Industrial district	Kagoshima Pref.	Sendai City	1998	10/21	1451	(m ³) 64	(μg/m ³) B[ghi]P	1.0	(ng/m ³) Table 1-3
general environment Industrial district	Okinawa Pref.	Itoman City	1998	10/27	1783	(m ³) 51	(μg/m ³) B[ghi]P	0.34	(ng/m ³) Table 1-3
general environment Residential district		Ishikara City	1998	10/20	2180	(m ³) 34	(μg/m ³) B[ghi]P	0.57	(ng/m ³) Table 1-3

general environment Residential district	Minami Ward	1998	10/29	1419	(m ³) 41	(μ g/m ³) B[ghi]P	0.55	(ng/m ³) Table 1-3
general environment Residential district	Aomori City	1998	10/12	1197	(m ³) 52	(μ g/m ³) B[ghi]P	0.64	(ng/m ³) Table 1-3
general environment Residential district	Morioka City	1998	10/22	1087	(m ³) 32	(μ g/m ³) B[ghi]P	0.39	(ng/m ³) Table 1-3
general environment Residential district	Naruse Town	1998	10/26	1504	(m ³) 22	(μ g/m ³) B[ghi]P	0.18	(ng/m ³) Table 1-3
general environment Residential district	Wakabayashi Ward	1998	10/13	1653	(m ³) 51	(μ g/m ³) B[ghi]P	0.49	(ng/m ³) Table 1-3
general environment Residential district	Odate City	1998	10/20	1452	(m ³) 50	(μ g/m ³) B[ghi]P	1.2	(ng/m ³) Table 1-3
general environment Residential district	Tsuruoka City	1998	10/21	1495	(m ³) 33	(μ g/m ³) B[ghi]P	1.3	(ng/m ³) Table 1-3
general environment Residential district	Fukusima City	1998	10/21	1040	(m ³) 45	(μ g/m ³) B[ghi]P	3.2	(ng/m ³) Table 1-3
general environment Residential district	Mito City	1998	10/26	1108	(m ³) 29	(μ g/m ³) B[ghi]P	0.60	(ng/m ³) Table 1-3
general environment Residential district	Utsunomiya City	1998	10/22	1348	(m ³) 19	(μ g/m ³) B[ghi]P	0.58	(ng/m ³) Table 1-3
general environment Residential district	Shibukawa City	1998	10/20	1441	(m ³) 18	(μ g/m ³) B[ghi]P	0.76	(ng/m ³) Table 1-3
general environment Residential district	Shiki City	1998	10/20	1457	(m ³) 61	(μ g/m ³) B[ghi]P	1.8	(ng/m ³) Table 1-3
general environment Residential district	Sakura City	1998	10/28	1445	(m ³) 70	(μ g/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Residential district	Chuo Ward	1998	10/28	1525	(m ³) 99	(μ g/m ³) B[ghi]P	2.1	(ng/m ³) Table 1-3
general environment Residential district	Meguro Ward	1998	10/27	1428	(m ³) 58	(μ g/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Residential district	Ayase City	1998	10/19	2146	(m ³) 62	(μ g/m ³) B[ghi]P	0.37	(ng/m ³) Table 1-3
general environment Residential district	Hodogaya Ward	1998	10/27	32.3	(m ³) 81	(μ g/m ³) B[ghi]P	2.6	(ng/m ³) Table 1-3
general environment Residential district	Nakahara Ward	1998	10/15	1694	(m ³) 62	(μ g/m ³) B[ghi]P	0.16	(ng/m ³) Table 1-3
general environment Residential district	Nagaoka Ward	1998	10/19	1702	(m ³) 34	(μ g/m ³) B[ghi]P	0.40	(ng/m ³) Table 1-3
general environment Residential district	Toyama City	1998	10/27	1840	(m ³) 59	(μ g/m ³) B[ghi]P	1.4	(ng/m ³) Table 1-3
general environment Residential district	Kanazawa City	1998	10/ 8	1873	(m ³) 36	(μ g/m ³) B[ghi]P	0.49	(ng/m ³) Table 1-3
general environment Residential district	Fukui City	1998	10/27	1341	(m ³) 26	(μ g/m ³) B[ghi]P	0.91	(ng/m ³) Table 1-3
general environment Residential district	Otsuki City	1998	10/29	1159	(m ³) 47	(μ g/m ³) B[ghi]P	0.45	(ng/m ³) Table 1-3
general environment Residential district	Matsumoto City	1998	10/20	2419	(m ³) 18	(μ g/m ³) B[ghi]P	0.65	(ng/m ³) Table 1-3
general environment Residential district	Kakamigahara City	1998	10/19	1001	(m ³) 36	(μ g/m ³) B[ghi]P	0.40	(ng/m ³) Table 1-3
general environment Residential district	Shizuoka City	1998	10/20	1146	(m ³) 58	(μ g/m ³) B[ghi]P	0.85	(ng/m ³) Table 1-3
general environment Residential district	Anjo City	1998	11/12	2208	(m ³) 58	(μ g/m ³) B[ghi]P	1.6	(ng/m ³) Table 1-3
general environment Residential district	Chikusa Ward	1998	10/22	2051	(m ³) 56	(μ g/m ³) B[ghi]P	1.4	(ng/m ³) Table 1-3
general environment Residential district	Tsu City	1998	10/21	1840	(m ³) 22	(μ g/m ³) B[ghi]P	0.78	(ng/m ³) Table 1-3
general environment Residential district	Yokaichi City	1998	10/27	1956	(m ³) 37	(μ g/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Residential district	Yawata City	1998	10/26	2183	(m ³) 54	(μ g/m ³) B[ghi]P	1.4	(ng/m ³) Table 1-3
general environment Residential district	Saikyo Ward	1998	10/28	1981	(m ³) 45	(μ g/m ³) B[ghi]P	0.53	(ng/m ³) Table 1-3
general environment Residential district	Hirakata City	1998	10/27	1368	(m ³) 66	(μ g/m ³) B[ghi]P	2.5	(ng/m ³) Table 1-3
general environment Residential district	Joto Ward	1998	10/27	1655	(m ³) 64	(μ g/m ³) B[ghi]P	2.0	(ng/m ³) Table 1-3
general environment Residential district	Akashi City	1998	10/19	1407	(m ³) 43	(μ g/m ³) B[ghi]P	0.56	(ng/m ³) Table 1-3
general environment Residential district	Himeji City	1998	10/21	1471	(m ³) 43	(μ g/m ³) B[ghi]P	1.7	(ng/m ³) Table 1-3
general environment Residential district	Tarumi Ward	1998	10/19	1417	(m ³) 27	(μ g/m ³) B[ghi]P	0.17	(ng/m ³) Table 1-3
general environment Residential district	Kashihara City	1998	10/20	999	(m ³) 114	(μ g/m ³) B[ghi]P	2.7	(ng/m ³) Table 1-3
general environment Residential district	Wakayama City	1998	10/27	1847	(m ³) 48	(μ g/m ³) B[ghi]P	1.2	(ng/m ³) Table 1-3
general environment Residential district	Tottori City	1998	10/13	1455	(m ³) 24	(μ g/m ³) B[ghi]P	0.39	(ng/m ³) Table 1-3
general environment Residential district	Hamada City	1998	10/20	1463	(m ³) 13	(μ g/m ³) B[ghi]P	0.20	(ng/m ³) Table 1-3
general environment Residential district	Okayama City	1998	10/26	2290	(m ³) 43	(μ g/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3

general environment Residential district	Higashi-hiroshima City	1998	10/27	1456	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.86	(ng/m ³) Table 1-3
general environment Residential district	Asakita Ward	1998	10/28	1075	(m ³) 55	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.67	(ng/m ³) Table 1-3
general environment Residential district	Iwakuni City	1998	10/19	1464	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.71	(ng/m ³) Table 1-3
general environment Residential district	Komatsushima City	1998	10/19	1537	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.38	(ng/m ³) Table 1-3
general environment Residential district	Takamatsu City	1998	10/19	44.9	(m ³) 105	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.44	(ng/m ³) Table 1-3
general environment Residential district	Matsuyama City	1998	11/ 4	1445	(m ³) 126	($\mu\text{g}/\text{m}^3$) B[ghi]P	2.3	(ng/m ³) Table 1-3
general environment Residential district	Nangoku City	1998	10/20	1862	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Residential district	Nogata City	1998	10/28	2150	(m ³) 93	($\mu\text{g}/\text{m}^3$) B[ghi]P	2.1	(ng/m ³) Table 1-3
general environment Residential district	Kokurakita Ward	1998	10/22	1455	(m ³) 38	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.47	(ng/m ³) Table 1-3
general environment Residential district	Jonann Ward	1998	11/ 4	1439	(m ³) 151	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Residential district	Saga City	1998	10/28	1441	(m ³) 60	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.72	(ng/m ³) Table 1-3
general environment Residential district	Isahaya City	1998	10/15	1423	(m ³) 45	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.75	(ng/m ³) Table 1-3
general environment Residential district	Kumamoto City	1998	10/20	2328	(m ³) 48	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.83	(ng/m ³) Table 1-3
general environment Residential district	Usa City	1998	10/ 8	1332	(m ³) 53	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.41	(ng/m ³) Table 1-3
general environment Residential district	Miyazaki City	1998	10/14	1422	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.37	(ng/m ³) Table 1-3
general environment Residential district	Kokubu City	1998	10/21	1424	(m ³) 50	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.43	(ng/m ³) Table 1-3
general environment Residential district	Naha City	1998	10/28	1992	(m ³) 46	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.25	(ng/m ³) Table 1-3
general environment Suburban district	Ebetsu City	1998	10/19	2204	(m ³) 14	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.062	(ng/m ³) Table 1-3
general environment Suburban district	Kita Ward	1998	10/29	1394	(m ³) 41	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.68	(ng/m ³) Table 1-3
general environment Suburban district	Hachinohe City	1998	10/12	1506	(m ³) 75	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Suburban district	Ninohe City	1998	10/27	1159	(m ³) 50	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.79	(ng/m ³) Table 1-3
general environment Suburban district	Wakuya Town	1998	10/26	1265	(m ³) 18	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.15	(ng/m ³) Table 1-3
general environment Suburban district	Wakabayashi Ward	1998	10/13	1665	(m ³) 48	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.59	(ng/m ³) Table 1-3
general environment Suburban district	Akita City	1998	10/22	1452	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.18	(ng/m ³) Table 1-3
general environment Suburban district	Yamagata City	1998	10/19	1447	(m ³) 26	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.19	(ng/m ³) Table 1-3
general environment Suburban district	Koriyama City	1998	10/27	1029	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.19	(ng/m ³) Table 1-3
general environment Suburban district	Tsukuba City	1998	10/26	735	(m ³) 60	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.7	(ng/m ³) Table 1-3
general environment Suburban district	Kuroba Town	1998	10/22	1376	(m ³) 49	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Azuma County	1998	10/19	1372	(m ³) 27	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.45	(ng/m ³) Table 1-3
general environment Suburban district	Hiki County	1998	10/20	1461	(m ³) 56	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Suburban district	Katsuura City	1998	10/26	1375	(m ³) 37	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.58	(ng/m ³) Table 1-3
general environment Suburban district	Wakaba Ward	1998	10/28	1525	(m ³) 69	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Suburban district	Tama City	1998	10/27	1469	(m ³) 56	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Suburban district	Yamakita Town	1998	10/19	2102	(m ³) 50	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Suburban district	Midori Ward	1998	10/27	41.8	(m ³) 74	($\mu\text{g}/\text{m}^3$) B[ghi]P	4.8	(ng/m ³) Table 1-3
general environment Suburban district	Miyamae Ward	1998	10/15	1684	(m ³) 50	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.29	(ng/m ³) Table 1-3
general environment Suburban district	Kitakanbara County	1998	10/20	1786	(m ³) 28	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.70	(ng/m ³) Table 1-3
general environment Suburban district	Tominami City	1998	10/27	1878	(m ³) 63	($\mu\text{g}/\text{m}^3$) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Suburban district	Wajima City	1998	10/ 8	1731	(m ³) 21	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.043	(ng/m ³) Table 1-3
general environment Suburban district	Tsuruga City	1998	10/27	1350	(m ³) 24	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.40	(ng/m ³) Table 1-3
general environment Suburban district	Yamanashi City	1998	10/26	1126	(m ³) 32	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.75	(ng/m ³) Table 1-3
general environment Suburban district	Iida City	1998	10/22	1853	(m ³) 18	($\mu\text{g}/\text{m}^3$) B[ghi]P	0.33	(ng/m ³) Table 1-3

general environment Suburban district	Mino City	1998	10/19	1009	(m ³) 40	(μ g/m ³) B[ghi]P	0.28	(ng/m ³) Table 1-3
general environment Suburban district	Daito Town	1998	10/22	1159	(m ³) 33	(μ g/m ³) B[ghi]P	0.29	(ng/m ³) Table 1-3
general environment Suburban district	Toyokawa City	1998	11/12	2167	(m ³) 40	(μ g/m ³) B[ghi]P	0.78	(ng/m ³) Table 1-3
general environment Suburban district	Minato Ward	1998	10/22	2073	(m ³) 90	(μ g/m ³) B[ghi]P	2.1	(ng/m ³) Table 1-3
general environment Suburban district	Kuwana City	1998	10/20	2196	(m ³) 46	(μ g/m ³) B[ghi]P	1.5	(ng/m ³) Table 1-3
general environment Suburban district	Kusatsu City	1998	10/27	1971	(m ³) 41	(μ g/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Suburban district	Miyama Town	1998	10/28	2145	(m ³) 31	(μ g/m ³) B[ghi]P	0.22	(ng/m ³) Table 1-3
general environment Suburban district	Sakyo Ward	1998	10/28	2004	(m ³) 45	(μ g/m ³) B[ghi]P	0.34	(ng/m ³) Table 1-3
general environment Suburban district	Fujiidera City	1998	10/27	1486	(m ³) 63	(μ g/m ³) B[ghi]P	1.6	(ng/m ³) Table 1-3
general environment Suburban district	Hirano Ward	1998	10/27	1734	(m ³) 72	(μ g/m ³) B[ghi]P	2.4	(ng/m ³) Table 1-3
general environment Suburban district	Ono City	1998	10/21	1509	(m ³) 45	(μ g/m ³) B[ghi]P	1.3	(ng/m ³) Table 1-3
general environment Suburban district		1998			(m ³)	(μ g/m ³) B[ghi]P		(ng/m ³) Table 1-3
general environment Suburban district	Kita Ward	1998	10/20	1393	(m ³) 34	(μ g/m ³) B[ghi]P	0.31	(ng/m ³) Table 1-3
general environment Suburban district	Oyodo Town	1998	10/22	963	(m ³) 105	(μ g/m ³) B[ghi]P	3.5	(ng/m ³) Table 1-3
general environment Suburban district	Wakayama City	1998	10/27	1841	(m ³) 35	(μ g/m ³) B[ghi]P	1.2	(ng/m ³) Table 1-3
general environment Suburban district	Yonago City	1998	10/14	1427	(m ³) 24	(μ g/m ³) B[ghi]P	0.38	(ng/m ³) Table 1-3
general environment Suburban district	Ota City	1998	10/20	1503	(m ³) 15	(μ g/m ³) B[ghi]P	0.14	(ng/m ³) Table 1-3
general environment Suburban district	Soja City	1998	10/26	1870	(m ³) 6	(μ g/m ³) B[ghi]P	0.17	(ng/m ³) Table 1-3
general environment Suburban district	Yamagata County	1998	10/28	1436	(m ³) 48	(μ g/m ³) B[ghi]P	0.43	(ng/m ³) Table 1-3
general environment Suburban district	Asakita Ward	1998	10/28	1205	(m ³) 29	(μ g/m ³) B[ghi]P	0.19	(ng/m ³) Table 1-3
general environment Suburban district	Ube City	1998	10/28	1447	(m ³) 31	(μ g/m ³) B[ghi]P	0.72	(ng/m ³) Table 1-3
general environment Suburban district	Itano County	1998	10/19	1425	(m ³) 19	(μ g/m ³) B[ghi]P	0.28	(ng/m ³) Table 1-3
general environment Suburban district	Nakatado County	1998	10/19	40.7	(m ³) 172	(μ g/m ³) B[ghi]P	0.44	(ng/m ³) Table 1-3
general environment Suburban district	Kitauwa County	1998	11/ 4	1414	(m ³) 86	(μ g/m ³) B[ghi]P	0.95	(ng/m ³) Table 1-3
general environment Suburban district	Kami County	1998	10/20	1868	(m ³) 32	(μ g/m ³) B[ghi]P	0.59	(ng/m ³) Table 1-3
general environment Suburban district	Chikushino City	1998	10/28	2153	(m ³) 61	(μ g/m ³) B[ghi]P	1.3	(ng/m ³) Table 1-3
general environment Suburban district	Kokura-minami Ward	1998	10/22	1451	(m ³) 75	(μ g/m ³) B[ghi]P	0.62	(ng/m ³) Table 1-3
general environment Suburban district	Nishi Ward	1998	11/ 4	1452	(m ³) 139	(μ g/m ³) B[ghi]P	1.1	(ng/m ³) Table 1-3
general environment Suburban district	Karatsu City	1998	10/27	1441	(m ³) 30	(μ g/m ³) B[ghi]P	0.54	(ng/m ³) Table 1-3
general environment Suburban district	Nagasaki City	1998	10/15	1435	(m ³) 19	(μ g/m ³) B[ghi]P	0.21	(ng/m ³) Table 1-3
general environment Suburban district	Tamana County	1998	10/19	2275	(m ³) 35	(μ g/m ³) B[ghi]P	0.51	(ng/m ³) Table 1-3
general environment Suburban district	Usuki City	1998	10/28	1149	(m ³) 35	(μ g/m ³) B[ghi]P	0.83	(ng/m ³) Table 1-3
general environment Suburban district	Takajo Town	1998	10/13	1355	(m ³) 36	(μ g/m ³) B[ghi]P	0.12	(ng/m ³) Table 1-3
general environment Suburban district	Ibusuki City	1998	10/19	1428	(m ³) 39	(μ g/m ³) B[ghi]P	0.17	(ng/m ³) Table 1-3
general environment Suburban district	Osato village	1998	10/29	1833	(m ³) 42	(μ g/m ³) B[ghi]P	0.16	(ng/m ³) Table 1-3

environment class	area class	Measurement site(prefecture etc.)	Measurement site (city etc.)	Measurement year	Measurement date	Total quantity of airflow	unit	Dust concentration	unit	substance name	Atmospheric humidity	unit	the source
Roadside areas	Roadside areas Sapporo City	Kita Ward	1998	10/29	1390	(m ³) 142	(μg/m ³) B[a]P	1.4	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Chiba City	Hanamigawa Ward	1998	10/28	1525	(m ³) 101	(μg/m ³) B[a]P	0.88	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Tokyo	Adachi Ward	1998	10/27	1430	(m ³) 77	(μg/m ³) B[a]P	1.1	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Kawasaki City	Kawasaki Ward	1998	10/28	1161	(m ³) 180	(μg/m ³) B[a]P	1.2	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Shizuoka Pref.	Mishima City	1998	10/28	1155	(m ³) 110	(μg/m ³) B[a]P	1.0	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Aichi Pref.	Kasugai City	1998	11/19	1487	(m ³) 41	(μg/m ³) B[a]P	0.85	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Kobe City	Higashi-nada Ward	1998	10/21	1405	(m ³) 33	(μg/m ³) B[a]P	0.19	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Hiroshima City	Minami Ward	1998	10/28	1530	(m ³) 92	(μg/m ³) B[a]P	0.80	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Tokushima Pref.	Tokushima City	1998	10/19	1497	(m ³) 57	(μg/m ³) B[a]P	0.47	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Miyazaki Pref.	Miyakonojo City	1998	10/13	1403	(m ³) 30	(μg/m ³) B[a]P	0.14	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Sapporo City	Kita Ward	1998	10/29	1390	(m ³) 142	(μg/m ³) B[k]F	0.69	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Chiba City	Hanamigawa Ward	1998	10/28	1525	(m ³) 101	(μg/m ³) B[k]F	0.55	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Tokyo	Adachi Ward	1998	10/27	1430	(m ³) 77	(μg/m ³) B[k]F	0.57	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Kawasaki City	Kawasaki Ward	1998	10/28	1161	(m ³) 180	(μg/m ³) B[k]F	0.60	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Shizuoka Pref.	Mishima City	1998	10/28	1155	(m ³) 110	(μg/m ³) B[k]F	0.48	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Aichi Pref.	Kasugai City	1998	11/19	1487	(m ³) 41	(μg/m ³) B[k]F	0.44	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Kobe City	Higashi-nada Ward	1998	10/21	1405	(m ³) 33	(μg/m ³) B[k]F	0.12	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Hiroshima City	Minami Ward	1998	10/28	1530	(m ³) 92	(μg/m ³) B[k]F	0.40	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Tokushima Pref.	Tokushima City	1998	10/19	1497	(m ³) 57	(μg/m ³) B[k]F	0.25	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Miyazaki Pref.	Miyakonojo City	1998	10/13	1403	(m ³) 30	(μg/m ³) B[k]F	0.070	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Sapporo City	Kita Ward	1998	10/29	1390	(m ³) 142	(μg/m ³) B[ghi]P	2.9	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Chiba City	Hanamigawa Ward	1998	10/28	1525	(m ³) 101	(μg/m ³) B[ghi]P	2.0	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Tokyo	Adachi Ward	1998	10/27	1430	(m ³) 77	(μg/m ³) B[ghi]P	2.1	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Kawasaki City	Kawasaki Ward	1998	10/28	1161	(m ³) 180	(μg/m ³) B[ghi]P	2.0	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Shizuoka Pref.	Mishima City	1998	10/28	1155	(m ³) 110	(μg/m ³) B[ghi]P	1.8	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Aichi Pref.	Kasugai City	1998	11/19	1487	(m ³) 41	(μg/m ³) B[ghi]P	1.7	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Kobe City	Higashi-nada Ward	1998	10/21	1405	(m ³) 33	(μg/m ³) B[ghi]P	0.45	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Hiroshima City	Minami Ward	1998	10/28	1530	(m ³) 92	(μg/m ³) B[ghi]P	1.8	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Tokushima Pref.	Tokushima City	1998	10/19	1497	(m ³) 57	(μg/m ³) B[ghi]P	1.0	(ng/m ³)	Table 1 - 4			
Roadside areas	Roadside areas Miyazaki Pref.	Miyakonojo City	1998	10/13	1403	(m ³) 30	(μg/m ³) B[ghi]P	0.33	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Sapporo City	Kita Ward	1998	10/29	1390	(m ³) 94	(μg/m ³) B[a]P	1.1	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Chiba City	Hanamigawa Ward	1998	10/28	1525	(m ³) 109	(μg/m ³) B[a]P	1.1	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Tokyo	Adachi Ward	1998	10/27	1437	(m ³) 69	(μg/m ³) B[a]P	0.93	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Kawasaki City	Kawasaki Ward	1998	10/28	1159	(m ³) 139	(μg/m ³) B[a]P	1.1	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Shizuoka Pref.	Mishima City	1998	10/28	1155	(m ³) 81	(μg/m ³) B[a]P	0.75	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Aichi Pref.	Kasugai City	1998	11/19	2233	(m ³) 37	(μg/m ³) B[a]P	0.73	(ng/m ³)	Table 1 - 4			
Roadside areas	Hinterland Kobe City	Higashi-nada Ward	1998	10/21	1436	(m ³) 23	(μg/m ³) B[a]P	0.14	(ng/m ³)	Table 1 - 4			

Roadside areas Hinterland	Hiroshima City	Minami Ward	1998	10/28	1303	(m ³) 68	(μg/m ³) B[a]P	0.52	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Tokushima Pref.	Tokushima City	1998	10/19	1443	(m ³) 48	(μg/m ³) B[a]P	0.50	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Miyazaki Pref.	Miyakonojo City	1998	10/13	1369	(m ³) 24	(μg/m ³) B[a]P	0.11	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Sapporo City	Kita Ward	1998	10/29	1390	(m ³) 94	(μg/m ³) B[k]F	0.56	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Chiba City	Hanamigawa Ward	1998	10/28	1525	(m ³) 109	(μg/m ³) B[k]F	0.59	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Tokyo	Adachi Ward	1998	10/27	1437	(m ³) 69	(μg/m ³) B[k]F	0.56	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Kawasaki City	Kawasaki Ward	1998	10/28	1159	(m ³) 139	(μg/m ³) B[k]F	0.57	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Shizuoka Pref.	Mishima City	1998	10/28	1155	(m ³) 81	(μg/m ³) B[k]F	0.39	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Aichi Pref.	Kasugai City	1998	11/19	2233	(m ³) 37	(μg/m ³) B[k]F	0.39	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Kobe City	Higashi-nada Ward	1998	10/21	1436	(m ³) 23	(μg/m ³) B[k]F	0.093	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Hiroshima City	Minami Ward	1998	10/28	1303	(m ³) 68	(μg/m ³) B[k]F	0.29	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Tokushima Pref.	Tokushima City	1998	10/19	1443	(m ³) 48	(μg/m ³) B[k]F	0.28	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Miyazaki Pref.	Miyakonojo City	1998	10/13	1369	(m ³) 24	(μg/m ³) B[k]F	0.078	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Sapporo City	Kita Ward	1998	10/29	1390	(m ³) 94	(μg/m ³) B[ghi]P	2.2	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Chiba City	Hanamigawa Ward	1998	10/28	1525	(m ³) 109	(μg/m ³) B[ghi]P	2.3	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Tokyo	Adachi Ward	1998	10/27	1437	(m ³) 69	(μg/m ³) B[ghi]P	1.9	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Kawasaki City	Kawasaki Ward	1998	10/28	1159	(m ³) 139	(μg/m ³) B[ghi]P	2.1	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Shizuoka Pref.	Mishima City	1998	10/28	1155	(m ³) 81	(μg/m ³) B[ghi]P	1.3	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Aichi Pref.	Kasugai City	1998	11/19	2233	(m ³) 37	(μg/m ³) B[ghi]P	1.4	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Kobe City	Higashi-nada Ward	1998	10/21	1436	(m ³) 23	(μg/m ³) B[ghi]P	0.34	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Hiroshima City	Minami Ward	1998	10/28	1303	(m ³) 68	(μg/m ³) B[ghi]P	1.1	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Tokushima Pref.	Tokushima City	1998	10/19	1443	(m ³) 48	(μg/m ³) B[ghi]P	0.85	(ng/m ³) Table 1 - 4
Roadside areas Hinterland	Miyazaki Pref.	Miyakonojo City	1998	10/13	1369	(m ³) 24	(μg/m ³) B[ghi]P	0.31	(ng/m ³) Table 1 - 4