

measured results of Aquatic Animals and Plant Life (in general water area)

Sample	Autumn No.	Prefecture City	Rivers Sea areas	Section	Site	Name of fish species	Sample date	object substance Class	SPEED			Range of blank		Range of blank measurement result	Units	
									Exam. No.	'98 No.	substance name	Minimum detection value	value (Min)			
																value (Max)
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	3	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	2	μg/kg
Rivers	16	Yamagata-Pref.	Umagisagawa	1st	Shirakawa-bashi	crucian carp	6-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Hanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	common minnow, pale chub	18-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-bashi	carp, common carp	26-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg

Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsushashi joryu yaku 2km	crucian carp	22-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	4	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Hidari-bashi	grey mullet, striped mullet, common mullet	4-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg

Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi Josui syusuiko syuhen	crucian carp	17-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	2	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Aritagawa-zeki	common minnow, pale chub	29-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Uryasu-oki	sea bass, Japanese sea bass	9-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg

Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinwara-wan	grey mullet, striped mullet, common mullet	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		・Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Harima-nada	sea bass, Japanese sea bass	30-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	1	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	2	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	VOC	46	-	Styrene monomer	1	0.0	0.7	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	VOC	46	-	Styrene monomer	1	0.0	0.7	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	VOC	45	67	n-Butylbenzene	1	0.0		2	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	8	Iwate-Pref.	Keisegawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	VOC	45	67	n-Butylbenzene	1	0.0		N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Taiheigawa	carp, common carp	15-Nov	VOC	45	67	n-Butylbenzene	1	0.0		1	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	VOC	45	67	n-Butylbenzene	1	0.0		8	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	VOC	45	67	n-Butylbenzene	1	0.0		11	μg/kg

Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa -shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Ishidome-bashi	deepbodied crucian carp	30-Nov	VOC	45	67	n-Butylbenzene	1	0.0	11	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Asaguma-bashi	carp, common carp	17-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Ohashi karyu	far eastern dace	23-Nov	VOC	45	67	n-Butylbenzene	1	0.0	2	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	VOC	45	67	n-Butylbenzene	1	0.0	2	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Ohashi	brackish-water-clam	10-May	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg

Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Koba-bashi	deepbodied crucian carp	26-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	VOC	45	67	n-Butylbenzene	1	0.0	1	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	VOC	45	67	n-Butylbenzene	1	0.0	1	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg

Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	15-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	VOC	45	67	n-Butylbenzene	1	0.0	2	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	5	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyu-shi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	VOC	45	67	n-Butylbenzene	1	0.0	1	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	VOC	45	67	n-Butylbenzene	1	0.0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg

Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	VOC	45	67	n-Butylbenzene	1	0.0	-	μg/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	2	Hokkaido	Kunabetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel,Japanese barbel	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg

Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg

Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shitagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg

Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibeppujutaku-fukin	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg

Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi Josui Syusuiko Syuhen	crucian carp	17-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg

Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23 - Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8 - Oct	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	139	Kitakyusu-shi			Kitakyusyushi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30 - Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4 - Feb	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μ g/kg

Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niijima-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	μg/kg

Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Phthalates (PAEs)	44	45	Di-(2-ethylhexyl) phthalate	10	0	6	-	µ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyu-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0		N.D.	µ g/kg

Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryyu	carp, common carp	26-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Saguragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro	-	Fueiminamibeppujutaku-fukin	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg

Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitazeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μ g/kg

Ground-water	131	Chiba-shi		Chibashi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	132	Tokyo		Shinjukuku	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	139	Kitakyusyu-shi		Kitakyusushi	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	145	Aichi-Pref.	Mikaura-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisai kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg		
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Sea areas	154	Ehime-Pref.	Huichinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	N.D.	μg/kg	
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	Phthalates (PAEs)	43	41	Dicyclohexyl phthalate	10	0	-	μg/kg		
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg

Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	26	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28 - Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9 - Mar	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	43	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	17	Fukushima -Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	18	Fukushima -Pref.	Natsuigawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	39	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawaishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg

Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	27	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	55	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashii	carp, common carp	26-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	36	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	26	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	110	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg

Rivers	52	Nagano -Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	53	Gifu -Pref.	Nagaragawa	1st	300mAikawa -bashi karyu yaku 300m	common dace, Japanese dace	7 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	54	Gifu -Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	55	Shizuoka -Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	56	Shizuoka -Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	57	Aichi -Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	58	Aichi -Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	52	μ g/kg
Rivers	59	Nagoya -shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	74	μ g/kg
Rivers	60	Nagoya -shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	61	Mie -Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	38	μ g/kg
Rivers	62	Mie -Pref.	Inabegawa	2nd	Machiya Oohashi	brackish -water -clam	10 - May	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	180	μ g/kg
Rivers	63	Shiga -Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	89	μ g/kg
Rivers	64	Shiga -Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29 - May	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	65	Kyoto -Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	35	μ g/kg
Rivers	66	Kyoto -Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μ g/kg
Rivers	67	Kyoto -Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	68	Kyoto -shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	69	Kyoto -shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μ g/kg
Rivers	70	Osaka -Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μ g/kg
Rivers	71	Osaka -Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	72	Osaka -Pref.	Ajiseisuiro		Fueiminamibepputaku -fukin	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μ g/kg
Rivers	73	Osaka -shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	47	μ g/kg
Rivers	74	Osaka -shi	Neyagawa	1st	400mKyo -bashi joryu 400m	crucian carp	13 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	93	μ g/kg
Rivers	75	Hyogo -Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	76	Hyogo -Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg

Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	39	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	27	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	39	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	150	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	38	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 Joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	61	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	25	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	29	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg

Rivers	102	Kochi - Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	103	Kochi - Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	104	Fukuoka - Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	105	Fukuoka - Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	110	Saga - Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	190	μ g/kg
Rivers	111	Saga - Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	112	Nagasaki - Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	113	Nagasaki - Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27 - Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	36	μ g/kg
Rivers	114	Kumamoto - Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	115	Kumamoto - Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	116	Oita - Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	117	Oita - Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	118	Miyazaki - Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2 - Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	119	Miyazaki - Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	120	Kagoshima - Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	51	μ g/kg
Rivers	121	Kagoshima - Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23 - Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Rivers	122	Okinawa - Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	51	μ g/kg
Rivers	123	Okinawa - Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	46	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8 - Oct	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Lakes	125	Chiba - Pref.	Inbanuma		Inbanuma	carp, common carp	20 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg
Lakes	126	Chiba - Pref.	Teganuma		Teganuma cyuo	carp, common carp	19 - Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μ g/kg

Lakes	127	Nagano-Pref.	Suwako	Suwako	crucian carp	27-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	59	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg

Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	μg/kg

Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Phthalates (PAEs)	42	38	Di-(2-ethylhexyl) phthalate	25	34	95	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	31	Tokyo	Kurumegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	21	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	µg/kg

Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eida-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	11	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootagawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	35	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg

Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Shingetsu-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Uryasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan		・Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μ g/kg

Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2		grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonogawa	1st	Kotobuki-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Phthalates (PAEs)	41	39	Butyl benzyl phthalate	10	0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Keisengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi/Sakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsugawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg

Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouchashi	carp, common carp	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Asaguma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μ g/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg

Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μ g/kg	
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μ g/kg	
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μ g/kg	
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Senogoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitazeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shirowa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μ g/kg

Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg

Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Phthalates (PAEs)	40	64	Dihexyl phthalate	10	0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	2	Hokkaido	Kunebetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg

Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hash	carp, common carp	26-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hash	crucian carp	1-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro	-	Fueiminamibepputaku-fukin	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Senogoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg

Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi Josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Saki-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Aritagawa-wazeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μ g/kg

Ground-water	139	Kitakyusyu-shi		Kitakyusushi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niigata-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	N.D.	μg/kg	
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st Shinrokujizou-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st Tenjin-bashi	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Phthalates (PAEs)	39	63	Dipentyl phthalate	10	0	-	μg/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd Iwamibashi-karyu	salmon	25-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	2	Hokkaido	Kunebetsu-gawa	2nd Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd Saiyo-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd Koun-bashi fukin	common dace, Japanese dace	26-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd Hanawa-bashi	common dace,Japanese dace	22-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st Okawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st Mitsuhashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg

Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi/Sakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsugawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Katsuriodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Asaguma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi iyoryu	carp, common carp	26-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Ohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg

Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Kyuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg

Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Urahazeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Harima-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseito		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niijima-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	μg/kg

Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Phthalates (PAEs)	38	40	Di-n-butyl phthalate	25	12	25	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyu-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0		N.D.	µg/kg

Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryyu	carp, common carp	26-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro	-	Fueiminamibeppujutaku-fukin	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Kikuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μg/kg

Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitazeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	μ g/kg

Ground-water	131	Chiba-shi		Chibashi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	132	Tokyo		Shinjukuku	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	133	Niigata-Pref.		Nishikanbaragan	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	139	Kitakyusyu-shi		Kitakyusushi	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	145	Aichi-Pref.	Mikaura-wan	Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg	
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niijima-kaiiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	Phthalates (PAEs)	37	65	Dipropyl phthalate	10	0	-	µg/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Nukibetsu-karyu	salmon	25-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	µg/kg

Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi(Sakegawa-bashi)	skin carp, steed barbel(Japanese barbel)	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	common common carp	18-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Ohashi karyu	far eastern dace	23-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg

Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg

Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Harahama-oki	sea bass, Japanese sea bass	30-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μg/kg

Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niigama-kaiki	sea bass, Japanese sea bass	23-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiki	grey mullet, striped mullet, common mullet	14-Nov	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Phthalates (PAEs)	36	42	Diethyl phthalate	10	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg

Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	OOKITAGAWA	2nd	JRJR railway bridge	far eastern dace	11 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg

Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	39	Kawasaki-shi	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	40	Kawasaki-shi	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shitagawa-bashi joryu	common dace, Japanese dace	18-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg

Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	64	Shiga-Pref.	Moriyagawa	1st	Kako fukin	bluegill, bluegill sunfish	29 - May	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibeppujutaku -fukin	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29 - Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	1.6	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7 - Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10 - Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg

Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusui syuhen	crucian carp	17-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μg/kg

Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojmako		Kojmako	crucian carp	20-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg

Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg

Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Bisphenol A and chlorinated phenols	35	44	2,4-Dichlorophenol	1.5	0.0	-	μ g/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg

Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	6	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuiigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg

Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu -bashi	crucian carp	19 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	37	Yokohama -shi	Tsurumigawa	1st	Gakko -bashi	carp, common carp	18 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	38	Yokohama -shi	Ondagawa	1st	Miyako -bashi	carp, common carp	8 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	39	Kawasaki -shj	Hirasegawa	1st	Hirase -bashi joryu	carp, common carp	26 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	6	μ g/kg
Rivers	40	Kawasaki -shj	Mitsusawa -gawa	1st	Ichino -hashi	carp, common carp	26 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	41	Niigata -Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	42	Niigata -Pref.	Sabaishigawa	2nd	Ansei -bashi fukin	crucian carp	6 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	43	Toyama -Pref.	Shiroiwagawa	2nd	Tozai -bashi fukin	commom dace, Japanese dace	27 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	44	Toyama -Pref.	Kurosegawa	2nd	Ishida -bashi	commom dace, Japanese dace	9 - Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	45	Ishikawa -Pref.	Saigawa	2nd	800mFutatsu -bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	46	Ishikawa -Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	9	μ g/kg
Rivers	47	Fukui -Pref.	Hinogawa	1st	Shimizuyama -bashi	commom dace, Japanese dace	30 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	48	Fukui -Pref.	Shonokawa	2nd	Mishima -bashi	common minnow, pale chub	25 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	49	Yamanashi -Pref.	Fuefukigawa	1st	Sangun Higashi -bashi	carp, common carp	14 - Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	50	Yamanashi -Pref.	Sagamigawa	1st	Katsuragawa -bashi joryuiki	commom dace, Japanese dace	23 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	15	μ g/kg
Rivers	51	Nagano -Pref.	Tagawa	1st	Shintagawa -bashi joryu	commom dace, Japanese dace	18 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	52	Nagano -Pref.	Matsukawa	1st	Eidai -bashi	commom dace, Japanese dace	18 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	53	Gifu -Pref.	Nagaragawa	1st	300mAikawa -bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	54	Gifu -Pref.	Miyagawa	1st	Miyagi -bashi fukin	commom dace, Japanese dace	25 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	55	Shizuoka -Pref.	Miyakodagawa	2nd	Ochiai -bashi	ayu	27 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	56	Shizuoka -Pref.	Ootagawa	2nd	Futase -bashi	common minnow, pale chub	31 - Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	57	Aichi -Pref.	Nikkougawa	2nd	Nikko -bashi	crucian carp	16 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	58	Aichi -Pref.	Sakaigawa	2nd	Shinsakai -bashi	crucian carp	26 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	59	Nagoya -shi	Tenpakugawa	2nd	Tenpaku -bashi	crucian carp	19 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	60	Nagoya -shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19 - Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg

Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	7	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kael-bashi	carp, common carp	16-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	5	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	7	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg

Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	8	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg

Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg

Ground-water	136	Tottori-Pref.		Yazugun	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μ g/kg

Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Bisphenol A and chlorinated phenols	34	37	Bisphenol A	5	1.0	3.0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0		N.D.	μg/kg

Rivers	9	Miyagi-Pref.	Eaigawa	1st	Okawa-bashi fukin	gibel, gibellian	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umanigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi/Sakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far castern dace	11 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	4	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg

Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	2	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	49	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	9	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	2	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	15	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg

Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	5	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	2	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	4	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	4	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg

Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg

Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsumasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi/Sakegawa-bashi	skin carp, steed barbel (Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsuiigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaaka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	107	Kitakyusu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	1	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawazeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg

Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1e-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi/Sakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsuiigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	1	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	4	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μ g/kg

Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	2	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	3	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibepputaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	4	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitazeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaaka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawazeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg

Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4e-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawaishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	2	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibepputaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	2	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 Joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaaka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawazeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg

Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1a-phenyl-4a-(1-phenylethyl)tetralin	1	0	-	μg/kg

Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwabashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	2	Hokkaido	Kunebetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg

Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	2	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	4	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	2	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	5	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg

Rivers	51	Nagano -Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	52	Nagano -Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	53	Gifu -Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	54	Gifu -Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	55	Shizuoka -Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	56	Shizuoka -Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	57	Aichi -Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	58	Aichi -Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	59	Nagoya -shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	60	Nagoya -shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	61	Mie -Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	62	Mie -Pref.	Inabegawa	2nd	Machiya Oohashi	brackish -water-clam	10 - May	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	63	Shiga -Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	64	Shiga -Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29 - May	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	65	Kyoto -Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	66	Kyoto -Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	67	Kyoto -Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	68	Kyoto -shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13 - Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	3	μ g/kg
Rivers	69	Kyoto -shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	70	Osaka -Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	71	Osaka -Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	72	Osaka -Pref.	Ajiseisuiro		Fueiminamibepputakuta - fukin	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	73	Osaka -shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19 - Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	74	Osaka -shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13 - Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	75	Hyogo -Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg

Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	2	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	2	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	4	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg

Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	11	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μg/kg

Lakes	126	Chiba-Pref.	Teganuma	Teganuma cyuo	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Lakes	127	Nagano -Pref.	Suwako	Suwako	crucian carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	134	Nagano -Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	1	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4 - Feb	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1 - Feb	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	2	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg

Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32 - 29		grey mullet, striped mullet, common mullet	29 - Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T - D - 4	Tokushima-wan	sea bass, Japanese sea bass	9 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610 - 5	Nihama-kaiiki	sea bass, Japanese sea bass	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	2	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628 - 16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605 - 2	Usuki-wan	grey mullet, striped mullet, common mullet	16 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg

Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5e-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	2	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μ g/kg

Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	2	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	1	μ g/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg

Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	2	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	1	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	1	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputakuta-fukin	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	N.D.	μg/kg

Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	2	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg

Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel,(Japanese barbel)	11 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13 - Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawazeki	common minnow, pale chub	29 - Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27 - Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2 - Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23 - Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19 - Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg

Lakes	124	Hokkaido	Masyuko	Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma	Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma	Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako	Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg

Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	2	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a- triphenyl cyclohexane	1	0	-	μ g/kg

Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1e,3e,5a-triphenyl cyclohexane	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	1	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	2	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μ g/kg

Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	1	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hash	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	3	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	2	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	1	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg

Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	2	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	1	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	4	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	4	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	11	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg

Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg

Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	1	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	1	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl-1-hexene	1	0	N.D.	μg/kg

Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	2	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	3	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg

Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μg/kg

Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	2,4,6-triphenyl -1-hexene	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1		μ g/kg	
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			6	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1		μ g/kg	
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers			N.D.	μ g/kg

Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	5	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	3	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hash	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	9	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	5	μ g/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg

Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	56	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	10	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	10	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	23	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	6	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashhi fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	21	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	3	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg

Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	6	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	8	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 Joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg

Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	4	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	3	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	4	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13 - Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29 - Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μ g/kg

Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	3	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	11	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	139	Kitakyusu-shi			Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	1	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg

Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	3	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niijima-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	2	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μg/kg

Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene trimers	-	μ g/kg		
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg

Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg

Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashhi fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg

Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	3	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg

Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30 - Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13 - Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29 - Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27 - Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shirowa-bashi	crucian carp	10 - Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μ g/kg

Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	139	Kitakyusu-shi			Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg

Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuurawa	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μg/kg

Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	2,4-diphenyl-1-butene	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsurigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	4	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg

Rivers	16	Yamagata-Pref.	Umanigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	3	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	1	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	1	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg

Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	2	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	1	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	6	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10 - May	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24 - Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29 - May	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashhi fukin	crucian carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2 -diphenyl cyclobutane	1	0	6	μ g/kg

Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	4	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	9	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg

Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg

Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	2	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg

Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niijima-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μg/kg

Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	trans-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg

Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umanigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg

Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashii	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg

Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg

Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg

Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μg/kg

Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg

Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	cis-1,2-diphenyl cyclobutane	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg

Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg

Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	39	Kawasaki-shi	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shi	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg

Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steel barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μg/kg

Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg

Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27 - Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2 - Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23 - Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8 - Oct	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20 - Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg

Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg

Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	1,3-diphenyl propane	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutomigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers			N.D.	μ g/kg

Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	4	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umanigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	3	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	1	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	1	μ g/kg

Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	2	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	1	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miykodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	6	μ g/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg

Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootani-gawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	6	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	4	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	12	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μg/kg

Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9 - Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30 - Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29 - Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg

Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	2	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg

Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuurawan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niinama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg

Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	32	66	Total of styrene dimers	-	μ g/kg		
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg

Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Okawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	12	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg

Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashii	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg

Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg

Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg

Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μg/kg

Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	139	Kitakyusu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	3	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	156	Kitakyusu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	N.D.	μ g/kg

Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	31	48	Octachlorostyrene	2	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg

Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakabu(Kouda-bashi karyu)	goby	29 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22 - Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuiigawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg

Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashii	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg

Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabagawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibepputaku - fukin	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg

Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaaka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg

Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μg/kg

Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	5	μ g/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg

Sea areas	156	Kitakyusu-shi	Dokai-wan		Wanko-bu	silver jewfish			Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet			Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	N.D.	μ g/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	-	Aromatic compounds (other than VOC)	30	47	4-Nitrotoluene	1	0	-	μ g/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon		25-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace		24-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp		28-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	1	μ g/kg

Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsutigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg

Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashii	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg

Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashish fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibepputaku-fukin	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg

Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 Joryu 1000m	carp, common carp	10-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaaka-bashi	crucian carp	21-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg

Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	4	μg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	2	μg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg

Ground-water	129	Hokkaido		Esashigun	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μ g/kg

Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Aromatic compounds (other than VOC)	29	46	Benzophenone	1	0	-	μg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg

Rivers	2	Hokkaido	Kunebetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9 - Mar	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	17	Fukushima -Pref.	Shitagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	18	Fukushima -Pref.	Natsuigawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg

Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashhi	carp, common carp	26 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg

Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashish fukin	crucian carp	1-Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Dueiminamibepputaku-fukin	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deep-bodied crucian carp	26-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg

Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 Joryu 1000m	carp, common carp	10 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg

Rivers	102	Kochi - Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	103	Kochi - Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	104	Fukuoka - Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	105	Fukuoka - Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	110	Saga - Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	111	Saga - Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	112	Nagasaki - Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	113	Nagasaki - Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	114	Kumamoto - Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	115	Kumamoto - Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	116	Oita - Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	117	Oita - Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	118	Miyazaki - Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2 - Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	119	Miyazaki - Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	120	Kagoshima - Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	121	Kagoshima - Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23 - Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	122	Okinawa - Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Rivers	123	Okinawa - Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8 - Oct	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Lakes	125	Chiba - Pref.	Inbanuma		Inbanuma	carp, common carp	20 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Lakes	126	Chiba - Pref.	Teganuma		Teganuma cyuo	carp, common carp	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg

Lakes	127	Nagano-Pref.	Suwako	Suwako	crucian carp	27 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4 - Feb	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1 - Feb	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19 - Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μ g/kg

Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	N.D.	μg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μg/kg

Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Aromatic compounds (other than VOC)	28	43	Benzo(a)pyrene	2	0	-	μ g/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	common dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Taihijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	18	Fukushima-Pref.	Natsuigawa -shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	31	Tokyo	Kurumegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg

Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eida-bashi	common dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootagawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	µg/kg

Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	N.D.	μ g/kg