

measured results of Aquatic Animals and Plant Life (in general water area)

Sample	Autumn No.	Prefecture City	Rivers Sea areas	Section	Site	Name of fish species	Sample date	object substance Class	SPEED			Range of blank measurement				
									Exam. '98		value	blank value (Min)	blank value (Max)	result	Units	
									No.	No.						substance name
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg	

Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	27	36	4-n-Octylphenol	1.5	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Saintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	1.5	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	18.1	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	1.9	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	3	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	1.8	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	9	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg

Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyaji-bashi fukin	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	17.9	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	1.6	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	4.8	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	2.3	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	24.3	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	1.9	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	30	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg

Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioku syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	2.5	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	8.8	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	2.3	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatamashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg

Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	154	Ehime-Pref.	Huichinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	157	Osaka-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	N.D.	µg/kg	
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotanai-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	26	36	4-t-Octylphenol	1.5	0.0	-	µg/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	47	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	16	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	16	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	41	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	81	µg/kg

Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	18	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsukurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	23	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	20	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	19	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	23	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	350	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	99	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	17	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	19	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	21	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	32	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	49	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	32	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizu-yama-bashi	commom dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	47	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	250	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	28	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	17	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	19	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	65	µg/kg

Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	35	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	100	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	39	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	780	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	38	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	22	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	17	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	17	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	17	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	25	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	18	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	110	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioko syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Higawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg

Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	57	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	590	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	16	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	18	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	42	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma			carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	15	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg

Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	25	36	Nonylphenol	15	3	6	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsumasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0		N.D.	µg/kg

Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daiishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro	1st	Fueiminamibeppujutaku-fukin	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg

Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyryyu	commom dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioku syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagagawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakataniigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg

Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	24	36	4-n-Heptylphenol	1.5	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg

Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonu goryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg

Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Isazugawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Isbitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsune-bashi fukin	gbel, gibellian	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg

Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg

Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Higashi-Osaka-shi	1st	Daini-Neyagawa	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	23	36	4-n-Hexylphenol	1.5	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg

Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg

Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg	
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg	
Rivers	71	Osaka-Pref.	Ishitugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg	
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg

Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyu-shi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		· Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg

Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	22	36	4-n-Pentylphenol	1.5	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunebetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsukurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg

Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Uosogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg

Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg

Ground-water	136	Tottori-Pref.		Yazugun	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	Alkyl phenol (from C4 to C9)	21	36	4-n-Butylphenol	1.5	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd Iwamibashi-karyu	salmon	25-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd Sairyo-bashi karyu	carp, common carp	28-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd Kakobu(Kouda-bashi karyu)	goby	29-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd Hanawa-bashi	commom dace,Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg

Rivers	8	Iwate -Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	9	Miyagi -Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibelian	18-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	10	Miyagi -Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	11	Sendai -shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	12	Sendai -shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	13	Akita -Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	14	Akita -Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	15	Yamagata -Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	16	Yamagata -Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	17	Fukushima -Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	18	Fukushima -Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	19	Ibaragi -Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	20	Ibaragi -Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	21	Tochigi -Pref.	Gogyogawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	22	Tochigi -Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	25	Saitama -Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	26	Saitama -Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	27	Chiba -Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	28	Chiba -Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	29	Chiba -shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	30	Chiba -shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	37	Yokohama -shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	38	Yokohama -shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	39	Kawasaki -shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	40	Kawasaki -shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	41	Niigata -Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	42	Niigata -Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	43	Toyama -Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	44	Toyama -Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	45	Ishikawa -Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	46	Ishikawa -Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	47	Fukui -Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	48	Fukui -Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	49	Yamanashi -Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	50	Yamanashi -Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	51	Nagano -Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	52	Nagano -Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	53	Gifu -Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	54	Gifu -Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	55	Shizuoka -Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	56	Shizuoka -Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg

Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisiro		Fueiminamibeppujutaku-fukin	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg

Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg

Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg	
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	N.D.	µg/kg	
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	Alkyl phenol (from C4 to C9)	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Alkyl phenol (from C4 to C9)	20	36	4-t-Butylphenol	1.5	0.0	-	µg/kg	
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	3	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	6	Aomori-Pref.	Tsutomigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	10	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel,(Japanese barbel)	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg

Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	4	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	9	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	7	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	29	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	4	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	9	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg

Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	61	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	32	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	32	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	10	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioku syuhen	crucian carp	17-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	28	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	9	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	17	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	5	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	3	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg

Lakes	124	Hokkaido	Masyuko	Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma	Inbanuma	carp, common carp	20-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	11	µg/kg
Lakes	126	Chiba-Pref.	Teganuma	Teganuma cyuo	carp, common carp	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Lakes	127	Nagano-Pref.	Suwako	Suwako	crucian carp	27-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	4	µg/kg
Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	N.D.	µg/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusushi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	13	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	14	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	19	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	1	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	6	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	210	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	33	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	46	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	10	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	16	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	28	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	28	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	45	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	2	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	55	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	8	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg

Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Organic tin compounds	19	34	Triphenyltin	1	0.00	0.07	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	8	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	7	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinskurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	18	Fukushima-Pref.	Natsuigawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	9	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	5	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	5	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	36	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	9	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	6	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	5	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	7	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi iyoryu	carp, common carp	26-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	6	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	8	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg

Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuayama-bashi	common dace, Japanese dace	30-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	8	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	11	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	41	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	15	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	65	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	7	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	25	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	7	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	20	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	14	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	5	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	6	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	9	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyryu	common dace, Japanese dace	5-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	8	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	11	µg/kg

Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioku syuhen	crucian carp	17-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	110	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	9	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	5	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	120	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	6	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	6	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	2	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	1	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	87	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	5	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatamashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	45	µg/kg

Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	24	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	12	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	37	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	120	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	79	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	98	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	70	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	12	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	8	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	43	µg/kg
Sea areas	154	Ehime-Pref.	Huichinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	94	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	3	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	71	µg/kg
Sea areas	157	Osaka-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	4	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Organic tin compounds	18	33	Tributyltin	1	0.3	0.7	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	3		Total of polybromobiphenyl				N.D.	µg/kg

Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyma-bashi	commom dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg

Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioko syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Higawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg

Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Huchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg

Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	3	Total of polybromobiphenyl	-	µg/kg			
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satunumasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibelian	18-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamisasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg

Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daiشوigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyō-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg

Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioku syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagagawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg

Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	17	3	Decibromo biphenyl	10	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg

Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonu goryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg

Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gbel, gibellian	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg

Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatani-gawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg

Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Higashi-Neyagawa	1st	Daini-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	16	3	Hexabromo biphenyl	2	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa)tono goryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibelian	18-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg

Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg

Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg	
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg	
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg	
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syuiku syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg

Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusushi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		・Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furuutonogawa	1st	Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg

Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	15	3	Pentabromo biphenyl	2	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinskurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg

Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabashigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg

Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg

Ground-water	136	Tottori-Pref.		Yazugun	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Polybromobiphenyl (PBB)	14	3	Tetrabromo biphenyl	2	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd Sairo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg

Rivers	8	Iwate -Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	9	Miyagi -Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel_gibellian	18-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	10	Miyagi -Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	11	Sendai -shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	12	Sendai -shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	13	Akita -Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	14	Akita -Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	15	Yamagata -Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	16	Yamagata -Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	17	Fukushima -Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	18	Fukushima -Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	19	Ibaragi -Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	20	Ibaragi -Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	21	Tochigi -Pref.	Gogyogawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	22	Tochigi -Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	25	Saitama -Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	26	Saitama -Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	27	Chiba -Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	28	Chiba -Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	29	Chiba -shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	30	Chiba -shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higasi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	37	Yokohama -shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	38	Yokohama -shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	39	Kawasaki -shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	40	Kawasaki -shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	41	Niigata -Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	42	Niigata -Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	43	Toyama -Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	44	Toyama -Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	45	Ishikawa -Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	46	Ishikawa -Pref.	Daiشوじgawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	47	Fukui -Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	48	Fukui -Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	49	Yamanashi -Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	50	Yamanashi -Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	51	Nagano -Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	52	Nagano -Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	53	Gifu -Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	54	Gifu -Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	55	Shizuoka -Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	56	Shizuoka -Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg

Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg

Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi miyoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg

Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuoigawa	2nd	Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	13	3	Tribromo biphenyl	2	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi(Sakegawa-bashi)	skin carp, steed barbel,(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg

Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueinaminibeppujutaku-fukin	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg

Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatani-gawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg

Lakes	124	Hokkaido	Masyuko	Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma	Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma	Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako	Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako	Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Ground-water	129	Hokkaido		Esashigun	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatamahashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusushi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg

Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg	
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	12	3	Dibromo biphenyl	2	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinskurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg

Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuayama-bashi	common dace, Japanese dace	30-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg

Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsutomoshi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatamashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg

Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Huchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Sea areas	157	Osaka-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polybromobiphenyl (PBB)	11	3	Bromo biphenyl	2	0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			0.9	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			9.6	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunumasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			34.0	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			11.0	µg/kg
Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			9.0	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			4.5	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			1.8	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			12.0	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			22.0	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	commom minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			0.9	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			5.8	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)		2	Total of polychlorinated biphenyl			11.0	µg/kg

Rivers	15	Yamagata -Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	140.0	µg/kg
Rivers	16	Yamagata -Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.6	µg/kg
Rivers	17	Fukushima -Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.0	µg/kg
Rivers	18	Fukushima -Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	N.D.	µg/kg
Rivers	19	Ibaragi -Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	6.7	µg/kg
Rivers	20	Ibaragi -Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.9	µg/kg
Rivers	21	Tochigi -Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.2	µg/kg
Rivers	22	Tochigi -Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.0	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	12.0	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.6	µg/kg
Rivers	25	Saitama -Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	2.8	µg/kg
Rivers	26	Saitama -Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	25.0	µg/kg
Rivers	27	Chiba -Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	7.1	µg/kg
Rivers	28	Chiba -Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	41.0	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	37.0	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.9	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.8	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	9.0	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	52.0	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	110.0	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	10.0	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	7.0	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	11.0	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	25.0	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	49.0	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	13.0	µg/kg
Rivers	41	Niigata -Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	14.0	µg/kg
Rivers	42	Niigata -Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	13.0	µg/kg
Rivers	43	Toyama -Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	6.7	µg/kg
Rivers	44	Toyama -Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	210.0	µg/kg
Rivers	45	Ishikawa -Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	30.0	µg/kg
Rivers	46	Ishikawa -Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	47.0	µg/kg
Rivers	47	Fukui -Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.5	µg/kg
Rivers	48	Fukui -Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	N.D.	µg/kg
Rivers	49	Yamanashi -Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	23.0	µg/kg
Rivers	50	Yamanashi -Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	36.0	µg/kg
Rivers	51	Nagano -Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	8.8	µg/kg
Rivers	52	Nagano -Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	6.3	µg/kg
Rivers	53	Gifu -Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	47.0	µg/kg
Rivers	54	Gifu -Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.4	µg/kg
Rivers	55	Shizuoka -Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	N.D.	µg/kg
Rivers	56	Shizuoka -Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.3	µg/kg
Rivers	57	Aichi -Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	34.0	µg/kg
Rivers	58	Aichi -Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	8.9	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.8	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	65.0	µg/kg
Rivers	61	Mie -Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	25.0	µg/kg
Rivers	62	Mie -Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.1	µg/kg
Rivers	63	Shiga -Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	5.7	µg/kg
Rivers	64	Shiga -Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	26.0	µg/kg
Rivers	65	Kyoto -Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	30.0	µg/kg
Rivers	66	Kyoto -Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	67	Kyoto -Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	10.0	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	260.0	µg/kg

Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg	
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg	
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	26.0	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg	
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	170.0	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1000.0	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	10.0	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	2.9	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	20.0	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	10.0	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	28.0	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	6.0	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	7.6	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	6.4	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	30.0	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.9	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	5.0	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.8	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	2.0	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	25.0	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.5	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.4	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.1	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	24.0	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	2.0	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syuuioku syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	2.2	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	100.0	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	10.0	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.0	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	9.9	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.3	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.0	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	7.3	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	9.6	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.0	µg/kg
Rivers	105	Fukuoka-Pref.	Nagoogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.6	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.1	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	16.0	µg/kg
Rivers	109	Fukuoka-shi	Higawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.4	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.6	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	6.4	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	45.0	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.8	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.8	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	12.0	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	7.8	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.4	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.0	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.2	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	3.3	µg/kg

Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	0.9	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	62.0	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1.1	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	17.0	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	4.5	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	33.0	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	5.0	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	200.0	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	130.0	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	20.0	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	17.0	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	9.3	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	38.0	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	310.0	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	200.0	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	1300.0	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	10.0	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	14.0	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	16.0	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	19.0	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	52.0	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	15.0	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	44.0	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	21.0	µg/kg
Rivers	158	Koshigaya-shi	Furutonogawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	µg/kg

Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	2	Total of polychlorinated biphenyl	-	-	-	µg/kg		
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shirowigawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-cki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg

Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyashi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	10	2	Decichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsumasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gbel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	commom minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	18	Fukushima -Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Okitagawa	2nd	JRJR railway bridge	far castern dace	11 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	27	Chiba -Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	28	Chiba -Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Ohashi karyu	far castern dace	23 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizu-yama-bashi	commom dace, Japanese dace	30 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31 - Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10 - May	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24 - Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29 - May	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1 - Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg

Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita		-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21- Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10- Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuioku syuhen	crucian carp	17- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30- Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	commom dace, Japanese dace	24- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14- Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14- Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Higawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29- Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27- Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25- Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shirowa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mChinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusushi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wankai-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonogawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotanai-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg

Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	9	2	Nonachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwambashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsumasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsunigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	OOKITAGAWA	2nd	JRJR railway bridge	far castern dace	11-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	blackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	7.2	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawazeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	1	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg

Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	3.8	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	1.9	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	2.1	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterflyfish	26-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	0.4	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	8	2	Octachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd Sairyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st JR Satsunumasanrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	common dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibelian	18-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	8.5	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsuiigawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Ohashi karyu	far eastern dace	23-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	11.2	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizu-yama-bashi	common dace, Japanese dace	20-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	2.5	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	4.7	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisiro		Fueiminamibeppujutaku-fukin	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	10	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	38.2	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	78	Kobe-shi	Shisenagawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syuuiiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	18.9	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.7	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	commom dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.5	µg/kg

Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	9	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma			carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.2	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	2.8	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	5.5	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.3	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	2	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	16.2	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	19.1	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	0.9	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	1.7	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	2.7	µg/kg

Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	3.5	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	8.2	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	3.9	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	5.8	µg/kg
Sea areas	157	Osaka-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	4.8	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	7	2	Heptachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsumasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	8.9	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	6	Aomori-Pref.	Tsutomigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.6	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.9	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.2	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	6.7	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	60.8	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashi(Sakegawa-bashi)	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.8	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.8	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3	µg/kg

Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.7	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.2	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	10.9	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.8	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	7.6	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	19	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.7	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.6	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	6.2	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.2	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.7	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.4	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	95.6	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	5.6	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	16.8	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuayama-bashi	commom dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	8.2	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	10.3	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.5	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.7	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	8.1	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	8.2	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	12.7	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.4	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	10	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	7.2	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.1	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	50.9	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.4	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibepputaku-fukin	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	39.5	µg/kg

Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	140	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.2	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	10.1	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.8	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	8.4	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.9	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.1	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.8	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	7.4	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.7	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.9	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.1	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.9	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	39.8	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	5.9	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.8	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.1	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.2	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.9	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.2	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.1	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.5	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	3.5	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.8	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.7	µg/kg

Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.1	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.5	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	2.3	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	10.1	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.2	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	20.8	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	25.5	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	6.3	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.8	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	1.9	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	11.3	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	85.7	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	46.9	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	69.3	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	4.9	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	5.2	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	9.3	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	17.9	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	6.4	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	11.3	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	7.1	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg

Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	6	2	Hexachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunebetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.8	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	13.1	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3	µg/kg
Rivers	7	Iwate-Pref.	Heiigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.6	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	6.8	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	7.2	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	commom minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.1	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.5	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	62.2	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsukurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.1	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.8	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	5.2	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mlroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	5.1	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.7	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	20.2	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	8.7	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.7	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.7	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	18.7	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	34.2	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.3	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.6	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi iyoryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	13.3	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	5.1	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	5.3	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	5.9	µg/kg

Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	96.4	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	11.1	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	20.6	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	9	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	17.3	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.5	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.5	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	11.6	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	16.6	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.9	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.9	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	14.9	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	7.7	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	11.3	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	10.2	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.3	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	67.3	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.8	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	50.7	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	260	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	5.2	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.5	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	11	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.1	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.8	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.7	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	12.3	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.7	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	7.8	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyryu	common dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.5	µg/kg

Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.9	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syuuioku syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	24.1	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.6	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	7.6	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	7.3	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.5	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.3	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	commom dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	9.5	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	6.1	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	1.8	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	12	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.4	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusushi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg

Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	47	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	41.8	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	6	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.4	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.6	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		· Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	13.7	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	88.2	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	58	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	100	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.2	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.3	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	3.3	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.1	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	10.6	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	sea bass, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	2.3	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wankai-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	15.2	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	4.6	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	5	2	Pentachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.4	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsumasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	8.3	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	common dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	5	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	common dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	common dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibelian	18-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.9	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	common dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.2	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	common dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	3.9	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinskurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	common dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	20	Ibaragi-Pref.	OOKITAGAWA	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.3	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	12.4	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	7.6	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deep-bodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	16.7	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	20.1	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	35.8	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.6	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	3.4	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	5.4	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	12.2	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	15.2	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.8	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	3.2	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	8.5	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	10.2	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	5	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.3	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	7.9	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	19.6	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	7.9	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	3.5	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	28.2	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.1	µg/kg

Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	7.9	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	84.9	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishtisugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	10.6	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro	-	Fueiminamibepputaku-fukin	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	44.7	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	310	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.8	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	6.7	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	8.3	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	8.4	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibellian	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	14.1	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	14.2	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.3	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	4.3	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.3	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	21.9	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokakawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shirowa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	18.8	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	7.5	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.4	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	7.8	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	0.6	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	84.2	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	43.3	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan			marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	5.4	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nakanose-minami	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	6.6	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinuura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.8	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	10.4	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	80.7	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiyaishi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	54.2	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	310	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.1	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.8	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	3.7	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.6	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	11.6	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	1.4	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	11.3	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	2.4	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg

Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	4	2	Tetrachloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunebetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tono goryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairoy-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	4.2	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.9	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	commom minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma-Pref.	Agatsuma-gawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma-Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	5.3	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	29	Chiba-shi	Imbahousiuro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	8.8	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg

Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	4.5	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	19.7	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	5.4	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	11.6	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	43	Toyama-Pref.	Shirowagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	3.1	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2.6	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	7.3	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.1	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	16.4	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	4.2	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	53.3	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	7.1	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro	-	Fueiminamibepputaku-fukin	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	20	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	260	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg

Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	common dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2.2	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.4	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	4.5	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	common dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	6.3	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syuuiiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	3.6	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	common dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.6	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.5	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.6	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	11.6	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.4	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	11.8	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma			carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.9	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.8	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.8	µg/kg

Ground-water	129	Hokkaido		Esashigun	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.		Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi		Chibashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo		Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.		Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.		Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.		Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.		Yazugun	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.		Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.		Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi		Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.		Takachihocho	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan	Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	43.9	µg/kg
Sea areas	142	Tokyo	Tokyo-wan		sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	12.8	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan	Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.5	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan	Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	3.9	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan	Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan	Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.3	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan	Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	54	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan	Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	20.8	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada	Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	710	µg/kg
Sea areas	150	Wakayama-Pref.	Ki-suido	St11 WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.3	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto	Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.4	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29	grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.1	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4 Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	0.7	µg/kg
Sea areas	154	Ehime-Pref.	Huchinada	610-5 Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	2.5	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16 Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.1	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan	Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.2	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2 Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	1.2	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan	Funabashi1	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan	Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	3	2	Trichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonu goryuten	commom dace,Japanese dace	24 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Sairyo-bashi karyu	carp, common carp	28 - Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9 - Mar	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	5	Aomori -Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26 - Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	6	Aomori -Pref.	Tsutsumigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	7	Iwate -Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22 - Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate -Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi -Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	10	Miyagi -Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai -shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	12	Sendai -shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita -Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	14	Akita -Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27 - Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	15	Yamagata -Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28 - Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	16	Yamagata -Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima -Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima -Pref.	Natsugawa-shiryu -yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	19	Ibaragi -Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	20	Ibaragi -Pref.	Ookitagawa	2nd	JRJR railway bridge	far castern dace	11 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi -Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26 - Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi -Pref.	Nakagawa	1st	Kurobane	commom dace, Japanese dace	16 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	commom dace, Japanese dace	25 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	25	Saitama -Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama -Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	27	Chiba -Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	28	Chiba -Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi jyoryu	carp, common carp	26 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	2.1	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata -Pref.	Shinkawa	2nd	Makio Oohashi karyu	far castern dace	23 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata -Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	43	Toyama -Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	commom dace, Japanese dace	27 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	0.5	µg/kg
Rivers	44	Toyama -Pref.	Kurosegawa	2nd	Ishida-bashi	commom dace, Japanese dace	9 - Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	45	Ishikawa -Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22 - Sep	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	46	Ishikawa -Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22 - Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	47	Fukui -Pref.	Hinogawa	1st	Shimizuyama-bashi	commom dace, Japanese dace	30 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui -Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25 - Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi -Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14 - Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	commom dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	commom dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	commom dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	1.7	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashii fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	commom dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	1	µg/kg
Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuro		Fueiminamibepputaku-fukin	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Oitaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gbel, gibellian	16-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	common dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibellian	14-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiookawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatani-gawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mIchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogan	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusyushi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg

Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	74	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Niihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furutonegawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Higashi-Osaka-shi	1st	Daini-Neyagawa	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	2	2	Dichloro biphenyl	0.4	0.0	-	µg/kg
Rivers	1	Hokkaido	Nukibetsu-gawa	2nd	Iwamibashi-karyu	salmon	25-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	2	Hokkaido	Kunibetsu-gawa	2nd	Shiryu(Ookawa oyobi Narikawa) tonogoryuten	commom dace,Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	3	Sapporo-shi	Shinkawa	2nd	Saiyo-bashi karyu	carp, common carp	28-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	4	Sapporo-shi	Souseigawa	1st	JR Satsunomasenrailway bridge	carp, common carp	9-Mar	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	5	Aomori-Pref.	Okuirisegawa	2nd	Koun-bashi fukin	commom dace, Japanese dace	26-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	6	Aomori-Pref.	Tsutsuigawa	2nd	Kakobu(Kouda-bashi karyu)	goby	29-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	7	Iwate-Pref.	Heigawa	2nd	Hanawa-bashi	commom dace,Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	8	Iwate-Pref.	Kesengawa	2nd	Kannari-bashi fukin	commom dace, Japanese dace	3-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	9	Miyagi-Pref.	Eaigawa	1st	Oikawa-bashi fukin	gibel, gibellian	18-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	10	Miyagi-Pref.	Izunuma	1st	Izunuma cyuo fukin	deepbodied crucian carp	18-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	11	Sendai-shi	Hirosegawa	1st	Mitsuhashi	commom dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	12	Sendai-shi	Nanakitata-gawa	2nd	Imaichi-bashi	common minnow, pale chub	18-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	13	Akita-Pref.	Taiheigawa	1st	Ushijima-bashi fukin	carp, common carp	15-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	14	Akita-Pref.	Marukogawa	1st	Maruko-bashi fukin	commom dace, Japanese dace	27-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	15	Yamagata-Pref.	Uchigawa	1st	Nishimikawa-bashi fukin	commom dace, Japanese dace	28-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	16	Yamagata-Pref.	Umamigasaki-gawa	1st	Shirakawa-bashi	crucian carp	6-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	17	Fukushima-Pref.	Shintagawa	2nd	Shinsakurai-bashiSakegawa-bashi	skin carp, steed barbel(Japanese barbel)	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	18	Fukushima-Pref.	Natsugawa-shiryu-yokokawa	2nd	Yokokawa-bashi	commom dace, Japanese dace	1-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	19	Ibaragi-Pref.	Sakuragawa	1st	Eiri-bashi	carp, common carp	3-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	20	Ibaragi-Pref.	Ookitagawa	2nd	JRJR railway bridge	far eastern dace	11-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	21	Tochigi-Pref.	Gogyougawa	1st	Katsura-bashi	common minnow, pale chub	26-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	22	Tochigi-Pref.	Nakagawa	1st	Kurobane	common dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	23	Gunma -Pref.	Agatsumagawa	1st	200mAgatsuma-bashi karyu 200m	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	24	Gunma -Pref.	Hirosegawa	1st	200mNakajima-bashi joryu yaku 200m	carp, common carp	4-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	25	Saitama-Pref.	Ichinogawa	1st	800mToho-bashi karyu 800m	carp, common carp	1-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	26	Saitama-Pref.	Shinkawagishi-gawa	1st	100mIroha-bashi karyu 100m	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	27	Chiba-Pref.	Yourougawa	2nd	Jyugori-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	28	Chiba-Pref.	Isumigawa	2nd	Kariya-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	29	Chiba-shi	Imbahousuiro	1st	Shiodome-bashi	deepbodied crucian carp	30-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	30	Chiba-shi	Miyakogawa	2nd	Aoyagi-bashi	carp, common carp	27-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	31	Tokyo	Kuromegawa	1st	Jinhouoohashi	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	32	Tokyo	Akikawa	1st	Higashi Akikawa-bashi	common minnow, pale chub	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	33	Tokyo	Asagawa	1st	Naganuma-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	34	Tokyo	Sakaigawa	2nd	Tsurumaichigo-bashi	carp, common carp	17-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	35	Kanagawa -Pref.	Sakawagawa	2nd	Sakawa-bashi	crucian carp	28-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	36	Kanagawa -Pref.	Kanamegawa	2nd	Hanamizu-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	37	Yokohama-shi	Tsurumigawa	1st	Gakko-bashi	carp, common carp	18-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	38	Yokohama-shi	Ondagawa	1st	Miyako-bashi	carp, common carp	8-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	39	Kawasaki-shj	Hirasegawa	1st	Hirase-bashi joryu	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	40	Kawasaki-shj	Mitsusawa-gawa	1st	Ichino-hashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	41	Niigata-Pref.	Shinkawa	2nd	Makio Oohashi karyu	far eastern dace	23-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	42	Niigata-Pref.	Sabaishigawa	2nd	Ansei-bashi fukin	crucian carp	6-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	43	Toyama-Pref.	Shiroiwagawa	2nd	Tozai-bashi fukin	common dace, Japanese dace	27-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	44	Toyama-Pref.	Kurosegawa	2nd	Ishida-bashi	common dace, Japanese dace	9-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	45	Ishikawa-Pref.	Saigawa	2nd	800mFutatsu-bashi joryu yaku 800m	grey mullet, striped mullet, common mullet	22-Sep	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	46	Ishikawa-Pref.	Daishojigawa	2nd	2kmMitsuhashi joryu yaku 2km	crucian carp	22-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	47	Fukui-Pref.	Hinogawa	1st	Shimizuyama-bashi	common dace, Japanese dace	30-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	48	Fukui-Pref.	Shonokawa	2nd	Mishima-bashi	common minnow, pale chub	25-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	49	Yamanashi-Pref.	Fuefukigawa	1st	Sangun Higashi-bashi	carp, common carp	14-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	50	Yamanashi-Pref.	Sagamigawa	1st	Katsuragawa-bashi joryuiki	common dace, Japanese dace	23-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	51	Nagano-Pref.	Tagawa	1st	Shintagawa-bashi joryu	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	52	Nagano-Pref.	Matsukawa	1st	Eidai-bashi	common dace, Japanese dace	18-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	53	Gifu-Pref.	Nagaragawa	1st	300mAikawa-bashi karyu yaku 300m	common dace, Japanese dace	7-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	54	Gifu-Pref.	Miyagawa	1st	Miyagi-bashi fukin	common dace, Japanese dace	25-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	55	Shizuoka-Pref.	Miyakodagawa	2nd	Ochiai-bashi	ayu	27-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	56	Shizuoka-Pref.	Ootagawa	2nd	Futase-bashi	common minnow, pale chub	31-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	57	Aichi-Pref.	Nikkougawa	2nd	Nikko-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	58	Aichi-Pref.	Sakaigawa	2nd	Shinsakai-bashi	crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	59	Nagoya-shi	Tenpakugawa	2nd	Tenpaku-bashi	crucian carp	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	60	Nagoya-shi	Arakogawa	Normal	Arakogawa ponpujo joryuiki	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	61	Mie-Pref.	Anougawa	2nd	Gosanso-bashi	skin carp, steed barbel(Japanese barbel)	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	62	Mie-Pref.	Inabegawa	2nd	Machiya Oohashi	brackish-water-clam	10-May	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	63	Shiga-Pref.	Usogawa	1st	Kako	black bass, largemouth(black)bass	24-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	64	Shiga-Pref.	Moriyamagawa	1st	Kako fukin	bluegill, bluegill sunfish	29-May	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	65	Kyoto-Pref.	Ootanigawa	1st	Ichino-hashi fukin	crucian carp	1-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	66	Kyoto-Pref.	Tebaragawa	1st	Kizugawa Ryunyumae	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	67	Kyoto-Pref.	Isazugawa	2nd	Aioi-bashi	common dace, Japanese dace	4-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	68	Kyoto-shi	Kamogawa	1st	Toba Oohashi	skin carp, steed barbel(Japanese barbel)	13-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	69	Kyoto-shi	Tenjingawa	1st	Toukaidohonsenshita	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg	
Rivers	70	Osaka-Pref.	Neyagawa	1st	Suminodo Oohashi	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg	
Rivers	71	Osaka-Pref.	Ishitsugawa	2nd	Kena Oohashi	carp, common carp	26-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	72	Osaka-Pref.	Ajiseisuiro		Fueiminamibeppujutaku-fukin	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg	
Rivers	73	Osaka-shi	Ookawa	1st	Kema-bashi fukin	crucian carp	19-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	74	Osaka-shi	Neyagawa	1st	400mKyo-bashi joryu 400m	crucian carp	13-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	75	Hyogo-Pref.	Mukogawa	2nd	Kobu-bashi	deepbodied crucian carp	26-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	76	Hyogo-Pref.	Akashigawa	2nd	Kaei-bashi	carp, common carp	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	77	Hyogo-Pref.	Yadagawa	2nd	Yura-bashi karyu	commom dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	78	Kobe-shi	Shisengawa	1st	Sakamoto-bashi	common minnow, pale chub	12-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	79	Kobe-shi	Fukudagawa	2nd	Fukuda-bashi	crucian carp	15-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	80	Nara-Pref.	Teragawa	1st	Toda-bashi	carp, common carp	28-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	81	Nara-Pref.	Kinokawa	1st	Sengoku-bashi	commom dace, Japanese dace	22-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	82	Wakayama-Pref.	Aritagawa	2nd	Otaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	83	Wakayama-Pref.	Hidari-Aizugawa	2nd	Aizu-bashi	grey mullet, striped mullet, common mullet	4-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	84	Tottori-Pref.	Katubegawa	2nd	Yoshida-bashi fukin	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	85	Tottori-Pref.	Sadagawa	2nd	Yodoemachi Sada	crucian carp	7-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	86	Shimane-Pref.	Hamadagawa	2nd	1.5kmSanmiya-bashi karyu kaku 1.5km	crucian carp	21-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	87	Shimane-Pref.	Shizumagawa	2nd	Shobara-bashi fukin	carp, common carp	10-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	88	Okayama-Pref.	Sunagawa	1st	Shin-bashi	skin carp, steed barbel(Japanese barbel)	21-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	89	Okayama-Pref.	Sasagasegawa	2nd	Sasagase-bashi	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	90	Hiroshima-Pref.	Numatagawa	2nd	Numatagawa cyuryu	commom dace, Japanese dace	5-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	91	Hiroshima-Pref.	Kurosegawa	2nd	Hinotsume-bashi fukin	gibel, gibelian	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	92	Hiroshima-shi	Yawatagawa	2nd	Gun-bashi	dark chub	9-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	93	Hiroshima-shi	Senogawa	2nd	kando	crucian carp	11-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	94	Yamaguchi-Pref.	Kotogawa	2nd	UC-21000mSuenobu-bashi UC-2 joryu 1000m	carp, common carp	10-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	95	Yamaguchi-Pref.	Nishikigawa	2nd	Iwakuni-shi josui syusuiko syuhen	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	96	Tokushima-Pref.	Shinmachi-gawa	1st	Shinmachi-bashi	sea bass, Japanese sea bass	14-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	97	Tokushima-Pref.	Katsuuragawa	2nd	Eda sensui-bashi	commom dace, Japanese dace	13-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	98	Kagawa-Pref.	Kotogawa	2nd	Kotogawa-bashi	crucian carp	30-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	99	Kagawa-Pref.	Saitagawa	2nd	Inazumi-bashi	skin carp, steed barbel(Japanese barbel)	11-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	100	Ehime-Pref.	Nakayamagawa	2nd	Nakayamagawa-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	101	Ehime-Pref.	Iwamatsugawa	2nd	Seimitsu-bashi	common dace, Japanese dace	22-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	102	Kochi-Pref.	Kosogawa	2nd	Akaoka-bashi	crucian carp	21-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	103	Kochi-Pref.	Kagamigawa	2nd	Shingetsu-bashi	commom dace, Japanese dace	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	104	Fukuoka-Pref.	Homangawa	1st	Iwamoto-bashi	common dace, Japanese dace	24-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	105	Fukuoka-Pref.	Nagaogawa	2nd	Choonji-bashi	crucian carp	23-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	106	Kitakyusyu-shi	Murasakigawa	2nd	Sakura-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	107	Kitakyusyu-shi	Itasekigawa	2nd	Sakai-bashi	gibel, gibelian	14-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	108	Fukuoka-shi	Nakagawa	2nd	Nanotsu Oohashi	common Japanese goby, genuine goby, Japanese river goby	27-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	109	Fukuoka-shi	Hiigawa	2nd	Kyu-Imagawa-bashi	grey mullet, striped mullet, common mullet	29-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	110	Saga-Pref.	Tamashima-gawa	2nd	Tamashima-bashi	ayu	13-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	111	Saga-Pref.	Aritagawa	2nd	Matagawaizeki	common minnow, pale chub	29-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	112	Nagasaki-Pref.	Urakamigawa	2nd	Ohashizeki-shita	crucian carp	17-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	113	Nagasaki-Pref.	Nishiokawa	2nd	Kosokudo-karyu	crucian carp	27-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	114	Kumamoto-Pref.	Hikawa	2nd	Hikawa-bashi	crucian carp	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	115	Kumamoto-Pref.	Urakawa	2nd	Ichibu-bashi	crucian carp	25-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	116	Oita-Pref.	Yakkangawa	2nd	Shiroiwa-bashi	crucian carp	10-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	117	Oita-Pref.	Usukigawa	2nd	Badai-bashi	crucian carp	10-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg

Rivers	118	Miyazaki-Pref.	Hitotsuse-gawa	2nd	Hitotsuse-bashi	common dace, Japanese dace	2-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	119	Miyazaki-Pref.	Sakatanigawa	2nd	Imamachi-bashi-shita	common minnow, pale chub	11-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	120	Kagoshima-Pref.	Kotsukigawa	2nd	Iwasaki-bashi joryubu	common minnow, pale chub	15-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	121	Kagoshima-Pref.	Amorigawa	2nd	Hiatariyama-bashi oyobi myoken fukin	common minnow, pale chub	23-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	122	Okinawa-Pref.	Kokubagawa	2nd	500mlchinichi-bashi joryu 500m	mozambique tilapia	20-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	123	Okinawa-Pref.	Nagadogawa	2nd	1kmShonanseito mae karyu 1km	mozambique tilapia	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	124	Hokkaido	Masyuko		Uramasyu tenboudai-shita kogon	rainbow trout	8-Oct	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	125	Chiba-Pref.	Inbanuma		Inbanuma	carp, common carp	20-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	126	Chiba-Pref.	Teganuma		Teganuma cyuo	carp, common carp	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	127	Nagano-Pref.	Suwako		Suwako	crucian carp	27-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Lakes	128	Okayama-Pref.	Kojimako		Kojimako	crucian carp	20-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Ground-water	129	Hokkaido			Esashigun	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	130	Miyagi-Pref.			Kuriharagun	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	131	Chiba-shi			Chibashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	132	Tokyo			Shinjukuku	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	133	Niigata-Pref.			Nishikanbaragun	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	134	Nagano-Pref.			Matsumotoshi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	135	Osaka-Pref.			Neyagawashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	136	Tottori-Pref.			Yazugun	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	137	Hiroshima-Pref.			Fukuyamashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	138	Ehime-Pref.			Yawatahamashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	139	Kitakyusyu-shi			Kitakyusushi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Ground-water	140	Miyazaki-Pref.			Takachihocho	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Sea areas	141	Chiba-Pref.	Tokyo-wan		Urayasu-oki	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	142	Tokyo	Tokyo-wan			sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	143	Kanagawa-Pref.	Tokyo-wan		Nakanose-minami	marbled rockfish	4-Feb	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	144	Aichi-Pref.	Ise-wan		Nagoya-ko(Otsu)	grey mullet, striped mullet, common mullet	16-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	145	Aichi-Pref.	Mikawa-wan		Kinoura-wan	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	146	Mie-Pref.	Ise-wan		·Yokkaichi, Suzukachisaki kaiiki(kou)	sea bass, Japanese sea bass	1-Feb	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	147	Osaka-Pref.	Osaka-wan		Sakaishi-oki	sea bass, Japanese sea bass	12-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	148	Hyogo-Pref.	Osaka-wan		Nishinomiya-shi-oki1	sea bass, Japanese sea bass	20-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	149	Hyogo-Pref.	Harima-nada		Shirahama-oki	sea bass, Japanese sea bass	30-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	150	Wakayama-Pref.	Kii-suido	St11	WakayamaShimozu-ko	butterfish, Japanese butterfish	26-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	151	Okayama-Pref.	Bisanseto		Tamashimakou-okiai	grey mullet, striped mullet, common mullet	19-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	152	Hiroshima-Pref.	Hiroshima-wan	32-29		grey mullet, striped mullet, common mullet	29-Jan	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	153	Yamaguchi-Pref.	Suonada	T-D-4	Tokushima-wan	sea bass, Japanese sea bass	9-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	154	Ehime-Pref.	Hiuchinada	610-5	Nihama-kaiiki	sea bass, Japanese sea bass	23-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	155	Ehime-Pref.	Iyo-nada	628-16	Matsuyama-kaiiki	grey mullet, striped mullet, common mullet	14-Nov	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	156	Kitakyusyu-shi	Dokai-wan		Wanko-bu	silver jewfish	16-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Sea areas	157	Oita-Pref.	Bungo-suido	605-2	Usuki-wan	grey mullet, striped mullet, common mullet	16-Dec	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	N.D.	µg/kg
Rivers	158	Koshigaya-shi	Furuutonogawa	1st	Kotobuki-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	159	Koshigaya-shi	Shinkatagawa	1st	Showa-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	160	Funabashi-shi	Ebigawa	2nd	Yachiyo-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	161	Kashiwa-shi	Oohorigawa	2nd	Aoba-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	162	Hamamatsu-shi	Isachigawa	2nd	Nakanotani-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	163	Hamamatsu-shi	Magomegawa	2nd	Nasu-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	164	Hamamatsu-shi	Sameiko	2nd	Sameiko-deguchi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	165	Shimizu-shi	Okitsugawa	2nd	Yawata-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	166	Higashi-Osaka-shi	Daini-Neyagawa	1st	Shin-Kingoro-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg

Rivers	167	Higashi-Osaka-shi	Onchigawa	1st	Minami-Nitta-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	168	Kure-shi	Nikawagawa	2nd	Yamate-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	169	Kure-shi	Kurosegawa	2nd	Imofuku-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	170	Sasebo-shi	Aiuragawa	2nd	Aiura-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	171	Sasebo-shi	Komorigawa	2nd	Komori-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	172	Kumamoto-shi	Tsuboigawa	2nd	Kamishiro-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	173	Kumamoto-shi	Iserigawa	2nd	Ozaki-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Sea areas	174	Funabashi-shi	Tokyo-wan		Funabashi1	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	175	Kyoto-shi	Yamashina-gawa	1st	Shinrokujizou-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	176	Kyoto-shi	Nishi-Takasegawa	1st	Tenjin-bashi	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg
Rivers	177	Kawasaki-shi	Tokyo-wan		Ougishima-oki	-	-	Polychlorinated biphenyl (PCB)	1	2	Chlorinated biphenyl	0.4	0.0	-	µg/kg