

water sediment - carp

Specimen	Survey point's No.	Specimen collection site	No.	SPEED'98 No.	Specimen' name-1	Specimen' name-2	Unit
Water	1	Hamura-seki	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	2	Haijima-bashi	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	3	Tamagawara-bashi	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	4	Denenchofu-seki	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	5	Akikawa	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	6	Asakawa	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	7	Inbanuma	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Water	8	Teganuma	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.001 ug/L
Sediment	1	Hamura-seki	32	-	Ethynyl estradiol	Ethynyl estradiol	0.15 ug/kg-dry
Sediment	2	Haijima-bashi	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.01 ug/kg-dry
Sediment	3	Tamagawara-bashi	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.01 ug/kg-dry
Sediment	4	Denenchofu-seki	32	-	Ethynyl estradiol	Ethynyl estradiol	0.09 ug/kg-dry
Sediment	5	Akikawa	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.01 ug/kg-dry
Sediment	6	Asakawa	32	-	Ethynyl estradiol	Ethynyl estradiol	<0.01 ug/kg-dry
Sediment	7	Inbanuma	32	-	Ethynyl estradiol	Ethynyl estradiol	0.08 ug/kg-dry
Sediment	8	Teganuma	32	-	Ethynyl estradiol	Ethynyl estradiol	0.34 ug/kg-dry
Water	1	Hamura-seki	30	-	17 -estradiol	17 -estradiol	0.0007 ug/L
Water	2	Haijima-bashi	30	-	17 -estradiol	17 -estradiol	0.0002 ug/L
Water	3	Tamagawara-bashi	30	-	17 -estradiol	17 -estradiol	0.0055 ug/L
Water	4	Denenchofu-seki	30	-	17 -estradiol	17 -estradiol	0.0020 ug/L
Water	5	Akikawa	30	-	17 -estradiol	17 -estradiol	<0.001 ug/L
Water	6	Asakawa	30	-	17 -estradiol	17 -estradiol	0.001 ug/L
Water	7	Inbanuma	30	-	17 -estradiol	17 -estradiol	0.005 ug/L
Water	8	Teganuma	30	-	17 -estradiol	17 -estradiol	0.008 ug/L
Sediment	1	Hamura-seki	30	-	17 -estradiol	17 -estradiol	0.43 ug/kg-dry
Sediment	2	Haijima-bashi	30	-	17 -estradiol	17 -estradiol	0.066 ug/kg-dry
Sediment	3	Tamagawara-bashi	30	-	17 -estradiol	17 -estradiol	0.14 ug/kg-dry
Sediment	4	Denenchofu-seki	30	-	17 -estradiol	17 -estradiol	1.3 ug/kg-dry
Sediment	5	Akikawa	30	-	17 -estradiol	17 -estradiol	0.012 ug/kg-dry
Sediment	6	Asakawa	30	-	17 -estradiol	17 -estradiol	0.12 ug/kg-dry
Sediment	7	Inbanuma	30	-	17 -estradiol	17 -estradiol	1.2 ug/kg-dry
Sediment	8	Teganuma	30	-	17 -estradiol	17 -estradiol	1.0 ug/kg-dry
Water	1	Hamura-seki	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	2	Haijima-bashi	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	5	Akikawa	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<0.01 ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<1 ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<1 ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<1 ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<1.0 ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<1 ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	1e,3e,5e-Triphenylcyclohexane	<1 ug/kg-dry

Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/L
Water	5	Akikawa	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Sediment	7	Inbanuma	28	66	Styrene dimers and trimers	Styrene trimers*	2.1	ug/kg-dry
Sediment	8	Teganuma	28	66	Styrene dimers and trimers	Styrene trimers*	0	ug/kg-dry
Water	1	Hamura-seki	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	2	Haijima-bashi	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	5	Akikawa	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<0.01	ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1.0	ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Sediment	7	Inbanuma	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Sediment	8	Teganuma	28	66	Styrene dimers and trimers	2,4-Diephenyl-1-butene	<1	ug/kg-dry
Water	1	Hamura-seki	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	2	Haijima-bashi	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	5	Akikawa	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<0.01	ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1.0	ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	7	Inbanuma	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	8	Teganuma	28	66	Styrene dimers and trimers	trans-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Water	1	Hamura-seki	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	2	Haijima-bashi	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L

Water	5	Akikawa	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<0.01	ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1.0	ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	7	Inbanuma	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Sediment	8	Teganuma	28	66	Styrene dimers and trimers	cis-1,2-Diphenylcyclobutane	<1	ug/kg-dry
Water	1	Hamura-seki	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	2	Haijima-bashi	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	5	Akikawa	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<0.01	ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1.0	ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Sediment	7	Inbanuma	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Sediment	8	Teganuma	28	66	Styrene dimers and trimers	1,,3-Diphenylpropane	<1	ug/kg-dry
Water	1	Hamura-seki	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	2	Haijima-bashi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	4	Denenchofu-seki	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	5	Akikawa	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	6	Asakawa	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	7	Inbanuma	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Water	8	Teganuma	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/L
Sediment	1	Hamura-seki	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	2	Haijima-bashi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	3	Tamagawara-bashi	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	4	Denenchofu-seki	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	5	Akikawa	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	6	Asakawa	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	7	Inbanuma	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Sediment	8	Teganuma	28	66	Styrene dimers and trimers	Styrene dimers*	0	ug/kg-dry
Water	1	Hamura-seki	27	-	Styrene monomer	Styrene monomer	<0.01	ug/L
Water	2	Haijima-bashi	27	-	Styrene monomer	Styrene monomer	<0.01	ug/L
Water	3	Tamagawara-bashi	27	-	Styrene monomer	Styrene monomer	<0.01	ug/L
Water	4	Denenchofu-seki	27	-	Styrene monomer	Styrene monomer	<0.01	ug/L
Water	5	Akikawa	27	-	Styrene monomer	Styrene monomer	0.02	ug/L
Water	6	Asakawa	27	-	Styrene monomer	Styrene monomer	0.01	ug/L

Water	7	Inbanuma	27	-	Styrene monomer	Styrene monomer	0.01	ug/L
Water	8	Teganuma	27	-	Styrene monomer	Styrene monomer	0.02	ug/L
Sediment	1	Hamura-seki	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	2	Haijima-bashi	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	5	Akikawa	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	6	Asakawa	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	7	Inbanuma	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Sediment	8	Teganuma	27	-	Styrene monomer	Styrene monomer	<1	ug/kg-dry
Water	1	Hamura-seki	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	2	Haijima-bashi	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	3	Tamagawara-bashi	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	4	Denenchofu-seki	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	5	Akikawa	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	6	Asakawa	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	7	Inbanuma	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Water	8	Teganuma	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<0.01	ug/L
Sediment	1	Hamura-seki	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<10	ug/kg-dry
Sediment	2	Haijima-bashi	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<10	ug/kg-dry
Sediment	3	Tamagawara-bashi	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	14	ug/kg-dry
Sediment	4	Denenchofu-seki	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<10	ug/kg-dry
Sediment	5	Akikawa	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<10	ug/kg-dry
Sediment	6	Asakawa	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<10	ug/kg-dry
Sediment	7	Inbanuma	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	<10	ug/kg-dry
Sediment	8	Teganuma	26	45	Di-2-ethylhexyl adipate	Di-2-ethylhexyl adipate	22	ug/kg-dry
Water	1	Hamura-seki	25	42	Diethyl phthalate	Diethyl phthalate	<0.2	ug/L
Water	2	Haijima-bashi	25	42	Diethyl phthalate	Diethyl phthalate	<0.2	ug/L
Water	3	Tamagawara-bashi	25	42	Diethyl phthalate	Diethyl phthalate	<0.2	ug/L
Water	4	Denenchofu-seki	25	42	Diethyl phthalate	Diethyl phthalate	<0.2	ug/L
Water	5	Akikawa	25	42	Diethyl phthalate	Diethyl phthalate	<0.1	ug/L
Water	6	Asakawa	25	42	Diethyl phthalate	Diethyl phthalate	<0.1	ug/L
Water	7	Inbanuma	25	42	Diethyl phthalate	Diethyl phthalate	<0.1	ug/L
Water	8	Teganuma	25	42	Diethyl phthalate	Diethyl phthalate	<0.1	ug/L
Sediment	1	Hamura-seki	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	2	Haijima-bashi	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	3	Tamagawara-bashi	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	4	Denenchofu-seki	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	5	Akikawa	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	6	Asakawa	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	7	Inbanuma	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Sediment	8	Teganuma	25	42	Diethyl phthalate	Diethyl phthalate	<10	ug/kg-dry
Water	1	Hamura-seki	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.2	ug/L
Water	2	Haijima-bashi	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.2	ug/L
Water	3	Tamagawara-bashi	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.2	ug/L
Water	4	Denenchofu-seki	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	0.2	ug/L
Water	5	Akikawa	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.3	ug/L
Water	6	Asakawa	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.3	ug/L
Water	7	Inbanuma	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.3	ug/L
Water	8	Teganuma	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<0.3	ug/L

Sediment	1	Hamura-seki	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	37	ug/kg-dry
Sediment	2	Haijima-bashi	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<25	ug/kg-dry
Sediment	3	Tamagawara-bashi	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	32	ug/kg-dry
Sediment	4	Denenchofu-seki	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	29	ug/kg-dry
Sediment	5	Akikawa	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<25	ug/kg-dry
Sediment	6	Asakawa	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	<25	ug/kg-dry
Sediment	7	Inbanuma	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	78	ug/kg-dry
Sediment	8	Teganuma	24	40	Di-n-butyl-phthalate	Di-n-butyl-phthalate	110	ug/kg-dry
Water	1	Hamura-seki	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.2	ug/L
Water	2	Haijima-bashi	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.2	ug/L
Water	3	Tamagawara-bashi	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.2	ug/L
Water	4	Denenchofu-seki	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.2	ug/L
Water	5	Akikawa	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.1	ug/L
Water	6	Asakawa	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.1	ug/L
Water	7	Inbanuma	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.1	ug/L
Water	8	Teganuma	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<0.1	ug/L
Sediment	1	Hamura-seki	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Sediment	2	Haijima-bashi	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Sediment	3	Tamagawara-bashi	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Sediment	4	Denenchofu-seki	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	10	ug/kg-dry
Sediment	5	Akikawa	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Sediment	6	Asakawa	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Sediment	7	Inbanuma	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Sediment	8	Teganuma	23	39	Butyl benzyl phthalate	Butyl benzyl phthalate	<10	ug/kg-dry
Water	1	Hamura-seki	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.2	ug/L
Water	2	Haijima-bashi	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.2	ug/L
Water	3	Tamagawara-bashi	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.2	ug/L
Water	4	Denenchofu-seki	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.2	ug/L
Water	5	Akikawa	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.3	ug/L
Water	6	Asakawa	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.3	ug/L
Water	7	Inbanuma	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.3	ug/L
Water	8	Teganuma	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	<0.3	ug/L
Sediment	1	Hamura-seki	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	140	ug/kg-dry
Sediment	2	Haijima-bashi	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	36	ug/kg-dry
Sediment	3	Tamagawara-bashi	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	320	ug/kg-dry
Sediment	4	Denenchofu-seki	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	500	ug/kg-dry
Sediment	5	Akikawa	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	110	ug/kg-dry
Sediment	6	Asakawa	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	610	ug/kg-dry
Sediment	7	Inbanuma	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	4,000	ug/kg-dry
Sediment	8	Teganuma	22	38	Di-(2-ethylhexyl) phthalate	Di-(2-ethylhexyl) phthalate	2,700	ug/kg-dry
Water	1	Hamura-seki	21	37	Bisphenol A	Bisphenol A	0.02	ug/L
Water	2	Haijima-bashi	21	37	Bisphenol A	Bisphenol A	0.04	ug/L
Water	3	Tamagawara-bashi	21	37	Bisphenol A	Bisphenol A	0.05	ug/L
Water	4	Denenchofu-seki	21	37	Bisphenol A	Bisphenol A	0.05	ug/L
Water	5	Akikawa	21	37	Bisphenol A	Bisphenol A	<0.01	ug/L
Water	6	Asakawa	21	37	Bisphenol A	Bisphenol A	0.04	ug/L
Water	7	Inbanuma	21	37	Bisphenol A	Bisphenol A	0.01	ug/L
Water	8	Teganuma	21	37	Bisphenol A	Bisphenol A	<0.01	ug/L
Sediment	1	Hamura-seki	21	37	Bisphenol A	Bisphenol A	<5	ug/kg-dry
Sediment	2	Haijima-bashi	21	37	Bisphenol A	Bisphenol A	<5	ug/kg-dry

Sediment	3	Tamagawara-bashi	21	37	Bisphenol A	Bisphenol A	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	21	37	Bisphenol A	Bisphenol A	4.1	ug/kg-dry
Sediment	5	Akikawa	21	37	Bisphenol A	Bisphenol A	<5	ug/kg-dry
Sediment	6	Asakawa	21	37	Bisphenol A	Bisphenol A	<5	ug/kg-dry
Sediment	7	Inbanuma	21	37	Bisphenol A	Bisphenol A	22	ug/kg-dry
Sediment	8	Teganuma	21	37	Bisphenol A	Bisphenol A	9.5	ug/kg-dry
Water	1	Hamura-seki	20	36	Alkyl phenol	4 - n-Octyl phenol	<0.03	ug/L
Water	2	Haijima-bashi	20	36	Alkyl phenol	4 - n-Octyl phenol	<0.03	ug/L
Water	3	Tamagawara-bashi	20	36	Alkyl phenol	4 - n-Octyl phenol	<0.03	ug/L
Water	4	Denenchofu-seki	20	36	Alkyl phenol	4 - n-Octyl phenol	<0.03	ug/L
Water	5	Akikawa	20	36	Alkyl phenol	4 - n-Octyl phenol	< 0.01	ug/L
Water	6	Asakawa	20	36	Alkyl phenol	4 - n-Octyl phenol	< 0.01	ug/L
Water	7	Inbanuma	20	36	Alkyl phenol	4 - n-Octyl phenol	< 0.01	ug/L
Water	8	Teganuma	20	36	Alkyl phenol	4 - n-Octyl phenol	< 0.01	ug/L
Sediment	1	Hamura-seki	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Sediment	2	Haijima-bashi	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	20	36	Alkyl phenol	4 - n-Octyl phenol	<1.0	ug/kg-dry
Sediment	5	Akikawa	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Sediment	6	Asakawa	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Sediment	7	Inbanuma	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Sediment	8	Teganuma	20	36	Alkyl phenol	4 - n-Octyl phenol	<5	ug/kg-dry
Water	1	Hamura-seki	20	36	Alkyl phenol	4 - t-Octyl phenol	<0.03	ug/L
Water	2	Haijima-bashi	20	36	Alkyl phenol	4 - t-Octyl phenol	<0.03	ug/L
Water	3	Tamagawara-bashi	20	36	Alkyl phenol	4 - t-Octyl phenol	0.04	ug/L
Water	4	Denenchofu-seki	20	36	Alkyl phenol	4 - t-Octyl phenol	<0.03	ug/L
Water	5	Akikawa	20	36	Alkyl phenol	4 - t-Octyl phenol	0.02	ug/L
Water	6	Asakawa	20	36	Alkyl phenol	4 - t-Octyl phenol	0.12	ug/L
Water	7	Inbanuma	20	36	Alkyl phenol	4 - t-Octyl phenol	0.23	ug/L
Water	8	Teganuma	20	36	Alkyl phenol	4 - t-Octyl phenol	0.23	ug/L
Sediment	1	Hamura-seki	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Sediment	2	Haijima-bashi	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	20	36	Alkyl phenol	4 - t-Octyl phenol	<1.0	ug/kg-dry
Sediment	5	Akikawa	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Sediment	6	Asakawa	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Sediment	7	Inbanuma	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Sediment	8	Teganuma	20	36	Alkyl phenol	4 - t-Octyl phenol	<5	ug/kg-dry
Water	1	Hamura-seki	20	36	Alkyl phenol	Nonyl phenol	<0.03	ug/L
Water	2	Haijima-bashi	20	36	Alkyl phenol	Nonyl phenol	0.20	ug/L
Water	3	Tamagawara-bashi	20	36	Alkyl phenol	Nonyl phenol	0.17	ug/L
Water	4	Denenchofu-seki	20	36	Alkyl phenol	Nonyl phenol	0.25	ug/L
Water	5	Akikawa	20	36	Alkyl phenol	Nonyl phenol	<0.05	ug/L
Water	6	Asakawa	20	36	Alkyl phenol	Nonyl phenol	0.42	ug/L
Water	7	Inbanuma	20	36	Alkyl phenol	Nonyl phenol	1.3	ug/L
Water	8	Teganuma	20	36	Alkyl phenol	Nonyl phenol	1.1	ug/L
Sediment	1	Hamura-seki	20	36	Alkyl phenol	Nonyl phenol	160	ug/kg-dry
Sediment	2	Haijima-bashi	20	36	Alkyl phenol	Nonyl phenol	<50	ug/kg-dry
Sediment	3	Tamagawara-bashi	20	36	Alkyl phenol	Nonyl phenol	120	ug/kg-dry
Sediment	4	Denenchofu-seki	20	36	Alkyl phenol	Nonyl phenol	33	ug/kg-dry

Sediment	5	Akikawa	20	36	Alkyl phenol	Nonyl phenol	<50	ug/kg-dry
Sediment	6	Asakawa	20	36	Alkyl phenol	Nonyl phenol	<50	ug/kg-dry
Sediment	7	Inbanuma	20	36	Alkyl phenol	Nonyl phenol	<50	ug/kg-dry
Sediment	8	Teganuma	20	36	Alkyl phenol	Nonyl phenol	85	ug/kg-dry
Water	1	Hamura-seki	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	2	Haijima-bashi	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	3	Tamagawara-bashi	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	4	Denenchofu-seki	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	5	Akikawa	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	6	Asakawa	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	7	Inbanuma	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Water	8	Teganuma	19	35	Trifluralin	Trifluralin	<0.05	ug/L
Sediment	1	Hamura-seki	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	2	Haijima-bashi	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	5	Akikawa	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	6	Asakawa	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	7	Inbanuma	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Sediment	8	Teganuma	19	35	Trifluralin	Trifluralin	<5	ug/kg-dry
Water	1	Hamura-seki	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	2	Haijima-bashi	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	3	Tamagawara-bashi	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	4	Denenchofu-seki	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	5	Akikawa	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	6	Asakawa	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	7	Inbanuma	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Water	8	Teganuma	18	11	CAT (Simazine)	CAT (Simazine)	<0.05	ug/L
Sediment	1	Hamura-seki	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	2	Haijima-bashi	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	5	Akikawa	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	6	Asakawa	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	7	Inbanuma	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Sediment	8	Teganuma	18	11	CAT (Simazine)	CAT (Simazine)	<5	ug/kg-dry
Water	1	Hamura-seki	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	2	Haijima-bashi	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	3	Tamagawara-bashi	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	4	Denenchofu-seki	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	5	Akikawa	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	6	Asakawa	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	7	Inbanuma	17	9	Atrazine	Atrazine	<0.05	ug/L
Water	8	Teganuma	17	9	Atrazine	Atrazine	<0.05	ug/L
Sediment	1	Hamura-seki	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Sediment	2	Haijima-bashi	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Sediment	5	Akikawa	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Sediment	6	Asakawa	17	9	Atrazine	Atrazine	<5	ug/kg-dry

Sediment	7	Inbanuma	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Sediment	8	Teganuma	17	9	Atrazine	Atrazine	<5	ug/kg-dry
Water	1	Hamura-seki	16	-	Monobutyltin	Monobutyltin	<7	ug/L
Water	2	Haijima-bashi	16	-	Monobutyltin	Monobutyltin	<7	ug/L
Water	3	Tamagawara-bashi	16	-	Monobutyltin	Monobutyltin	10	ug/L
Water	4	Denenchofu-seki	16	-	Monobutyltin	Monobutyltin	7	ug/L
Water	5	Akikawa	16	-	Monobutyltin	Monobutyltin	7	ug/L
Water	6	Asakawa	16	-	Monobutyltin	Monobutyltin	<7	ug/L
Water	7	Inbanuma	16	-	Monobutyltin	Monobutyltin	-	ug/L
Water	8	Teganuma	16	-	Monobutyltin	Monobutyltin	-	ug/L
Sediment	1	Hamura-seki	16	-	Monobutyltin	Monobutyltin	<2	ug/kg-dry
Sediment	2	Haijima-bashi	16	-	Monobutyltin	Monobutyltin	<2	ug/kg-dry
Sediment	3	Tamagawara-bashi	16	-	Monobutyltin	Monobutyltin	3	ug/kg-dry
Sediment	4	Denenchofu-seki	16	-	Monobutyltin	Monobutyltin	4	ug/kg-dry
Sediment	5	Akikawa	16	-	Monobutyltin	Monobutyltin	<2	ug/kg-dry
Sediment	6	Asakawa	16	-	Monobutyltin	Monobutyltin	3	ug/kg-dry
Sediment	7	Inbanuma	16	-	Monobutyltin	Monobutyltin	<2	ug/kg-dry
Sediment	8	Teganuma	16	-	Monobutyltin	Monobutyltin	7	ug/kg-dry
Water	1	Hamura-seki	15	-	Dibutyltin	Dibutyltin	<7	ug/L
Water	2	Haijima-bashi	15	-	Dibutyltin	Dibutyltin	<7	ug/L
Water	3	Tamagawara-bashi	15	-	Dibutyltin	Dibutyltin	<7	ug/L
Water	4	Denenchofu-seki	15	-	Dibutyltin	Dibutyltin	<7	ug/L
Water	5	Akikawa	15	-	Dibutyltin	Dibutyltin	<7	ug/L
Water	6	Asakawa	15	-	Dibutyltin	Dibutyltin	<7	ug/L
Water	7	Inbanuma	15	-	Dibutyltin	Dibutyltin	-	ug/L
Water	8	Teganuma	15	-	Dibutyltin	Dibutyltin	-	ug/L
Sediment	1	Hamura-seki	15	-	Dibutyltin	Dibutyltin	<2	ug/kg-dry
Sediment	2	Haijima-bashi	15	-	Dibutyltin	Dibutyltin	<2	ug/kg-dry
Sediment	3	Tamagawara-bashi	15	-	Dibutyltin	Dibutyltin	<2	ug/kg-dry
Sediment	4	Denenchofu-seki	15	-	Dibutyltin	Dibutyltin	2	ug/kg-dry
Sediment	5	Akikawa	15	-	Dibutyltin	Dibutyltin	<2	ug/kg-dry
Sediment	6	Asakawa	15	-	Dibutyltin	Dibutyltin	<2	ug/kg-dry
Sediment	7	Inbanuma	15	-	Dibutyltin	Dibutyltin	<2	ug/kg-dry
Sediment	8	Teganuma	15	-	Dibutyltin	Dibutyltin	8	ug/kg-dry
Water	1	Hamura-seki	14	34	Triphenyltin	Triphenyltin	<4	ug/L
Water	2	Haijima-bashi	14	34	Triphenyltin	Triphenyltin	<4	ug/L
Water	3	Tamagawara-bashi	14	34	Triphenyltin	Triphenyltin	<4	ug/L
Water	4	Denenchofu-seki	14	34	Triphenyltin	Triphenyltin	<4	ug/L
Water	5	Akikawa	14	34	Triphenyltin	Triphenyltin	<0.001	ug/L
Water	6	Asakawa	14	34	Triphenyltin	Triphenyltin	<0.001	ug/L
Water	7	Inbanuma	14	34	Triphenyltin	Triphenyltin	<0.001	ug/L
Water	8	Teganuma	14	34	Triphenyltin	Triphenyltin	<0.001	ug/L
Sediment	1	Hamura-seki	14	34	Triphenyltin	Triphenyltin	<1	ug/kg-dry
Sediment	2	Haijima-bashi	14	34	Triphenyltin	Triphenyltin	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	14	34	Triphenyltin	Triphenyltin	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	14	34	Triphenyltin	Triphenyltin	<0.1	ug/kg-dry
Sediment	5	Akikawa	14	34	Triphenyltin	Triphenyltin	<0.1	ug/kg-dry
Sediment	6	Asakawa	14	34	Triphenyltin	Triphenyltin	<0.1	ug/kg-dry
Sediment	7	Inbanuma	14	34	Triphenyltin	Triphenyltin	2.0	ug/kg-dry
Sediment	8	Teganuma	14	34	Triphenyltin	Triphenyltin	0.1	ug/kg-dry

Water	1	Hamura-seki	13	33	Tributyltin	Tributyltin	<2	ug/L
Water	2	Haijima-bashi	13	33	Tributyltin	Tributyltin	<2	ug/L
Water	3	Tamagawara-bashi	13	33	Tributyltin	Tributyltin	<2	ug/L
Water	4	Denenchofu-seki	13	33	Tributyltin	Tributyltin	<2	ug/L
Water	5	Akikawa	13	33	Tributyltin	Tributyltin	<0.005	ug/L
Water	6	Asakawa	13	33	Tributyltin	Tributyltin	<0.005	ug/L
Water	7	Inbanuma	13	33	Tributyltin	Tributyltin	<0.005	ug/L
Water	8	Teganuma	13	33	Tributyltin	Tributyltin	<0.005	ug/L
Sediment	1	Hamura-seki	13	33	Tributyltin	Tributyltin	<1	ug/kg-dry
Sediment	2	Haijima-bashi	13	33	Tributyltin	Tributyltin	<1	ug/kg-dry
Sediment	3	Tamagawara-bashi	13	33	Tributyltin	Tributyltin	<1	ug/kg-dry
Sediment	4	Denenchofu-seki	13	33	Tributyltin	Tributyltin	0.4	ug/kg-dry
Sediment	5	Akikawa	13	33	Tributyltin	Tributyltin	0.1	ug/kg-dry
Sediment	6	Asakawa	13	33	Tributyltin	Tributyltin	0.4	ug/kg-dry
Sediment	7	Inbanuma	13	33	Tributyltin	Tributyltin	69	ug/kg-dry
Sediment	8	Teganuma	13	33	Tributyltin	Tributyltin	5.4	ug/kg-dry
Water	1	Hamura-seki	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	2	Haijima-bashi	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	3	Tamagawara-bashi	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	4	Denenchofu-seki	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	5	Akikawa	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	6	Asakawa	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	7	Inbanuma	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Water	8	Teganuma	12	43	Benzo(a)pyrene	Benzo(a)pyrene	<0.01	ug/L
Sediment	1	Hamura-seki	12	43	Benzo(a)pyrene	Benzo(a)pyrene	45	ug/kg-dry
Sediment	2	Haijima-bashi	12	43	Benzo(a)pyrene	Benzo(a)pyrene	1	ug/kg-dry
Sediment	3	Tamagawara-bashi	12	43	Benzo(a)pyrene	Benzo(a)pyrene	32	ug/kg-dry
Sediment	4	Denenchofu-seki	12	43	Benzo(a)pyrene	Benzo(a)pyrene	39	ug/kg-dry
Sediment	5	Akikawa	12	43	Benzo(a)pyrene	Benzo(a)pyrene	57	ug/kg-dry
Sediment	6	Asakawa	12	43	Benzo(a)pyrene	Benzo(a)pyrene	100	ug/kg-dry
Sediment	7	Inbanuma	12	43	Benzo(a)pyrene	Benzo(a)pyrene	100	ug/kg-dry
Sediment	8	Teganuma	12	43	Benzo(a)pyrene	Benzo(a)pyrene	150	ug/kg-dry
Water	1	Hamura-seki	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.025	ug/L
Water	2	Haijima-bashi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.025	ug/L
Water	3	Tamagawara-bashi	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.025	ug/L
Water	4	Denenchofu-seki	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.025	ug/L
Water	5	Akikawa	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.025	ug/L
Water	6	Asakawa	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.025	ug/L
Water	7	Inbanuma	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.05	ug/L
Water	8	Teganuma	11	26	Heptachlor epoxide	Heptachlor epoxide	<0.05	ug/L
Sediment	1	Hamura-seki	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	2	Haijima-bashi	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	5	Akikawa	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	6	Asakawa	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	7	Inbanuma	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Sediment	8	Teganuma	11	26	Heptachlor epoxide	Heptachlor epoxide	<5	ug/kg-dry
Water	1	Hamura-seki	10	25	Heptachlor	Heptachlor	<0.025	ug/L
Water	2	Haijima-bashi	10	25	Heptachlor	Heptachlor	<0.025	ug/L

Water	3	Tamagawara-bashi	10	25	Heptachlor	Heptachlor	<0.025	ug/L
Water	4	Denenchofu-seki	10	25	Heptachlor	Heptachlor	<0.025	ug/L
Water	5	Akikawa	10	25	Heptachlor	Heptachlor	<0.025	ug/L
Water	6	Asakawa	10	25	Heptachlor	Heptachlor	<0.025	ug/L
Water	7	Inbanuma	10	25	Heptachlor	Heptachlor	<0.05	ug/L
Water	8	Teganuma	10	25	Heptachlor	Heptachlor	<0.05	ug/L
Sediment	1	Hamura-seki	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	2	Haijima-bashi	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	5	Akikawa	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	6	Asakawa	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	7	Inbanuma	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Sediment	8	Teganuma	10	25	Heptachlor	Heptachlor	<5	ug/kg-dry
Water	1	Hamura-seki	9	23	Dieldrin	Dieldrin	<0.025	ug/L
Water	2	Haijima-bashi	9	23	Dieldrin	Dieldrin	<0.025	ug/L
Water	3	Tamagawara-bashi	9	23	Dieldrin	Dieldrin	<0.025	ug/L
Water	4	Denenchofu-seki	9	23	Dieldrin	Dieldrin	<0.025	ug/L
Water	5	Akikawa	9	23	Dieldrin	Dieldrin	<0.025	ug/L
Water	6	Asakawa	9	23	Dieldrin	Dieldrin	<0.025	ug/L
Water	7	Inbanuma	9	23	Dieldrin	Dieldrin	<0.05	ug/L
Water	8	Teganuma	9	23	Dieldrin	Dieldrin	<0.05	ug/L
Sediment	1	Hamura-seki	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	2	Haijima-bashi	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	5	Akikawa	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	6	Asakawa	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	7	Inbanuma	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Sediment	8	Teganuma	9	23	Dieldrin	Dieldrin	<5	ug/kg-dry
Water	1	Hamura-seki	8	19	DDE and DDD	p,p'-DDD	<0.025	ug/L
Water	2	Haijima-bashi	8	19	DDE and DDD	p,p'-DDD	<0.025	ug/L
Water	3	Tamagawara-bashi	8	19	DDE and DDD	p,p'-DDD	<0.025	ug/L
Water	4	Denenchofu-seki	8	19	DDE and DDD	p,p'-DDD	<0.025	ug/L
Water	5	Akikawa	8	19	DDE and DDD	p,p'-DDD	<0.025	ug/L
Water	6	Asakawa	8	19	DDE and DDD	p,p'-DDD	<0.025	ug/L
Water	7	Inbanuma	8	19	DDE and DDD	p,p'-DDD	<0.05	ug/L
Water	8	Teganuma	8	19	DDE and DDD	p,p'-DDD	<0.05	ug/L
Sediment	1	Hamura-seki	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	2	Haijima-bashi	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	5	Akikawa	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	6	Asakawa	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	7	Inbanuma	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Sediment	8	Teganuma	8	19	DDE and DDD	p,p'-DDD	<5	ug/kg-dry
Water	1	Hamura-seki	8	19	DDE and DDD	o,p'-DDD	<0.025	ug/L
Water	2	Haijima-bashi	8	19	DDE and DDD	o,p'-DDD	<0.025	ug/L
Water	3	Tamagawara-bashi	8	19	DDE and DDD	o,p'-DDD	<0.025	ug/L
Water	4	Denenchofu-seki	8	19	DDE and DDD	o,p'-DDD	<0.025	ug/L

Water	5	Akikawa	8	19	DDE and DDD	o,p'-DDD	<0.025	ug/L
Water	6	Asakawa	8	19	DDE and DDD	o,p'-DDD	<0.025	ug/L
Water	7	Inbanuma	8	19	DDE and DDD	o,p'-DDD	<0.05	ug/L
Water	8	Teganuma	8	19	DDE and DDD	o,p'-DDD	<0.05	ug/L
Sediment	1	Hamura-seki	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	2	Haijima-bashi	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	5	Akikawa	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	6	Asakawa	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	7	Inbanuma	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Sediment	8	Teganuma	8	19	DDE and DDD	o,p'-DDD	<5	ug/kg-dry
Water	1	Hamura-seki	8	19	DDE and DDD	p,p'-DDE	<0.025	ug/L
Water	2	Haijima-bashi	8	19	DDE and DDD	p,p'-DDE	<0.025	ug/L
Water	3	Tamagawara-bashi	8	19	DDE and DDD	p,p'-DDE	<0.025	ug/L
Water	4	Denenchofu-seki	8	19	DDE and DDD	p,p'-DDE	<0.025	ug/L
Water	5	Akikawa	8	19	DDE and DDD	p,p'-DDE	<0.025	ug/L
Water	6	Asakawa	8	19	DDE and DDD	p,p'-DDE	<0.025	ug/L
Water	7	Inbanuma	8	19	DDE and DDD	p,p'-DDE	<0.05	ug/L
Water	8	Teganuma	8	19	DDE and DDD	p,p'-DDE	<0.05	ug/L
Sediment	1	Hamura-seki	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	2	Haijima-bashi	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	5	Akikawa	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	6	Asakawa	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	7	Inbanuma	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Sediment	8	Teganuma	8	19	DDE and DDD	p,p'-DDE	<5	ug/kg-dry
Water	1	Hamura-seki	8	19	DDE and DDD	o,p'-DDE	<0.025	ug/L
Water	2	Haijima-bashi	8	19	DDE and DDD	o,p'-DDE	<0.025	ug/L
Water	3	Tamagawara-bashi	8	19	DDE and DDD	o,p'-DDE	<0.025	ug/L
Water	4	Denenchofu-seki	8	19	DDE and DDD	o,p'-DDE	<0.025	ug/L
Water	5	Akikawa	8	19	DDE and DDD	o,p'-DDE	<0.025	ug/L
Water	6	Asakawa	8	19	DDE and DDD	o,p'-DDE	<0.025	ug/L
Water	7	Inbanuma	8	19	DDE and DDD	o,p'-DDE	<0.05	ug/L
Water	8	Teganuma	8	19	DDE and DDD	o,p'-DDE	<0.05	ug/L
Sediment	1	Hamura-seki	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	2	Haijima-bashi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	5	Akikawa	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	6	Asakawa	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	7	Inbanuma	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Sediment	8	Teganuma	8	19	DDE and DDD	o,p'-DDE	<5	ug/kg-dry
Water	1	Hamura-seki	7	18	DDT	p,p'-DDT	<0.025	ug/L
Water	2	Haijima-bashi	7	18	DDT	p,p'-DDT	<0.025	ug/L
Water	3	Tamagawara-bashi	7	18	DDT	p,p'-DDT	<0.025	ug/L
Water	4	Denenchofu-seki	7	18	DDT	p,p'-DDT	<0.025	ug/L
Water	5	Akikawa	7	18	DDT	p,p'-DDT	<0.025	ug/L
Water	6	Asakawa	7	18	DDT	p,p'-DDT	<0.025	ug/L

Water	7	Inbanuma	7	18	DDT	p,p'-DDT	<0.05	ug/L
Water	8	Teganuma	7	18	DDT	p,p'-DDT	<0.05	ug/L
Sediment	1	Hamura-seki	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	2	Haijima-bashi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	5	Akikawa	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	6	Asakawa	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	7	Inbanuma	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Sediment	8	Teganuma	7	18	DDT	p,p'-DDT	<5	ug/kg-dry
Water	1	Hamura-seki	7	18	DDT	o,p'-DDT	<0.025	ug/L
Water	2	Haijima-bashi	7	18	DDT	o,p'-DDT	<0.025	ug/L
Water	3	Tamagawara-bashi	7	18	DDT	o,p'-DDT	<0.025	ug/L
Water	4	Denenchofu-seki	7	18	DDT	o,p'-DDT	<0.025	ug/L
Water	5	Akikawa	7	18	DDT	o,p'-DDT	<0.025	ug/L
Water	6	Asakawa	7	18	DDT	o,p'-DDT	<0.025	ug/L
Water	7	Inbanuma	7	18	DDT	o,p'-DDT	<0.05	ug/L
Water	8	Teganuma	7	18	DDT	o,p'-DDT	<0.05	ug/L
Sediment	1	Hamura-seki	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	2	Haijima-bashi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	5	Akikawa	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	6	Asakawa	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	7	Inbanuma	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Sediment	8	Teganuma	7	18	DDT	o,p'-DDT	<5	ug/kg-dry
Water	1	Hamura-seki	6	16	cis-Nanachlor	cis-Nanachlor	<0.025	ug/L
Water	2	Haijima-bashi	6	16	cis-Nanachlor	cis-Nanachlor	<0.025	ug/L
Water	3	Tamagawara-bashi	6	16	cis-Nanachlor	cis-Nanachlor	<0.025	ug/L
Water	4	Denenchofu-seki	6	16	cis-Nanachlor	cis-Nanachlor	<0.025	ug/L
Water	5	Akikawa	6	16	cis-Nanachlor	cis-Nanachlor	<0.025	ug/L
Water	6	Asakawa	6	16	cis-Nanachlor	cis-Nanachlor	<0.025	ug/L
Water	7	Inbanuma	6	16	cis-Nanachlor	cis-Nanachlor	-	ug/L
Water	8	Teganuma	6	16	cis-Nanachlor	cis-Nanachlor	-	ug/L
Sediment	1	Hamura-seki	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	2	Haijima-bashi	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	5	Akikawa	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	6	Asakawa	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	7	Inbanuma	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Sediment	8	Teganuma	6	16	cis-Nanachlor	cis-Nanachlor	<5	ug/kg-dry
Water	1	Hamura-seki	5	16	trans-Nonachlor	trans-Nonachlor	<0.025	ug/L
Water	2	Haijima-bashi	5	16	trans-Nonachlor	trans-Nonachlor	<0.025	ug/L
Water	3	Tamagawara-bashi	5	16	trans-Nonachlor	trans-Nonachlor	<0.025	ug/L
Water	4	Denenchofu-seki	5	16	trans-Nonachlor	trans-Nonachlor	<0.025	ug/L
Water	5	Akikawa	5	16	trans-Nonachlor	trans-Nonachlor	<0.025	ug/L
Water	6	Asakawa	5	16	trans-Nonachlor	trans-Nonachlor	<0.025	ug/L
Water	7	Inbanuma	5	16	trans-Nonachlor	trans-Nonachlor	<0.05	ug/L
Water	8	Teganuma	5	16	trans-Nonachlor	trans-Nonachlor	<0.05	ug/L

Sediment	1	Hamura-seki	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	2	Haijima-bashi	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	5	Akikawa	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	6	Asakawa	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	7	Inbanuma	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Sediment	8	Teganuma	5	16	trans-Nonachlor	trans-Nonachlor	<5	ug/kg-dry
Water	1	Hamura-seki	5	15	Oxychlordane	Oxychlordane	<0.025	ug/L
Water	2	Haijima-bashi	5	15	Oxychlordane	Oxychlordane	<0.025	ug/L
Water	3	Tamagawara-bashi	5	15	Oxychlordane	Oxychlordane	<0.025	ug/L
Water	4	Denenchofu-seki	5	15	Oxychlordane	Oxychlordane	<0.025	ug/L
Water	5	Akikawa	5	15	Oxychlordane	Oxychlordane	<0.025	ug/L
Water	6	Asakawa	5	15	Oxychlordane	Oxychlordane	<0.025	ug/L
Water	7	Inbanuma	5	15	Oxychlordane	Oxychlordane	<0.05	ug/L
Water	8	Teganuma	5	15	Oxychlordane	Oxychlordane	<0.05	ug/L
Sediment	1	Hamura-seki	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	2	Haijima-bashi	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	5	Akikawa	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	6	Asakawa	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	7	Inbanuma	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Sediment	8	Teganuma	5	15	Oxychlordane	Oxychlordane	<5	ug/kg-dry
Water	1	Hamura-seki	4	14	Chlordane	trans-Chlordane	<0.025	ug/L
Water	2	Haijima-bashi	4	14	Chlordane	trans-Chlordane	<0.025	ug/L
Water	3	Tamagawara-bashi	4	14	Chlordane	trans-Chlordane	<0.025	ug/L
Water	4	Denenchofu-seki	4	14	Chlordane	trans-Chlordane	<0.025	ug/L
Water	5	Akikawa	4	14	Chlordane	trans-Chlordane	<0.025	ug/L
Water	6	Asakawa	4	14	Chlordane	trans-Chlordane	<0.025	ug/L
Water	7	Inbanuma	4	14	Chlordane	trans-Chlordane	<0.05	ug/L
Water	8	Teganuma	4	14	Chlordane	trans-Chlordane	<0.05	ug/L
Sediment	1	Hamura-seki	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	2	Haijima-bashi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	5	Akikawa	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	6	Asakawa	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	7	Inbanuma	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Sediment	8	Teganuma	4	14	Chlordane	trans-Chlordane	<5	ug/kg-dry
Water	1	Hamura-seki	4	14	Chlordane	cis-Chlordane	<0.025	ug/L
Water	2	Haijima-bashi	4	14	Chlordane	cis-Chlordane	<0.025	ug/L
Water	3	Tamagawara-bashi	4	14	Chlordane	cis-Chlordane	<0.025	ug/L
Water	4	Denenchofu-seki	4	14	Chlordane	cis-Chlordane	<0.025	ug/L
Water	5	Akikawa	4	14	Chlordane	cis-Chlordane	<0.025	ug/L
Water	6	Asakawa	4	14	Chlordane	cis-Chlordane	<0.025	ug/L
Water	7	Inbanuma	4	14	Chlordane	cis-Chlordane	<0.05	ug/L
Water	8	Teganuma	4	14	Chlordane	cis-Chlordane	<0.05	ug/L
Sediment	1	Hamura-seki	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	2	Haijima-bashi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry

Sediment	3	Tamagawara-bashi	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	5	Akikawa	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	6	Asakawa	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	7	Inbanuma	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Sediment	8	Teganuma	4	14	Chlordane	cis-Chlordane	<5	ug/kg-dry
Water	1	Hamura-seki	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	2	Haijima-bashi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	5	Akikawa	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	6	Asakawa	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	7	Inbanuma	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Water	8	Teganuma	3	12	Hexachlorocyclohexane	HCH total*	0	ug/L
Sediment	1	Hamura-seki	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	2	Haijima-bashi	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	5	Akikawa	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	6	Asakawa	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	7	Inbanuma	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Sediment	8	Teganuma	3	12	Hexachlorocyclohexane	HCH total*	<5	ug/kg-dry
Water	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Water	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Sediment	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Water	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/L
Water	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Water	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Sediment	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry

Sediment	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Sediment	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	-	ug/kg-dry
Water	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Water	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Sediment	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Water	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	<0.025	ug/L
Water	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Water	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	<0.05	ug/L
Sediment	1	Hamura-seki	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	2	Haijima-bashi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	5	Akikawa	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	6	Asakawa	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	7	Inbanuma	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Sediment	8	Teganuma	3	12	Hexachlorocyclohexane	-HCH	<5	ug/kg-dry
Water	1	Hamura-seki	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.025	ug/L
Water	2	Haijima-bashi	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.025	ug/L
Water	3	Tamagawara-bashi	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.025	ug/L
Water	4	Denenchofu-seki	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.025	ug/L
Water	5	Akikawa	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.025	ug/L
Water	6	Asakawa	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.025	ug/L
Water	7	Inbanuma	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.05	ug/L
Water	8	Teganuma	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<0.05	ug/L
Sediment	1	Hamura-seki	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	2	Haijima-bashi	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	3	Tamagawara-bashi	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	4	Denenchofu-seki	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	5	Akikawa	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	6	Asakawa	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry

Sediment	7	Inbanuma	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Sediment	8	Teganuma	2	4	Hexachlorobenzene (HCB)	Hexachlorobenzene (HCB)	<5	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	1.2	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0.08	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	0.61	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	3.7	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	1.3	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	1.2	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	7.5	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	PCB total*	22	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.01	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.01	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.01	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<1.0	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<1.0	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<1.0	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<1.0	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<1.0	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Decichloro biphenyl	<0.02	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.01	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.01	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.01	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<1.0	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<1.0	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<1.0	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<1.0	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.02	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.02	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.02	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<1.0	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.02	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.02	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	<0.02	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Nonachloro biphenyl	0.13	ug/kg-dry

Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<0.01	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<0.5	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<0.5	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<0.5	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	<0.5	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	0.57	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	0.02	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	0.19	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	1.4	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	0.43	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	0.24	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	2.2	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Pentachloro biphenyl	5.7	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.01	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.01	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.01	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.5	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.5	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.5	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.5	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	0.55	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	<0.02	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	0.16	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	0.4	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	0.37	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	0.40	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	2.3	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Tetrachloro biphenyl	5.6	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.01	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.01	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.01	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.5	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.5	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.5	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.5	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	<0.02	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	0.06	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	0.02	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	0.4	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	0.38	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	0.41	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	0.39	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Trichloro biphenyl	6.6	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.01	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.01	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.01	ug/L

Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<2.0	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<2.0	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<2.0	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<2.0	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.02	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.02	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.02	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<1.0	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.02	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	<0.02	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	0.82	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Dichloro biphenyl	0.69	ug/kg-dry
Water	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.01	ug/L
Water	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.01	ug/L
Water	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.01	ug/L
Water	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.01	ug/L
Water	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.5	ug/L
Water	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.5	ug/L
Water	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.5	ug/L
Water	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.5	ug/L
Sediment	1	Hamura-seki	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry
Sediment	2	Haijima-bashi	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry
Sediment	3	Tamagawara-bashi	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry
Sediment	4	Denenchofu-seki	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<1.0	ug/kg-dry
Sediment	5	Akikawa	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry
Sediment	6	Asakawa	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry
Sediment	7	Inbanuma	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry
Sediment	8	Teganuma	1	2	Polychlorinated biphenyls (PCBs)	Chlorinated biphenyl	<0.02	ug/kg-dry