FY2019 Radioactive Material Monitoring of Aquatic Organisms (August-September)

1. Survey Overview

Samples of aquatic organisms (algae, aquatic insects, crustaceans, shellfishes, fishes, and amphibians, etc.) were mainly collected in Fukushima Prefecture and concentrations of radioactive cesiums and radioactive strontium in the samples were measured (survey period: August 19 to September 3, 2019).

In order to clarify the environment of the water areas where aquatic organisms live, surveys were also conducted on general items concerning water and sediments and activity concentrations in these water areas.

The following water areas were selected based on the results of the past Radioactive Material Monitoring of Aquatic Organisms, Radioactive Material Monitoring in the Water Environment in and around Fukushima Prefecture, the measurement of radioactive materials in fisheries products conducted by other relevant organizations, and interviews with local fishermen.

- (i) Rivers: Abukuma River, Uda River, Mano River, Niida River, and Ota River
- (ii) Lakes: Lake Hayama, Lake Akimoto, and Lake Inawashiro
- (iii) Sea areas: Off the mouth of the Abukuma River, off Soma City, and off Iwaki City

• Survey locations and dates

Area		Targeted water areas	Zone	Item	Survey dates	Remarks
River area	А		Shinfuna Bridge to the Iino Dam; Harase River (a	Aquatic organisms sampling	August 19, and 20, 2019	Algae/Plants, Aquatic insects, Crustanceans, Shellfishes, Fishes, Amphibians, Fallen leaves, etc.
		Abukuma River	tributary)	Water/sediment sampling	September 19, 2019	(Water sampling) A-1,A-2 (Sediment sampling) A-1,A-2
	в	Abukuma River	Confluence with the Surikami River (a tributary) to Taisho	Aquatic organisms sampling	August 27, and 30, 2019	Algae/Plants, Aquatic insects, Crustanceans, Fishes, Amphibians, Fallen leaves, etc.
			Bridge;Surikami River (a tributary)	Water/sediment sampling	September 19, 2019	(Water sampling) B-2,B-3 (Sediment sampling) B-2,B-3
	с	Uda River	Around Horisaka Bridge	Aquatic organisms sampling	August 20 and 29, 2019	Algae/Plants, Aquatic insects, Crustanceans, Fishes, Amphibians, Fallen leaves, etc.
	C	Uda River	Around Horisaka Bridge	Water/sediment sampling	August 29, 2019	(Water sampling) C-6 (Sediment sampling) C-6
	D	Mano River	Furukawa Bridge to Sakurada	Aquatic organisms sampling	August 21, 22 and 30, 2019	Algae/Plants, Aquatic insects, Crustanceans, Fishes, Amphibians, Fallen leaves, etc.
			Bridge	Water/sediment sampling	August 29, 2019	(Water sampling) D-4a (Sediment sampling) D-4a
	Е	Niida River	Around Monzen Bridge	Aquatic organisms sampling	August 29, 2019	Algae/Plants, Aquatic insects, Crustanceans, Fishes, Amphibians, Fallen leaves, etc.
			Around Monzen Bridge	Water/sediment sampling	August 28, 2019	(Water sampling) E-2a (Sediment sampling) E-2a
	F	Ota River	Yaigomesaka Bridge to	Aquatic organisms sampling	August 22, 2019	Algae/Plants, Aquatic insects, Crustanceans, Fishes, Amphibians, Fallen leaves, etc.
			Daimonji Bridge	Water/sediment sampling	August 28, 2019	(Water sampling) F-1 (Sediment sampling) F-1
Lake area	G	Lake Hayama		Aquatic organisms sampling	August 21, and 30, 2019	Algae/Plants, Aquatic insects, Fishes, Amphibians, Fallen leaves, etc.
	0			Water/sediment sampling	August 30, 2019	(Water sampling) G-1,G-2 (Sediment sampling) G-1,G-2
	н	Lake Akimoto		Aquatic organisms sampling	August 26, 27 and September 3, 2019	Algae/Plants, Aquatic insects, Crustanceans, Fishes, Amphibians, Fallen leaves, etc.
				Water/sediment sampling	August 27, 2019	(Water sampling) H-2 (Sediment sampling) H-2
	Ι		North lakeside	Aquatic organisms sampling	August 26, 2019	Fishes, Fallen leaves, etc.
	J	Lake Inawashiro	South lakeside	Aquatic organisms sampling	August 23, 2019	Algae/Plants, Crustanceans, Fishes, Amphibians
				Water/sediment sampling	August 23, 2019	(Water sampling) J-1 (Sediment sampling) J-1
Sea area		Off the mouth of the Abukuma River	Sea area in front of the	Aquatic organisms sampling	August 21, 2019	Fishes
			Abukuma River Estuary	Water/sediment sampling	August 21, 2019	(Water sampling) K-3 (Sediment sampling) K-3
	L	Off Soma City	Matsukawaura Lagoon	Aquatic organisms sampling	August 20, 2019	Seaweeds/Algae, Polycheatas, Crustanceans, Shellfishes, Fishes
				Water/sediment sampling	August 21, 2019	(Water sampling) L-2 (Sediment sampling) L-2
	М	og Ludi Cita	Offshore of Hisanohama	Aquatic organisms sampling	August 20, 2019	Seaweeds/Algae, Shellfishes, Sea urchins, Fishes
	IVI	Off Iwaki City	Olishore of Hisanonama	Water/sediment sampling	August 20, 2019	(Water sampling) M-2 (Sediment sampling) M-2

2. Survey Items and Locations, etc.

2.1 Survey Items

For all samples of aquatic organisms, analysis of radioactive cesiums (Cs-134, Cs-137) was conducted. Additionally, for samples of large fish, etc. analysis of radioactive strontium (Sr-90) was also conducted.

With regard to surveys of water and sediments, locations where aquatic organism samples were scheduled to be collected and where clay particles and coarse particulate organic matters (Fallen leaves at the bottom, etc.: hereinafter called "CPOMs") are supposed to accumulate due to inflows from the surrounding environment, etc. were selected for the analysis of radioactive materials and general survey items.

Survey items and samples for aquatic organisms, water, and sediments are as shown in the following table.

Target		Measurement item	Analyzed samples			
Aquatic	Radioactive	Radioactive cesiums (Cs-134,Cs-137)	All samples			
Organisms	materials	Radioactive strontium (Sr-90)	Large fish, etc.			
	Radioactive	Radioactive cesiums (Cs-134,Cs-137)	Samples collected at one to four locations for ea water area			
	materials	Radioactive strontium (Sr-90)	Samples collected at one location for each water area			
		pH				
		BOD (Biochemical oxygen demand)				
Water		COD (Chemical oxygen demand)	Samples collected at one to four locations for each water area			
w at ci		DO (Dissolved oxygen level)				
	General items	Electric conductivity				
		Salinity				
		TOC (Total organic carbon)				
		SS (Suspended solids)				
		Turbidity				
	Radioactive	Radioactive cesiums (Cs-134,Cs-137)	Samples collected at one to four locations for each water area			
	materials	Radioactive strontium (Sr-90)	Samples collected at one location for each water area			
		pH	_			
Sediments		Oxidation-reduction potential				
Sediments		Water content	Samples collected at one to four locations for eac water area			
	General items	IL (Ignition loss)				
		TOC (Total organic carbon)				
		Soil particle density				
		Grain size distribution				


• Survey targets and items

- 2.2 Survey Locations at Respective Water Areas
- (1) Abukuma River System (Location A along the Abukuma River; Location B along the Abukuma River; Location K off the mouth of the Abukuma River).

As water areas where clay particles and CPOMs are supposed to accumulate topographically, Location A along the Abukuma River was set from the Harase River (a tributary of the Abukuma River) and Shinfuna Bridge (Nihonmatsu City, Fukushima Prefecture) to the Iino Dam, and Location B along the Abukuma River was set from the confluence with the Surikami River to Taisho Bridge (Date City, Fukushima Prefecture) as well as the zone where a tributary of the Surikami River inflows. Additionally, Location K was set off the mouth of the Abukuma River, where the outflow of radioactive materials through the Abukuma River is suspected.




Detailed map showing Location K off the mouth of the Abukuma River



Map showing Location A and Location B along the Abukuma River

(2) Location C along the Uda River


Surveys were started in the autumn term of FY2012 and conducted around Horisaka Bridge in 2019.




Detailed map showing Location C along the Uda River

(3) Mano River System (Location D along the Mano River; Location G in Lake Hayama)

Surveys were conducted at Location D along the Mano River, which covers from Furukawa Bridge to Sakurada Bridge (Kashima Ward, Minamisoma City, Fukushima Prefecture), and at Location G in Lake Hayama (Mano Dam), which covers the lake as a whole and inflow points.



Detailed map showing Location D along the Mano River



Detailed map showing Location G in Lake Hayama (Mano Dam)

(4) Location E along the Niida River


Huno Dam Huno River

Surveys were conducted around Monzen Bridge.

Detailed map showing Location E along the Niida River

(5) Location F along the Ota River


Surveys were started in the autumn term of FY2012 and conducted around Yaigomesaka Bridge and Daimonji Bridge in 2019.



Detailed map showing Location F along the Ota River


(6) Location H in Lake Akimoto

Surveys were conducted the center of Lake Akimoto, around the point where the Nakatsu River inflows into Lake Akimoto, and around Lake Akimoto.



Detailed map showing Location H in Lake Akimoto

(7) Location I (North Lakeside) and Location J (South Lakeside) in Lake Inawashiro Surveys were conducted at around the point where the Nagase River flows into Lake Inawashiro and at the south lakeside.




Detailed map showing Location I (north lakeside) and Location J (south lakeside) in Lake Inawashiro

(8) Location L off Soma City

Surveys were conducted within the Matsukawaura Lagoon, centering on the estuary region of the Uda River.


Sampling point in Location L-2 was expanded to the south in the FY2015 survey because sampling was impossible at the conventional point due to bank protection work.



Detailed map showing Location L off Soma City (Matsukawaura Lagoon)

(9) Location M off Iwaki City

Surveys were conducted at offshore of the Hisanohama Fishing Port and coastal areas in Hisanohama.



Detailed map showing Location M off Iwaki City

3. Results

Survey results are shown in the table.

The outline of the measurement results of radioactive cesiums (the total of Cs-134 and Cs-137).

(i) Rivers and lakes

Water areaTimeAlgae, PlantsAquatic insectsCrustaceansShellfishes (Molluscan body)FishesAmphibiansAbukuma River AFY2019 May - Jun2437.9, 15.8 (2 species) $3.1 - 9.4$ (3 species)18.4N.D 95.4 (18 species) 33.1 Abukuma River SystemFY2019 May - Jun70.4 $4.8 - 41.5$ (4 species) $5.7 - 25.8$ (4 species) 5.8 $2.2 - 20$ (15 species) $6.4 - 358$ (5 species)Abukuma River BFY2019 May - Jun100.7 $2.4 - 35.8$ (3 species) 8.39 $-$ N.D 21.5 (15 species) 3.8	CPOMs 39.1 24.1 24.7 17.2
Abukuma River System Aug River A Aug May - Jun 243 (2 species) (3 species) 18.4 (18 species) 33.1 Abukuma River System River A FY2019 May - Jun 70.4 4.8 - 41.5 (4 species) 5.7 - 25.8 (4 species) 5.8 2.2 - 20 (15 species) 6.4 - 358 (5 species) Abukuma River B FY2019 Aug 100.7 2.4 - 35.8 (3 species) 8.39 - N.D 21.5 (15 species) 3.8 FY2019 4.3 - 42.6 1.6 - 16.89 11 10 3.4 - 21.9 4.2 , 71.7	24.1 24.7
Abukuma River System FY2019 May - Jun 70.4 4.8 - 41.3 (4 species) 5.7 - 25.8 (4 species) 5.8 2.2 - 20 (15 species) 6.4 - 538 (5 species) Abukuma River B FY2019 Aug 100.7 2.4 - 35.8 (3 species) 8.39 - N.D 21.5 (15 species) 3.8 FY2019 4.3 - 42.6 1.6 - 16.89 11 10 3.4 - 21.9 4.2 , 71.7	24.7
System FY2019 Aug. 100.7 2.4 - 35.8 (3 species) 8.39 - N.D 21.5 (15 species) 3.8 River B FY2019 4.3 - 42.6 1.6 - 16.89 11 10 3.4 - 21.9 4.2 , 71.7	
F 12019 4.3 - 42.6 1.6 - 10.89 11 10 5.4 - 21.9 4.2 , 71.7	17.2
FY2019 Aug. 60 2.7 - 12 3.8 - 8.8 (3 species) 4 species) - 1.9 - 25.7 (11 species) 20	4.1
Uda River C FY2019 8.49,28 4.4 - 70.2 5.5 - 7.2 Jun. (2 species) (3 species) (3 species) 3.2 - 17.2 7.5,84.1 (15 species) (2 species)	14.1
FY2019 N.D., 301 27, 131 - - 16 - 298 431 Lake Aug. (2 species) (2 species) - - 16 - 298 431	70.2
Mano River Hayama G FY2019 3.1,46 7.4 - 83.6 24 - 9.6 - 151 -	53.8
Kiter FY2019 148.0 9.7 - 59.1 10 - 30.5 2.7 - 107.1 40.4 Mano River Aug. 148.0 3 species) (3 species) - 2.7 - 107.1 40.4	22.8
D FY2019 6.39 - 66.8 10 - 31 8.4 - 61.2 24 , 32 N.D 34.6 8.1 - 203 Jun. (3 species) (3 species) (4 species) (2 species) (18 species) (6 species)	22.8
FY2019 Aug. 45.8 17 - 151 (3 species) 29.5 , 43.8 (2 species) - 18 - 94.3 (5 species) 12	106.6
FY2019 33.6, 294 27 - 128.3 31.2 - 66.9 38 15 - 101.3 22, 430 Jun. (2 species) (4 species) (4 species) 38 (9 species) (2 species)	193
FY2019 Aug. 238 51 - 511 (4 species) 256 - 41.7 - 559 (9 species) 43.8	53.7
FY2019 13.0 - 318 103.3 - 243 244 - 333 207 19 - 473 32.7 - 194 Jun. (3 species) (4 species) (3 species) 207 (12 species) (3 species)	91.6
FY2019 Aug Sen N.D., 6.89 (2 species) 3.2 28.9 - 8.04 - 59.0 (8 species) 5.7 - 56.9 (3 species)	28.4
FY2019 N.D., 30 N.D 7.6 9.30, 19.5 13 2.8 - 63.5 4.9 - 108.6 Jun. (2 species) (5 species) (2 species) (2 species) (3 species) (5 species)	29.4
Lake InawashiroFY2019 AugN.D	5.46
LakeI (north lakeside)FY2019 Jun Jul11.63 - 24.3 (5 species)	18.5
Inawashiro Lake Inawashiro Aug. N.D N.D N.D. N.D N.D. 3.5	-
J (south lakeside) FY2019 Jun Jul. N.D 0.78 (3 species) 2.8 8.02 N.D 7.8 (3 species) 1.1 - 33.1 (7 species) 1.5 , 2.5 (2 species)	-

Unit:Bq/kg-wet

* N.D. means to be below the detection limit.

* Organisms were collected in or around the targeted water areas.

* Basically, measurements was conducted for all targeted samples, and not limited to edible parts.

*Since the autumn term of FY2012, sampling and analysis of aquatic insects had been conducted separately for four categories (Plecoptera, Trichoptera, Odonata, and Megaloptera) (by feeding habit and type). Since the FY2014 June-July survey, Ephemeroptera was added and sampling and analysis were conducted for five categories.

(ii) Sea areas

Unit:Bq/kg-wet

Water area	Time	Seaweeds, Algae	Polychaetes	Sea urchins, Starfishes, Trepangs,	Crustaceans	Shellfishes (Molluscan body)	Squids, Octopuses	Fishes
Location K off the mouth of the	FY2019 Aug.	-	-	-	-	-	-	0.55 - 1.5 (3 species)
Abukuma River	FY2019 Jun.	-	-	-	-	-	-	N.D 0.58 (4 species)
Location L off	FY2019 Aug.	28	1.7	-	0.86 - 3.6 (4 species)	1.7	-	1.2 - 1.7 (3 species)
Soma City (Matsukawaura Lagoon)	FY2019 Jun.	1.3 , 5.2 (2 species)	4.4	-	N.D 2.0 (3 species)	1.1	-	0.94 - 1.2 (4 species)
Location M off	FY2019 Aug.	0.26	-	N.D.	-	N.D.	-	0.44 - 3.7 (8 species)
Iwaki City (Hisanohama)	FY2019 Jul.	-	-	-	-	-	-	0.88 , 1.0 (2 species)

* N.D. means to be below the detection limit.

* Organisms were collected in or around the targeted water areas.

* Basically, measurements was conducted for all targeted samples, not limited to edible parts.