

## Results of Radioactive Material Monitoring of Aquatic Organisms (Location D along the Mano River)

<Location D along the Mano River: Samples collected>

Items	General items		Radioactive materials			
	Water	Sediment	Water (Cs)	Water (Sr)	Sediment (Cs)	Sediment (Sr)
D-4 a	○	○	○	○	○	○

<Location D along the Mano River: Site measurement item>

Items	Latitude and longitude of the location		Survey date and time			Water	Sediment			Other		
	Latitude	Longitude	Date	Time (water)	Time (sediment)	Water temperature (degrees C)	Sediment temperature (degrees C)	Property	Color	Contaminants	Water depth (m)	Transparency (cm)
D-4 a	37.7308°	140.9081°	2020/10/26	09:03	09:24	14.1	14.7	Gravel with sand	10YR4/2	None	0.24	>50

<Location D along the Mano River: General survey items/Analysis of radioactive materials Water>

Items	Latitude and longitude of the location		Survey date and time		pH	BOD	COD	DO	Electric conductivity	Salinity	TOC	SS	Turbidity	Cs-134	Cs-137	Sr-90
	Latitude	Longitude	Date	Time (water)		(mg/L)	(mg/L)	(mg/L)	(mS/m)	(mg/L)	(mg/L)	(FNU)	(Bq/L)	(Bq/L)	(Bq/L)	
D-4 a	37.7308°	140.9081°	2020/10/26	09:03	7.3	<0.5	1.7	11.4	10.5	0.06	0.9	<1	0.6	N.D.(0.0012)	0.0044	0.00072

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location D along the Mano River: General survey items/Analysis of radioactive materials Sediment>

Items	Latitude and longitude of the location		Survey date and time		pH	Redox potential E <sub>NHE</sub> (mV)	Water content (%)	IL (%)	TOC (mg/g-dry)	Soil particle density (g/cm <sup>3</sup> )	Grain size distribution						Cs-134 (Bq/kg-dry)	Cs-137 (Bq/kg-dry)	Sr-90 (Bq/kg-dry)	
	Latitude	Longitude	Date	Time (sediment)							Gravel (2-75mm) (%)	Coarse sand (0.85-2mm) (%)	Medium sand (0.25-0.85mm) (%)	Fine sand (0.075-0.25mm) (%)	Silt (0.005-0.075mm) (%)	Clay (Less than 0.005mm) (%)	Median grain diameter (mm)	Maximum grain diameter (mm)		
D-4 a	37.7308°	140.9081°	2020/10/26	09:24	7.5	419	18.7	1.8	3.7	2.717	22.0	36.0	38.5	2.2	1.3	1.0	9.5	6.4	110	0.65

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location D along the Mano River: Analysis items Aquatic organisms>

Locations	Sampling point	Latitude and longitude of the location		Sampling date	Division	Class	Order	Family	Scientific name	English name	Population	Sample weight (kg-wet)	Note			Radioactive cesium (Bq/kg-wet)			Sr-90 (Bq/kg-wet)
		Latitude	Longitude										Growth stage	Stomach contents	Measurement site	Total	Cs-134	Cs-137	
D-3	The main stream of the Mano River	37.7051°	140.9623°	2020/10/24	Arthropoda	Malacostraca	Decapoda	Cambaridae	<i>Procambarus clarkii</i>	Red swamp crawfish	2	0.066	Imago	-	-	10	N.D.(1.8)	10	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Cyprinus carpio</i>	Common carp	1	0.050	Immature fish	Obscure digesta	Viscera removed	4.1	N.D.(2.3)	4.1	-
					Vertebrata	Osteichthyes	Perciformes	Gobiidae	<i>Tridentiger brevispinis</i>	Dusky tripletooth goby	1	0.014	Mature fish	-	-	7.7	N.D.(3.5)	7.7	-
D-4 b	The main stream of the Mano River	37.7312°	140.9096°	2020/10/24	Algae/plant	-	-	-	Riverbed Deposits (Include algae)	-	0.0075	-	-	-	-	85	N.D.(6.3)	85	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Tribolodon hakonensis</i>	Japanese dace	20	0.092	Immature fish	-	-	13.3	1.3	12	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Pseudogobio esocinus esocinus</i>	Pseudogobio esocinus esocinus	2	0.019	Immature fish, Mature fish	-	-	9.3	N.D.(2.5)	9.3	-
					Vertebrata	Osteichthyes	Salmoniformes	Salmonidae	<i>Oncorhynchus keta</i>	Salmon	1	3.0	Mature fish	Empty stomach	Viscera removed	N.D.	N.D.(0.33)	N.D.(0.30)	0.030
					Vertebrata	Osteichthyes	Perciformes	Centrarchidae	<i>Micropterus dolomieu</i>	Small mouth bass	8	0.12	Immature fish	-	-	8.7	N.D.(1.6)	8.7	-
D-5	The main stream of the Mano River	37.7214°	140.8889°	2020/10/24	Coarse Particulate Organic Matter	-	-	-	Bottom fallen leaves	-	0.21	-	-	-	-	27.2	1.2	26	-
					Vertebrata	Osteichthyes	Cypriniformes	Cyprinidae	<i>Carassius auratus</i>	Carassius auratus langsdorffii	3	0.16	Mature fish	Obscure digesta	Viscera removed	8.5	N.D.(1.7)	8.5	-
					Vertebrata	Osteichthyes	Salmoniformes	Salmonidae	<i>Oncorhynchus masou</i>	Yamame trout	2	0.053	Immature fish	-	-	11	N.D.(1.8)	11	-

\*1: Organisms were collected in or around the targeted water areas.

\*2: When multiple types of aquatic organisms were collected, a sample was prepared by mixing them.

\*3: For a sample made of multiple types of aquatic organisms, the English name of the dominant one largest in number is underlined.

\*4: Basically, measurement was conducted for all organism samples. Viscera (stomach and bowels) were removed for the measurement when possible so that undigested food and sediments, etc. in the digestive system would be excluded.

\*5: Plankton (suspended algae) is the residue remaining after the filtration of lake water or seawater with a plankton net (40μm-mesh).

\*6: River bottom materials (incl. algae) are algae, etc. that were scratched off stones with a brush, etc. and may include very fine particles such as inorganic silt and clay.

\*7: N.D. means to be below the detection limit and figures in parentheses show the detection limit.

\*8: Activity concentrations include counting errors, but the details are omitted here.