## OResults of Radioactive Material Monitoring of Aquatic Organisms (Location M off Iwaki City)

<Location M off Iwaki City: Samples collected>

Items	Genera	ıl items	Radioactive materials									
Locations	Water	Sediment	Water (Cs)	Water (Sr)	Sediment (Cs)	Sediment (Sr)						
M-2	0	0	0	0	0	0						

<Location M off Iwaki City: Site measurement item>

-Eocation w on twan												
Items		ongitude of the	Survey date and time			Water		Sedi		Other		
Locations	Latitude Longit		Date	Time (water)	Time (sediment)	Water temperature (degrees C)	Sediment temperature (degrees C)	Property	Color Contaminants		Water depth (m)	Secchi disk depth (m)
M-2(Surface layer)	- 37.1996°	141.0853°	2020/10/20	08:23	08:35	19.2	10.1	Sand	5Y 3/1	Shell fragments	42.4	8.5
M-2(Bottom layer)	37.1996	141.0853°	2020/10/20	08:00		19.6	19.1					8.3

<Location M off Iwaki City: General survey items/Analysis of radioactive materials Water>

*Location w on twaki	Iwaki City. General survey items Ananysis of fadroactive materials - water-															
Items	Latitude and longitude of the location		Survey date and time		pH	BOD	COD	DO	Electric conductivity	Salinity	TOC	SS	Turbidity	Cs-134	Cs-137	Sr-90
Locations	Latitude	Longitude	Date	Time (water)		(mg/L)	(mg/L)	(mg/L)	(mS/m)		(mg/L)	(mg/L)	(FNU)	(Bq/L)	(Bq/L)	(Bq/L)
M-2(Surface layer)	37.1996°	141.0853°	2020/10/20	08:23	8.1	0.7	1.4	7.9	5070	33.06	1.0	2	0.9	N.D.(0.0011)	0.0040	-
M-2(Bottom layer)	37.1996°	141.0855	2020/10/20	08:00	8.1	0.5	1.4	7.4	5170	33.61	0.9	2	0.8	N.D.(0.0011)	0.0024	0.00083

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location M off Iwaki City: General survey items/Analysis of radioactive materials Sediment>

Items	Latitude and longitude of the location		Survey date and time				Redox potential Water content	IL	TOC	Soil particle	Grain size distribution										
ricins					pH	Redox potential					Gravel	Coarse sand	Medium sand Fine sand		Silt	Clay	Median grain	Maximum	Cs-134	Cs-137	Sr-90
Locations	Latitude	Longitude	Date	Time (sediment)	1	$E_{N.H.E}$				density	(2-75mm)	(0.85-2mm)	(0.25-0.85mm)	(0.075-0.25mm)	(0.005-0.075mm)	(Less than 0.005mm)	diameter	grain diameter			
Locations	Latitude		Date	Time (sediment)		(mV)	(%)	(%)	(mg/g-dry)	(g/cm <sup>3</sup> )	(%)	(%)	(%)	(%)	(%)	(%)	(mm)	(mm)	(Bq/kg-dry)	(Bq/kg-dry)	(Bq/kg-dry)
M-2	37.1996°	141.0853°	2020/10/20	08:35	7.8	290	22.1	1.8	1.7	2.771	-	1.1	2.4	93.1	0.9	2.5	0.16	2.0	1.4	25	N.D.(0.13)

Note) N.D. means to be below the detection limit and figures in parentheses show the detection limit.

<Location M off Iwaki City: Analysis items Aquatic organisms>

Locations	Sampling point	Latitude and l	ongitude of the	Sampling date	Division	Class	Order	Family	Scientific name	English name	Population	Sample weight	t Note			Rac	dioactive cesium (Bq/kg-	active cesium (Bq/kg-wet) Sr-90		
		Latitude	Longitude			_ 100				8		(kg-wet)	Growth stage	Stomach contents	Measurement site	Total	Cs-134	Cs-137	(Bq/kg-wet)	
M-1 M-2	Offshore of	37.1736° 37.1996°	141.0788° 141.0853°	2020/10/20	Mollusca	Cephalopoda	Decapodiformes	Loliginidae	Loliolus japonica	Japanese squid	60	0.23	Juvenile	-	-	N.D.	N.D.(0.31)	N.D.(0.29)	-	
M-3	Hisanohama	37.1990 37.2324°	141.0935°	2020/10/20	Vertebrata	Osteichthyes	Perciformes	Sparidae	Pagrus major	Red seabream	2	2.1	Immature fish,Mature fish	Empty stomach	Viscera removed	0.84	N.D.(0.34)	0.84	-	
	II:1			2020/11/25	Algae/plant	Phaeophyceae	Laminariales	Laminariaceae	Eisenia bicyclis	Eisenia bicyclis	-	0.30	-	-	-	N.D.	N.D.(0.26)	N.D.(0.22)	-	
M-4	Hisanohama Coastal areas	_	_	2020/11/23	Mollusca	Gastropoda	Archaeogastropoda	Haliotidae	Haliotis sp.	Abalone	3	0.33	Imago	-	Molluscous part	0.86	N.D.(0.37)	0.86	-	
	Coastai areas			2020/11/18	Echinodermata	Echinoidea	Echinoida	Strongylocentrotidae	Strongylocentrotus nudus	Northern sea urchin	5	0.76	Imago	-	-	1.7	N.D.(0.48)	1.7	-	

<sup>\*1:</sup> Organisms were collected in or around the targeted water areas.

<sup>\*2:</sup> When multiple types of aquatic organisms were collected, a sample was prepared by mixing them.

<sup>\*3:</sup> For a sample made of multiple types of aquatic organisms, the English name of the dominant one largest in number is underlined.

<sup>\*4:</sup> Basically, measurement was conducted for all organism samples. Viscera (stomach and bowels) were removed for the measurement when possible so that undigested food and sediments, etc. in the digestive system would be excluded.

<sup>\*5:</sup> Plankton (suspended algae) is the residue remaining after the filtration of lake water or seawater with a plankton net (40 $\mu$ m-mesh).

<sup>\*6:</sup> River bottom materials (incl. algae) are algae, etc. that were scratched off stones with a brush, etc. and may include very fine particles such as inorganic silt and clay.

<sup>\*7:</sup> N.D. means to be below the detection limit and figures in parentheses show the detection limit.

\*8: Activity concentrations include counting errors, but the details are omitted here.