

第8表 多項目水質センサーによる鉛直観測結果 (St. 01 および St. 02)

		St. 01			St. 02				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	20.78	13.01	7.70	5.48	0.5	20.57	17.94	7.86	11.62
1.0	21.37	15.35	7.71	4.95	1.0	21.05	21.54	7.92	11.35
1.5	21.38	16.28	7.76	5.29	1.5	21.44	23.82	8.04	10.96
2.0	21.39	16.98	7.78	4.79	2.0	21.48	23.90	8.06	10.86
2.5	21.61	27.18	7.93	3.53	2.5	22.01	25.22	8.07	10.98
3.0	21.59	29.03	8.00	3.46	3.0	22.00	26.84	8.11	10.64
3.5	21.55	29.79	8.02	3.51	3.5	22.03	27.29	8.12	10.61
4.0	21.49	30.18	8.04	4.06	4.0	21.92	28.01	8.11	10.55
4.5	21.74	30.94	8.06	4.12	4.5	21.91	28.65	8.09	10.49
5.0	21.73	31.34	8.11	4.13	5.0	21.64	29.70	8.08	10.49
5.5	21.53	32.02	8.11	4.39	5.5	21.71	29.99	8.09	10.46
6.0	21.46	32.21	8.11	4.22	6.0	21.70	30.40	8.13	10.48
6.5	21.38	32.46	8.11	3.74	6.5	21.40	31.76	8.13	10.66
7.0	21.21	32.59	8.12	4.25	7.0	21.32	32.00	8.12	10.54
7.5	21.12	32.60	8.11	3.75	7.5	21.30	32.02	8.12	10.60
8.0	21.10	32.67	8.11	3.56	8.0	21.52	32.20	8.13	10.36
8.5	20.84	32.75	8.12	4.37	8.5	21.47	32.52	8.14	10.42
9.0	20.74	32.74	8.12	4.14	9.0	21.47	32.69	8.14	10.48
9.5	20.74	32.75	8.12	4.23	9.5	21.02	32.75	8.13	10.59
10.0	20.68	32.78	8.12	3.03	10.0	20.94	32.76	8.13	10.67
10.5	20.67	32.81	8.13	4.36	10.5	20.81	32.77	8.12	10.94
11.0	20.50	32.84	8.12	4.53	11.0	20.70	32.77	8.13	10.81
11.5	20.35	32.87	8.12	4.47	11.5	20.07	32.89	8.12	10.91
12.0	19.98	32.82	8.12	4.04	12.0	19.99	32.86	8.12	10.98
12.5	19.95	32.84	8.11	4.71	12.5	19.82	32.87	8.12	11.16
13.0	19.91	32.86	8.11	3.84	13.0	19.78	32.87	8.12	11.07
13.5	19.82	32.87	8.11	4.20	13.5	19.71	32.89	8.12	11.39
14.0	19.61	32.95	8.11	4.11	14.0	19.47	32.95	8.13	11.20
14.5	19.52	32.97	8.11	3.91	14.5	19.23	33.06	8.12	11.36
15.0	19.13	33.09	8.10	3.63	15.0	18.88	33.08	8.12	11.47
15.5	18.84	33.17	8.11	4.79	15.5	18.79	33.10	8.12	11.38
16.0	18.62	33.27	8.13	4.69	16.0	18.31	33.21	8.11	11.63
16.5	18.39	33.31	8.13	5.11	16.5	18.28	33.20	8.11	11.81
17.0	18.28	33.33	8.13	4.06	17.0	18.02	33.29	8.12	11.87
17.5	17.97	33.35	8.13	4.87	17.5	18.00	33.28	8.12	11.75
18.0	17.77	33.50	8.13	4.52	18.0	17.92	33.28	8.13	11.92
18.5	17.55	33.53	8.13	4.79	18.5	17.06	33.46	8.12	12.44
19.0	17.44	33.35	8.11	4.47	19.0	16.28	33.55	8.11	12.67
19.5	17.16	33.44	8.11	4.11	19.5	16.06	33.55	8.11	12.83
20.0	16.85	33.46	8.10	5.14	20.0	16.01	33.56	8.11	13.00
20.5	16.57	33.51	8.10	5.43	20.5	15.99	33.56	8.11	12.92
21.0	16.47	33.51	8.10	4.35	21.0	15.94	33.57	8.11	13.08
21.5	16.46	33.50	8.10	5.35	21.5	15.92	33.57	8.11	12.98
22.0					22.0	15.92	33.57	8.12	12.98
22.5					22.5	15.90	33.57	8.12	12.81
23.0					23.0	15.86	33.57	8.12	12.98
23.5					23.5	15.42	33.64	8.12	13.20
24.0					24.0	15.39	33.65	8.12	13.14
24.5					24.5	15.35	33.65	8.12	13.13
25.0					25.0	15.31	33.65	8.12	13.23
25.5					25.5	15.22	33.65	8.12	13.46
26.0					26.0	15.17	33.66	8.12	13.35
26.5					26.5	14.65	33.72	8.12	13.56
27.0					27.0	14.42	33.73	8.11	13.89
27.5					27.5	14.36	33.73	8.11	13.86
28.0					28.0	14.36	33.71	8.10	13.88
28.5					28.5	13.96	33.74	8.09	14.17
29.0					29.0	13.82	33.76	8.09	14.23
29.5					29.5	13.57	33.75	8.09	14.28
30.0					30.0	13.48	33.82	8.09	14.33
30.5					30.5	13.48	33.79	8.09	14.25
31.0					31.0	13.48	33.79	8.08	14.41
31.5					31.5	13.49	33.80	8.07	14.19
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
43.0					43.0				
平均値	19.84	30.90	8.07	4.34	平均値	18.15	31.89	8.10	12.04
最小値	16.46	13.01	7.70	3.03	最小値	13.48	17.94	7.86	10.36
最大値	21.74	33.53	8.13	5.48	最大値	22.03	33.82	8.14	14.41

注：斜体の数値は、異常値と判断したデータ（本文参照）。

第9表 多項目水質センサーによる鉛直観測結果 (St. 02E および St. 02EE)

水深 (m)	St. 02E				水深 (m)	St. 02EE			
	水温 (°C)	塩分	pH	DO (mg/L)		水温 (°C)	塩分	pH	DO (mg/L)
0.5	21.25	17.19	7.80	12.09	0.5	21.72	18.91	7.92	12.12
1.0	21.28	17.17	7.80	12.32	1.0	21.69	18.98	7.92	12.35
1.5	21.16	17.38	7.81	12.01	1.5	21.64	19.03	7.92	12.19
2.0	20.96	17.58	7.82	12.17	2.0	21.46	19.43	7.94	12.18
2.5	20.81	20.70	7.89	12.10	2.5	21.61	23.92	8.03	11.61
3.0	21.38	23.34	8.00	11.61	3.0	21.59	24.38	8.07	12.21
3.5	21.84	24.84	8.09	11.46	3.5	21.68	25.05	8.07	11.78
4.0	21.85	26.60	8.09	11.18	4.0	21.69	25.79	8.06	11.59
4.5	21.93	27.30	8.09	11.01	4.5	21.78	27.02	8.06	11.79
5.0	21.86	27.83	8.08	11.23	5.0	21.73	28.30	8.06	11.49
5.5	21.93	28.17	8.08	11.07	5.5	21.72	28.91	8.06	11.31
6.0	21.89	28.21	8.07	10.98	6.0	21.58	29.92	8.06	11.35
6.5	21.74	28.50	8.07	11.18	6.5	21.72	30.38	8.08	11.55
7.0	21.74	28.51	8.07	11.10	7.0	21.78	30.77	8.11	11.31
7.5	21.64	29.70	8.06	10.99	7.5	21.79	30.90	8.12	11.22
8.0	21.66	30.40	8.07	10.97	8.0	21.80	31.31	8.13	11.15
8.5	21.68	30.49	8.10	11.24	8.5	21.76	31.57	8.13	11.10
9.0	21.60	31.16	8.12	11.16	9.0	21.68	31.94	8.13	11.06
9.5	21.39	31.86	8.12	11.10	9.5	21.59	32.34	8.13	11.17
10.0	21.44	31.93	8.12	11.34	10.0	21.54	32.60	8.12	11.19
10.5	21.54	32.37	8.12	10.81	10.5	21.38	32.68	8.12	11.26
11.0	21.53	32.49	8.13	10.84	11.0	21.30	32.71	8.12	11.37
11.5	21.35	32.62	8.12	10.94	11.5	20.95	32.79	8.12	11.53
12.0	20.94	32.78	8.12	11.03	12.0	20.84	32.79	8.12	11.64
12.5	20.53	32.82	8.12	11.46	12.5	20.78	32.80	8.12	11.56
13.0	20.25	32.84	8.12	11.33	13.0	20.71	32.80	8.12	11.31
13.5	20.15	32.86	8.12	11.31	13.5	20.54	32.84	8.11	11.75
14.0	19.83	32.89	8.11	11.51	14.0	20.03	32.98	8.11	11.74
14.5	19.61	32.92	8.11	11.67	14.5	19.47	32.98	8.11	12.08
15.0	19.14	33.04	8.11	11.87	15.0	19.25	33.04	8.11	11.91
15.5	18.99	33.07	8.11	12.02	15.5	18.69	33.13	8.10	12.32
16.0	18.94	33.06	8.11	11.72	16.0	18.50	33.15	8.10	12.47
16.5	18.42	33.18	8.11	12.05	16.5	18.41	33.19	8.10	12.48
17.0	18.29	33.20	8.11	12.30	17.0	18.03	33.33	8.11	12.81
17.5	18.23	33.23	8.11	12.16	17.5	16.87	33.46	8.11	13.16
18.0	18.20	33.25	8.11	12.19	18.0	16.74	33.49	8.10	13.17
18.5	17.84	33.31	8.12	12.36	18.5	16.38	33.59	8.10	13.44
19.0	17.45	33.40	8.12	12.60	19.0	16.01	33.56	8.10	13.55
19.5	16.62	33.55	8.11	13.17	19.5	15.83	33.59	8.10	13.71
20.0	16.30	33.51	8.11	13.11	20.0	15.70	33.63	8.10	13.78
20.5	16.17	33.54	8.11	12.99	20.5	15.45	33.65	8.10	14.15
21.0	16.09	33.55	8.11	13.35	21.0	15.21	33.69	8.10	14.08
21.5	15.98	33.57	8.11	13.29	21.5	15.12	33.72	8.11	14.16
22.0	15.81	33.58	8.11	13.52	22.0	14.87	33.69	8.11	14.33
22.5	15.38	33.65	8.11	13.70	22.5	14.68	33.71	8.10	14.47
23.0	15.32	33.65	8.11	13.73	23.0	14.65	33.70	8.10	14.46
23.5	14.91	33.70	8.11	13.84	23.5	14.46	33.73	8.10	14.59
24.0	14.76	33.70	8.11	14.01	24.0	14.36	33.73	8.10	14.44
24.5	14.75	33.71	8.11	14.02	24.5	14.31	33.74	8.10	14.63
25.0	14.48	33.71	8.11	13.92	25.0	14.27	33.74	8.10	14.67
25.5	14.42	33.74	8.10	14.07	25.5	14.21	33.74	8.10	14.80
26.0	14.37	33.74	8.10	14.08	26.0	14.11	33.73	8.09	14.64
26.5	14.28	33.74	8.09	14.36	26.5	14.01	33.78	8.09	14.81
27.0	13.95	33.75	8.08	14.46	27.0	13.85	33.79	8.09	14.71
27.5	13.84	33.76	8.08	14.53	27.5	13.84	33.77	8.08	14.82
28.0	13.77	33.77	8.08	14.56	28.0	13.71	33.79	8.08	14.95
28.5	13.64	33.78	8.07	14.57	28.5	13.40	33.83	8.07	15.06
29.0	13.73	33.74	8.05	14.41	29.0	13.33	33.81	8.07	15.04
29.5					29.5	13.27	33.81	8.07	15.08
30.0					30.0	13.27	33.81	8.07	15.03
30.5					30.5	13.27	33.80	8.07	15.00
31.0					31.0	13.32	33.79	8.07	15.07
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
43.0					43.0				
平均値	18.64	30.79	8.08	12.35	平均値	18.08	31.40	8.09	12.93
最小値	13.64	17.17	7.80	10.81	最小値	13.27	18.91	7.92	11.06
最大値	21.93	33.78	8.13	14.57	最大値	21.80	33.83	8.13	15.08

注：斜体の数値は、異常値と判断したデータ（本文参照）。

第10表 多項目水質センサーによる鉛直観測結果 (St. 02EN および St. 02ES)

水深 (m)	St. 02EN				St. 02ES				
	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	21.44	17.40	7.82	12.08	0.5	22.15	19.88	7.98	11.87
1.0	21.28	17.65	7.82	12.41	1.0	22.06	19.94	7.98	11.81
1.5	21.12	18.31	7.86	12.40	1.5	22.07	20.04	7.99	11.90
2.0	21.36	22.98	8.01	12.35	2.0	21.49	21.77	7.99	11.90
2.5	21.70	24.69	8.07	11.73	2.5	21.51	23.02	8.07	11.74
3.0	21.70	25.24	8.08	11.61	3.0	21.46	23.26	8.08	11.78
3.5	21.63	25.73	8.08	11.81	3.5	21.44	24.20	8.06	11.77
4.0	21.63	26.06	8.07	11.47	4.0	21.67	26.57	8.06	11.58
4.5	21.65	27.23	8.07	11.47	4.5	21.66	28.68	8.07	11.26
5.0	21.65	27.49	8.07	11.55	5.0	21.68	29.54	8.06	11.33
5.5	21.66	27.49	8.07	11.31	5.5	21.67	29.67	8.07	11.34
6.0	21.62	29.24	8.06	11.28	6.0	21.65	29.94	8.08	11.27
6.5	21.54	29.84	8.07	11.23	6.5	21.62	30.40	8.09	11.18
7.0	21.58	30.45	8.09	11.20	7.0	21.63	31.36	8.11	11.42
7.5	21.65	30.79	8.11	11.26	7.5	21.57	31.61	8.11	11.16
8.0	21.67	31.70	8.13	11.11	8.0	21.59	31.95	8.12	11.12
8.5	21.51	31.97	8.13	11.07	8.5	21.65	32.10	8.13	11.17
9.0	21.41	32.10	8.12	11.15	9.0	21.57	32.32	8.13	11.16
9.5	21.47	32.24	8.13	11.08	9.5	21.28	32.42	8.12	11.25
10.0	21.25	32.38	8.13	11.21	10.0	21.30	32.52	8.13	11.37
10.5	21.43	32.56	8.13	10.96	10.5	21.25	32.71	8.13	11.23
11.0	21.29	32.68	8.13	11.24	11.0	21.10	32.76	8.12	11.24
11.5	20.96	32.76	8.12	11.19	11.5	20.96	32.77	8.12	11.40
12.0	20.83	32.78	8.12	11.19	12.0	20.81	32.78	8.12	11.60
12.5	20.81	32.78	8.13	11.15	12.5	20.63	32.80	8.12	11.57
13.0	20.80	32.78	8.13	11.25	13.0	20.59	32.82	8.12	11.34
13.5	20.58	32.81	8.11	11.29	13.5	20.25	32.94	8.12	11.52
14.0	20.12	32.86	8.12	11.40	14.0	19.36	33.09	8.12	11.87
14.5	19.87	32.95	8.12	11.60	14.5	19.18	33.11	8.11	12.07
15.0	19.35	32.99	8.12	11.67	15.0	18.98	33.15	8.11	11.97
15.5	19.22	33.01	8.12	11.83	15.5	18.47	33.18	8.11	12.45
16.0	18.98	33.02	8.11	11.87	16.0	18.39	33.17	8.11	12.52
16.5	18.85	33.09	8.11	11.93	16.5	17.53	33.45	8.11	12.65
17.0	18.68	33.18	8.11	12.01	17.0	17.22	33.42	8.11	13.08
17.5	18.45	33.26	8.11	12.13	17.5	16.81	33.45	8.11	13.07
18.0	17.70	33.43	8.12	12.48	18.0	16.37	33.53	8.10	13.55
18.5	17.28	33.39	8.11	12.36	18.5	15.85	33.62	8.10	13.77
19.0	16.98	33.50	8.11	12.59	19.0	15.63	33.61	8.10	13.78
19.5	16.58	33.50	8.11	12.98	19.5	15.33	33.65	8.11	13.94
20.0	16.20	33.55	8.11	13.18	20.0	15.32	33.65	8.11	14.06
20.5	15.98	33.57	8.11	13.36	20.5	15.05	33.69	8.11	14.14
21.0	15.82	33.58	8.11	13.38	21.0	14.90	33.70	8.11	7.89
21.5	15.55	33.57	8.11	13.26	21.5	14.86	33.70	8.11	5.50
22.0	15.54	33.68	8.11	13.45	22.0	14.69	33.72	8.11	5.53
22.5	15.31	33.54	8.11	13.52	22.5	14.53	33.73	8.11	6.01
23.0	14.72	33.74	8.11	欠測	23.0	14.43	33.74	8.11	5.69
23.5	14.63	33.78	8.11	13.79	23.5	14.30	33.72	8.11	5.76
24.0	14.40	33.73	8.11	14.05	24.0	14.19	33.74	8.11	6.23
24.5	14.38	33.73	8.11	欠測	24.5	14.16	33.75	8.10	5.91
25.0	14.32	33.73	8.11	欠測	25.0	14.11	33.74	8.10	5.76
25.5	14.28	33.74	8.11	14.08	25.5	14.00	33.76	8.09	6.00
26.0	14.22	33.74	8.10	14.18	26.0	13.86	33.76	8.09	5.79
26.5	14.11	33.75	8.10	14.33	26.5	13.82	33.76	8.09	5.65
27.0	13.72	33.77	8.08	14.48	27.0	13.82	33.76	8.09	5.94
27.5	13.65	33.77	8.08	14.43	27.5	13.78	33.76	8.09	5.86
28.0	13.54	33.79	8.08	欠測	28.0	13.58	33.76	8.07	5.57
28.5	13.52	33.78	8.07	14.45	28.5	13.54	33.78	8.07	5.47
29.0	13.49	33.79	8.07	14.62	29.0	13.41	33.78	8.08	5.96
29.5	13.54	33.75	8.07	14.61	29.5	13.33	33.79	8.08	5.50
30.0					30.0	13.30	33.80	8.08	5.63
30.5					30.5	13.23	33.81	8.07	5.54
31.0					31.0	13.19	33.81	8.07	5.90
31.5					31.5	13.19	33.81	8.07	5.94
32.0					32.0	13.21	33.81	8.07	5.77
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
43.0					43.0				
平均値	18.48	31.23	8.09	12.31	平均値	17.77	31.64	8.09	9.80
最小値	13.49	17.40	7.82	10.96	最小値	13.19	19.88	7.98	5.47
最大値	21.70	33.79	8.13	14.62	最大値	22.15	33.81	8.13	14.14

注: 斜体の数値は、異常値と判断したデータ (本文参照)。

第 11 表 多項目水質センサーによる鉛直観測結果 (St. 02N および St. 02S)

水深 (m)	St. 02N				St. 02S				
	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	21.32	14.02	7.80	4.57	0.5	21.84	19.14	7.98	3.48
1.0	21.39	15.62	7.81	3.98	1.0	21.86	19.13	7.98	4.01
1.5	21.45	16.86	7.82	4.64	1.5	21.90	19.67	7.99	4.53
2.0	21.60	21.58	7.91	3.62	2.0	22.05	21.14	8.04	5.32
2.5	21.74	25.01	7.98	3.69	2.5	22.35	23.58	8.09	4.62
3.0	21.71	28.04	7.99	3.76	3.0	22.39	25.77	8.11	4.51
3.5	21.52	29.39	7.99	3.26	3.5	22.32	26.56	8.10	4.64
4.0	21.46	30.43	8.04	3.21	4.0	21.89	28.24	8.08	3.57
4.5	21.48	30.74	8.07	3.12	4.5	21.65	29.49	8.06	3.62
5.0	21.39	31.14	8.08	3.24	5.0	21.47	30.50	8.05	3.77
5.5	21.31	32.02	8.10	3.36	5.5	21.47	30.61	8.07	3.90
6.0	21.47	32.26	8.11	3.97	6.0	21.48	30.77	8.08	3.51
6.5	21.23	32.47	8.11	3.28	6.5	21.54	31.58	8.10	4.01
7.0	21.23	32.54	8.12	3.53	7.0	21.52	31.58	8.11	3.89
7.5	21.25	32.67	8.12	3.12	7.5	21.55	31.64	8.11	4.23
8.0	21.15	32.73	8.12	3.49	8.0	21.45	31.85	8.12	4.33
8.5	21.14	32.76	8.13	3.42	8.5	21.34	32.25	8.13	3.66
9.0	21.03	32.77	8.12	3.83	9.0	21.38	32.52	8.13	3.29
9.5	20.80	32.74	8.12	3.46	9.5	21.35	32.70	8.13	3.32
10.0	20.79	32.75	8.12	3.41	10.0	21.06	32.85	8.13	3.70
10.5	20.65	32.77	8.12	3.66	10.5	21.01	32.90	8.14	4.57
11.0	20.65	32.82	8.13	3.83	11.0	20.89	32.90	8.13	4.36
11.5	20.56	32.94	8.14	3.92	11.5	20.52	32.89	8.12	3.99
12.0	20.45	32.97	8.14	4.10	12.0	20.35	32.89	8.12	4.89
12.5	20.26	32.95	8.13	3.88	12.5	20.10	32.88	8.11	4.23
13.0	19.90	32.98	8.13	3.85	13.0	20.02	32.88	8.11	4.35
13.5	19.72	32.98	8.12	4.01	13.5	19.88	32.93	8.12	3.99
14.0	19.40	33.00	8.11	3.91	14.0	19.86	32.94	8.12	3.87
14.5	19.29	33.01	8.11	3.87	14.5	19.72	33.01	8.12	4.26
15.0	19.18	33.03	8.11	3.74	15.0	19.56	33.07	8.12	3.89
15.5	19.14	33.05	8.11	3.89	15.5	19.11	33.05	8.11	4.36
16.0	18.97	33.06	8.11	4.05	16.0	18.93	33.02	8.11	4.06
16.5	18.90	33.07	8.11	3.91	16.5	18.33	33.30	8.12	4.62
17.0	18.81	33.09	8.11	3.80	17.0	18.22	33.39	8.13	4.69
17.5	18.47	33.27	8.14	4.11	17.5	17.79	33.43	8.14	4.50
18.0	18.11	33.36	8.14	4.44	18.0	17.76	33.42	8.15	4.99
18.5	18.09	33.36	8.14	4.24	18.5	17.38	33.46	8.14	5.00
19.0	17.68	33.41	8.14	4.32	19.0	16.44	33.57	8.15	4.96
19.5	17.46	33.43	8.13	4.53	19.5	16.24	33.57	8.15	5.51
20.0	17.30	33.46	8.14	4.29	20.0	15.96	33.54	8.16	5.17
20.5	17.07	33.49	8.15	4.63	20.5	15.76	33.59	8.16	5.48
21.0	16.64	33.57	8.15	4.86	21.0	15.47	33.69	8.16	5.37
21.5	16.55	33.56	8.15	0.00	21.5	15.34	33.63	8.17	5.83
22.0	16.42	33.60	8.15	5.08	22.0	15.30	33.65	8.16	5.55
22.5	16.35	33.56	8.16	4.92	22.5	15.29	33.67	8.15	5.54
23.0	16.21	33.56	8.16	5.35	23.0	15.29	33.67	8.14	5.57
23.5	16.10	33.57	8.16	5.02	23.5	15.22	33.70	8.13	5.40
24.0	15.90	33.59	8.16	5.19	24.0	15.05	33.68	8.13	5.24
24.5	15.61	33.63	8.16	5.18	24.5	15.01	33.70	8.13	5.77
25.0	15.56	33.66	8.16	5.59	25.0	14.88	33.71	8.13	5.62
25.5	15.41	33.68	8.16	5.16	25.5	14.87	33.69	8.14	5.66
26.0	15.35	33.66	8.12	5.05	26.0	14.81	33.71	8.14	5.63
26.5	15.12	33.68	8.12	4.88	26.5	14.66	33.72	8.13	5.69
27.0	15.07	33.69	8.12	4.86	27.0	14.65	33.73	8.13	5.69
27.5	14.91	33.70	8.12	4.41	27.5	14.63	33.73	8.12	5.49
28.0	14.74	33.72	8.12	4.76	28.0	14.45	33.82	8.12	5.33
28.5	14.67	33.72	8.11	4.82	28.5	14.34	33.80	8.11	5.43
29.0	14.56	33.74	8.11	5.27	29.0	14.12	33.76	8.10	4.54
29.5	14.50	33.73	8.11	4.85	29.5	14.13	33.76	8.10	5.24
30.0	14.47	33.73	8.10	5.08	30.0	14.08	33.77	8.10	5.47
30.5	14.47	33.69	8.09	4.66	30.5	13.97	33.77	8.09	5.56
31.0					31.0	13.97	33.77	8.09	5.58
31.5					31.5	13.96	33.77	8.09	4.91
32.0					32.0	13.97	33.77	8.09	5.05
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
43.0					43.0				
平均値	18.61	31.76	8.10	4.13	平均値	18.21	31.78	8.11	4.70
最小値	14.47	14.02	7.80	0.00	最小値	13.96	19.13	7.98	3.29
最大値	21.74	33.74	8.16	5.59	最大値	22.39	33.82	8.17	5.83

第12表 多項目水質センサーによる鉛直観測結果 (St. 02W および St. 03)

水深 (m)	St. 02W				St. 03				
	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	21.60	16.75	7.89	4.63	20.78	31.54	8.14	7.62	20.78
1.0	21.61	17.91	7.91	4.10	20.77	31.54	8.15	7.62	20.77
1.5	21.62	19.20	7.93	4.53	20.77	31.54	8.16	7.62	20.77
2.0	21.70	21.55	8.02	3.65	20.77	31.54	8.16	7.62	20.77
2.5	21.87	26.25	8.05	4.12	20.77	31.54	8.16	7.62	20.77
3.0	21.82	26.94	8.05	3.54	20.77	31.54	8.16	7.62	20.77
3.5	21.55	28.88	8.01	3.22	20.77	31.54	8.16	7.62	20.77
4.0	21.49	29.86	8.06	3.36	20.77	31.54	8.16	7.62	20.77
4.5	21.53	30.56	8.07	3.52	20.77	31.54	8.16	7.62	20.77
5.0	21.51	30.85	8.11	3.33	20.77	31.54	8.17	7.62	20.77
5.5	21.75	31.60	8.11	3.24	20.77	31.55	8.17	7.62	20.77
6.0	21.35	32.36	8.12	3.36	20.77	31.55	8.17	7.62	20.77
6.5	21.30	32.40	8.13	3.60	20.77	31.56	8.17	7.62	20.77
7.0	21.18	32.61	8.13	3.39	20.79	31.62	8.17	7.61	20.79
7.5	21.30	32.73	8.14	3.62	20.98	32.08	8.16	7.55	20.98
8.0	21.23	32.84	8.14	3.12	21.02	32.17	8.16	7.49	21.02
8.5	21.11	32.85	8.13	3.75	21.02	32.35	8.16	7.48	21.02
9.0	20.84	32.84	8.13	3.01	20.99	32.57	8.16	7.45	20.99
9.5	20.59	32.81	8.12	3.62	20.91	32.73	8.17	7.42	20.91
10.0	20.56	32.82	8.12	3.99	20.89	32.83	8.17	7.43	20.89
10.5	20.47	32.82	8.12	2.97	20.92	32.86	8.17	7.43	20.92
11.0	20.42	32.82	8.12	3.72	20.90	32.92	8.17	7.43	20.90
11.5	20.49	32.85	8.13	3.69	20.91	32.95	8.17	7.42	20.91
12.0	20.52	32.89	8.14	3.79	20.90	32.95	8.17	7.41	20.90
12.5	20.40	32.94	8.14	4.05	20.93	33.03	8.17	7.39	20.93
13.0	20.29	32.94	8.13	3.13	20.91	33.15	8.17	7.37	20.91
13.5	20.05	32.91	8.12	3.73	20.88	33.22	8.17	7.34	20.88
14.0	19.95	32.99	8.12	3.45	20.79	33.33	8.17	7.36	20.79
14.5	19.65	33.04	8.13	3.95	20.78	33.33	8.17	7.39	20.78
15.0	19.32	33.05	8.12	3.92	20.79	33.35	8.17	7.39	20.79
15.5	19.08	33.06	8.11	3.08	20.83	33.42	8.17	7.38	20.83
16.0	18.87	33.10	8.11	3.81	20.82	33.46	8.17	7.37	20.82
16.5	18.60	33.19	8.12	4.25	20.62	33.48	8.17	7.35	20.62
17.0	18.30	33.32	8.14	3.80	20.46	33.49	8.17	7.32	20.46
17.5	17.93	33.42	8.15	4.43	20.24	33.48	8.17	7.26	20.24
18.0	17.79	33.41	8.14	4.00	20.06	33.50	8.16	7.22	20.06
18.5	17.34	33.49	8.14	4.15	19.86	33.55	8.16	7.20	19.86
19.0	16.51	33.59	8.15	4.74	19.66	33.56	8.15	7.19	19.66
19.5	16.20	33.56	8.16	4.30	19.45	33.58	8.15	7.19	19.45
20.0	16.04	33.58	8.16	4.97	19.29	33.63	8.15	7.20	19.29
20.5	15.94	33.59	8.16	5.70	19.24	33.68	8.15	7.27	19.24
21.0	15.76	33.59	8.16	5.00	19.11	33.68	8.15	7.31	19.11
21.5	15.71	33.61	8.17	5.66	18.86	33.67	8.14	7.18	18.86
22.0	15.63	33.64	8.17	5.25	18.75	33.66	8.14	7.11	18.75
22.5	15.47	33.60	8.17	5.64	18.64	33.66	8.13	7.06	18.64
23.0	15.42	33.67	8.16	4.80	18.51	33.67	8.13	7.06	18.51
23.5	15.36	33.67	8.15	5.31	18.23	33.67	8.13	7.05	18.23
24.0	15.29	33.66	8.13	5.04	18.05	33.75	8.13	7.17	18.05
24.5	15.28	33.67	8.13	4.55	17.41	33.76	8.13	7.05	17.41
25.0	15.13	33.69	8.13	5.20	17.30	33.76	8.12	7.03	17.30
25.5	15.10	33.69	8.13	3.91	17.28	33.76	8.12	7.02	17.28
26.0	15.01	33.70	8.13	4.83	17.26	33.76	8.12	7.01	17.26
26.5	14.94	33.71	8.13	4.38	17.25	33.76	8.12	7.01	17.25
27.0	14.86	33.70	8.13	4.78	17.23	33.76	8.12	7.00	17.23
27.5	14.72	33.72	8.13	4.43	17.20	33.75	8.12	6.99	17.20
28.0	14.52	33.74	8.11	4.93	17.11	33.75	8.12	6.94	17.11
28.5	14.51	33.73	8.11	5.04	17.04	33.75	8.12	7.04	17.04
29.0	14.51	33.73	8.11	4.96	16.92	33.74	8.12	7.16	16.92
29.5	14.48	33.73	8.11	4.95	16.81	33.75	8.12	7.21	16.81
30.0	14.24	33.77	8.10	4.31	16.59	33.75	8.12	7.21	16.59
30.5	14.23	33.76	8.10	4.79	16.13	33.77	8.12	7.15	16.13
31.0	14.23	33.75	8.10	4.57	15.96	33.75	8.12	7.14	15.96
31.5	14.24	33.75	8.10	4.57	15.92	33.74	8.12	7.13	15.92
32.0					15.91	33.73	8.12	7.12	15.91
32.5					15.88	33.73	8.11	7.11	15.88
33.0					15.86	33.74	8.11	7.11	15.86
33.5					15.86	33.73	8.11	7.11	15.86
34.0					15.85	33.73	8.11	7.11	15.85
34.5					15.80	33.72	8.11	7.10	15.80
35.0					15.82	33.73	8.11	7.10	15.82
35.5					15.76	33.74	8.11	7.08	15.76
36.0					15.75	33.74	8.11	7.09	15.75
36.5					15.72	33.70	8.11	7.08	15.72
37.0					15.54	33.74	8.11	7.08	15.54
37.5					15.24	33.76	8.11	7.03	15.24
38.0									
38.5									
39.0									
39.5									
40.0									
40.5									
41.0									
41.5									
42.0									
42.5									
43.0									
平均値	18.26	31.94	8.11	4.18	18.91	33.11	8.14	7.29	18.91
最小値	14.23	16.75	7.89	2.97	15.24	31.54	8.11	6.94	15.24
最大値	21.87	33.77	8.17	5.70	21.02	33.77	8.17	7.62	21.02

第13表 多項目水質センサーによる鉛直観測結果 (St. 03E および St. 03N)

St. 03E					St. 03N				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	20.81	31.56	8.16	7.66	0.5	20.83	31.56	8.12	7.67
1.0	20.81	31.56	8.15	7.66	1.0	20.84	31.56	8.13	7.68
1.5	20.82	31.55	8.16	7.66	1.5	20.84	31.56	8.14	7.68
2.0	20.82	31.55	8.16	7.66	2.0	20.84	31.56	8.14	7.68
2.5	20.81	31.56	8.16	7.66	2.5	20.84	31.56	8.15	7.68
3.0	20.81	31.55	8.17	7.66	3.0	20.84	31.56	8.15	7.68
3.5	20.81	31.56	8.17	7.66	3.5	20.84	31.56	8.16	7.67
4.0	20.81	31.56	8.17	7.66	4.0	20.84	31.56	8.16	7.67
4.5	20.81	31.56	8.17	7.66	4.5	20.84	31.56	8.16	7.67
5.0	20.80	31.57	8.17	7.66	5.0	20.84	31.57	8.16	7.67
5.5	20.81	31.58	8.17	7.66	5.5	20.84	31.57	8.16	7.67
6.0	20.81	31.57	8.17	7.66	6.0	20.84	31.58	8.16	7.67
6.5	20.81	31.61	8.17	7.66	6.5	20.84	31.57	8.16	7.66
7.0	21.01	32.25	8.16	7.53	7.0	20.84	31.58	8.16	7.67
7.5	21.00	32.58	8.16	7.47	7.5	20.88	31.65	8.16	7.64
8.0	20.91	32.76	8.17	7.45	8.0	20.96	31.93	8.16	7.60
8.5	20.93	32.84	8.17	7.44	8.5	21.01	32.51	8.16	7.52
9.0	20.93	32.91	8.17	7.43	9.0	20.93	32.77	8.16	7.45
9.5	20.91	32.97	8.17	7.43	9.5	20.92	32.87	8.16	7.45
10.0	20.94	33.02	8.17	7.41	10.0	20.93	32.99	8.16	7.43
10.5	20.90	33.09	8.17	7.39	10.5	20.86	33.13	8.16	7.41
11.0	20.86	33.17	8.17	7.40	11.0	20.84	33.19	8.17	7.42
11.5	20.84	33.27	8.17	7.38	11.5	20.85	33.20	8.17	7.42
12.0	20.81	33.35	8.17	7.42	12.0	20.83	33.26	8.17	7.40
12.5	20.81	33.36	8.17	7.42	12.5	20.85	33.35	8.17	7.42
13.0	20.88	33.44	8.17	7.41	13.0	20.86	33.39	8.17	7.42
13.5	20.92	33.46	8.18	7.38	13.5	20.90	33.41	8.17	7.40
14.0	20.91	33.47	8.18	7.38	14.0	20.91	33.46	8.17	7.40
14.5	20.82	33.49	8.18	7.41	14.5	20.87	33.48	8.17	7.40
15.0	20.76	33.50	8.18	7.41	15.0	20.85	33.48	8.17	7.42
15.5	20.65	33.51	8.18	7.38	15.5	20.69	33.49	8.17	7.40
16.0	20.55	33.53	8.18	7.37	16.0	20.64	33.48	8.17	7.37
16.5	20.44	33.56	8.17	7.35	16.5	20.53	33.54	8.17	7.37
17.0	20.04	33.59	8.17	7.28	17.0	20.24	33.56	8.17	7.33
17.5	19.63	33.63	8.17	7.30	17.5	19.80	33.63	8.16	7.30
18.0	19.45	33.64	8.16	7.30	18.0	19.48	33.65	8.16	7.34
18.5	19.32	33.66	8.16	7.32	18.5	19.41	33.65	8.16	7.32
19.0	19.26	33.66	8.16	7.34	19.0	18.96	33.73	8.15	7.25
19.5	19.10	33.69	8.16	7.31	19.5	18.80	33.69	8.15	7.25
20.0	18.86	33.69	8.16	7.30	20.0	18.56	33.70	8.14	7.18
20.5	18.75	33.68	8.16	7.22	20.5	18.38	33.68	8.14	7.10
21.0	18.58	33.68	8.15	7.12	21.0	18.15	33.67	8.13	7.03
21.5	18.45	33.67	8.15	7.10	21.5	17.89	33.67	8.13	6.91
22.0	18.29	33.68	8.14	7.05	22.0	17.74	33.67	8.12	6.91
22.5	18.20	33.67	8.14	7.07	22.5	17.71	33.69	8.12	6.95
23.0	17.89	33.71	8.14	7.14	23.0	17.67	33.71	8.12	7.06
23.5	17.82	33.72	8.14	7.15	23.5	17.48	33.71	8.12	7.02
24.0	17.79	33.75	8.14	7.17	24.0	17.10	33.69	8.11	6.83
24.5	17.66	33.76	8.14	7.14	24.5	17.08	33.68	8.11	6.79
25.0	17.42	33.75	8.13	7.09	25.0	17.05	33.68	8.11	6.76
25.5	17.37	33.74	8.13	7.02	25.5	16.82	33.65	8.11	6.70
26.0	17.27	33.74	8.12	6.92	26.0	16.72	33.66	8.10	6.66
26.5	17.20	33.71	8.12	6.92	26.5	16.09	33.70	8.10	6.86
27.0	16.94	33.69	8.12	6.77	27.0	15.89	33.68	8.10	7.00
27.5	16.96	33.71	8.11	6.82	27.5	15.44	33.73	8.10	7.09
28.0	16.68	33.73	8.11	6.79	28.0	15.27	33.72	8.10	7.11
28.5	16.61	33.73	8.11	6.84	28.5	15.16	33.72	8.10	7.11
29.0	16.50	33.73	8.11	7.00	29.0	15.15	33.72	8.10	7.14
29.5	15.77	33.75	8.11	7.13	29.5	15.12	33.71	8.10	7.15
30.0	15.59	33.72	8.11	7.12	30.0	15.11	33.71	8.10	7.17
30.5	15.55	33.74	8.11	7.11	30.5	15.03	33.70	8.10	7.16
31.0	15.55	33.71	8.11	7.12	31.0	14.96	33.71	8.10	7.18
31.5	15.46	33.73	8.11	7.11	31.5	14.96	33.71	8.10	7.19
32.0	15.47	33.72	8.10	7.10	32.0	14.96	33.71	8.10	7.19
32.5	15.44	33.72	8.10	7.12	32.5	14.94	33.71	8.10	7.20
33.0	15.41	33.72	8.10	7.12	33.0	14.96	33.71	8.10	7.21
33.5	15.30	33.72	8.10	7.13	33.5	14.96	33.71	8.10	7.21
34.0	15.28	33.74	8.10	7.13	34.0	14.95	33.71	8.10	7.22
34.5	15.31	33.72	8.10	7.13	34.5	14.96	33.71	8.10	7.22
35.0	15.24	33.72	8.10	7.14	35.0	14.94	33.71	8.10	7.23
35.5	15.24	33.72	8.10	7.14	35.5	14.91	33.71	8.10	7.23
36.0	15.23	33.72	8.10	7.15	36.0	14.89	33.71	8.10	7.23
36.5	15.23	33.72	8.10	7.15	36.5	14.88	33.71	8.10	7.24
37.0	15.23	33.72	8.10	7.14	37.0	14.87	33.71	8.10	7.24
37.5	15.23	33.72	8.10	7.15	37.5	14.89	33.71	8.10	7.24
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
43.0					43.0				
平均値	18.68	33.19	8.14	7.29	平均値	18.40	33.14	8.13	7.30
最小値	15.23	31.55	8.10	6.77	最小値	14.87	31.56	8.10	6.66
最大値	21.01	33.76	8.18	7.66	最大値	21.01	33.73	8.17	7.68

第14表 多項目水質センサーによる鉛直観測結果 (St. 03S および St. 03W)

水深 (m)	St. 03S				St. 03W				
	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	20.93	31.60	8.10	7.66	20.89	31.58	8.12	7.68	20.89
1.0	20.94	31.60	8.11	7.67	20.89	31.58	8.13	7.68	20.89
1.5	20.94	31.60	8.13	7.67	20.89	31.58	8.14	7.68	20.89
2.0	20.94	31.61	8.13	7.68	20.89	31.58	8.14	7.68	20.89
2.5	20.94	31.63	8.14	7.67	20.89	31.58	8.14	7.68	20.89
3.0	20.94	31.65	8.14	7.67	20.89	31.58	8.15	7.68	20.89
3.5	20.94	31.64	8.15	7.68	20.89	31.58	8.15	7.68	20.89
4.0	20.94	31.63	8.15	7.68	20.89	31.60	8.15	7.68	20.89
4.5	20.94	31.69	8.15	7.67	20.89	31.60	8.15	7.68	20.89
5.0	20.95	31.79	8.16	7.66	20.89	31.60	8.16	7.68	20.89
5.5	20.97	31.85	8.16	7.65	20.89	31.63	8.16	7.67	20.89
6.0	20.97	31.96	8.16	7.64	20.91	31.71	8.16	7.68	20.91
6.5	20.97	32.12	8.16	7.62	20.98	31.99	8.16	7.64	20.98
7.0	20.97	32.26	8.16	7.58	21.04	32.28	8.15	7.54	21.04
7.5	21.01	32.75	8.16	7.51	21.00	32.61	8.15	7.49	21.00
8.0	20.99	32.82	8.16	7.46	21.00	32.81	8.16	7.44	21.00
8.5	21.01	33.03	8.16	7.43	20.95	33.01	8.16	7.44	20.95
9.0	21.00	33.10	8.16	7.38	20.93	33.03	8.16	7.41	20.93
9.5	21.02	33.18	8.16	7.36	20.94	33.15	8.16	7.42	20.94
10.0	21.01	33.23	8.16	7.37	20.96	33.25	8.16	7.40	20.96
10.5	21.03	33.32	8.16	7.36	20.92	33.29	8.16	7.42	20.92
11.0	21.03	33.33	8.17	7.39	20.87	33.29	8.16	7.43	20.87
11.5	20.99	33.39	8.17	7.40	20.84	33.28	8.16	7.44	20.84
12.0	20.98	33.39	8.17	7.41	20.77	33.28	8.17	7.44	20.77
12.5	20.98	33.40	8.17	7.41	20.84	33.34	8.17	7.43	20.84
13.0	20.96	33.42	8.17	7.41	20.90	33.38	8.17	7.41	20.90
13.5	20.98	33.43	8.17	7.41	20.90	33.38	8.17	7.42	20.90
14.0	20.98	33.43	8.17	7.41	20.96	33.38	8.17	7.42	20.96
14.5	20.99	33.43	8.17	7.41	20.96	33.45	8.17	7.42	20.96
15.0	20.98	33.45	8.17	7.41	20.91	33.47	8.17	7.42	20.91
15.5	20.98	33.46	8.18	7.42	20.84	33.49	8.17	7.42	20.84
16.0	20.94	33.47	8.18	7.42	20.76	33.51	8.17	7.39	20.76
16.5	20.87	33.47	8.18	7.43	20.61	33.52	8.17	7.37	20.61
17.0	20.82	33.49	8.18	7.44	20.18	33.58	8.17	7.36	20.18
17.5	20.69	33.51	8.18	7.40	20.15	33.58	8.16	7.36	20.15
18.0	20.46	33.57	8.18	7.35	20.08	33.61	8.16	7.36	20.08
18.5	20.24	33.58	8.17	7.35	19.62	33.64	8.16	7.33	19.62
19.0	20.20	33.58	8.17	7.38	19.38	33.67	8.16	7.34	19.38
19.5	20.04	33.61	8.17	7.38	19.37	33.67	8.15	7.34	19.37
20.0	19.84	33.65	8.17	7.37	19.12	33.66	8.15	7.30	19.12
20.5	19.63	33.68	8.17	7.41	18.79	33.69	8.15	7.27	18.79
21.0	19.50	33.68	8.17	7.43	18.80	33.68	8.15	7.28	18.80
21.5	19.49	33.68	8.17	7.42	18.60	33.70	8.15	7.28	18.60
22.0	19.29	33.67	8.17	7.38	18.48	33.70	8.15	7.23	18.48
22.5	19.14	33.68	8.16	7.33	17.86	33.71	8.14	7.12	17.86
23.0	18.95	33.68	8.16	7.30	17.73	33.71	8.14	7.08	17.73
23.5	18.54	33.71	8.16	7.28	17.66	33.71	8.13	7.07	17.66
24.0	18.44	33.72	8.16	7.31	17.63	33.73	8.13	7.13	17.63
24.5	18.26	33.71	8.15	7.27	17.41	33.76	8.13	7.09	17.41
25.0	17.81	33.73	8.15	7.23	17.08	33.71	8.13	6.90	17.08
25.5	17.55	33.72	8.15	7.14	16.99	33.70	8.12	6.84	16.99
26.0	17.25	33.74	8.15	7.03	16.95	33.70	8.11	6.81	16.95
26.5	17.06	33.70	8.14	6.93	16.92	33.70	8.11	6.84	16.92
27.0	16.97	33.72	8.13	6.97	16.71	33.68	8.11	6.82	16.71
27.5	16.86	33.72	8.13	6.93	16.30	33.68	8.10	6.72	16.30
28.0	16.61	33.68	8.13	6.82	16.22	33.72	8.10	6.92	16.22
28.5	16.27	33.67	8.12	6.94	15.47	33.75	8.11	7.08	15.47
29.0	16.16	33.76	8.12	7.02	14.67	33.72	8.11	7.17	14.67
29.5	14.77	33.72	8.12	7.01	14.42	33.78	8.11	7.22	14.42
30.0	14.85	33.79	8.12	7.21	14.35	33.71	8.10	7.25	14.35
30.5	14.27	33.74	8.11	7.20	14.31	33.73	8.10	7.27	14.31
31.0	14.05	33.71	8.11	7.25	14.28	33.73	8.10	7.27	14.28
31.5	14.06	33.72	8.11	7.26	14.28	33.71	8.09	7.28	14.28
32.0	14.08	33.71	8.11	7.27	14.26	33.71	8.09	7.30	14.26
32.5	13.96	33.72	8.10	7.28	14.26	33.71	8.09	7.32	14.26
33.0	13.96	33.72	8.10	7.29	14.25	33.71	8.09	7.32	14.25
33.5	13.93	33.72	8.10	7.30	14.22	33.71	8.09	7.32	14.22
34.0	13.93	33.72	8.10	7.31	14.22	33.71	8.09	7.32	14.22
34.5	13.92	33.72	8.10	7.32	14.22	33.71	8.09	7.34	14.22
35.0	13.91	33.71	8.09	7.32	14.19	33.71	8.09	7.34	14.19
35.5	13.90	33.71	8.09	7.33	14.12	33.72	8.09	7.34	14.12
36.0	13.87	33.71	8.09	7.35	14.11	33.72	8.09	7.35	14.11
36.5	13.87	33.71	8.09	7.36	14.11	33.71	8.09	7.35	14.11
37.0	13.87	33.71	8.09	7.37	14.11	33.71	8.09	7.36	14.11
37.5	13.87	33.71	8.09	7.38	14.11	33.71	8.09	7.36	14.11
38.0	13.87	33.71	8.09	7.36	14.12	33.71	8.09	7.36	14.12
38.5									
39.0									
39.5									
40.0									
40.5									
41.0									
41.5									
42.0									
42.5									
43.0									
平均値	18.57	33.23	8.14	7.37	18.34	33.22	8.13	7.34	18.34
最小値	13.87	31.60	8.09	6.82	14.11	31.58	8.09	6.72	14.11
最大値	21.03	33.79	8.18	7.68	21.04	33.78	8.17	7.68	21.04

第15表 多項目水質センサーによる鉛直観測結果 (St. 04 および St. 04E)

水深 (m)	St. 04				St. 04E				
	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	20.16	17.19	7.81	8.42	0.5	20.82	16.83	7.83	8.48
1.0	20.45	19.34	7.96	8.27	1.0	20.85	16.95	7.85	8.47
1.5	20.89	21.67	8.00	8.04	1.5	20.74	19.23	7.91	8.34
2.0	21.06	23.21	8.03	8.03	2.0	21.35	21.96	7.97	8.08
2.5	21.94	26.88	8.09	7.33	2.5	21.46	24.94	8.08	7.95
3.0	21.84	28.00	8.09	7.19	3.0	21.50	26.23	8.08	7.55
3.5	21.78	28.26	8.09	7.14	3.5	21.54	26.42	8.09	7.48
4.0	21.80	28.24	8.09	7.10	4.0	21.56	26.69	8.09	7.46
4.5	21.78	28.85	8.10	7.09	4.5	21.64	27.15	8.09	7.38
5.0	21.69	28.99	8.09	7.04	5.0	21.65	27.30	8.09	7.35
5.5	21.68	29.14	8.09	6.82	5.5	21.64	27.66	8.09	7.24
6.0	21.53	30.65	8.11	6.55	6.0	21.57	28.01	8.09	7.14
6.5	21.49	30.80	8.11	6.75	6.5	21.53	29.11	8.10	6.90
7.0	21.52	30.98	8.14	6.87	7.0	21.32	30.74	8.12	6.65
7.5	21.47	31.37	8.14	6.86	7.5	21.45	30.85	8.13	6.78
8.0	21.48	31.51	8.14	6.87	8.0	21.44	31.15	8.14	6.85
8.5	21.64	31.70	8.15	6.98	8.5	21.37	31.60	8.14	6.81
9.0	21.59	31.98	8.15	6.87	9.0	21.37	31.89	8.15	6.79
9.5	21.50	32.27	8.15	6.79	9.5	21.54	32.34	8.16	6.84
10.0	21.02	32.29	8.14	6.80	10.0	21.41	32.56	8.16	6.75
10.5	21.30	32.52	8.15	6.71	10.5	21.39	32.68	8.16	6.76
11.0	21.21	32.81	8.15	6.78	11.0	21.36	32.72	8.17	6.86
11.5	20.72	32.82	8.14	6.79	11.5	21.18	32.81	8.17	6.87
12.0	20.43	32.87	8.14	6.64	12.0	21.21	32.78	8.17	6.90
12.5	19.94	32.93	8.13	6.78	12.5	21.11	32.80	8.17	6.90
13.0	19.89	32.92	8.14	6.88	13.0	20.91	32.81	8.16	6.83
13.5	19.86	32.92	8.14	6.88	13.5	20.80	32.80	8.16	6.77
14.0	19.83	32.93	8.14	6.91	14.0	19.85	32.98	8.15	6.73
14.5	19.67	32.94	8.14	6.92	14.5	19.64	32.98	8.15	6.90
15.0	19.02	33.10	8.14	6.93	15.0	19.45	33.01	8.15	6.99
15.5	19.00	33.10	8.14	6.93	15.5	18.33	33.27	8.14	7.04
16.0	18.98	33.11	8.14	7.00	16.0	18.29	33.26	8.15	7.08
16.5	18.37	33.24	8.14	7.12	16.5	17.77	33.53	8.15	7.39
17.0	18.30	33.25	8.14	7.15	17.0	17.24	33.48	8.15	7.47
17.5	17.87	33.53	8.14	7.61	17.5	16.85	33.60	8.15	7.52
18.0	16.72	33.52	8.14	7.61	18.0	16.42	33.53	8.14	7.56
18.5	16.40	33.55	8.14	7.60	18.5	16.17	33.61	8.14	7.60
19.0	16.17	33.54	8.14	7.63	19.0	16.03	33.62	8.14	7.62
19.5	16.12	33.57	8.14	7.60	19.5	15.94	33.59	8.14	7.66
20.0	16.03	33.58	8.14	7.63	20.0	15.79	33.63	8.15	7.72
20.5	15.86	33.62	8.14	7.67	20.5	15.55	33.63	8.15	7.76
21.0	15.69	33.63	8.14	7.73	21.0	14.99	33.72	8.14	7.89
21.5	15.53	33.67	8.14	7.77	21.5	14.97	33.71	8.14	7.85
22.0	15.44	33.67	8.14	7.87	22.0	14.91	33.71	8.14	7.70
22.5	15.18	33.70	8.14	7.87	22.5	14.88	33.71	8.13	7.56
23.0	15.05	33.69	8.13	7.86	23.0	14.88	33.71	8.13	7.50
23.5	14.92	33.69	8.13	7.64	23.5	14.85	33.71	8.13	7.46
24.0	14.91	33.71	8.13	7.67	24.0	14.81	33.72	8.13	7.46
24.5	14.85	33.71	8.13	7.63	24.5	14.72	33.72	8.13	7.48
25.0	14.84	33.71	8.13	7.60	25.0	14.68	33.72	8.13	7.50
25.5	14.84	33.71	8.13	7.55	25.5	14.75	33.72	8.13	7.51
26.0	14.87	33.70	8.12	7.47	26.0				
26.5	14.88	33.69	8.12	7.38	26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
43.0					43.0				
平均値	18.89	31.40	8.12	7.28	平均値	18.97	30.86	8.12	7.34
最小値	14.84	17.19	7.81	6.55	最小値	14.68	16.83	7.83	6.65
最大値	21.94	33.71	8.15	8.42	最大値	21.65	33.72	8.17	8.48