

第8表 多項目水質センサーによる鉛直観測結果 (St. 02EN および St. 02ES)

St. 02EN					St. 02ES				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	19.31	30.58	8.19	8.33	0.5	19.04	31.57	8.21	8.37
1.0	19.28	30.66	8.20	8.34	1.0	19.03	31.57	8.21	8.38
1.5	19.22	30.87	8.20	8.36	1.5	19.03	31.57	8.21	8.39
2.0	19.13	30.99	8.20	8.37	2.0	19.03	31.56	8.21	8.41
2.5	19.09	31.41	8.20	8.38	2.5	19.03	31.57	8.21	8.42
3.0	18.95	31.49	8.21	8.45	3.0	19.00	31.58	8.21	8.43
3.5	18.76	31.63	8.21	8.42	3.5	18.88	31.67	8.21	8.41
4.0	18.76	31.73	8.21	8.41	4.0	18.71	31.83	8.21	8.41
4.5	18.66	32.13	8.21	8.37	4.5	18.64	31.92	8.20	8.41
5.0	18.39	32.30	8.20	8.28	5.0	18.25	32.26	8.20	8.31
5.5	18.23	32.41	8.19	8.24	5.5	18.23	32.39	8.19	8.25
6.0	18.12	32.43	8.19	8.20	6.0	17.91	32.36	8.19	8.25
6.5	18.10	32.55	8.19	8.19	6.5	17.78	32.46	8.18	8.21
7.0	18.09	32.55	8.19	8.17	7.0	17.88	32.49	8.18	8.21
7.5	17.77	32.54	8.19	8.16	7.5	17.96	32.70	8.18	8.17
8.0	17.99	32.62	8.19	8.14	8.0	17.58	32.74	8.18	8.20
8.5	18.03	32.64	8.19	8.12	8.5	17.52	32.75	8.18	8.21
9.0	18.01	32.67	8.19	8.11	9.0	17.44	32.73	8.19	8.32
9.5	17.88	32.73	8.19	8.12	9.5	17.31	32.74	8.19	8.33
10.0	17.87	32.74	8.19	8.13	10.0	17.06	32.76	8.19	8.38
10.5	17.37	32.76	8.19	8.30	10.5	16.86	32.73	8.19	8.47
11.0	17.34	32.76	8.19	8.30	11.0	16.85	32.75	8.19	8.47
11.5	17.34	32.76	8.19	8.30	11.5	16.85	32.77	8.19	8.45
12.0	17.29	32.77	8.19	8.31	12.0	16.78	32.77	8.19	8.44
12.5	17.22	32.76	8.19	8.32	12.5	16.77	32.77	8.19	8.44
13.0	17.11	32.76	8.19	8.33	13.0	16.76	32.77	8.19	8.44
13.5	17.07	32.77	8.19	8.36	13.5	16.70	32.71	8.19	8.43
14.0	16.96	32.76	8.19	8.36	14.0	16.49	32.78	8.18	8.45
14.5	16.89	32.79	8.19	8.36	14.5	16.48	32.78	8.18	8.47
15.0	16.86	32.76	8.19	8.39	15.0	16.28	32.81	8.18	8.48
15.5	16.78	32.76	8.19	8.39	15.5	16.12	32.82	8.18	8.48
16.0	16.77	32.77	8.19	8.39	16.0	16.02	32.87	8.18	8.47
16.5	16.66	32.74	8.19	8.35	16.5	15.85	32.90	8.18	8.45
17.0	16.23	32.90	8.18	8.29	17.0	15.70	32.94	8.18	8.62
17.5	15.86	32.90	8.18	8.46	17.5	15.60	32.97	8.18	8.54
18.0	15.80	32.97	8.18	8.36	18.0	15.54	33.01	8.18	8.66
18.5	15.63	32.98	8.19	8.62	18.5	15.51	33.01	8.19	8.68
19.0	15.50	33.08	8.19	8.64	19.0	15.44	33.05	8.19	8.67
19.5	15.41	33.08	8.19	8.65	19.5	15.44	33.05	8.19	8.69
20.0	15.35	33.14	8.19	8.66	20.0	15.39	33.07	8.19	8.71
20.5	15.34	33.15	8.19	8.67	20.5	15.40	33.09	8.19	8.72
21.0	15.13	33.16	8.19	8.52	21.0	15.38	33.11	8.19	8.72
21.5	15.09	33.17	8.18	8.42	21.5	15.39	33.15	8.19	8.72
22.0	15.06	33.18	8.18	8.41	22.0	15.37	33.19	8.19	8.68
22.5	15.05	33.22	8.18	8.39	22.5	15.24	33.19	8.19	8.51
23.0	14.99	33.23	8.18	8.57	23.0	14.97	33.20	8.19	8.54
23.5	14.96	33.21	8.18	8.52	23.5	14.79	33.16	8.19	8.35
24.0	14.46	33.23	8.18	7.85	24.0	14.72	33.16	8.17	8.17
24.5	14.29	33.20	8.17	7.65	24.5	14.71	33.17	8.17	8.16
25.0	14.21	33.26	8.15	7.64	25.0	14.76	33.20	8.17	8.38
25.5	13.83	33.35	8.14	7.39	25.5	14.75	33.20	8.17	8.48
26.0	13.70	33.28	8.12	7.37	26.0	14.64	33.20	8.17	8.41
26.5	13.34	33.37	8.12	7.37	26.5	14.24	33.25	8.17	8.21
27.0	13.34	33.34	8.11	7.37	27.0	13.90	33.22	8.15	7.51
27.5	13.32	33.33	8.11	7.36	27.5	13.80	33.28	8.14	7.37
28.0	13.31	33.34	8.11	7.38	28.0	13.63	33.30	8.12	7.32
28.5	13.31	33.34	8.10	7.38	28.5	13.57	33.29	8.12	7.31
29.0	13.30	33.34	8.10	7.39	29.0	13.47	33.32	8.11	7.28
29.5					29.5	13.39	33.32	8.10	7.30
30.0					30.0	13.36	33.32	8.10	7.31
30.5					30.5	13.33	33.33	8.10	7.33
31.0					31.0	13.32	33.33	8.10	7.34
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	16.50	32.68	8.18	8.19	平均値	16.21	32.77	8.18	8.28
最小値	13.30	30.58	8.10	7.36	最小値	13.32	31.56	8.10	7.28
最大値	19.31	33.37	8.21	8.67	最大値	19.04	33.33	8.21	8.72

第9表 多項目水質センサーによる鉛直観測結果 (St. 02N および St. 02S)

St. 02N					St. 02S				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.39	30.90	8.19	7.83	0.5	18.42	31.07	8.17	7.85
1.0	18.39	30.90	8.19	7.83	1.0	18.42	31.07	8.17	7.84
1.5	18.39	30.91	8.19	7.83	1.5	18.42	31.07	8.17	7.85
2.0	18.39	30.92	8.19	7.83	2.0	18.42	31.06	8.18	7.85
2.5	18.38	30.93	8.19	7.84	2.5	18.42	31.06	8.18	7.86
3.0	18.38	30.99	8.19	7.82	3.0	18.41	31.06	8.18	7.86
3.5	18.38	30.93	8.19	7.83	3.5	18.41	31.05	8.18	7.87
4.0	18.38	30.96	8.19	7.83	4.0	18.41	31.06	8.18	7.88
4.5	18.38	30.95	8.19	7.83	4.5	18.40	31.08	8.18	7.88
5.0	18.38	30.99	8.19	7.83	5.0	18.38	31.08	8.18	7.87
5.5	18.38	31.02	8.19	7.82	5.5	18.33	31.15	8.18	7.88
6.0	18.38	31.04	8.19	7.82	6.0	18.33	31.16	8.18	7.88
6.5	18.38	31.06	8.19	7.81	6.5	18.32	31.18	8.18	7.87
7.0	18.39	31.08	8.19	7.81	7.0	18.32	31.20	8.18	7.87
7.5	18.39	31.07	8.19	7.81	7.5	18.33	31.21	8.18	7.87
8.0	18.39	31.08	8.19	7.81	8.0	18.33	31.21	8.18	7.86
8.5	18.40	31.10	8.19	7.80	8.5	18.33	31.21	8.18	7.86
9.0	18.39	31.10	8.19	7.80	9.0	18.33	31.22	8.18	7.85
9.5	18.40	31.12	8.19	7.80	9.5	18.33	31.22	8.18	7.84
10.0	18.41	31.13	8.19	7.80	10.0	18.33	31.26	8.18	7.82
10.5	18.41	31.15	8.19	7.80	10.5	18.33	31.26	8.18	7.82
11.0	18.42	31.15	8.19	7.79	11.0	18.33	31.28	8.18	7.82
11.5	18.42	31.16	8.19	7.79	11.5	18.33	31.33	8.18	7.81
12.0	18.42	31.20	8.19	7.79	12.0	18.17	31.57	8.18	7.86
12.5	18.42	31.22	8.19	7.79	12.5	17.80	31.83	8.18	7.82
13.0	18.32	31.51	8.19	7.78	13.0	17.74	32.25	8.18	7.93
13.5	18.04	31.92	8.19	7.87	13.5	17.70	32.39	8.19	7.97
14.0	17.88	32.13	8.19	7.77	14.0	17.59	32.46	8.19	8.02
14.5	17.67	32.36	8.19	7.86	14.5	17.53	32.47	8.20	8.04
15.0	17.62	32.44	8.19	7.94	15.0	17.51	32.48	8.20	8.03
15.5	17.50	32.49	8.20	8.01	15.5	17.40	32.51	8.20	8.07
16.0	17.44	32.53	8.20	8.03	16.0	17.39	32.52	8.21	8.11
16.5	17.41	32.52	8.21	8.06	16.5	17.13	32.59	8.21	8.11
17.0	17.40	32.52	8.21	8.07	17.0	17.09	32.63	8.22	8.22
17.5	17.36	32.53	8.21	8.08	17.5	17.07	32.64	8.22	8.23
18.0	17.20	32.58	8.21	8.11	18.0	17.03	32.65	8.22	8.23
18.5	17.02	32.64	8.22	8.13	18.5	17.03	32.67	8.22	8.24
19.0	16.99	32.67	8.22	8.22	19.0	17.04	32.68	8.22	8.25
19.5	16.97	32.68	8.22	8.23	19.5	17.04	32.68	8.22	8.24
20.0	16.97	32.70	8.22	8.24	20.0	17.04	32.68	8.22	8.25
20.5	16.97	32.71	8.22	8.23	20.5	17.03	32.67	8.22	8.25
21.0	16.97	32.71	8.22	8.24	21.0	17.04	32.67	8.22	8.24
21.5	16.96	32.71	8.22	8.24	21.5	17.02	32.68	8.22	8.25
22.0	16.96	32.71	8.22	8.25	22.0	17.01	32.68	8.22	8.26
22.5	16.97	32.71	8.22	8.25	22.5	17.00	32.70	8.22	8.28
23.0	16.96	32.71	8.22	8.25	23.0	16.90	32.71	8.22	8.25
23.5	16.96	32.71	8.22	8.26	23.5	16.87	32.72	8.22	8.25
24.0	16.96	32.71	8.22	8.26	24.0	16.86	32.73	8.22	8.24
24.5	16.95	32.71	8.22	8.26	24.5	16.86	32.73	8.22	8.24
25.0	16.94	32.71	8.23	8.27	25.0	16.87	32.74	8.22	8.24
25.5	16.95	32.71	8.23	8.27	25.5	16.87	32.74	8.22	8.24
26.0	16.93	32.71	8.23	8.28	26.0	16.87	32.74	8.22	8.24
26.5	16.93	32.71	8.23	8.28	26.5	16.85	32.74	8.22	8.15
27.0	16.91	32.71	8.23	8.29	27.0	16.85	32.74	8.22	8.15
27.5	16.88	32.72	8.23	8.28	27.5	16.84	32.74	8.21	8.08
28.0	16.88	32.72	8.23	8.25	28.0	16.83	32.74	8.21	8.02
28.5	16.87	32.73	8.23	8.18	28.5	16.83	32.74	8.21	8.01
29.0	16.84	32.72	8.22	8.19	29.0	16.82	32.74	8.21	8.01
29.5	16.83	32.73	8.22	8.10	29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	17.68	31.93	8.20	8.01	平均値	17.62	32.02	8.20	8.03
最小値	16.83	30.90	8.19	7.77	最小値	16.82	31.05	8.17	7.81
最大値	18.42	32.73	8.23	8.29	最大値	18.42	32.74	8.22	8.28

第 10 表 多項目水質センサーによる鉛直観測結果 (St. 02W および St. 03)

St. 02W					St. 03				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.44	31.05	8.17	7.80	0.5	18.63	32.15	8.21	8.18
1.0	18.44	31.05	8.17	7.80	1.0	18.64	32.13	8.21	8.18
1.5	18.45	31.05	8.17	7.80	1.5	18.63	32.14	8.21	8.18
2.0	18.45	31.06	8.17	7.80	2.0	18.63	32.15	8.21	8.17
2.5	18.45	31.07	8.18	7.80	2.5	18.60	32.19	8.21	8.16
3.0	18.45	31.06	8.18	7.80	3.0	18.44	32.42	8.20	8.07
3.5	18.44	31.07	8.18	7.80	3.5	18.40	32.43	8.20	8.07
4.0	18.47	31.10	8.18	7.80	4.0	18.38	32.43	8.20	8.07
4.5	18.47	31.10	8.18	7.78	4.5	18.38	32.45	8.20	8.08
5.0	18.47	31.10	8.18	7.78	5.0	18.39	32.46	8.20	8.08
5.5	18.47	31.11	8.18	7.78	5.5	18.39	32.46	8.20	8.07
6.0	18.48	31.12	8.18	7.77	6.0	18.37	32.49	8.20	8.07
6.5	18.48	31.11	8.18	7.77	6.5	18.36	32.51	8.20	8.07
7.0	18.48	31.12	8.18	7.77	7.0	18.35	32.56	8.20	8.07
7.5	18.49	31.12	8.18	7.77	7.5	18.20	32.56	8.20	8.10
8.0	18.50	31.15	8.18	7.77	8.0	18.00	32.66	8.20	8.16
8.5	18.51	31.16	8.18	7.76	8.5	17.94	32.65	8.20	8.18
9.0	18.51	31.16	8.18	7.76	9.0	17.82	32.65	8.20	8.20
9.5	18.51	31.15	8.18	7.76	9.5	17.69	32.66	8.20	8.27
10.0	18.51	31.16	8.18	7.76	10.0	17.70	32.68	8.20	8.26
10.5	18.51	31.19	8.18	7.75	10.5	17.76	32.71	8.21	8.23
11.0	18.49	31.19	8.18	7.75	11.0	17.78	32.75	8.21	8.25
11.5	18.49	31.35	8.18	7.75	11.5	17.57	32.76	8.21	8.32
12.0	18.11	31.77	8.18	7.77	12.0	17.49	32.76	8.21	8.32
12.5	17.98	31.94	8.18	7.81	12.5	17.35	32.75	8.21	8.38
13.0	17.69	32.31	8.19	7.96	13.0	17.32	32.76	8.21	8.39
13.5	17.66	32.37	8.19	7.96	13.5	17.29	32.75	8.21	8.39
14.0	17.64	32.44	8.19	8.00	14.0	17.13	32.73	8.21	8.41
14.5	17.63	32.49	8.20	8.02	14.5	17.07	32.84	8.22	8.50
15.0	17.57	32.49	8.20	8.07	15.0	17.06	32.83	8.22	8.50
15.5	17.39	32.50	8.20	8.10	15.5	16.98	32.84	8.21	8.51
16.0	17.05	32.63	8.22	8.20	16.0	16.72	32.93	8.21	8.55
16.5	17.04	32.63	8.22	8.21	16.5	16.54	32.92	8.21	8.59
17.0	17.04	32.63	8.22	8.22	17.0	16.18	32.98	8.21	8.66
17.5	17.03	32.65	8.22	8.23	17.5	15.79	32.98	8.21	8.75
18.0	17.03	32.65	8.22	8.24	18.0	15.67	33.00	8.21	8.75
18.5	17.01	32.67	8.22	8.25	18.5	15.50	33.04	8.21	8.82
19.0	17.01	32.67	8.22	8.25	19.0	15.48	33.07	8.21	8.83
19.5	17.01	32.66	8.22	8.25	19.5	15.43	33.11	8.21	8.84
20.0	17.01	32.67	8.22	8.25	20.0	15.35	33.15	8.22	8.86
20.5	17.01	32.67	8.22	8.25	20.5	15.31	33.18	8.22	8.86
21.0	17.01	32.67	8.22	8.26	21.0	15.27	33.19	8.22	8.86
21.5	17.01	32.67	8.22	8.25	21.5	15.27	33.28	8.22	8.86
22.0	17.01	32.67	8.22	8.25	22.0	15.22	33.29	8.23	8.89
22.5	17.01	32.67	8.22	8.26	22.5	15.18	33.33	8.22	8.88
23.0	17.01	32.70	8.22	8.26	23.0	15.12	33.32	8.22	8.87
23.5	16.88	32.71	8.22	8.28	23.5	14.87	33.36	8.22	8.88
24.0	16.87	32.71	8.22	8.28	24.0	14.80	33.34	8.22	8.88
24.5	16.87	32.73	8.22	8.27	24.5	14.60	33.37	8.22	8.87
25.0	16.87	32.73	8.22	8.25	25.0	14.07	33.45	8.20	8.89
25.5	16.87	32.73	8.22	8.25	25.5	13.95	33.33	8.21	8.90
26.0	16.86	32.73	8.22	8.25	26.0	13.73	33.31	8.19	8.73
26.5	16.88	32.74	8.22	8.24	26.5	13.62	33.30	8.17	8.44
27.0	16.87	32.74	8.22	8.24	27.0	13.60	33.29	8.16	8.57
27.5	16.86	32.74	8.22	8.17	27.5	13.59	33.27	8.16	8.27
28.0	16.85	32.74	8.22	8.17	28.0	13.54	33.29	8.16	8.26
28.5	16.83	32.74	8.21	8.06	28.5	13.49	33.29	8.16	8.27
29.0					29.0	13.49	33.30	8.17	8.37
29.5					29.5	13.48	33.30	8.17	8.35
30.0					30.0	13.42	33.30	8.15	8.13
30.5					30.5	13.41	33.30	8.16	8.17
31.0					31.0	13.22	33.32	8.13	7.89
31.5					31.5	13.09	33.33	8.12	7.57
32.0					32.0	13.08	33.33	8.11	7.63
32.5					32.5	13.07	33.33	8.11	7.56
33.0					33.0	13.07	33.33	8.11	7.52
33.5					33.5	13.07	33.33	8.11	7.54
34.0					34.0	13.07	33.33	8.11	7.53
34.5					34.5	13.07	33.33	8.11	7.50
35.0					35.0	13.07	33.33	8.11	7.48
35.5					35.5	13.08	33.33	8.11	7.40
36.0					36.0	13.08	33.33	8.11	7.41
36.5					36.5	13.08	33.33	8.10	7.37
37.0					37.0	13.07	33.33	8.10	7.37
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	17.67	32.00	8.20	8.01	平均値	15.79	32.96	8.19	8.28
最小値	16.83	31.05	8.17	7.75	最小値	13.07	32.13	8.10	7.37
最大値	18.51	32.74	8.22	8.28	最大値	18.64	33.45	8.23	8.90

第11表 多項目水質センサーによる鉛直観測結果 (St. 03E および St. 03N)

St. 03E					St. 03N				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.74	31.81	8.21	8.30	0.5	18.82	31.75	8.22	8.34
1.0	18.74	31.82	8.21	8.31	1.0	18.82	31.75	8.22	8.34
1.5	18.75	31.81	8.21	8.31	1.5	18.68	32.01	8.22	8.32
2.0	18.57	32.25	8.21	8.16	2.0	18.53	32.36	8.21	8.16
2.5	18.51	32.38	8.21	8.09	2.5	18.45	32.45	8.21	8.05
3.0	18.44	32.40	8.20	8.06	3.0	18.43	32.46	8.20	8.05
3.5	18.43	32.43	8.20	8.05	3.5	18.40	32.46	8.20	8.04
4.0	18.41	32.45	8.19	8.04	4.0	18.38	32.46	8.20	8.06
4.5	18.40	32.46	8.19	8.04	4.5	18.37	32.46	8.20	8.05
5.0	18.40	32.46	8.19	8.04	5.0	18.38	32.47	8.19	8.05
5.5	18.40	32.46	8.19	8.04	5.5	18.39	32.48	8.19	8.05
6.0	18.42	32.48	8.19	8.04	6.0	18.38	32.48	8.19	8.05
6.5	18.42	32.49	8.19	8.04	6.5	18.36	32.51	8.19	8.05
7.0	18.42	32.49	8.19	8.04	7.0	18.36	32.52	8.19	8.06
7.5	18.41	32.49	8.19	8.04	7.5	18.29	32.58	8.19	8.06
8.0	18.33	32.50	8.19	8.05	8.0	18.24	32.59	8.19	8.07
8.5	18.26	32.58	8.19	8.05	8.5	18.17	32.62	8.19	8.07
9.0	18.21	32.60	8.19	8.06	9.0	18.09	32.63	8.19	8.07
9.5	18.19	32.60	8.19	8.07	9.5	17.97	32.71	8.19	8.11
10.0	17.98	32.65	8.19	8.11	10.0	17.79	32.69	8.19	8.16
10.5	18.01	32.68	8.19	8.14	10.5	17.69	32.68	8.19	8.18
11.0	18.01	32.70	8.19	8.12	11.0	17.61	32.70	8.19	8.21
11.5	17.88	32.69	8.19	8.12	11.5	17.57	32.71	8.19	8.23
12.0	17.73	32.66	8.19	8.16	12.0	17.55	32.77	8.19	8.24
12.5	17.60	32.71	8.19	8.25	12.5	17.52	32.76	8.19	8.25
13.0	17.57	32.72	8.19	8.21	13.0	17.34	32.79	8.19	8.31
13.5	17.50	32.73	8.19	8.26	13.5	17.20	32.77	8.20	8.33
14.0	17.49	32.73	8.19	8.26	14.0	17.06	32.76	8.20	8.33
14.5	17.45	32.75	8.19	8.25	14.5	17.05	32.81	8.20	8.40
15.0	17.30	32.79	8.20	8.25	15.0	17.07	32.85	8.20	8.41
15.5	17.05	32.73	8.20	8.25	15.5	16.93	32.90	8.20	8.42
16.0	16.98	32.79	8.20	8.40	16.0	16.86	32.89	8.20	8.42
16.5	16.87	32.83	8.20	8.44	16.5	16.62	32.94	8.20	8.47
17.0	16.83	32.84	8.20	8.44	17.0	16.49	32.99	8.20	8.44
17.5	16.84	32.85	8.20	8.44	17.5	16.00	33.02	8.20	8.51
18.0	16.83	32.86	8.20	8.46	18.0	15.95	33.01	8.20	8.56
18.5	16.74	32.87	8.20	8.48	18.5	15.76	33.00	8.20	8.53
19.0	16.74	32.88	8.20	8.48	19.0	15.69	33.00	8.20	8.61
19.5	16.74	32.92	8.20	8.48	19.5	15.68	33.04	8.20	8.61
20.0	16.74	32.96	8.20	8.48	20.0	15.64	33.08	8.20	8.61
20.5	16.68	33.04	8.20	8.49	20.5	15.60	33.07	8.20	8.65
21.0	16.27	33.13	8.20	8.46	21.0	15.54	33.14	8.20	8.66
21.5	16.08	33.06	8.20	8.51	21.5	15.54	33.14	8.20	8.65
22.0	15.86	32.98	8.20	8.55	22.0	15.45	33.16	8.20	8.70
22.5	15.70	33.01	8.20	8.55	22.5	15.41	33.19	8.20	8.68
23.0	15.45	33.02	8.20	8.61	23.0	15.40	33.20	8.20	8.71
23.5	15.37	33.00	8.20	8.61	23.5	15.39	33.21	8.20	8.72
24.0	15.25	33.05	8.20	8.65	24.0	15.37	33.22	8.20	8.72
24.5	15.19	33.07	8.20	8.68	24.5	15.36	33.22	8.20	8.74
25.0	15.20	33.07	8.20	8.68	25.0	15.34	33.22	8.20	8.73
25.5	15.24	33.12	8.20	8.69	25.5	15.31	33.22	8.20	8.75
26.0	15.27	33.15	8.20	8.71	26.0	15.30	33.24	8.20	8.75
26.5	15.25	33.18	8.20	8.73	26.5	15.28	33.33	8.20	8.79
27.0	15.21	33.24	8.20	8.75	27.0	15.21	33.34	8.21	8.79
27.5	15.22	33.27	8.20	8.74	27.5	15.17	33.34	8.21	8.77
28.0	15.22	33.31	8.20	8.75	28.0	15.14	33.34	8.21	8.76
28.5	15.22	33.32	8.20	8.75	28.5	15.13	33.34	8.21	8.76
29.0	15.22	33.35	8.21	8.77	29.0	15.06	33.33	8.21	8.74
29.5	15.19	33.36	8.21	8.77	29.5	14.54	33.39	8.21	8.64
30.0	15.06	33.36	8.21	8.75	30.0	14.08	33.26	8.19	7.97
30.5	15.05	33.36	8.21	8.75	30.5	14.02	33.27	8.19	7.93
31.0	14.97	33.38	8.21	8.74	31.0	13.97	33.27	8.17	7.85
31.5	14.51	33.42	8.21	8.65	31.5	13.90	33.29	8.16	8.04
32.0	14.09	33.28	8.20	7.92	32.0	13.88	33.29	8.16	8.05
32.5	14.03	33.25	8.19	7.89	32.5	13.79	33.28	8.16	8.01
33.0	13.79	33.30	8.19	8.01	33.0	13.68	33.30	8.15	7.95
33.5	13.75	33.29	8.18	8.02	33.5	13.57	33.30	8.15	7.83
34.0	13.74	33.31	8.17	8.01	34.0	13.43	33.31	8.14	7.84
34.5	13.70	33.29	8.17	7.97	34.5	13.34	33.32	8.14	7.83
35.0	13.66	33.31	8.17	7.94	35.0	13.29	33.33	8.14	7.61
35.5	13.54	33.31	8.16	7.79	35.5	13.30	33.33	8.13	7.45
36.0	13.51	33.29	8.16	7.82	36.0	13.30	33.33	8.12	7.45
36.5	13.37	33.32	8.15	7.76	36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	16.50	32.87	8.19	8.31	平均値	16.26	32.92	8.19	8.30
最小値	13.37	31.81	8.15	7.76	最小値	13.29	31.75	8.12	7.45
最大値	18.75	33.42	8.21	8.77	最大値	18.82	33.39	8.22	8.79

第12表 多項目水質センサーによる鉛直観測結果 (St. 03S および St. 03W)

St. 03S					St. 03W				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.67	32.06	8.20	8.21	0.5	18.79	31.70	8.23	8.35
1.0	18.65	32.16	8.20	8.20	1.0	18.80	31.70	8.23	8.35
1.5	18.60	32.23	8.20	8.17	1.5	18.79	31.70	8.23	8.35
2.0	18.49	32.42	8.20	8.10	2.0	18.70	32.01	8.23	8.33
2.5	18.48	32.42	8.20	8.08	2.5	18.57	32.25	8.21	8.19
3.0	18.45	32.45	8.19	8.06	3.0	18.47	32.32	8.20	8.13
3.5	18.44	32.44	8.19	8.07	3.5	18.41	32.41	8.20	8.11
4.0	18.40	32.45	8.19	8.06	4.0	18.38	32.44	8.20	8.07
4.5	18.39	32.45	8.19	8.07	4.5	18.38	32.44	8.20	8.07
5.0	18.37	32.47	8.19	8.07	5.0	18.38	32.44	8.20	8.07
5.5	18.37	32.47	8.19	8.07	5.5	18.37	32.45	8.20	8.06
6.0	18.37	32.47	8.19	8.08	6.0	18.38	32.45	8.20	8.06
6.5	18.36	32.48	8.19	8.07	6.5	18.38	32.45	8.20	8.07
7.0	18.36	32.49	8.19	8.07	7.0	18.38	32.46	8.20	8.06
7.5	18.36	32.52	8.19	8.08	7.5	18.35	32.49	8.20	8.07
8.0	18.34	32.54	8.19	8.10	8.0	18.26	32.54	8.20	8.08
8.5	17.97	32.67	8.19	8.11	8.5	18.26	32.55	8.20	8.09
9.0	17.92	32.69	8.19	8.17	9.0	18.15	32.59	8.20	8.11
9.5	17.80	32.64	8.19	8.21	9.5	18.10	32.63	8.20	8.11
10.0	17.70	32.68	8.19	8.23	10.0	18.05	32.63	8.20	8.13
10.5	17.73	32.71	8.19	8.21	10.5	18.06	32.67	8.20	8.13
11.0	17.75	32.73	8.19	8.22	11.0	17.96	32.67	8.20	8.14
11.5	17.80	32.77	8.19	8.19	11.5	17.77	32.66	8.20	8.21
12.0	17.80	32.78	8.19	8.19	12.0	17.63	32.67	8.20	8.24
12.5	17.75	32.78	8.19	8.22	12.5	17.62	32.66	8.20	8.30
13.0	17.40	32.82	8.20	8.23	13.0	17.41	32.70	8.21	8.41
13.5	17.40	32.77	8.20	8.32	13.5	17.27	32.66	8.21	8.44
14.0	17.39	32.78	8.20	8.33	14.0	16.98	32.79	8.21	8.50
14.5	17.27	32.80	8.20	8.35	14.5	16.95	32.80	8.21	8.51
15.0	17.12	32.81	8.20	8.40	15.0	16.95	32.83	8.21	8.51
15.5	17.18	32.78	8.20	8.37	15.5	16.95	32.83	8.21	8.51
16.0	17.04	32.84	8.20	8.41	16.0	16.94	32.85	8.22	8.51
16.5	16.91	32.91	8.20	8.48	16.5	16.93	32.96	8.22	8.52
17.0	16.70	32.96	8.20	8.46	17.0	16.76	32.97	8.22	8.55
17.5	16.66	32.95	8.20	8.47	17.5	16.69	32.97	8.22	8.55
18.0	16.35	33.01	8.20	8.49	18.0	16.68	32.97	8.22	8.56
18.5	16.16	33.07	8.20	8.49	18.5	16.70	32.98	8.22	8.56
19.0	15.64	33.03	8.20	8.66	19.0	16.70	32.98	8.22	8.57
19.5	15.62	32.97	8.20	8.61	19.5	16.69	32.99	8.22	8.58
20.0	15.44	33.09	8.20	8.70	20.0	16.28	33.01	8.22	8.62
20.5	15.40	33.16	8.20	8.69	20.5	16.28	32.85	8.21	8.67
21.0	15.27	33.21	8.20	8.69	21.0	15.86	32.96	8.21	8.70
21.5	15.22	33.29	8.20	8.73	21.5	15.74	32.99	8.21	8.74
22.0	15.24	33.34	8.20	8.73	22.0	15.63	33.00	8.21	8.74
22.5	15.08	33.36	8.20	8.74	22.5	15.43	32.99	8.21	8.78
23.0	15.02	33.36	8.20	8.73	23.0	15.45	32.99	8.21	8.80
23.5	14.80	33.33	8.20	8.71	23.5	15.35	32.96	8.21	8.85
24.0	14.71	33.38	8.20	8.68	24.0	15.21	33.05	8.21	8.87
24.5	14.63	33.40	8.20	8.76	24.5	15.25	33.12	8.21	8.87
25.0	14.58	33.44	8.20	8.74	25.0	15.27	33.15	8.22	8.87
25.5	14.05	33.39	8.20	8.59	25.5	15.19	33.20	8.22	8.88
26.0	13.79	33.38	8.20	8.57	26.0	15.19	33.27	8.22	8.88
26.5	13.67	33.32	8.19	8.32	26.5	15.21	33.28	8.22	8.88
27.0	13.64	33.32	8.18	8.29	27.0	15.22	33.28	8.22	8.88
27.5	13.61	33.32	8.17	8.17	27.5	15.11	33.31	8.22	8.89
28.0	13.58	33.32	8.17	8.14	28.0	15.05	33.35	8.22	8.87
28.5	13.55	33.31	8.16	7.97	28.5	15.00	33.32	8.22	8.84
29.0	13.58	33.32	8.16	8.19	29.0	14.94	33.29	8.21	8.79
29.5	13.57	33.32	8.16	8.30	29.5	14.85	33.28	8.22	8.82
30.0	13.57	33.32	8.16	8.25	30.0	14.40	33.23	8.21	8.80
30.5	13.53	33.32	8.16	8.31	30.5	14.28	33.27	8.18	8.52
31.0	13.52	33.32	8.16	8.35	31.0	13.91	33.27	8.18	8.52
31.5	13.51	33.32	8.16	8.40	31.5	13.83	33.30	8.18	8.52
32.0	13.47	33.32	8.16	8.27	32.0	13.73	33.26	8.17	8.48
32.5	13.48	33.32	8.16	8.23	32.5	13.68	33.26	8.17	8.26
33.0	13.46	33.29	8.16	8.30	33.0	13.65	33.26	8.16	8.23
33.5	13.30	33.36	8.15	8.14	33.5	13.63	33.26	8.15	8.12
34.0	13.24	33.36	8.15	7.81	34.0	13.58	33.28	8.15	8.03
34.5	13.11	33.35	8.14	7.47	34.5	13.59	33.28	8.15	8.00
35.0	13.06	33.36	8.13	7.39	35.0	13.44	33.28	8.15	8.00
35.5	13.05	33.36	8.12	7.29	35.5	13.43	33.30	8.15	8.00
36.0	13.03	33.36	8.12	7.28	36.0	13.31	33.31	8.13	8.00
36.5	13.03	33.36	8.11	7.23	36.5	13.25	33.31	8.13	7.82
37.0	13.03	33.36	8.10	7.23	37.0	13.24	33.31	8.12	7.63
37.5	13.04	33.36	8.10	7.23	37.5	13.23	33.31	8.12	7.61
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	15.88	32.98	8.18	8.23	平均値	16.26	32.87	8.20	8.40
最小値	13.03	32.06	8.10	7.23	最小値	13.23	31.70	8.12	7.61
最大値	18.67	33.44	8.20	8.76	最大値	18.80	33.35	8.23	8.89

第13表 多項目水質センサーによる鉛直観測結果 (St. 04 および St. 04E)

St. 04					St. 04E				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	19.09	30.21	8.22	8.30	0.5	19.36	30.23	8.21	8.34
1.0	18.91	30.60	8.22	8.29	1.0	19.06	30.94	8.22	8.40
1.5	18.85	31.53	8.23	8.36	1.5	19.05	31.06	8.23	8.46
2.0	18.81	31.56	8.23	8.35	2.0	18.81	31.67	8.22	8.39
2.5	18.77	31.74	8.23	8.34	2.5	18.78	31.67	8.22	8.39
3.0	18.76	31.75	8.23	8.35	3.0	18.46	31.67	8.22	8.37
3.5	18.73	31.77	8.23	8.34	3.5	18.47	31.64	8.17	8.10
4.0	18.66	31.79	8.22	8.32	4.0	17.95	32.18	8.18	8.14
4.5	18.63	31.91	8.22	8.31	4.5	17.67	32.28	8.18	8.18
5.0	18.52	31.98	8.22	8.30	5.0	17.65	32.33	8.19	8.17
5.5	18.34	32.13	8.21	8.22	5.5	17.64	32.39	8.19	8.16
6.0	18.21	32.34	8.21	8.21	6.0	17.79	32.46	8.20	8.14
6.5	18.21	32.34	8.21	8.20	6.5	18.01	32.60	8.20	8.11
7.0	18.13	32.35	8.21	8.15	7.0	18.00	32.61	8.20	8.10
7.5	18.13	32.46	8.21	8.14	7.5	17.77	32.71	8.20	8.10
8.0	18.00	32.65	8.21	8.07	8.0	17.73	32.73	8.20	8.18
8.5	18.00	32.66	8.21	8.07	8.5	17.71	32.72	8.20	8.18
9.0	17.97	32.68	8.21	8.07	9.0	17.58	32.72	8.20	8.19
9.5	17.97	32.71	8.21	8.06	9.5	17.45	32.72	8.20	8.19
10.0	17.96	32.73	8.21	8.07	10.0	17.07	32.73	8.19	8.15
10.5	17.96	32.73	8.21	8.07	10.5	17.03	32.74	8.19	8.15
11.0	17.94	32.73	8.21	8.07	11.0	16.78	32.74	8.19	8.17
11.5	17.95	32.73	8.21	8.07	11.5	16.75	32.74	8.19	8.16
12.0	17.93	32.73	8.21	8.07	12.0	16.51	32.77	8.17	8.02
12.5	17.79	32.72	8.21	8.13	12.5	16.46	32.78	8.17	8.00
13.0	17.73	32.73	8.21	8.14	13.0	16.41	32.79	8.17	7.99
13.5	17.72	32.73	8.21	8.15	13.5	16.31	32.80	8.17	7.98
14.0	17.71	32.73	8.21	8.16	14.0	16.32	32.79	8.17	7.95
14.5	17.68	32.73	8.21	8.17	14.5	16.26	32.80	8.17	7.90
15.0	17.67	32.73	8.21	8.17	15.0	16.27	32.81	8.17	7.92
15.5	17.68	32.73	8.21	8.16	15.5	16.26	32.81	8.17	7.89
16.0	17.68	32.73	8.21	8.16	16.0	16.24	32.81	8.17	7.87
16.5	17.69	32.73	8.21	8.17	16.5	16.23	32.81	8.17	7.87
17.0	17.66	32.73	8.21	8.17	17.0	16.21	32.81	8.17	7.89
17.5	17.66	32.73	8.21	8.17	17.5	16.22	32.81	8.17	7.90
18.0	17.65	32.73	8.21	8.17	18.0	16.22	32.80	8.17	7.92
18.5	17.65	32.73	8.21	8.17	18.5	16.22	32.82	8.17	7.86
19.0	17.65	32.73	8.21	8.17	19.0	16.16	32.83	8.16	7.83
19.5	17.64	32.73	8.21	8.17	19.5	16.12	32.81	8.17	7.82
20.0	17.62	32.73	8.21	8.17	20.0	16.22	32.81	8.17	7.87
20.5	17.63	32.73	8.21	8.17	20.5	16.22	32.81	8.17	7.84
21.0	17.62	32.73	8.21	8.17	21.0	16.19	32.82	8.16	7.85
21.5	17.62	32.73	8.21	8.17	21.5	16.20	32.82	8.17	7.84
22.0	17.41	32.61	8.20	8.21	22.0	16.06	32.84	8.16	7.81
22.5	17.13	32.71	8.20	8.17	22.5	16.03	32.85	8.16	7.78
23.0	17.22	32.69	8.20	8.17	23.0	15.90	32.87	8.15	7.66
23.5	15.44	33.01	8.14	7.61	23.5	15.76	32.88	8.15	7.65
24.0	15.16	32.99	8.14	7.60	24.0	15.57	32.93	8.14	7.66
24.5	14.74	33.07	8.12	7.59	24.5	15.43	32.96	8.13	7.53
25.0	14.61	33.07	8.11	7.33	25.0	15.18	33.06	8.13	7.56
25.5					25.5				
26.0					26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	17.76	32.46	8.21	8.13	平均値	16.96	32.53	8.18	8.01
最小値	14.61	30.21	8.11	7.33	最小値	15.18	30.23	8.13	7.53
最大値	19.09	33.07	8.23	8.36	最大値	19.36	33.06	8.23	8.46

第14表 多項目水質センサーによる鉛直観測結果 (St. 04N および St. 04S)

St. 04N					St. 04S				
水深 (m)	水温 (℃)	塩分	pH	DO (mg/L)	水深 (m)	水温 (℃)	塩分	pH	DO (mg/L)
0.5	18.45	30.86	8.20	7.83	0.5	18.46	31.05	8.19	7.84
1.0	18.44	30.86	8.20	7.83	1.0	18.46	31.05	8.19	7.84
1.5	18.44	30.87	8.20	7.83	1.5	18.45	31.05	8.19	7.83
2.0	18.44	30.88	8.20	7.83	2.0	18.45	31.05	8.19	7.85
2.5	18.45	30.87	8.20	7.83	2.5	18.46	31.05	8.19	7.84
3.0	18.45	30.89	8.20	7.80	3.0	18.45	31.05	8.19	7.84
3.5	18.47	30.97	8.20	7.81	3.5	18.45	31.05	8.19	7.85
4.0	18.48	30.98	8.20	7.80	4.0	18.46	31.06	8.19	7.84
4.5	18.48	31.01	8.20	7.82	4.5	18.46	31.06	8.19	7.84
5.0	18.48	31.01	8.20	7.80	5.0	18.46	31.05	8.19	7.84
5.5	18.49	31.03	8.20	7.80	5.5	18.46	31.05	8.19	7.83
6.0	18.50	31.08	8.20	7.79	6.0	18.46	31.06	8.19	7.84
6.5	18.50	31.08	8.20	7.80	6.5	18.46	31.06	8.19	7.83
7.0	18.50	31.06	8.20	7.79	7.0	18.46	31.06	8.19	7.82
7.5	18.50	31.07	8.20	7.79	7.5	18.46	31.07	8.19	7.82
8.0	18.51	31.10	8.20	7.79	8.0	18.47	31.06	8.19	7.81
8.5	18.50	31.10	8.20	7.79	8.5	18.47	31.07	8.19	7.80
9.0	18.50	31.10	8.20	7.79	9.0	18.47	31.06	8.19	7.81
9.5	18.50	31.10	8.20	7.79	9.5	18.48	31.07	8.19	7.81
10.0	18.50	31.10	8.20	7.79	10.0	18.49	31.07	8.19	7.80
10.5	18.50	31.10	8.20	7.79	10.5	18.47	31.09	8.19	7.81
11.0	18.50	31.10	8.20	7.79	11.0	18.45	31.14	8.20	7.80
11.5	18.51	31.10	8.20	7.79	11.5	18.33	31.19	8.20	7.81
12.0	18.50	31.11	8.20	7.79	12.0	18.23	31.47	8.20	7.82
12.5	18.35	31.36	8.20	7.79	12.5	18.07	31.68	8.21	7.89
13.0	18.16	31.66	8.21	7.79	13.0	17.65	32.20	8.22	8.02
13.5	17.86	32.08	8.21	7.89	13.5	17.47	32.43	8.22	8.11
14.0	17.67	32.31	8.22	7.96	14.0	17.43	32.46	8.22	8.10
14.5	17.57	32.43	8.22	8.02	14.5	17.40	32.47	8.22	8.14
15.0	17.43	32.53	8.23	8.10	15.0	17.40	32.46	8.23	8.15
15.5	17.39	32.55	8.23	8.12	15.5	17.36	32.47	8.23	8.19
16.0	17.38	32.52	8.23	8.17	16.0	17.19	32.54	8.23	8.22
16.5	17.29	32.58	8.24	8.19	16.5	17.19	32.54	8.23	8.23
17.0	17.28	32.58	8.24	8.19	17.0	17.19	32.54	8.23	8.23
17.5	17.28	32.58	8.24	8.19	17.5	17.19	32.54	8.23	8.23
18.0	17.27	32.58	8.24	8.19	18.0	17.14	32.56	8.23	8.24
18.5	17.18	32.63	8.24	8.23	18.5	17.10	32.59	8.23	8.26
19.0	17.09	32.64	8.24	8.26	19.0	17.09	32.59	8.23	8.26
19.5	17.08	32.64	8.24	8.27	19.5	17.08	32.59	8.23	8.26
20.0	17.07	32.64	8.24	8.27	20.0	17.07	32.60	8.24	8.27
20.5	17.06	32.64	8.24	8.27	20.5	17.06	32.61	8.24	8.27
21.0	17.03	32.65	8.24	8.29	21.0	17.03	32.63	8.24	8.28
21.5	17.02	32.65	8.24	8.30	21.5	17.02	32.64	8.24	8.29
22.0	16.99	32.65	8.24	8.29	22.0	17.01	32.65	8.24	8.30
22.5	16.93	32.67	8.24	8.30	22.5	16.90	32.69	8.24	8.30
23.0	16.92	32.69	8.24	8.25	23.0	16.89	32.70	8.24	8.30
23.5	16.91	32.70	8.23	8.08	23.5	16.86	32.71	8.24	8.30
24.0					24.0	16.86	32.71	8.24	8.31
24.5					24.5	16.86	32.72	8.23	8.24
25.0					25.0	16.86	32.72	8.23	8.17
25.5					25.5	16.86	32.72	8.23	8.15
26.0					26.0	16.86	32.72	8.22	8.16
26.5					26.5	16.86	32.72	8.22	8.07
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	17.91	31.73	8.22	7.97	平均値	17.73	31.89	8.21	8.03
最小値	16.91	30.86	8.20	7.79	最小値	16.86	31.05	8.19	7.80
最大値	18.51	32.70	8.24	8.30	最大値	18.49	32.72	8.24	8.31

第15表 多項目水質センサーによる鉛直観測結果 (St. 04W および St. 05)

St. 04W					St. 05				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.41	30.95	8.19	7.88	0.5	19.97	29.30	8.19	7.84
1.0	18.40	30.96	8.19	7.87	1.0	19.93	29.36	8.19	7.86
1.5	18.39	30.98	8.19	7.87	1.5	19.93	30.24	8.24	7.90
2.0	18.40	30.96	8.19	7.87	2.0	19.21	30.77	8.24	8.32
2.5	18.39	30.96	8.20	7.87	2.5	19.16	30.79	8.25	8.34
3.0	18.39	30.97	8.20	7.87	3.0	19.10	30.91	8.24	8.31
3.5	18.39	30.99	8.20	7.86	3.5	19.06	31.02	8.24	8.29
4.0	18.39	31.00	8.20	7.87	4.0	18.87	31.41	8.24	8.25
4.5	18.40	31.03	8.20	7.86	4.5	18.81	31.52	8.23	8.25
5.0	18.39	30.98	8.20	7.86	5.0	18.68	31.75	8.23	8.15
5.5	18.40	31.01	8.20	7.86	5.5	18.50	32.08	8.22	8.20
6.0	18.40	31.04	8.20	7.82	6.0	18.42	32.17	8.21	8.08
6.5	18.42	31.08	8.20	7.82	6.5	18.40	32.23	8.21	8.06
7.0	18.44	31.04	8.20	7.84	7.0	18.42	32.41	8.21	8.04
7.5	18.41	31.04	8.20	7.83	7.5	18.45	32.47	8.21	8.03
8.0	18.43	31.09	8.20	7.82	8.0	18.45	32.54	8.21	8.04
8.5	18.43	31.08	8.20	7.82	8.5	18.30	32.61	8.21	8.05
9.0	18.41	31.07	8.20	7.82	9.0	18.20	32.63	8.21	8.06
9.5	18.44	31.11	8.20	7.82	9.5	18.16	32.62	8.21	8.06
10.0	18.43	31.16	8.20	7.80	10.0	18.14	32.62	8.21	8.04
10.5	18.42	31.09	8.20	7.81	10.5	17.82	32.62	8.19	8.05
11.0	18.43	31.10	8.20	7.81	11.0	17.25	32.68	8.16	7.59
11.5	18.43	31.15	8.20	7.80	11.5	17.08	32.70	8.16	7.54
12.0	18.38	31.24	8.20	7.82	12.0	17.08	32.70	8.16	7.53
12.5	18.15	31.60	8.20	7.85					
13.0	17.94	31.92	8.21	7.93					
13.5	17.73	32.17	8.22	7.97					
14.0	17.48	32.40	8.22	8.12					
14.5	17.43	32.52	8.23	8.14					
15.0	17.37	32.53	8.23	8.15					
15.5	17.37	32.53	8.23	8.15					
16.0	17.35	32.54	8.23	8.16					
16.5	17.32	32.54	8.23	8.17					
17.0	17.31	32.55	8.23	8.18					
17.5	17.25	32.56	8.23	8.18					
18.0	17.21	32.56	8.23	8.20					
18.5	17.18	32.56	8.24	8.24					
19.0	17.15	32.57	8.24	8.24					
19.5	17.13	32.57	8.24	8.25					
20.0	17.09	32.58	8.24	8.26					
20.5	17.08	32.60	8.24	8.26					
21.0	17.02	32.63	8.24	8.29					
21.5	17.02	32.64	8.24	8.29					
22.0	16.99	32.66	8.24	8.29					
22.5	16.96	32.66	8.24	8.30					
23.0	16.89	32.69	8.24	8.30					
23.5	16.89	32.70	8.24	8.28					
24.0	16.89	32.70	8.24	8.29					
24.5	16.88	32.72	8.23	8.07					
25.0	16.88	32.72	8.23	8.09					
25.5	16.87	32.72	8.22	8.03					
26.0									
26.5									
27.0									
27.5									
28.0									
28.5									
29.0									
29.5									
30.0									
30.5									
31.0									
31.5									
32.0									
32.5									
33.0									
33.5									
34.0									
34.5									
35.0									
35.5									
36.0									
36.5									
37.0									
37.5									
38.0									
38.5									
39.0									
39.5									
40.0									
40.5									
41.0									
41.5									
42.0									
42.5									
平均値	17.78	31.83	8.21	8.02	平均値	18.53	31.75	8.21	8.04
最小値	16.87	30.95	8.19	7.80	最小値	17.08	29.30	8.16	7.53
最大値	18.44	32.72	8.24	8.30	最大値	19.97	32.70	8.25	8.34



第16表 多項目水質センサーによる鉛直観測結果 (St. 06 および St. 07)

St. 06					St. 07				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.54	30.77	8.17	7.80	0.5	19.20	29.39	8.09	7.88
1.0	18.54	30.78	8.17	7.81	1.0	19.09	30.07	8.10	7.90
1.5	18.53	30.78	8.18	7.80	1.5	19.08	30.22	8.11	7.93
2.0	18.54	30.77	8.18	7.80	2.0	18.97	30.23	8.12	7.96
2.5	18.54	30.78	8.18	7.80	2.5	18.93	30.30	8.13	7.88
3.0	18.54	30.78	8.18	7.80	3.0	18.85	30.38	8.13	7.81
3.5	18.53	30.78	8.18	7.80	3.5	18.67	30.45	8.14	7.82
4.0	18.53	30.78	8.18	7.80	4.0	18.58	30.84	8.14	7.74
4.5	18.53	30.79	8.18	7.79	4.5	18.59	30.85	8.15	7.72
5.0	18.53	30.79	8.18	7.80	5.0	18.60	30.85	8.15	7.71
5.5	18.53	30.80	8.18	7.79	5.5	18.60	30.86	8.15	7.70
6.0	18.53	30.81	8.18	7.79	6.0	18.61	30.86	8.15	7.70
6.5	18.53	30.81	8.18	7.79	6.5	18.70	31.03	8.15	7.59
7.0	18.54	30.82	8.18	7.78	7.0				
7.5	18.53	30.81	8.18	7.78	7.5				
8.0	18.53	30.81	8.18	7.79	8.0				
8.5	18.53	30.81	8.18	7.78	8.5				
9.0	18.54	30.82	8.18	7.78	9.0				
9.5	18.54	30.82	8.18	7.78	9.5				
10.0	18.53	30.82	8.18	7.78	10.0				
10.5	18.54	30.82	8.18	7.78	10.5				
11.0	18.54	30.82	8.18	7.78	11.0				
11.5	18.54	30.84	8.18	7.78	11.5				
12.0	18.54	30.84	8.18	7.77	12.0				
12.5	18.56	30.89	8.18	7.76	12.5				
13.0	18.57	30.89	8.18	7.76	13.0				
13.5	18.57	30.96	8.18	7.76	13.5				
14.0	18.59	31.08	8.18	7.73	14.0				
14.5	18.47	31.32	8.18	7.71	14.5				
15.0	18.36	31.47	8.18	7.73	15.0				
15.5	18.14	31.77	8.18	7.72	15.5				
16.0	17.97	31.95	8.19	7.80	16.0				
16.5	17.45	32.38	8.21	7.97	16.5				
17.0	17.25	32.59	8.21	8.08	17.0				
17.5	17.17	32.59	8.21	8.20	17.5				
18.0	17.15	32.59	8.21	8.20	18.0				
18.5	17.08	32.63	8.22	8.22	18.5				
19.0	17.02	32.64	8.22	8.21	19.0				
19.5	17.02	32.65	8.22	8.21	19.5				
20.0	17.02	32.65	8.22	8.20	20.0				
20.5	17.01	32.65	8.22	8.20	20.5				
21.0	17.01	32.65	8.22	8.20	21.0				
21.5	17.01	32.65	8.22	8.21	21.5				
22.0	17.00	32.65	8.22	8.21	22.0				
22.5	16.99	32.66	8.22	8.19	22.5				
23.0	16.98	32.67	8.22	8.20	23.0				
23.5	16.96	32.67	8.22	8.19	23.5				
24.0					24.0				
24.5					24.5				
25.0					25.0				
25.5					25.5				
26.0					26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	18.05	31.46	8.19	7.91	平均値	18.80	30.49	8.13	7.79
最小値	16.96	30.77	8.17	7.71	最小値	18.58	29.39	8.09	7.59
最大値	18.59	32.67	8.22	8.22	最大値	19.20	31.03	8.15	7.96