

第17表 多項目水質センサーによる鉛直観測結果 (St. 08 および St. 09)

St. 08					St. 09				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	19.06	30.60	8.16	7.89	0.5	18.07	31.95	8.20	7.97
1.0	18.81	30.73	8.16	7.88	1.0	18.06	31.96	8.20	7.98
1.5	18.76	30.83	8.17	7.86	1.5	18.05	31.96	8.20	7.98
2.0	18.69	30.85	8.17	7.84	2.0	18.04	31.97	8.21	7.98
2.5	18.67	30.92	8.17	7.83	2.5	18.04	31.98	8.21	7.98
3.0	18.62	30.95	8.17	7.82	3.0	17.84	32.05	8.21	8.02
3.5	18.61	30.98	8.17	7.82	3.5	17.78	32.15	8.21	8.06
4.0	18.60	30.96	8.17	7.81	4.0	17.73	32.22	8.21	8.06
4.5	18.61	31.02	8.17	7.78	4.5	17.64	32.32	8.22	8.10
5.0	18.61	31.00	8.17	7.78	5.0	17.58	32.40	8.22	8.14
5.5	18.61	31.03	8.17	7.77	5.5	17.56	32.48	8.22	8.15
6.0	18.61	31.04	8.17	7.77	6.0	17.55	32.51	8.22	8.15
6.5	18.61	31.04	8.17	7.77	6.5	17.55	32.58	8.22	8.16
7.0	18.61	31.05	8.17	7.76	7.0	17.55	32.57	8.22	8.16
7.5	18.61	31.04	8.17	7.76	7.5	17.56	32.61	8.22	8.16
8.0	18.62	31.06	8.17	7.74	8.0	17.56	32.63	8.22	8.16
8.5	18.62	31.07	8.17	7.74	8.5	17.56	32.64	8.22	8.16
9.0	18.62	31.07	8.17	7.74	9.0	17.55	32.66	8.22	8.16
9.5	18.63	31.08	8.17	7.73	9.5	17.55	32.66	8.22	8.17
10.0	18.63	31.08	8.17	7.72	10.0	17.54	32.66	8.22	8.16
10.5	18.63	31.09	8.17	7.69	10.5	17.54	32.67	8.22	8.17
11.0					11.0	17.54	32.67	8.22	8.17
11.5					11.5	17.47	32.69	8.23	8.18
12.0					12.0	17.47	32.69	8.23	8.19
12.5					12.5	17.50	32.71	8.23	8.18
13.0					13.0	17.50	32.72	8.23	8.18
13.5					13.5	17.51	32.72	8.23	8.18
14.0					14.0	17.52	32.74	8.23	8.18
14.5					14.5	17.51	32.75	8.23	8.18
15.0					15.0	17.48	32.75	8.23	8.19
15.5					15.5	17.47	32.76	8.23	8.19
16.0					16.0	17.45	32.76	8.23	8.20
16.5					16.5	17.44	32.76	8.23	8.20
17.0					17.0	17.41	32.77	8.23	8.22
17.5					17.5	17.39	32.77	8.23	8.22
18.0					18.0	17.33	32.77	8.23	8.24
18.5					18.5	17.29	32.77	8.23	8.26
19.0					19.0	17.23	32.76	8.23	8.27
19.5					19.5	17.23	32.76	8.23	8.28
20.0					20.0	17.22	32.76	8.23	8.28
20.5					20.5	17.10	32.76	8.23	8.31
21.0					21.0	17.09	32.75	8.23	8.31
21.5					21.5	17.06	32.75	8.23	8.33
22.0					22.0	17.03	32.75	8.23	8.33
22.5					22.5	16.93	32.74	8.24	8.34
23.0					23.0	16.89	32.74	8.24	8.36
23.5					23.5	16.85	32.74	8.24	8.37
24.0					24.0	16.75	32.75	8.24	8.40
24.5					24.5	16.73	32.75	8.24	8.40
25.0					25.0	16.73	32.75	8.24	8.40
25.5					25.5	16.69	32.76	8.24	8.40
26.0					26.0	16.69	32.76	8.24	8.40
26.5					26.5	16.67	32.76	8.24	8.41
27.0					27.0	16.66	32.76	8.24	8.41
27.5					27.5	16.65	32.76	8.24	8.42
28.0					28.0	16.65	32.76	8.24	8.42
28.5					28.5	16.64	32.77	8.24	8.42
29.0					29.0	16.64	32.77	8.24	8.43
29.5					29.5	16.59	32.77	8.24	8.43
30.0					30.0	16.52	32.79	8.24	8.48
30.5					30.5	16.51	32.79	8.24	8.50
31.0					31.0	16.51	32.80	8.24	8.50
31.5					31.5	16.52	32.81	8.24	8.50
32.0					32.0	16.55	32.85	8.24	8.42
32.5					32.5	16.55	32.86	8.24	8.42
33.0					33.0	16.56	32.86	8.23	8.34
33.5					33.5	16.57	32.90	8.23	8.32
34.0					34.0	16.57	32.92	8.23	8.32
34.5					34.5	16.58	32.92	8.23	8.30
35.0					35.0	16.57	32.94	8.23	8.28
35.5					35.5	16.57	32.94	8.23	8.25
36.0					36.0	16.55	32.96	8.23	8.25
36.5					36.5	16.51	33.02	8.22	8.26
37.0					37.0	16.47	33.02	8.21	8.15
37.5					37.5	16.36	33.10	8.21	8.15
38.0					38.0	16.26	33.16	8.21	8.16
38.5					38.5	16.17	33.17	8.21	8.18
39.0					39.0	15.86	33.27	8.20	8.07
39.5					39.5	15.42	33.24	8.19	8.18
40.0					40.0	15.17	33.26	8.18	8.00
40.5					40.5	14.79	33.44	8.18	8.06
41.0					41.0	14.50	33.30	8.18	8.16
41.5					41.5	14.48	33.30	8.18	8.13
42.0					42.0	14.44	33.31	8.18	8.09
42.5					42.5	14.25	33.31	8.18	8.03
平均値	18.66	30.98	8.17	7.79	平均値	16.91	32.74	8.22	8.23
最小値	18.60	30.60	8.16	7.69	最小値	14.25	31.95	8.18	7.97
最大値	19.06	31.09	8.17	7.89	最大値	18.07	33.44	8.24	8.50

第 18 表 多項目水質センサーによる鉛直観測結果 (St. 10 および St. 10E)

St. 10					St. 10E				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.35	32.42	8.20	8.03	0.5	18.40	32.39	8.20	8.04
1.0	18.35	32.42	8.20	8.03	1.0	18.40	32.39	8.20	8.04
1.5	18.35	32.42	8.20	8.04	1.5	18.40	32.39	8.20	8.04
2.0	18.35	32.42	8.20	8.03	2.0	18.40	32.39	8.20	8.04
2.5	18.35	32.42	8.20	8.04	2.5	18.40	32.39	8.20	8.05
3.0	18.33	32.43	8.20	8.04	3.0	18.40	32.39	8.20	8.04
3.5	18.33	32.44	8.20	8.04	3.5	18.39	32.40	8.20	8.05
4.0	18.30	32.44	8.20	8.06	4.0	18.38	32.41	8.20	8.05
4.5	18.26	32.46	8.20	8.07	4.5	18.36	32.42	8.20	8.06
5.0	18.21	32.47	8.20	8.07	5.0	18.29	32.46	8.20	8.07
5.5	18.19	32.48	8.20	8.08	5.5	18.31	32.55	8.20	8.09
6.0	18.08	32.48	8.20	8.11	6.0	18.37	32.65	8.20	8.09
6.5	17.95	32.56	8.20	8.15	6.5	18.38	32.70	8.20	8.07
7.0	17.97	32.62	8.20	8.15	7.0	18.35	32.71	8.20	8.07
7.5	17.83	32.62	8.20	8.17	7.5	18.38	32.79	8.20	8.07
8.0	17.84	32.67	8.21	8.19	8.0	18.35	32.81	8.20	8.08
8.5	17.95	32.72	8.21	8.20	8.5	18.34	32.81	8.20	8.08
9.0	17.81	32.70	8.21	8.20	9.0	18.29	32.79	8.20	8.09
9.5	17.73	32.69	8.21	8.25	9.5	18.21	32.81	8.20	8.10
10.0	17.71	32.70	8.21	8.26	10.0	18.23	32.84	8.20	8.11
10.5	17.75	32.69	8.21	8.26	10.5	18.11	32.88	8.20	8.12
11.0	17.87	32.75	8.21	8.23	11.0	18.02	32.79	8.20	8.14
11.5	17.92	32.78	8.21	8.17	11.5	17.86	32.79	8.20	8.19
12.0	17.91	32.78	8.21	8.17	12.0	17.35	32.68	8.20	8.28
12.5	17.50	32.68	8.21	8.24	12.5	17.33	32.71	8.20	8.40
13.0	17.34	32.69	8.21	8.27	13.0	17.18	32.71	8.20	8.41
13.5	17.24	32.69	8.21	8.40	13.5	16.87	32.73	8.21	8.50
14.0	17.13	32.72	8.21	8.45	14.0	16.86	32.76	8.21	8.56
14.5	16.98	32.72	8.21	8.49	14.5	16.74	32.85	8.21	8.57
15.0	16.90	32.74	8.21	8.51	15.0	16.50	32.85	8.21	8.59
15.5	16.88	32.76	8.21	8.52	15.5	16.50	32.85	8.21	8.60
16.0	16.83	32.78	8.21	8.53	16.0	16.42	32.89	8.21	8.63
16.5	16.81	32.79	8.21	8.55	16.5	16.40	32.91	8.21	8.64
17.0	16.77	32.83	8.21	8.54	17.0	16.32	32.91	8.21	8.64
17.5	16.76	32.85	8.21	8.53	17.5	16.22	32.89	8.20	8.66
18.0	16.75	32.87	8.21	8.53	18.0	15.99	32.94	8.20	8.68
18.5	16.60	32.89	8.21	8.56	18.5	15.95	32.92	8.20	8.70
19.0	16.52	32.87	8.21	8.55	19.0	15.97	32.93	8.20	8.75
19.5	16.50	32.86	8.21	8.56	19.5	15.99	32.93	8.20	8.74
20.0	16.48	32.84	8.21	8.56	20.0	15.88	32.93	8.20	8.75
20.5	16.18	32.84	8.20	8.59	20.5	15.77	32.94	8.20	8.79
21.0	15.99	32.83	8.20	8.61	21.0	15.73	32.94	8.20	8.78
21.5	15.74	32.89	8.20	8.72	21.5	15.35	33.00	8.20	8.86
22.0	15.64	32.93	8.20	8.73	22.0	14.99	33.18	8.20	8.91
22.5	15.51	32.98	8.20	8.80	22.5	14.81	33.11	8.20	8.98
23.0	15.42	33.02	8.20	8.79	23.0	14.78	33.15	8.20	9.03
23.5	15.20	33.06	8.20	8.89	23.5	14.68	33.19	8.20	9.02
24.0	15.14	33.07	8.20	8.90	24.0	14.67	33.19	8.20	9.04
24.5	15.11	33.05	8.20	8.91	24.5	14.62	33.22	8.20	9.04
25.0	14.90	33.13	8.20	8.96	25.0	14.61	33.23	8.20	9.04
25.5	14.89	33.16	8.21	8.99	25.5	14.58	33.24	8.20	9.04
26.0	14.78	33.16	8.21	9.00	26.0	14.41	33.28	8.20	9.05
26.5	14.63	33.19	8.21	9.01	26.5	14.32	33.28	8.20	9.06
27.0	14.61	33.18	8.21	9.03	27.0	14.01	33.27	8.19	9.06
27.5	14.55	33.20	8.21	9.03	27.5	13.94	33.25	8.19	9.03
28.0	14.53	33.21	8.21	9.04	28.0	13.92	33.25	8.19	9.01
28.5	14.53	33.22	8.21	9.04	28.5	13.92	33.24	8.19	8.96
29.0	14.52	33.24	8.21	9.04	29.0	13.92	33.24	8.19	8.97
29.5	14.49	33.27	8.21	9.05	29.5	13.92	33.24	8.19	8.97
30.0	14.38	33.32	8.21	9.05	30.0	13.87	33.22	8.19	8.97
30.5	14.12	33.28	8.21	9.08	30.5	13.81	33.26	8.19	8.97
31.0	13.98	33.34	8.20	9.07	31.0	13.79	33.26	8.19	8.97
31.5	13.76	33.33	8.20	9.07	31.5	13.78	33.26	8.19	8.97
32.0	13.72	33.33	8.19	8.92	32.0	13.76	33.26	8.19	8.97
32.5	13.64	33.36	8.19	8.87	32.5	13.64	33.32	8.19	8.96
33.0	13.45	33.31	8.17	8.76	33.0	13.60	33.33	8.19	8.97
33.5	13.45	33.31	8.17	8.69	33.5	13.47	33.39	8.18	8.97
34.0	13.42	33.30	8.18	8.72	34.0	13.29	33.32	8.18	8.89
34.5	13.34	33.32	8.18	8.83	34.5	13.29	33.33	8.17	8.78
35.0	13.22	33.31	8.18	8.86	35.0	13.20	33.32	8.17	8.74
35.5	13.06	33.36	8.17	8.81	35.5	12.97	33.36	8.16	8.63
36.0	13.03	33.33	8.16	8.59	36.0	12.86	33.38	8.15	8.57
36.5	13.02	33.33	8.16	8.55	36.5	12.75	33.38	8.15	8.56
37.0	13.01	33.33	8.15	8.36	37.0	12.75	33.39	8.12	8.01
37.5	12.87	33.38	8.12	7.96	37.5	12.74	33.39	8.11	7.75
38.0	12.75	33.37	8.11	7.69	38.0	12.72	33.39	8.10	7.72
38.5	12.70	33.40	8.10	7.66	38.5	12.70	33.39	8.10	7.69
39.0	12.63	33.39	8.09	7.44	39.0	12.66	33.39	8.10	7.58
39.5	12.56	33.39	8.09	7.53	39.5	12.62	33.39	8.09	7.50
40.0	12.56	33.39	8.09	7.38	40.0	12.56	33.39	8.09	7.45
40.5	12.48	33.39	8.07	7.35	40.5	12.57	33.40	8.09	7.45
41.0	12.36	33.42	8.07	7.24	41.0	12.48	33.43	8.07	7.41
41.5	12.21	33.42	8.07	7.23	41.5	12.14	33.40	8.07	7.32
42.0	12.17	33.43	8.07	7.16	42.0				
42.5					42.5				
平均値	15.69	32.96	8.19	8.41	平均値	15.57	33.00	8.18	8.46
最小値	12.17	32.42	8.07	7.16	最小値	12.14	32.39	8.07	7.32
最大値	18.35	33.43	8.21	9.08	最大値	18.40	33.43	8.21	9.06

第19表 多項目水質センサーによる鉛直観測結果 (St. 10N および St. 10S)

St. 10N					St. 10S				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.42	32.41	8.20	8.04	0.5	18.45	32.36	8.20	8.02
1.0	18.37	32.41	8.20	8.05	1.0	18.45	32.37	8.20	8.03
1.5	18.37	32.41	8.20	8.06	1.5	18.44	32.37	8.20	8.03
2.0	18.37	32.41	8.20	8.05	2.0	18.43	32.38	8.20	8.04
2.5	18.36	32.41	8.20	8.06	2.5	18.43	32.38	8.20	8.03
3.0	18.36	32.42	8.20	8.06	3.0	18.42	32.38	8.20	8.04
3.5	18.35	32.42	8.20	8.06	3.5	18.41	32.38	8.20	8.04
4.0	18.35	32.42	8.20	8.07	4.0	18.36	32.41	8.20	8.06
4.5	18.35	32.42	8.20	8.06	4.5	18.35	32.42	8.20	8.07
5.0	18.34	32.42	8.20	8.07	5.0	18.33	32.52	8.20	8.08
5.5	18.34	32.42	8.20	8.07	5.5	18.40	32.63	8.20	8.08
6.0	18.34	32.43	8.20	8.07	6.0	18.41	32.70	8.20	8.08
6.5	18.33	32.44	8.20	8.07	6.5	18.23	32.71	8.20	8.09
7.0	18.18	32.47	8.20	8.13	7.0	18.21	32.70	8.20	8.14
7.5	18.15	32.51	8.20	8.13	7.5	18.05	32.74	8.20	8.16
8.0	18.10	32.53	8.20	8.14	8.0	17.98	32.72	8.21	8.17
8.5	18.13	32.53	8.20	8.15	8.5	17.97	32.74	8.21	8.18
9.0	18.16	32.60	8.20	8.14	9.0	17.97	32.75	8.21	8.18
9.5	18.12	32.56	8.20	8.14	9.5	17.96	32.74	8.21	8.18
10.0	17.98	32.59	8.20	8.16	10.0	17.99	32.81	8.21	8.17
10.5	17.99	32.80	8.20	8.15	10.5	18.08	32.84	8.21	8.14
11.0	18.23	32.81	8.20	8.11	11.0	18.07	32.84	8.21	8.15
11.5	18.20	32.82	8.20	8.11	11.5	17.93	32.80	8.21	8.18
12.0	18.12	32.79	8.20	8.21	12.0	17.83	32.81	8.21	8.20
12.5	17.76	32.70	8.20	8.18	12.5	17.50	32.79	8.21	8.26
13.0	17.48	32.63	8.20	8.34	13.0	17.39	32.77	8.21	8.32
13.5	17.34	32.66	8.20	8.37	13.5	17.24	32.77	8.21	8.42
14.0	17.30	32.66	8.21	8.39	14.0	16.85	32.74	8.21	8.52
14.5	17.22	32.67	8.21	8.45	14.5	16.88	32.79	8.21	8.56
15.0	17.00	32.69	8.21	8.51	15.0	16.66	32.80	8.21	8.59
15.5	16.91	32.74	8.21	8.52	15.5	16.67	32.78	8.21	8.59
16.0	16.84	32.77	8.20	8.53	16.0	16.53	32.86	8.21	8.64
16.5	16.77	32.83	8.21	8.53	16.5	16.49	32.90	8.21	8.64
17.0	16.76	32.88	8.21	8.54	17.0	16.41	32.95	8.21	8.64
17.5	16.65	32.89	8.21	8.54	17.5	16.33	32.99	8.21	8.64
18.0	16.27	32.84	8.20	8.61	18.0	16.31	32.99	8.21	8.65
18.5	16.16	32.86	8.20	8.62	18.5	16.16	33.01	8.21	8.68
19.0	16.12	32.86	8.20	8.62	19.0	16.03	32.99	8.21	8.70
19.5	15.99	32.88	8.20	8.63	19.5	15.85	32.97	8.20	8.75
20.0	15.69	32.95	8.20	8.73	20.0	15.83	32.97	8.20	8.77
20.5	15.60	32.95	8.20	8.77	20.5	15.79	32.97	8.20	8.80
21.0	15.54	32.98	8.20	8.79	21.0	15.69	32.96	8.20	8.80
21.5	15.53	32.98	8.20	8.79	21.5	15.66	32.94	8.20	8.82
22.0	14.99	33.11	8.20	8.95	22.0	15.22	33.06	8.20	8.89
22.5	14.97	33.12	8.20	8.93	22.5	14.85	33.17	8.20	9.00
23.0	14.89	33.15	8.20	9.00	23.0	14.81	33.16	8.20	9.01
23.5	14.87	33.16	8.20	9.00	23.5	14.73	33.19	8.20	9.02
24.0	14.71	33.20	8.20	9.01	24.0	14.59	33.19	8.20	9.03
24.5	14.68	33.21	8.20	9.02	24.5	14.31	33.20	8.20	9.06
25.0	14.61	33.24	8.21	9.05	25.0	14.20	33.22	8.20	9.07
25.5	14.56	33.28	8.21	9.03	25.5	14.19	33.21	8.20	9.09
26.0	14.23	33.33	8.20	9.01	26.0	14.17	33.20	8.19	9.10
26.5	14.19	33.34	8.20	9.01	26.5	14.06	33.23	8.19	9.10
27.0	14.07	33.30	8.20	9.00	27.0	14.05	33.22	8.19	9.03
27.5	13.98	33.35	8.20	9.11	27.5	14.01	33.23	8.19	9.01
28.0	13.72	33.30	8.18	8.85	28.0	13.89	33.23	8.19	9.03
28.5	13.67	33.31	8.18	8.82	28.5	13.71	33.26	8.19	9.05
29.0	13.59	33.33	8.18	8.82	29.0	13.63	33.27	8.19	9.02
29.5	13.59	33.33	8.19	8.95	29.5	13.61	33.27	8.18	8.89
30.0	13.58	33.34	8.19	8.95	30.0	13.54	33.28	8.18	8.88
30.5	13.61	33.35	8.19	9.04	30.5	13.46	33.28	8.18	8.84
31.0	13.30	33.33	8.19	9.07	31.0	13.39	33.28	8.18	8.82
31.5	13.25	33.31	8.19	9.01	31.5	13.29	33.31	8.17	8.79
32.0	13.15	33.33	8.16	8.61	32.0	13.27	33.31	8.17	8.84
32.5	13.10	33.34	8.16	8.55	32.5	13.13	33.33	8.17	8.68
33.0	13.00	33.35	8.15	8.41	33.0	12.92	33.36	8.16	8.66
33.5	12.98	33.34	8.13	8.17	33.5	12.87	33.36	8.16	8.59
34.0	12.98	33.34	8.13	8.09	34.0	12.87	33.35	8.16	8.60
34.5	12.98	33.34	8.13	8.06	34.5	12.86	33.36	8.15	8.59
35.0	12.98	33.34	8.13	8.06	35.0	12.83	33.35	8.15	8.59
35.5	12.97	33.34	8.12	7.94	35.5	12.75	33.37	8.15	8.58
36.0	12.95	33.34	8.12	7.92	36.0	12.70	33.38	8.14	8.45
36.5	12.90	33.36	8.12	7.89	36.5	12.64	33.38	8.14	8.41
37.0	12.85	33.36	8.11	7.72	37.0	12.64	33.38	8.14	8.39
37.5	12.80	33.37	8.11	7.69	37.5	12.63	33.38	8.14	8.39
38.0	12.80	33.37	8.10	7.50	38.0	12.57	33.38	8.14	8.35
38.5	12.77	33.37	8.09	7.43	38.5	12.55	33.38	8.14	8.34
39.0	12.75	33.37	8.09	7.42	39.0	12.55	33.38	8.14	8.34
39.5	12.73	33.37	8.09	7.41	39.5	12.50	33.39	8.14	8.33
40.0	12.57	33.47	8.09	7.41	40.0	12.49	33.39	8.14	8.33
40.5	12.30	33.43	8.07	7.24	40.5	12.35	33.45	8.13	8.32
41.0	12.13	33.43	8.07	7.23	41.0	12.06	33.42	8.12	8.07
41.5	12.10	33.43	8.06	7.17	41.5	12.04	33.44	8.10	7.86
42.0					42.0	11.52	33.39	8.09	7.64
42.5					42.5				
平均値	15.56	32.97	8.18	8.34	平均値	15.43	33.01	8.19	8.50
最小値	12.10	32.41	8.06	7.17	最小値	11.52	32.36	8.09	7.64
最大値	18.42	33.47	8.21	9.11	最大値	18.45	33.45	8.21	9.10

第20表 多項目水質センサーによる鉛直観測結果 (St. 10W および St. 11)

St. 10W					St. 11				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.41	32.39	8.19	8.04	0.5	18.12	32.32	8.19	8.23
1.0	18.41	32.39	8.19	8.04	1.0	18.12	32.31	8.19	8.23
1.5	18.41	32.39	8.19	8.04	1.5	18.13	32.31	8.19	8.23
2.0	18.41	32.39	8.19	8.04	2.0	18.12	32.31	8.19	8.22
2.5	18.40	32.39	8.19	8.04	2.5	18.12	32.31	8.19	8.23
3.0	18.40	32.40	8.19	8.05	3.0	18.12	32.31	8.19	8.23
3.5	18.36	32.41	8.19	8.05	3.5	18.10	32.33	8.19	8.24
4.0	18.35	32.41	8.19	8.06	4.0	18.10	32.44	8.19	8.20
4.5	18.36	32.41	8.19	8.06	4.5	18.10	32.58	8.18	8.11
5.0	18.33	32.42	8.20	8.07	5.0	18.10	32.55	8.18	8.10
5.5	18.25	32.50	8.20	8.09	5.5	18.10	32.59	8.18	8.11
6.0	18.31	32.60	8.20	8.08	6.0	18.10	32.60	8.18	8.08
6.5	18.39	32.71	8.20	8.07	6.5	18.09	32.62	8.18	8.08
7.0	18.37	32.72	8.20	8.06	7.0	18.09	32.64	8.18	8.08
7.5	18.38	32.81	8.20	8.07	7.5	18.09	32.64	8.18	8.08
8.0	18.35	32.81	8.20	8.08	8.0	18.08	32.65	8.18	8.07
8.5	18.34	32.84	8.20	8.07	8.5	18.07	32.65	8.18	8.07
9.0	18.15	32.79	8.20	8.12	9.0	18.06	32.65	8.19	8.08
9.5	18.13	32.82	8.20	8.13	9.5	18.06	32.65	8.19	8.08
10.0	18.15	32.84	8.20	8.14	10.0	18.04	32.66	8.19	8.08
10.5	18.14	32.80	8.20	8.16	10.5	18.03	32.66	8.19	8.08
11.0	17.90	32.79	8.20	8.19	11.0	18.01	32.67	8.19	8.09
11.5	17.85	32.79	8.20	8.20	11.5	18.00	32.67	8.19	8.09
12.0	17.73	32.70	8.20	8.25	12.0	17.95	32.70	8.19	8.11
12.5	17.55	32.71	8.21	8.30	12.5	17.84	32.74	8.19	8.15
13.0	17.57	32.71	8.21	8.29	13.0	17.80	32.76	8.19	8.13
13.5	17.60	32.75	8.21	8.30	13.5	17.05	32.68	8.18	8.22
14.0	17.22	32.82	8.21	8.44	14.0	16.55	32.79	8.18	8.34
14.5	16.97	32.71	8.21	8.52	14.5	15.94	32.83	8.18	8.45
15.0	16.79	32.79	8.21	8.56	15.0	15.78	32.90	8.17	8.51
15.5	16.67	32.83	8.21	8.60	15.5	15.71	32.88	8.16	8.43
16.0	16.53	32.85	8.21	8.61	16.0	15.66	32.88	8.16	8.52
16.5	16.43	32.88	8.21	8.62	16.5	15.62	32.90	8.15	8.35
17.0	16.42	32.91	8.21	8.62	17.0	15.50	32.91	8.15	8.34
17.5	16.37	32.92	8.21	8.63	17.5	15.35	32.94	8.14	8.18
18.0	16.34	32.88	8.21	8.64	18.0	15.35	32.94	8.14	8.14
18.5	16.07	32.90	8.21	8.66	18.5	15.16	32.98	8.13	7.99
19.0	16.03	32.91	8.21	8.73	19.0	15.12	33.02	8.13	8.05
19.5	16.02	32.93	8.21	8.73	19.5	15.09	33.02	8.13	7.92
20.0	15.99	32.93	8.21	8.73	20.0	15.06	33.02	8.12	7.91
20.5	15.98	32.92	8.21	8.73	20.5	15.06	33.02	8.12	7.89
21.0	15.91	32.94	8.21	8.76	21.0	15.05	33.02	8.12	7.88
21.5	15.85	32.91	8.21	8.77	21.5	15.04	33.02	8.12	7.87
22.0	15.20	33.10	8.21	8.82	22.0	15.02	33.03	8.12	7.88
22.5	14.92	33.20	8.21	8.92	22.5	15.01	33.03	8.12	7.83
23.0	14.82	33.17	8.21	8.98	23.0	14.88	33.06	8.12	7.75
23.5	14.71	33.18	8.21	8.99	23.5	14.68	33.09	8.11	7.76
24.0	14.70	33.19	8.21	8.99	24.0	14.60	33.12	8.11	7.75
24.5	14.68	33.21	8.21	9.00	24.5	14.50	33.13	8.11	7.74
25.0	14.65	33.22	8.21	9.00	25.0	14.50	33.13	8.11	7.65
25.5	14.31	33.25	8.21	9.01	25.5				
26.0	14.11	33.23	8.21	9.02	26.0				
26.5	14.08	33.22	8.20	8.97	26.5				
27.0	14.07	33.22	8.20	8.96	27.0				
27.5	14.05	33.22	8.21	8.97	27.5				
28.0	13.88	33.22	8.21	9.07	28.0				
28.5	13.87	33.24	8.20	9.07	28.5				
29.0	13.83	33.23	8.20	9.02	29.0				
29.5	13.71	33.27	8.20	8.95	29.5				
30.0	13.71	33.27	8.20	8.95	30.0				
30.5	13.69	33.28	8.20	8.94	30.5				
31.0	13.65	33.29	8.20	8.93	31.0				
31.5	13.53	33.30	8.19	8.86	31.5				
32.0	13.38	33.31	8.19	8.78	32.0				
32.5	13.32	33.31	8.18	8.76	32.5				
33.0	13.25	33.34	8.18	8.65	33.0				
33.5	13.12	33.34	8.17	8.64	33.5				
34.0	12.88	33.38	8.17	8.50	34.0				
34.5	12.70	33.38	8.16	8.50	34.5				
35.0	12.70	33.39	8.16	8.46	35.0				
35.5	12.62	33.39	8.15	8.15	35.5				
36.0	12.62	33.39	8.15	8.16	36.0				
36.5	12.61	33.39	8.14	8.12	36.5				
37.0	12.59	33.39	8.14	8.14	37.0				
37.5	12.58	33.39	8.14	8.10	37.5				
38.0	12.58	33.39	8.14	8.06	38.0				
38.5	12.56	33.39	8.14	8.08	38.5				
39.0	12.56	33.39	8.14	8.01	39.0				
39.5	12.55	33.39	8.13	7.78	39.5				
40.0	12.53	33.40	8.12	7.71	40.0				
40.5	12.49	33.40	8.10	7.67	40.5				
41.0	12.44	33.42	8.09	7.41	41.0				
41.5	12.32	33.37	8.09	7.41	41.5				
42.0	11.77	33.46	8.09	7.41	42.0				
42.5					42.5				
平均値	15.51	33.00	8.19	8.42	平均値	16.74	32.75	8.16	8.10
最小値	11.77	32.99	8.09	7.41	最小値	14.50	32.31	8.11	7.65
最大値	18.41	33.46	8.21	9.07	最大値	18.13	33.13	8.19	8.52

第21表 多項目水質センサーによる鉛直観測結果 (St. 11E および St. 11N)

St. 11E					St. 11N				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.51	30.28	8.19	7.80	0.5	18.65	31.85	8.19	8.33
1.0	18.51	30.28	8.19	7.79	1.0	18.61	31.86	8.19	8.34
1.5	18.52	30.40	8.19	7.78	1.5	18.41	32.00	8.19	8.35
2.0	18.52	30.39	8.19	7.78	2.0	18.36	32.05	8.18	8.35
2.5	18.52	30.42	8.19	7.77	2.5	18.35	32.06	8.18	8.36
3.0	18.53	30.49	8.19	7.77	3.0	18.15	32.21	8.18	8.37
3.5	18.53	30.50	8.19	7.76	3.5	18.14	32.24	8.18	8.37
4.0	18.53	30.51	8.19	7.76	4.0	18.11	32.40	8.18	8.36
4.5	18.53	30.53	8.19	7.76	4.5	18.10	32.50	8.18	8.25
5.0	18.54	30.56	8.19	7.75	5.0	18.10	32.50	8.18	8.24
5.5	18.54	30.74	8.19	7.74	5.5	18.11	32.60	8.18	8.24
6.0	18.55	30.73	8.19	7.73	6.0	18.10	32.63	8.17	8.20
6.5	18.56	30.75	8.19	7.73	6.5	18.05	32.67	8.17	8.16
7.0	18.56	30.78	8.19	7.73	7.0	18.05	32.67	8.17	8.16
7.5	18.56	30.81	8.19	7.73	7.5	18.04	32.67	8.17	8.18
8.0	18.56	30.90	8.19	7.72	8.0	17.90	32.69	8.17	8.20
8.5	18.57	30.97	8.19	7.71	8.5	17.82	32.71	8.17	8.22
9.0	18.57	31.03	8.19	7.72	9.0	17.73	32.70	8.17	8.24
9.5	18.57	31.05	8.19	7.71	9.5	17.35	32.86	8.17	8.27
10.0	18.57	31.09	8.19	7.71	10.0	16.90	32.75	8.17	8.35
10.5	18.57	31.17	8.19	7.70	10.5	16.70	32.77	8.17	8.40
11.0	18.57	31.17	8.19	7.71	11.0	16.43	32.73	8.17	8.48
11.5	18.57	31.25	8.19	7.72	11.5	16.02	32.89	8.16	8.54
12.0	18.58	31.28	8.19	7.72	12.0	15.79	32.89	8.16	8.56
12.5	18.59	31.31	8.19	7.72	12.5	15.77	32.90	8.16	8.56
13.0	18.59	31.32	8.19	7.72	13.0	15.75	32.95	8.16	8.55
13.5	18.33	31.71	8.19	7.73	13.5	15.65	32.91	8.15	8.51
14.0	18.04	32.07	8.19	7.70	14.0	15.56	32.92	8.15	8.47
14.5	17.83	32.29	8.19	7.71	14.5	15.54	32.92	8.15	8.46
15.0	17.78	32.39	8.20	7.82	15.0	15.53	32.94	8.15	8.43
15.5	17.66	32.47	8.21	7.93	15.5	15.44	32.94	8.15	8.42
16.0	17.59	32.49	8.21	7.96	16.0	15.43	32.96	8.14	8.38
16.5	17.54	32.49	8.21	8.02	16.5	15.31	32.99	8.14	8.37
17.0	17.44	32.52	8.22	8.03	17.0	15.30	32.99	8.14	8.30
17.5	17.39	32.55	8.22	8.11	17.5	15.29	32.99	8.13	8.23
18.0	17.30	32.60	8.22	8.14	18.0	15.28	32.99	8.13	8.21
18.5	17.28	32.60	8.22	8.15	18.5	15.27	32.98	8.13	8.12
19.0	17.23	32.61	8.23	8.19	19.0	15.24	32.98	8.12	7.99
19.5	17.17	32.62	8.23	8.19	19.5	15.23	32.99	8.12	7.92
20.0	17.17	32.62	8.23	8.20	20.0	15.22	32.99	8.12	7.95
20.5	17.16	32.62	8.23	8.20	20.5	15.21	33.00	8.12	7.93
21.0	17.14	32.62	8.23	8.21	21.0	15.15	33.00	8.12	7.93
21.5	17.11	32.64	8.23	8.23	21.5	15.04	33.02	8.11	7.83
22.0	17.11	32.63	8.23	8.22	22.0	14.78	33.08	8.11	7.82
22.5	17.05	32.65	8.23	8.22	22.5	14.69	33.06	8.10	7.69
23.0	16.93	32.69	8.22	8.19	23.0	14.65	33.11	8.10	7.65
23.5	16.90	32.69	8.22	8.13	23.5	14.55	33.11	8.09	7.60
24.0	16.89	32.68	8.22	8.06	24.0	14.52	33.10	8.09	7.58
24.5	16.87	32.68	8.21	8.06	24.5	14.49	33.13	8.09	7.57
25.0	16.86	32.69	8.21	8.01	25.0	14.50	33.12	8.09	7.53
25.5	16.85	32.69	8.21	7.97	25.5	14.53	33.12	8.09	7.53
26.0					26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	17.94	31.65	8.20	7.89	平均値	16.37	32.77	8.15	8.18
最小値	16.85	30.28	8.19	7.70	最小値	14.49	31.85	8.09	7.53
最大値	18.59	32.69	8.23	8.23	最大値	18.65	33.13	8.19	8.56

第22表 多項目水質センサーによる鉛直観測結果 (St. 11NE および St. 11NN)

St. 11NE					St. 11NN				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.68	32.02	8.18	8.28	0.5	18.90	31.73	8.20	8.32
1.0	18.67	32.03	8.18	8.30	1.0	18.90	31.74	8.20	8.33
1.5	18.63	32.06	8.18	8.30	1.5	18.89	31.74	8.19	8.33
2.0	18.37	32.27	8.18	8.31	2.0	18.81	31.80	8.19	8.34
2.5	18.23	32.41	8.17	8.29	2.5	18.81	31.80	8.19	8.36
3.0	18.13	32.52	8.17	8.25	3.0	18.73	31.86	8.19	8.36
3.5	18.12	32.56	8.17	8.25	3.5	18.71	31.87	8.19	8.36
4.0	18.12	32.60	8.17	8.22	4.0	18.67	31.90	8.19	8.37
4.5	18.10	32.66	8.17	8.20	4.5	18.51	32.03	8.19	8.36
5.0	18.09	32.66	8.17	8.17	5.0	18.44	32.09	8.19	8.37
5.5	18.05	32.68	8.17	8.17	5.5	18.19	32.29	8.18	8.37
6.0	18.03	32.69	8.17	8.20	6.0	18.15	32.34	8.18	8.38
6.5	17.99	32.69	8.17	8.20	6.5	18.13	32.45	8.18	8.36
7.0	17.81	32.72	8.17	8.23	7.0	18.12	32.48	8.18	8.33
7.5	17.75	32.71	8.17	8.23	7.5	18.11	32.51	8.18	8.29
8.0	17.69	32.73	8.17	8.27	8.0	18.11	32.56	8.18	8.24
8.5	17.66	32.74	8.17	8.27	8.5	18.10	32.60	8.17	8.21
9.0	17.62	32.74	8.17	8.29	9.0	18.10	32.64	8.17	8.20
9.5	17.58	32.75	8.17	8.29	9.5	18.10	32.64	8.17	8.20
10.0	17.41	32.77	8.17	8.31	10.0	18.09	32.67	8.17	8.16
10.5	16.89	32.75	8.17	8.40	10.5	18.07	32.67	8.17	8.16
11.0	16.40	32.82	8.16	8.56	11.0	18.05	32.67	8.17	8.18
11.5	16.36	32.84	8.16	8.58	11.5	17.99	32.69	8.18	8.18
12.0	16.21	32.84	8.16	8.61	12.0	17.85	32.71	8.17	8.20
12.5	16.19	32.81	8.16	8.65	12.5	17.84	32.72	8.18	8.22
13.0	16.01	32.86	8.16	8.65	13.0	17.83	32.73	8.18	8.22
13.5	15.97	32.85	8.16	8.67	13.5	17.78	32.75	8.18	8.23
14.0	15.74	32.87	8.16	8.68	14.0	17.57	32.73	8.18	8.27
14.5	15.69	32.93	8.16	8.65	14.5	17.11	32.75	8.17	8.31
15.0	15.58	32.93	8.15	8.58	15.0	16.61	32.70	8.17	8.41
15.5	15.49	32.94	8.14	8.54	15.5	15.81	32.94	8.16	8.58
16.0	15.44	32.96	8.14	8.42	16.0	15.77	32.90	8.16	8.58
16.5	15.36	32.95	8.14	8.44	16.5	15.72	32.91	8.16	8.57
17.0	15.26	33.00	8.13	8.27	17.0	15.68	32.90	8.15	8.56
17.5	15.22	32.99	8.12	8.11	17.5	15.63	32.91	8.15	8.54
18.0	15.16	33.01	8.12	8.08	18.0	15.59	32.91	8.15	8.53
18.5	15.13	33.01	8.11	8.02	18.5	15.52	32.93	8.15	8.53
19.0	14.94	33.08	8.11	7.97	19.0	15.44	32.95	8.15	8.54
19.5	14.85	33.06	8.11	7.98	19.5	15.42	32.96	8.15	8.50
20.0	14.82	33.08	8.11	7.97	20.0	15.41	32.95	8.15	8.48
20.5	14.63	33.11	8.11	7.96	20.5	15.40	32.96	8.15	8.46
21.0	14.53	33.13	8.11	7.94	21.0	15.40	32.95	8.15	8.44
21.5	14.52	33.11	8.10	7.88	21.5	15.35	32.96	8.14	8.33
22.0	14.41	33.12	8.09	7.70	22.0	15.27	32.96	8.13	8.23
22.5	14.32	33.15	8.07	7.54	22.5	15.24	32.98	8.11	7.82
23.0	14.20	33.18	8.08	7.62	23.0	15.21	32.94	8.10	7.78
23.5	14.19	33.14	8.08	7.59	23.5	14.89	33.08	8.10	7.67
24.0	14.09	33.20	8.09	7.63	24.0	14.75	33.10	8.08	7.55
24.5	14.10	33.19	8.09	7.71	24.5				
25.0					25.0				
25.5					25.5				
26.0					26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	16.38	32.81	8.14	8.21	平均値	17.14	32.58	8.16	8.30
最小値	14.09	32.02	8.07	7.54	最小値	14.75	31.73	8.08	7.55
最大値	18.68	33.20	8.18	8.68	最大値	18.90	33.10	8.20	8.58

第23表 多項目水質センサーによる鉛直観測結果 (St. 11NW および St. 11S)

St. 11NW					St. 11S				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.96	31.92	8.20	8.27	0.5	18.54	30.66	8.18	7.78
1.0	18.80	32.05	8.20	8.25	1.0	18.54	30.64	8.18	7.78
1.5	18.75	32.07	8.20	8.26	1.5	18.54	30.65	8.18	7.78
2.0	18.56	32.18	8.19	8.28	2.0	18.54	30.67	8.18	7.78
2.5	18.31	32.34	8.19	8.29	2.5	18.54	30.65	8.18	7.78
3.0	18.25	32.42	8.19	8.29	3.0	18.54	30.66	8.18	7.78
3.5	18.19	32.50	8.19	8.27	3.5	18.54	30.69	8.18	7.77
4.0	18.16	32.52	8.19	8.24	4.0	18.54	30.69	8.18	7.77
4.5	18.13	32.54	8.19	8.24	4.5	18.54	30.70	8.18	7.77
5.0	18.12	32.59	8.19	8.22	5.0	18.54	30.72	8.18	7.77
5.5	18.09	32.64	8.18	8.19	5.5	18.55	30.74	8.18	7.76
6.0	18.07	32.67	8.18	8.18	6.0	18.55	30.79	8.18	7.75
6.5	18.06	32.67	8.18	8.17	6.5	18.56	30.83	8.18	7.75
7.0	18.03	32.68	8.18	8.18	7.0	18.56	30.88	8.18	7.75
7.5	18.03	32.69	8.18	8.18	7.5	18.56	30.88	8.18	7.74
8.0	17.98	32.70	8.18	8.20	8.0	18.56	30.89	8.18	7.74
8.5	17.92	32.70	8.18	8.21	8.5	18.57	30.95	8.18	7.74
9.0	17.87	32.70	8.18	8.26	9.0	18.57	30.96	8.18	7.73
9.5	17.84	32.69	8.19	8.26	9.5	18.57	31.00	8.18	7.72
10.0	17.75	32.71	8.19	8.29	10.0	18.57	31.00	8.18	7.73
10.5	17.75	32.71	8.19	8.30	10.5	18.57	31.05	8.18	7.72
11.0	17.68	32.71	8.19	8.32	11.0	18.55	31.35	8.18	7.71
11.5	17.66	32.73	8.19	8.31	11.5	18.51	31.43	8.18	7.70
12.0	17.65	32.73	8.19	8.31	12.0	18.47	31.52	8.18	7.67
12.5	17.63	32.73	8.19	8.31	12.5	18.23	31.81	8.18	7.66
13.0	17.61	32.73	8.19	8.31	13.0	18.15	31.91	8.18	7.69
13.5	17.49	32.73	8.19	8.32	13.5	17.97	32.14	8.19	7.77
14.0	17.37	32.75	8.19	8.33	14.0	17.97	32.17	8.19	7.75
14.5	17.26	32.77	8.18	8.37	14.5	17.93	32.23	8.20	7.85
15.0	17.03	32.74	8.18	8.40	15.0	17.82	32.38	8.20	7.85
15.5	16.99	32.77	8.18	8.42	15.5	17.80	32.39	8.20	7.90
16.0	16.88	32.66	8.18	8.47	16.0	17.61	32.44	8.20	7.96
16.5	16.66	32.89	8.18	8.46	16.5	17.45	32.54	8.21	8.10
17.0	16.56	32.81	8.18	8.56	17.0	17.44	32.53	8.21	8.09
17.5	16.46	32.76	8.18	8.58	17.5	17.22	32.56	8.21	8.16
18.0	16.11	32.88	8.18	8.62	18.0	17.15	32.60	8.22	8.21
18.5	15.97	32.86	8.18	8.68	18.5	17.13	32.61	8.22	8.23
19.0	15.95	32.89	8.18	8.68	19.0	17.13	32.62	8.22	8.23
19.5	15.83	32.85	8.18	8.70	19.5	17.09	32.62	8.22	8.23
20.0	15.61	32.92	8.17	8.67	20.0	17.07	32.61	8.22	8.25
20.5	15.53	32.91	8.16	8.52	20.5	17.04	32.63	8.22	8.25
21.0	15.33	32.97	8.16	8.51	21.0	17.03	32.64	8.22	8.26
21.5	15.27	33.01	8.14	8.29	21.5	17.01	32.66	8.22	8.26
22.0	14.94	33.01	8.14	8.24	22.0	17.01	32.66	8.22	8.26
22.5	14.88	33.13	8.13	8.19	22.5	16.96	32.67	8.22	8.26
23.0	14.63	33.15	8.13	8.10	23.0	16.95	32.68	8.22	8.25
23.5	14.50	33.14	8.13	8.08	23.5	16.94	32.68	8.22	8.25
24.0	14.08	33.26	8.12	8.02	24.0	16.92	32.68	8.22	8.23
24.5	13.94	33.16	8.13	8.24	24.5	16.92	32.68	8.22	8.22
25.0	13.85	33.22	8.13	8.28	25.0	16.92	32.69	8.22	8.21
25.5					25.5	16.91	32.69	8.22	8.21
26.0					26.0	16.91	32.69	8.22	8.20
26.5					26.5	16.91	32.69	8.22	8.20
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	16.98	32.73	8.17	8.33	平均値	17.86	31.77	8.20	7.94
最小値	13.85	31.92	8.12	8.02	最小値	16.91	30.64	8.18	7.66
最大値	18.96	33.26	8.20	8.70	最大値	18.57	32.69	8.22	8.26

第24表 多項目水質センサーによる鉛直観測結果 (St. 11W および St. 12)

St. 11W					St. 12				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	18.49	30.20	8.19	7.84	0.5	18.70	30.49	8.16	7.82
1.0	18.49	30.21	8.19	7.83	1.0	18.69	30.49	8.16	7.84
1.5	18.49	30.27	8.19	7.83	1.5	18.70	30.49	8.16	7.84
2.0	18.51	30.36	8.19	7.80	2.0	18.70	30.49	8.17	7.84
2.5	18.51	30.48	8.19	7.78	2.5	18.69	30.49	8.17	7.84
3.0	18.52	30.47	8.19	7.78	3.0	18.69	30.49	8.17	7.84
3.5	18.52	30.58	8.19	7.77	3.5	18.69	30.49	8.17	7.84
4.0	18.53	30.61	8.19	7.76	4.0	18.67	30.49	8.17	7.84
4.5	18.53	30.65	8.19	7.75	4.5	18.68	30.49	8.17	7.83
5.0	18.54	30.72	8.19	7.75	5.0	18.68	30.49	8.17	7.83
5.5	18.55	30.77	8.19	7.74	5.5	18.68	30.49	8.17	7.83
6.0	18.55	30.80	8.19	7.74	6.0	18.68	30.49	8.17	7.83
6.5	18.56	30.90	8.19	7.74	6.5	18.67	30.49	8.17	7.83
7.0	18.55	30.83	8.19	7.73	7.0	18.68	30.49	8.17	7.83
7.5	18.56	30.91	8.19	7.73	7.5	18.67	30.49	8.17	7.83
8.0	18.55	30.94	8.19	7.74	8.0	18.68	30.49	8.17	7.82
8.5	18.55	30.97	8.19	7.73	8.5	18.67	30.50	8.17	7.82
9.0	18.56	31.00	8.19	7.73	9.0	18.67	30.52	8.17	7.81
9.5	18.56	31.02	8.19	7.73	9.5	18.67	30.56	8.17	7.81
10.0	18.57	31.03	8.19	7.73	10.0	18.76	30.62	8.17	7.80
10.5	18.57	31.08	8.19	7.72	10.5	18.77	31.05	8.17	7.68
11.0	18.57	31.08	8.19	7.73	11.0	18.77	31.11	8.17	7.64
11.5	18.56	31.16	8.19	7.72	11.5	18.77	31.11	8.17	7.63
12.0	18.53	31.21	8.19	7.72	12.0				
12.5	18.41	31.50	8.19	7.72	12.5				
13.0	18.16	31.89	8.19	7.68	13.0				
13.5	18.08	32.00	8.19	7.71	13.5				
14.0	18.01	32.09	8.20	7.71	14.0				
14.5	17.94	32.17	8.19	7.72	14.5				
15.0	17.81	32.36	8.20	7.83	15.0				
15.5	17.72	32.40	8.21	7.91	15.5				
16.0	17.64	32.44	8.21	7.94	16.0				
16.5	17.53	32.50	8.21	8.02	16.5				
17.0	17.46	32.53	8.21	8.05	17.0				
17.5	17.34	32.54	8.22	8.13	17.5				
18.0	17.21	32.61	8.22	8.20	18.0				
18.5	17.17	32.63	8.22	8.20	18.5				
19.0	17.13	32.63	8.22	8.23	19.0				
19.5	17.10	32.63	8.22	8.23	19.5				
20.0	17.08	32.64	8.23	8.24	20.0				
20.5	17.08	32.65	8.23	8.24	20.5				
21.0	17.06	32.65	8.23	8.24	21.0				
21.5	16.99	32.66	8.22	8.24	21.5				
22.0	16.92	32.68	8.22	8.20	22.0				
22.5	16.92	32.68	8.22	8.19	22.5				
23.0	16.91	32.68	8.22	8.18	23.0				
23.5	16.91	32.69	8.22	8.17	23.5				
24.0	16.90	32.69	8.22	8.16	24.0				
24.5	16.90	32.69	8.22	8.17	24.5				
25.0	16.90	32.68	8.22	8.16	25.0				
25.5	16.90	32.69	8.22	8.14	25.5				
26.0	16.90	32.69	8.22	8.14	26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	17.88	31.69	8.20	7.92	平均値	18.70	30.58	8.17	7.81
最小値	16.90	30.20	8.19	7.68	最小値	18.67	30.49	8.16	7.63
最大値	18.57	32.69	8.23	8.24	最大値	18.77	31.11	8.17	7.84

(3) 気泡発生の有無と状況調査結果

気泡の発生は確認されなかった(第25表)。

第25表 気泡発生の有無と状況

測点	気泡の有無(有○;無-)		状況
	目視観測	水中カメラ観測	
St. 01	-	-	気泡発生なし
St. 02	-	-	気泡発生なし
St. 02N	-	-	気泡発生なし
St. 02E	-	-	気泡発生なし
St. 02EE	-	-	気泡発生なし
St. 02EN	-	-	気泡発生なし
St. 02EW	-	-	気泡発生なし
St. 02S	-	-	気泡発生なし
St. 02W	-	-	気泡発生なし
St. 03	-	-	気泡発生なし
St. 03N	-	-	気泡発生なし
St. 03E	-	-	気泡発生なし
St. 03S	-	-	気泡発生なし
St. 03W	-	-	気泡発生なし
St. 04	-	-	気泡発生なし
St. 04N	-	-	気泡発生なし
St. 04E	-	-	気泡発生なし
St. 04S	-	-	気泡発生なし
St. 04W	-	-	気泡発生なし
St. 05	-	-	気泡発生なし
St. 06	-	-	気泡発生なし
St. 07	-	-	気泡発生なし
St. 08	-	-	気泡発生なし
St. 09	-	-	気泡発生なし
St. 10	-	-	気泡発生なし
St. 10N	-	-	気泡発生なし
St. 10E	-	-	気泡発生なし
St. 10S	-	-	気泡発生なし
St. 10W	-	-	気泡発生なし
St. 11	-	-	気泡発生なし
St. 11N	-	-	気泡発生なし
St. 11NE	-	-	気泡発生なし
St. 11NN	-	-	気泡発生なし
St. 11NW	-	-	気泡発生なし
St. 11E	-	-	気泡発生なし
St. 11S	-	-	気泡発生なし
St. 11W	-	-	気泡発生なし
St. 12	-	-	気泡発生なし