

第17表 多項目水質センサーによる鉛直観測結果 (St. 02E および 02N)

St. 02E					St. 02N				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	13.38	28.65	8.13	9.10	0.5	14.11	27.89	8.10	8.88
1.0	13.14	28.97	8.14	9.12	1.0	13.90	28.05	8.11	8.94
1.5	12.97	29.16	8.14	9.11	1.5	13.53	28.50	8.12	8.96
2.0	12.97	29.22	8.14	9.12	2.0	13.17	28.95	8.12	8.98
2.5	12.94	29.24	8.14	9.13	2.5	12.96	29.23	8.12	9.02
3.0	12.94	29.25	8.15	9.13	3.0	12.91	29.30	8.13	9.01
3.5	12.92	29.28	8.15	9.12	3.5	12.85	29.39	8.14	9.00
4.0	12.91	29.29	8.15	9.11	4.0	12.85	29.41	8.14	8.99
4.5	12.88	29.34	8.16	9.11	4.5	12.81	29.47	8.15	8.99
5.0	12.82	29.47	8.16	9.01	5.0	12.79	29.49	8.15	8.99
5.5	12.77	29.58	8.16	8.97	5.5	12.76	29.53	8.15	8.98
6.0	12.75	29.62	8.16	8.95	6.0	12.75	29.60	8.15	8.97
6.5	12.29	31.10	8.15	8.75	6.5	12.69	29.76	8.15	8.93
7.0	12.28	31.59	8.14	8.74	7.0	12.29	31.13	8.15	8.79
7.5	12.21	31.85	8.14	8.85	7.5	12.27	31.73	8.14	8.81
8.0	12.20	31.86	8.14	8.88	8.0	12.22	31.87	8.15	8.95
8.5	12.19	31.87	8.15	8.90	8.5	12.22	31.87	8.15	8.93
9.0	12.18	31.88	8.15	8.90	9.0	12.20	31.90	8.16	8.93
9.5	12.16	31.89	8.16	8.91	9.5	12.17	31.90	8.17	8.92
10.0	12.16	31.89	8.16	8.92	10.0	12.17	31.91	8.17	8.93
10.5	12.16	31.89	8.17	8.91	10.5	12.16	31.91	8.17	8.96
11.0	12.15	31.90	8.17	8.92	11.0	12.16	31.91	8.18	8.95
11.5	12.14	31.93	8.17	8.94	11.5	12.16	31.91	8.18	8.96
12.0	12.14	31.93	8.17	8.93	12.0	12.16	31.92	8.18	8.95
12.5	12.13	31.96	8.17	8.95	12.5	12.16	31.92	8.18	8.96
13.0	12.12	32.06	8.17	8.95	13.0	12.09	32.01	8.18	8.98
13.5	12.04	32.09	8.18	8.99	13.5	12.06	32.04	8.18	8.99
14.0	12.01	32.12	8.18	9.02	14.0	12.00	32.10	8.18	9.02
14.5	12.00	32.13	8.18	9.02	14.5	11.98	32.13	8.19	9.02
15.0	11.99	32.14	8.18	9.04	15.0	11.98	32.17	8.19	9.03
15.5	11.96	32.15	8.18	9.04	15.5	11.97	32.19	8.19	9.03
16.0	11.96	32.19	8.18	9.04	16.0	12.00	32.25	8.19	9.06
16.5	11.94	32.23	8.19	9.05	16.5	12.03	32.35	8.19	9.13
17.0	11.93	32.24	8.19	9.04	17.0	12.02	32.35	8.19	9.14
17.5	11.92	32.28	8.19	9.04	17.5	12.04	32.40	8.20	9.14
18.0	11.91	32.38	8.19	9.07	18.0	11.91	32.41	8.20	9.13
18.5	11.92	32.44	8.19	9.08	18.5	11.90	32.41	8.20	9.11
19.0	11.92	32.44	8.19	9.11	19.0	11.90	32.43	8.20	9.12
19.5	11.86	32.48	8.19	9.10	19.5	11.87	32.44	8.20	9.12
20.0	11.86	32.48	8.19	9.09	20.0	11.86	32.43	8.20	9.12
20.5	11.79	32.47	8.20	9.08	20.5	11.86	32.43	8.20	9.12
21.0	11.79	32.47	8.20	9.08	21.0	11.81	32.45	8.21	9.11
21.5	11.79	32.47	8.20	9.08	21.5	11.80	32.44	8.21	9.11
22.0	11.79	32.48	8.20	9.08	22.0	11.71	32.41	8.21	9.08
22.5	11.76	32.47	8.20	9.08	22.5	11.59	32.43	8.20	9.04
23.0	11.72	32.48	8.20	9.08	23.0	11.56	32.41	8.20	9.04
23.5	11.70	32.48	8.20	9.07	23.5	11.51	32.39	8.20	9.02
24.0	11.68	32.47	8.20	9.06	24.0	11.38	32.42	8.20	9.00
24.5	11.67	32.47	8.20	9.06	24.5	11.34	32.47	8.20	8.98
25.0	11.27	32.48	8.20	8.96	25.0	11.17	32.44	8.20	8.93
25.5	11.10	32.36	8.20	8.95	25.5	11.06	32.44	8.19	8.92
26.0	10.99	32.43	8.20	8.92	26.0	11.02	32.42	8.19	8.88
26.5	10.98	32.43	8.19	8.82	26.5	11.02	32.42	8.19	8.85
27.0	10.99	32.43	8.19	8.79	27.0	10.99	32.42	8.19	8.84
27.5	10.98	32.43	8.19	8.78	27.5	10.97	32.42	8.18	8.85
28.0	10.99	32.43	8.18	8.78	28.0	10.96	32.42	8.18	8.83
28.5	10.98	32.43	8.18	8.79	28.5	10.96	32.42	8.18	8.82
29.0	10.97	32.43	8.18	8.76	29.0	10.94	32.41	8.18	8.81
29.5	10.97	32.43	8.18	8.77	29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	12.02	31.61	8.17	8.98	平均値	12.06	31.52	8.17	8.98
最小値	10.97	28.65	8.13	8.74	最小値	10.94	27.89	8.10	8.79
最大値	13.38	32.48	8.20	9.13	最大値	14.11	32.47	8.21	9.14

第18表 多項目水質センサーによる鉛直観測結果 (St. 02S および 02W)

水深 (m)	水温 (°C)	St. 02S			DO (mg/L)	水深 (m)	水温 (°C)	St. 02W		
		塩分	pH					塩分	pH	DO (mg/L)
0.5	13.73	28.37	8.09	9.03	0.5	13.48	28.77	8.16	8.94	
1.0	13.50	28.65	8.10	9.05	1.0	13.51	28.93	8.16	8.95	
1.5	13.21	29.03	8.10	9.10	1.5	13.17	28.96	8.17	8.96	
2.0	12.93	29.37	8.11	9.11	2.0	13.07	29.04	8.17	8.97	
2.5	12.88	29.42	8.12	9.09	2.5	12.90	29.24	8.17	8.96	
3.0	12.86	29.40	8.13	9.08	3.0	12.87	29.31	8.17	8.97	
3.5	12.85	29.41	8.13	9.09	3.5	12.84	29.42	8.17	8.97	
4.0	12.85	29.41	8.14	9.08	4.0	12.78	29.53	8.17	8.97	
4.5	12.84	29.44	8.14	9.05	4.5	12.76	29.59	8.18	8.96	
5.0	12.82	29.45	8.14	9.01	5.0	12.71	29.73	8.18	8.94	
5.5	12.81	29.48	8.15	9.00	5.5	12.69	29.81	8.18	8.94	
6.0	12.80	29.55	8.15	8.99	6.0	12.69	29.82	8.18	8.93	
6.5	12.77	29.58	8.15	8.97	6.5	12.69	29.84	8.18	8.91	
7.0	12.73	29.64	8.15	8.95	7.0	12.69	29.85	8.18	8.92	
7.5	12.28	31.53	8.13	8.83	7.5	12.69	29.86	8.18	8.92	
8.0	12.20	31.82	8.13	8.86	8.0	12.45	30.39	8.18	8.88	
8.5	12.18	31.85	8.14	8.88	8.5	12.25	31.12	8.17	8.83	
9.0	12.18	31.87	8.14	8.89	9.0	12.29	31.57	8.17	8.92	
9.5	12.16	31.87	8.15	8.90	9.5	12.16	31.78	8.18	8.97	
10.0	12.16	31.87	8.15	8.91	10.0	12.23	31.85	8.19	9.00	
10.5	12.15	31.87	8.16	8.92	10.5	12.25	31.87	8.19	9.01	
11.0	12.15	31.88	8.16	8.92	11.0	12.25	31.89	8.19	9.02	
11.5	12.15	31.88	8.16	8.93	11.5	12.21	31.92	8.20	9.01	
12.0	12.15	31.88	8.16	8.93	12.0	12.21	31.94	8.20	9.00	
12.5	12.12	31.89	8.16	8.94	12.5	12.20	31.94	8.20	9.00	
13.0	12.11	32.01	8.17	8.94	13.0	12.10	32.03	8.20	9.00	
13.5	12.08	32.06	8.17	8.96	13.5	12.08	32.06	8.20	9.00	
14.0	12.02	32.12	8.17	9.01	14.0	12.07	32.10	8.20	9.02	
14.5	11.98	32.16	8.17	9.04	14.5	12.05	32.13	8.21	9.03	
15.0	12.00	32.14	8.17	9.05	15.0	12.03	32.15	8.21	9.05	
15.5	11.95	32.20	8.17	9.05	15.5	12.00	32.21	8.21	9.06	
16.0	11.95	32.21	8.18	9.06	16.0	12.06	32.28	8.21	9.10	
16.5	11.94	32.25	8.18	9.06	16.5	12.09	32.30	8.21	9.11	
17.0	11.93	32.29	8.18	9.07	17.0	12.12	32.34	8.22	9.15	
17.5	11.90	32.36	8.18	9.06	17.5	12.12	32.35	8.22	9.17	
18.0	11.88	32.43	8.18	9.08	18.0	12.10	32.39	8.22	9.18	
18.5	11.89	32.46	8.18	9.08	18.5	12.07	32.44	8.22	9.17	
19.0	11.76	32.46	8.19	9.07	19.0	12.03	32.45	8.22	9.18	
19.5	11.75	32.47	8.19	9.05	19.5	12.00	32.45	8.22	9.17	
20.0	11.73	32.46	8.19	9.04	20.0	11.97	32.45	8.22	9.15	
20.5	11.74	32.47	8.19	9.05	20.5	11.96	32.44	8.22	9.14	
21.0	11.71	32.46	8.19	9.04	21.0	11.93	32.42	8.22	9.14	
21.5	11.69	32.47	8.19	9.05	21.5	11.89	32.44	8.22	9.14	
22.0	11.69	32.48	8.19	9.05	22.0	11.84	32.42	8.22	9.12	
22.5	11.72	32.50	8.19	9.06	22.5	11.80	32.43	8.22	9.10	
23.0	11.72	32.49	8.19	9.06	23.0	11.72	32.41	8.22	9.09	
23.5	11.70	32.50	8.19	9.06	23.5	11.59	32.41	8.22	9.05	
24.0	11.72	32.51	8.19	9.06	24.0	11.48	32.42	8.22	9.02	
24.5	11.38	32.46	8.19	9.03	24.5	11.49	32.43	8.22	9.02	
25.0	11.21	32.49	8.19	8.98	25.0	11.48	32.42	8.21	9.02	
25.5	11.02	32.47	8.19	8.86	25.5	11.11	32.42	8.21	8.91	
26.0	10.98	32.44	8.19	8.85	26.0	11.06	32.43	8.21	8.88	
26.5	10.98	32.45	8.18	8.83	26.5	11.03	32.43	8.21	8.87	
27.0	10.99	32.44	8.18	8.83	27.0	11.00	32.43	8.20	8.85	
27.5	10.99	32.44	8.18	8.82	27.5	10.99	32.43	8.20	8.85	
28.0	10.98	32.45	8.17	8.81	28.0	10.98	32.43	8.20	8.85	
28.5	10.98	32.45	8.17	8.79	28.5	10.98	32.43	8.20	8.85	
29.0	10.97	32.45	8.17	8.81	29.0	10.96	32.42	8.19	8.83	
29.5	10.99	32.46	8.17	8.79	29.5	10.96	32.41	8.19	8.77	
30.0	10.96	32.45	8.17	8.74	30.0					
30.5	10.81	32.44	8.17	8.77	30.5					
31.0	10.76	32.44	8.17	8.45	31.0					
31.5	10.76	32.44	8.17	8.45	31.5					
32.0					32.0					
32.5					32.5					
33.0					33.0					
33.5					33.5					
34.0					34.0					
34.5					34.5					
35.0					35.0					
35.5					35.5					
36.0					36.0					
36.5					36.5					
37.0					37.0					
37.5					37.5					
38.0					38.0					
38.5					38.5					
39.0					39.0					
39.5					39.5					
40.0					40.0					
40.5					40.5					
41.0					41.0					
41.5					41.5					
42.0					42.0					
42.5					42.5					
平均値	11.95	31.61	8.16	8.96	平均値	12.09	31.49	8.20	9.00	
最小値	10.76	28.37	8.09	8.45	最小値	10.96	28.77	8.16	8.77	
最大値	13.73	32.51	8.19	9.11	最大値	13.51	32.45	8.22	9.18	

第19表 多項目水質センサーによる鉛直観測結果 (St. 03 および 03E)

St. 03					St. 03E				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	13.13	28.48	8.15	9.01	0.5	13.38	28.52	8.16	9.24
1.0	13.06	28.55	8.17	9.02	1.0	12.97	29.20	8.17	9.27
1.5	13.04	28.57	8.17	9.02	1.5	12.97	29.25	8.17	9.30
2.0	12.97	28.72	8.17	9.02	2.0	12.79	29.55	8.18	9.31
2.5	12.93	28.84	8.18	9.02	2.5	12.71	29.66	8.18	9.32
3.0	12.85	29.05	8.18	9.03	3.0	12.71	29.66	8.18	9.30
3.5	12.78	29.30	8.18	9.02	3.5	12.70	29.70	8.18	9.27
4.0	12.72	29.47	8.18	9.03	4.0	12.69	29.71	8.18	9.25
4.5	12.71	29.53	8.18	9.04	4.5	12.69	29.69	8.18	9.25
5.0	12.69	29.62	8.18	9.03	5.0	12.69	29.72	8.18	9.23
5.5	12.67	29.67	8.18	9.04	5.5	12.69	29.72	8.18	9.21
6.0	12.63	29.80	8.18	9.04	6.0	12.68	29.75	8.18	9.22
6.5	12.61	29.89	8.18	9.03	6.5	12.67	29.77	8.18	9.19
7.0	12.44	30.46	8.18	9.03	7.0	12.66	29.80	8.18	9.13
7.5	12.21	31.43	8.19	9.09	7.5	12.53	30.06	8.18	9.14
8.0	12.27	31.59	8.20	9.13	8.0	12.25	30.94	8.17	9.11
8.5	12.27	31.60	8.21	9.12	8.5	12.24	31.63	8.19	9.15
9.0	12.25	31.65	8.21	9.12	9.0	12.24	31.69	8.20	9.18
9.5	12.22	31.73	8.21	9.11	9.5	12.21	31.76	8.20	9.18
10.0	12.21	31.80	8.21	9.10	10.0	12.19	31.77	8.20	9.17
10.5	12.19	31.83	8.21	9.09	10.5	12.19	31.77	8.20	9.17
11.0	12.18	31.84	8.21	9.09	11.0	12.19	31.76	8.20	9.17
11.5	12.18	31.86	8.21	9.08	11.5	12.17	31.78	8.20	9.17
12.0	12.16	31.89	8.21	9.08	12.0	12.17	31.78	8.20	9.17
12.5	12.14	31.92	8.21	9.08	12.5	12.18	31.78	8.20	9.17
13.0	12.14	31.93	8.21	9.08	13.0	12.18	31.78	8.20	9.16
13.5	11.99	32.13	8.21	9.15	13.5	12.18	31.78	8.20	9.16
14.0	11.94	32.18	8.21	9.15	14.0	12.18	31.78	8.20	9.17
14.5	11.94	32.20	8.21	9.17	14.5	12.17	31.78	8.20	9.17
15.0	11.94	32.21	8.21	9.17	15.0	12.18	31.78	8.20	9.17
15.5	11.93	32.23	8.22	9.18	15.5	12.17	31.78	8.20	9.15
16.0	11.93	32.25	8.22	9.19	16.0	12.11	31.90	8.20	9.15
16.5	11.92	32.24	8.22	9.20	16.5	12.10	32.01	8.20	9.15
17.0	11.92	32.26	8.22	9.20	17.0	12.10	32.02	8.20	9.15
17.5	11.88	32.26	8.22	9.20	17.5	12.09	32.05	8.20	9.16
18.0	11.88	32.26	8.22	9.19	18.0	12.08	32.07	8.21	9.19
18.5	11.91	32.28	8.22	9.20	18.5	12.06	32.11	8.21	9.17
19.0	12.01	32.42	8.22	9.22	19.0	12.02	32.17	8.21	9.24
19.5	11.97	32.45	8.23	9.26	19.5	11.95	32.25	8.21	9.25
20.0	11.87	32.49	8.23	9.25	20.0	11.85	32.43	8.21	9.28
20.5	11.85	32.49	8.23	9.24	20.5	11.79	32.44	8.21	9.28
21.0	11.75	32.48	8.22	9.23	21.0	11.79	32.50	8.21	9.27
21.5	11.69	32.47	8.22	9.19	21.5	11.78	32.50	8.21	9.27
22.0	11.69	32.47	8.22	9.20	22.0	11.76	32.51	8.21	9.28
22.5	11.68	32.47	8.22	9.19	22.5	11.75	32.52	8.21	9.27
23.0	11.67	32.46	8.22	9.19	23.0	11.75	32.52	8.21	9.27
23.5	11.68	32.47	8.22	9.19	23.5	11.72	32.51	8.21	9.26
24.0	11.68	32.47	8.22	9.20	24.0	11.69	32.51	8.21	9.24
24.5	11.66	32.47	8.22	9.20	24.5	11.66	32.49	8.21	9.17
25.0	11.68	32.47	8.22	9.20	25.0	11.53	32.51	8.21	9.17
25.5	11.74	32.49	8.22	9.19	25.5	11.53	32.48	8.20	9.15
26.0	11.78	32.53	8.23	9.25	26.0	11.35	32.47	8.20	9.14
26.5	11.60	32.52	8.22	9.26	26.5	11.39	32.47	8.20	9.15
27.0	11.61	32.49	8.23	9.28	27.0	11.40	32.48	8.20	9.15
27.5	11.36	32.39	8.22	9.24	27.5	11.40	32.48	8.20	9.15
28.0	11.11	32.41	8.21	9.14	28.0	11.42	32.51	8.21	9.15
28.5	11.22	32.48	8.20	9.08	28.5	11.56	32.55	8.21	9.17
29.0	11.15	32.44	8.20	9.11	29.0	11.72	32.64	8.21	9.16
29.5	11.14	32.46	8.20	9.10	29.5	11.72	32.62	8.22	9.22
30.0	11.12	32.47	8.20	9.11	30.0	11.67	32.62	8.22	9.23
30.5	11.11	32.48	8.20	9.11	30.5	11.66	32.61	8.21	9.23
31.0	10.99	32.46	8.20	9.07	31.0	11.53	32.51	8.21	9.19
31.5	11.00	32.46	8.20	9.08	31.5	11.40	32.66	8.21	9.20
32.0	11.06	32.49	8.21	9.27	32.0	11.50	32.69	8.21	9.23
32.5	11.27	32.59	8.21	9.18	32.5	11.51	32.71	8.21	9.21
33.0	11.00	32.58	8.20	9.02	33.0	11.45	32.64	8.21	9.24
33.5	10.97	32.59	8.20	9.02	33.5	11.24	32.68	8.20	9.13
34.0	11.00	32.60	8.20	9.02	34.0	11.23	32.68	8.20	9.12
34.5	11.01	32.61	8.20	9.00	34.5	11.23	32.68	8.20	9.12
35.0	11.01	32.61	8.20	9.01	35.0	11.23	32.68	8.20	9.12
35.5	11.01	32.61	8.20	9.00	35.5	11.23	32.68	8.20	9.12
36.0	11.00	32.60	8.20	8.99	36.0	11.23	32.68	8.20	9.12
36.5					36.5	11.23	32.68	8.20	9.08
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	11.89	31.71	8.21	9.12	平均値	11.99	31.71	8.20	9.19
最小値	10.97	28.48	8.15	8.99	最小値	11.23	28.52	8.16	9.08
最大値	13.13	32.61	8.23	9.28	最大値	13.38	32.71	8.22	9.32

第20表 多項目水質センサーによる鉛直観測結果 (St. 03N および 03S)

St. 03N					St. 03S				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	14.23	27.13	8.14	9.00	0.5	14.38	27.31	8.15	9.31
1.0	13.52	27.89	8.15	9.05	1.0	14.26	27.56	8.16	9.35
1.5	13.03	28.96	8.16	9.19	1.5	13.51	28.65	8.17	9.51
2.0	12.88	29.24	8.18	9.19	2.0	13.65	28.42	8.18	9.49
2.5	12.83	29.34	8.18	9.19	2.5	12.82	29.58	8.19	9.60
3.0	12.78	29.38	8.18	9.19	3.0	12.81	29.60	8.19	9.58
3.5	12.77	29.46	8.18	9.18	3.5	12.79	29.60	8.19	9.51
4.0	12.74	29.54	8.18	9.16	4.0	12.76	29.61	8.19	9.37
4.5	12.70	29.67	8.18	9.12	4.5	12.44	30.26	8.18	9.20
5.0	12.67	29.79	8.18	9.11	5.0	12.45	30.79	8.18	9.25
5.5	12.59	29.97	8.18	9.08	5.5	12.47	30.92	8.18	9.14
6.0	12.58	30.01	8.18	9.04	6.0	12.48	30.93	8.18	9.11
6.5	12.24	31.28	8.18	9.01	6.5	12.50	30.95	8.18	9.10
7.0	12.25	31.68	8.20	9.14	7.0	12.51	30.97	8.18	9.09
7.5	12.25	31.69	8.20	9.14	7.5	12.45	31.32	8.19	9.04
8.0	12.21	31.76	8.20	9.13	8.0	12.42	31.68	8.19	9.05
8.5	12.18	31.80	8.20	9.12	8.5	12.26	31.74	8.19	9.08
9.0	12.18	31.81	8.20	9.11	9.0	12.24	31.74	8.19	9.08
9.5	12.18	31.81	8.21	9.12	9.5	12.21	31.74	8.19	9.08
10.0	12.17	31.84	8.21	9.12	10.0	12.20	31.74	8.19	9.09
10.5	12.16	31.85	8.21	9.12	10.5	12.08	31.96	8.20	9.13
11.0	12.14	31.87	8.21	9.11	11.0	12.09	31.98	8.20	9.16
11.5	12.13	31.89	8.21	9.10	11.5	12.09	31.99	8.20	9.15
12.0	12.13	31.91	8.21	9.10	12.0	12.09	32.00	8.20	9.16
12.5	12.13	31.94	8.21	9.10	12.5	12.09	32.03	8.20	9.18
13.0	12.13	31.95	8.21	9.10	13.0	12.10	32.07	8.20	9.20
13.5	12.12	31.97	8.21	9.10	13.5	12.10	32.07	8.21	9.20
14.0	12.12	31.98	8.21	9.10	14.0	12.10	32.08	8.21	9.22
14.5	12.03	32.05	8.21	9.11	14.5	12.10	32.08	8.21	9.21
15.0	12.00	32.11	8.21	9.16	15.0	12.10	32.09	8.21	9.21
15.5	11.95	32.17	8.21	9.21	15.5	12.10	32.09	8.21	9.23
16.0	11.94	32.18	8.22	9.22	16.0	12.00	32.14	8.21	9.33
16.5	11.88	32.37	8.22	9.27	16.5	11.99	32.15	8.21	9.36
17.0	11.87	32.43	8.22	9.28	17.0	11.87	32.31	8.21	9.35
17.5	11.85	32.45	8.22	9.28	17.5	11.88	32.39	8.22	9.33
18.0	11.85	32.45	8.22	9.28	18.0	11.88	32.43	8.22	9.34
18.5	11.83	32.46	8.22	9.29	18.5	11.79	32.47	8.22	9.28
19.0	11.82	32.46	8.22	9.26	19.0	11.77	32.49	8.21	9.25
19.5	11.82	32.46	8.22	9.25	19.5	11.72	32.47	8.21	9.27
20.0	11.83	32.46	8.22	9.25	20.0	11.66	32.51	8.21	9.21
20.5	11.89	32.50	8.22	9.25	20.5	11.66	32.51	8.21	9.21
21.0	11.88	32.50	8.22	9.24	21.0	11.60	32.51	8.20	9.21
21.5	11.73	32.49	8.22	9.25	21.5	11.30	32.47	8.20	9.13
22.0	11.69	32.48	8.22	9.20	22.0	11.29	32.47	8.19	9.13
22.5	11.67	32.48	8.22	9.18	22.5	11.39	32.47	8.20	9.14
23.0	11.60	32.47	8.21	9.16	23.0	11.53	32.45	8.20	9.18
23.5	11.57	32.48	8.21	9.15	23.5	11.62	32.54	8.21	9.20
24.0	11.55	32.50	8.21	9.15	24.0	11.62	32.55	8.21	9.20
24.5	11.59	32.52	8.22	9.16	24.5	11.58	32.55	8.21	9.19
25.0	11.64	32.52	8.22	9.18	25.0	11.65	32.56	8.21	9.19
25.5	11.66	32.54	8.22	9.19	25.5	11.66	32.56	8.21	9.21
26.0	11.66	32.55	8.22	9.18	26.0	11.67	32.57	8.21	9.21
26.5	11.68	32.55	8.22	9.19	26.5	11.71	32.58	8.22	9.23
27.0	11.72	32.55	8.22	9.19	27.0	11.71	32.59	8.22	9.22
27.5	11.73	32.57	8.22	9.21	27.5	11.71	32.59	8.22	9.22
28.0	11.73	32.57	8.23	9.21	28.0	11.69	32.59	8.22	9.22
28.5	11.71	32.56	8.22	9.21	28.5	11.68	32.59	8.22	9.20
29.0	11.55	32.62	8.22	9.18	29.0	11.63	32.59	8.21	9.19
29.5	11.48	32.56	8.22	9.21	29.5	11.62	32.59	8.21	9.18
30.0	11.41	32.55	8.21	9.17	30.0	11.62	32.59	8.21	9.17
30.5	11.23	32.51	8.21	9.15	30.5	11.61	32.59	8.21	9.17
31.0	11.50	32.63	8.22	9.23	31.0	11.61	32.59	8.21	9.17
31.5	11.50	32.71	8.22	9.26	31.5	11.60	32.59	8.21	9.17
32.0	11.43	32.70	8.22	9.23	32.0	11.60	32.61	8.21	9.18
32.5	11.36	32.66	8.22	9.28	32.5	11.61	32.62	8.22	9.18
33.0	11.32	32.70	8.22	9.26	33.0	11.60	32.62	8.22	9.19
33.5	11.31	32.69	8.22	9.20	33.5	11.58	32.67	8.21	9.19
34.0	11.27	32.68	8.21	9.19	34.0	11.45	32.66	8.21	9.18
34.5	11.27	32.68	8.21	9.18	34.5	11.36	32.66	8.21	9.13
35.0	11.22	32.66	8.21	9.17	35.0	11.34	32.66	8.20	9.13
35.5	11.19	32.66	8.21	9.14	35.5	11.25	32.65	8.20	9.14
36.0	11.19	32.67	8.21	9.08	36.0	11.25	32.67	8.20	9.13
36.5					36.5	11.25	32.68	8.20	9.13
37.0					37.0	11.23	32.68	8.21	9.15
37.5					37.5	11.19	32.67	8.20	9.14
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	11.97	31.81	8.21	9.17	平均値	11.98	31.86	8.20	9.21
最小値	11.19	27.13	8.14	9.00	最小値	11.19	27.31	8.15	9.04
最大値	14.23	32.71	8.23	9.29	最大値	14.38	32.68	8.22	9.60

第21表 多項目水質センサーによる鉛直観測結果 (St. 03W および 04)

St. 03W					St. 04				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	13.76	28.14	8.16	9.32	0.5	13.47	29.46	8.04	8.66
1.0	13.64	28.29	8.16	9.34	1.0	13.36	29.59	8.05	8.66
1.5	13.12	29.14	8.18	9.38	1.5	12.31	29.50	8.05	8.67
2.0	12.78	29.62	8.18	9.35	2.0	12.27	31.16	8.14	8.96
2.5	12.76	29.65	8.18	9.34	2.5	12.28	31.60	8.18	9.13
3.0	12.73	29.65	8.18	9.36	3.0	12.28	31.55	8.18	9.12
3.5	12.73	29.67	8.19	9.36	3.5	12.25	31.66	8.19	9.14
4.0	12.73	29.67	8.19	9.35	4.0	12.25	31.72	8.20	9.14
4.5	12.72	29.67	8.19	9.35	4.5	12.28	31.75	8.20	9.19
5.0	12.65	29.91	8.18	9.17	5.0	12.28	31.84	8.22	9.45
5.5	12.39	30.74	8.18	9.14	5.5	11.89	32.07	8.22	9.52
6.0	12.39	30.97	8.19	9.06	6.0	11.70	32.10	8.22	9.55
6.5	12.39	31.05	8.19	9.06	6.5	11.58	32.20	8.22	9.61
7.0	12.41	31.12	8.19	9.05	7.0	11.45	32.24	8.22	9.61
7.5	12.52	31.17	8.19	8.98	7.5	11.42	32.28	8.22	9.57
8.0	12.52	31.41	8.19	8.96	8.0	11.44	32.34	8.22	9.54
8.5	12.39	31.34	8.19	8.99	8.5	11.47	32.38	8.22	9.53
9.0	12.22	31.41	8.19	9.04	9.0	11.51	32.43	8.23	9.52
9.5	12.22	31.41	8.19	9.04	9.5	11.68	32.53	8.22	9.44
10.0	12.22	31.41	8.19	9.05	10.0	11.65	32.54	8.22	9.39
10.5	12.22	31.42	8.19	9.07	10.5	11.64	32.56	8.22	9.26
11.0	12.22	31.43	8.20	9.13	11.0	11.64	32.57	8.22	9.23
11.5	12.21	31.59	8.20	9.15	11.5	11.63	32.58	8.22	9.19
12.0	12.20	31.63	8.20	9.16	12.0	11.63	32.58	8.22	9.18
12.5	12.12	31.76	8.20	9.15	12.5	11.63	32.58	8.22	9.17
13.0	12.11	31.85	8.20	9.14	13.0	11.63	32.58	8.22	9.17
13.5	12.10	31.91	8.20	9.13	13.5	11.63	32.58	8.22	9.17
14.0	12.10	31.97	8.21	9.12	14.0	11.63	32.58	8.22	9.17
14.5	12.10	31.99	8.21	9.13	14.5	11.62	32.58	8.22	9.17
15.0	12.09	32.01	8.21	9.13	15.0	11.60	32.58	8.22	9.17
15.5	12.09	32.02	8.21	9.14	15.5	11.53	32.57	8.21	9.13
16.0	12.10	32.03	8.21	9.17	16.0	11.52	32.58	8.21	9.13
16.5	12.10	32.04	8.21	9.20	16.5	11.56	32.58	8.22	9.13
17.0	12.07	32.07	8.21	9.26	17.0	11.55	32.58	8.22	9.14
17.5	11.99	32.14	8.22	9.26	17.5	11.53	32.58	8.22	9.13
18.0	11.93	32.21	8.22	9.27	18.0	11.51	32.58	8.21	9.12
18.5	11.83	32.51	8.22	9.28	18.5	11.51	32.58	8.21	9.12
19.0	11.82	32.52	8.22	9.29	19.0	11.50	32.58	8.21	9.12
19.5	11.78	32.52	8.22	9.26	19.5	11.49	32.58	8.21	9.11
20.0	11.79	32.53	8.22	9.26	20.0	11.49	32.58	8.21	9.11
20.5	11.81	32.54	8.22	9.25	20.5	11.49	32.58	8.21	9.11
21.0	11.79	32.54	8.22	9.24	21.0	11.49	32.58	8.22	9.11
21.5	11.77	32.54	8.22	9.21	21.5	11.49	32.58	8.22	9.11
22.0	11.57	32.54	8.22	9.26	22.0	11.35	32.58	8.21	9.10
22.5	11.55	32.51	8.21	9.20	22.5	11.35	32.58	8.21	9.10
23.0	11.46	32.49	8.21	9.17	23.0	11.28	32.58	8.20	9.02
23.5	11.47	32.49	8.21	9.16	23.5	11.24	32.59	8.20	8.91
24.0	11.51	32.49	8.21	9.16	24.0	11.23	32.59	8.18	8.92
24.5	11.49	32.50	8.21	9.17	24.5	11.13	32.60	8.18	8.70
25.0	11.46	32.49	8.21	9.16	25.0	11.17	32.70	8.18	8.77
25.5	11.39	32.49	8.20	9.14	25.5	11.17	32.70	8.19	8.78
26.0	11.26	32.47	8.20	9.12	26.0	11.16	32.72	8.19	8.74
26.5	11.48	32.53	8.21	9.13	26.5	11.15	32.71	8.19	8.75
27.0	11.57	32.55	8.21	9.16	27.0	11.15	32.70	8.18	8.66
27.5	11.71	32.60	8.22	9.20	27.5				
28.0	11.65	32.62	8.22	9.21	28.0				
28.5	11.65	32.63	8.22	9.20	28.5				
29.0	11.60	32.63	8.22	9.20	29.0				
29.5	11.56	32.62	8.22	9.21	29.5				
30.0	11.52	32.62	8.22	9.20	30.0				
30.5	11.41	32.63	8.22	9.21	30.5				
31.0	11.49	32.67	8.22	9.21	31.0				
31.5	11.51	32.71	8.22	9.23	31.5				
32.0	11.53	32.73	8.22	9.25	32.0				
32.5	11.39	32.71	8.22	9.28	32.5				
33.0	11.29	32.69	8.21	9.23	33.0				
33.5	11.25	32.69	8.21	9.14	33.5				
34.0	11.25	32.68	8.21	9.15	34.0				
34.5	11.22	32.68	8.21	9.14	34.5				
35.0	11.22	32.68	8.21	9.12	35.0				
35.5	11.21	32.68	8.21	9.12	35.5				
36.0	11.21	32.68	8.21	9.12	36.0				
36.5	11.21	32.68	8.21	9.11	36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	11.95	31.80	8.20	9.18	平均値	11.67	32.25	8.20	9.13
最小値	11.21	28.14	8.16	8.96	最小値	11.13	29.46	8.04	8.66
最大値	13.76	32.73	8.22	9.38	最大値	13.47	32.72	8.23	9.61

第22表 多項目水質センサーによる鉛直観測結果 (St. 04E および 04N)

St. 04E					St. 04N				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	14.04	29.48	8.07	8.90	0.5	13.54	29.56	8.04	8.66
1.0	14.05	29.47	8.08	8.94	1.0	13.47	29.68	8.05	8.73
1.5	14.07	29.47	8.09	8.93	1.5	12.29	31.40	8.11	8.96
2.0	14.07	29.46	8.09	8.92	2.0	12.14	31.58	8.15	8.99
2.5	13.49	29.75	8.09	8.89	2.5	12.12	31.72	8.16	8.99
3.0	12.56	31.45	8.12	8.90	3.0	12.17	31.83	8.18	9.14
3.5	12.23	31.59	8.15	9.04	3.5	12.20	31.87	8.19	9.21
4.0	12.24	31.68	8.18	9.11	4.0	12.20	31.87	8.19	9.21
4.5	12.27	31.79	8.19	9.43	4.5	12.22	31.90	8.19	9.21
5.0	11.94	32.05	8.21	9.48	5.0	11.94	32.09	8.21	9.27
5.5	11.91	32.06	8.22	9.65	5.5	11.82	32.20	8.21	9.60
6.0	11.91	32.10	8.22	9.68	6.0	11.79	32.23	8.22	9.59
6.5	11.53	32.14	8.22	9.90	6.5	11.82	32.35	8.22	9.58
7.0	11.45	32.18	8.23	9.86	7.0	11.80	32.41	8.22	9.59
7.5	11.43	32.17	8.22	9.82	7.5	11.73	32.43	8.22	9.54
8.0	11.38	32.18	8.22	9.69	8.0	11.76	32.47	8.22	9.56
8.5	11.48	32.30	8.22	9.70	8.5	11.78	32.48	8.22	9.52
9.0	11.56	32.35	8.22	9.65	9.0	11.77	32.49	8.22	9.48
9.5	11.73	32.47	8.22	9.55	9.5	11.77	32.50	8.22	9.46
10.0	11.78	32.51	8.22	9.49	10.0	11.76	32.51	8.22	9.44
10.5	11.73	32.51	8.22	9.49	10.5	11.75	32.51	8.22	9.38
11.0	11.70	32.53	8.22	9.48	11.0	11.76	32.51	8.22	9.40
11.5	11.71	32.52	8.22	9.43	11.5	11.74	32.52	8.22	9.39
12.0	11.65	32.54	8.21	9.37	12.0	11.73	32.52	8.22	9.39
12.5	11.64	32.55	8.21	9.30	12.5	11.72	32.53	8.22	9.38
13.0	11.63	32.55	8.21	9.28	13.0	11.71	32.53	8.22	9.30
13.5	11.62	32.56	8.21	9.26	13.5	11.54	32.51	8.21	9.17
14.0	11.59	32.55	8.21	9.22	14.0	11.57	32.53	8.21	9.16
14.5	11.62	32.56	8.21	9.22	14.5	11.57	32.53	8.21	9.17
15.0	11.62	32.57	8.21	9.24	15.0	11.44	32.52	8.21	9.17
15.5	11.62	32.57	8.21	9.24	15.5	11.47	32.51	8.20	9.14
16.0	11.61	32.58	8.21	9.22	16.0	11.51	32.51	8.21	9.15
16.5	11.53	32.58	8.21	9.17	16.5	11.52	32.55	8.21	9.14
17.0	11.53	32.57	8.20	9.18	17.0	11.53	32.55	8.21	9.14
17.5	11.44	32.58	8.20	9.13	17.5	11.54	32.56	8.21	9.14
18.0	11.44	32.58	8.20	9.13	18.0	11.52	32.57	8.21	9.14
18.5	11.44	32.58	8.20	9.13	18.5	11.48	32.57	8.21	9.14
19.0	11.44	32.58	8.20	9.13	19.0	11.47	32.57	8.21	9.14
19.5	11.44	32.58	8.20	9.12	19.5	11.47	32.58	8.21	9.12
20.0	11.45	32.59	8.21	9.13	20.0	11.47	32.58	8.21	9.12
20.5	11.46	32.59	8.21	9.12	20.5	11.47	32.59	8.21	9.12
21.0	11.46	32.59	8.21	9.13	21.0	11.48	32.59	8.21	9.13
21.5	11.46	32.59	8.21	9.13	21.5	11.47	32.60	8.21	9.15
22.0	11.46	32.60	8.21	9.14	22.0	11.46	32.63	8.21	9.15
22.5	11.46	32.60	8.21	9.14	22.5	11.21	32.56	8.20	9.04
23.0	11.45	32.62	8.21	9.15	23.0	11.20	32.61	8.18	8.66
23.5	11.46	32.62	8.21	9.15	23.5	11.17	32.61	8.17	8.55
24.0	11.47	32.63	8.21	9.17	24.0	11.17	32.61	8.17	8.51
24.5	11.42	32.65	8.21	9.13	24.5				
25.0	11.32	32.59	8.19	9.18	25.0				
25.5	11.17	32.66	8.19	8.82	25.5				
26.0	11.13	32.67	8.18	8.65	26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	11.83	32.14	8.19	9.26	平均値	11.75	32.27	8.20	9.19
最小値	11.13	29.46	8.07	8.65	最小値	11.17	29.56	8.04	8.51
最大値	14.07	32.67	8.23	9.90	最大値	13.54	32.63	8.22	9.60

第23表 多項目水質センサーによる鉛直観測結果 (St. 04S および 04W)

St. 04S					St. 04W				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	14.18	29.82	8.11	9.20	0.5	14.17	29.51	8.08	9.02
1.0	14.15	29.82	8.11	9.21	1.0	14.15	29.51	8.08	9.02
1.5	14.21	29.81	8.11	9.19	1.5	14.11	29.53	8.08	9.02
2.0	12.37	30.05	8.11	9.18	2.0	13.38	30.15	8.09	9.03
2.5	12.88	30.93	8.16	9.29	2.5	12.54	31.35	8.11	9.33
3.0	12.29	31.69	8.17	9.42	3.0	12.30	31.59	8.16	9.41
3.5	12.30	31.71	8.19	9.42	3.5	12.26	31.69	8.18	9.48
4.0	11.75	31.99	8.21	10.12	4.0	12.27	31.76	8.18	9.42
4.5	11.69	32.03	8.22	10.19	4.5	11.93	31.83	8.19	9.62
5.0	11.66	32.04	8.22	10.19	5.0	11.85	32.02	8.20	9.89
5.5	11.59	32.06	8.22	10.14	5.5	11.78	32.04	8.20	9.86
6.0	11.59	32.09	8.22	10.11	6.0	11.93	32.12	8.20	9.75
6.5	11.58	32.09	8.22	10.12	6.5	11.88	32.17	8.21	9.74
7.0	11.55	32.10	8.22	10.12	7.0	11.77	32.21	8.21	9.74
7.5	11.55	32.11	8.22	10.12	7.5	11.62	32.22	8.20	9.65
8.0	11.55	32.11	8.22	10.11	8.0	11.77	32.29	8.20	9.60
8.5	11.50	32.21	8.21	9.88	8.5	11.79	32.39	8.20	9.48
9.0	11.63	32.33	8.21	9.73	9.0	11.80	32.38	8.20	9.47
9.5	11.76	32.45	8.21	9.60	9.5	11.75	32.44	8.20	9.52
10.0	11.77	32.47	8.20	9.55	10.0	11.73	32.47	8.20	9.50
10.5	11.78	32.50	8.20	9.48	10.5	11.76	32.51	8.20	9.39
11.0	11.68	32.53	8.20	9.49	11.0	11.60	32.56	8.19	9.37
11.5	11.63	32.55	8.20	9.40	11.5	11.60	32.54	8.19	9.28
12.0	11.63	32.57	8.20	9.40	12.0	11.60	32.55	8.19	9.29
12.5	11.61	32.57	8.20	9.37	12.5	11.60	32.55	8.19	9.28
13.0	11.47	32.57	8.20	9.33	13.0	11.60	32.56	8.19	9.28
13.5	11.47	32.58	8.19	9.30	13.5	11.56	32.58	8.19	9.27
14.0	11.44	32.58	8.19	9.26	14.0	11.54	32.58	8.19	9.24
14.5	11.41	32.59	8.19	9.24	14.5	11.48	32.58	8.19	9.23
15.0	11.43	32.60	8.19	9.22	15.0	11.47	32.59	8.19	9.23
15.5	11.45	32.60	8.19	9.20	15.5	11.44	32.59	8.19	9.22
16.0	11.45	32.60	8.19	9.20	16.0	11.44	32.59	8.19	9.21
16.5	11.45	32.60	8.20	9.20	16.5	11.44	32.59	8.19	9.19
17.0	11.45	32.61	8.20	9.19	17.0	11.44	32.60	8.19	9.19
17.5	11.45	32.61	8.20	9.19	17.5	11.45	32.60	8.19	9.18
18.0	11.45	32.61	8.20	9.20	18.0	11.45	32.60	8.19	9.17
18.5	11.45	32.61	8.20	9.20	18.5	11.45	32.60	8.19	9.17
19.0	11.45	32.62	8.20	9.20	19.0	11.45	32.60	8.19	9.17
19.5	11.46	32.62	8.20	9.20	19.5	11.45	32.61	8.19	9.17
20.0	11.46	32.63	8.20	9.19	20.0	11.45	32.61	8.20	9.18
20.5	11.42	32.64	8.20	9.19	20.5	11.45	32.61	8.20	9.18
21.0	11.38	32.64	8.19	9.14	21.0	11.45	32.63	8.20	9.19
21.5	11.24	32.65	8.19	8.98	21.5	11.45	32.63	8.20	9.18
22.0	11.21	32.64	8.18	8.97	22.0	11.43	32.64	8.20	9.18
22.5	11.18	32.64	8.19	8.94	22.5	11.38	32.63	8.19	9.18
23.0	11.19	32.65	8.18	8.97	23.0	11.37	32.63	8.19	9.17
23.5	11.24	32.70	8.20	8.97	23.5	11.35	32.63	8.19	9.06
24.0	11.20	32.70	8.20	9.19	24.0	11.30	32.64	8.19	8.96
24.5	11.18	32.71	8.19	9.09	24.5	11.15	32.70	8.17	8.78
25.0	11.16	32.70	8.19	9.06	25.0	11.13	32.72	8.17	8.73
25.5	10.96	32.73	8.18	8.81	25.5	11.13	32.72	8.17	8.68
26.0	10.81	32.74	8.17	8.94	26.0				
26.5	10.81	32.74	8.17	8.71	26.5				
27.0	10.82	32.74	8.17	8.70	27.0				
27.5	10.82	32.73	8.16	8.69	27.5				
28.0	10.82	32.73	8.16	8.68	28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	11.63	32.26	8.19	9.35	平均値	11.80	32.20	8.18	9.28
最小値	10.81	29.81	8.11	8.68	最小値	11.13	29.51	8.08	8.68
最大値	14.21	32.74	8.22	10.19	最大値	14.17	32.72	8.21	9.89

第24表 多項目水質センサーによる鉛直観測結果 (St.05 および06)

St.05					St.06				
水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)	水深 (m)	水温 (°C)	塩分	pH	DO (mg/L)
0.5	14.77	29.12	8.21	10.37	0.5	13.34	30.92	8.05	8.85
1.0	14.65	29.67	8.21	10.34	1.0	13.34	30.94	8.06	8.87
1.5	14.36	30.22	8.21	10.28	1.5	13.28	30.96	8.07	8.95
2.0	14.24	30.30	8.21	9.84	2.0	13.22	31.00	8.09	8.97
2.5	14.17	30.33	8.21	9.76	2.5	13.22	30.99	8.09	8.97
3.0	14.16	30.33	8.21	9.76	3.0	12.62	31.73	8.10	9.07
3.5	14.01	30.39	8.21	9.76	3.5	12.61	31.73	8.12	9.24
4.0	13.90	30.38	8.21	9.78	4.0	12.62	31.72	8.14	9.27
4.5	13.50	30.59	8.22	9.82	4.5	12.57	31.74	8.15	9.29
5.0	13.13	30.75	8.22	9.82	5.0	12.41	31.88	8.16	9.36
5.5	12.97	31.04	8.22	9.65	5.5	12.38	31.90	8.16	9.44
6.0	12.96	31.13	8.22	9.63	6.0	12.29	31.95	8.17	9.48
6.5	12.78	31.61	8.21	9.40	6.5	12.19	31.98	8.17	9.56
7.0	12.77	31.65	8.21	9.30	7.0	12.14	31.98	8.18	9.59
7.5	12.72	31.64	8.21	9.23	7.5	11.99	32.00	8.18	9.67
8.0	12.72	31.62	8.20	9.24	8.0	11.87	31.99	8.19	9.67
8.5	12.51	31.71	8.20	9.23	8.5	11.82	31.99	8.19	9.70
9.0	12.46	31.72	8.20	9.11	9.0	11.82	32.01	8.19	9.71
9.5	12.49	31.91	8.20	9.12	9.5	11.79	32.04	8.19	9.69
10.0	12.29	31.83	8.20	9.10	10.0	11.78	32.05	8.19	9.66
10.5	12.25	31.85	8.20	9.09	10.5	11.66	32.15	8.19	9.57
11.0	12.12	32.01	8.18	8.59	11.0	11.62	32.15	8.19	9.55
11.5	12.10	32.02	8.18	8.57	11.5	11.61	32.23	8.19	9.50
12.0					12.0	11.68	32.41	8.19	9.42
12.5					12.5	11.70	32.44	8.18	9.10
13.0					13.0	11.67	32.44	8.18	9.05
13.5					13.5	11.67	32.44	8.18	9.05
14.0					14.0	11.63	32.45	8.18	9.05
14.5					14.5	11.60	32.46	8.18	9.08
15.0					15.0	11.54	32.47	8.18	9.11
15.5					15.5	11.53	32.47	8.18	9.11
16.0					16.0	11.50	32.47	8.18	9.13
16.5					16.5	11.50	32.47	8.18	9.06
17.0					17.0	11.32	32.48	8.18	9.06
17.5					17.5	11.36	32.55	8.17	8.88
18.0					18.0	11.38	32.55	8.17	8.90
18.5					18.5	11.42	32.58	8.17	8.92
19.0					19.0	11.44	32.59	8.18	8.98
19.5					19.5	11.43	32.59	8.18	9.00
20.0					20.0	11.47	32.61	8.18	9.00
20.5					20.5	11.39	32.64	8.18	9.00
21.0					21.0	11.42	32.67	8.18	8.90
21.5					21.5	11.41	32.68	8.18	8.85
22.0					22.0	11.39	32.68	8.18	8.78
22.5					22.5	11.36	32.73	8.18	8.78
23.0					23.0	11.34	32.74	8.17	8.75
23.5					23.5	11.33	32.75	8.17	8.67
24.0					24.0	11.32	32.76	8.17	8.57
24.5					24.5	11.32	32.76	8.17	8.50
25.0					25.0				
25.5					25.5				
26.0					26.0				
26.5					26.5				
27.0					27.0				
27.5					27.5				
28.0					28.0				
28.5					28.5				
29.0					29.0				
29.5					29.5				
30.0					30.0				
30.5					30.5				
31.0					31.0				
31.5					31.5				
32.0					32.0				
32.5					32.5				
33.0					33.0				
33.5					33.5				
34.0					34.0				
34.5					34.5				
35.0					35.0				
35.5					35.5				
36.0					36.0				
36.5					36.5				
37.0					37.0				
37.5					37.5				
38.0					38.0				
38.5					38.5				
39.0					39.0				
39.5					39.5				
40.0					40.0				
40.5					40.5				
41.0					41.0				
41.5					41.5				
42.0					42.0				
42.5					42.5				
平均値	13.22	31.03	8.21	9.51	平均値	11.88	32.18	8.16	9.15
最小値	12.10	29.12	8.18	8.57	最小値	11.32	30.92	8.05	8.50
最大値	14.77	32.02	8.22	10.37	最大値	13.34	32.76	8.19	9.71