

乗用車、ボンネットワゴン、ボンネットバン、オフロードタイプ

査定項目	査定区分	減点の区分及び細則 / 減点					
外板	塗装・板金交換	カードサイズ未満				10	
		部 品 名	塗装のみ		板金 (塗装含む)		交 換 (塗装含む)
			小	大	小	大	
		ボンネット	20	30	30	50	70
		フロントフェンダ	20	30	30	50	65
		フロントドア (4ドア)	20	30	30	50	80
		フロントドア (2ドア)	20	30	30	50	85
		リヤドア	20	30	30	50	75
		リヤフェンダ (4ドア)	20	30	30	50	130
		リヤフェンダ (2ドア)	20	30	30	50	150
		トランクフード	20	30	30	50	65
		バックドア	20	30	30	50	95
		ルーフ (乗用車)	20	40	50	80	145
		ルーフ (W, V, O)	20	40	50	80	180
		ピラー	10	15	15	20	—
ボディサイドシル	10	15	15	20	80		
リヤエンドパネル	10	15	15	20	65		
フェーエルリッド	1cm以上の傷、凹みは、10点とする。						
・ボンネット、トランクフード (バックドア) のダンパー交換は、1本5点とする。							
・ルーフの交換点数には天井内張り張替・ガラス脱着を含む							
バンパ・スポイラー	修理・交換	カードサイズ未満				10	
		部 品 名	修理 (塗装含む)		交 換 (塗装含む)		
			小	大			
		バンパ、F・R スポイラー	5ナンバー	15	30	50	
			4ナンバー	10	20	30	
サイドスポイラー (サイドシルカバー)	10	20	30				
ガーニッシュ	修理・交換	修 理		交 換			
		ガーニッシュ (アウターパネル)		10	15		

国産車

クラス	特C	特B	特A	I	II	III	IV	軽
係 数	2.2	1.8	1.5	1.4	1.2	1.0	0.8	0.7

乗用車、ワゴン、オフロードタイプ

Iクラス

月数 (千) キロ	0 4	5 8	9 12	13 16	17 20	21 24	25 28	29 32	33 36	37 40	41 44	45 48	49 54	55 60	61 66	67 72	73 78	79 84	85 90	91 96	97 102	103 108	109 114	115 120	121 126	月数 (千) キロ
5			35	55	70	110	125	145	160	180	200	215	235	235	210	210	180	180	150	150	150	140	140	140	140	5
10	45	25			35	70	90	110	125	145	160	180	200	200	210	210	180	180	150	150	150	140	140	140	140	10
15	80	65	35			35	55	70	90	110	125	145	160	170	200	200	180	180	150	150	150	140	140	140	140	15
20	115	100	70	45				35	55	70	90	110	125	135	160	170	180	180	150	150	150	140	140	140	140	20
25	155	135	110	80	45				20	35	55	70	90	100	120	130	140	150	150	150	150	140	140	140	140	25
30	205	190	160	115	80	55	25					20	35	55	65	80	90	100	110	110	120	130	140	140	140	30
35	260	245	215	170	135	90	65	35						20	25	40	50	60	70	80	90	100	120	120	120	35
40	315	295	270	225	190	145	100	70	45	25							20	30	50	60	70	90	90	90	90	40
45	370	350	325	280	245	200	145	115	90	65	45	20							20	30	40	50	60	60	60	45
50	425	405	380	335	295	250	190	160	135	100	80	55	35											30	30	50
55	460	440	415	385	350	305	250	205	180	145	125	100	70	55	40	20										55
60	495	475	450	425	385	360	305	250	225	190	170	145	110	90	70	50	40	20								60
65	530	515	485	460	425	395	340	290	260	235	215	190	145	125	100	80	70	50	30	20						65
70	565	550	520	495	460	430	380	325	295	280	260	225	180	160	130	110	100	80	60	50	40	20				70
75	605	585	560	530	495	470	415	360	335	315	295	260	215	200	160	140	130	110	90	80	60	40	30	20	10	75
80	640	620	595	565	530	505	450	395	370	350	335	295	250	235	190	170	160	140	120	110	80	60	50	40	30	80
90	710	695	665	640	605	575	520	470	440	415	395	360	305	290	240	220	200	180	160	150	120	100	90	80	70	90
100	785	765	740	710	675	650	595	540	515	475	460	415	360	340	290	270	240	220	200	190	160	140	130	120	110	100
110	855	835	810	785	745	720	665	610	585	540	520	470	415	395	340	320	280	260	240	230	200	180	170	160	150	110
120	925	910	880	855	820	790	740	685	655	605	585	520	470	450	390	370	320	300	280	270	240	220	210	200	190	120
130	1000	980	955	925	890	865	810	755	730	665	650	575	520	505	440	420	360	340	320	310	280	260	250	240	230	130
140	1070	1055	1025	1000	965	935	880	830	800	730	710	630	575	560	490	470	400	380	360	350	320	300	290	280	270	140
150	1145	1125	1100	1070	1035	1010	955	900	875	790	775	685	630	610	540	520	440	420	400	390	360	340	330	320	310	150

(注) 1. 走行キロ数の適用は以内とする。

2. 減点点数設定キロ数を超えた場合は、千キロごとに2点を加算して減点点数とする。

乗用車、ワゴン、オフロードタイプ

IVクラス

月数 (千) キロ	0 4	5 8	9 12	13 16	17 20	21 24	25 28	29 32	33 36	37 40	41 44	45 48	49 54	55 60	61 66	67 72	73 78	79 84	85 90	91 96	97 102	103 108	109 114	115 120	121 125	月数 (千) キロ	
5			20	25	35	55	60	70	75	80	90	95	105	85	85	85	70	70	60	60	60	55	55	55	55	5	
10	20	15			20	35	40	50	60	65	70	80	90	85	85	85	70	70	60	60	60	55	55	55	55	10	
15	40	30	20			20	25	35	40	50	55	65	70	75	80	85	70	70	60	60	60	55	55	55	55	15	
20	60	50	35	20				15	25	30	40	50	55	60	65	70	70	70	60	60	60	55	55	55	55	20	
25	75	65	55	40	20				10	15	25	30	40	45	50	50	55	60	60	60	60	55	55	55	55	25	
30	105	95	80	60	40	25	10				10	15	25	30	30	35	40	45	45	50	50	55	55	55	55	30	
35	130	120	110	85	65	45	30	15						10	10	15	20	25	30	30	35	40	50	50	50	35	
40	155	145	135	110	95	70	45	35	20	10							10	10	20	25	30	35	35	35	35	40	
45	185	175	160	140	120	100	70	55	40	30	20	10							10	10	15	20	25	25	25	45	
50	210	200	190	165	150	125	90	75	65	45	35	25	15											10	10	10	50
55	230	220	205	195	175	155	120	95	85	65	55	45	30	25	15	10										55	
60	245	240	225	210	195	180	145	120	105	85	75	65	50	40	30	20	15	10								60	
65	265	255	245	230	210	200	160	135	125	105	95	85	65	55	40	30	30	20	10	10						65	
70	285	275	260	245	230	215	180	155	140	125	115	100	80	70	50	45	40	30	25	20	15	10				70	
75	300	290	280	265	245	235	195	170	155	140	130	115	95	90	65	55	50	45	35	30	25	15	10	10	5	75	
80	320	310	295	285	265	250	210	185	175	155	150	130	110	105	75	70	65	55	50	45	30	25	20	15	10	80	
90	355	345	335	320	300	290	245	220	210	185	175	160	135	130	95	90	80	70	65	60	50	40	35	30	30	90	
100	390	380	370	355	335	325	280	255	240	210	205	185	160	150	115	110	95	90	80	75	65	55	50	50	45	100	
110	425	420	405	390	375	360	315	290	275	240	230	210	185	175	135	130	110	105	95	90	80	70	70	65	60	110	
120	465	455	440	425	410	395	350	325	310	270	260	230	210	200	155	150	130	120	110	110	95	90	85	80	75	120	
130	500	490	475	465	445	430	380	355	345	295	290	255	230	225	175	170	145	135	130	125	110	105	100	95	90	130	
140	535	525	515	500	480	470	415	390	380	325	315	280	255	250	195	190	160	150	145	140	130	120	115	110	110	140	
150	570	560	550	535	515	505	450	425	410	350	345	305	280	270	215	210	175	170	160	155	145	135	130	130	125	150	

(注) 1. 走行キロ数の適用は以内とする。

2. 減点点数設定キロ数を超えた場合は、千キロごとに1点を加算して減点点数とする。

軽自動車

乗用車、ワゴン、オフロードタイプ

月数 (千) キロ	0 4	5 8	9 12	13 16	17 20	21 24	25 28	29 32	33 36	37 40	41 44	45 48	49 54	55 60	61 66	67 72	73 78	79 84	85 90	91 96	97 102	103 108	109 114	115 120	121 126	月数 (千) キロ	
5			10	10	10	20	40	45	65	80	85	90	95	100	105	105	105	105	105	105	95	95	95	95	95	5	
10	20	10				10	25	30	45	60	65	70	75	80	85	85	85	85	85	85	80	80	80	80	80	80	10
15	35	25	10				10	15	25	40	45	50	55	60	65	65	65	65	65	65	65	65	65	65	65	65	15
20	50	40	25	20	10				10	20	25	30	35	40	45	45	45	50	50	50	50	50	50	50	50	50	20
25	65	55	40	35	25	15					10	15	20	25	30	30	30	40	40	40	40	40	40	40	40	40	25
30	90	80	65	50	40	30	20	10							15	15	15	25	25	25	30	30	30	30	30	30	30
35	115	105	90	75	65	55	35	25	20	15								15	15	15	20	20	20	20	20	35	
40	140	130	115	100	90	80	55	45	40	30	20	10									10	10	10	10	10	40	
45	165	155	140	125	115	105	75	65	60	45	35	25	20	10												45	
50	190	180	165	150	140	130	95	85	80	60	50	40	35	25	15	10										50	
55	205	195	180	165	155	145	115	105	100	75	65	55	50	40	30	25	20	15	10	5						55	
60	220	210	195	180	170	160	140	130	125	90	80	70	60	50	40	35	30	25	20	15	10	5				60	
65	235	225	210	195	185	175	155	145	140	105	95	85	75	65	55	50	45	40	30	25	20	15	10	5	5	65	
70	250	240	225	210	200	190	170	160	155	120	110	100	85	75	65	60	55	50	40	35	30	25	20	15	10	70	
75	265	255	240	225	215	205	195	185	180	135	125	115	100	90	80	75	70	65	60	45	40	35	30	25	15	75	
80	280	270	255	240	230	220	210	200	195	150	140	130	110	100	90	85	80	75	60	55	50	45	40	35	20	80	
90	310	300	285	270	260	250	235	225	220	175	165	155	130	120	110	105	100	95	75	70	65	60	55	50	35	90	
100	340	330	315	300	290	280	260	250	245	200	190	180	150	140	130	125	120	115	90	85	80	75	70	65	50	100	
110	370	360	345	330	320	310	285	275	270	225	215	205	170	160	150	145	140	135	105	100	95	90	85	80	65	110	
120	400	390	375	360	350	340	310	300	295	250	240	230	190	180	170	165	160	155	130	115	110	105	100	95	80	120	
130	430	420	405	390	380	370	335	325	320	275	265	255	210	200	190	185	180	175	145	130	125	120	115	110	95	130	
140	460	450	435	420	410	400	360	350	345	300	290	280	230	220	210	205	200	195	160	145	140	135	130	125	110	140	
150	490	480	465	450	440	430	385	375	370	325	315	305	250	240	230	225	220	215	175	160	155	150	145	140	125	150	

(注) 1. 走行キロ数の適用は以内とする。

2. 減点点数設定キロ数を超えた場合は、千キロごとに1点を加算して減点点数とする。

クラウンロイヤル/アスリート (CROWN ROYAL/ATHLETE)

セダン	型式仕様	駆動	シフト	N.P.	A	A	A	A	A	22	21	20				
					S	S	M	C	H							
3000 VE	DBA-GRS203 D-4	AETUHU	ロイヤルサルーンFour Lパッケージ	4WD 6FT	5379	●	●	●	●	—	—	4205	4060 + 3955	②
		AETQH	ロイヤルサルーンFour	6FT	4712	●	●	●	●	—	—	3820	3680 + 3580	②
2500 VE	DBA-GRS201 D-4	AETQH	ロイヤルサルーンFour	6FT	3904	●	●	●	●	—	—	3190	3065 + 2960	②
		AETXH	アスリートFour	6FT	3914	●	●	●	●	—	—	3200	3065 + 2970	②
3500 VE	DBA-GRS204 D-4S	AETXHG	アスリート Gパッケージ	FR 6FT	5400	●	●	●	●	—	—	4430	4280 + 4170	②
		AETXH	アスリート	6FT	4638	●	●	●	●	—	—	3810	3670 + 3570	②
3000 VE	DBA-GRS202 D-4	AETUH	ロイヤルサルーンG	6FT	5028	●	●	●	●	—	—	3875	3735 + 3635	②
		AETQH	ロイヤルサルーン	6FT	4381	●	●	●	●	—	—	—	—	②
2500 VE	DBA-GRS200 D-4	AETQH	ロイヤルサルーン	6FT	3504	●	●	●	●	—	—	2895	2785 + 2675	②
		AETXH	アスリート	6FT	3581	●	●	●	●	—	—	2945	2815 + 2725	②

備考欄 200系 ロイヤルサルーン6のオプションPKGは未売に■ 2500のロイヤルサルーン・アスリートのナビPKGは未売にHが付く。

				N.P.		20		19		18		17			
3500 VE	DBA-GRS184 D-4S	AETXHG	○アスリート Gパッケージ	FR 6FT	5100	●	●	●	●
		AETXH	アスリート	6FT	4450	●	●	●	●
3000 VE	DBA-GRS182 D-4	AETUH	ロイヤルサルーンG	6FT	4780	●	●	●	●
		AETQH	ロイヤルサルーン	6FT	4140	●	●	●	●
2500 VE	DBA-GRS180 D-4	AETQH	ロイヤルサルーン	6FT	3460	●	●	●	●
		AETSH	ロイヤルエクストラ	6FT	3210	●	●	●	●
		AETXH	アスリート	6FT	3540	●	●	●	●

				N.P.		17		16		15			
3000 VE	DBA-GRS182 D-4	AETUH	ロイヤルサルーンG	FR 6FT	4780	●	●	●	●
		AETQH	ロイヤルサルーン	6FT	4050	●	●	●	●
		AETXHG	○アスリート Gパッケージ	6FT	4980	●	●	●	●
		AETXH	アスリート	6FT	4280	●	●	●	●
2500 VE	DBA-GRS180 D-4	AEASH	ロイヤルサルーン	5FT	3400	●	●	●	●
		AEAXH	ロイヤルエクストラ	5FT	3150	●	●	●	●
		AEAXH	アスリート	5FT	3500	●	●	●	●

				N.P.		15		14		13		12		11	
3000 (E)	TA-JZS179 T/C24	AEPGFU	ロイヤルサルーン Four Lパッケージ	4WD 4FT	4370	●	●	●	●
		AEPGF	ロイヤルサルーン Four	4FT	4070	●	●	●	●	
	TA-JZS175 T/C24 D-4	AEAXH	ロイヤルサルーンG	FR 5FT	4320	●	●	●	●
		AEAXH	アスリートG	5FT	3750	●	●	●	●	
	YA-JKS175 T/C24 D-4 4M* n/a 5ft	AEADHU	ロイヤルサルーン Lパッケージ	4FT	4420	●	●	●	●
		AEADH	ロイヤルサルーン	5FT	3970	●	●	●	●	
	AEADHS	ロイヤルサルーン Sパッケージ	4FT	3650	●	●	●	●		
2500 (E)	TA-JZS173 T/C24	AEPXF	アスリート Four	4WD 4FT	3740	●	●	●	●
		AEPSPQ	ロイヤルエクストラ Four Lパッケージ	4FT	3600	●	●	●	●	
		AEPSP	ロイヤルエクストラFour	4FT	3480	●	●	●	●	
	GH-JZS171 T/C24 D-4	AEPVZ	アスリート V(ターボ)	FR 4FT	3760	●	●	●	●	
		AEPQH	ロイヤルサルーン	4FT	3400	●	●	●	●	
		AEPQH	ロイヤルエクストラ	4FT	3120	●	●	●	●	
GH-JZS171 T/C24	AEPXH	アスリート	5FT	3400	●	●	●	●		
	AEPGF	ロイヤルサルーン	4FT	3380	●	●	●	●		
	AEPSP	ロイヤルエクストラ	4FT	3100	●	●	●	●		
	AEPXF	アスリート	5FT	3380	●	●	●	●		
2000 (E)	TA-JS171 T/C24	AEPSPK	ロイヤルエクストラ	4FT	2950	●	●	●	●		

				N.P.		11		10		9		8		7	
3000 (E)	GF-JZS155 T/C24 VV-T-i	AATPFX	ロイヤルサルーンG	FR 4FT	4630	●	●	●	●
		AATPFY	ロイヤルサルーンG	4FT	4330	●	●	●	●	
		AATPFF	ロイヤルサルーンG	4FT	4100	●	●	●	●	
		AATPFF	ロイヤルサルーン	4FT	3730	●	●	●	●	
		AATXFF	ロイヤルツーリング	3FT	3680	●	●	●	●	
GF-JZS157 T/C24	AATPFF	ロイヤルサルーンFour	4WD 4FT	3910	●	●	●	●		
2500 (E)	GF-JZS153 T/C24 VV-T-i	AATPFF	ロイヤルサルーンFour	4FT	3720	●	●	●	●	
		AATPFF	ロイヤルエクストラFour	4FT	3390	●	●	●	●		
		AATPFF	ロイヤルサルーン	FR 4FT	3360	●	●	●	●		
GF-JZS151 T/C24 VV-T-i	AATPFF	ロイヤルサルーン	FR 4FT	3360	●	●	●	●		
	AATPFFV	ロイヤルツーリング Vパッケージ	4FT	3380	●	●	●	●			
	AATPFF	ロイヤルツーリング	4FT	3280	●	●	●	●			
	AATPFF	ロイヤルエクストラ	4FT	3020	●	●	●	●			
2000 (E)	GF-JS151H (E)-DOHC	HATPSK	ロイヤルエクストラ	4FT	2840	●	●	●	●		
2400	KD-LS151H D 4-6	HATPQT	ロイヤルサルーン	4FT	3330	●	●	●	●		
		AATPST	ロイヤルエクストラ	4FT	2970	●	●	●	●		

IV フィット (FIT)

ワゴン	形状仕様	駆動	シフト	N.P.	A				22	21	20	19		
					S	S	S	S						
1500	DBA-GE9 i-VTEC	NRSA NRH	1.6RS 1.5X	4WD 5FT	1776 1557	●	D	●	---	---	---	---	---	---
	DBA-GE8 i-VTEC	NRSH NRH	1.6RS 1.5X	FF CVT	1608 1390	●	D	●	---	---	---	---	---	
	DBA-GE7 i-VTEC	NLA NBA	L G	4WD 5FT	1657 1307	●	D	●	---	---	---	---	---	
	DBA-GE6 i-VTEC	NLI NGH	L G	FF CVT	1390 1140	●	D	●	---	---	---	---	---	
1500	DBA-GE9 i-VTEC	NRSA	1.6RS	4WD 5FT	1700	●	D	●	---	---	1370	1305	1255	1195
	DBA-GE8 i-VTEC	NRSH	1.6RS	FF CVT	1500	●	D	●	---	---	1225	1185	1120	1065
1300	DBA-GE7 i-VTEC	NLA NBA	L G	4WD 5FT	1480 1240	●	D	●	---	---	1155	1100	1060	1010
	DBA-GE6 i-VTEC	NLI NGH	L G	FF CVT	1280 1140	●	D	●	---	---	1035	985	950	905
	DBA-GE6 i-VTEC	NLI NGH	L G	FF CVT	1280 1140	●	D	●	---	---	1010	960	925	880
	DBA-GE6 i-VTEC	NLI NGH	L G	FF CVT	1140	●	D	●	---	---	900	855	825	785

1500	形状仕様	駆動	シフト	N.P.	A				19	18				
					S	S	S	S						
DBA-GD4 VTEC	NRH	1.5W	○ 4WD	CVT	1610	●	D	●	---	---	980	925	880	
	RAH	1.5A	○ 4WD	CVT	1480	●	D	●	---	---	890	840	800	
	DBA-GD3 VTEC	NRH	1.5S	FF	CVT	1500	●	D	●	---	---	905	855	815
		RAH	1.5W 1.5A	○	CVT CVT	1435 1300	● ●	D D	● ●	---	---	875 785	825 740	785 705
DBA-GD2 i-DS1	NRH	W	○ 4WD	CVT	1420	●	D	●	---	---	895	845	805	
	RAWH	AU	○ 4WD	CVT	1338	●	D	●	---	---	800	755	715	
	RAH	A	○	CVT	1310	●	D	●	---	---	780	735	700	
	RYH	Y	○	CVT	1250	●	D	●	---	---	710	685	630	
DBA-GD1 i-DS1	NRH	S	FF	CVT	1350	●	D	●	---	---	795	750	715	
	RAWH	W	○	CVT	1240	●	D	●	---	---	765	720	685	
	RAH	AU	○	CVT	1158	●	D	●	---	---	675	635	600	
	RYH	A Y	○	CVT CVT	1130 1070	● ●	D D	● ●	---	---	655 610	615 570	585 540	

1500	形状仕様	駆動	シフト	N.P.	A				17	16	15	14	13	
					S	S	S	S						
DBA-GD4 (16/232UA- 15/102LA-)	NRH	1.5S	4WD	CVT	1660	●	D	●	---	---	800	760	715	
	RAH	1.5W	4WD	CVT	1660	●	D	●	---	---	790	750	705	
	DBA-GD3 (16/232UA- 15/102LA-)	NRH	1.5A	FF	CVT	1540	●	D	●	---	---	700	660	620
		RYH	1.5T	FF	CVT	1530	●	D	●	---	---	690	650	610
DBA-GD2 (16/232UA- 15/102LA-)	NRH	1.5S	4WD	CVT	1480	●	D	●	---	---	720	685	645	
	RAWH	1.5W	4WD	CVT	1480	●	D	●	---	---	710	675	635	
	RAH	1.5A	FF	CVT	1360	●	D	●	---	---	605	570	530	
	RYH	1.5T	FF	CVT	1350	●	D	●	---	---	595	560	520	
DBA-GD1 (16/232UA- 15/102LA-)	NRH	S	4WD	CVT	1480	●	D	●	---	---	730	695	650	
	RAWH	W	4WD	CVT	1480	●	D	●	---	---	720	685	640	
	RAH	A	FF	CVT	1330	●	D	●	---	---	610	580	540	
	RYH	Y	FF	CVT	1250	●	D	●	---	---	540	510	470	
DBA-GD1 (16/232UA- 15/102LA-)	NRH	S	FF	CVT	1300	●	D	●	---	---	630	600	560	
	RAWH	W	FF	CVT	1300	●	D	●	---	---	620	590	550	
	RAH	A	FF	CVT	1150	●	D	●	---	---	505	475	440	
	RYH	Y	FF	CVT	1070	●	D	●	---	---	450	420	385	

マイナー情報	17/12 GD1-2300001～, GD3-2000001～, GD2, GD4-1900001～	16/6 DBA-GD1-2100001～, CBA-GD3-1900001～, GD2, GD4-1800001～
	16/2 DBA-GD1-2000001～, CBA-GD3-1800001～, GD2, GD4-1700001～	15/11 GD1-1900001～, GD2-1600001～, GD3-1700001～, GD4-1600001～
	14/9 GD3, GD4-1500001～	13/6 GD1, GD2-1000001～
備考欄	【○:イモビライザー】 【全車A/C, ABS, DA/B標準装備】	

ワゴンR (WAGON R)

ワゴンR 6ドア		形状仕様	駆動	シフト	N.P.	A	A	A	22	21	20								
660	DBA-MH23S M9-4'	MFTE-S	FT	リミテッド	4WD	4GT	1397	●	D	●	●	⑩ 1075	1025 ⑩	
		MTE-S	FT	リミテッド	2WD	4GT	1285	●	D	●	●	⑩ 985	940 ⑩	
	DOHC	DBA-MH23S	MFXD-SLD	FX	リミテッド II	4WD	CVT	1267	●	D	●	●	⑩
			MFXY-SL	FX	リミテッド II	4GT	1212	D	●	●	●	⑩	
		MFXD-SD	FX	リミテッド	4WD	CVT	1237	D	●	●	●	⑩ 935	885 ⑩	
		MFXY-S	FX	リミテッド	4GT	1182	D	●	●	●	⑩ 920	870 ⑩		
		MFXY	FX		4GT	1107	D	●	●	●	⑩ 870	820 ⑩		
		MFAY-D	FA		4GT	1002	●	D	●	●	⑩ 755	710 ⑩		
		MFXE-SLD	FX	リミテッド II	2WD	CVT	1155	●	D	●	●	⑩	
		MFXD-SL	FX	リミテッド II	4GT	1100	D	●	●	●	⑩		
		MFXE-SD	FX	リミテッド	4WD	CVT	1125	●	D	●	●	⑩ 850	805 ⑩	
		MFXD-S	FX	リミテッド	4GT	1070	D	●	●	●	⑩ 835	790 ⑩		
		MFXD	FX		4GT	950	D	●	●	●	⑩ 785	740 ⑩		
		MFAD	FA		4GT	865	D	●	●	●	⑩ 670	630 ⑩		

					N.P.	A	A	A	20	19								
660	DBA-MH23S M9-4'	MFYD-S5	FT-S	リミテッド	2WD	4GT	1297	●	D	●	●	⑩ 885	840 ⑩
		MFCD-S5	FT-S	リミテッド	2WD	4GT	1185	●	D	●	●	⑩ 805	765 ⑩
	DOHC	DBA-MH23S	MFBY-S5	FX-S	リミテッド	4WD	4GT	1152	D	●	●	⑩ 815	770 ⑩
			MFBY-5	FX		4GT	1077	D	●	●	●	⑩ 775	730 ⑩
		MFAY-D5	FA		4GT	1002	●	D	●	●	⑩ 660	620 ⑩	
		MFHE-SD5	FX-S	リミテッド	2WD	CVT	1086	●	D	●	●	⑩ 750	710 ⑩
		MFBD-S5	FX-S	リミテッド	4GT	1040	D	●	●	●	⑩ 735	695 ⑩	
		MFDE-D5	FC		4GT	1080	●	D	●	●	⑩ 770	730 ⑩	
		MFBD-5	FX		4GT	968	D	●	●	●	⑩ 895	855 ⑩	
		MFAD-5	FA		4GT	865	D	●	●	●	⑩ 580	545 ⑩	

					N.P.	A	A	A	19	18	17	16	15						
660	DBA-MH21S M9-4'	MFYD-S4	FT-S	リミテッド	4WD	4GT	1297	●	D	●	●	⑤ 810	765 + 750	710 ⑤	
		MFYD-4	FT		4GT	1187	●	D	●	●	② 780	735 + 720	680 ②		
		MFCD-S4	FT-S	リミテッド	2WD	4GT	1155	●	D	●	●	⑤ 735	695 + 680	645 ⑤	
		MFCD-4	FT		4GT	1075	●	D	●	●	② 705	665 + 650	615 ②		
	ABA-MH21S M9-4' (16/92LA)	MFYD-D2	FS		4WD	4GT	1282	●	D	●	●	
		MFYD-D3	FT		4GT	1187	●	D	●	●	
		MFDD-D2	FS		2WD	4GT	1170	●	D	●	●	
		MFCD-D3	FT		4GT	1075	●	D	●	●	
	DBA-MH21S DOHC (UA-)	MFBY-S4	FX-S	リミテッド	4WD	4GT	1137	D	●	●	⑤ 740	695 + 680	640 ⑤
		MFBY-4	FX		4GT	1077	D	●	●	●	⑤ 700	655 + 640	600 ⑤
		MFAY-D4	FA		4GT	1002	●	D	●	●	⑤ 595	555 + 545	510 ⑤
		MFBY-3	FX		4GT	1077	D	●	●	●	⑤ 570	530 + 515	475 ⑤
	DBA-MH21S DOHC (UA-)	MFBD-SU4	FX-S	リミテッド	2WD	4GT	1025	D	●	●	⑤ 665	625 + 610	575 ⑤
		MFBD-U4	FX		4GT	968	D	●	●	●	⑤ 625	585 + 570	535 ⑤
MFAD-U4		FA		4GT	865	D	●	●	●	⑤ 520	485 + 475	445 ⑤	
MFBD-3		FX		4GT	968	D	●	●	●	⑤ 505	470 + 455	420 ⑤	
	MFAD-3	FA		4GT	855	D	●	●	●	⑤ 420	390 + 380	350 ⑤	

					N.P.	A	A	A	15	14	13	12						
660	TA-MC22S 9-4'	MFYD-6	FTエアロ		4WD	4GT	1290	●	D	●	●	⑤ 570 + 555	520 ⑤	
		MFYD-06	N-1ターボ		4GT	1127	D	●	●	⑤ 475 + 460	425 ⑤	
		MFDD-6	FTエアロ		2WD	4GT	1178	D	●	●	⑤ 515 + 500	470 ⑤
		MFDD-06	N-1ターボ		4GT	1015	D	●	●	●	⑤ 420 + 405	375 ⑤
	LA-MC22S DOHC	MFYD-6	FMエアロ		4WD	4GT	1230	D	●	●	⑤ 525 + 510	475 ⑤
		MFYD-6	N-1		4GT	1077	D	●	●	●	⑤ 425 + 410	375 ⑤
		MFYD-6	B		4GT	1027	D	●	●	●	⑤ 395 ④
		MFYD-6	A		4GT	947	D	●	●	●	⑤ 360 ④
	UA-MC22S DOHC	MFDD-6	FMエアロ		2WD	4GT	1118	D	●	●	⑤ 470 + 455	425 ⑤
		MFDD-6	N-1		4GT	985	D	●	●	●	⑤ 370 + 355	325 ⑤
		MFDD-6	B		4GT	915	D	●	●	●	⑤ 340 ④
		MFDD-6	A		4GT	835	D	●	●	●	⑤ 305 ④
	TA-MC22S 9-4'	MFYD-4	Fエアロ		4WD	4GT	1275	D	●	●	⑤ 475	445 ⑤
		MFYD-4	Fエアロ		2WD	4GT	1163	D	●	●	⑤ 425	395 ⑤
MFYD-4		FMエアロ		4WD	4GT	1215	D	●	●	⑤ 440	410 ⑤	
MFYD-4		C2		4GT	1253	D	●	●	●	⑤ 455	425 ⑤	
LA-MC22S DOHC	MFYD-4	N-1		4GT	1080	D	●	●	●	⑤ 340	310 ⑤	
	MFDD-4	FMエアロ		2WD	4GT	1103	D	●	●	⑤ 390	360 ⑤	
	MFDD-4	C2		4GT	1141	D	●	●	●	⑤ 405	375 ⑤	
	MFDD-4	N-1		4GT	948	D	●	●	●	⑤ 290	260 ⑤	
TA-MC12S 9-6'	MFYD-S3	FM-トリプルエアロ		4WD	4GT	1341	●	D	●	⑩ 455 ②	
	MFYD-S3	FM-トリプルエアロ		2WD	4GT	1229	●	D	●	⑩ 405 + 395	375 ⑩	
	MFYD-3	FM-トリプル		4WD	4GT	1272	●	D	●	⑩ 425 ②	
	MFYD-3	FM-トリプル		2WD	4GT	1160	●	D	●	⑩ 375 + 365	345 ⑩	
LA-MC22S DOHC	MFYD-3	C2		4WD	4GT	1230	●	D	●	⑩ 405 ⑤	
		MFYD-S3	FMエアロ		4GT	1292	●	D	●	② 380	360 ②	
	MFYD-3	FM		4GT	1192	●	D	●	●	⑩ 335 + 325	305 ⑩	
	MFYD-3	FM		4GT	1182	●	D	●	●	⑩ 330 + 320	300 ⑩	
	MFYD-3	FM-G		4GT	1111	●	D	●	●	⑩ 280 ②	
	MFYD-3	FG		4GT	1067	●	D	●	●	② 250	230 ②	
	MFYD-3	C2		2WD	4GT	1118	●	D	●	⑩ 355 ⑤	
	MFYD-S3	FMエアロ		4GT	1180	●	D	●	●	② 330	310 ②	
	MFYD-3	FM		CVT	1085	●	D	●	●	⑩ 300 + 290	270 ⑩	
	MFYD-3	FM		4GT	1080	●	D	●	●	⑩ 285 + 275	255 ⑩	
	MFYD-3	FM		4GT	1070	●	D	●	●	⑩ 280 + 270	250 ⑩	
	MFYD-3	FM-G		4GT	999	●	D	●	●	⑩ 230 ②	
MFYD-3	FG		4GT	850	●	D	●	●	② 200	180 ②		

マイナー情報 16/2 MH21S(9系)-300001～ (4AT系)-460001～ (M-9系)-560001～ (D19系)-830001～
 14/9 LA-MC22S-340001～ TA-MC22S-700001～ (ターボ) UA-MC22S-430001～ 13/11 MC22S-260001～ (M-W)丸型ヘッドランプ仕様)
 MC22S-660001 (K6A型ターボ, Mターボ仕様) 12/12 LA-MC22 TA-MC22S-100001～ 12/12 全型式-100001～
 備考 16/6発売開始2台止 14/9から15/4発売開始



財団
法人 日本自動車査定協会

〒105-0003 東京都港区西新橋2-34-4

TEL03-5776-0901(代)