


# Case Study on Blue Carbon Initiatives in Japan

**Conserving and Restoring Coastal Ecosystems  
as a Solution to Climate Change**

December 2023  
**Blue Carbon Liaison Council  
(Ministry of the Environment)**



# Blue Carbon Initiatives in Japan



# Introduction

## 1. Blue Carbon Ecosystem with Diverse Values

The use of 'blue carbon': carbon stored in marine organisms such as seaweed and seagrasses, is attracting worldwide attention as a new option for absorbing and fixing atmospheric carbon dioxide, which causes global warming. Marine organisms that accumulate blue carbon not only absorb and fix atmospheric carbon dioxide, but also bring various added values to environmental conservation, which include the improvement of water quality, preservation of ecosystems, and serving as a platform for community-wide environmental education. They are also essential marine ecosystems with multifaceted values, such as maintaining and improving fishing environments through seaweed bed creation. In Japan, we are actively pursuing initiatives related to blue carbon, aligning with the goal of achieving net-zero emissions by 2050, promoting resource circulation (circular economy), and comprehensively advancing nature restoration (nature-positive) to enhance environmental, economic, and social integration.

## 2. Anticipations for Blue Carbon as a Solution to Climate Change

As an island nation surrounded by ocean, Japan has been working on the creation of seaweed beds and related efforts, primarily involving fishermen, local authorities, and businesses, to combat the significant reduction and disappearance of seaweed beds due to 'isoyake' (seaweed deforestation). In the context of achieving the 2050 net-zero goal, initiatives related to blue carbon have gained importance as measures for carbon dioxide absorption sources, and the government is further strengthening its efforts, taking a unified approach to promote initiatives related to the use of blue carbon ecosystems.

In January 2023, the Ministry of the Environment, the Ministry of Agriculture, Forestry and Fisheries, the Fisheries Agency, and the Ministry of Land, Infrastructure, Transport and Tourism joined forces to establish a new 'Blue Carbon Liaison Council' to promote government-wide efforts to utilize blue carbon ecosystems. In April 2023, Japan became the first country to report the amount of carbon absorbed by mangrove forests, one of the blue carbon ecosystems, in FY2021 to the Secretariat of the United Nations Framework Convention on Climate Change.

## **3. Progress in Efforts Involving Businesses, Civic Organizations, etc.**

In addition to cooperation among relevant ministries and agencies, efforts involving businesses, civic organizations, and others have become more active. For example, the Ministry of Land, Infrastructure, Transport, and Tourism (MLIT) has categorized seaweed beds, tidal flats, and port and harbor structures that coexist with organisms (port and harbor structures that have the basic functions of port and harbor structures while also functioning as habitats for organisms) as ‘blue infrastructure.’ The MLIT is carrying out projects to promote participation from businesses and civic organizations through activities such as matchmaking support and awareness campaigns, aiming to expand the preservation, regeneration, and creation of Blue Infrastructure.

The issuance of ‘J Blue Credit’ began in FY2020, targeting the conservation and development of blue carbon ecosystems. This enables credits based on the carbon dioxide absorption resulting from seaweed bed conservation activities to be transacted between those implementing preservation activities and companies or organizations working on carbon dioxide reduction.

In recent years, the use of the latest digital technology, such as drones in environmental surveys of seaweed and underwater monitoring, which contribute to more efficient calculation of blue carbon, has also progressed, further expanding the circle of initiatives related to blue carbon.

Based on these latest trends, this publication introduces case studies of activities related to the promotion of blue carbon in Japan by companies, local governments, and others. We hope that this publication will help provide a concrete image of the initiatives for the promotion of blue carbon and, hence, be of use to those who are considering such initiatives in the future.



# What is Blue Carbon?

Marine plants **absorb CO<sub>2</sub>** dissolved in seawater through **photosynthesis**.

They then **sequester carbon** through the food chain and by depositing it on the seafloor after they die.

Such plants are called '**blue carbon ecosystems**.'

In Japan, blue carbon ecosystems include **(1) seagrass beds (eelgrass, etc.)**, **(2) seaweed beds (wakame seaweed, kelp, etc.)**, **(3) wetlands and tidal flats**, and **(4) mangrove forests**, each with a different carbon sequestration mechanism.

## 1. Seagrass beds

- Seagrasses and the microscopic algae attached to their leaves absorb CO<sub>2</sub> and grow through photosynthesis.
- The seafloor in seagrass beds is a large carbon reservoir for 'blue carbon'.
- In a survey of the seafloor of the Seto Inland Sea, eelgrass-derived carbon was found in layers as old as 3,000 years.



## 2. Seaweed beds

- When seaweed is torn off, it becomes 'drift weed' drifting on the surface of the sea.
- Seaweeds that do not take nutrients from their roots do not die immediately after being torn off, and some of them end their lives and sink and are deposited on the deep-sea floor.
- The carbon derived from seaweed stored at the bottom of the deep sea is also called 'blue carbon.'



## 3. Wetlands and tidal flats

- In wetlands and tidal flats, reeds and other plants thrive and absorb CO<sub>2</sub> through photosynthesis.
- Based on microscopic algae in seawater and on the surface of the earth, a variety of living organisms linked through the food chain inhabit the seafloor, where their remains accumulate, storing carbon as 'blue carbon.'



## 4. Mangrove forests

- Mangrove forests store carbon in the trees as they grow, and their dead branches and roots accumulate in the mud on the sea floor, storing carbon.
- In Japan, mangrove forests are distributed along the coast of Kagoshima and Okinawa Prefectures.



## Table of Contents

### <Hokkaido and Tohoku Area>

|           |                                                                                                                                                                 |           |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>01</b> | <b>Fertilization Project in Suttsu Town, Hokkaido Prefecture</b><br>Suttsu Town (Hokkaido)                                                                      | <b>12</b> |
| <b>02</b> | <b>Investigation of CO2 Absorption and Sequestration by Blue Carbon Ecosystems in Coastal Areas of Hokkaido</b><br>Hokkaido Electric Power Co., Inc. (Hokkaido) | <b>18</b> |
| <b>03</b> | <b>"Marine Forestation" activities through seaweed bed creation and restoration</b><br>Nippon Steel Corporation (Hokkaido, Miyagi, and Mie)                     | <b>26</b> |
| <b>04</b> | <b>Seaweed bed creation in Mashike Town, Hokkaido</b><br>Nippon Steel Corporation (Hokkaido)                                                                    | <b>32</b> |
| <b>05</b> | <b>Creation and conservation of seaweed beds using propagation trenches in Hirono Town, Iwate Prefecture</b><br>Hirono Town (Iwate)                             | <b>40</b> |
| <b>06</b> | <b>Miyagi Blue Carbon Project</b><br>Miyagi Prefecture (Miyagi)                                                                                                 | <b>42</b> |

## Table of Contents

<Kanto Area>

|           |                                                                                                                             |           |
|-----------|-----------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>07</b> | <b>Yokohama Blue Carbon Project</b><br>Yokohama City (Kanagawa)                                                             | <b>50</b> |
| <b>08</b> | <b>Sea Forest Creation Activities in Hayama Town through Cooperation of Various Actors</b><br>Kajima Corporation (Kanagawa) | <b>56</b> |
| <b>09</b> | <b>Efforts to establishing the “Blue Carbon Belt®”</b><br>Blue Carbon Belt Riviera Institute (Kanagawa)                     | <b>62</b> |
| <b>10</b> | <b>Mori Sato Umi Tsunagu Project</b><br>Tokyo Gas Co., Ltd. (Kanagawa)                                                      | <b>68</b> |
| <b>11</b> | <b>Tokyo Bay UMI Project</b><br>Seven-Eleven Foundation , etc. (Kanagawa , etc.)                                            | <b>74</b> |
| <b>12</b> | <b>Creation of shallow and seagrass beds in front of the Kimitsu West Seawall</b><br>Nippon Steel Corporation (Chiba)       | <b>76</b> |

## Table of Contents

### <Chubu and Hokuriku Area>

|           |                                                                                                                                                    |            |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>13</b> | <b>Kubisho Coast Satoumi Project</b><br>NPO Earth Communication (Shizuoka)                                                                         | <b>80</b>  |
| <b>14</b> | <b>Atami Blue Carbon Project</b><br>Miraisozobu / dba For Future Company (Shizuoka)                                                                | <b>88</b>  |
| <b>15</b> | <b>Project to Restore Seaweed beds in the Hainan Area, Shizuoka Prefecture</b><br>Hainan Area Isoyake Countermeasures Promotion Council (Shizuoka) | <b>94</b>  |
| <b>16</b> | <b>Activities of NPO SEA-MO in Kumano-nada, Mie Prefecture</b><br>NPO SEA-MO (Mie)                                                                 | <b>100</b> |

### <Kansai Area>

|           |                                                                                                             |            |
|-----------|-------------------------------------------------------------------------------------------------------------|------------|
| <b>17</b> | <b>Sea Cradle Restoration Activities</b><br>Hannan City (Osaka)                                             | <b>108</b> |
| <b>18</b> | <b>Creation of Seaweed Bed Environment at Kansai International Airport (KIX)</b><br>Kansai Airports (Osaka) | <b>114</b> |

## Table of Contents

### <Kansai Area>

|           |                                                            |            |
|-----------|------------------------------------------------------------|------------|
| <b>19</b> | <b>Blue Carbon Creation Project at Kobe Airport Island</b> | <b>120</b> |
|           | Kobe City (Hyogo)                                          |            |

|           |                                                                                               |            |
|-----------|-----------------------------------------------------------------------------------------------|------------|
| <b>20</b> | <b>Creation of Seaweed Beds, Tidal Flats and Habitats for Living Organisms in Hyogo Canal</b> | <b>126</b> |
|           | Hyogo Fishery Cooperative Association (Hyogo)                                                 |            |

|           |                                        |            |
|-----------|----------------------------------------|------------|
| <b>21</b> | <b>Initiatives to Restore Aioi Bay</b> | <b>132</b> |
|           | Aioi City (Hyogo)                      |            |

|           |                                                                      |            |
|-----------|----------------------------------------------------------------------|------------|
| <b>22</b> | <b>Project to create eelgrass beds around Eigashima, Akashi City</b> | <b>138</b> |
|           | Eigashima Fishery Cooperative Association (Hyogo)                    |            |

### <Chugoku and Shikoku Area>

|           |                                   |            |
|-----------|-----------------------------------|------------|
| <b>23</b> | <b>Blue Carbon Initiatives</b>    | <b>144</b> |
|           | The City of Hiroshima (Hiroshima) |            |

|           |                                                                                |            |
|-----------|--------------------------------------------------------------------------------|------------|
| <b>24</b> | <b>Creating Sato-umi through the Restoration of cradle of the Onomichi Sea</b> | <b>148</b> |
|           | Onomichi City (Hiroshima)                                                      |            |



## Table of Contents

### <Chugoku and Shikoku Area>

|           |                                                                                                                                                               |            |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>25</b> | <b>Blue Carbon Technology Development through Industry-Government-Academia Collaboration</b><br>Tromso Corporation (Hiroshima)                                | <b>152</b> |
| <b>26</b> | <b>Shunan Oshima-Tidal-Flat “Tsunagaru” Blue Carbon Project in Tokuyama-Kudamatsu Port</b><br>Shunan City (Yamaguchi)                                         | <b>158</b> |
| <b>27</b> | <b>Blue Carbon Initiatives in the Fushino River Estuary and Tidal Flat</b><br>Fushino River Estuary and Tidal Flat Nature Restoration Committee (Yamaguchi)   | <b>164</b> |
| <b>28</b> | <b>Isomori Blue Carbon Project in Yamaguchi and Oita Prefecture</b><br>Uninomics K.K.(Yamaguchi and Oita)                                                     | <b>168</b> |
| <b>29</b> | <b>Tottori Prefecture Seaweed Bed Cultivation Action Program</b><br>Tottori Prefecture (Tottori)                                                              | <b>176</b> |
| <b>30</b> | <b>Tottori Blue Carbon Project</b><br>The Tottori Blue Carbon Project “Aiming for Restoration of the Rich Sea” Executive Committee (Tottori)                  | <b>178</b> |
| <b>31</b> | <b>Creation of seaweed beds by artificial reefs and seawalls at Shimane Nuclear Power Station Unit No.3</b><br>The Chugoku Electric Power Co., Inc. (Shimane) | <b>182</b> |
| <b>32</b> | <b>Ainan Town's Marine Industry Initiatives</b><br>Ainan Town (Ehime)                                                                                         | <b>188</b> |

## Table of Contents

|                           |                                                                                                                                                          |            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <Kyushu and Okinawa Area> |                                                                                                                                                          |            |
| <b>33</b>                 | <b>Blue Carbon Initiatives</b><br>Fukuoka City (Fukuoka)                                                                                                 | <b>192</b> |
| <b>34</b>                 | <b>Munakata Sea Urchin Project</b><br>Munakata City (Fukuoka)                                                                                            | <b>200</b> |
| <b>35</b>                 | <b>Initiatives for Marine Environment Conservation Using Seaweeds by Signing the Blue Carbon Agreement</b><br>VENTUNO Co.,Ltd. (Fukuoka)                 | <b>208</b> |
| <b>36</b>                 | <b>Joint research for blue carbon creation</b><br>Toyota Motor Kyushu Corporation (Fukuoka)                                                              | <b>212</b> |
| <b>37</b>                 | <b>Seaweed bed creation project using J Blue Concrete blocks</b><br>Electric Power Development Co., Ltd. (Fukuoka)                                       | <b>218</b> |
| <b>38</b>                 | <b>Blue Carbon Initiatives in Karatsu City</b><br>Karatsu City (Saga)                                                                                    | <b>224</b> |
| <b>39</b>                 | <b>Seaweed Bed Conservation Project</b><br>Saga Genkai Fisheries Cooperative (Saga)                                                                      | <b>230</b> |
| <b>40</b>                 | <b>Blue carbon initiatives incorporating our network as an offshore wind farm operator</b><br>INFLUX Inc. (Saga, Nagasaki, Hokkaido, Niigata, and Tokyo) | <b>232</b> |

<Kyushu and Okinawa Area>

|           |                                                                                                                                           |            |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>41</b> | <b>Project to Promote Carbon Neutrality Using Seaweed beds</b><br>Goto City (Nagasaki)                                                    | <b>240</b> |
| <b>42</b> | <b>Inochi no Umi Project</b><br>Nichirei Fresh Inc. (Kumamoto)                                                                            | <b>246</b> |
| <b>43</b> | <b>Seaweed beds conservation activities in Oita Prefecture</b><br>Oita Prefecture (Oita)                                                  | <b>250</b> |
| <b>44</b> | <b>Blue Carbon Initiatives on Iejima Island</b><br>Kokusai Kogyo Co., Ltd. (Okinawa)                                                      | <b>252</b> |
| <b>45</b> | <b>Mangrove Planting Activities at Nagura Bay, Ishigaki Island, Okinawa, Japan, by Yaeyama Lions Club</b><br>Yaeyama Lions Club (Okinawa) | <b>260</b> |

Table of  
Contents

**Restoration of seaweed beds by introducing degradable compost blocks made from waste (fishery wastes, wood chips, sewage sludge) into the sea.**

## Overview

- In order to prevent isoyake and the progressive loss of seaweed beds due to lack of nutrients, degradable compost blocks produced from fishery waste, wood chips (unused materials), and sewage sludge are put into the sea.
- The project is led by the Suttsu Fishery Cooperative Association, in cooperation with the Suttsu Fisheries Processing Cooperative Association (compost production) and the Association for Enrichment of the Sea of Suttsu Town (fertilizer application to the sea area).



## Basic Information

|                                    |                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Suttsu Town                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Participating organizations</b> | Association for the Enrichment of the Sea of Suttsu Town<br>Suttsu Fishery Cooperative Association, Suttsu Fisheries Processing Cooperative Association, Suttsu Town                                                                                                                                                                                                         |
| <b>Start year</b>                  | 2007                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>Improvement of water bottom quality (production of compost utilizing waste, processing into degradable blocks and putting into the sea area)</li> </ul> <p>*The project was funded by the National, Provincial, and Township governments. The fertilizer production facility was funded by the H23 Regional Revitalization Grant.</p> |
| <b>Site area</b>                   | 22ha                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Amount of CO2 absorption</b>    | —                                                                                                                                                                                                                                                                                                                                                                            |

# In-house-built compost production facility / Compost (fertilizer) production

In-house-built compost production facility



Compost (fertilizer) production (raw materials)

Salmon/trout hatchery detritus, sea urchin shell residue, fish solubles



Woodchips (from unused wood)



Fish soluble



Sewage sludge





# Composting



Compost for  
3-6 months



Aerate 3-4  
times a month





# Processing into compost degradable blocks



Press machine for manufacturing the fertilizer  
(Made by Kotobuki Sangyo Corporation)

Degradable compost blocks  
Cylinder :  $\phi 260\text{mm}$ , H230mm  
Weight : 16kg



compression  
force of  
20 tonf



# Throwing compost degradable blocks into the sea

---





# Effect evaluation using aerial photographs

## Effect evaluation using aerial photographs




**X** Fertilized points  
300-500 locations

**Research development for blue carbon projects in coastal areas of Hokkaido.**  
**Alliance building for Promotion of Zero Carbon Hokkaido at Hokkaido's ports and harbors.**

## Overview


- A joint research and development agreement was signed with the Hokkaido Research Organization in April 2023. To popularize the blue carbon project throughout Hokkaido's coast, technologies such as seaweed reef blocks and aquaculture technologies adapted to respective environmental conditions of sea areas are being developed.
- A collaboration agreement was signed with the Hokkaido Regional Development Bureau in April 2023. To realize "Zero Carbon Hokkaido", an alliance was built for a carbon-neutral system of Hokkaido's ports and harbors including blue carbon projects.



## Basic Information

|                                      |                                                                                                                                                                                                                       |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Region                               | Hokkaido Prefecture                                                                                                                                                                                                   |
| Participating organizations          | Hokkaido Electric Power Co., Inc. (consisting of the Hokkaido Research Organization, and the Hokkaido Regional Development Bureau)                                                                                    |
| Start year                           | —                                                                                                                                                                                                                     |
| Contents of activities               | <ul style="list-style-type: none"> <li>• Production of Seaweed reef/fertilizer blocks</li> <li>• Technology development (seaweed reefs / fertilization blocks, drone surveys, onshore seaweed cultivation)</li> </ul> |
| Site area                            | —                                                                                                                                                                                                                     |
| Amount of CO <sub>2</sub> absorption | —                                                                                                                                                                                                                     |

# Overall picture of the project



## Step 2 Implementation of seaweed propagation measures (technology development)

| Business entity                                                                    | Location        | Initiative                                       |
|------------------------------------------------------------------------------------|-----------------|--------------------------------------------------|
| National, Hokkaido Prefecture, Hokkaido Regional Development Bureau (Public Works) | Port and harbor | Port and harbor structures (seaweed reef blocks) |
| Fisherman                                                                          | Fishing grounds | Fertilizer block<br>Sea urchin capture           |
|                                                                                    | Land            | Land-based cultivation of seaweed                |



# Actions for Projects (1)

## Progresses in each actual sea:

### ①Artificial Reef block testing



Blocks under development

### Reef blocks compounding test



### ②Drone testing



Sea-bottom orthoimage generated from underwater drone shots



Orthoimage generated from aerial drone shots



Aquatic drones under development

### ③Onshore seaweed cultivation testing



Exhaust gas

Air (control)

Seaweed cultivation test with CO2 from exhaust gas or DAC system

| Seaweed                                                                                                | Amount of CO2 absorption(kg/year) |
|--------------------------------------------------------------------------------------------------------|-----------------------------------|
| <br>Sewing thread | 870                               |
| <br>Sea lettuce   | 270                               |

Amount of absorbed/stored CO2 by Land-based cultivation of seaweed (Calculation results based on a 200m3 tank capable of producing 1tonne of dried laver per year.) 20

## Actions for Projects (2)


### Determination of production process using 50 mm cube block



#### 【Concept】

- ✓ Utilization of fertilizer (shells)
- ✓ Utilization of wood ash
- ✓ Utilization of concrete sludge
- ✓ Application for both reef and fertilizer

→Revitalization of other industries






## Actions for Projects (3)

---

Screening test of optimized composition for fertilization reef using 50 mm cube blocks of (Kelp (Rishiri Kombu), laboratory culture)



\*Noticeable differences in the initial growth of Kelp due to fertilization levels.



# Actions for Projects (4)

## Technology development image for the enrichment of fishery resources using offshore wind farm

### [Keywords]

seaweed bed creation, blue carbon, spawning grounds

- (1) Technology to promote seaweed growth by using magnesium (Mg) electrodes for corrosion protection.
  - (2) Technology for deep sea seaweed bed. Seaweed can grow up by submarine cable-powered LED (partly as a fish attractor).
  - (3) Aquaculture technology by oxygen from electrolysis.  
(Plankton, fish and shellfish in addition to seaweed?)
- Microbubble technology is also available for land-based aquaculture.  
(Side note) Electrolyzed hypochlorous acid can also be used to repel sea urchins.






Collaboration agreement signed with the Hokkaido Regional Development Bureau, Ministry of Land, Infrastructure, Transport and Tourism (Strengthening of cooperation such as information exchange and joint research on zero-carbon Hokkaido initiatives utilizing ports and harbors)

## ◆ Study of carbon dioxide absorption and sequestration to blue carbon ecosystems in ports and harbors

Carbon absorption of the marine ecosystem by photosynthesis, etc. is called "blue carbon". It is a new option as a CO<sub>2</sub> storage resource. Therefore, we are developing seaweed aquaculture technologies in ports and harbors, and estimate a beneficial amount of CO<sub>2</sub> absorption by blue carbon.

### Past Projects and Future Directions

- Hokkaido Electric Power Company (HEPCO) has begun experiments to create seaweed beds with low-carbon seaweed reef materials using combustion ash generated by woody biomass power plants, etc. in the Tomakomai Port East Area, where the Tomatou Atsuma Power Plant is located, as a test field.
- The Hokkaido Development Bureau has experience in technological development for creating seaweed beds in ports and calculating the amount of CO<sub>2</sub> absorbed by blue carbon. The two parties will promote efficient and effective studies through their experience and knowledge.



Sea Reef Control (concrete block)




Developed Sea Reef (Biomass ash)

#### [Left] Development of Low-Carbon Sea Reef Materials

HEPCO has developed a technology for seaweed reef plates that utilize combustion ash and coal ash from power plants (e.g. woody biomass plants) and other facilities, reducing CO<sub>2</sub> emissions during manufacture compared to conventional concrete.

#### [Right] Creation of seaweed beds on breakwaters and calculation of CO<sub>2</sub> absorption

The Hokkaido Regional Development Bureau has developed technology to create seaweed beds using dredged sediment at Kushiro Port. They have estimated that the amount of CO<sub>2</sub> absorbed per unit area by blue carbon is 2.4 times that of a forest.



Creation of seaweed beds on the embankment behind the island breakwater in the western port area of Kushiro Port






Research on the main causes of the decline in seaweed beds and verification tests in the actual sea.

## Overview

- Narrowing down the factors of seaweed bed decline and formulating hypotheses through interviews with fishermen, seawater surveys, etc.
- Verifying the hypothesis of seaweed bed decline through laboratory experiments and actual sea trials and developing solutions according to the sea area conditions.
- Accumulating results of seaweed growth in the actual sea, going back to laboratory verification, considering further conditions to promote seaweed growth, making improvements, expanding application areas, and improving the accuracy of the technology.



Simulated coastal environment



## Basic Information

|                             |                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Region                      | Mashike Town, Tomari Village, Furubira Town, Shikabe Village, Onagawa Town, Shima City                                                                                                                                                                                                                                                                                                    |
| Participating organizations | Nippon Steel Corporation, Mashike Fishery Cooperative Association, Furuu District Fishery Cooperative Association, Higashi Shakotan Fisheries Cooperative Association, Shikabe Fishery Cooperative Association, Miyagi Prefecture Fishery Cooperative Association (Onagawa Branch), Miegaiwan Fisheries Cooperative Association, Funakoshi Fishing Rights Management Committee            |
| Start year                  | 2004                                                                                                                                                                                                                                                                                                                                                                                      |
| Contents of activities      | <ul style="list-style-type: none"> <li>• Technology development (verification of seaweed bed decline mechanism and development of seaweed bed restoration technology)</li> <li>• Improvement of water bottom quality (burial and sinking of fertilizer materials supplying Fe ions)</li> <li>• Installation of rock/block substrate (installation of seaweed bedding material)</li> </ul> |
| Site area                   | —                                                                                                                                                                                                                                                                                                                                                                                         |
| Amount of CO2 absorption    | —                                                                                                                                                                                                                                                                                                                                                                                         |

# “Marine Forestation” activities through seaweed bed creation and restoration

- Research on the main causes of seaweed bed decline and verification tests in the actual sea -

## 1. Overview of Projects

(1) Investigating factors that cause decline in seaweed beds in the actual sea

[Aim]


Narrowing down the causes and formulating hypotheses through research interviews with fishermen, seawater surveys, etc.

Factor 1: Environmental change

- Nutrient deficiency (N, P, Fe)
- Rise in seawater temperature
- Change in flow field due to offshore construction (inflow of sand, calming)

Factor 2: Characteristics of the sea

- Feeding damage
- Increase in feeding of herbivores



(2) Verifying the seaweed bed decline mechanism


- Developing seaweed bed restoration technology

[Aim]

- Verifying the hypotheses of seaweed bed decline through laboratory experiments and trials in the actual sea
- Developing solutions for better sea conditions.

[Research Contents]

- Clarifying the nutrient leaching and diffusion phenomena
- Establishing construction conditions suitable for the promotion of algal blooms
- Developing a model for predicting the effects of seaweed bed creation



(3) Verification test in the actual sea

[Aim]

- Accumulating actual algal blooms in the actual sea
- Returning to the laboratory for and further pursue and improving conditions that promote algae growth
- Improving technology through expansion of project areas



FY2010: 6 sea areas

FY 2011: Expansion throughout the country

## 2. Project and Results (Remarkable points)

Research and Development: Systematic efforts are being made to conduct causal investigations, laboratory research, and field verifications in the actual sea in a linked manner.


Regional issues: The team is persistently seeking the understanding of local governments and fishery cooperatives and is addressing issues in cooperation with related parties.

\* Photo source: Fisheries Agency, "Guidelines for Isoyake Countermeasures"



# (1) Estimated Cause of the Seaweed Bed Decline due to the *Isoyake*, Sea Desertification

- Listing the causes of the decline in seaweed beds with reference to the Fisheries Agency's "Guidelines for *Isoyake* Countermeasures" and "Vision for Seaweed beds and Tidal Flats."



Primary and secondary factors combine in each marine area, resulting in multiple direct causes of algal bed decline.


➔ It is important to take measures matched to the factors and causes at the site.

## (2) Research on Technology to Combat Seaweed Bed Decline - Fe ions Deficiency -


### ● Fe ions necessary for the life cycle of seaweeds

#### ● Experimental addition of Fe ions to kelp

(Ueki et al., Nippon Steel Technical Report No. 391, 2011)




#### ★1 Fe ions are required for gametophyte maturation



Figures: Fe ion concentrations

#### ★2 Fe ions are required for sporophyte growth



← No growth → Growth →

The presence of Fe ions is essential for the life cycle growth process of sweet kelp.



Promotes seaweed bed regeneration by artificially generating and supplying iron humate (Fe ions), which is essential for seaweed growth

## (2) Research on Fertilization Technology for Seaweed Bed Restoration

### ● Development of Fe ion-supplying fertilizer (Vivary™ Unit)

[Aim] To reproduce Fe ion supply from soil (from mountainous area) with steel slag (fertilizer)

[Fertilizer] Steel slag + humus soil

Carbonated steelmaking slag  
(Iron source)



Humus soil  
(humic acid)



**Vivary™ Unit**



【Patent No. 3829140】

### ● Effects of fertilizer application in the actual sea - Improving the certitude of seaweed bed restoration

[Approach]

- Clarifying environmental conditions for stable supply of iron ions under ideal conditions (within the Sealab) with no disturbance factors
- Improving the certitude of restoration through data accumulation and model analysis/construction for nationwide development of various types of seaweed beds



Equipment and Functions of the Sealab

- Shallow and tidal flat tanks
- Wave generator
- Tide setting function
- Water temperature control function
- Sunlight control function



### (3) Verification and Expanded Application in the Actual Sea

|   | Location                 | Co-implementer                                                     | Fertilizer                    | Amount of fertiliser | Date of completion of construction |
|---|--------------------------|--------------------------------------------------------------------|-------------------------------|----------------------|------------------------------------|
| ① | Mashike Town, Hokkaido   | Mashike Fishery Cooperative Association                            | Vivary™ Unit                  | 22.5tonne            | 2022.11.9                          |
| ② | Tomari Village, Hokkaido | Furui District Fishery Cooperative Association                     | Vivary™ Unit                  | 31tonne              | 2022.11.6                          |
| ③ | Onagawa Town, Miyagi     | Miyagi Prefecture Fishery Cooperative Association (Onagawa Branch) | Vivary™ Unit                  | 26tonne              | 2022.10.12                         |
| ④ | Shima City, Mie          | Miegaiwan Fisheries Cooperative Association                        | Vivary™ Unit/<br>Vivary™ Rock | 10tonne              | 2022.10.7                          |
| ⑤ | Furubira Town, Hokkaido  | Higashi shakotan Fishery Cooperative Association                   | Vivary™ Unit                  | 6tonne               | 2022.10.3                          |
| ⑥ | Shikabe Town, Hokkaido   | Shikabe Fishery Cooperative Association                            | Vivary™ Unit                  | 8tonne               | 2022.10.7                          |



**Burying Vivary™ Units  
in Furubira Town**



**Sinking Vivary™ Units  
in Tomari Town**



**Installing Vivary™ Rocks as a substrate material for seaweed settlement**






Working with fishermen since 2004 to prevent the *Isoyake*, Sea Desertification.

## Overview

- *Isoyake* has spread in the early 2000, causing decline in the number of fish catches.
- Focusing on the fact that iron deficiency in the sea area could be a factor in *Isoyake*, an iron-supplying fertilizer (Vivary™ Unit) for seaweed bed propagation was Developed.
- Continuous verification in progress in the actual sea since 2004 in cooperation with the Mashike Fishery Cooperative Association.



## Basic Information

|                                    |                                                                                                                                                                                                                                                                                             |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Mashike Town                                                                                                                                                                                                                                                                                |
| <b>Participating organizations</b> | Nippon Steel Corporation, Mashike Fishery Cooperative Association                                                                                                                                                                                                                           |
| <b>Start year</b>                  | 2004                                                                                                                                                                                                                                                                                        |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Technology development (verification of seaweed bed decline mechanism and development of seaweed bed restoration technology)</li> <li>• Improvement of bottom sediment (burial and sinking of fertilizer materials that supply Fe ions)</li> </ul> |
| <b>Site area</b>                   | 3.4ha<br>(Seaweed bed area, 2022)                                                                                                                                                                                                                                                           |
| <b>Amount of CO2 absorption</b>    | 49.5t-CO2<br>(J Blue Credit, 5 years from FY2018 to FY2022: 49.5t-CO2)                                                                                                                                                                                                                      |

# Seaweed bed creation in Mashike Town, Hokkaido


- Working with fishermen since 2004 to develop measures to prevent *Isoyake*-

## 1. Overview

- Issue: *Isoyake* has spread in the early 2000, causing decline in the number of fish catches
- Focusing on the fact that iron deficiency in the sea area could be a factor in *Isoyake*, an iron-supplying fertilizer (Vivary™ Unit) for seaweed bed propagation was developed. Continuous verification in progress in the actual sea since 2004 in cooperation with the Mashike Fishery Cooperative Association



Before implementation



Appearance of fertilizer



Burying of fertilizer



2005: Kelp thriving on the coast as a result of fertilization



## 2. Main Projects and Results (Remarkable points)

|                             | Details                                                                                                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technology development      | Scientific verification that iron ions are essential for kelp growth<br>⇒ Developed technology to artificially supply iron ions and conducted experiments in actual sea areas |
| Fishing grounds improvement | Contribution to increase in fish catch (including results of other efforts by fishery cooperatives, etc.)<br>⇒ Sea urchin catches increased due to the growth of kelp.        |
| Credit acquisition          | Joint credit acquisition with Mashike Fishery Cooperative Association<br>⇒ J Blue Credit Certification 49.5t-CO2 (for the past 5 years)                                       |
| Societal awareness          | Publicity through various media<br>Cooperating with Dr. Yamamoto, University of Tokyo, in field classes                                                                       |

Overview of seaweed bed expansion in J Blue Credit application





Figure: Expansion of seaweed bed (drone image)



# Mechanism of the *Isoyake* caused by Fe ions deficiency


## ● Fe ions necessary for the life cycle of seaweeds



## ● Experimental addition of Fe ions to kelp


(Ueki et al., Nippon Steel Technical Report No. 391, 2011)

★ 1 Fe ions are required for **gametophyte maturation**



Figures: Fe ion concentrations

★ 2 Fe ions are required for **sporophyte growth**



Figures: Fe ion concentrations  
No growth → Growth

The presence of Fe ions is essential for the life cycle growth process of sweet kelp.

## ● Mechanisms for Estimating the Isoyake

(Matsunaga et al. 1994)


Originally, Fe ions in soil combine with humic acid to form iron humate and runoff to coastal areas through rivers (→ supply of Fe ions)



Decrease in iron humate supply due to terrestrial development and dam construction




Lack of iron humate (Fe ions) in coastal areas causes *Isoyake*



(Field Science and Research Center, Kyoto University)

# Overview of Seaweed Bed Restoration through Fe Supply (Vivary™ Unit)

- Supply of humic acid iron (Fe ions) using steel slag (by-product in steelmaking)



- Material: Steel slag + Humus soil

- Principle: Reproduction of Fe ion supply mechanism from terrestrial area by utilizing steel slag

Promotes seaweed bed formation by artificially generating and supplying iron humate (Fe ions), which is essential for seaweed growth.



# Projects in Betsukari, Mashike Town, Hokkaido, Japan (2018-2022)

## ● Large-scale verification project in Mashike Town, Hokkaido (Betsukari Coast) (2014)



Source: Google Map



Humus substance  
(Woodchip raw material)



Packing process



Construction




Construction




# Expansion of Seaweed Bed and Improvement in Sea Urchin Catch

## ● Large-scale verification project at Betsukari, Mashike Town, Hokkaido: Evaluation of seaweed beds and fisheries value




Aerial photograph of Betsukari area



- Seaweed beds are gradually expanding after 3 years of construction
- Seaweed beds have regenerated up to 50m offshore
  - Sea urchin catch has also increased (Evaluation by the entire Mashike fishing group)

# Acquiring J Blue Credit™ (2022)







Creating an environment conducive to the growth of seaweed, thereby creating and preserving seaweed beds.

Contributing to the fixation of CO<sub>2</sub> on the seafloor by flowing algae.

## Overview

- In the town of Hirono, trenches have been dug in the flat bedrock of the coast to create an environment where seaweed can thrive unaffected by the tides, which has been used for sea urchin and abalone fishing.
- The seaweed that has grown in and around the trenches dug into the bedrock flows out to the sea as drift weed when the tide ebbs and flows, contributing to the fixation of CO<sub>2</sub> on the seafloor.
- The use of breeding trenches not only for seaweed bed conservation but also for sea urchin and abalone fishing has enabled the harvesting of high-quality sea urchins, achieving sustainable fisheries and climate change countermeasures.



## Basic Information

|                                            |                                                                                                                                                                |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                              | Hirono Town                                                                                                                                                    |
| <b>Participating organizations</b>         | Hirono Town Blue Carbon Council                                                                                                                                |
| <b>Start year</b>                          | 2017                                                                                                                                                           |
| <b>Contents of activities</b>              | <ul style="list-style-type: none"> <li>• Creation of seaweed beds using propagation trenches and adjustment of external forces (waves and currents)</li> </ul> |
| <b>Site area</b>                           | —                                                                                                                                                              |
| <b>Amount of CO<sub>2</sub> absorption</b> | 3,106.5t-CO <sub>2</sub><br>(J Blue Credit, 5 years from FY2017 to FY2021: 3,106.5 t-CO <sub>2</sub> )                                                         |

# Project Features – Strengths



Beach cleanup  
(Extermination of whelks)



Forestation for sea urchins  
Arbor Day

- The total distance of the 178 propagation trenches is approx. 17.5 km, with a width of approx. 4 m and a depth of approx. 1 m.
- The structure allows fresh seawater to flow in even at low tide, creating an environment conducive to the growth of large seaweeds such as wakame seaweed and kelp.
- The seaweed that has grown in and around the trenches dug into the bedrock flows out to the sea as drift weed when the tide ebbs and flows, contributing to the fixation of CO2 on the seafloor.
- The propagation ditch has led to an abundant harvest of high quality, well-filled northern sea urchins, and a sustainable fishery that combines sea urchin fishing and seaweed bed conservation, in other words, climate change countermeasures, has been passed down from generation to generation.
- Funds obtained from the sale of credits will be used for further efforts to combat climate change, mainly by the Hirono Town Blue Carbon Council.



Breeding Ditch,  
distant view




Hirono Town Blue Carbon Council

Organizing CO<sub>2</sub> fixation and emission intensity, cultivation and creation of *laminaria religiosa* kelp and sea oak kelp in model areas.

Spreading awareness through website and hands-on learning.

## Overview

- Organizing CO<sub>2</sub> fixation and emission intensity (inventory) as part of technology development and pilot studies.
- Creating seaweed beds of *laminaria religiosa* kelp and sea oak kelp in model areas to study business productivity and environmental impact.
- Holding seminars and symposiums, operating a website, and conducting hands-on learning for the purpose of promoting public awareness.



## Basic Information

|                                            |                                                                                                                                                                                                                                                                                            |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                              | Miyagi Prefecture                                                                                                                                                                                                                                                                          |
| <b>Participating organizations</b>         | Miyagi Blue Carbon Council (Japan Blue Economy Association, Japan Fisheries Research and Education Agency, Sakana Design LLC., Miyagi Prefecture Fisheries Cooperative Association, General Incorporated Association Fisherman Japan, Ishinomaki City Hall, Miyagi Prefectural Government) |
| <b>Start year</b>                          | 2021                                                                                                                                                                                                                                                                                       |
| <b>Contents of activities</b>              | <ul style="list-style-type: none"> <li>Technology development (organizing CO<sub>2</sub> fixation and emission intensity)</li> <li>Cultivation and seaweed bed creation</li> <li>Environmental education and raising awareness (organisation of symposia, etc.)</li> </ul>                 |
| <b>Site area</b>                           | —                                                                                                                                                                                                                                                                                          |
| <b>Amount of CO<sub>2</sub> absorption</b> | 158.3 t -CO <sub>2</sub> (2022, provisional figure)                                                                                                                                                                                                                                        |



# New global warming solutions! About Blue Carbon

## MIYAGI Blue Carbon Project

宮城ブルーカーボンプロジェクト


**Objective:** To **evaluate the amount of carbon dioxide fixation and absorption as a multifaceted function of the fishing industry as blue carbon** in the course of promoting efforts to create and preserve seaweed beds and increase seaweed cultivation in the coastal areas of Miyagi Prefecture. The objective of this project is to contribute to the carbon neutrality and sustainability of the prefectural fishing industry by **quantifying the environmental impact generated by the industry and clarifying the degree of contribution to reduction**, thereby fostering momentum toward an environmentally conscious fishing industry.

### Miyagi Blue Carbon Council

Members: Administration, experts, municipalities, public relations, industry, etc.  
Roles: Discussion of direction, progress management, verification of results

#### 3 Principles

Technological development  
Testing and research



Eelgrass beds

Implementing in  
model districts



Wakame seaweed cultivation


Promotion and  
guidance  
Public relations



Promotion and public relations activities



Calculating the amount of CO2 fixed by seaweed



What about CO2 from fishing activities and consumption of catches!?

- Collection, organization, and creation of CO2 fixation and emission units (inventory)
- Understanding seaweed bed areas (by seaweed species)
- Calculation of CO2 emissions by fishery type, fish species, etc.

- Setting up a model district and studying business productivity and environmental impacts associated with seaweed bed creation and seaweed cultivation

- Public awareness activities (general publicity, blue carbon education, collaborative projects with aquariums, etc.)
- App development



Creation of seaweed beds, isoyake countermeasures, sea urchin extermination and effective utilization

## (1) Technology Development, Testing and Research

- Organizing inventory (CO2 fixation/emission intensity) to enable calculation of CO2 absorption/fixation and CO2 emissions from fisheries and aquaculture as blue carbon
- We collected unit requirement data on 50 cases in FY 2008 and 60 cases in FY 2022 and estimated the amount of CO2 fixed and CO2 emissions based on the data of the fishing industry in the prefecture.

### ○Examples of inventories collected (CO2 fixed intensity)

| No. | Name                     | CO2 fixation<br>/emission intensity<br>(t-CO2/ha/year) | Year of publication |
|-----|--------------------------|--------------------------------------------------------|---------------------|
| 1   | Seagrass beds            | 5.8                                                    | 2013                |
| 2   | Sargassum beds           | 2.7                                                    | 2013                |
| 3   | Kelp beds                | 10.3                                                   | 2013                |
| 4   | Arame beds               | 4.2                                                    | 2013                |
| 5   | Mangrove forests         | 68.5                                                   | 2013                |
| 6   | Wetlands and tidal flats | 2.6                                                    | 2013                |

\*Average values

(source:IPCC Wetland Guidelines)

## (2) Implementation in the Model Area

- Seedling collection and cultivation trials are being conducted in model areas from FY2013.  
Ishinomaki branch of the Miyagi Fishery Cooperative Association: Trials using kelp  
Ajishima branch of the Miyagi Fishery Cooperative Association: Trials using sea oak
- Collected growth data of cultured wakame seaweed at three locations in Miyagi Prefecture (Kesennuma City, Minamisanriku Town, and Ishinomaki City)
- Organizing and technologizing the conditions necessary for seaweed bed creation and cultivation, and promoting evaluation as blue carbon (for obtaining credits)





### (3) Promotion Guidance and Public Relations

- Seminars and symposiums were held in FY2022 to promote the basics of blue carbon and its initiatives, and were attended by many people from different industries, including fishermen.
- Collaboration with a local aquarium to hold hands-on learning events for elementary and junior high school students
- We have promoted publicity by launching a website and using magazines and other media to increase momentum for a sustainable fishing industry.



# Miyagi blue carbon project Website

みやぎの海岸線から未来をつくろう

MIYAGI  
Blue Carbon Project

MIYAGI  
Blue Carbon Project



MIYAGI Coast Project  
みやぎコーストプロジェクト

宮城ブルーカーボンプロジェクト

水産業の受け継がれてきた伝統とともに、  
持続的な成長産業へと繋がる次の一手。  
みやぎの海にブルーカーボンの森をつくります！

2011年からいまで。時を経て以前の水準に戻りつつあるみやぎの水産業。  
国際的な視点で注目される漁業・養殖業に脱炭素に注目が集まるブルーカーボンが新たに加わり、  
宮城県ブルーカーボン協議会を中心にサステナブルな社会に貢献することを目指しています。


Website URL : <https://miyagi-coast.jp/bcp/>



# Roadmap of the Miyagi Blue Carbon Project

## <Objectives>

- In promoting efforts to create and conserve seaweed beds and increase seaweed cultivation in the coastal areas of Miyagi Prefecture, the project aims to reduce CO2 emissions by an average of 250 t-CO2/year through seaweed cultivation and seaweed bed creation, aiming to reduce 2,500 t-CO2 in total over 10 years.
- In addition, the CO2 emitted from the fishing industry will be quantified and the amount that contributed to reduction will be clarified, while considering to implement an offset system. The aim is to make the fishing industry a sustainable and dynamic industry that is in harmony with the environment










Promoting measures to combat global warming and create a friendly ocean for Yokohama citizens.

## Overview


- Yokohama City's own Blue Carbon Offset System in operation. (Ended in 2022)
- As an example, the Yokohama City Fisheries Cooperative Association obtained credits for seaweed and kelp cultivation and used the proceeds from the credits to pay for seaweed bed monitoring and other expenses.
- In collaboration with Yokohama Hakkeijima Sea Paradise and other organizations, educational events are held for citizens and businesses with the aim of creating an ocean that is enjoyed by the public.



## Basic Information

|                             |                                                                                                                                                                                        |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Region                      | Yokohama City                                                                                                                                                                          |
| Participating organizations | Yokohama City, Yokohama Hakkeijima Sea Paradise, Yokohama City Fisheries Cooperative Association                                                                                       |
| Start year                  | 2014<br>(Blue Carbon Offset System Ended in 2022)                                                                                                                                      |
| Contents of activities      | <ul style="list-style-type: none"> <li>Operation of the Blue Carbon Offset System</li> <li>Environmental education and raising awareness (Holding awareness raising events)</li> </ul> |
| Site area                   | —                                                                                                                                                                                      |
| Amount of CO2 absorption    | 312.8t-CO2<br>(Yokohama Blue Carbon Offset System, FY2022: 312.8t-CO2)                                                                                                                 |

# Yokohama Blue Carbon



## CO2 Reduction Projects



### Blue Carbon

Absorption and fixation of CO<sub>2</sub> by marine ecosystems



### Blue Resources

Utilization of energy and other resources in waterfront areas


## Environmental Education • Enlightenment




**Creating a friendly ocean**



# Aim of the Yokohama Blue Carbon Project



# Yokohama Blue Carbon Offset System (Ended in 2022)



## 【CO2 emitting companies and associations (Credit purchaser)】

- Indirect reduction of CO2 emission
  - Support of marine environment activities
- ⇒ Improvement of organizational value through social contribution



## 【CO2 reduction and absorption activities (Credit creator)】

- Securing activity funds
  - Enhancing social recognition
- ⇒ Revitalization of initiatives and improvement of sustainability

# Examples of the use of credits with Blue Carbon

LNG-fuelled tugboats operated by maritime companies



Revenue from credits is used for LNG fuel for tugboats, etc.

Yokohama City Fisheries Cooperative Association (Cultivating Wakame Seaweed)



Revenue from credits are used for monitoring costs of seaweed beds, etc.

Air conditioning with seawater heat pumps by an amusement company



Credit proceeds are used to pay for seeds and ropes for wakame seaweed planting, etc.

(Cultivated Kelp)



# Creating a friendly ocean

## In Cooperation with Yokohama Hakkeijima Sea Paradise

August

'Green Kids'  
Creatures of Tokyo Bay  
Watching Tour

This event allows visitors to observe the creatures that live in Tokyo Bay. The staff will give you a lecture while collecting and interacting with the creatures.



December

Wakame Seaweed planting event

Children plant wakame seaweed at the aquarium 'Umi Farm'. After learning about the importance of blue carbon, the children tie the 10cm long wakame seedlings to a rope. The seaweed grows in the sea until it is harvested.



Wakame  
seaweed seeds

March

Wakame Seaweed harvesting  
event

Harvesting the wakame seaweed planted in the planting event. The children learn the importance of blue carbon while harvesting the seaweed with a rope pulled up from the sea. The planted wakame Seaweed grows to about 1 m in one month.







Implementing initiatives that promote education, local economies, and decarbonization through regional cooperation in seaweed bed restoration activities that utilize seedling production technology.

## Overview

- In the Hayama Sea area, the decline of seaweed beds has progressed rapidly over the past several years. Through proactive efforts to restore the seagrass beds in collaboration with the local community, we are implementing initiatives that will promote education, the local economies, and decarbonization.
- The Hayama Fisheries Cooperative Association and local divers are working together to conserve eelgrass beds and seaweed communities while creating blue carbon through aquaculture by utilizing seedling production technology.
- Environmental education is being conducted at schools, and economic benefits are expected from morning markets and other activities.




## Basic Information


|                                    |                                                                                                                                                                                                                                                                                                                          |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Hayama Town (Kanagawa Pref.)                                                                                                                                                                                                                                                                                             |
| <b>Participating organizations</b> | Hayama Eelgrass Council (Hayama Town Fisheries Cooperative Association, Isshiki Elementary School, Diving Shop Nana, Kajima Corporation)                                                                                                                                                                                 |
| <b>Start year</b>                  | 2006                                                                                                                                                                                                                                                                                                                     |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Seeding of seaweeds and transplanting of sporophyte</li> <li>• Removal of pests</li> <li>• Additional efforts in aquaculture</li> <li>• Restoration of fishing grounds through active fisheries enhancement</li> <li>• Environmental education and raising awareness</li> </ul> |
| <b>Site area</b>                   | Approx. 10ha                                                                                                                                                                                                                                                                                                             |
| <b>Amount of CO2 absorption</b>    | 46.6 t-CO2 (J Blue Credit, FY2022:46.6 t-CO2)                                                                                                                                                                                                                                                                            |

# Utilizing seedling production technology developed by Kajima Construction Co.


Provides technology to produce seedlings of brown algae (*Eisenia*, *Ecklonia cava*, etc.) endemic to the region throughout the year.



Isolation and culture of gametes  
(free-living gametophytes)



Promotion of seaweed maturation



Seaweed seedling production

# Seaweed bed restoration activities through regional cooperation using the seedling production technology

## Farming of seaweed by fishermen

Seed production technology for seaweeds using free-living gametophytes



- Creating Blue Carbon
- Creating jobs with a better condition of the primary industry



## Restoration activities of seaweed by divers



- Creating Blue Carbon
- Getting familiar with the natural environment
- Education /Enlightenment





# Seaweed bed restoration trials in fishing ports and general sea areas using the seedling production technology



Hayama Port  
(depth 2~3m)  
Transplantation  
test of *Eisenia  
bicyclis* seedling



Restoration of seaweed beds in  
ports and harbors



Offshore Of Hayama  
(depth 10~12m)  
Transplantation test of  
*Ecklonia cava*  
seedling




Restoration of seaweed beds in  
the general sea area



# Effects of creating blue carbon credit

Sustainable activities for seaweed bed restoration, carrying out community awareness activities  
Holding a blue carbon study group with credit purchasing firms.



Blue Carbon Study Group



Releasing juvenile turban shells into regenerating seaweed beds



Promotion of local seafood






**Branding “Shonan Blue Carbon®” by establishing the “Blue Carbon Belt®” in Sagami Bay while aiming to expand the “Blue Carbon Belt® ” along the entire coast of Japan.**

## Overview

- Advocating for the “Blue Carbon Belt®” to connect seaweed beds in a belt-like formation and aiming to expand it to the entire coastline of Japan.
- In order to establish the “Blue Carbon Belt®” in Sagami Bay, the institution will collaborate with existing seaweed bed restoration organizations and other related parties, while establishing the brand of “Shonan Blue Carbon®.” In addition to removing marine debris and conducting beach cleanups, the broader community as a whole, including urban areas, will engage in sustainable activities to eliminate the sources of marine debris.
- Engaging in seaweed bed restoration activities using the company’s marinas (Riviera Zushi Marina and Riviera Seabornia Marina) in Kanagawa Prefecture.



## Basic Information

|                                    |                                                                                                                                                                                 |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Kanagawa Prefecture (Sagami Bay)                                                                                                                                                |
| <b>Participating organizations</b> | Blue Carbon Belt Riviera Institute, Riviera Future Creation Project, Riviera Resort Co., Ltd.                                                                                   |
| <b>Start year</b>                  | 2022                                                                                                                                                                            |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Technology development (Seaweed bed creation, Seaweed bed surveys)</li> <li>• Environmental education and raising awareness</li> </ul> |
| <b>Site area</b>                   | —                                                                                                                                                                               |
| <b>Amount of CO2 absorption</b>    | —                                                                                                                                                                               |



# Initiatives of the Riviera Group

- The Riviera Group began environmental activities in 2001 with a sense of urgency about climate change at the same time it launched its marina business.
- In 2006, the Riviera Group launched the “Riviera Future Creation Project” that involves all employees, with environment, education, and well-being as the three principles of the project, establishing a nature-positive system.
- As a marina operator at the junction of the sea and the land, we have established an eco-system in 2006 to create an environmentally friendly cycle both at sea and on land, by routinely removing marine debris and conducting beach cleanups, and by providing “Riviera Circulating Vegetables” (vegetables that circulate in Shonan) for complete food circulation (restaurant and banquet → compost onsite → local farmers and our own vegetable garden → restaurant). In 2006, the company established an eco-system of complete food circulation (restaurants and banquets → on-site composting → local farmers and the company’s vegetable garden → restaurants), contributing to the revitalization of the regional economy and achieving zero-waste and a significant reduction in CO2 emissions for 18 years. The first marina in Asia to be awarded the Blue Flag\*, which is a trend in the environmentally conscious EU as a standard for selecting travel destinations. Currently the only one in Asia.
- Since 2020, the company launched the “LOVE OCEAN Project,” a wide-area regional development project in collaboration with 13 cities and towns along the Kanagawa Prefecture coastline surrounding Sagami Bay. In addition to various sustainable events such as beach cleanups, the company is engaged in dialogue with fishery operators, marine businesses, and experts ascertain information on the current status of the sea and revitalize the local community from the sea.
- Established the Blue Carbon Belt Riviera Institute as a general incorporated association to promote environmental education and further expand the scope of its activities.

\*More than 5,000 marinas worldwide have obtained Blue Flag certification (only 15% of marinas with more stringent requirements have obtained this certification), and only 11 locations in Japan (1 marina and 10 beaches) have obtained Blue Flag certification.

1980

Riviera Tokyo (Ikebukuro, Opened in 1950) started sustainability as a regional development in the “food field” at its former ryotei restaurant “Hakuunkaku.”



2001

Acquired a marina. Started environmental activities with a sense of crisis over climate change.



2006

Launched the “Riviera Future Creation Project” with the three pillars of the environment, education, and health and medical care.

- All employees are involved in the project and collaboration with industry, academia and government.
- Established the “Riviera Circulating Vegetables” eco-system in Shonan.

2015

Adopted as SDGs in 2015

**SUSTAINABLE DEVELOPMENT GOALS**

- Promoting the SDGs through the Riviera Future Building Project
- SDGs platform of the Ministry of Foreign Affairs of Japan
- Plastic Smart



From 2019: Signed and submitted the Global Compact to the UN

100%reusable energy introduction

2020

Malibu Hotel Japan's first V2B2020 Establishment of NPO



- Start of Riviera SDGs festival
  - Riviera SDGs Artwork and Manga Grand Prix begins.
  - LOVE OCEAN Project started 2022 and 2023
- International Environmental Certification  
Blue Flag certification  
(Only one in Asia)



**Blue Carbon Belt Riviera Institute to be established in 2022, and seaweed bed restoration in full swing.**

# About the Blue Carbon Belt Riviera Institute

- The Blue Carbon Belt Riviera Institute, a general incorporated association, advocates a "Blue Carbon Belt®" that links seaweed beds in a belt-like pattern and aims to expand it along the entire coast of Japan.
- The Institute also aims to develop a blue economy by creating a wide regional area along Sagami Bay as a sustainable coastal area full of marine attractions, and to brand the area as "Shonan Blue Carbon®" to create a virtuous cycle for fisheries (fish catch and branded fish).
- Actively conducting eco-tours and disseminating information, and through the LOVE OCEAN project, building connections with the ocean and between people who love the ocean, and promoting the formation of a cyclical model of environmental conservation and regional development.
- As a foothold, the company is taking on the challenge of restoring seaweed beds in its own marinas (Riviera Zushi Marina and Riviera Seabornia Marina) in Kanagawa Prefecture, which are closed areas, a first for a Japanese marina.





# Details of initiatives

## Riviera Zushi Marina (Zushi City, Kanagawa Prefecture)

**November 2022: Early-maturing *Ecklonia cava* installed under the marina pier**

As the first step of the “Blue Carbon Belt® - Shonan Blue Carbon®” project, the Riviera Zushi Marina, the only Blue Flag certified sustainable marina in Asia, is the first marina in Japan to take on the challenge of restoring seaweed beds in the marina.



【Underwater photographs of the *Ecklonia cava*】

Late November 2022



## Riviera Seabornia Marina (Miura City, Kanagawa Prefecture)

**March 2023: Early-maturing *Ecklonia cava* installed under the marina pier**

As the second phase of the “Blue Carbon Belt® - Shonan Blue Carbon®” project, we installed early-maturing *Ecklonia cava* under the pier at the Riviera Seabornia Marina. The paddle weed was installed at two locations with different distances from the water surface and different exposure to the sun.



Early June 2023



# Details of initiatives

## [Regular monitoring]

Each month, we regularly monitor the growth of precocious *Ecklonia cava* with experts, researchers, and fishermen, discuss subsequent countermeasures, and monitor progress.



## [Tour of seaweed bed restoration site]

In June 2023, two tours of the Riviera Zushi Marina seaweed bed restoration site were held. Divers, who need to work together to build the Blue Carbon Belt®, were given an underwater tour, while other divers, including children, researchers, fishermen, environmental activists, and local government officials, were given a tour from the pier.



## [From the Shonan coast to the whole country]

- Accepting students for environmental education at Riviera's activity sites
- LOVE OCEAN" cleanup activities in municipalities without oceans
- Promotion of industry-government-academia collaboration

## [Conclusion of the agreement]

Blue Carbon Belt Riviera Institute and Riviera Resort Corporation sign an agreement with Kanagawa Prefecture Kanagawa “Protect the richness of Sagami Bay and realize a decarbonized society” in January 2023.









**Restoring eelgrass beds in Tokyo Bay to ensure biodiversity.  
Strengthening community ties through seaweed bed restoration activities by collecting flowering shoots and planting seeds with employees and their families.**

## Overview

- With the goal of "restoring the richness of Tokyo Bay," the project aims to restore eelgrass beds in Tokyo Bay, just like planting trees in a forest, to ensure biodiversity and to strengthen our understandings and interests for the ocean through activities.
- Since 2017, the company has been continuously engaged in eelgrass bed restoration activities, with more than 900 employees and their family members participating.
- Strengthening local ties and revitalizing the community through collaboration among businesses, NPOs, citizens, and others involved in eelgrass bed restoration activities



## Basic Information

|                                    |                                                                                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Yokohama City                                                                                                                                                     |
| <b>Participating organizations</b> | Tokyo Gas Co., Ltd.<br>NPO Association for shore Environment Creation                                                                                             |
| <b>Start year</b>                  | 2017                                                                                                                                                              |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Seeding of seaweeds and transplanting of mother algae</li> <li>• Environmental education and public awareness</li> </ul> |
| <b>Site area</b>                   | —                                                                                                                                                                 |
| <b>Amount of CO2 absorption</b>    | —                                                                                                                                                                 |

# Eelgrass restoration activities "Mori Sato Umi Tsunagu Project"



The "Mori Sato Umi Tsunagu Project" is an environmental and social contribution activity of the Tokyo Gas Group. The **restoration of eelgrass beds** is part of this activity.

The project is being carried out by the Kanto Regional Development Bureau, which is the secretariat of the project. We are participating in the **"Tokyo Bay UMI Project,"** and working with NPOs, the citizens, and others to restore eelgrass beds


The Tokyo Bay UMI Project aims to "restore the richness to Tokyo Bay" by **restoring eelgrass beds in the Tokyo Bay**, just like planting trees in a forest, **to ensure biodiversity\***, and **strengthening our understanding and interest for the ocean\*** through activities.



# Eelgrass restoration activities(Flower branch collection and seed sowing with employees and their families)



Flower branch  
collection in spring



Eelgrass



Flower branch



Observation of  
eelgrass bed  
organisms



Observation of  
plankton, know as  
'Cradle of the Sea'



Eelgrass seeds planted on clay



Seed sowing in autumn



An underwater drone  
observation session

# Receiving the "Tokyo Bay Marine Environment Restoration Award"

The project received the "Tokyo Bay Marine Environment Restoration Award" in 2019, commended by the Ministry of Land, Infrastructure, Transport and Tourism, for participating in Tokyo Bay environmental research and implementation of environmental awareness activities through eelgrass bed restoration.



The company has been continuously engaged in eelgrass bed restoration activities, with more than 900 employees and their family members participating to date.



Flower branch  
collection in  
June

Cleaning up the  
beaches

Seeds Sowing  
In November



# Offsetting projects with J-Blue Credits

- In March 2021, Tokyo Gas has participated in J-Blue Credit Carbon Offset issued by Japan Blue Economy Technology Research Association, a corporation authorized by the Minister of Land, Infrastructure, Transport and Tourism.
- The J-Blue Credit is a certified blue carbon credit created from the CO<sub>2</sub> absorbed by "eelgrass beds" in Yokohama, where the Tokyo Gas Group has also participated in restoration activities. Tokyo Gas has purchased these J-Blue Credits for carbon offsetting.



**JBE**  
Japan Blue Economy association

**Jブルークレジット・カーボンオフセット証書**  
Japan Blue Credit - Carbon Offset Certificate

東京ガス株式会社 殿  
Tokyo Gas Co., Ltd.

以下のとおり、カーボンオフセットが実行されたことを確認します。  
This is to certify that you carried out carbon offsetting using the following credits.

|                                                     |                         |
|-----------------------------------------------------|-------------------------|
| CO <sub>2</sub> 排出量<br>Emission of CO <sub>2</sub>  | 5.8 t - CO <sub>2</sub> |
| CO <sub>2</sub> 償却量<br>Reduction of CO <sub>2</sub> | 5.8 t - CO <sub>2</sub> |

オフセットの対象: 東京ガス横浜ショールームの2019年度ガス消費に伴うCO<sub>2</sub>排出量の一部  
Scope of offsetting: Part of CO<sub>2</sub> emissions from gas consumption in the Tokyo Gas Yokohama showroom in FY2019

クレジットの種類: Jブルークレジット  
Type of credit: Japan Blue Credit

プロジェクトの名称: 多様な主体が連携した横浜港における藻場づくり活動  
Project name: Seagrass and macroalgal beds creation activities at the Port of Yokohama through cooperation among various entities

プロジェクトの種類: 炭素除去対策  
Type of the project: Carbon removal measures

クレジット発行番号: 202101JBCT00001-145 ~ 202101JBCT00001-202  
Credit issue number

クレジット活用承認年月日: 令和3年3月15日  
Date of offsetting: March 15, 2021

国土交通大臣認可法人 ジャパンブルーエコノミー技術研究組合  
Japan Blue Economy association  
(The Japanese Ministry of Land, Infrastructure, Transport and Tourism-approved Collaborative Innovation Partnership)



# Various Cycles through Eelgrass Beds and Blue Carbon (Carbon Offset)

- In 2021, a portion of CO2 emissions from gas consumption at the Tokyo Gas Yokohama Showroom were offsetted in consideration to the local connection of the credits, which are derived from the Port of Yokohama.

Offsetted credit: J-Blue Credit (5.8 t-CO2)


- The project will trigger sustainable regional cycles, including economic cycles, nature cycles, and carbon cycles.

Economic cycle: Activities themselves are sustainable as money flows to NPOs and other entities involved in the activities.

Nature cycle: Forests, villages, and oceans are connected through rivers and influence each other.

Carbon cycle: CO2 emitted through business activities is absorbed by blue carbon (carbon offset).

Location



TOKYOGAS YOKOHAMA SHOWROOM






Activities to increase eelgrass, which helps purify the water and reduce CO2 emissions, and to restore Tokyo Bay to a rich marine environment.

## Overview

- Eight private companies, including the Seven-Eleven Foundation, are participating in the Tokyo Bay UMI Project (organized by the Ministry of Land, Infrastructure, Transport and Tourism) to restore eelgrass beds in Tokyo Bay, and are conducting eelgrass bed restoration activities in the Port of Yokohama, etc.
- In the 16th Tokyo Bay UMI Project activity organized by the Seven-Eleven Foundation (held in May 2023), a total of 283 people gathered at “Umi no Koen” in Kanazawa Ward, Yokohama City, Kanagawa Prefecture, to collect eelgrass flowering shoots, observe eelgrass bed organisms, and clean up the beach.

Role assignment of bodies involved



## Basic Information

|                             |                                                                                                                                                                                                                                                                           |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Region                      | Yokohama City, etc.                                                                                                                                                                                                                                                       |
| Participating organizations | Seven-Eleven Foundation, Toyo Construction Company, Limited, Maruha Nichiro Corporation, Tokyo Gas Co., Ltd., Tokio Marine & Nichido Fire Insurance Co., Ltd., Nippon Television Network Corporation, TOA CORPORATION, Kurita Water Industries Ltd.                       |
| Start year                  | 2013                                                                                                                                                                                                                                                                      |
| Contents of activities      | <ul style="list-style-type: none"> <li>Collecting eelgrass flowering shoots, seed selection, seeding of seaweeds, Building an eelgrass nursery and transplanting of mother algae</li> <li>Environmental education and public awareness</li> <li>Beach clean-up</li> </ul> |
| Site area                   | —                                                                                                                                                                                                                                                                         |
| Amount of CO2 absorption    | —                                                                                                                                                                                                                                                                         |




# Tokyo Bay UMI Project

- Towards restoring the richness of Tokyo Bay, the project aims to restore eelgrass beds, known as "cradles of life" in Tokyo Bay, just as trees are planted in a forest, to ensure biodiversity, and to increase understanding and interest in the sea by people through these activities (UMI: 'Umi wo Minna de 'I' suru' = United for the Love of Tokyo Bay and the Sea).
- Participating organizations (FY2023): Seven-Eleven Foundation, Toyo Construction Company, Limited, Maruha Nichiro Corporation, Tokyo Gas Co., Ltd., Tokio Marine & Nichido Fire Insurance Co., Ltd., Nippon Television Network Corporation, TOA CORPORATION, Kurita Water Industries Ltd.



【Life Cycle of eelgrass】



引用：三重県水産研究所「アマモ場再生ハンドブック」

Collecting flower branches



Participants collecting flower branches



Observation of eelgrass bed organisms



Flower branches



Eelgrass seeds

Sorting seeds



Sorting seeds



Sorting seeds

Creating seedbeds



Creating seedbeds

Transplanting Eelgrass






# Creation of shallow and seagrass beds in front of the Kimitsu West Seawall (Nippon Steel Corporation)

Efforts to improve the marine environment together with the government and fishermen.

## Overview

- Challenge: Around 2010, the biological environment of the seafloor changed due to insufficient light caused by the depth of the seafloor depression (-11m) and the retention of hypoxic seawater around the depression.
- Since 2011, the biological environment has been improved by raising the seafloor with improved soil (from -11m to -3m) and by installing artificial stones for seaweed reefs.
- Efforts to improve the marine environment are being made in collaboration with the Chiba Prefecture Federation of Fishery Cooperative Associations and Kimitsu City.



## Basic Information

|                                    |                                                                                                                                                                                                   |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Kimitsu City                                                                                                                                                                                      |
| <b>Participating organizations</b> | Nippon Steel Corporation, Chiba Prefecture Federation of Fishery Cooperative Associations, Kimitsu City                                                                                           |
| <b>Start year</b>                  | 2011                                                                                                                                                                                              |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Installation of rock/block substrate (installation of seaweed bedding material)</li> <li>• Sand covering</li> <li>• Adjustment of water depth</li> </ul> |
| <b>Site area</b>                   | Approx. 12ha (Seaweed bed area, 2022)                                                                                                                                                             |
| <b>Amount of CO2 absorption</b>    | —<br>※Currently being calculated                                                                                                                                                                  |

# Effects of Improving the Marine Environment by Creating Shallow Areas



～Efforts to improve the marine environment together with the government and fishermen～

## 1. Project Overview

Challenge: Around 2010, the biological environment of the seafloor changed due to insufficient light caused by the depth of the seafloor depression (-11m) and the retention of hypoxic seawater around the depression.


Since 2011, the biological environment has been improved by raising the seafloor with improved soil (from -11m to -3m) and by installing artificial stones for seaweed reefs.

Efforts to improve the marine environment are being made in collaboration with the Chiba Prefecture Federation of Fishery Cooperative Associations and Kimitsu City.



## 2. Main Initiatives and Results (Outstanding Points)


|                                         | Details                                                                                                                                                                                                                                  |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Improvement of the sea area environment | As of 2022, approx. 12 hectares of seaweed beds will be created to improve the marine environment.<br>⇒ Shallow water was created to eliminate the stagnation of anoxic seawater. Fish are flocking to the area and seaweed is thriving. |
| Credit acquisition                      | In cooperation with Chiba Prefecture Federation of Fishermen's Cooperative Associations and Kimitsu City<br>⇒ J Blue Credit™ is scheduled to be applied for in 2023.                                                                     |
| Societal awareness                      | Environmental education for junior high school students in Kimitsu City (scheduled for July)                                                                                                                                             |



# Effects of Improving the Marine Environment by Creating Shallow Areas




## [Stability of shallow structure]

Calcia modified soil: strength development



## [Preservation of Biological Habitat]

- Focusing on dissolved oxygen concentration as a habitat indicator
- Dissolved oxygen concentrations were continuously measured for 15 days in the experimental (S2) and control (T2) areas.



Topographic stability greatly reduces the retention of anoxic seawater during the summer months

Note: Frequency of occurrence is defined as the frequency of dissolved oxygen falling below 2.0 mg/l during approximately one month of summer observations.



# Calcia Modified Soil (dredged soil improvement) and Vivary™ Rock (artificial stone)

## Contribution of steel slag products to blue carbon

Propagation material for seaweed that absorbs CO<sub>2</sub>

### **Vivary™ Unit (Fertilizer)**

Supplies iron, a component necessary for seaweed growth.



Beverly bags Beverly box

CO<sub>2</sub>-absorbing seaweed substrate material

### **Steel slag hydrated solidified product (Artificial stone: Vivary™ Rock)**

Natural stone substitute



Submerged fill material for raising to depths where light can reach

### **Calcia modified soil (Geomaterials in water)**

Geomaterial that are solidified and improved from dredged soil



Beach cleanup activities aiming to preserve beaches and eelgrass beds.  
Environmental education programs held that also included a survey of the organisms that inhabit the eelgrass beds.

## Overview

- Beach cleanup activities were held to preserve the eelgrass beds at Omaezaki Port, which has become a dumping ground for marine debris.
- Environmental education programs that also include a species survey in the eelgrass beds, with the aim of "creating opportunities" for people to become interested in nature and the environment, including the ocean.
- Conducting surveys of the coastal environment in collaboration with universities, related organizations, and many others



## Basic Information

|                                    |                                                                                                                                                                          |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Omaezaki City, Makinohara City                                                                                                                                           |
| <b>Participating organizations</b> | Shizuoka Prefecture, NPO Earth Communication                                                                                                                             |
| <b>Start year</b>                  | 2017                                                                                                                                                                     |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Beach cleanup</li> <li>• Environmental education and public awareness (species survey, environmental study programs)</li> </ul> |
| <b>Site area</b>                   | —                                                                                                                                                                        |
| <b>Amount of CO2 absorption</b>    | 1.0t-CO <sub>2</sub><br>(J Blue Credit, FY2022:1.0t-CO <sub>2</sub> )                                                                                                    |

# Background of the Activity

---

- In 2017, native and clustered Japanese eelgrass was discovered during maritime operations around the Kubisho Coast located within the Port of Omaezaki.
- It was believed that changes in the coastal environment, such as the construction of a port, had resulted in the formation of a tertiary coastal environment, though originally having been a rocky coast.
- However, various past survey records stated that "seagrass species didn't exist in Omaezaki," so we consulted with neighboring municipalities such as Omaezaki City, fisheries cooperatives, and other relevant organizations. In 2018, we obtained permission and conducted a unique seabed survey in the vicinity of Kubisho coast. We compiled the survey findings into a report and submitted it to the relevant organizations with whom we had consulted.
- In 2019, we obtained permission to enter the beach several times a year and launched the "Kubisho Coast Satoumi Project" to begin activities.





# Current state of the Kubisho beach

## [Current Status] (1)

- Access to the beach is restricted
- The beach cannot be seen from the land side
- The beach has become a dumping ground for marine debris  
⇒ simultaneously accumulating sand ⇒ Tertiary coastal environment is formed.



Entrance of beach



Image of the beach



Trash washed up due to typhoons




## [Current Status] (2)

- Dwarf eelgrass and eelgrass growing in the wild in colonies.
- The area of the colonies is about 1.0 ha (As of April 2022)
- More than 80 species of sea creatures have been confirmed.
- A tidal flat-like coastal environment has been formed.



Eelgrass bed of Kubisho beach



Pipefish caught in the eelgrass bed



Japanese mud crab inhabiting the Kusao Coast



# Initiatives ~ beach cleanup ~

- Since 2019, beach cleanups on the Kubisho coast are organized on an irregular basis.
- Beach cleanups are carried out 3-4 times a month since 2020. At the same time, activity records are compiled to determine the amount of trash that drifts onto the beach.

2020: Total of 50 sessions (total of 50 hours)

Number of participants ... 344 in total

Amount collected ... approx. 24,000 liters, approx. 2,400 kg.

2021: Total of 40 sessions (total of 50 hours)

Number of participants ... 308 in total

Amount collected ... Approx. 16,000 liters, approx. 1,900 kg.

2022: Total 41 sessions (total 45 hours)

Number of participants ... 428 in total

Amount collected ... approx. 18,000 liters, approx. 2,100 kg.



Beach clean event in 2019



Large amount of trash is washed up onshore on a daily basis



Large driftwoods are found every year



# Initiatives ∼environmental education∼

- Since 2019, we have been aiming to "create opportunities" for people to become interested in nature and the environment, including the ocean, as well as learning about the current state of eelgrass and the Kubisho Coast.
- Since 2021, we also hold nighttime observation events of eelgrass beds. Since 2022, we have been conducting year-round observation events of eelgrass beds and other activities, including surveys, with the aim to recognize and understand changes in the coast and eelgrass beds as the seasons change.

2019: Two sessions, one each in May and June. Total participants: 5

2020: Cancelled due to the spread of COVID-19.

2021: Conducted twice, once in June and once in February. Total participants: 50

2022: Conducted 4 times, once each in May, July, September, and December. Total participants: 84



Observation of living things in the eelgrass beds



Conducting nighttime surveys of creatures in eelgrass beds since 2021



Visit from elementary school students in Omaezaki as classes



# Initiatives ~Collaborative Efforts~

Where do the dwarf eelgrass and eelgrass that grow wild and in colonies on the Kubisho coast come from? Why was this coastal environment formed?

We are working to solve these questions with the cooperation of universities and research institutes in Shizuoka Prefecture. We are also involved in beach conservation activities together with local businesses and government agencies.

- Niki Laboratory, Faculty of Oceanography, Tokai University:  
Research on eelgrass beds and coastal environment formation
- Students of the Department of Applied Life Sciences, Faculty of Agriculture, Shizuoka University:  
Genetic survey of eelgrass, acceptance of circle activities
- Research institutions in Shizuoka Prefecture: Microbial survey of eelgrass beds, etc.
- Companies, etc.: Accepting visitors and conducting joint beach cleanups
- Shizuoka Prefecture and the Chubu Regional Development Bureau of the Ministry of Land, Infrastructure, Transport and Tourism: Coastal conservation activities, etc.



Photographing the coast using a drone by members of Niki Laboratory of Tokai University, School of Marine Science and Technology



Eelgrass sampling by students at Department of Applied Life Sciences, Faculty of Agriculture, Shizuoka University



Seawater sampling of eelgrass beds by research institutes



Coastal conservation activities with the members of Council for Safety of Omaezaki Port Construction

# Raising awareness through initiatives and the future activities

## [Initiatives implemented so far]

- Certified as J Blue Credit (1.0t-CO2)
- Toward a valuable and important beach in Omaezaki
- Certified as a "Shizuoka Port Supporter" and designated as a "Port Cooperation Organization"

**The beach had been forgotten by everyone, but with the changes in society, it has once again become a beach recognized by many.**

## [The Future]

- Shizuoka Prefecture's Leading "Seaside Environmental Learning Field"
- Registered as an OECM (area contributing to biodiversity conservation outside of protected areas)
- Further research and study will lead to better conservation activities

We will continue to engage in activities to achieve the above three goals.



Efforts featured as front-page news by Shizuoka Shimbun



Certified as J Blue Credit



Handover Ceremony of the proposal for Omaezaki Port









## Establishing 'Blue Carbon Project Promotion Council' to promote eelgrass bed restoration activities in collaboration with local stakeholders.

### Overview

- Establishment of the Blue Carbon Project Promotion Council and promotion of dwarf eelgrass restoration activities in Atami City in cooperation with local stakeholders and the media
- Developing a simple and inexpensive seagrass meadows distribution survey methods, such as ROV (underwater drone), GPS fish detector, underwater camera, etc.
- Establishment and operation of the Japan Blue Carbon Network, a non-profit organization, to link domestic and international blue carbon initiatives, as well as sharing and deploying information and knowledge.

#### 1. Restoration of seagrass meadows

Development of methods for surveying eelgrass beds distribution (field survey, case study)

#### 2. Survey of seagrass meadows

Development of methods

#### 3. Sharing and deploying information and knowledge

Connecting blue carbon initiatives around Japan



### Basic Information


|                             |                                                                                                                                                                                                                                                                                             |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Region                      | Atami City                                                                                                                                                                                                                                                                                  |
| Participating organizations | Atami City, Marine Open Innovation Institute, Aoki Construction Corp., Atami Marine Service Co., Green Guardian Co., e's Inc., Miraisozobu / dba For Future Company (secretariat)                                                                                                           |
| Start year                  | 2021                                                                                                                                                                                                                                                                                        |
| Contents of activities      | <ul style="list-style-type: none"> <li>Seeding of seagrasses and transplanting of mother algae</li> <li>Technology development (Survey of seagrass meadows)</li> <li>Environmental education and public awareness (Establishment and operation of the Japan Blue Carbon Network)</li> </ul> |
| Site area                   | —                                                                                                                                                                                                                                                                                           |
| Amount of CO2 absorption    | —                                                                                                                                                                                                                                                                                           |

## Restoration of seagrass meadows


### Blue Carbon Atami Model Climate change x Fishery x Tourism x Environmental education

Establishment of the Blue Carbon Project Promotion Council and promotion of dwarf eelgrass restoration activities in Atami City in cooperation with local stakeholders and the media.

Participating organizations : Atami City, Marine Open Innovation Institute, Aoki Construction Corp., Atami Marine Service Co., Green Guardian Co., e's Inc., Miraisozobu / dba For Future Company (secretariat)




# ①Restoration of seagrass meadows Photographs of transplanting mother algae(dwarf eelgrass)





①Restoration of seagrass meadows  
Photographs of transplanting mother algae(dwarf eelgrass)

---







③Sharing and deploying information and knowledge  
Establishment and operation of the Japan Blue Carbon Network

BLUE CARBON.jp

MENU 



Connecting blue carbon initiatives around Japan as well as sharing and deploying information and knowledge

Organizing seminars and tours

Developing and collaborating with companies and research institutes

(30 supporting companies and 72 individual supporters as of October 31, 2023)



**Organizing the ‘Council for the Promotion of Measures to Combat Isoyake’ and launching projects to restore seaweed beds that had been lost due to the isoyake.**

## Overview

- The sea grass beds in the Hainan area used to be one of the largest in Japan, but they disappeared due to isoyake in the early 1990s.
- In 1996, the Minami Suruga Bay Fisheries Cooperative Association (starting out as five Hainan fisheries cooperatives) along with related cities and towns organized the Hainan Area Isoyake Countermeasures Promotion Council and launched projects to restore seagrass beds.
- In 2009, the Hainan Council for Isoyake Countermeasures joined the project, and implemented the introduction of sporophyte, transplantation of seedlings, monitoring of the recovery of the seaweed beds, and removal of algae-eating fish, etc.



Implemented the introduction of sporophyte



Transplantation of seedlings



Divers transplant seedlings



Recovery of the seaweed beds



Hainan Area, Shizuoka Prefecture

## Basic Information


|                                    |                                                                                                                                                               |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Omaezaki City, Makinohara City, Yoshida Town                                                                                                                  |
| <b>Participating organizations</b> | Hainan Area Isoyake Countermeasures Promotion Council, Minami Suruga Bay Fisheries Cooperative Association                                                    |
| <b>Start year</b>                  | 1996                                                                                                                                                          |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Seeding of seaweeds and transplanting of mother algae</li> <li>• Removal of herbivore (algae-eating fish)</li> </ul> |
| <b>Site area</b>                   | —                                                                                                                                                             |
| <b>Amount of CO2 absorption</b>    | 49.1 t-CO2<br>(J Blue Credit, FY2021: 49.1 t-CO2)                                                                                                             |

# History of Isoyake Countermeasures by the Prefecture and Fisheries Cooperative Associations

Countermeasures have been implemented since around 1995, when isoyake became so pronounced that sagarame (*Eisenia arborea*) harvesting became impossible.

Details of the project:

- (1) Increasing seaweeds by directly planting kajime(*Ecklonia cava*) and sagarame (*Eisenia arborea*) etc.
- (2) Reducing feeding damage (e.g., by capturing black mottled spinefoot)
- (3) Increase the number of species to be caught (e.g., by releasing abalones)




# Planting sporophyte

Sporophyte can be planted by attaching larvae of sargassum to the transplanting base and placing them in the sea.

PVC cap  
(Plastic)



Tricarnet  
(Plastic)



Fibrous material  
(biodegradable plastic)




Sea palms are cultured using deep sea water at the Fisheries and Ocean Technology Research Institute



# Throwing seeds into the sea



Biodegradable spore bags



Providing seeds using  
biodegradable spore bags



# Reducing feeding damage

---

- Mottled spinefoot and Scalpel sawtail bycatch in fixed nets. The captured prey species are eaten.



Mottled spinefoot



Scalpel sawtail

# Monitoring

- Observe the seaweed bed conditions and abalones by diving. Fishermen dive in pairs to take photos and videos to observe the coverage of the seaweed beds.



Image of monitoring



Image of abalone

## Images from the monitoring research, 2022/04/22



'Ashitakaiwa' rocks  
(Makinohara City)



Submerged breakwater  
at Sakai-Hirata Port  
(Makinohara City)



Releasing juvenile abalone  
into restoring seaweed beds  
(around Sakai-Hirata Port ,Makinohara City)





Establishing a NPO to maintain and expand seaweed beds by conducting activities to exterminate herbivore. In order to restore seaweed beds in cooperation with divers, student divers, fishery cooperatives, local governments, and research institutions.

## Overview

- Continuous extermination activities in Kumano-nada, Mie Prefecture, using a method reported (Kurashima et al., 2014) to increase seaweeds by exterminating sea urchins (*Diadema* spp.).
- The chairmen who own dive shop have established NPO SEA-MO, to have divers and student divers conduct extermination activities to solve the shortage of manpower due to the aging and decrease in the number of fishermen who conduct extermination activities.
- Aiming to restore seaweed beds in cooperation with local fishery cooperatives, local governments, and research institutions.




## Basic Information

|                                    |                                                                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Mie Prefecture                                                                                                                                               |
| <b>Participating organizations</b> | NPO SEA-MO, Miegaiwan Fishery Cooperative Association, Minamiise Town, Kihoku Town, Laboratory of Phycology of Mie University, Toba Fisheries Science Center |
| <b>Start year</b>                  | 2015                                                                                                                                                         |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Removal of herbivore (sea urchins)</li> <li>• Seeding and transplantation of seaweeds</li> </ul>                    |
| <b>Site area</b>                   | 26.1ha<br>Total area of restored seaweed bed, certified by J Blue Credit                                                                                     |
| <b>Amount of CO2 absorption</b>    | 28.9t-CO2<br>(J Blue Credit, FY2022 : 28.9t-CO2)                                                                                                             |

# Example of NPO SEA-MO's Activities in Kumano-nada, Mie Prefecture

- In the southern part of Mie Prefecture, surveys conducted from the late 1990s to 2000 confirmed the occurrence of isoyake (barren ground) and pointed to feeding damage by herbivores such as *Heliocidaris crassispina* and *Diadema* spp. as a factor.
- Research conducted in the same area showed that seaweeds can grow by exterminating *Diadema* spp. and keeping their density at 2 individuals/m<sup>2</sup> or less.
- The most efficient method of extermination is reported to be removal by SCUBA diving.



Photographed on Oct. 9, 2021, Shuku-ura



Photographed on Jul. 15, 2018, Shiro-ura

SCUBA divers crush and destroy the *Diadema* spp. with a stainless-steel rod to exterminate them. This is considered to be the most efficient extermination method.



Photographed on Jun. 27, 2022 (before extermination) Photographed on May 26, 2023 (after extermination)

Hikimoto-ura, Kitamuro-gun, Kihoku Town, Mie Prefecture  
Adjacent to Shiro-ura, the target of the J Blue Credit Project, the growth environment of seaweed beds similar to that of Shiro-ura and Shuku-ura.

This is an area where *Diadema* spp. extermination has not been conducted until 2022, and isoyake, which is believed to be caused by *Diadema* spp., was observed over a wide area.

From 2022, SEA-MO conducted the same activities as the project and took climate change countermeasures (restoration and maintenance of seaweed beds), resulting in the recovery of seaweed beds.

# Background of the establishment of NPO SEA-MO

- The chairmen operate a dive shop and are also engaged in diving researches related to seaweed bed creation.
- As SCUBA diving instructors, they were considering ways to lower diving fees in the hope that licensed divers (especially university students whom they instruct) would keep diving for a long time.
- After witnessing the decline of seaweed beds during a SCUBA diving survey, they decided to make efforts to preserve the marine environment and leave an ocean that is highly diverse and enjoyable for future divers.



- In some areas, fishermen exterminate sea urchins from boats or by skin diving, but the aging and decreasing number of fishermen has resulted in a lack of human resources.
- Above all, it is difficult for fishermen to exterminate sea urchins by SCUBA diving.



Apr. 23, 2015, Shiro-ura  
Briefing Session concerning the NPO activity for local fishermen  
Professor Miyuki Maegawa of Mie University (at the time) explained the importance of the activity and asked for approvals.



Establishing SEA-MO as a NPO  
and working to solve problems.

## [Specific content of activities]

- Using the method of Kurashima et al. 2014, we conduct continuous extermination activities to maintain and expand seaweed beds in the isoyake area in the southern part of Mie Prefecture.
- In addition to the sargassum beds, we aim to restore *Eisenia* and *Ecklonia* beds in areas where they can grow.




# Overview of the Activities to Maintain and Expand Seaweed Beds

- *Diadema* spp. extermination activities started in 2015 in two areas (Shuku-ura, Minamiise Town and Shiro-ura, Kihoku Town) in Kumano-nada, Mie Prefecture.
- NPO SEA-MO took leadership to conduct this activity in cooperation with Miegaiwan Fisheries Cooperative Association, Minamiise Town, Kihoku Town, Laboratory of Phycology of Mie University and Toba Fisheries Science Center.
- Many divers from, Mie University Diving Club members, Aichi Prefectural Miya Fisheries High School students, and other volunteer divers participated in the extermination activities.



Details of implementation  
(extermination activities)

Several fishermen are in charge of operating the boat and managing safety during the boarding process. Several SEA-MO staff members are responsible for transporting volunteers to the site and for safety management during the extermination. Around 15 volunteers dive with SEA-MO staff members to exterminate *Diadema* spp. by SCUBA diving.



## Roles of involved parties

### NPO SEA-MO

Conducting activities as the main body  
Duty : Monitoring, Data compiling  
Volunteer recruitment, Drop-off at the activity site, Managing the safety of participants in the water during extermination, Arrangement for diving equipment, general office work

### Minamiise Town, Kihoku Town

Duty : Provision of facilities,  
Historical survey data & current information

### Toba Fisheries Science Center

Duty : Provision of seedlings  
and various information

### (Volunteers)

Participation in extermination  
activities

### Miegaiwan Fishery Cooperative Association

Duty : Provision of information on locations suffering from isoyake, Ship chartering during activities, Safety management

### Laboratory of Phycology of Mie University

Duty : Instruction and advice on  
monitoring methods, evaluation  
methods, etc.


# About J Blue Credits

We had realized the expansion of seaweed beds due to our activities in 2022, so we have applied for J Blue Credits for the activities of the past 5 years, which were certified and issued.

|                                                          | Period                      | Shuku-ura                                                                                                  |                                   |                               | Shiro-ura                                                                                                                                          |                                   |                               |
|----------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------------------|
|                                                          |                             | Activity                                                                                                   | Area of restored seaweed bed (ha) | Blue Carbon amount (t-CO2/yr) | Activity                                                                                                                                           | Area of restored seaweed bed (ha) | Blue Carbon amount (t-CO2/yr) |
| <b>2017</b>                                              | 2017/5/21<br>~<br>2018/5/18 | Extermination of sea urchins, placement of sporophyte (placed species : <i>Eisenia</i> , <i>Ecklonia</i> ) | 0.81                              | 0.68                          | Extermination of sea urchins, placement of sporophyte (placed species : <i>Eisenia</i> , <i>Ecklonia</i> ), installation of anti-intrusion netting | 2.03                              | 1.26                          |
| <b>2018</b>                                              | 2018/5/19<br>~<br>2019/5/18 | Extermination of sea urchins, placement of sporophyte (placed species : <i>Sargassum fusiforme</i> )       | 2.05                              | 2.05                          | Extermination of sea urchins, placement of sporophyte, input of seaweed seedling (placed species : <i>Eisenia</i> , <i>Ecklonia</i> )              | 2.03                              | 1.93                          |
| <b>2019</b>                                              | 2019/5/19<br>~<br>2020/5/18 | Extermination of sea urchins                                                                               | 2.83                              | 2.83                          | Extermination of sea urchins, input of seaweed seedling (placed species : <i>Eisenia</i> , <i>Ecklonia</i> )                                       | 1.98                              | 1.99                          |
| <b>2020</b>                                              | 2020/5/23<br>~<br>2021/5/22 | Extermination of sea urchins                                                                               | 3.31                              | 3.96                          | Extermination of sea urchins                                                                                                                       | 2.45                              | 3.16                          |
| <b>2021</b>                                              | 2021/5/29<br>~<br>2022/5/28 | Extermination of sea urchins                                                                               | 5.48                              | 7.79                          | Extermination of sea urchins, input of seaweed seedling (placed species : <i>Eisenia</i> , <i>Ecklonia</i> )                                       | 2.45                              | 3.34                          |
| <b>Total<br/>(rounded down to the 1st decimal place)</b> |                             |                                                                                                            | 15.2                              | 17.3                          |                                                                                                                                                    | 10.9                              | 11.6                          |
|                                                          |                             | Area of restored seaweed bed (ha) : 26.1<br>Blue Carbon amount (t-CO2/yr) : 28.9                           |                                   |                               |                                                                                                                                                    |                                   |                               |

J Blue credits are transferred (sold) so that the profits can be used to fund SEA-MO's activities

# Other Regional Initiatives



[Areas where extermination was implemented]

2015 - Shuku-ura, Minamiise Town, Shiro-ura, Kihoku Town

2016 - Kowa-ura, Minamiise Town

2018 - Kamisaki-ura, Minamiise Town, Shimakatsu-ura, Kihoku Town


2019 - Kaino, Kihoku Town

2022 - Hikimoto-ura, Kihoku Town

- Activities began at 2 sites in 2015, 7 sites by 2022
- Number of Sea urchins (*Diadema* spp.) exterminated in 8 years from 2015 to 2022: 1,236,661
- Some people assumed that divers are poachers, so we worked to build a relationship of trust with fishermen in our activities by communicating our results from the activity.
- As a result, even divers have come to be accepted by the fishermen.
- Thanks to a better understanding of our activities, we have been able to further expand our activities.



# Results of Activities and Future Challenges



- Many oval squid eggs were attached to the restored seaweed, while lobsters and sea breams were seen feeding on the exterminated *Diadema* spp. during the sea urchin extermination activities.
- In areas where seaweed beds have been restored, the number of spiny lobsters, abalone, and hijiki (*Sargassum fusiforme*) was significantly higher than in adjacent isoyake areas, indicating that the environment of fishing ground has improved.



Photographed on May. 28, 2022 Shiro-ura



Photographed on Dec. 17, 2022, Shiro-ura

## \*Lack of funds is the biggest challenge that NPO SEA-MO is facing.

- In the past, grants have been the main source of funding for activities.
- There is no stable source of funds because of the lack of applicable funds.
- We aim to secure continuous funding through certification/issuance and transfer (sale) of J Blue Credits.



Promoting marine education for the next generation, promoting blue economy through natural regeneration activities(e.g. eelgrass restoration), and visualizing CO2 reductions to increase motivation for learning.

## Overview

- Promoting marine education at elementary schools in Hannan City to cultivate the next generation and to foster an interest in the sea in the local community, particularly in Osaka Bay and the seas across the country, in order to realize a sustainable Osaka Bay.
- Since 2006, various entities such as the government, fishery cooperatives, NPOs, and citizens have collaborated to support elementary schools, resulting in the conservation of approximately 2 hectares of eelgrass beds by the participation of activities by children.
- Visualizing activities in terms of CO2 emissions reductions aims to improve children's motivation to learn.



## Basic Information

|                                    |                                                                                                                                                                                                                                                                                                                              |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Hannan City                                                                                                                                                                                                                                                                                                                  |
| <b>Participating organizations</b> | Fishermen Company,Limited,、<br>NPO Institute of Environmental Restoration/Creation on Osaka Bay Coastal Zone, Hannan City, Hannan City Board of Education, Elementary schools in Hannan City, Ozaki Fishing Cooperative Association, Nishi-tottori Fishery Association, Shimosyo Fisheries Cooperative Association,TEAM☆GASA |
| <b>Start year</b>                  | 2006                                                                                                                                                                                                                                                                                                                         |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Seeding of seaweeds and transplanting of sporophyte</li> </ul> Environmental education and public awareness                                                                                                                                                                         |
| <b>Site area</b>                   | —                                                                                                                                                                                                                                                                                                                            |
| <b>Amount of CO2 absorption</b>    | 3.4t-CO2<br>(J Blue Credit, FY2022:3.4t-CO2)                                                                                                                                                                                                                                                                                 |



## 令和3年



令和2年10月26日、菅義偉首相は所信表明

既高市は市街地や住宅地を囲

平成30年9月、近畿地方に被害をもたらした台風21号により

私たちの世代のライフスタイルによって、こども・孫の将来の世代が、今、私たちが経験

以上のことから、阪南市は、市民・事業者等と一体となって、

## 令和元年

## はんなんプラスチックごみゼロ宣言

プラスチックは、安価で使いやすいことから、現在、私たちの生活は

阪南市には、岡崎・西島駅・下

阪南市は、SDGs（持続可能な

- Our commitment to take every possible action at present to hand down an

## 環境保全に取り組むまち

## 令和3年

【環境省「一カ所SDGs（地域



## 令和4年

【生物多様性のための30by30





# A town with a rich ocean and the people who support it



海を守り隊！  
隊員1号  
ゴミひろいくん

ゴミの海で、たくさんゴミをひろいよ。  
ゴミをひろっている人がいたら、前で行ってゴミをひろいよ。

海を守り隊！  
隊員3号  
むげんくみしんいん

お風呂の排水は、  
うみ。  
ジャンプは、  
ポンプを1回ひく  
と出るよ。



海を守り隊！  
隊員2号  
水をとめるくん

水泳の泳が  
ていたら、泳  
ぎにたまるよ。

## “Activities to protect the sea” What can we do?



海を守り隊！  
隊員4号  
のこさないくん

海でも泳がず  
泳ぐよ。  
海を泳いでたまるよ。



海を守り隊！  
隊員5号  
よびかけるくん

「海を守り隊」の  
一員を育てるため、  
よびかきまよ！！



# Marine Education Pioneer Schools Program

- Inquiry-based cooperative learning on the theme of the environment and marine issues at all elementary schools in Hannan City(eight schools)
- Plans to expand to junior high schools in the future

< Supplementary reading for marine education >

\* Based on the results of FY2019 - FY2021



2.  
海を活かした  
海洋教育  
アマモの栽培活動

アマモって何？

かなみさんたちはアマモという植物の写真を  
見て話し合いました。



「アマモってどんな植物なのかな。調べ  
てみたいな。」



「アマモは、長い草みたいな形で、海の  
中で花が咲いて、種ができるよ。」



「アマモは海の2.5mくらいの浅いところ  
に生えているよ。」



「アマモは、根の白いところをかむとほ  
のかに甘いことから名前がついたよ。」



「昭和のはじめごろまでは、アマモは、  
たくさん各地いきが生えていたよ。」



「海岸線がうめ立てられ、自然海岸がな  
くなったことで、アマモがへったこと  
が分かるね。」






# As an Ongoing Support for Children's Activities

J Blue Credit

Ceremony for issuance of certificates

(10 February 2023)



3.4 t-CO<sub>2</sub>

## 【Applicant】

- Hannan City
- Ozaki Fishing Cooperative Association
- Nishi-tottori Fishery Association
- Shimosyo Fisheries Cooperative Association
- NPO Institute of Environmental Restoration

### JBE 令和5年度 第1回「ブルークレジット」販売開始！

なまの  
～魚庭の海・阪南の海の再生～「海のゆりかご再生活動」

**●公募期間**  
**令和5年4月21日（金）～6月21日（水）17時**

**【公募条件】**  
購入申し込みは2口以上（1口単位）  
※阪南市と協定等を個別に締結いただいた地方公共団体については、購入申し込みを1口以上（1口単位）とさせていただきます。

●公募対象クレジット総量 3.4 [t-CO<sub>2</sub>]  
●シリアル番号 202211JBCT00009-00001～00034  
●購入者及び数量等の決定方法 公募方式、総量配分方式（口数型）  
●1口あたり 55,000円（税込み）

海洋環境の保全に取り組んでいる団体や、プロジェクトの支援につながります。  
企業がカーボンクレジットを購入し、排出量削減に貢献していることをアピールすることができます。  
購入いただいた企業名を本市ウェブサイトなどでご紹介します。

**●プロジェクトの特徴**  
アマモ場の保全・拡大、海洋教育の継続的推進が子どもたちを基点とした海洋環境保全の意識醸成や周辺への拡大、生物多様性の向上や生物資源の増加、漁業を含めた地域の活性化に結びつくと考えています。  
クレジットは小学校による継続的な活動を推進していくために活用するとともに、購入企業様の参画・参加による活動の活性化にもつながります。阪南市の自治体SDGsモデル事業とも連携しています。

**【問い合わせ先】**  
阪南市 未来創生部 シティプロモーション推進課  
TEL:072-489-4510 Mail:city-promotion@city.hannan.lg.jp

詳細はこちらから▶



Gently sloping rubble mound type were adopted for the seawall on KIX islands.  
Continuous seaweed bed cultivation and maintenance activities and monitoring surveys are conducted.

## Overview

- The seawalls was built with consideration to the marine environment, and gently sloping rubble mound type was used for most of the part of the 24 km long seawall.
- A rich seaweed bed environment has been created by allowing light to reach a wide area, and monitoring surveys have been continuously conducted over the years to cultivate and maintain the seaweed beds.
- In April 2023, seaweed collected at Kansai International Airport was transplanted in Hannan City as part of the "Osaka Bay Sea Forest (seaweed bed) Conservation and Restoration Project."
- In October 2023, the site was certified as a "nature symbiosis site" by the Ministry of the Environment.



## Basic Information

|                                    |                                                                                                                                                                                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Izumisano City, Tajiri Town, Sennan City<br>(Seawalls on the Kansai International Airport islands)                                                                                                                                                                |
| <b>Participating organizations</b> | Kansai Airports                                                                                                                                                                                                                                                   |
| <b>Start year</b>                  | Phase 1 Airport Island Seawall completion in 1988<br>Phase 2 Airport Island Seawall completion in 2001                                                                                                                                                            |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Adoption of gently sloping rubble mound seawall</li> <li>• Installation of blocks and other substrates</li> <li>• Seeding of seaweeds and transplanting of mother algae</li> <li>• Ongoing monitoring surveys</li> </ul> |
| <b>Site area</b>                   | 54ha<br>(Area of seaweed beds, Survey Results March2022)                                                                                                                                                                                                          |
| <b>Amount of CO2 absorption</b>    | 103.2 t-CO2<br>(J Blue Credit, 5years from FY2017 to FY2021: 103.2t-CO2)                                                                                                                                                                                          |







# Kansai International Airport



## Overview

- The airport was built on reclaimed land in an area about 5 km off the coast of Senshu, southeast of Osaka Bay, at an average depth of 18 to 20 meters.
- Opening: 1994
  - Phase 1 Airport Island: Gross area 510ha, seawall completion in 1988
  - Phase 2 Airport Island: Gross area 545ha, seawall completion in 2001
- From the beginning of the project, the construction was carried out with consideration to the marine environment, and gently sloping rubble mound type seawall was used for most of the part of the 24 km long seawall.



Sloped rubble mound seawall

# Seaweed bed at Kansai International Airport




## Features

- Due to the use of low-gradient slopes for the seawall that allows light to reach a wide area and the active development of various innovations during the creation of the airport islands, a rich seaweed bed environment has been created, causing a wide variety of creatures to live around the airport islands, mainly in the seaweed beds.
- Immediately after seed transplantation began on the 'Phase 1 Airport Island' in April 1989, seaweed distribution surveys began. Continuous monitoring surveys have been taken out for over 30 years.
- In a survey conducted in March 2022, it was confirmed that the total area of seaweed beds on the entire airport islands was 54 ha. This area is equivalent to approx. 20% of the total seaweed bed area in Osaka Bay and contributes to the supply of marine resources as a spawning and nurturing ground, water purification, and to the reduction of CO2 emissions through the absorption of CO2.
- In recent years, seaweed bed restoration have been implemented, not just monitoring surveys, aiming to maintain and expand a rich seaweed bed environment.



*Ecklonia cava*

Extent of seaweed bed



# Creation of a rich seaweed bed environment (recent projects)




## Restoration of seaweed beds by transplanting mother algae

- In addition to periodic monitoring surveys, seaweed bed preservation measures were implemented in response to changes in the seaweed bed environment as indicated by research results, as well as shore protection works involving the installation of wave-dissipating blocks.
- When transplanting mother algae, attention was paid to the materials used, and various measures were taken, such as using natural and biodegradable materials.

### **Transplantation of *Ecklonia cava* mother algae (2016-2017)**

- In the monitoring survey, a sharp decline in *Ecklonia cava*, a type of large seaweed on the airport islands, was observed, so transplantation of mother algae was implemented.
- One year after transplantation, the growth of *Ecklonia cava* was confirmed in the vicinity of the transplantation site.



### **Restoration of seaweed beds following installation of wave-dissipating blocks (FY 2019-2021)**

- With the installation of wave-dissipating blocks as a measure to strengthen disaster prevention functions following the damage caused by Typhoon Jebi in 2018, the loss of existing seaweed beds were predicted.
- Therefore, to quickly restore a rich seaweed bed environment after the installation of the blocks, a project was planned before the construction to transplant and install seaweed beds using mother algae from the *Ecklonia cava*, wakame seaweed, and sargassum.





# Creation of a rich seaweed bed environment (recent projects)



## Thinning survey of marine life on the seawall around the airport islands (from 2010)

- The purpose of this project is to understand the habitat conditions of marine life in the waters surrounding the airport islands, to improve the environment of fishery resources in Osaka Bay.
- The useful species of fisheries caught (bigeye tuna, scorpionfish, snapper, leather fish, sea cucumber, etc.) are released into the coastal areas of Osaka Prefecture to increase their stocks. As for the Hong Kong Grouper, a luxury fish that Osaka Prefecture aims to brand, individuals of 30 cm or smaller are offered to related organizations in Osaka Prefecture as spawning parent fish to increase Hong Kong Grouper resources in Osaka Bay.



Picking up the fish basket



Sorting and measuring



Releasing catches



## J Blue Credit certification (December 2022)

- Seaweed beds around KIX are recognized as a CO2 absorber.

- The amount of CO2 absorbed by seaweed growing on the seawall around Kansai International Airport has been quantified, and J Blue Credits\* have been certified and issued.

The environmental creation of seaweed beds that has happened so far has developed into an initiative that also leads to a reduction in CO2 emissions.

CO2 absorption: 103.2 t-CO2  
(for 5 years from FY2017 to FY2021)

\*J Blue Credit: Blue carbon quantified into tradable credits.



J Blue Credit Certification

# Development of Seaweed Bed Environment Creation Initiatives



## Cooperation with local government (Hannan City) (from February 2023)


- Osaka Bay Sea Forest (seaweed bed) Conservation and Restoration Project -

- Working together to create a rich marine environment through collaboration between the region and the airport.
- Registered for the Co-Creation Challenge of the "TEAM EXPO 2025" program at Expo 2025 Osaka Kansai.
- In April 2023, seaweed collected at Kansai International Airport will be transplanted in the sea of Hannan City.



## Certification by the Ministry of the Environment as a nature symbiosis site (October 2023)


- A new certifying system from the Ministry of the Environment known as "nature symbiosis site" was officially launched in FY2023. This system certifies areas where biodiversity is being conserved through the efforts of the private sector.
- The seaweed beds at Kansai International Airport were certified in October 2023 in recognition of the fact that they provide ecosystem services and are an important site for biodiversity conservation in Osaka Bay.



Construction of a wide range of shallow areas where sunlight can reach, development of waterfront space through artificial sand and rock beaches, and implementation of monitoring studies to determine the effects of fostering and creating ecosystems.

## Overview

- For the construction of Kobe Airport Island, which opened in 2006, the surrounding seawalls were constructed with gently sloping masonry to create a wide shallow area exposed to sunlight.
- By arranging artificial sand beaches and rock beaches, a rich ecosystem and environment was created, and developed a public-friendly waterfront space.
- Monitoring studies were conducted from the beginning of the project in order to understand the effects of the gently sloping seawalls on the development and creation of ecosystems.



## Basic Information

|                                    |                                                                                                                                            |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                      | Kobe City<br>(Seawalls on the Kobe Airport island)                                                                                         |
| <b>Participating organizations</b> | Kobe City                                                                                                                                  |
| <b>Start year</b>                  | 1999                                                                                                                                       |
| <b>Contents of activities</b>      | <ul style="list-style-type: none"> <li>• Installation of rocks, blocks, or other substrate</li> <li>• Adjustment of water depth</li> </ul> |
| <b>Site area</b>                   | —                                                                                                                                          |
| <b>Amount of CO2 absorption</b>    | 9.3 t-CO2<br>(J Blue Credit, 5 years from FY2017 to FY2019: 9.3t-CO2)                                                                      |



# Project Characteristics and Key Points


- Around the Kobe Airport island, a large shallow area extending 6.7 km in length has been artificially constructed, which is home to a variety of marine life and has nurtured and created a rich ecosystem.
- In addition to the extensive growth of seaweed beds, such as *Sargassum filicinum* Harvey and *Undaria pinnatifida* (wakame seaweed), in the surrounding shallow waters, many fish species, including Japanese red seaperch and Pearl-spot chromis, have also been observed, creating a rich ecosystem. It has also become a popular fishing spot for a wide variety of fish species throughout the year, contributing as a recreational space for the citizens.
- Funds from this project are planned to be used to support the conservation and creation of blue carbon by private organizations as part of efforts to create a carbon neutral port (CNP) at the Port of Kobe and to decarbonize the Kobe Airport.




Part of the revetment is open for fishing and attracts many people.



Sea turtle conservation activities are conducted on the artificial beach of the airport island.



*Sargassum filicinum* Harvey



*Undaria pinnatifida*  
(wakame seaweed)



Japanese red seaperch



Pearl-spot chromis


# Overview

1999: Start of land development

2001: Seawall construction

2006: Opening of Kobe Airport

- Seawall: Gently sloping masonry seawall using wave-dissipating blocks, etc.
- Objective: To create a shallow area where sunlight can reach → Nurture a variety of organisms, purify water quality
- Scale: Used in approx. 6.7 km of the 7.7 km long revetment perimeter



# Monitoring Surveys

- To understand the effect of the gently sloping seawall on the development and the creation of ecosystems, monitoring surveys have been conducted from the initial phase of the seawall construction.
- The amount of CO<sub>2</sub> absorption (9.3 tons) certified for Kobe Airport Island in FY2022 was calculated based on the results of these surveys.



Image of monitoring process (Taken underwater)



*Sargassum filicinum* Harvey



*Undaria pinnatifida*  
(wakame seaweed)



# Future Development

- Monitoring surveys were also conducted in Port Island (Phase 2) and Meriken Park, where a similar gently sloping seawall has been constructed (February 2023).
- After evaluating the seaweed beds in these areas, we plan to apply for a CO2 sink certification.



# Future Initiatives

- The funds generated by this project will be used to support advanced verification initiatives such as blue carbon conservation and creation activities and the formation of seaweed beds (plans include providing assistance programs and verification fields).
- The aim is to also achieve environmentally friendly community development in waterfront redevelopment.
- New waterfront space is planned to introduce environmentally friendly seawalls and to be used as a place for environmental education.



Kobe Waterfront Vision (December 2022)



**Establishment of a shallow area in Hyogo Canal, creation of eelgrass beds through regional cooperation, and implementation of environmental beautification activities.**

## Overview

- Creating seaweed beds by seeding and transplanting eelgrass on the Hyogo Canal tidal flat created by using stones and sand generated from the removal of the fifth breakwater at the Port of Kobe.
- Fishermen and university students cooperated to conduct periodic monitoring surveys of the tidal flat's water purification and CO<sub>2</sub> fixation capabilities.
- The tidal flats are used by local elementary schools for environmental education, while environmental beautification activities are conducted in cooperation with local organizations to raise awareness of environmental beautification.



## Basic Information


|                                            |                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Region</b>                              | Kobe City                                                                                                                                                                                                                                                                                                |
| <b>Participating organizations</b>         | Hyogo Fishery Cooperative Association, Hyogo Canal Beautification Association, Hamayama Elementary School, Hyogo Waterside Network, Hyogo Canal Pearl Shell Project                                                                                                                                      |
| <b>Start year</b>                          | 2019                                                                                                                                                                                                                                                                                                     |
| <b>Contents of activities</b>              | <ul style="list-style-type: none"> <li>• Seeding of seaweeds and transplanting of sporophyte</li> <li>• Sand covering and water depth adjustment</li> <li>• Environmental education and public awareness (exchange with other organizations, incorporation into elementary school curriculum)</li> </ul> |
| <b>Site area</b>                           | 34ha                                                                                                                                                                                                                                                                                                     |
| <b>Amount of CO<sub>2</sub> absorption</b> | 2.1t-CO <sub>2</sub><br>(J Blue Credit, 2 years from FY2021 to FY2022: 2.1t-CO <sub>2</sub> )                                                                                                                                                                                                            |



# About Hyogo Canal

- The Hyogo Canal was completed in 1899 and used as a storage area for imported lumber after the war.
- Many lumber companies and other businesses were located near the canal, and during the period of rapid economic growth, the water was polluted by wastewater from the factories.
- The environment has been greatly improved through sewage maintenance and cleanup activities by the Hyogo Canal Beautification Association\*.

\*The association aims to contribute to the local community by purifying the water quality of the Hyogo Canal and beautifying the surrounding landscape, and its members include companies and organizations in the area around the canal.




Hyogo Canal during the period of rapid economic growth

Hyogo Canal Beautification Association

# Motivation for Initiatives

- To further enhance the environment, the City of Kobe and the Kinki Regional Development Bureau of the Ministry of Land, Infrastructure, Transport and Tourism have constructed a shallow area in the Hyogo Canal (Kirakira Beach: 2019, Atsumare Ikimono no Hama: 2020).
- Local elementary school students, the community, and the government worked together to determine the shape and other details.





# Environmental Activities and Education in the Shallow Area

- Activities of various groups were created in the shallow areas that were developed, and the groups began to collaborate on environmental activities.

Environmental education  
at local schools



Clam project (3<sup>rd</sup> grade)



Osaka Bay Biological Survey



Eelgrass transplantation class  
(4<sup>th</sup> grade)

Collaboration with Vissel Kobe  
"Kobe Port Environment Class"



Clam research



Environmental education



Fish touching pool

Canal 24-hour survey  
(high school students in  
Osaka)



DNA sampling



Measuring sampled water



Analysis of collected materials

Parent-child clam research  
class





# Creation of J Blue Credits for Hyogo Canal

- Eelgrass and seaweed species have thrived in the shallow area that has been developed.
- The environmental activities and education conducted in the community were also highly regarded, and J Blue Credit was approved in FY 2021, and the certification was also granted in FY 2022.
- Environmental activities are becoming more active through Blue Carbon initiatives.




Five local environmental groups\* collaborated to issue 2.1 [t-CO<sub>2</sub>]/year of J-Blue credits.

\*Hyogo Fishery Cooperative Association, Hyogo Canal Beautification Association, Kobe Municipal Hamayama Elementary School, Pearl Shell Project, Waterfront Network

Result of public solicitation

Credit transactions with 29 companies and organizations



- Through the Blue Carbon initiative, cooperation among organizations has strengthened, leading to increased activity.
- We will promote the participation of companies and organizations that have purchased credits in our activities.

# Ripple Effects of Initiatives

- Blue Carbon initiatives are having various ripple effects such as creating interactions with other regions.

## Interactions with other local organizations



Eelgrass summit

Interaction through the collection of flowering stems of eelgrass



Interregional interactions of elementary school children

## Media coverage



- Covered by TV news repeatedly.
- Articles also published in newspapers "Hyogo's Canals, Now a Fish Paradise Locals cleanup the canal known to be dirty and smelly in the 60s"

## As a curriculum for elementary school classes



Clam project (3<sup>rd</sup> grade)



Eelgrass transplantation class (4<sup>th</sup> grade)



Learning about the fishing industry (5<sup>th</sup> grade)

## Bringing liveliness to the Hyogo Canal



Interview with Nagoya's Nakagawa Canal Boat Navigation aiming to operate Hyogo Canal Cruise.



Fish touch pool at the canal event