
Deposition of Radioactive Cesium and Radioactive Iodine


Cs-134 and Cs-137 (Wider Areas and within the 80-km Zone)

Readings of the Airborne Monitoring Survey outside the 80-km Zone (Converted into values as of Dec. 28, 2012)




Bq/m²: becquerels per square meter

Readings of the 6th Airborne Monitoring
Survey within the 80-km Zone
(Converted into values as of Nov. 16, 2012)



I-131 (Eastern Part of Fukushima Prefecture)



Bq/m : becquerels per square meter

Released by the Ministry of Education, Culture, Sports, Science and Technology (MEXT) on Sep. 21, 2011 (partially corrected on July 1, 2013) *Converted into values as of June 14, 2011

Environmental Samples Collected in Fukushima Prefecture(Immediately after the TEPCO's Fukushima Daiichi NPS Accident)

litate Village People's Forest
"Sonmin no Mori Ai-no-Sawa" Camping Ground
(Collected on March 17, 2011)

Weed (leaves) (Bq/kg)

• I-131 892,000

• Cs-134 314,000

• Cs-137 318,000

Land soil (soil) (Bq/kg)

• I-131 336,000

· Cs-134 32,000

· Cs-137 33,700

Inland water (pond water) (Bq/kg)

· I-131 2,480

· Cs-134 443

· Cs-137 476

Sampling location	Date	Weed (leaves) Bq/kg			Land soil (soil) Bq/kg		
		I-131	Cs-134	Cs-137	I-131	Cs-134	Cs-137
Towa branch municipal office, Nihonmatsu City	March 17	152,000	107,000	110,000	35,800	5,440	6,230
Swordsmanship dojo, litate Village	March 16	1,150,000	546,000	549,000	151,000	22,600	25,100
Ruins of Onami castle, Fukushima City	March 17	429,000	283,000	292,000	156,000	16,700	18,000

Bq/kg: becquerels per kilogram

Prepared based on "Measurement Readings for Environmental Samples" on June 7, 2011, by the Ministry of Education, Culture, Sports, Science and Technology (MEXT)