



Virgin forest photo by MACHIDA Yasuyoshi

## 7. Documentation

**7a. Slides and DVD**

**7b. Copies of property management plans and extracts of other plans relevant to the property**

**7c. Bibliography**

**7d. Address where inventory, records and archives are held**



## 7a. Slides and DVD

Appendix 2. List of Slides for which authorization is given

Additional reference material: Slides and DVD

## 7b. Copies of property management plans and extracts of other plans relevant to the property

Appendix 3. Legal instruments of protection applying to the nominated site

Appendix 4. Management plan and other plans applying to the nominated site

## 7c. Bibliography

### Topography and geology

- Funayama, A., Goto, Y., Gouchi, N. and Matuda, I. (1993) The Nature of Mt. Shari-dake (Introduction to local history: Series No.15). Shiretoko Museum, Shari town (in Japanese).
- Goto, Y., Funayama, A., Gouchi, N. and Itaya, T. (2000) K-Ar ages of the Akan-Shiretoko volcanic chain lying oblique to the Kurile trench: Implications for tectonic control of volcanism. *The Island Arc* 9: 204-218.
- Goto, Y. and Gouchi, N. (1991) Reconstruction of submarine volcanoes in the Shiretoko Peninsula, Hokkaido. *Bulletin of the Volcanological Society of Japan* 36: 37-50 (in Japanese).
- Goto, Y., Gouchi, N. and Itaya, T. (1990) Radial dyke swarms and reconstruction of the Pleistocene submarine volcanoes in the Shiretoko Peninsula, Japan. In: *Mafic Dykes and Emplacement Mechanisms* (Edited by Paeker, Rickwood and Tucker), pp.25-33. Balkema, Rotterdam.
- Goto, Y., Gouchi, N. and Kokubu, K. (1999) Mount Shiretoko Iwo-zan. In: *Walking guide to the nature of eastern Hokkaido* (Edited by Akiba, T. *et al*, pp.130-137. Hokkaido University Press, Sapporo (in Japanese).
- Gouchi, N., Goto, Y., Shibata, T. and Funayama, A. (1991), The development of Shiretoko Peninsula (Introduction to local history: Series No.11). Shiretoko Museum, Shari town (in Japanese).
- Katsui, Y., Igarashi, Y., Gouchi, N., Kevin, J., Ikeda, T. and Ohse, N. (1985) Geology of the Onnebetsudake wilderness area and its environs, Shiretoko Peninsula, east Hokkaido. In: *Conservation reports of the Onnebetsu-dake Wilderness Area, Hokkaido, Japan*, pp.37-63. Nature Conservation Bureau, Environment Agency (in Japanese).

- Katsui, Y., Yokoyama, I., Okada, H. and Takagi, H. (1982) Shiretoko-Iwozan, its volcanic geology, history of eruption, present state of activity and prevention of disasters. Committee for Prevention of Disasters in Hokkaido, Sapporo, Japan (in Japanese).
- Kimura, G. and Tamaki, K. (1986) Collision, rotation, and back-arc spreading in the region of Okhotsk and Japan Seas. *Tectonics* 5: 389-401.
- Shari town and Rausu town (1999) Kamui Moshiri-Realm of the spirits - SHIRETOKO - The Shiretoko Peninsula: a world class treasure. Rausu Town & Shari Town.
- Watanabe, T. (1940) Eruptions of molten sulphur from the Shiretoko-Iosan volcano, Hokkaido, Japan. *Japanese Journal of Geology and Geography* 17: 289-310.
- Watanabe, T. and Shimotomai, T. (1937) Sulphur Eruption at Iwo-Dake, Shiretoko Peninsular, Hokkaidō. *Bulletin of the Volcanological Society of Japan* 3(3): 213-262 (in Japanese).

### Climate

- Aota, M. (1993) White Sea, Freezing Ocean, the Wonders of the Sea of Okhotsk. Tokai University Press, Tokyo (in Japanese).
- Japan Meteorological Agency (2002) AMeDAS Annual Report 2002. Japan Meteorological Business Support Center (in Japanese).
- Japan Meteorological Agency (2002) Mesh Climate Data 2000. Japan Meteorological Business Support Center (in Japanese).
- Matsumoto, J. (1985) Climate of Shiretoko Peninsula, Hokkaido Island. In: Conservation reports of the Onnebetsu-dake Wilderness Area, Hokkaido, Japan, pp.1-21. Nature conservation bureau, Environment Agency (in Japanese with English summary).
- Rausu town (2001) A Hundred Years of the History of Rausu town. Rausu Town Hall (in Japanese).
- Shari town and Rausu town (1999) Kamui Moshiri-Realm of the spirits - SHIRETOKO - The Shiretoko Peninsula: a world class treasure. Rausu Town & Shari Town.

### Sea ice

- Aota, M. (1993) White Sea, Freezing Ocean, the Wonders of the Sea of Okhotsk. Tokai University Press, Tokyo (in Japanese).
- Aota, M. (2003) Sea Ice and Global Environment. In: Sakhalin Offshore Oil and Gas Development and Environmental Protection (Edited by Murakami, T.), pp.141-153. Hokkaido University Press, Sapporo (in Japanese).
- Aota, M. and Ishikawa, M. (1991) Fresh Water supply to the Sea of Okhotsk and volume transport of Soya Warm Current. *Bull. Hokkaido Natl. Fish. Res. Inst.* 55: 109-113 (in Japanese with English summary).
- Furuhashi, K. (1980) Standing crops of plankton in the Okhotsk. *Bulletin of the Society of Fisheries Oceanograph* 37: 36-42 (in Japanese).
- Kurasawa, E. (2001) Encyclopedia of the Seas of Japan. TBS-BRITANNICA, Tokyo (in Japanese).

- Matsumoto, C., Saito, S. and Wakatsuchi, M. (2002) International variability of spring bloom in the southwestern Sea of Okhotsk: Analysis using satellite multi-sensor remote sensing. *Kaiyo Monthly*, special edition 30: 145-151 (in Japanese).
- Sakuma, T. (1994) Sea of Sea Ice and Heavy Soil - Esashi Kitami to Abashiri. In: *Nature of Japan, Regional Volume, Hokkaido* (Edited by Koaze, T., Fukuda, M., Ishigaki, K., Sakai, A., Sakuma, T. and Kikuchi, K.), pp.58-69. Iwanami Shoten, Publishers, Tokyo (in Japanese).
- Shirasawa, K., Fujiyoshi, Y. and Maekawa, K. (2002) Characteristics of Sea Ice and Hydrometeorology at Saroma-ko Lagoon. *Kaiyo Monthly*, special edition 30: 50-61 (in Japanese).
- Takahashi, M. (2002) Characteristics of Sea Ice Ecosystem and Its Role. *Kaiyo Monthly*, special edition 30: 187-195 (in Japanese).
- Takahashi, M. and Shirasawa, K. (2002) An Introduction to Sea Ice Ecosystem. *Kaiyo Monthly*, special edition 30: 5-10 (in Japanese).

## Plants

- Ito, K. and Kojima, S. (1987) Eco-geographical Status of Vegetation in Hokkaido: An attempt towards Comparative Vegetation Ecology. In: *Vegetation of Hokkaido* (Edited by Ito, K.), pp.25-94. Hokkaido University Press, Sapporo (in Japanese).
- Iwatsuki, K. (1992) *Ferns and Fern Allies of Japan*. HEIBONSHA Ltd., Publishers, Tokyo (in Japanese).
- Kawano, S. (1971) Studies on the Alpine Flora of Hokkaido, Japan. I. *Phytogeography*. J. Coll. Lib. Arts, Toyama Univ., Pt. Nat. Sci. 4: 13-96.
- Kawashima, S. (1994) *Cymathaere japonica*. In: *Basic Data of Rare Aquatic life in Japan (I) Aquatic Plants*, pp.648-653. Fisheries Agency (in Japanese).
- Kurogi, M. (1968) Occurrence of *Akkesiphycus lubricum* YAMADA and TANAKA on the Coast of Shiretoko Peninsula, Hokkaido. *The Bulletin of Japanese Society of Phycology* 16(3): 50-52 (in Japanese).
- Kurogi, M. and Yamada, I. (1970) New Knowledge of Ecology and Structure of *Akkesiphycus lubricum* YAMADA et TANAKA. *The Bulletin of Japanese Society of Phycology* 18(2): 49-53 (in Japanese).
- Kurogi, M., Yamada, I. and Masuda, M. (1985) Marine flora and its vegetation of Rausu Coastal Area on the East Side of Shiretoko Peninsula. In: *Comprehensive Report on the Kelp in Rausu Sea Area*, pp.1-82. Rausu Fishermen's Cooperative, Rausu town, Menashi-gun, Hokkaido (in Japanese).
- Nakagawa, H. (1988) Environments. In: *Animals of Shiretoko* (Edited by Ohtaishi, N. and Nakagawa, H.), pp.9-11. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Nature Conservation Bureau, Environment Agency (1987) *Report on the Third National Survey of the Natural Environment, Vegetation Survey* (in Japanese).
- Nature Conservation Bureau, Ministry of the Environment (2000) *Report on the Fifth National Survey of the Natural Environment, Specific Plant Community Survey* (in Japanese).
- Nature Conservation Bureau, Ministry of the Environment (2001) *Report on the Sixth National Survey of the Natural Environment, Big Trees Follow Up Survey* (in Japanese).

- Okitsu, S. (1987) Siberian Dwarf Pine Zone. In: Vegetation of Hokkaido (Edited by Ito, K.), pp.129-167. Hokkaido University Press, Sapporo (in Japanese).
- Okitsu, S. (1999) Distribution of the Forests of the Boreal Zone of Northeastern Asia and Conditions for the Establishment of the Forest Boundaries. *Vegetation Science* 16: 83-97 (in Japanese with English abstract).
- Okitsu, S. (2001) "Why *Pinus koraiensis*, which is a dominant species in the Northeast Asia continent, is rare in Japan?" In: Environmental Vegetation: Key to Understanding the Link between the Environment and Vegetation (Edited by Mizuno, K.), pp.149-159. Kokon Shoin, Tokyo (in Japanese).
- Samejima, J. and Sato, K. (1981) Summary. In: Report on the Synthetic Survey of Nature of the Shiretoko Peninsula (Review: Plants), pp.174-180. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Satake, Y., Hara, H., Watari, A. and Tominari, T. (1989) Wild Flowers of Japan, Wood Plants. HEIBONSHA Ltd., Publishers, Tokyo (in Japanese).
- Satake, Y., Ohwi, J., Kitamura, S., Watari, A. and Tominari, T. (1982) Wild Flowers of Japan. HEIBONSHA Ltd., Publishers, Tokyo (in Japanese).
- Sato, K. (1981a) Alpine Vegetation. In: Report on the Synthetic Survey of Nature of the Shiretoko Peninsula (Review: Plants), pp.123-149. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Sato, K. (1981b) Coastal Vegetation. In: Report on the Synthetic Survey of Nature of the Shiretoko Peninsula (Review: Plants), pp.157-173. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Sato, K. (1998) Vascular Plants Above the Forest Limit in the Four Major Mountain Ranges of Hokkaido, Japan. *J. HOKKAI-GAKUEN UNIV.* No.94/95.
- Sato, K., Nishikawa, T., Sakai, S., Matsui, K., Kohyama, T., Koike, F., Kobayashi, M. and Ito, K. (1985) Flora of Vascular Plants of the Onnebetsudake Wilderness area and Shiretoko Peninsula. In: Conservation Reports of the Onnebetsu-dake Wilderness Area, Hokkaido, Japan, pp.115-172. Nature Conservation Bureau, Environment Agency, Japan (in Japanese with English summary).
- Sato, T., Kudo, G., Tuyuzaki, S. and Kohyama, T. (1997) A Quantitative Analysis of Pteridophytes Distribution with Scaling from Mt. Onnebetsudake to Japan in Relation to Forest Structure and Vegetation. In: Long Term Ecological Studies in the Onnebetsudake Wilderness Area and its Surrounding Areas - 1997 Reports -, pp.61-78. Nature Conservation Bureau, Environment Agency, Japan (in Japanese with English synopsis).
- Tatewaki, M. (1954) Vegetation in Shiretoko Peninsula (Kitami Side). Kitami District Forest Office (in Japanese).
- Tatewaki, M. (1958) Forest Ecology of the Islands of the North Pacific Ocean. *Journal of the Faculty of Agriculture, Hokkaido University* 50: 371-486+30plates.
- Tatewaki, M. (1963) Alpine Plants in Hokkaido. *Sci. Rep. Tohoku Univ., Ser. 4, Biology* 29(3-4): 165-188.



- Tatewaki, M. (1967) Distribution of Alpine Plants in Northern Japan. In: Arctic and Alpine Environments (Edited by H. E. Wright, Jr. and W. H. Osburn), pp.119-136. Indiana Univ. Press.
- Tohyama, M. (1958) Distribution of *Trachomitum venetum* var. *Basikurumon*. The Journal of Geobotany 7: 92-93 (in Japanese).
- Watanabe, S. (1971) Phytogeographical Studies of the Alpine Plants (Vascular Plants) on the Hidaka-Yubari Ranges, Hokkaido. Memoirs of the National Science Museum 4: 95-126 (in Japanese).
- Yamada, Y. and Tanaka, T. (1944) Report on Seaweeds of Kitami Coastal Area of Shiretoko Peninsula. Hokusuisi Monthly Report 1 (3): 165-171 (in Japanese).

### Terrestrial mammals

- Aoi, T. (1981) Study of Population Ecology on Brown Bear. In: Report of the Survey on Vertebrate Communities in Shiretoko Peninsula, Hokkaido, Japan, pp.126-144. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Canfield, J. and Harting, A. L. (1987) Home Range and Movements. In: Grizzly bear Compendium, III (Edited by LeFranc, M. N., Moss, M. B., Patnode, K. A. and Sugg, W. C.), pp.27-46. Integrancy Grizzly Bear Committee, Washington.
- Friebe, A., Swenson, J. E. and Sandegren, F. (2001) Denning Chronology of Female Brown Bears in Central Sweden. Ursus 12: 37-45.
- Glenn L. P. and Miller, L. H. (1980) Seasonal Movements of an Alaska Peninsula Brown Bear Population. International Conference of Bear Research and Management 4: 307-312.
- Kaji, K. (1988) Sika Deer. In: Animals of Shiretoko (Edited by Ohtaishi, N. and Nakagawa, H.), pp.155-180. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Mano, T. (1994) Home Range and Habitat Use of Brown Bears in the Southwestern Oshima Peninsula, Hokkaido. International Conference of Bear Research and Management 9: 319-325.
- Nagata, J. (1999) The Blakiston's Line and Genetic Information of Artiodactyla in Japan. Mammalian Science 39: 343-350 (in Japanese).
- Okada, H. (2000) Ezo-Sika (*Cervus nippon yesoensis*). In: Mammals of Shiretoko I (Edited by Shiretoko Museum), pp.74-129. Shari town and Shari town Board of Education (in Japanese).
- Revenko, I. (1998) Status of Brown Bears in Kamchatka, Russian Far East. Ursus 10: 11-16.
- Shiretoko Museum (2000) Mammals of Shiretoko I. Shari town and Shari town Board of Education (in Japanese).
- Shiretoko Nature Foundation (2003) Current Status of Sika Deer in Peninsula Shiretoko, Japan (review). Shiretoko Nature Foundation, Shari (in Japanese).
- Tsukada, H. (1997) External Measurements, Breeding Season, Litter Size, Survival Rate, and Food Habits of Red Foxes (*Vulpes vulpes schrencki*) in the Shiretoko National Park. Bulletin of the Shiretoko Museum 18: 35-44 (in Japanese with English summary).



- Yamanaka, M., Okada, H., Masuda, Y., Tsuruga, H. and Kaji, K. (1995) Habitat Analysis of Brown Bears (*Ursus arctos yesoensis*) in Peninsula Shiretoko, Japan. In: The Landscape Level Watershed Management with Respect to Conservation of Wilderness Area (Edited by First Forest Technology Center), pp.122-130. First Forest Technology Center, Sapporo (in Japanese).
- Yamanaka, M., Nakamura, N., Kohira, M. and Okada, H. (2003) Aerial Census of Overwintering Populations of Sika Deer in Peninsular Shiretoko Using a Helicopter. Program for Annual Meeting of the Mammalogical Society of Japan 2003, Morioka, p.124 (in Japanese).

### Marine mammals

- Amano, M. and Kuramochi, T. (1992) Segregative Migration of Dall's porpoise (*Phocoenoides dalli*) in the Sea of Japan and Sea of Okhotsk. *Marine Mammal Science* 8: 143-151.
- Ferrero, R. C. and Walker, W. A. (1999) Age, Growth, and Reproductive Patterns of Dall's porpoise (*Phocoenoides dalli*) in the Central North Pacific Ocean. *Marine Mammal Science* 15: 273-313.
- Gentry, R. L. (2000) Eared seas (Otariidae). In: *Encyclopedia of Marine Mammals* (Edited by Perrin, W. F., Wursig, B. and Thewissen, J. G. M.), pp. 348-351. Academic Press, San Diego.
- Goto, Y. and Shimazaki, K. (1998) Diet of Steller sea lions off the Coast of Rausu, Hokkaido, Japan. *Biosphere Conservation* 1: 141-148.
- Hammill, M. O. (2000) Earless seals (Phocidae). In: *Encyclopedia of Marine Mammals* (Edited by Perrin, W. F., Wursig, B. and Thewissen, J. G. M.), pp. 352-357. Academic Press, San Diego.
- Ishinazaka, T. and Endo, T. (1999) The Reproductive Status of Steller sea lions in the Nemuro Strait, Hokkaido, Japan. *Biosphere Conservation* 2: 11-19.
- Ishinazaka, T. and Uni, Y. (2000) Marine Mammals. In: *Mammals of Shiretoko I* (Edited by Shiretoko Museum), pp.162-225. Shari town and Shari town Board of Education (in Japanese).
- Ito, T. (1970) Survey of the Pinnipeds in Hokkaido. *Mammalian Science* 19: 67-68 (in Japanese).
- Kato, H. (1992) Body Length, Reproduction and Stock Separation of Minke whales off Northern Japan. *Report of International Whaling Commission* 42: 443-452.
- Kawamura, A. (1981) Distribution of Whales on Okhotsk Sea Coast of Hokkaido. In: *Report of the Survey on Vertebrate Communities in Shiretoko Peninsula, Hokkaido, Japan*, pp. 182-188. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Kawamura, A. (1986) The State of Seasonal Distribution of Dolphins and Porpoises in the Coastal Fishing Area of Aomori and Hokkaido Prefecture - Results of Questionnaire Survey in 1984 and Some Discussions. *Whales Research Institute News* 362: 23-33 (in Japanese).
- Mizuno, A. W., Suzuki, M. and Ohtaishi, N. (2001) Distribution of the Spotted seal *Phoca largha* along the Coast of Hokkaido, Japan. *Mammal Study* 26: 109-118.



- Mizuno, A. W., Wada, A., Ishinazaka, T., Hattori, K., Watanabe, Y. and Ohtaishi, N. (2002) Distribution and Abundance of Spotted seals *Phoca largha* and Ribbon seals *Phoca fasciata* in the Southern Sea of Okhotsk. *Ecological Research* 17: 79-96.
- Naito, Y. (1973) Comparison in Colour Pattern of Two Species of Harbour seal in Adjacent Waters of Hokkaido. *Scientific Report of Whale Research Institute* 25: 301-310.
- Naito, Y. and Konno, S. (1979) The Post Breeding Distribution of Ice Breeding Harbour seal (*Phoca largha*) and Ribbon seal (*Phoca fasciata*) in the Southern Sea of Okhotsk. *Scientific Report of Whales Research Institute* 31: 105-119.
- Nishimoto, T. (1985) Transitions of the Hunting and Fishing Activities in Hokkaido. *Scientific Report of National Museum of Japanese History* 6: 53-74.
- Ohtaishi, N. and Nakagawa, H. (1988) *Animals of Shiretoko*. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Ohtaishi, N. and Saito, T. (1981) Pinnipedia of Shiretoko Coast and Migration of Steller's sea-lion on the Coast of Hokkaido. In: *Report of the Survey on Vertebrate Communities in Shiretoko Peninsula, Hokkaido, Japan*, pp.165-181. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Ohtaishi, N. and Wada, K. (1999) *Migratory Ecology and Conservation of Steller sea lions*. Tokai University Press, Tokyo (in Japanese with English summary).
- Sakurai, Y. (2001) Report from the Research Project on the Visiting Steller Sea Lions. In: *2000 Report on the Project to Establish a Fishery System which maintains the Marine ecosystem*, pp.61-97. Japan Marine Fishery Resources Research Center (in Japanese).
- Sato, H. (1998) A Migratory Route for Whales and Dolphins Supported by a Rich Environment. *SCIaS* 49: 78-81 (in Japanese).
- Uni, Y. (1998) Guidebook for 20th Special Exhibitions of the Shiretoko Museum "Hunting Marine Mammals in Shiretoko." Shiretoko Museum, Shari town (in Japanese).
- Yamanaka, M., Ohtaishi, N. and Ito, T. (1986) Migration of Steller sea lion and their Damage to Fisheries along the Hokkaido Coast, Japan. In: *Ecology and Conservation of Kuril seals* (Edited by Wada, K.), pp.274-295. Tokai University Press, Tokyo (in Japanese with English abstract).

## Birds

- BirdLife International (2000) *Threatened Birds of the World*. Lynx Edicions and BirdLife International, Cambridge.
- Fukuda, Y. (2000) Distribution of Breeding Sites of Seabirds on the Shari Side of the Shiretoko Peninsula. *Proceedings of the 2000 Conference, The Ornithological Society of Japan* (in Japanese).
- Japanese Society for Preservation of Birds-Kushiro chapter (2001) *2000 Report on the Shiretoko National Wildlife Protection Area*. Nature Conservation Bureau, Ministry of the Environment (in Japanese).
- Ministry of the Environment (2002) *Threatened Wildlife of Japan - Red Data Book 2<sup>nd</sup> ed.*, Aves. Japan Wildlife Research Center, Tokyo, (in Japanese with English summary).
- Nagata, Y. (1956) Shiretoko Peninsula (1). *Wild Birds* 21: 220-225 (in Japanese).



- Nagata, Y. (1956) Shiretoko Peninsula (2). *Wild Birds* 21: 337-342 (in Japanese).
- Nagata, Y. (1956) Shiretoko Peninsula (3). *Wild Birds* 21: 388-393 (in Japanese).
- Nakagawa, H. (1981) Distribution, Population and Breeding of Birds. In: Report of the Survey on Vertebrate Communities in Shiretoko Peninsula, Hokkaido, Japan (Animals), pp.43-79. Natural Conservation Division, Department of Lifestyle and Environment, Hokkaido (in Japanese).
- Nakagawa, H. (1988) Birds. In: *Animals of Shiretoko* (Edited by Ohtaishi, N. and Nakagawa, H.), pp.59-121. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Nelson, S. K., Fukuda, Y. and Oka, N. (2002) The Status and Conservation of the Long-billed Murrelet in Japan. *Journal of the Yamashina Institution for Ornithology* 33: 88-106.
- Shari town and Rausu town (1999) *Kamui Moshiri-Realm of the spirits - SHIRETOKO - The Shiretoko Peninsula: a world class treasure.* Rausu Town & Shari Town.
- Shiraki, A. (1997) The Breeding Status and Food Resource in Breeding Season of White-tailed Sea Eagles in the Shiretoko Peninsula. In: *Long Term Studies in the Onnebetsudake Wilderness Area and Its Surrounding Areas*, pp.105-122. Nature Conservation Bureau, Environment Agency (in Japanese with English synopsis).
- Takenaka, K. (1999) Blakiston's fish-owl. In: *Birds of Shiretoko* (Edited by Shiretoko Museum), pp.78-125. Shari town and Shari-town Board of Education, Shari (in Japanese).
- Ueta, M., Koita, M. and Fukui, K. (1999) The Relationship between Autumn Distribution of Salmon and of Steller's and White-tailed Sea Eagles in Hokkaido, Japan. *STRIX* 17: 25-29 (in Japanese).
- Wild Bird Society of Japan (1982) *A Field Guide to the Birds of Japan.* Wild Bird Society of Japan, Tokyo.
- Working Group for White-tailed eagles and Steller's sea eagles (1988) *Report on the Simultaneous Survey by the Working Group for White-tailed eagles and Steller's sea eagles (Third Report).* Konpoku Local Species Study Group, Shari town (in Japanese).

### Reptiles and amphibians

- Ohtaishi, N. (1988) Characteristics of Vertebrate Fauna in Shiretoko. In: *Animals of Shiretoko* (Edited by Ohtaishi, N. and Nakagawa, H.), pp.249-263. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Shiretoko Museum (2003) *List of Reptiles and Amphibians in the Shiretoko Peninsula.* Shiretoko Museum website at <http://www.ohotoku26.or.jp/shari/museum/> (in Japanese).

### Fishes

- Hokkaido (2003) *Manual of the conservation and management of fishery resources in Hokkaido FY 2002.* Marine Resource Management Division, Department of Fisheries and Forestry, Hokkaido (in Japanese).



- Komiyama, E. (2003) Freshwater Fish of Shiretoko. In: Fishes of Shiretoko (Edited by Shiretoko Museum), pp.11-141. Shari town and Shari-town Board of Education (in Japanese).
- Komiyama, E. and Takahashi, G. (1988) Freshwater Fish. In: Animals of Shiretoko (Edited by Ohtaishi, N. and Nakagawa, H.), pp.15-57. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Murakami, T. (2003) Sakhalin Offshore Oil and Gas Development. In: Sakhalin Offshore Oil and Gas Development and Environmental Protection (Edited by Murakami T.), pp.3-40. Hokkaido University Press, Sapporo (in Japanese).
- Nakagawa, H. and Nobetsu, T. (2003) Saltwater Fish of Shiretoko. In: Fishes of Shiretoko (Edited by Shiretoko Museum), pp.142-231. Shari town and Shari-town Board of Education (in Japanese).
- Nobetsu, T., Nakagawa, H., Yabe, M., Nakaya, K., Masuda, Y. and Amaoka, K. (1998) Fishes of the coastal waters around the Shiretoko Peninsula. Bulletin of the Shiretoko Museum 19: 1-22 (in Japanese).
- Rausu town (2001) A Hundred Years of the History of Rausu town. Rausu Town Hall (in Japanese).
- Shari town and Rausu town (1999) Kamui Moshiri-Realm of the spirits - SHIRETOKO - The Shiretoko Peninsula: a world class treasure. Rausu Town & Shari Town.
- Shimoda, K. (2003) Dolly Varden *Salvelinus malma*. In: An Illustrated Book of Fishery Resources, Fishes in the North (New Edition), (Edited by Ueda, Y., Maeda, K., Shimada, H. and Takami, T.), pp.122-125. The Hokkaido Shimbun Press, Hokkaido (in Japanese).
- Shimoda, K., Nakano, S., Kitano, S., Inoue, M. and Ono, Y. (1993) Present Condition of Stream Fish Assemblage in the Shiretoko Peninsula with Special Reference to Human Impacts. Bulletin of the Graduate School of Environmental Earth Science, Hokkaido University (Japanese) 6: 17-27 (in Japanese).
- Shiretoko Museum (2003) Fishes of Shiretoko. Shari town and Shari-town Board of Education (in Japanese).
- Taniguchi, Y., Kishi, D. and Kawaguchi, Y. (2002) The Current Status of Stream Salmonids in 37 Streams in Both East and West Coasts of Shiretoko Peninsula, Hokkaido, Japan: Effect of Instream Artificial Structures. Bulletin of the Shiretoko Museum 23: 37-46 (in Japanese).

## Insects

- Haga, H. (1996) Beetles Captured on the Shiretoko Pass. Sylvicola 14 (in Japanese).
- Hori, S. (2003) Biodiversity of insects of Shiretoko. Insects of Shiretoko (Edited by Shiretoko Museum), pp.228-238. Shari town and Shari town Board of Education (in Japanese).
- Ito, T. and Nakajima, M. (2003) Effects of Salmon Carcasses in River and Riparian Ecosystem: A Review. Fish and Water 39: 1-16 (in Japanese).
- Kawahara, S. and Hayashi, H. (1996) Moths of Shiretoko Shari town. Bulletin of the Shiretoko Museum 17: 17-40 (in Japanese).
- Kawahara, S. and Matsuda, I. (1998) Moths of Shiretoko Shari town 2. Bulletin of the Shiretoko Museum 19: 45-59 (in Japanese).

- Kawahara, S., Muramatsu, N. and Yanagiya, T. (2001) Moths of Shiretoko Shari town 3. Bulletin of the Shiretoko Museum 22: 29-48 (in Japanese).
- Nishijima, H., Yasuda, N. and Iwasa, M. (1985) Beetles Caught by Pitfall Bait Trap in Onnebetsu-dake Wilderness Area in the Shiretoko Peninsula, Hokkaido. In: Conservation Reports of the Onnebetsu-dake Wilderness Area, Hokkaido, Japan, pp.431-443. Nature Conservation Bureau, Environment Agency, Japan (in Japanese with English summary).

### History and Development

- Gouchi, N. (1981) A Handbook of the Exhibitions of Shiretoko Museum. Shiretoko Museum, Shari town (in Japanese).
- Ishigaki, K. (1994) A Century of Change: The Direction for Hokkaido. In: The Natural History of Hokkaido (Edited by Ishiki, K. *et al.*), pp.195-207. Hokkaido University Press, Sapporo (in Japanese).
- Murata, R. (1994) The People and Nature of Shiretoko. Shiretoko Museum, Shari town (in Japanese).
- Ohtaishi, N., Nakagawa, H., Aoi, T., Uno, H., Kaji, K., Komiyama, E., Kondou, N., Takahashi, G. and Yamanaka, M. (1988) Characteristics of the Animals of Shiretoko and the Status of their Conservation and Management. In: Animals of Shiretoko (Edited by Ohtaishi, N. and Nakagawa, H.), pp.267-283. Hokkaido University Press, Sapporo (in Japanese with English summary).
- Shari town and Rausu town (1999) Kamui Moshiri-Realm of the spirits - SHIRETOKO - The Shiretoko Peninsula: a world class treasure. Rausu Town & Shari Town.

## 7d. Address where inventory, records and archives are held

- Biodiversity Center, Nature Conservation Bureau, Ministry of the Environment  
5597-1, Kenmarubi, Kamiyoshida, Fujiyoshida City, Yamanashi Prefecture 403-0005
- Shiretoko Museum  
49, Honmachi, Shari town, Shari-gun, Hokkaido 099-4113